

# Full wwPDB X-ray Structure Validation Report (i)

#### Nov 15, 2023 – 11:58 PM JST

PDB ID	:	6K6I
Title	:	The crystal structure of light-driven cyanobacterial chloride importer from
		Mastigocladopsis repens
Authors	:	Yun, J.H.; Park, J.H.; Jin, Z.; Ohki, M.; Wang, Y.; Lupala, C.S.; Kim, M.;
		Liu, H.; Park, S.Y.; Lee, W.
Deposited on	:	2019-06-03
Resolution	:	1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} \textbf{Whole archive} \\ (\#\textbf{Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
			9%		
1	А	232	85%	9%	6%



# 2 Entry composition (i)


There are 5 unique types of molecules in this entry. The entry contains 1968 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Cyanobacterial chloride importer.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	219	Total 1737	C 1164	N 276	0 288	S 9	0	0	0


• Molecule 2 is RETINAL (three-letter code: RET) (formula:  $C_{20}H_{28}O$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total         C           20         20	0	0

• Molecule 3 is OLEIC ACID (three-letter code: OLA) (formula:  $C_{18}H_{34}O_2$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total         C         O           15         13         2	0	0
3	А	1	Total C 6 6	0	0
3	А	1	Total         C         O           11         9         2	0	0
3	А	1	Total         C         O           16         14         2	0	0
3	А	1	Total         C         O           16         14         2	0	0
3	А	1	Total         C         O           12         10         2	0	0
3	А	1	Total         C         O           15         13         2	0	0
3	А	1	Total         C         O           20         18         2	0	0
3	А	1	Total         C         O           20         18         2	0	0
3	А	1	Total         C         O           20         18         2	0	0
3	А	1	Total C O 11 9 2	0	0
3	А	1	Total C 9 9	0	0
3	А	1	$\begin{array}{cc} \text{Total} & \text{C} \\ 6 & 6 \end{array}$	0	0
3	А	1	Total C 8 8	0	0



• Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	2	Total Cl 2 2	0	0

• Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	24	TotalO2424	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cyanobacterial chloride importer





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants	61.69Å 61.69Å 240.47Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
Resolution (Å)	20.20 - 1.90	Depositor
Resolution (A)	20.23 - 1.90	EDS
% Data completeness	96.3 (20.20-1.90)	Depositor
(in resolution range)	96.3 (20.23-1.90)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.18 (at 1.90 \text{\AA})$	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
B B.	0.209 , $0.239$	Depositor
$R, R_{free}$	0.217 , $0.253$	DCC
$R_{free}$ test set	1107 reflections $(5.12\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	25.8	Xtriage
Anisotropy	0.006	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.41, $90.5$	EDS
L-test for twinning <sup>2</sup>	$ \langle L  \rangle = 0.50, \langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	1968	wwPDB-VP
Average B, all atoms $(Å^2)$	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 7.29% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, RET, OLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.50	0/1791	0.60	0/2449	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1737	0	1770	10	0
2	А	20	0	27	5	0
3	А	185	0	277	2	0
4	А	2	0	0	0	0
5	А	24	0	0	0	0
All	All	1968	0	2074	13	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (13) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:301:RET:H171	2:A:301:RET:H8	1.43	0.98
1:A:140:LEU:HA	1:A:144:TYR:HB3	1.88	0.55
1:A:184:PHE:HB3	3:A:310:OLA:H151	1.90	0.53
1:A:86:LEU:HD23	1:A:162:LEU:HD13	1.92	0.52
1:A:129:SER:HB3	2:A:301:RET:H41	1.91	0.52
1:A:80:PRO:O	1:A:84:LEU:HG	2.10	0.51
2:A:301:RET:H171	2:A:301:RET:C8	2.27	0.46
2:A:301:RET:H8	2:A:301:RET:C17	2.29	0.44
1:A:49:LEU:HB2	1:A:74:THR:HG21	1.99	0.43
1:A:99:SER:OG	3:A:307:OLA:H31	2.20	0.42
1:A:9:GLY:O	1:A:13:MET:HG2	2.21	0.41
1:A:129:SER:CB	2:A:301:RET:H41	2.51	0.40
1:A:35:LEU:HD23	1:A:212:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	217/232 (94%)	214 (99%)	2(1%)	1 (0%)	29 18

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	142	GLN

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was



analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	А	183/195~(94%)	177~(97%)	6 (3%)	38 29	

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1	MET
1	А	26	ASN
1	А	28	LYS
1	А	94	LEU
1	А	154	ARG
1	А	179	LEU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such side chains are listed below:

Mol	Chain	Res	Type
1	А	60	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 17 ligands modelled in this entry, 2 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



Mol	Trune	Chain	Dec	Link	B	ond leng	gths	B	ond ang	les
	Type	Chain	$\operatorname{Res}$		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
3	OLA	А	314	-	$5,\!5,\!19$	0.33	0	4,4,19	0.52	0
3	OLA	А	306	-	$15,\!15,\!19$	0.67	0	$15,\!15,\!19$	0.94	0
2	RET	А	301	1	20,20,21	4.71	13 (65%)	27,27,28	2.00	8 (29%)
3	OLA	А	304	-	10,10,19	0.78	0	10,10,19	0.98	0
3	OLA	А	305	-	$15,\!15,\!19$	0.68	0	15,15,19	0.97	0
3	OLA	А	313	-	8,8,19	0.31	0	7,7,19	0.76	0
3	OLA	А	311	-	$19,\!19,\!19$	0.58	0	19,19,19	1.04	1 (5%)
3	OLA	А	303	-	$5,\!5,\!19$	0.32	0	4,4,19	0.57	0
3	OLA	А	308	-	$14,\!14,\!19$	0.63	0	14,14,19	1.06	0
3	OLA	А	302	-	$14,\!14,\!19$	0.65	0	14,14,19	0.98	0
3	OLA	А	310	-	19,19,19	0.56	0	19,19,19	1.03	0
3	OLA	А	312	-	10, 10, 19	0.79	0	10,10,19	0.92	0
3	OLA	А	309	-	19,19,19	0.62	0	19,19,19	0.96	0
3	OLA	А	307	-	$11,\!11,\!19$	0.85	0	11,11,19	0.99	0
3	OLA	А	315	-	7,7,19	0.35	0	$6,\!6,\!19$	0.48	0

expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OLA	А	314	-	-	3/3/3/17	-
3	OLA	А	306	-	-	10/13/13/17	-
2	RET	А	301	1	-	5/13/30/31	0/1/1/1
3	OLA	А	304	-	-	7/8/8/17	-
3	OLA	А	305	-	-	10/13/13/17	-
3	OLA	А	313	-	-	4/6/6/17	-
3	OLA	А	311	-	-	12/17/17/17	-
3	OLA	А	303	-	-	2/3/3/17	-
3	OLA	А	308	-	-	10/12/12/17	-
3	OLA	А	302	-	-	7/12/12/17	-
3	OLA	А	310	-	-	10/17/17/17	-
3	OLA	А	312	-	-	3/8/8/17	-
3	OLA	А	309	-	-	8/17/17/17	-
3	OLA	А	307	-	-	$\frac{4/9/9/17}{2}$	-



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OLA	А	315	-	-	3/5/5/17	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
2	А	301	RET	C5-C6	14.56	1.59	1.34
2	А	301	RET	C1-C6	-6.37	1.45	1.53
2	А	301	RET	C2-C3	-6.18	1.37	1.52
2	А	301	RET	C14-C13	4.81	1.37	1.33
2	А	301	RET	C2-C1	4.79	1.65	1.54
2	А	301	RET	C3-C4	4.38	1.66	1.52
2	А	301	RET	C19-C9	4.17	1.59	1.50
2	А	301	RET	C12-C13	4.07	1.54	1.45
2	А	301	RET	C4-C5	-3.40	1.44	1.51
2	А	301	RET	C8-C9	3.25	1.52	1.45
2	А	301	RET	C18-C5	3.22	1.56	1.50
2	А	301	RET	C11-C10	3.07	1.53	1.43
2	А	301	RET	C7-C6	2.78	1.55	1.45

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	301	RET	C18-C5-C6	-5.80	118.01	124.53
2	А	301	RET	C11-C10-C9	-3.19	122.75	127.31
2	А	301	RET	C1-C6-C7	2.97	124.18	115.78
2	А	301	RET	C1-C6-C5	-2.77	118.71	122.61
2	А	301	RET	C20-C13-C12	2.65	122.25	118.08
2	А	301	RET	C18-C5-C4	2.58	118.56	113.62
2	А	301	RET	C10-C11-C12	-2.56	115.23	123.22
2	А	301	RET	C7-C8-C9	-2.37	122.65	126.23
3	А	311	OLA	O2-C1-C2	2.14	120.90	114.03

There are no chirality outliers.

All (98) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	301	RET	C11-C12-C13-C14
2	А	301	RET	C11-C12-C13-C20
2	А	301	RET	C7-C8-C9-C19
3	А	305	OLA	C1-C2-C3-C4
3	А	307	OLA	C1-C2-C3-C4



Mol         Chain         Res         Type         Atoms           3         A         310         OLA         C1-C2-C3-C           3         A         305         OLA         C4-C5-C6-C           3         A         309         OLA         C4-C5-C6-C           3         A         309         OLA         C1-C1-C1-C1-C1-C1-C1-C1-C1-C1-C1-C1-C1-C	
3       A       309       OLA       C14-C15-C16         3       A       311       OLA       C12-C13-C14         3       A       313       OLA       C12-C13-C14         3       A       304       OLA       C12-C13-C14         3       A       304       OLA       C3-C4-C5-C         3       A       308       OLA       C5-C6-C7-C         3       A       312       OLA       C5-C6-C7-C         3       A       306       OLA       C3-C4-C5-C         3       A       306       OLA       C3-C4-C5-C         3       A       306       OLA       C3-C4-C5-C         3       A       310       OLA       C3-C4-C5-C         3       A       310       OLA       C3-C4-C5-C         3       A       302       OLA       C3-C4-C5-C         3       A       302       OLA       C3-C4-C5-C         3       A       310       OLA       C2-C3-C4-C         3       A       312       OLA       C3-C4-C5-C	C4
3       A       311       OLA       C12-C13-C14-         3       A       313       OLA       C12-C13-C14-         3       A       304       OLA       C12-C13-C14-         3       A       304       OLA       C12-C13-C14-         3       A       304       OLA       C3-C4-C5-C         3       A       308       OLA       C5-C6-C7-C         3       A       312       OLA       C5-C6-C7-C         3       A       306       OLA       C3-C4-C5-C         3       A       306       OLA       C3-C4-C5-C         3       A       310       OLA       C3-C4-C5-C         3       A       310       OLA       C3-C4-C5-C         3       A       302       OLA       C3-C4-C5-C         3       A       302       OLA       C3-C4-C5-C         3       A       310       OLA       C2-C3-C4-C         3       A       312       OLA       C3-C4-C5-C	27
3       A       313       OLA       C12-C13-C14         3       A       304       OLA       C3-C4-C5-C         3       A       308       OLA       C5-C6-C7-C         3       A       312       OLA       C5-C6-C7-C         3       A       312       OLA       C5-C6-C7-C         3       A       306       OLA       C3-C4-C5-C         3       A       306       OLA       C3-C4-C5-C         3       A       310       OLA       C3-C4-C5-C         3       A       310       OLA       C11-C12-C13         3       A       302       OLA       C3-C4-C5-C         3       A       310       OLA       C3-C4-C5-C         3       A       312       OLA       C3-C4-C5-C         3       A       312       OLA       C3-C4-C5-C         3       A       312       OLA       C3-C4-C5-C	-C17
3         A         304         OLA         C3-C4-C5-C           3         A         308         OLA         C5-C6-C7-C           3         A         312         OLA         C5-C6-C7-C           3         A         312         OLA         C5-C6-C7-C           3         A         306         OLA         C3-C4-C5-C           3         A         310         OLA         C3-C4-C5-C           3         A         313         OLA         C3-C4-C5-C           3         A         313         OLA         C11-C12-C13-C           3         A         302         OLA         C3-C4-C5-C           3         A         302         OLA         C3-C4-C5-C           3         A         310         OLA         C3-C4-C5-C           3         A         310         OLA         C2-C3-C4-C           3         A         312         OLA         C3-C4-C5-C	-C15
3         A         308         OLA         C5-C6-C7-C           3         A         312         OLA         C5-C6-C7-C           3         A         306         OLA         C5-C6-C7-C           3         A         306         OLA         C3-C4-C5-C           3         A         310         OLA         C3-C4-C5-C           3         A         313         OLA         C11-C12-C13           3         A         302         OLA         C3-C4-C5-C           3         A         310         OLA         C2-C3-C4-C           3         A         312         OLA         C3-C4-C5-C	-C15
3         A         312         OLA         C5-C6-C7-C           3         A         306         OLA         C3-C4-C5-C           3         A         310         OLA         C3-C4-C5-C           3         A         313         OLA         C3-C4-C5-C           3         A         313         OLA         C11-C12-C13-C           3         A         302         OLA         C3-C4-C5-C           3         A         302         OLA         C3-C4-C5-C           3         A         310         OLA         C3-C4-C5-C           3         A         312         OLA         C3-C4-C5-C	C6
3         A         306         OLA         C3-C4-C5-C           3         A         310         OLA         C3-C4-C5-C           3         A         313         OLA         C3-C4-C5-C           3         A         313         OLA         C11-C12-C13           3         A         302         OLA         C3-C4-C5-C           3         A         302         OLA         C3-C4-C5-C           3         A         310         OLA         C3-C4-C5-C           3         A         310         OLA         C3-C4-C5-C           3         A         312         OLA         C3-C4-C5-C	C8
3         A         310         OLA         C3-C4-C5-C           3         A         313         OLA         C11-C12-C13-C13-C13-C13-C13-C13-C13-C13-C13-C13	C8
3         A         313         OLA         C11-C12-C13-           3         A         302         OLA         C3-C4-C5-C           3         A         310         OLA         C2-C3-C4-C           3         A         312         OLA         C3-C4-C5-C	C6
3         A         302         OLA         C3-C4-C5-C           3         A         310         OLA         C2-C3-C4-C           3         A         312         OLA         C3-C4-C5-C	C6
3         A         310         OLA         C2-C3-C4-C           3         A         312         OLA         C3-C4-C5-C	-C14
3 A 312 OLA C3-C4-C5-C	C6
	C5
	C6
3 A 309 OLA C5-C6-C7-C	C8
3 A 310 OLA C4-C5-C6-C	
3 A 311 OLA C14-C15-C16	-C17
3 A 307 OLA C5-C6-C7-C	C8
3 A 311 OLA C4-C5-C6-C	C7
3 A 313 OLA C13-C14-C15	-C16
3 A 306 OLA C4-C5-C6-C	C7
3 A 308 OLA C3-C4-C5-C	C6
3 A 311 OLA C3-C4-C5-C	C6
3 A 306 OLA C5-C6-C7-C	C8
3 A 302 OLA C5-C6-C7-C	C8
3 A 304 OLA C5-C6-C7-C	C8
3 A 311 OLA C13-C14-C15	-C16
3 A 314 OLA C14-C15-C16	-C17
3 A 308 OLA C10-C11-C12-	-C13
3 A 305 OLA C2-C3-C4-C	
3 A 304 OLA C2-C3-C4-C	
3 A 308 OLA C4-C5-C6-C	
3 A 306 OLA C6-C7-C8-C	
3 A 308 OLA C6-C7-C8-C	
3 A 308 OLA C1-C2-C3-C	
3 A 306 OLA C2-C3-C4-C	
3 A 311 OLA C6-C7-C8-C	
3 A 311 OLA C2-C3-C4-C	
3 A 302 OLA C1-C2-C3-C	
3 A 304 OLA C1-C2-C3-C	
3 A 310 OLA C5-C6-C7-C	
3 A 306 OLA C10-C11-C12-	-C13

Continued from previous page...



Mol	nuea fron Chain	Res	Type	Atoms
3	А	305	OLA	C10-C11-C12-C13
3	А	308	OLA	C2-C3-C4-C5
3	А	310	OLA	C15-C16-C17-C18
3	А	315	OLA	C15-C16-C17-C18
3	А	304	OLA	C6-C7-C8-C9
3	А	305	OLA	C3-C4-C5-C6
3	А	311	OLA	C10-C11-C12-C13
3	А	315	OLA	C14-C15-C16-C17
3	А	309	OLA	C4-C5-C6-C7
3	А	305	OLA	C6-C7-C8-C9
3	А	303	OLA	C10-C11-C12-C13
3	А	314	OLA	C15-C16-C17-C18
3	А	315	OLA	C12-C13-C14-C15
3	А	312	OLA	C4-C5-C6-C7
3	А	310	OLA	C6-C7-C8-C9
3	А	314	OLA	C13-C14-C15-C16
3	А	309	OLA	C13-C14-C15-C16
3	А	302	OLA	C10-C11-C12-C13
3	А	311	OLA	C15-C16-C17-C18
3	А	303	OLA	C11-C12-C13-C14
3	А	310	OLA	C14-C15-C16-C17
2	А	301	RET	C9-C10-C11-C12
3	A	309	OLA	O1-C1-C2-C3
3	А	305	OLA	O1-C1-C2-C3
3	A	306	OLA	O2-C1-C2-C3
3	А	308	OLA	O1-C1-C2-C3
3	А	308	OLA	O2-C1-C2-C3
3	А	305	OLA	O2-C1-C2-C3
3	A	309	OLA	O2-C1-C2-C3
3	A	306	OLA	O1-C1-C2-C3
3	A	305	OLA	C5-C6-C7-C8
3	A	305	OLA	C9-C10-C11-C12
3	A	302	OLA	C4-C5-C6-C7
3	A	310	OLA	O2-C1-C2-C3
3	A	307	OLA	C6-C7-C8-C9
3	A	313	OLA	C15-C16-C17-C18
3	A	302	OLA	O1-C1-C2-C3
3	A	302	OLA	O2-C1-C2-C3
3	A	307	OLA	C3-C4-C5-C6
3	A	306	OLA	C7-C8-C9-C10
3	A	309	OLA	C7-C8-C9-C10
3	A	304	OLA	O2-C1-C2-C3

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	А	310	OLA	O1-C1-C2-C3
2	А	301	RET	C7-C8-C9-C10
3	А	309	OLA	C6-C7-C8-C9
3	А	306	OLA	C1-C2-C3-C4
3	А	304	OLA	O1-C1-C2-C3
3	А	308	OLA	C9-C10-C11-C12
3	А	311	OLA	C9-C10-C11-C12
3	А	311	OLA	O2-C1-C2-C3
3	А	311	OLA	O1-C1-C2-C3


Continued from previous page...

There are no ring outliers.


3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	301	RET	5	0
3	А	310	OLA	1	0
3	А	307	OLA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q < 0.9
1	А	219/232~(94%)	0.32	20 (9%) 9 10	14, 27, 54, 75	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	154	ARG	5.3
1	А	1	MET	4.9
1	А	25	HIS	4.4
1	А	189	GLN	4.3
1	А	153	PRO	4.2
1	А	62	ILE	3.9
1	А	66	PRO	3.8
1	А	188	THR	3.4
1	А	28	LYS	3.1
1	А	94	LEU	3.1
1	А	61	VAL	3.0
1	А	63	ASN	3.0
1	А	150	ARG	2.7
1	А	22	PHE	2.5
1	А	65	ARG	2.5
1	А	64	GLY	2.5
1	А	60	ASN	2.4
1	А	157	GLN	2.3
1	А	41	PHE	2.1
1	А	26	ASN	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.


### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
3	OLA	А	304	11/20	0.49	0.30	61,65,70,71	0
3	OLA	А	302	15/20	0.61	0.24	51,53,62,64	0
3	OLA	А	311	20/20	0.62	0.23	54,61,64,65	0
3	OLA	А	305	16/20	0.65	0.30	46,56,74,74	0
4	CL	А	317	1/1	0.67	0.21	71,71,71,71	0
3	OLA	А	315	8/20	0.74	0.17	$58,\!59,\!60,\!61$	0
3	OLA	А	307	12/20	0.75	0.16	40,40,53,53	0
3	OLA	А	313	9/20	0.76	0.17	$57,\!57,\!59,\!59$	0
3	OLA	А	308	15/20	0.79	0.26	$35,\!47,\!58,\!58$	0
3	OLA	А	309	20/20	0.79	0.17	$36,\!41,\!57,\!58$	0
3	OLA	А	306	16/20	0.79	0.23	$54,\!57,\!65,\!67$	0
3	OLA	А	312	11/20	0.80	0.22	48,53,59,61	0
3	OLA	А	310	20/20	0.83	0.14	$30,\!41,\!49,\!53$	0
3	OLA	А	314	6/20	0.86	0.11	37,41,44,45	0
2	RET	А	301	20/21	0.93	0.13	12,20,25,27	0
3	OLA	А	303	6/20	0.94	0.08	30,31,36,36	0
4	CL	А	316	1/1	0.99	0.08	49,49,49,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









































# 6.5 Other polymers (i)

There are no such residues in this entry.

