



Full wwPDB EM Validation Report ⓘ

Nov 12, 2022 – 09:12 AM EST

PDB ID : 6UZV
EMDB ID : EMD-20963
Title : The structure of a red shifted photosystem I complex
Authors : Toporik, H.; Williams, D.; Chiu, P.L.; Mazor, Y.
Deposited on : 2019-11-15
Resolution : 3.10 Å(reported)
Based on initial models : 5OY0, 6KIG

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	751	98% ..
1	A	751	5% 98% ..
1	a	751	98% ..
2	2	735	99%
2	B	735	99%
2	b	735	99%
3	3	81	98% ..
3	C	81	98% ..
3	c	81	98% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	4	141	13% 94%
4	D	141	15% 94%
4	d	141	14% 94%
5	5	74	16% 89% 8%
5	E	74	18% 89% 8%
5	e	74	16% 89% 8%
6	6	165	13% 85% 15%
6	F	165	11% 85% 15%
6	f	165	13% 85% 15%
7	I	40	• 92% 8%
7	h	40	92% 8%
7	i	40	92% 8%
8	7	40	5% 98% •
8	J	40	8% 98% •
8	j	40	8% 98% •
9	0	157	8% 97% ••
9	L	157	9% 97% ••
9	l	157	9% 97% ••
10	9	31	10% 97% •
10	M	31	10% 97% •
10	m	31	10% 97% •
11	8	90	30% 86% • 12%
11	K	90	37% 86% • 12%
11	k	90	34% 86% • 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	CL0	1	803	X	-	-	-
13	CL0	A	803	X	-	-	-
13	CL0	a	803	X	-	-	-
14	CLA	0	202	X	-	-	-
14	CLA	0	206	X	-	-	-
14	CLA	0	207	X	-	-	-
14	CLA	0	208	X	-	-	-
14	CLA	1	804	X	-	-	-
14	CLA	1	805	X	-	-	-
14	CLA	1	806	X	-	-	-
14	CLA	1	807	X	-	-	-
14	CLA	1	808	X	-	-	-
14	CLA	1	809	X	-	-	-
14	CLA	1	810	X	-	-	-
14	CLA	1	811	X	-	-	-
14	CLA	1	812	X	-	-	-
14	CLA	1	813	X	-	-	-
14	CLA	1	814	X	-	-	-
14	CLA	1	815	X	-	-	-
14	CLA	1	817	X	-	-	-
14	CLA	1	818	X	-	-	-
14	CLA	1	819	X	-	-	-
14	CLA	1	820	X	-	-	-
14	CLA	1	821	X	-	-	-
14	CLA	1	822	X	-	-	-
14	CLA	1	823	X	-	-	-
14	CLA	1	824	X	-	-	-
14	CLA	1	825	X	-	-	-
14	CLA	1	826	X	-	-	-
14	CLA	1	827	X	-	-	-
14	CLA	1	828	X	-	-	-
14	CLA	1	829	X	-	-	-
14	CLA	1	830	X	-	-	-
14	CLA	1	831	X	-	-	-
14	CLA	1	832	X	-	-	-
14	CLA	1	833	X	-	-	-
14	CLA	1	834	X	-	-	-
14	CLA	1	835	X	-	-	-
14	CLA	1	836	X	-	-	-
14	CLA	1	837	X	-	-	-
14	CLA	1	838	X	-	-	-
14	CLA	1	839	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	CLA	1	840	X	-	-	-
14	CLA	1	841	X	-	-	-
14	CLA	1	843	X	-	-	-
14	CLA	1	844	X	-	-	-
14	CLA	2	801	X	-	-	-
14	CLA	2	803	X	-	-	-
14	CLA	2	804	X	-	-	-
14	CLA	2	805	X	-	-	-
14	CLA	2	806	X	-	-	-
14	CLA	2	808	X	-	-	-
14	CLA	2	809	X	-	-	-
14	CLA	2	810	X	-	-	-
14	CLA	2	811	X	-	-	-
14	CLA	2	812	X	-	-	-
14	CLA	2	813	X	-	-	-
14	CLA	2	814	X	-	-	-
14	CLA	2	815	X	-	-	-
14	CLA	2	816	X	-	-	-
14	CLA	2	817	X	-	-	-
14	CLA	2	818	X	-	-	-
14	CLA	2	820	X	-	-	-
14	CLA	2	821	X	-	-	-
14	CLA	2	824	X	-	-	-
14	CLA	2	826	X	-	-	-
14	CLA	2	827	X	-	-	-
14	CLA	2	828	X	-	-	-
14	CLA	2	829	X	-	-	-
14	CLA	2	830	X	-	-	-
14	CLA	2	831	X	-	-	-
14	CLA	2	832	X	-	-	-
14	CLA	2	833	X	-	-	-
14	CLA	2	834	X	-	-	-
14	CLA	2	835	X	-	-	-
14	CLA	2	836	X	-	-	-
14	CLA	2	837	X	-	-	-
14	CLA	2	838	X	-	-	-
14	CLA	2	839	X	-	-	-
14	CLA	2	840	X	-	-	-
14	CLA	2	841	X	-	-	-
14	CLA	2	842	X	-	-	-
14	CLA	2	844	X	-	-	-
14	CLA	6	4403	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	CLA	6	4404	X	-	-	-
14	CLA	7	1101	X	-	-	-
14	CLA	7	1102	X	-	-	-
14	CLA	7	1103	X	-	-	-
14	CLA	8	4003	X	-	-	-
14	CLA	8	4004	X	-	-	-
14	CLA	A	804	X	-	-	-
14	CLA	A	805	X	-	-	-
14	CLA	A	806	X	-	-	-
14	CLA	A	807	X	-	-	-
14	CLA	A	808	X	-	-	-
14	CLA	A	809	X	-	-	-
14	CLA	A	810	X	-	-	-
14	CLA	A	811	X	-	-	-
14	CLA	A	812	X	-	-	-
14	CLA	A	813	X	-	-	-
14	CLA	A	814	X	-	-	-
14	CLA	A	815	X	-	-	-
14	CLA	A	816	X	-	-	-
14	CLA	A	818	X	-	-	-
14	CLA	A	819	X	-	-	-
14	CLA	A	820	X	-	-	-
14	CLA	A	821	X	-	-	-
14	CLA	A	822	X	-	-	-
14	CLA	A	823	X	-	-	-
14	CLA	A	824	X	-	-	-
14	CLA	A	825	X	-	-	-
14	CLA	A	826	X	-	-	-
14	CLA	A	827	X	-	-	-
14	CLA	A	828	X	-	-	-
14	CLA	A	829	X	-	-	-
14	CLA	A	830	X	-	-	-
14	CLA	A	831	X	-	-	-
14	CLA	A	832	X	-	-	-
14	CLA	A	833	X	-	-	-
14	CLA	A	834	X	-	-	-
14	CLA	A	835	X	-	-	-
14	CLA	A	836	X	-	-	-
14	CLA	A	837	X	-	-	-
14	CLA	A	838	X	-	-	-
14	CLA	A	839	X	-	-	-
14	CLA	A	840	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	CLA	A	841	X	-	-	-
14	CLA	A	843	X	-	-	-
14	CLA	A	844	X	-	-	-
14	CLA	B	801	X	-	-	-
14	CLA	B	802	X	-	-	-
14	CLA	B	804	X	-	-	-
14	CLA	B	805	X	-	-	-
14	CLA	B	806	X	-	-	-
14	CLA	B	807	X	-	-	-
14	CLA	B	809	X	-	-	-
14	CLA	B	810	X	-	-	-
14	CLA	B	811	X	-	-	-
14	CLA	B	812	X	-	-	-
14	CLA	B	813	X	-	-	-
14	CLA	B	814	X	-	-	-
14	CLA	B	815	X	-	-	-
14	CLA	B	816	X	-	-	-
14	CLA	B	817	X	-	-	-
14	CLA	B	818	X	-	-	-
14	CLA	B	819	X	-	-	-
14	CLA	B	821	X	-	-	-
14	CLA	B	822	X	-	-	-
14	CLA	B	825	X	-	-	-
14	CLA	B	827	X	-	-	-
14	CLA	B	828	X	-	-	-
14	CLA	B	829	X	-	-	-
14	CLA	B	830	X	-	-	-
14	CLA	B	831	X	-	-	-
14	CLA	B	832	X	-	-	-
14	CLA	B	833	X	-	-	-
14	CLA	B	834	X	-	-	-
14	CLA	B	835	X	-	-	-
14	CLA	B	836	X	-	-	-
14	CLA	B	837	X	-	-	-
14	CLA	B	838	X	-	-	-
14	CLA	B	839	X	-	-	-
14	CLA	B	840	X	-	-	-
14	CLA	B	841	X	-	-	-
14	CLA	B	842	X	-	-	-
14	CLA	B	843	X	-	-	-
14	CLA	B	845	X	-	-	-
14	CLA	F	201	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	CLA	F	204	X	-	-	-
14	CLA	F	205	X	-	-	-
14	CLA	J	101	X	-	-	-
14	CLA	J	102	X	-	-	-
14	CLA	K	4003	X	-	-	-
14	CLA	K	4004	X	-	-	-
14	CLA	L	1501	X	-	-	-
14	CLA	L	1502	X	-	-	-
14	CLA	L	1503	X	-	-	-
14	CLA	a	804	X	-	-	-
14	CLA	a	805	X	-	-	-
14	CLA	a	806	X	-	-	-
14	CLA	a	807	X	-	-	-
14	CLA	a	808	X	-	-	-
14	CLA	a	809	X	-	-	-
14	CLA	a	810	X	-	-	-
14	CLA	a	811	X	-	-	-
14	CLA	a	812	X	-	-	-
14	CLA	a	813	X	-	-	-
14	CLA	a	814	X	-	-	-
14	CLA	a	815	X	-	-	-
14	CLA	a	816	X	-	-	-
14	CLA	a	817	X	-	-	-
14	CLA	a	819	X	-	-	-
14	CLA	a	820	X	-	-	-
14	CLA	a	821	X	-	-	-
14	CLA	a	822	X	-	-	-
14	CLA	a	823	X	-	-	-
14	CLA	a	824	X	-	-	-
14	CLA	a	825	X	-	-	-
14	CLA	a	826	X	-	-	-
14	CLA	a	827	X	-	-	-
14	CLA	a	828	X	-	-	-
14	CLA	a	829	X	-	-	-
14	CLA	a	830	X	-	-	-
14	CLA	a	831	X	-	-	-
14	CLA	a	832	X	-	-	-
14	CLA	a	833	X	-	-	-
14	CLA	a	834	X	-	-	-
14	CLA	a	835	X	-	-	-
14	CLA	a	836	X	-	-	-
14	CLA	a	837	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	CLA	a	838	X	-	-	-
14	CLA	a	839	X	-	-	-
14	CLA	a	840	X	-	-	-
14	CLA	a	841	X	-	-	-
14	CLA	a	843	X	-	-	-
14	CLA	a	844	X	-	-	-
14	CLA	a	854	X	-	-	-
14	CLA	b	801	X	-	-	-
14	CLA	b	802	X	-	-	-
14	CLA	b	804	X	-	-	-
14	CLA	b	805	X	-	-	-
14	CLA	b	806	X	-	-	-
14	CLA	b	807	X	-	-	-
14	CLA	b	809	X	-	-	-
14	CLA	b	810	X	-	-	-
14	CLA	b	811	X	-	-	-
14	CLA	b	812	X	-	-	-
14	CLA	b	813	X	-	-	-
14	CLA	b	814	X	-	-	-
14	CLA	b	815	X	-	-	-
14	CLA	b	816	X	-	-	-
14	CLA	b	817	X	-	-	-
14	CLA	b	818	X	-	-	-
14	CLA	b	820	X	-	-	-
14	CLA	b	821	X	-	-	-
14	CLA	b	824	X	-	-	-
14	CLA	b	826	X	-	-	-
14	CLA	b	827	X	-	-	-
14	CLA	b	828	X	-	-	-
14	CLA	b	829	X	-	-	-
14	CLA	b	830	X	-	-	-
14	CLA	b	831	X	-	-	-
14	CLA	b	832	X	-	-	-
14	CLA	b	833	X	-	-	-
14	CLA	b	834	X	-	-	-
14	CLA	b	835	X	-	-	-
14	CLA	b	836	X	-	-	-
14	CLA	b	837	X	-	-	-
14	CLA	b	838	X	-	-	-
14	CLA	b	839	X	-	-	-
14	CLA	b	840	X	-	-	-
14	CLA	b	841	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	CLA	b	842	X	-	-	-
14	CLA	b	844	X	-	-	-
14	CLA	f	201	X	-	-	-
14	CLA	f	204	X	-	-	-
14	CLA	f	205	X	-	-	-
14	CLA	j	101	X	-	-	-
14	CLA	j	102	X	-	-	-
14	CLA	k	4003	X	-	-	-
14	CLA	l	4203	X	-	-	-
14	CLA	l	4204	X	-	-	-
14	CLA	l	4205	X	-	-	-
14	CLA	l	4206	X	-	-	-

2 Entry composition [i](#)

There are 20 unique types of molecules in this entry. The entry contains 72606 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem I P700 chlorophyll a apoprotein A1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	739	5787	3791	984	985	27	0	0
1	a	739	5787	3791	984	985	27	0	0
1	1	739	5787	3791	984	985	27	0	0

- Molecule 2 is a protein called Photosystem I P700 chlorophyll a apoprotein A2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	733	5806	3824	973	994	15	0	0
2	b	733	5806	3824	973	994	15	0	0
2	2	733	5806	3824	973	994	15	0	0

- Molecule 3 is a protein called Photosystem I iron-sulfur center.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	80	600	369	103	117	11	0	0
3	c	80	600	369	103	117	11	0	0
3	3	80	600	369	103	117	11	0	0

- Molecule 4 is a protein called Photosystem I reaction center subunit II.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	138	1078	683	187	205	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
4	d	138	Total	C	N	O	S	0	0
			1078	683	187	205	3		
4	4	138	Total	C	N	O	S	0	0
			1078	683	187	205	3		

- Molecule 5 is a protein called Photosystem I reaction center subunit IV.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	E	68	Total	C	N	O	0	0
			537	337	95	105		
5	e	68	Total	C	N	O	0	0
			537	337	95	105		
5	5	68	Total	C	N	O	0	0
			537	337	95	105		

- Molecule 6 is a protein called Photosystem I reaction center subunit III.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	141	Total	C	N	O	S	0	0
			1086	702	180	200	4		
6	f	141	Total	C	N	O	S	0	0
			1086	702	180	200	4		
6	6	141	Total	C	N	O	S	0	0
			1086	702	180	200	4		

- Molecule 7 is a protein called Photosystem I reaction center subunit VIII.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	I	37	Total	C	N	O	S	0	0
			293	200	41	49	3		
7	i	37	Total	C	N	O	S	0	0
			293	200	41	49	3		
7	h	37	Total	C	N	O	S	0	0
			293	200	41	49	3		

- Molecule 8 is a protein called Photosystem I reaction center subunit IX.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	J	39	Total	C	N	O	S	0	0
			311	210	46	52	3		
8	j	39	Total	C	N	O	S	0	0
			311	210	46	52	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
8	7	39	Total	C	N	O	S	0	0
			311	210	46	52	3		

- Molecule 9 is a protein called Photosystem I reaction center subunit XI.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	L	153	Total	C	N	O	S	0	0
			1138	745	186	205	2		
9	1	153	Total	C	N	O	S	0	0
			1138	745	186	205	2		
9	0	153	Total	C	N	O	S	0	0
			1138	745	186	205	2		


- Molecule 10 is a protein called Photosystem I reaction center subunit XII.

Mol	Chain	Residues	Atoms				AltConf	Trace
10	M	30	Total	C	N	O	0	0
			230	154	35	41		
10	m	30	Total	C	N	O	0	0
			230	154	35	41		
10	9	30	Total	C	N	O	0	0
			230	154	35	41		

- Molecule 11 is a protein called Photosystem I reaction center subunit PsaK 2.


Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	79	Total	C	N	O	S	0	0
			566	373	90	98	5		
11	k	79	Total	C	N	O	S	0	0
			566	373	90	98	5		
11	8	79	Total	C	N	O	S	0	0
			566	373	90	98	5		

- Molecule 12 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (three-letter code: LHG) (formula: C₃₈H₇₅O₁₀P).




Mol	Chain	Residues	Atoms			AltConf	
			Total	C	O		P
12	A	1	82	60	20	2	0
12	A	1	82	60	20	2	0
12	B	1	39	28	10	1	0
12	M	1	39	28	10	1	0
12	a	1	82	60	20	2	0
12	a	1	82	60	20	2	0
12	1	1	82	60	20	2	0
12	1	1	82	60	20	2	0
12	b	1	39	28	10	1	0
12	2	1	39	28	10	1	0
12	m	1	39	28	10	1	0
12	9	1	39	28	10	1	0

- Molecule 13 is CHLOROPHYLL A ISOMER (three-letter code: CL0) (formula: C₅₅H₇₂MgN₄O₅).



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	Mg	N		O
13	A	1	65	55	1	4	5	0
13	a	1	65	55	1	4	5	0
13	1	1	65	55	1	4	5	0

- Molecule 14 is CHLOROPHYLL A (three-letter code: CLA) (formula: $C_{55}H_{72}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).



Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	A	1	2345	1935	41	164	205	0
14	B	1	2407	1972	44	176	215	0
14	B	1	2407	1972	44	176	215	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0
14	B	1	Total 2407	C 1972	Mg 44	N 176	O 215	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
14	F	1	Total	C	Mg	N	O	0
			141	111	3	12	15	
14	F	1	Total	C	Mg	N	O	0
			141	111	3	12	15	
14	F	1	Total	C	Mg	N	O	0
			141	111	3	12	15	
14	J	1	Total	C	Mg	N	O	0
			82	66	2	8	6	
14	J	1	Total	C	Mg	N	O	0
			82	66	2	8	6	
14	L	1	Total	C	Mg	N	O	0
			195	165	3	12	15	
14	L	1	Total	C	Mg	N	O	0
			195	165	3	12	15	
14	L	1	Total	C	Mg	N	O	0
			195	165	3	12	15	
14	K	1	Total	C	Mg	N	O	0
			145	115	3	12	15	
14	K	1	Total	C	Mg	N	O	0
			145	115	3	12	15	
14	K	1	Total	C	Mg	N	O	0
			145	115	3	12	15	
14	a	1	Total	C	Mg	N	O	0
			2395	1975	42	168	210	
14	a	1	Total	C	Mg	N	O	0
			2395	1975	42	168	210	
14	a	1	Total	C	Mg	N	O	0
			2395	1975	42	168	210	
14	a	1	Total	C	Mg	N	O	0
			2395	1975	42	168	210	
14	a	1	Total	C	Mg	N	O	0
			2395	1975	42	168	210	
14	a	1	Total	C	Mg	N	O	0
			2395	1975	42	168	210	
14	a	1	Total	C	Mg	N	O	0
			2395	1975	42	168	210	
14	a	1	Total	C	Mg	N	O	0
			2395	1975	42	168	210	
14	a	1	Total	C	Mg	N	O	0
			2395	1975	42	168	210	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
14	a	1	2395	1975	42	168	210	0
14	a	1	2395	1975	42	168	210	0
14	a	1	2395	1975	42	168	210	0
14	a	1	2395	1975	42	168	210	0
14	a	1	2395	1975	42	168	210	0
14	a	1	2395	1975	42	168	210	0
14	a	1	2395	1975	42	168	210	0
14	a	1	2395	1975	42	168	210	0
14	a	1	2395	1975	42	168	210	0
14	a	1	2395	1975	42	168	210	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	1	1	2331	1921	41	164	205	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	b	1	2347	1922	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	2	1	2342	1917	43	172	210	0
14	f	1	141	111	3	12	15	0
14	f	1	141	111	3	12	15	0
14	f	1	141	111	3	12	15	0
14	6	1	90	70	2	8	10	0
14	6	1	90	70	2	8	10	0
14	j	1	82	66	2	8	6	0
14	j	1	82	66	2	8	6	0
14	7	1	147	121	3	12	11	0
14	7	1	147	121	3	12	11	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
14	7	1	Total	C	Mg	N	O	0
			147	121	3	12	11	
14	k	1	Total	C	Mg	N	O	0
			90	70	2	8	10	
14	k	1	Total	C	Mg	N	O	0
			90	70	2	8	10	
14	8	1	Total	C	Mg	N	O	0
			145	115	3	12	15	
14	8	1	Total	C	Mg	N	O	0
			145	115	3	12	15	
14	8	1	Total	C	Mg	N	O	0
			145	115	3	12	15	
14	1	1	Total	C	Mg	N	O	0
			260	220	4	16	20	
14	1	1	Total	C	Mg	N	O	0
			260	220	4	16	20	
14	1	1	Total	C	Mg	N	O	0
			260	220	4	16	20	
14	1	1	Total	C	Mg	N	O	0
			260	220	4	16	20	
14	0	1	Total	C	Mg	N	O	0
			260	220	4	16	20	
14	0	1	Total	C	Mg	N	O	0
			260	220	4	16	20	
14	0	1	Total	C	Mg	N	O	0
			260	220	4	16	20	
14	0	1	Total	C	Mg	N	O	0
			260	220	4	16	20	

- Molecule 15 is PHYLLOQUINONE (three-letter code: PQN) (formula: C₃₁H₄₆O₂).




Mol	Chain	Residues	Atoms			AltConf
15	A	1	Total	C	O	0
			33	31	2	
15	B	1	Total	C	O	0
			33	31	2	
15	a	1	Total	C	O	0
			33	31	2	
15	1	1	Total	C	O	0
			33	31	2	
15	b	1	Total	C	O	0
			33	31	2	
15	2	1	Total	C	O	0
			33	31	2	

- Molecule 16 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
16	A	1	8	4	4	0
16	C	1	16	8	8	0
16	C	1	16	8	8	0
16	a	1	8	4	4	0
16	1	1	8	4	4	0
16	c	1	16	8	8	0
16	c	1	16	8	8	0
16	3	1	16	8	8	0
16	3	1	16	8	8	0

- Molecule 17 is BETA-CAROTENE (three-letter code: BCR) (formula: $C_{40}H_{56}$).



Mol	Chain	Residues	Atoms	AltConf
17	A	1	Total C 200 200	0
17	A	1	Total C 200 200	0
17	A	1	Total C 200 200	0
17	A	1	Total C 200 200	0
17	A	1	Total C 200 200	0
17	B	1	Total C 265 265	0
17	B	1	Total C 265 265	0
17	B	1	Total C 265 265	0
17	B	1	Total C 265 265	0
17	B	1	Total C 265 265	0
17	B	1	Total C 265 265	0
17	B	1	Total C 265 265	0
17	F	1	Total C 80 80	0
17	F	1	Total C 80 80	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
17	I	1	Total 80	C 80	0
17	I	1	Total 80	C 80	0
17	J	1	Total 80	C 80	0
17	J	1	Total 80	C 80	0
17	L	1	Total 80	C 80	0
17	L	1	Total 80	C 80	0
17	M	1	Total 40	C 40	0
17	K	1	Total 80	C 80	0
17	K	1	Total 80	C 80	0
17	a	1	Total 200	C 200	0
17	a	1	Total 200	C 200	0
17	a	1	Total 200	C 200	0
17	a	1	Total 200	C 200	0
17	a	1	Total 200	C 200	0
17	1	1	Total 200	C 200	0
17	1	1	Total 200	C 200	0
17	1	1	Total 200	C 200	0
17	1	1	Total 200	C 200	0
17	1	1	Total 200	C 200	0
17	1	1	Total 200	C 200	0
17	b	1	Total 305	C 305	0
17	b	1	Total 305	C 305	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
17	b	1	Total 305	C 305	0
17	b	1	Total 305	C 305	0
17	b	1	Total 305	C 305	0
17	b	1	Total 305	C 305	0
17	b	1	Total 305	C 305	0
17	b	1	Total 305	C 305	0
17	2	1	Total 225	C 225	0
17	2	1	Total 225	C 225	0
17	2	1	Total 225	C 225	0
17	2	1	Total 225	C 225	0
17	2	1	Total 225	C 225	0
17	2	1	Total 225	C 225	0
17	2	1	Total 225	C 225	0
17	f	1	Total 80	C 80	0
17	f	1	Total 80	C 80	0
17	6	1	Total 120	C 120	0
17	6	1	Total 120	C 120	0
17	6	1	Total 120	C 120	0
17	i	1	Total 80	C 80	0
17	i	1	Total 80	C 80	0
17	h	1	Total 80	C 80	0
17	h	1	Total 80	C 80	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	AltConf
17	j	1	Total C 80 80	0
17	j	1	Total C 80 80	0
17	7	1	Total C 80 80	0
17	7	1	Total C 80 80	0
17	k	1	Total C 80 80	0
17	k	1	Total C 80 80	0
17	8	1	Total C 80 80	0
17	8	1	Total C 80 80	0
17	1	1	Total C 40 40	0
17	0	1	Total C 120 120	0
17	0	1	Total C 120 120	0
17	0	1	Total C 120 120	0
17	9	1	Total C 40 40	0

- Molecule 18 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (three-letter code: LMG) (formula: C₄₅H₈₆O₁₀).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
18	A	1	78	58	20	0
18	A	1	78	58	20	0
18	B	1	48	38	10	0
18	L	1	38	28	10	0
18	a	1	78	58	20	0
18	a	1	78	58	20	0
18	1	1	32	22	10	0
18	b	1	48	38	10	0
18	2	1	48	38	10	0
18	1	1	38	28	10	0
18	0	1	84	64	20	0
18	0	1	84	64	20	0

- Molecule 19 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula: $C_{24}H_{46}O_{11}$).



Mol	Chain	Residues	Atoms			AltConf
19	F	1	Total	C	O	0
			35	24	11	
19	I	1	Total	C	O	0
			35	24	11	
19	f	1	Total	C	O	0
			35	24	11	
19	6	1	Total	C	O	0
			35	24	11	
19	i	1	Total	C	O	0
			35	24	11	
19	h	1	Total	C	O	0
			35	24	11	


- Molecule 20 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
20	L	1	Total	Ca	0
			1	1	
20	1	1	Total	Ca	0
			1	1	
20	0	1	Total	Ca	0
			1	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosystem I P700 chlorophyll a apoprotein A1



- Molecule 1: Photosystem I P700 chlorophyll a apoprotein A1



- Molecule 1: Photosystem I P700 chlorophyll a apoprotein A1




- Molecule 2: Photosystem I P700 chlorophyll a apoprotein A2






- Molecule 2: Photosystem I P700 chlorophyll a apoprotein A2




- Molecule 2: Photosystem I P700 chlorophyll a apoprotein A2



- Molecule 3: Photosystem I iron-sulfur center




- Molecule 3: Photosystem I iron-sulfur center





- Molecule 3: Photosystem I iron-sulfur center



- Molecule 4: Photosystem I reaction center subunit II





- Molecule 4: Photosystem I reaction center subunit II





- Molecule 4: Photosystem I reaction center subunit II





- Molecule 5: Photosystem I reaction center subunit IV





- Molecule 5: Photosystem I reaction center subunit IV





- Molecule 5: Photosystem I reaction center subunit IV




- Molecule 6: Photosystem I reaction center subunit III




- Molecule 6: Photosystem I reaction center subunit III




- Molecule 6: Photosystem I reaction center subunit III




- Molecule 7: Photosystem I reaction center subunit VIII




- Molecule 7: Photosystem I reaction center subunit VIII




- Molecule 7: Photosystem I reaction center subunit VIII



- Molecule 8: Photosystem I reaction center subunit IX




- Molecule 8: Photosystem I reaction center subunit IX




- Molecule 8: Photosystem I reaction center subunit IX







- Molecule 9: Photosystem I reaction center subunit XI




- Molecule 9: Photosystem I reaction center subunit XI




- Molecule 9: Photosystem I reaction center subunit XI




- Molecule 10: Photosystem I reaction center subunit XII




- Molecule 10: Photosystem I reaction center subunit XII




- Molecule 10: Photosystem I reaction center subunit XII




- Molecule 11: Photosystem I reaction center subunit PsaK 2



• Molecule 11: Photosystem I reaction center subunit PsaK 2



• Molecule 11: Photosystem I reaction center subunit PsaK 2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	196181	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.6	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.229	Depositor
Minimum map value	-0.131	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.0187	Depositor
Map size (\AA)	325.5, 325.5, 325.5	wwPDB
Map dimensions	310, 310, 310	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.05, 1.05, 1.05	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CLA, BCR, LHG, PQN, CA, LMG, SF4, CL0, LMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.49	0/5985	0.56	3/8158 (0.0%)
1	A	0.49	0/5985	0.56	3/8158 (0.0%)
1	a	0.49	0/5985	0.56	3/8158 (0.0%)
2	2	0.51	0/6021	0.55	0/8237
2	B	0.51	0/6021	0.55	0/8237
2	b	0.51	0/6021	0.55	0/8237
3	3	0.50	0/610	0.54	0/826
3	C	0.50	0/610	0.54	0/826
3	c	0.50	0/610	0.54	0/826
4	4	0.41	0/1102	0.61	0/1485
4	D	0.41	0/1102	0.61	0/1485
4	d	0.41	0/1102	0.61	0/1485
5	5	0.45	0/546	0.51	0/738
5	E	0.45	0/546	0.51	0/738
5	e	0.45	0/546	0.52	0/738
6	6	0.33	0/1116	0.53	0/1520
6	F	0.33	0/1116	0.53	0/1520
6	f	0.33	0/1116	0.53	0/1520
7	I	0.43	0/304	0.57	0/416
7	h	0.43	0/304	0.58	0/416
7	i	0.43	0/304	0.58	0/416
8	7	0.35	0/319	0.58	0/431
8	J	0.35	0/319	0.58	0/431
8	j	0.35	0/319	0.58	0/431
9	0	0.43	0/1168	0.54	0/1588
9	L	0.43	0/1168	0.54	0/1588
9	l	0.43	0/1168	0.54	0/1588
10	9	0.31	0/233	0.55	0/316
10	M	0.31	0/233	0.55	0/316
10	m	0.31	0/233	0.55	0/316
11	8	0.31	0/577	0.61	1/778 (0.1%)
11	K	0.31	0/577	0.62	1/778 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
11	k	0.31	0/577	0.62	1/778 (0.1%)
All	All	0.47	0/53943	0.56	12/73479 (0.0%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	671	MET	CB-CG-SD	6.90	133.10	112.40
1	a	671	MET	CB-CG-SD	6.88	133.05	112.40
1	1	671	MET	CB-CG-SD	6.88	133.04	112.40
11	K	62	LEU	CA-CB-CG	6.45	130.13	115.30
1	a	671	MET	CG-SD-CE	6.43	110.49	100.20
11	k	62	LEU	CA-CB-CG	6.43	130.09	115.30
11	8	62	LEU	CA-CB-CG	6.42	130.08	115.30
1	1	671	MET	CG-SD-CE	6.41	110.46	100.20
1	A	671	MET	CG-SD-CE	6.40	110.44	100.20
1	a	440	LEU	CB-CG-CD2	-5.24	102.10	111.00
1	1	440	LEU	CB-CG-CD2	-5.22	102.12	111.00
1	A	440	LEU	CB-CG-CD2	-5.21	102.15	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	1	737/751 (98%)	712 (97%)	25 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	737/751 (98%)	712 (97%)	25 (3%)	0	100	100
1	a	737/751 (98%)	712 (97%)	25 (3%)	0	100	100
2	2	731/735 (100%)	700 (96%)	31 (4%)	0	100	100
2	B	731/735 (100%)	700 (96%)	31 (4%)	0	100	100
2	b	731/735 (100%)	700 (96%)	31 (4%)	0	100	100
3	3	78/81 (96%)	74 (95%)	4 (5%)	0	100	100
3	C	78/81 (96%)	74 (95%)	4 (5%)	0	100	100
3	c	78/81 (96%)	74 (95%)	4 (5%)	0	100	100
4	4	136/141 (96%)	127 (93%)	9 (7%)	0	100	100
4	D	136/141 (96%)	127 (93%)	9 (7%)	0	100	100
4	d	136/141 (96%)	127 (93%)	9 (7%)	0	100	100
5	5	66/74 (89%)	63 (96%)	3 (4%)	0	100	100
5	E	66/74 (89%)	63 (96%)	3 (4%)	0	100	100
5	e	66/74 (89%)	63 (96%)	3 (4%)	0	100	100
6	6	139/165 (84%)	131 (94%)	8 (6%)	0	100	100
6	F	139/165 (84%)	131 (94%)	8 (6%)	0	100	100
6	f	139/165 (84%)	131 (94%)	8 (6%)	0	100	100
7	I	35/40 (88%)	33 (94%)	2 (6%)	0	100	100
7	h	35/40 (88%)	33 (94%)	2 (6%)	0	100	100
7	i	35/40 (88%)	33 (94%)	2 (6%)	0	100	100
8	7	37/40 (92%)	34 (92%)	3 (8%)	0	100	100
8	J	37/40 (92%)	34 (92%)	3 (8%)	0	100	100
8	j	37/40 (92%)	34 (92%)	3 (8%)	0	100	100
9	0	151/157 (96%)	148 (98%)	3 (2%)	0	100	100
9	L	151/157 (96%)	148 (98%)	3 (2%)	0	100	100
9	l	151/157 (96%)	148 (98%)	3 (2%)	0	100	100
10	9	28/31 (90%)	27 (96%)	1 (4%)	0	100	100
10	M	28/31 (90%)	27 (96%)	1 (4%)	0	100	100
10	m	28/31 (90%)	27 (96%)	1 (4%)	0	100	100
11	8	77/90 (86%)	73 (95%)	4 (5%)	0	100	100
11	K	77/90 (86%)	73 (95%)	4 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	k	77/90 (86%)	73 (95%)	4 (5%)	0	100	100
All	All	6645/6915 (96%)	6366 (96%)	279 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	593/603 (98%)	588 (99%)	5 (1%)	81	92
1	A	593/603 (98%)	588 (99%)	5 (1%)	81	92
1	a	593/603 (98%)	588 (99%)	5 (1%)	81	92
2	2	585/588 (100%)	583 (100%)	2 (0%)	92	96
2	B	585/588 (100%)	583 (100%)	2 (0%)	92	96
2	b	585/588 (100%)	583 (100%)	2 (0%)	92	96
3	3	68/69 (99%)	67 (98%)	1 (2%)	65	85
3	C	68/69 (99%)	67 (98%)	1 (2%)	65	85
3	c	68/69 (99%)	67 (98%)	1 (2%)	65	85
4	4	113/116 (97%)	108 (96%)	5 (4%)	28	61
4	D	113/116 (97%)	108 (96%)	5 (4%)	28	61
4	d	113/116 (97%)	108 (96%)	5 (4%)	28	61
5	5	58/60 (97%)	56 (97%)	2 (3%)	37	69
5	E	58/60 (97%)	56 (97%)	2 (3%)	37	69
5	e	58/60 (97%)	56 (97%)	2 (3%)	37	69
6	6	114/137 (83%)	114 (100%)	0	100	100
6	F	114/137 (83%)	114 (100%)	0	100	100
6	f	114/137 (83%)	114 (100%)	0	100	100
7	I	31/32 (97%)	31 (100%)	0	100	100
7	h	31/32 (97%)	31 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	i	31/32 (97%)	31 (100%)	0	100	100
8	7	34/35 (97%)	34 (100%)	0	100	100
8	J	34/35 (97%)	34 (100%)	0	100	100
8	j	34/35 (97%)	34 (100%)	0	100	100
9	0	111/118 (94%)	110 (99%)	1 (1%)	78	91
9	L	111/118 (94%)	110 (99%)	1 (1%)	78	91
9	l	111/118 (94%)	110 (99%)	1 (1%)	78	91
10	9	24/25 (96%)	24 (100%)	0	100	100
10	M	24/25 (96%)	24 (100%)	0	100	100
10	m	24/25 (96%)	24 (100%)	0	100	100
11	8	59/68 (87%)	58 (98%)	1 (2%)	60	83
11	K	59/68 (87%)	58 (98%)	1 (2%)	60	83
11	k	59/68 (87%)	58 (98%)	1 (2%)	60	83
All	All	5370/5553 (97%)	5319 (99%)	51 (1%)	79	91

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	188	GLU
1	A	249	MET
1	A	338	LYS
1	A	671	MET
1	A	695	GLU
2	B	37	MET
2	B	612	GLU
3	C	66	ARG
4	D	24	ARG
4	D	52	GLU
4	D	119	THR
4	D	130	THR
4	D	139	TYR
5	E	28	VAL
5	E	40	ARG
9	L	44	LEU
11	K	16	LEU
1	a	188	GLU
1	a	249	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	a	338	LYS
1	a	671	MET
1	a	695	GLU
1	1	188	GLU
1	1	249	MET
1	1	338	LYS
1	1	671	MET
1	1	695	GLU
3	c	66	ARG
3	3	66	ARG
2	b	37	MET
2	b	612	GLU
2	2	37	MET
2	2	612	GLU
4	d	24	ARG
4	d	52	GLU
4	d	119	THR
4	d	130	THR
4	d	139	TYR
4	4	24	ARG
4	4	52	GLU
4	4	119	THR
4	4	130	THR
4	4	139	TYR
5	e	28	VAL
5	e	40	ARG
5	5	28	VAL
5	5	40	ARG
11	k	16	LEU
11	8	16	LEU
9	1	44	LEU
9	0	44	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
9	L	36	ASN
1	1	714	GLN
9	1	6	GLN
9	1	36	ASN
9	0	6	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 408 ligands modelled in this entry, 3 are monoatomic - leaving 405 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	BCR	b	848	-	25,25,41	1.17	2 (8%)	33,33,56	1.33	6 (18%)
14	CLA	K	4002	-	45,53,73	1.78	8 (17%)	52,89,113	1.63	9 (17%)
14	CLA	A	832	-	65,73,73	1.49	10 (15%)	76,113,113	1.56	9 (11%)
12	LHG	1	802	14	32,32,48	0.85	1 (3%)	35,38,54	1.31	3 (8%)
17	BCR	B	847	-	41,41,41	1.16	2 (4%)	56,56,56	1.29	7 (12%)
18	LMG	b	803	-	48,48,55	0.78	1 (2%)	56,56,63	1.35	7 (12%)
14	CLA	a	854	-	55,63,73	1.58	9 (16%)	64,101,113	1.39	11 (17%)
14	CLA	6	4404	-	45,53,73	1.72	8 (17%)	52,89,113	1.65	12 (23%)
14	CLA	1	824	-	51,59,73	1.60	8 (15%)	59,96,113	1.68	6 (10%)
18	LMG	l	4202	-	38,38,55	0.87	0	46,46,63	1.29	4 (8%)
17	BCR	A	849	-	41,41,41	1.28	3 (7%)	56,56,56	1.40	7 (12%)
14	CLA	b	807	-	54,62,73	1.56	8 (14%)	62,99,113	1.58	10 (16%)
14	CLA	a	838	1	45,53,73	1.79	8 (17%)	52,89,113	1.71	9 (17%)
17	BCR	A	848	-	41,41,41	1.18	2 (4%)	56,56,56	1.20	6 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	BCR	h	101	-	41,41,41	1.24	2 (4%)	56,56,56	1.36	7 (12%)
14	CLA	2	830	-	65,73,73	1.41	9 (13%)	76,113,113	1.48	10 (13%)
14	CLA	2	831	-	60,68,73	1.58	11 (18%)	70,107,113	1.75	8 (11%)
18	LMG	1	852	-	32,32,55	0.91	1 (3%)	40,40,63	1.20	3 (7%)
14	CLA	1	841	-	51,59,73	1.62	9 (17%)	59,96,113	1.49	7 (11%)
17	BCR	6	4402	-	41,41,41	1.27	2 (4%)	56,56,56	1.37	6 (10%)
14	CLA	A	844	12	45,53,73	1.72	10 (22%)	52,89,113	1.63	7 (13%)
14	CLA	b	815	-	65,73,73	1.44	10 (15%)	76,113,113	1.44	8 (10%)
14	CLA	A	840	-	47,55,73	1.67	10 (21%)	54,91,113	1.60	8 (14%)
14	CLA	2	825	-	45,53,73	1.75	9 (20%)	52,89,113	1.65	8 (15%)
14	CLA	F	201	-	51,59,73	1.63	9 (17%)	59,96,113	1.49	7 (11%)
14	CLA	k	4002	-	45,53,73	1.78	8 (17%)	52,89,113	1.64	9 (17%)
14	CLA	b	832	-	45,53,73	1.75	10 (22%)	52,89,113	1.87	10 (19%)
14	CLA	b	834	-	58,66,73	1.54	9 (15%)	67,104,113	1.46	9 (13%)
14	CLA	f	201	-	51,59,73	1.62	9 (17%)	59,96,113	1.50	7 (11%)
14	CLA	2	821	-	47,55,73	1.75	9 (19%)	54,91,113	1.55	9 (16%)
14	CLA	1	808	-	46,54,73	1.70	10 (21%)	53,90,113	1.63	8 (15%)
17	BCR	8	4001	-	41,41,41	1.26	3 (7%)	56,56,56	1.41	8 (14%)
14	CLA	1	818	-	54,62,73	1.53	7 (12%)	62,99,113	1.56	8 (12%)
19	LMT	6	4401	-	36,36,36	1.23	6 (16%)	47,47,47	0.94	1 (2%)
15	PQN	1	845	-	34,34,34	0.39	0	42,45,45	1.23	3 (7%)
15	PQN	b	845	-	34,34,34	0.48	0	42,45,45	1.25	4 (9%)
14	CLA	A	837	1	45,53,73	1.79	8 (17%)	52,89,113	1.71	9 (17%)
14	CLA	a	811	1	65,73,73	1.41	8 (12%)	76,113,113	1.33	8 (10%)
14	CLA	b	812	-	61,69,73	1.48	11 (18%)	71,108,113	1.65	10 (14%)
14	CLA	2	801	-	60,68,73	1.51	9 (15%)	70,107,113	1.66	9 (12%)
14	CLA	A	820	-	54,62,73	1.59	10 (18%)	62,99,113	1.56	10 (16%)
14	CLA	1	817	-	46,54,73	1.73	7 (15%)	53,90,113	1.48	7 (13%)
12	LHG	a	802	14	32,32,48	0.85	1 (3%)	35,38,54	1.30	3 (8%)
14	CLA	A	825	-	51,59,73	1.60	8 (15%)	59,96,113	1.67	6 (10%)
17	BCR	I	101	-	41,41,41	1.24	2 (4%)	56,56,56	1.36	7 (12%)
14	CLA	A	823	-	65,73,73	1.48	9 (13%)	76,113,113	1.45	9 (11%)
17	BCR	L	1505	-	41,41,41	1.14	1 (2%)	56,56,56	1.36	6 (10%)
17	BCR	6	4406	-	41,41,41	1.26	3 (7%)	56,56,56	1.38	8 (14%)
15	PQN	B	846	-	34,34,34	0.48	0	42,45,45	1.25	4 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
19	LMT	F	202	-	36,36,36	1.23	6 (16%)	47,47,47	0.94	1 (2%)
14	CLA	A	815	-	55,63,73	1.56	9 (16%)	64,101,113	1.52	8 (12%)
14	CLA	2	822	-	45,53,73	1.75	7 (15%)	52,89,113	1.64	8 (15%)
14	CLA	B	814	-	45,53,73	1.73	9 (20%)	52,89,113	1.56	9 (17%)
14	CLA	1	837	-	51,59,73	1.59	11 (21%)	59,96,113	1.53	12 (20%)
16	SF4	c	101	3	0,12,12	-	-	-	-	-
17	BCR	j	104	-	41,41,41	1.18	2 (4%)	56,56,56	1.29	6 (10%)
14	CLA	1	805	-	50,58,73	1.62	8 (16%)	58,95,113	1.67	9 (15%)
17	BCR	A	850	-	41,41,41	1.30	3 (7%)	56,56,56	1.41	10 (17%)
14	CLA	2	826	-	55,63,73	1.59	10 (18%)	64,101,113	1.63	11 (17%)
14	CLA	B	833	-	45,53,73	1.75	10 (22%)	52,89,113	1.87	9 (17%)
12	LHG	A	801	-	48,48,48	0.67	1 (2%)	51,54,54	1.27	7 (13%)
14	CLA	A	829	-	65,73,73	1.39	8 (12%)	76,113,113	1.59	7 (9%)
14	CLA	B	840	-	50,58,73	1.60	9 (18%)	58,95,113	1.73	11 (18%)
17	BCR	F	203	-	41,41,41	1.27	2 (4%)	56,56,56	1.37	6 (10%)
14	CLA	j	102	-	38,45,73	1.88	7 (18%)	43,78,113	1.55	5 (11%)
15	PQN	a	845	-	34,34,34	0.39	0	42,45,45	1.23	3 (7%)
14	CLA	a	834	-	50,58,73	1.62	10 (20%)	58,95,113	1.83	11 (18%)
17	BCR	a	847	-	41,41,41	1.22	2 (4%)	56,56,56	1.29	8 (14%)
14	CLA	0	202	-	65,73,73	1.45	9 (13%)	76,113,113	1.39	9 (11%)
14	CLA	2	827	-	50,58,73	1.61	8 (16%)	58,95,113	1.52	11 (18%)
14	CLA	k	4003	-	45,53,73	1.78	6 (13%)	52,89,113	1.69	8 (15%)
14	CLA	1	830	-	65,73,73	1.42	8 (12%)	76,113,113	1.49	10 (13%)
18	LMG	A	853	-	32,32,55	0.91	1 (3%)	40,40,63	1.21	4 (10%)
17	BCR	b	846	-	41,41,41	1.17	2 (4%)	56,56,56	1.28	7 (12%)
14	CLA	A	809	-	46,54,73	1.69	10 (21%)	53,90,113	1.62	8 (15%)
14	CLA	A	839	-	65,73,73	1.46	10 (15%)	76,113,113	1.41	8 (10%)
14	CLA	B	832	-	60,68,73	1.59	11 (18%)	70,107,113	1.75	8 (11%)
14	CLA	J	101	-	45,53,73	1.74	6 (13%)	52,89,113	1.68	8 (15%)
12	LHG	2	852	-	38,38,48	0.70	1 (2%)	41,44,54	1.19	3 (7%)
14	CLA	A	808	-	65,73,73	1.45	9 (13%)	76,113,113	1.56	8 (10%)
14	CLA	a	821	-	54,62,73	1.60	10 (18%)	62,99,113	1.56	10 (16%)
14	CLA	b	804	-	65,73,73	1.50	10 (15%)	76,113,113	1.28	9 (11%)
17	BCR	a	850	-	41,41,41	1.30	3 (7%)	56,56,56	1.41	10 (17%)
14	CLA	1	826	-	65,73,73	1.45	10 (15%)	76,113,113	1.44	10 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	CLA	L	1502	-	65,73,73	1.45	10 (15%)	76,113,113	1.48	9 (11%)
14	CLA	a	819	-	46,54,73	1.72	7 (15%)	53,90,113	1.48	7 (13%)
17	BCR	F	206	-	41,41,41	1.16	2 (4%)	56,56,56	1.32	7 (12%)
14	CLA	B	804	-	65,73,73	1.50	10 (15%)	76,113,113	1.28	10 (13%)
19	LMT	i	4101	-	36,36,36	1.23	5 (13%)	47,47,47	1.18	3 (6%)
14	CLA	1	825	-	59,67,73	1.49	9 (15%)	68,105,113	1.60	11 (16%)
14	CLA	a	830	-	65,73,73	1.39	8 (12%)	76,113,113	1.59	7 (9%)
14	CLA	a	832	-	65,73,73	1.42	8 (12%)	76,113,113	1.49	10 (13%)
14	CLA	B	838	-	45,53,73	1.76	10 (22%)	52,89,113	1.63	7 (13%)
14	CLA	l	4206	-	65,73,73	1.43	7 (10%)	76,113,113	1.36	8 (10%)
14	CLA	a	825	-	49,57,73	1.60	8 (16%)	55,93,113	1.69	9 (16%)
14	CLA	2	803	-	65,73,73	1.50	10 (15%)	76,113,113	1.28	10 (13%)
14	CLA	2	839	-	50,58,73	1.59	9 (18%)	58,95,113	1.72	11 (18%)
14	CLA	b	836	-	45,53,73	1.74	8 (17%)	52,89,113	1.67	11 (21%)
14	CLA	0	207	-	65,73,73	1.44	10 (15%)	76,113,113	1.49	9 (11%)
14	CLA	1	809	1	65,73,73	1.41	8 (12%)	76,113,113	1.32	7 (9%)
14	CLA	b	843	-	65,73,73	1.46	10 (15%)	76,113,113	1.48	9 (11%)
17	BCR	1	851	-	41,41,41	1.21	2 (4%)	56,56,56	1.37	8 (14%)
14	CLA	f	204	-	45,53,73	1.71	8 (17%)	52,89,113	1.76	8 (15%)
14	CLA	l	4203	-	65,73,73	1.45	10 (15%)	76,113,113	1.50	10 (13%)
14	CLA	A	806	-	50,58,73	1.62	8 (16%)	58,95,113	1.68	9 (15%)
12	LHG	A	802	14	32,32,48	0.85	1 (3%)	35,38,54	1.30	3 (8%)
14	CLA	B	805	-	65,73,73	1.39	9 (13%)	76,113,113	1.61	13 (17%)
17	BCR	8	4005	-	41,41,41	1.12	2 (4%)	56,56,56	1.23	5 (8%)
14	CLA	B	801	-	60,68,73	1.51	9 (15%)	70,107,113	1.67	10 (14%)
14	CLA	a	826	-	51,59,73	1.61	8 (15%)	59,96,113	1.67	6 (10%)
14	CLA	1	814	-	55,63,73	1.56	8 (14%)	64,101,113	1.52	8 (12%)
14	CLA	1	822	-	65,73,73	1.47	8 (12%)	76,113,113	1.45	9 (11%)
14	CLA	2	824	-	45,53,73	1.72	9 (20%)	52,89,113	1.61	7 (13%)
14	CLA	A	842	-	65,73,73	1.44	10 (15%)	76,113,113	1.45	8 (10%)
17	BCR	a	848	-	41,41,41	1.18	2 (4%)	56,56,56	1.21	7 (12%)
14	CLA	2	836	-	45,53,73	1.74	8 (17%)	52,89,113	1.67	11 (21%)
14	CLA	a	818	-	45,53,73	1.71	9 (20%)	52,89,113	1.60	9 (17%)
14	CLA	b	818	-	55,63,73	1.52	8 (14%)	64,101,113	1.61	8 (12%)
18	LMG	a	853	-	32,32,55	0.92	1 (3%)	40,40,63	1.20	3 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	BCR	0	210	-	41,41,41	1.14	2 (4%)	56,56,56	1.36	6 (10%)
14	CLA	0	208	-	65,73,73	1.43	7 (10%)	76,113,113	1.36	8 (10%)
17	BCR	B	854	-	41,41,41	1.26	3 (7%)	56,56,56	1.37	7 (12%)
14	CLA	2	838	-	46,54,73	1.72	7 (15%)	53,90,113	1.64	8 (15%)
17	BCR	B	852	-	41,41,41	1.23	3 (7%)	56,56,56	1.32	8 (14%)
14	CLA	A	819	-	54,62,73	1.52	7 (12%)	62,99,113	1.56	8 (12%)
17	BCR	b	849	-	41,41,41	1.13	2 (4%)	56,56,56	1.39	11 (19%)
14	CLA	a	817	-	45,53,73	1.71	8 (17%)	52,89,113	1.68	6 (11%)
14	CLA	1	828	-	65,73,73	1.40	8 (12%)	76,113,113	1.59	7 (9%)
18	LMG	2	802	-	48,48,55	0.78	1 (2%)	56,56,63	1.35	7 (12%)
17	BCR	b	850	-	41,41,41	1.26	4 (9%)	56,56,56	1.56	11 (19%)
15	PQN	2	845	-	34,34,34	0.48	0	42,45,45	1.25	4 (9%)
12	LHG	1	801	-	48,48,48	0.67	1 (2%)	51,54,54	1.27	7 (13%)
17	BCR	0	209	-	41,41,41	1.20	2 (4%)	56,56,56	1.39	9 (16%)
17	BCR	2	846	-	41,41,41	1.17	2 (4%)	56,56,56	1.28	7 (12%)
14	CLA	A	830	-	65,73,73	1.40	9 (13%)	76,113,113	1.61	11 (14%)
14	CLA	b	842	-	65,73,73	1.45	10 (15%)	76,113,113	1.26	7 (9%)
14	CLA	1	815	-	45,53,73	1.71	8 (17%)	52,89,113	1.69	6 (11%)
14	CLA	a	837	-	54,62,73	1.62	9 (16%)	62,99,113	1.50	8 (12%)
12	LHG	m	101	-	38,38,48	0.66	0	41,44,54	1.24	4 (9%)
14	CLA	B	843	-	65,73,73	1.45	10 (15%)	76,113,113	1.26	7 (9%)
14	CLA	a	822	-	65,73,73	1.41	8 (12%)	76,113,113	1.48	9 (11%)
17	BCR	2	849	-	41,41,41	1.13	2 (4%)	56,56,56	1.40	11 (19%)
14	CLA	b	810	-	60,68,73	1.47	9 (15%)	70,107,113	1.40	9 (12%)
14	CLA	A	827	-	65,73,73	1.47	10 (15%)	76,113,113	1.44	10 (13%)
17	BCR	j	103	-	41,41,41	1.23	2 (4%)	56,56,56	1.31	5 (8%)
17	BCR	b	853	-	41,41,41	1.26	3 (7%)	56,56,56	1.37	7 (12%)
17	BCR	2	847	-	41,41,41	1.16	2 (4%)	56,56,56	1.30	7 (12%)
14	CLA	1	823	-	49,57,73	1.60	8 (16%)	55,93,113	1.68	8 (14%)
14	CLA	2	820	-	60,68,73	1.46	8 (13%)	70,107,113	1.54	10 (14%)
14	CLA	a	809	-	65,73,73	1.45	9 (13%)	76,113,113	1.57	8 (10%)
14	CLA	b	823	-	45,53,73	1.74	8 (17%)	52,89,113	1.68	8 (15%)
14	CLA	1	819	-	54,62,73	1.59	10 (18%)	62,99,113	1.57	10 (16%)
14	CLA	1	843	-	65,73,73	1.48	11 (16%)	76,113,113	1.39	7 (9%)
14	CLA	2	813	-	45,53,73	1.74	10 (22%)	52,89,113	1.56	9 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	SF4	C	102	3	0,12,12	-	-	-		
14	CLA	2	806	-	54,62,73	1.56	8 (14%)	62,99,113	1.56	10 (16%)
14	CLA	a	814	-	65,73,73	1.46	10 (15%)	76,113,113	1.52	10 (13%)
17	BCR	k	4004	-	41,41,41	1.12	2 (4%)	56,56,56	1.23	5 (8%)
14	CLA	a	844	12	45,53,73	1.71	10 (22%)	52,89,113	1.63	7 (13%)
14	CLA	F	204	-	45,53,73	1.71	8 (17%)	52,89,113	1.76	8 (15%)
14	CLA	B	830	-	60,68,73	1.46	9 (15%)	70,107,113	1.52	7 (10%)
12	LHG	M	101	-	38,38,48	0.67	0	41,44,54	1.24	4 (9%)
14	CLA	b	824	-	45,53,73	1.74	9 (20%)	52,89,113	1.61	7 (13%)
14	CLA	B	817	-	46,54,73	1.68	7 (15%)	53,90,113	1.65	7 (13%)
14	CLA	b	829	-	60,68,73	1.46	9 (15%)	70,107,113	1.51	7 (10%)
17	BCR	i	4102	-	41,41,41	1.24	2 (4%)	56,56,56	1.36	6 (10%)
14	CLA	B	807	-	54,62,73	1.56	8 (14%)	62,99,113	1.58	10 (16%)
14	CLA	1	811	-	45,53,73	1.76	10 (22%)	52,89,113	1.59	9 (17%)
14	CLA	1	827	-	55,63,73	1.53	8 (14%)	64,101,113	1.43	6 (9%)
14	CLA	B	826	-	45,53,73	1.74	9 (20%)	52,89,113	1.64	7 (13%)
14	CLA	A	814	-	54,62,73	1.58	9 (16%)	62,99,113	1.58	10 (16%)
17	BCR	J	104	-	41,41,41	1.17	2 (4%)	56,56,56	1.29	6 (10%)
14	CLA	1	836	1	45,53,73	1.79	8 (17%)	52,89,113	1.71	10 (19%)
14	CLA	b	841	-	46,54,73	1.65	8 (17%)	53,90,113	1.77	8 (15%)
12	LHG	b	852	-	38,38,48	0.70	1 (2%)	41,44,54	1.19	3 (7%)
14	CLA	a	808	-	65,73,73	1.46	10 (15%)	76,113,113	1.40	8 (10%)
14	CLA	A	835	-	65,73,73	1.42	9 (13%)	76,113,113	1.55	12 (15%)
14	CLA	2	829	-	60,68,73	1.46	9 (15%)	70,107,113	1.53	7 (10%)
17	BCR	k	4001	-	41,41,41	1.26	3 (7%)	56,56,56	1.41	8 (14%)
14	CLA	b	808	-	65,73,73	1.43	9 (13%)	76,113,113	1.46	9 (11%)
14	CLA	A	813	-	65,73,73	1.45	10 (15%)	76,113,113	1.52	10 (13%)
14	CLA	B	810	-	60,68,73	1.47	10 (16%)	70,107,113	1.40	9 (12%)
17	BCR	a	851	-	41,41,41	1.21	2 (4%)	56,56,56	1.36	8 (14%)
14	CLA	7	1103	-	38,45,73	1.87	7 (18%)	43,78,113	1.54	5 (11%)
14	CLA	B	825	-	45,53,73	1.73	9 (20%)	52,89,113	1.61	7 (13%)
14	CLA	b	833	-	55,63,73	1.57	8 (14%)	64,101,113	1.52	9 (14%)
14	CLA	A	818	-	46,54,73	1.72	7 (15%)	53,90,113	1.48	7 (13%)
14	CLA	a	815	-	54,62,73	1.58	10 (18%)	62,99,113	1.58	10 (16%)
14	CLA	2	816	-	46,54,73	1.68	7 (15%)	53,90,113	1.65	7 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	BCR	2	851	-	41,41,41	1.22	3 (7%)	56,56,56	1.32	8 (14%)
14	CLA	B	816	-	65,73,73	1.44	10 (15%)	76,113,113	1.44	8 (10%)
14	CLA	A	810	1	65,73,73	1.41	9 (13%)	76,113,113	1.33	8 (10%)
14	CLA	b	827	-	50,58,73	1.60	8 (16%)	58,95,113	1.52	11 (18%)
14	CLA	2	809	-	60,68,73	1.46	9 (15%)	70,107,113	1.40	9 (12%)
14	CLA	b	814	-	45,53,73	1.72	10 (22%)	52,89,113	1.62	9 (17%)
14	CLA	1	844	12	45,53,73	1.71	10 (22%)	52,89,113	1.63	7 (13%)
14	CLA	A	804	-	65,73,73	1.52	10 (15%)	76,113,113	1.19	6 (7%)
19	LMT	I	103	-	36,36,36	1.22	5 (13%)	47,47,47	1.18	3 (6%)
18	LMG	a	852	-	46,46,55	0.84	1 (2%)	54,54,63	1.30	6 (11%)
14	CLA	1	840	-	65,73,73	1.41	10 (15%)	76,113,113	1.53	9 (11%)
17	BCR	2	848	-	25,25,41	1.17	2 (8%)	33,33,56	1.32	5 (15%)
14	CLA	2	833	-	55,63,73	1.57	8 (14%)	64,101,113	1.53	8 (12%)
17	BCR	I	102	-	41,41,41	1.32	4 (9%)	56,56,56	1.42	8 (14%)
14	CLA	A	831	-	65,73,73	1.43	8 (12%)	76,113,113	1.49	10 (13%)
16	SF4	A	846	1,2	0,12,12	-	-	-	-	-
14	CLA	a	840	-	65,73,73	1.46	10 (15%)	76,113,113	1.42	8 (10%)
14	CLA	B	827	-	55,63,73	1.59	10 (18%)	64,101,113	1.61	11 (17%)
14	CLA	B	822	-	47,55,73	1.77	9 (19%)	54,91,113	1.55	9 (16%)
14	CLA	A	833	-	50,58,73	1.62	10 (20%)	58,95,113	1.82	10 (17%)
14	CLA	a	828	-	65,73,73	1.46	9 (13%)	76,113,113	1.44	10 (13%)
14	CLA	1	835	-	54,62,73	1.63	9 (16%)	62,99,113	1.50	8 (12%)
14	CLA	1	820	-	65,73,73	1.42	8 (12%)	76,113,113	1.47	9 (11%)
14	CLA	b	828	-	65,73,73	1.49	10 (15%)	76,113,113	1.32	8 (10%)
14	CLA	B	835	-	58,66,73	1.54	9 (15%)	67,104,113	1.46	9 (13%)
14	CLA	1	813	-	54,62,73	1.58	11 (20%)	62,99,113	1.58	10 (16%)
14	CLA	2	810	-	65,73,73	1.43	10 (15%)	76,113,113	1.43	9 (11%)
14	CLA	1	806	-	65,73,73	1.47	10 (15%)	76,113,113	1.39	8 (10%)
14	CLA	a	820	-	54,62,73	1.53	9 (16%)	62,99,113	1.55	8 (12%)
14	CLA	2	832	-	45,53,73	1.75	10 (22%)	52,89,113	1.87	10 (19%)
14	CLA	2	834	-	58,66,73	1.54	9 (15%)	67,104,113	1.46	9 (13%)
17	BCR	A	851	-	41,41,41	1.21	2 (4%)	56,56,56	1.37	8 (14%)
14	CLA	2	828	-	65,73,73	1.50	9 (13%)	76,113,113	1.32	8 (10%)
14	CLA	B	828	-	50,58,73	1.61	8 (16%)	58,95,113	1.52	11 (18%)
14	CLA	1	804	-	65,73,73	1.52	10 (15%)	76,113,113	1.18	6 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	BCR	1	850	-	41,41,41	1.31	3 (7%)	56,56,56	1.41	10 (17%)
17	BCR	f	206	-	41,41,41	1.16	2 (4%)	56,56,56	1.32	7 (12%)
14	CLA	b	819	-	55,63,73	1.58	10 (18%)	64,101,113	1.69	7 (10%)
14	CLA	A	812	-	45,53,73	1.76	9 (20%)	52,89,113	1.58	9 (17%)
14	CLA	2	815	-	65,73,73	1.44	10 (15%)	76,113,113	1.43	8 (10%)
14	CLA	L	1501	9	65,73,73	1.45	10 (15%)	76,113,113	1.48	8 (10%)
14	CLA	b	825	-	45,53,73	1.75	9 (20%)	52,89,113	1.64	7 (13%)
17	BCR	f	203	-	41,41,41	1.27	2 (4%)	56,56,56	1.37	6 (10%)
14	CLA	1	829	-	65,73,73	1.40	9 (13%)	76,113,113	1.61	11 (14%)
17	BCR	b	851	-	41,41,41	1.22	3 (7%)	56,56,56	1.32	8 (14%)
18	LMG	A	852	-	46,46,55	0.85	1 (2%)	54,54,63	1.30	6 (11%)
14	CLA	B	839	-	46,54,73	1.71	7 (15%)	53,90,113	1.64	8 (15%)
14	CLA	a	805	-	65,73,73	1.52	10 (15%)	76,113,113	1.19	6 (7%)
17	BCR	7	1105	-	41,41,41	1.18	2 (4%)	56,56,56	1.30	6 (10%)
14	CLA	b	817	-	45,53,73	1.71	8 (17%)	52,89,113	1.68	6 (11%)
14	CLA	2	818	-	55,63,73	1.53	8 (14%)	64,101,113	1.63	8 (12%)
14	CLA	2	823	-	45,53,73	1.74	8 (17%)	52,89,113	1.68	8 (15%)
14	CLA	F	205	-	45,53,73	1.72	8 (17%)	52,89,113	1.66	12 (23%)
14	CLA	2	819	-	55,63,73	1.57	10 (18%)	64,101,113	1.69	8 (12%)
14	CLA	A	843	-	65,73,73	1.48	11 (16%)	76,113,113	1.39	7 (9%)
14	CLA	a	842	-	65,73,73	1.45	10 (15%)	76,113,113	1.44	8 (10%)
14	CLA	2	808	-	65,73,73	1.47	10 (15%)	76,113,113	1.53	9 (11%)
18	LMG	L	1506	-	38,38,55	0.87	0	46,46,63	1.28	4 (8%)
17	BCR	i	4103	-	41,41,41	1.32	4 (9%)	56,56,56	1.42	8 (14%)
14	CLA	b	822	-	45,53,73	1.75	7 (15%)	52,89,113	1.64	8 (15%)
14	CLA	B	808	-	65,73,73	1.44	9 (13%)	76,113,113	1.46	9 (11%)
14	CLA	B	824	-	45,53,73	1.75	8 (17%)	52,89,113	1.68	8 (15%)
14	CLA	b	811	-	65,73,73	1.43	10 (15%)	76,113,113	1.43	9 (11%)
14	CLA	B	836	-	45,53,73	1.78	11 (24%)	52,89,113	1.69	10 (19%)
18	LMG	0	203	-	46,46,55	0.85	1 (2%)	54,54,63	1.30	6 (11%)
14	CLA	1	833	-	65,73,73	1.38	9 (13%)	76,113,113	1.48	11 (14%)
17	BCR	J	103	-	41,41,41	1.23	2 (4%)	56,56,56	1.30	5 (8%)
14	CLA	a	806	-	65,73,73	1.45	10 (15%)	76,113,113	1.29	8 (10%)
14	CLA	B	806	-	65,73,73	1.43	10 (15%)	76,113,113	1.60	8 (10%)
14	CLA	b	806	-	65,73,73	1.43	10 (15%)	76,113,113	1.61	8 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	BCR	M	102	-	41,41,41	1.17	2 (4%)	56,56,56	1.31	8 (14%)
13	CL0	A	803	-	65,73,73	1.40	9 (13%)	76,113,113	1.44	9 (11%)
14	CLA	1	810	1	50,58,73	1.64	10 (20%)	58,95,113	1.67	9 (15%)
14	CLA	b	826	-	55,63,73	1.58	10 (18%)	64,101,113	1.61	11 (17%)
16	SF4	C	101	3	0,12,12	-	-	-	-	-
16	SF4	3	101	3	0,12,12	-	-	-	-	-
14	CLA	B	845	-	29,35,73	2.61	8 (27%)	28,60,113	1.81	6 (21%)
14	CLA	2	811	-	61,69,73	1.47	9 (14%)	71,108,113	1.65	10 (14%)
14	CLA	b	831	-	60,68,73	1.59	11 (18%)	70,107,113	1.74	8 (11%)
14	CLA	1	812	-	65,73,73	1.46	10 (15%)	76,113,113	1.52	10 (13%)
16	SF4	1	846	1,2	0,12,12	-	-	-	-	-
14	CLA	b	844	-	29,35,73	2.61	8 (27%)	28,60,113	1.82	6 (21%)
17	BCR	h	102	-	41,41,41	1.32	4 (9%)	56,56,56	1.42	8 (14%)
14	CLA	K	4004	-	55,63,73	1.59	9 (16%)	64,101,113	1.39	11 (17%)
14	CLA	a	836	-	65,73,73	1.42	9 (13%)	76,113,113	1.56	12 (15%)
14	CLA	a	831	-	65,73,73	1.40	9 (13%)	76,113,113	1.61	11 (14%)
14	CLA	A	805	-	65,73,73	1.45	10 (15%)	76,113,113	1.29	8 (10%)
14	CLA	0	206	9	65,73,73	1.44	7 (10%)	76,113,113	1.47	8 (10%)
17	BCR	B	849	-	25,25,41	1.17	2 (8%)	33,33,56	1.32	5 (15%)
16	SF4	c	102	3	0,12,12	-	-	-	-	-
14	CLA	l	4204	9	65,73,73	1.45	9 (13%)	76,113,113	1.48	8 (10%)
17	BCR	B	850	-	41,41,41	1.13	2 (4%)	56,56,56	1.40	11 (19%)
14	CLA	A	824	-	49,57,73	1.61	9 (18%)	55,93,113	1.68	8 (14%)
14	CLA	6	4403	-	45,53,73	1.71	8 (17%)	52,89,113	1.75	8 (15%)
14	CLA	2	840	-	62,70,73	1.47	9 (14%)	72,109,113	1.36	10 (13%)
14	CLA	1	838	-	65,73,73	1.46	9 (13%)	76,113,113	1.42	8 (10%)
14	CLA	B	829	-	65,73,73	1.49	10 (15%)	76,113,113	1.32	8 (10%)
14	CLA	2	817	-	45,53,73	1.71	8 (17%)	52,89,113	1.68	6 (11%)
14	CLA	a	835	-	65,73,73	1.39	9 (13%)	76,113,113	1.48	11 (14%)
14	CLA	A	807	-	65,73,73	1.46	10 (15%)	76,113,113	1.40	7 (9%)
14	CLA	b	839	-	50,58,73	1.59	8 (16%)	58,95,113	1.73	11 (18%)
14	CLA	B	842	-	46,54,73	1.65	8 (17%)	53,90,113	1.75	8 (15%)
14	CLA	b	820	-	60,68,73	1.45	8 (13%)	70,107,113	1.54	10 (14%)
14	CLA	B	813	-	65,73,73	1.45	10 (15%)	76,113,113	1.52	10 (13%)
14	CLA	a	823	-	60,68,73	1.50	7 (11%)	70,107,113	1.37	6 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	CLA	A	841	-	65,73,73	1.42	10 (15%)	76,113,113	1.53	9 (11%)
14	CLA	a	843	-	65,73,73	1.47	10 (15%)	76,113,113	1.39	7 (9%)
14	CLA	8	4004	-	55,63,73	1.60	9 (16%)	64,101,113	1.38	10 (15%)
17	BCR	b	847	-	41,41,41	1.16	2 (4%)	56,56,56	1.30	7 (12%)
14	CLA	2	835	-	45,53,73	1.78	10 (22%)	52,89,113	1.69	10 (19%)
17	BCR	7	1104	-	41,41,41	1.23	2 (4%)	56,56,56	1.31	5 (8%)
14	CLA	B	820	-	55,63,73	1.58	10 (18%)	64,101,113	1.69	7 (10%)
14	CLA	a	804	-	60,68,73	1.52	9 (15%)	70,107,113	1.66	9 (12%)
17	BCR	B	848	-	41,41,41	1.15	2 (4%)	56,56,56	1.30	7 (12%)
14	CLA	a	812	1	50,58,73	1.65	10 (20%)	58,95,113	1.67	9 (15%)
14	CLA	B	812	-	61,69,73	1.48	10 (16%)	71,108,113	1.65	10 (14%)
16	SF4	a	846	1,2	0,12,12	-	-	-	-	-
14	CLA	A	834	-	65,73,73	1.39	9 (13%)	76,113,113	1.47	12 (15%)
14	CLA	2	844	-	29,35,73	2.61	8 (27%)	28,60,113	1.82	5 (17%)
14	CLA	2	804	-	65,73,73	1.39	9 (13%)	76,113,113	1.62	12 (15%)
17	BCR	2	850	-	41,41,41	1.26	4 (9%)	56,56,56	1.56	11 (19%)
14	CLA	A	817	-	45,53,73	1.73	9 (20%)	52,89,113	1.61	9 (17%)
14	CLA	2	842	-	65,73,73	1.45	10 (15%)	76,113,113	1.26	7 (9%)
17	BCR	9	102	-	41,41,41	1.16	2 (4%)	56,56,56	1.31	8 (14%)
14	CLA	B	821	-	60,68,73	1.45	8 (13%)	70,107,113	1.54	10 (14%)
14	CLA	B	841	-	62,70,73	1.47	9 (14%)	72,109,113	1.36	10 (13%)
18	LMG	0	201	-	38,38,55	0.87	0	46,46,63	1.29	4 (8%)
14	CLA	b	802	-	65,73,73	1.41	10 (15%)	76,113,113	1.53	9 (11%)
14	CLA	a	833	-	65,73,73	1.50	10 (15%)	76,113,113	1.56	8 (10%)
17	BCR	6	4405	-	41,41,41	1.17	2 (4%)	56,56,56	1.32	7 (12%)
14	CLA	2	812	-	65,73,73	1.46	10 (15%)	76,113,113	1.51	10 (13%)
14	CLA	2	807	-	65,73,73	1.44	9 (13%)	76,113,113	1.46	9 (11%)
14	CLA	B	815	-	45,53,73	1.73	9 (20%)	52,89,113	1.63	9 (17%)
17	BCR	1	849	-	41,41,41	1.28	3 (7%)	56,56,56	1.41	7 (12%)
17	BCR	L	1504	-	41,41,41	1.21	2 (4%)	56,56,56	1.39	9 (16%)
14	CLA	B	834	-	55,63,73	1.57	8 (14%)	64,101,113	1.52	9 (14%)
14	CLA	B	844	-	65,73,73	1.46	10 (15%)	76,113,113	1.48	10 (13%)
14	CLA	J	102	-	38,45,73	1.89	7 (18%)	43,78,113	1.54	6 (13%)
17	BCR	0	204	-	41,41,41	1.13	2 (4%)	56,56,56	1.36	6 (10%)
14	CLA	b	840	-	62,70,73	1.46	9 (14%)	72,109,113	1.35	10 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	CLA	A	826	-	59,67,73	1.49	9 (15%)	68,105,113	1.60	11 (16%)
17	BCR	l	4207	-	41,41,41	1.21	2 (4%)	56,56,56	1.39	10 (17%)
18	LMG	B	803	-	48,48,55	0.78	1 (2%)	56,56,63	1.35	7 (12%)
14	CLA	2	814	-	45,53,73	1.73	10 (22%)	52,89,113	1.62	9 (17%)
19	LMT	f	202	-	36,36,36	1.23	6 (16%)	47,47,47	0.94	1 (2%)
14	CLA	B	818	-	45,53,73	1.70	8 (17%)	52,89,113	1.67	6 (11%)
14	CLA	1	834	-	65,73,73	1.43	9 (13%)	76,113,113	1.56	12 (15%)
17	BCR	1	847	-	41,41,41	1.22	2 (4%)	56,56,56	1.29	8 (14%)
19	LMT	h	103	-	36,36,36	1.22	5 (13%)	47,47,47	1.18	3 (6%)
13	CL0	a	803	-	65,73,73	1.41	9 (13%)	76,113,113	1.45	9 (11%)
14	CLA	1	839	-	47,55,73	1.67	10 (21%)	54,91,113	1.61	9 (16%)
14	CLA	L	1503	-	65,73,73	1.44	7 (10%)	76,113,113	1.37	8 (10%)
17	BCR	1	848	-	41,41,41	1.18	2 (4%)	56,56,56	1.21	6 (10%)
14	CLA	A	838	-	51,59,73	1.59	11 (21%)	59,96,113	1.54	12 (20%)
16	SF4	3	102	3	0,12,12	-	-	-	-	-
14	CLA	A	816	-	45,53,73	1.71	8 (17%)	52,89,113	1.68	6 (11%)
14	CLA	1	821	-	60,68,73	1.49	7 (11%)	70,107,113	1.37	6 (8%)
14	CLA	a	824	-	65,73,73	1.48	8 (12%)	76,113,113	1.45	9 (11%)
14	CLA	1	831	-	65,73,73	1.49	10 (15%)	76,113,113	1.55	9 (11%)
14	CLA	7	1102	-	45,53,73	1.74	6 (13%)	52,89,113	1.68	7 (13%)
12	LHG	B	853	-	38,38,48	0.70	1 (2%)	41,44,54	1.19	3 (7%)
14	CLA	A	836	-	54,62,73	1.62	9 (16%)	62,99,113	1.49	8 (12%)
13	CL0	1	803	-	65,73,73	1.41	8 (12%)	76,113,113	1.44	9 (11%)
14	CLA	1	842	-	65,73,73	1.45	10 (15%)	76,113,113	1.44	8 (10%)
14	CLA	f	205	-	45,53,73	1.72	8 (17%)	52,89,113	1.66	12 (23%)
14	CLA	A	811	1	50,58,73	1.65	10 (20%)	58,95,113	1.66	9 (15%)
14	CLA	B	823	-	45,53,73	1.75	7 (15%)	52,89,113	1.63	8 (15%)
14	CLA	1	832	-	50,58,73	1.63	10 (20%)	58,95,113	1.82	11 (18%)
14	CLA	1	816	-	45,53,73	1.71	9 (20%)	52,89,113	1.60	8 (15%)
14	CLA	b	805	-	65,73,73	1.38	9 (13%)	76,113,113	1.62	12 (15%)
14	CLA	B	819	-	55,63,73	1.53	8 (14%)	64,101,113	1.63	8 (12%)
14	CLA	b	801	-	65,73,73	1.46	9 (13%)	76,113,113	1.39	9 (11%)
14	CLA	b	809	-	65,73,73	1.48	10 (15%)	76,113,113	1.53	9 (11%)
14	CLA	a	827	-	59,67,73	1.50	9 (15%)	68,105,113	1.61	11 (16%)
14	CLA	l	4205	-	65,73,73	1.44	9 (13%)	76,113,113	1.48	9 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	CLA	1	807	-	65,73,73	1.45	9 (13%)	76,113,113	1.57	8 (10%)
14	CLA	A	828	-	55,63,73	1.53	8 (14%)	64,101,113	1.43	6 (9%)
17	BCR	B	851	-	41,41,41	1.26	4 (9%)	56,56,56	1.56	11 (19%)
14	CLA	b	837	-	45,53,73	1.75	10 (22%)	52,89,113	1.63	7 (13%)
17	BCR	b	854	-	41,41,41	1.16	2 (4%)	56,56,56	1.31	8 (14%)
14	CLA	B	809	-	65,73,73	1.48	11 (16%)	76,113,113	1.53	9 (11%)
14	CLA	a	813	-	45,53,73	1.75	10 (22%)	52,89,113	1.58	9 (17%)
15	PQN	A	845	-	34,34,34	0.39	0	42,45,45	1.23	3 (7%)
14	CLA	j	101	-	45,53,73	1.73	6 (13%)	52,89,113	1.68	7 (13%)
14	CLA	7	1101	-	65,73,73	1.46	10 (15%)	76,113,113	1.28	8 (10%)
14	CLA	a	829	-	55,63,73	1.54	8 (14%)	64,101,113	1.43	6 (9%)
14	CLA	a	810	-	46,54,73	1.70	10 (21%)	53,90,113	1.62	8 (15%)
14	CLA	B	811	-	65,73,73	1.42	10 (15%)	76,113,113	1.42	9 (11%)
17	BCR	a	849	-	41,41,41	1.28	3 (7%)	56,56,56	1.40	7 (12%)
14	CLA	8	4002	-	45,53,73	1.77	8 (17%)	52,89,113	1.63	9 (17%)
17	BCR	K	4001	-	41,41,41	1.26	3 (7%)	56,56,56	1.41	8 (14%)
14	CLA	8	4003	-	45,53,73	1.78	6 (13%)	52,89,113	1.69	8 (15%)
17	BCR	A	847	-	41,41,41	1.23	2 (4%)	56,56,56	1.29	8 (14%)
14	CLA	K	4003	-	45,53,73	1.77	6 (13%)	52,89,113	1.70	8 (15%)
14	CLA	b	821	-	47,55,73	1.76	9 (19%)	54,91,113	1.55	9 (16%)
14	CLA	2	843	-	65,73,73	1.46	10 (15%)	76,113,113	1.48	9 (11%)
14	CLA	B	802	-	65,73,73	1.45	9 (13%)	76,113,113	1.39	9 (11%)
14	CLA	a	807	-	50,58,73	1.62	8 (16%)	58,95,113	1.68	9 (15%)
17	BCR	K	4005	-	41,41,41	1.12	2 (4%)	56,56,56	1.23	5 (8%)
14	CLA	b	835	-	45,53,73	1.79	11 (24%)	52,89,113	1.69	10 (19%)
14	CLA	a	841	-	47,55,73	1.66	10 (21%)	54,91,113	1.61	8 (14%)
14	CLA	A	821	-	65,73,73	1.40	8 (12%)	76,113,113	1.48	9 (11%)
14	CLA	2	837	-	45,53,73	1.76	10 (22%)	52,89,113	1.62	7 (13%)
14	CLA	B	831	-	65,73,73	1.40	9 (13%)	76,113,113	1.48	10 (13%)
14	CLA	b	813	-	45,53,73	1.73	10 (22%)	52,89,113	1.56	9 (17%)
14	CLA	2	805	-	65,73,73	1.43	9 (13%)	76,113,113	1.60	8 (10%)
14	CLA	B	837	-	45,53,73	1.73	8 (17%)	52,89,113	1.67	11 (21%)
12	LHG	9	101	-	38,38,48	0.66	0	41,44,54	1.24	4 (9%)
14	CLA	a	816	-	55,63,73	1.56	9 (16%)	64,101,113	1.51	8 (12%)
14	CLA	b	838	-	46,54,73	1.72	7 (15%)	53,90,113	1.65	8 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	CLA	b	816	-	46,54,73	1.67	7 (15%)	53,90,113	1.65	7 (13%)
12	LHG	a	801	-	48,48,48	0.67	1 (2%)	51,54,54	1.26	7 (13%)
14	CLA	a	839	-	51,59,73	1.59	11 (21%)	59,96,113	1.54	12 (20%)
14	CLA	2	841	-	46,54,73	1.64	8 (17%)	53,90,113	1.76	8 (15%)
14	CLA	b	830	-	65,73,73	1.41	9 (13%)	76,113,113	1.48	10 (13%)
14	CLA	A	822	-	60,68,73	1.50	7 (11%)	70,107,113	1.37	6 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	BCR	b	848	-	-	6/18/35/63	0/1/1/2
14	CLA	K	4002	-	-	7/13/91/115	-
14	CLA	A	832	-	1/1/15/20	18/37/115/115	-
12	LHG	1	802	14	-	14/37/37/53	-
17	BCR	B	847	-	-	12/29/63/63	0/2/2/2
18	LMG	b	803	-	-	22/43/63/70	0/1/1/1
14	CLA	a	854	-	1/1/13/20	7/25/103/115	-
14	CLA	6	4404	-	1/1/11/20	6/13/91/115	-
14	CLA	1	824	-	1/1/12/20	11/21/99/115	-
18	LMG	l	4202	-	-	19/33/53/70	0/1/1/1
17	BCR	A	849	-	-	7/29/63/63	0/2/2/2
14	CLA	b	807	-	1/1/12/20	9/24/102/115	-
14	CLA	a	838	1	1/1/11/20	7/13/91/115	-
17	BCR	A	848	-	-	11/29/63/63	0/2/2/2
17	BCR	h	101	-	-	17/29/63/63	0/2/2/2
14	CLA	2	830	-	1/1/15/20	12/37/115/115	-
14	CLA	2	831	-	1/1/14/20	12/31/109/115	-
18	LMG	1	852	-	-	8/27/47/70	0/1/1/1
14	CLA	1	841	-	1/1/12/20	12/21/99/115	-
17	BCR	6	4402	-	-	13/29/63/63	0/2/2/2
14	CLA	A	844	12	1/1/11/20	4/13/91/115	-
14	CLA	b	815	-	1/1/15/20	22/37/115/115	-
14	CLA	A	840	-	1/1/11/20	3/16/94/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	CLA	2	825	-	-	5/13/91/115	-
14	CLA	F	201	-	1/1/12/20	12/21/99/115	-
14	CLA	k	4002	-	-	7/13/91/115	-
14	CLA	b	832	-	1/1/11/20	7/13/91/115	-
14	CLA	b	834	-	1/1/13/20	13/29/107/115	-
14	CLA	f	201	-	1/1/12/20	12/21/99/115	-
14	CLA	2	821	-	1/1/11/20	4/16/94/115	-
14	CLA	1	808	-	1/1/11/20	6/15/93/115	-
17	BCR	8	4001	-	-	12/29/63/63	0/2/2/2
14	CLA	1	818	-	1/1/12/20	8/24/102/115	-
19	LMT	6	4401	-	-	3/21/61/61	0/2/2/2
15	PQN	1	845	-	-	4/23/43/43	0/2/2/2
15	PQN	b	845	-	-	10/23/43/43	0/2/2/2
14	CLA	A	837	1	1/1/11/20	7/13/91/115	-
14	CLA	a	811	1	1/1/15/20	22/37/115/115	-
14	CLA	b	812	-	1/1/14/20	14/33/111/115	-
14	CLA	2	801	-	1/1/14/20	11/31/109/115	-
14	CLA	A	820	-	1/1/12/20	5/24/102/115	-
14	CLA	1	817	-	1/1/11/20	5/15/93/115	-
12	LHG	a	802	14	-	14/37/37/53	-
14	CLA	A	825	-	1/1/12/20	11/21/99/115	-
17	BCR	I	101	-	-	17/29/63/63	0/2/2/2
14	CLA	A	823	-	1/1/15/20	13/37/115/115	-
17	BCR	L	1505	-	-	14/29/63/63	0/2/2/2
17	BCR	6	4406	-	-	13/29/63/63	0/2/2/2
15	PQN	B	846	-	-	10/23/43/43	0/2/2/2
19	LMT	F	202	-	-	3/21/61/61	0/2/2/2
14	CLA	A	815	-	1/1/13/20	12/25/103/115	-
14	CLA	2	822	-	-	7/13/91/115	-
14	CLA	B	814	-	1/1/11/20	4/13/91/115	-
14	CLA	1	837	-	1/1/12/20	8/21/99/115	-
17	BCR	j	104	-	-	11/29/63/63	0/2/2/2
16	SF4	c	101	3	-	-	0/6/5/5
14	CLA	1	805	-	1/1/12/20	3/19/97/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	BCR	A	850	-	-	19/29/63/63	0/2/2/2
14	CLA	2	826	-	1/1/13/20	4/25/103/115	-
14	CLA	B	833	-	1/1/11/20	7/13/91/115	-
12	LHG	A	801	-	-	22/53/53/53	-
14	CLA	A	829	-	1/1/15/20	13/37/115/115	-
14	CLA	B	840	-	1/1/12/20	8/19/97/115	-
17	BCR	F	203	-	-	13/29/63/63	0/2/2/2
14	CLA	j	102	-	1/1/8/20	1/2/76/115	-
15	PQN	a	845	-	-	4/23/43/43	0/2/2/2
14	CLA	a	834	-	1/1/12/20	3/19/97/115	-
17	BCR	a	847	-	-	14/29/63/63	0/2/2/2
14	CLA	0	202	-	1/1/15/20	10/37/115/115	-
14	CLA	2	827	-	1/1/12/20	3/19/97/115	-
14	CLA	k	4003	-	1/1/11/20	9/13/91/115	-
14	CLA	1	830	-	1/1/15/20	7/37/115/115	-
18	LMG	A	853	-	-	8/27/47/70	0/1/1/1
17	BCR	b	846	-	-	12/29/63/63	0/2/2/2
14	CLA	A	809	-	1/1/11/20	6/15/93/115	-
14	CLA	A	839	-	1/1/15/20	10/37/115/115	-
14	CLA	B	832	-	1/1/14/20	12/31/109/115	-
14	CLA	J	101	-	1/1/11/20	8/13/91/115	-
12	LHG	2	852	-	-	24/43/43/53	-
14	CLA	A	808	-	1/1/15/20	14/37/115/115	-
14	CLA	a	821	-	1/1/12/20	5/24/102/115	-
14	CLA	b	804	-	1/1/15/20	12/37/115/115	-
17	BCR	a	850	-	-	19/29/63/63	0/2/2/2
14	CLA	1	826	-	1/1/15/20	13/37/115/115	-
14	CLA	L	1502	-	1/1/15/20	9/37/115/115	-
14	CLA	a	819	-	1/1/11/20	5/15/93/115	-
17	BCR	F	206	-	-	14/29/63/63	0/2/2/2
14	CLA	B	804	-	1/1/15/20	12/37/115/115	-
19	LMT	i	4101	-	-	8/21/61/61	0/2/2/2
14	CLA	1	825	-	1/1/13/20	14/30/108/115	-
14	CLA	a	830	-	1/1/15/20	13/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	CLA	a	832	-	1/1/15/20	8/37/115/115	-
14	CLA	B	838	-	1/1/11/20	2/13/91/115	-
14	CLA	l	4206	-	1/1/15/20	13/37/115/115	-
14	CLA	a	825	-	1/1/11/20	13/18/96/115	-
14	CLA	2	803	-	1/1/15/20	12/37/115/115	-
14	CLA	2	839	-	1/1/12/20	8/19/97/115	-
14	CLA	b	836	-	1/1/11/20	5/13/91/115	-
14	CLA	0	207	-	1/1/15/20	9/37/115/115	-
14	CLA	1	809	1	1/1/15/20	22/37/115/115	-
14	CLA	b	843	-	-	18/37/115/115	-
17	BCR	1	851	-	-	23/29/63/63	0/2/2/2
14	CLA	f	204	-	1/1/11/20	6/13/91/115	-
14	CLA	l	4203	-	1/1/15/20	9/37/115/115	-
14	CLA	A	806	-	1/1/12/20	3/19/97/115	-
14	CLA	B	805	-	1/1/15/20	13/37/115/115	-
12	LHG	A	802	14	-	14/37/37/53	-
17	BCR	8	4005	-	-	11/29/63/63	0/2/2/2
14	CLA	B	801	-	1/1/14/20	11/31/109/115	-
14	CLA	a	826	-	1/1/12/20	11/21/99/115	-
14	CLA	1	814	-	1/1/13/20	12/25/103/115	-
14	CLA	1	822	-	1/1/15/20	13/37/115/115	-
14	CLA	2	824	-	1/1/11/20	6/13/91/115	-
14	CLA	A	842	-	-	12/37/115/115	-
17	BCR	a	848	-	-	11/29/63/63	0/2/2/2
14	CLA	2	836	-	1/1/11/20	5/13/91/115	-
14	CLA	a	818	-	-	5/13/91/115	-
14	CLA	b	818	-	1/1/13/20	10/25/103/115	-
18	LMG	a	853	-	-	8/27/47/70	0/1/1/1
17	BCR	0	210	-	-	14/29/63/63	0/2/2/2
14	CLA	0	208	-	1/1/15/20	13/37/115/115	-
17	BCR	B	854	-	-	13/29/63/63	0/2/2/2
14	CLA	2	838	-	1/1/11/20	4/15/93/115	-
17	BCR	B	852	-	-	10/29/63/63	0/2/2/2
14	CLA	A	819	-	1/1/12/20	8/24/102/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	BCR	b	849	-	-	17/29/63/63	0/2/2/2
14	CLA	a	817	-	1/1/11/20	4/13/91/115	-
14	CLA	1	828	-	1/1/15/20	13/37/115/115	-
18	LMG	2	802	-	-	22/43/63/70	0/1/1/1
17	BCR	b	850	-	-	19/29/63/63	0/2/2/2
15	PQN	2	845	-	-	10/23/43/43	0/2/2/2
12	LHG	1	801	-	-	22/53/53/53	-
17	BCR	0	209	-	-	14/29/63/63	0/2/2/2
17	BCR	2	846	-	-	12/29/63/63	0/2/2/2
14	CLA	A	830	-	1/1/15/20	10/37/115/115	-
14	CLA	b	842	-	1/1/15/20	13/37/115/115	-
14	CLA	1	815	-	1/1/11/20	4/13/91/115	-
14	CLA	a	837	-	1/1/12/20	10/24/102/115	-
12	LHG	m	101	-	-	20/43/43/53	-
14	CLA	B	843	-	1/1/15/20	13/37/115/115	-
14	CLA	a	822	-	1/1/15/20	19/37/115/115	-
17	BCR	2	849	-	-	17/29/63/63	0/2/2/2
14	CLA	b	810	-	1/1/14/20	7/31/109/115	-
14	CLA	A	827	-	1/1/15/20	13/37/115/115	-
17	BCR	j	103	-	-	15/29/63/63	0/2/2/2
17	BCR	b	853	-	-	13/29/63/63	0/2/2/2
17	BCR	2	847	-	-	9/29/63/63	0/2/2/2
14	CLA	1	823	-	1/1/11/20	13/18/96/115	-
14	CLA	2	820	-	1/1/14/20	15/31/109/115	-
14	CLA	a	809	-	1/1/15/20	14/37/115/115	-
14	CLA	b	823	-	-	6/13/91/115	-
14	CLA	1	819	-	1/1/12/20	5/24/102/115	-
14	CLA	1	843	-	1/1/15/20	19/37/115/115	-
14	CLA	2	813	-	1/1/11/20	4/13/91/115	-
16	SF4	C	102	3	-	-	0/6/5/5
14	CLA	2	806	-	1/1/12/20	9/24/102/115	-
14	CLA	a	814	-	1/1/15/20	18/37/115/115	-
17	BCR	k	4004	-	-	11/29/63/63	0/2/2/2
14	CLA	a	844	12	1/1/11/20	4/13/91/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	CLA	F	204	-	1/1/11/20	6/13/91/115	-
14	CLA	B	830	-	1/1/14/20	8/31/109/115	-
12	LHG	M	101	-	-	20/43/43/53	-
14	CLA	b	824	-	1/1/11/20	6/13/91/115	-
14	CLA	B	817	-	1/1/11/20	8/15/93/115	-
14	CLA	b	829	-	1/1/14/20	8/31/109/115	-
17	BCR	i	4102	-	-	17/29/63/63	0/2/2/2
14	CLA	B	807	-	1/1/12/20	9/24/102/115	-
14	CLA	1	811	-	1/1/11/20	9/13/91/115	-
14	CLA	1	827	-	1/1/13/20	7/25/103/115	-
14	CLA	B	826	-	-	5/13/91/115	-
14	CLA	A	814	-	1/1/12/20	11/24/102/115	-
17	BCR	J	104	-	-	11/29/63/63	0/2/2/2
14	CLA	1	836	1	1/1/11/20	7/13/91/115	-
14	CLA	b	841	-	1/1/11/20	6/15/93/115	-
12	LHG	b	852	-	-	24/43/43/53	-
14	CLA	a	808	-	1/1/15/20	17/37/115/115	-
14	CLA	A	835	-	1/1/15/20	7/37/115/115	-
14	CLA	2	829	-	1/1/14/20	8/31/109/115	-
17	BCR	k	4001	-	-	12/29/63/63	0/2/2/2
14	CLA	b	808	-	-	10/37/115/115	-
14	CLA	A	813	-	1/1/15/20	18/37/115/115	-
14	CLA	B	810	-	1/1/14/20	7/31/109/115	-
17	BCR	a	851	-	-	23/29/63/63	0/2/2/2
14	CLA	B	825	-	1/1/11/20	6/13/91/115	-
14	CLA	7	1103	-	1/1/8/20	1/2/76/115	-
14	CLA	b	833	-	1/1/13/20	11/25/103/115	-
14	CLA	A	818	-	1/1/11/20	5/15/93/115	-
14	CLA	a	815	-	1/1/12/20	11/24/102/115	-
14	CLA	2	816	-	1/1/11/20	8/15/93/115	-
17	BCR	2	851	-	-	10/29/63/63	0/2/2/2
14	CLA	B	816	-	1/1/15/20	22/37/115/115	-
14	CLA	A	810	1	1/1/15/20	22/37/115/115	-
14	CLA	b	827	-	1/1/12/20	3/19/97/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	CLA	2	809	-	1/1/14/20	7/31/109/115	-
14	CLA	b	814	-	1/1/11/20	9/13/91/115	-
14	CLA	1	844	12	1/1/11/20	4/13/91/115	-
14	CLA	A	804	-	1/1/15/20	11/37/115/115	-
19	LMT	I	103	-	-	8/21/61/61	0/2/2/2
18	LMG	a	852	-	-	20/41/61/70	0/1/1/1
14	CLA	1	840	-	1/1/15/20	11/37/115/115	-
17	BCR	2	848	-	-	6/18/35/63	0/1/1/2
14	CLA	2	833	-	1/1/13/20	11/25/103/115	-
17	BCR	I	102	-	-	20/29/63/63	0/2/2/2
14	CLA	A	831	-	1/1/15/20	7/37/115/115	-
16	SF4	A	846	1,2	-	-	0/6/5/5
14	CLA	a	840	-	1/1/15/20	10/37/115/115	-
14	CLA	B	827	-	1/1/13/20	4/25/103/115	-
14	CLA	B	822	-	1/1/11/20	4/16/94/115	-
14	CLA	A	833	-	1/1/12/20	3/19/97/115	-
14	CLA	a	828	-	1/1/15/20	13/37/115/115	-
14	CLA	1	835	-	1/1/12/20	10/24/102/115	-
14	CLA	1	820	-	1/1/15/20	19/37/115/115	-
14	CLA	b	828	-	1/1/15/20	8/37/115/115	-
14	CLA	B	835	-	1/1/13/20	13/29/107/115	-
14	CLA	1	813	-	1/1/12/20	11/24/102/115	-
14	CLA	2	810	-	1/1/15/20	15/37/115/115	-
14	CLA	1	806	-	1/1/15/20	17/37/115/115	-
14	CLA	a	820	-	1/1/12/20	8/24/102/115	-
14	CLA	2	832	-	1/1/11/20	7/13/91/115	-
14	CLA	2	834	-	1/1/13/20	13/29/107/115	-
17	BCR	A	851	-	-	22/29/63/63	0/2/2/2
14	CLA	2	828	-	1/1/15/20	8/37/115/115	-
14	CLA	B	828	-	1/1/12/20	3/19/97/115	-
14	CLA	1	804	-	1/1/15/20	11/37/115/115	-
17	BCR	1	850	-	-	19/29/63/63	0/2/2/2
17	BCR	f	206	-	-	14/29/63/63	0/2/2/2
14	CLA	b	819	-	-	8/25/103/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	CLA	A	812	-	1/1/11/20	9/13/91/115	-
14	CLA	2	815	-	1/1/15/20	22/37/115/115	-
14	CLA	L	1501	9	1/1/15/20	16/37/115/115	-
14	CLA	b	825	-	-	5/13/91/115	-
17	BCR	f	203	-	-	13/29/63/63	0/2/2/2
14	CLA	1	829	-	1/1/15/20	10/37/115/115	-
17	BCR	b	851	-	-	10/29/63/63	0/2/2/2
18	LMG	A	852	-	-	20/41/61/70	0/1/1/1
14	CLA	B	839	-	1/1/11/20	4/15/93/115	-
14	CLA	a	805	-	1/1/15/20	11/37/115/115	-
17	BCR	7	1105	-	-	11/29/63/63	0/2/2/2
14	CLA	b	817	-	1/1/11/20	4/13/91/115	-
14	CLA	2	818	-	1/1/13/20	10/25/103/115	-
14	CLA	2	823	-	-	6/13/91/115	-
14	CLA	F	205	-	1/1/11/20	6/13/91/115	-
14	CLA	2	819	-	-	8/25/103/115	-
14	CLA	A	843	-	1/1/15/20	19/37/115/115	-
14	CLA	a	842	-	-	12/37/115/115	-
14	CLA	2	808	-	1/1/15/20	22/37/115/115	-
18	LMG	L	1506	-	-	19/33/53/70	0/1/1/1
17	BCR	i	4103	-	-	20/29/63/63	0/2/2/2
14	CLA	b	822	-	-	7/13/91/115	-
14	CLA	B	808	-	-	10/37/115/115	-
14	CLA	B	824	-	-	6/13/91/115	-
14	CLA	b	811	-	1/1/15/20	14/37/115/115	-
14	CLA	B	836	-	1/1/11/20	2/13/91/115	-
18	LMG	0	203	-	-	20/41/61/70	0/1/1/1
14	CLA	1	833	-	1/1/15/20	13/37/115/115	-
17	BCR	J	103	-	-	15/29/63/63	0/2/2/2
14	CLA	a	806	-	1/1/15/20	14/37/115/115	-
14	CLA	B	806	-	1/1/15/20	14/37/115/115	-
14	CLA	b	806	-	1/1/15/20	14/37/115/115	-
17	BCR	M	102	-	-	15/29/63/63	0/2/2/2
13	CL0	A	803	-	3/3/20/25	14/37/135/135	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	CLA	1	810	1	1/1/12/20	7/19/97/115	-
14	CLA	b	826	-	1/1/13/20	4/25/103/115	-
16	SF4	C	101	3	-	-	0/6/5/5
16	SF4	3	101	3	-	-	0/6/5/5
14	CLA	B	845	-	1/1/5/20	-	-
14	CLA	2	811	-	1/1/14/20	14/33/111/115	-
14	CLA	b	831	-	1/1/14/20	12/31/109/115	-
14	CLA	1	812	-	1/1/15/20	18/37/115/115	-
16	SF4	1	846	1,2	-	-	0/6/5/5
14	CLA	b	844	-	1/1/5/20	-	-
17	BCR	h	102	-	-	20/29/63/63	0/2/2/2
14	CLA	K	4004	-	1/1/13/20	7/25/103/115	-
14	CLA	a	836	-	1/1/15/20	7/37/115/115	-
14	CLA	a	831	-	1/1/15/20	10/37/115/115	-
14	CLA	A	805	-	1/1/15/20	14/37/115/115	-
14	CLA	0	206	9	1/1/15/20	16/37/115/115	-
17	BCR	B	849	-	-	6/18/35/63	0/1/1/2
16	SF4	c	102	3	-	-	0/6/5/5
14	CLA	l	4204	9	1/1/15/20	16/37/115/115	-
17	BCR	B	850	-	-	17/29/63/63	0/2/2/2
14	CLA	A	824	-	1/1/11/20	13/18/96/115	-
14	CLA	6	4403	-	1/1/11/20	6/13/91/115	-
14	CLA	2	840	-	1/1/14/20	6/34/112/115	-
14	CLA	1	838	-	1/1/15/20	10/37/115/115	-
14	CLA	B	829	-	1/1/15/20	8/37/115/115	-
14	CLA	2	817	-	1/1/11/20	4/13/91/115	-
14	CLA	a	835	-	1/1/15/20	13/37/115/115	-
14	CLA	A	807	-	1/1/15/20	17/37/115/115	-
14	CLA	b	839	-	1/1/12/20	8/19/97/115	-
14	CLA	B	842	-	1/1/11/20	6/15/93/115	-
14	CLA	b	820	-	1/1/14/20	15/31/109/115	-
14	CLA	B	813	-	1/1/15/20	9/37/115/115	-
14	CLA	a	823	-	1/1/14/20	7/31/109/115	-
14	CLA	A	841	-	1/1/15/20	11/37/115/115	-
14	CLA	a	843	-	1/1/15/20	19/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	CLA	8	4004	-	1/1/13/20	7/25/103/115	-
17	BCR	b	847	-	-	9/29/63/63	0/2/2/2
14	CLA	2	835	-	1/1/11/20	2/13/91/115	-
17	BCR	7	1104	-	-	15/29/63/63	0/2/2/2
14	CLA	a	804	-	1/1/14/20	11/31/109/115	-
14	CLA	B	820	-	-	8/25/103/115	-
17	BCR	B	848	-	-	9/29/63/63	0/2/2/2
14	CLA	a	812	1	1/1/12/20	7/19/97/115	-
14	CLA	B	812	-	1/1/14/20	14/33/111/115	-
16	SF4	a	846	1,2	-	-	0/6/5/5
14	CLA	A	834	-	1/1/15/20	13/37/115/115	-
14	CLA	2	844	-	1/1/5/20	-	-
14	CLA	2	804	-	1/1/15/20	13/37/115/115	-
17	BCR	2	850	-	-	19/29/63/63	0/2/2/2
14	CLA	A	817	-	-	5/13/91/115	-
14	CLA	2	842	-	1/1/15/20	13/37/115/115	-
17	BCR	9	102	-	-	15/29/63/63	0/2/2/2
14	CLA	B	821	-	1/1/14/20	15/31/109/115	-
14	CLA	B	841	-	1/1/14/20	6/34/112/115	-
18	LMG	0	201	-	-	19/33/53/70	0/1/1/1
14	CLA	b	802	-	1/1/15/20	11/37/115/115	-
14	CLA	a	833	-	1/1/15/20	18/37/115/115	-
17	BCR	6	4405	-	-	14/29/63/63	0/2/2/2
14	CLA	2	812	-	1/1/15/20	9/37/115/115	-
14	CLA	2	807	-	-	10/37/115/115	-
14	CLA	B	815	-	1/1/11/20	9/13/91/115	-
17	BCR	1	849	-	-	7/29/63/63	0/2/2/2
17	BCR	L	1504	-	-	14/29/63/63	0/2/2/2
14	CLA	B	834	-	1/1/13/20	11/25/103/115	-
14	CLA	J	102	-	1/1/8/20	1/2/76/115	-
14	CLA	B	844	-	-	18/37/115/115	-
17	BCR	0	204	-	-	14/29/63/63	0/2/2/2
14	CLA	b	840	-	1/1/14/20	6/34/112/115	-
14	CLA	A	826	-	1/1/13/20	14/30/108/115	-
17	BCR	l	4207	-	-	14/29/63/63	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	LMG	B	803	-	-	22/43/63/70	0/1/1/1
14	CLA	2	814	-	1/1/11/20	9/13/91/115	-
19	LMT	f	202	-	-	3/21/61/61	0/2/2/2
14	CLA	B	818	-	1/1/11/20	4/13/91/115	-
14	CLA	1	834	-	1/1/15/20	7/37/115/115	-
17	BCR	1	847	-	-	14/29/63/63	0/2/2/2
19	LMT	h	103	-	-	8/21/61/61	0/2/2/2
13	CL0	a	803	-	3/3/20/25	14/37/135/135	-
14	CLA	1	839	-	1/1/11/20	3/16/94/115	-
14	CLA	L	1503	-	1/1/15/20	13/37/115/115	-
17	BCR	1	848	-	-	11/29/63/63	0/2/2/2
14	CLA	A	838	-	1/1/12/20	8/21/99/115	-
16	SF4	3	102	3	-	-	0/6/5/5
14	CLA	A	816	-	1/1/11/20	4/13/91/115	-
14	CLA	1	821	-	1/1/14/20	7/31/109/115	-
14	CLA	a	824	-	1/1/15/20	13/37/115/115	-
14	CLA	1	831	-	1/1/15/20	18/37/115/115	-
14	CLA	7	1102	-	1/1/11/20	8/13/91/115	-
12	LHG	B	853	-	-	24/43/43/53	-
14	CLA	A	836	-	1/1/12/20	10/24/102/115	-
13	CL0	1	803	-	3/3/20/25	14/37/135/135	-
14	CLA	1	842	-	-	12/37/115/115	-
14	CLA	f	205	-	1/1/11/20	6/13/91/115	-
14	CLA	A	811	1	1/1/12/20	7/19/97/115	-
14	CLA	B	823	-	-	7/13/91/115	-
14	CLA	1	832	-	1/1/12/20	3/19/97/115	-
14	CLA	1	816	-	-	5/13/91/115	-
14	CLA	b	805	-	1/1/15/20	13/37/115/115	-
14	CLA	B	819	-	1/1/13/20	10/25/103/115	-
14	CLA	b	801	-	1/1/15/20	10/37/115/115	-
14	CLA	b	809	-	1/1/15/20	22/37/115/115	-
14	CLA	a	827	-	1/1/13/20	14/30/108/115	-
14	CLA	l	4205	-	1/1/15/20	9/37/115/115	-
14	CLA	1	807	-	1/1/15/20	14/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	CLA	A	828	-	1/1/13/20	7/25/103/115	-
17	BCR	B	851	-	-	19/29/63/63	0/2/2/2
14	CLA	b	837	-	1/1/11/20	2/13/91/115	-
17	BCR	b	854	-	-	15/29/63/63	0/2/2/2
14	CLA	B	809	-	1/1/15/20	22/37/115/115	-
14	CLA	a	813	-	1/1/11/20	9/13/91/115	-
15	PQN	A	845	-	-	4/23/43/43	0/2/2/2
14	CLA	j	101	-	1/1/11/20	8/13/91/115	-
14	CLA	7	1101	-	1/1/15/20	14/37/115/115	-
14	CLA	a	829	-	1/1/13/20	8/25/103/115	-
14	CLA	a	810	-	1/1/11/20	6/15/93/115	-
14	CLA	B	811	-	1/1/15/20	14/37/115/115	-
17	BCR	a	849	-	-	7/29/63/63	0/2/2/2
14	CLA	8	4002	-	-	7/13/91/115	-
17	BCR	K	4001	-	-	12/29/63/63	0/2/2/2
14	CLA	8	4003	-	1/1/11/20	9/13/91/115	-
17	BCR	A	847	-	-	14/29/63/63	0/2/2/2
14	CLA	K	4003	-	1/1/11/20	9/13/91/115	-
14	CLA	b	821	-	1/1/11/20	4/16/94/115	-
14	CLA	2	843	-	-	18/37/115/115	-
14	CLA	B	802	-	1/1/15/20	10/37/115/115	-
14	CLA	a	807	-	1/1/12/20	3/19/97/115	-
17	BCR	K	4005	-	-	11/29/63/63	0/2/2/2
14	CLA	b	835	-	1/1/11/20	2/13/91/115	-
14	CLA	a	841	-	1/1/11/20	3/16/94/115	-
14	CLA	A	821	-	1/1/15/20	19/37/115/115	-
14	CLA	2	837	-	1/1/11/20	2/13/91/115	-
14	CLA	B	831	-	1/1/15/20	12/37/115/115	-
14	CLA	b	813	-	1/1/11/20	4/13/91/115	-
14	CLA	2	805	-	1/1/15/20	14/37/115/115	-
14	CLA	B	837	-	1/1/11/20	5/13/91/115	-
12	LHG	9	101	-	-	20/43/43/53	-
14	CLA	a	816	-	1/1/13/20	12/25/103/115	-
14	CLA	b	838	-	1/1/11/20	4/15/93/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	CLA	b	816	-	1/1/11/20	8/15/93/115	-
12	LHG	a	801	-	-	22/53/53/53	-
14	CLA	a	839	-	1/1/12/20	8/21/99/115	-
14	CLA	2	841	-	1/1/11/20	6/15/93/115	-
14	CLA	b	830	-	1/1/15/20	12/37/115/115	-
14	CLA	A	822	-	1/1/14/20	7/31/109/115	-

All (2815) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	823	CLA	C4B-NB	7.34	1.41	1.35
14	b	822	CLA	C4B-NB	7.34	1.41	1.35
14	2	822	CLA	C4B-NB	7.29	1.41	1.35
14	k	4003	CLA	C4B-NB	7.29	1.41	1.35
14	B	822	CLA	C4B-NB	7.28	1.41	1.35
14	8	4003	CLA	C4B-NB	7.26	1.41	1.35
14	b	821	CLA	C4B-NB	7.25	1.41	1.35
14	2	844	CLA	C4B-NB	7.20	1.41	1.35
14	a	838	CLA	C4B-NB	7.20	1.41	1.35
14	K	4003	CLA	C4B-NB	7.18	1.41	1.35
14	J	102	CLA	C4B-NB	7.18	1.41	1.35
14	b	844	CLA	C4B-NB	7.18	1.41	1.35
14	A	837	CLA	C4B-NB	7.17	1.41	1.35
14	2	821	CLA	C4B-NB	7.17	1.41	1.35
14	B	845	CLA	C4B-NB	7.16	1.41	1.35
14	k	4002	CLA	C4B-NB	7.16	1.41	1.35
14	1	836	CLA	C4B-NB	7.16	1.41	1.35
14	j	102	CLA	C4B-NB	7.13	1.41	1.35
14	K	4002	CLA	C4B-NB	7.13	1.41	1.35
14	B	824	CLA	C4B-NB	7.11	1.41	1.35
14	2	828	CLA	C4B-NB	7.11	1.41	1.35
14	8	4002	CLA	C4B-NB	7.09	1.41	1.35
14	b	828	CLA	C4B-NB	7.07	1.41	1.35
14	7	1102	CLA	C4B-NB	7.06	1.41	1.35
14	7	1103	CLA	C4B-NB	7.04	1.41	1.35
14	1	817	CLA	C4B-NB	7.02	1.41	1.35
14	b	823	CLA	C4B-NB	7.01	1.41	1.35
14	2	823	CLA	C4B-NB	7.00	1.41	1.35
14	J	101	CLA	C4B-NB	7.00	1.41	1.35
14	1	835	CLA	C4B-NB	6.98	1.41	1.35
14	B	829	CLA	C4B-NB	6.98	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	j	101	CLA	C4B-NB	6.97	1.41	1.35
14	b	824	CLA	C4B-NB	6.96	1.41	1.35
14	B	833	CLA	C4B-NB	6.94	1.41	1.35
14	b	836	CLA	C4B-NB	6.94	1.41	1.35
14	2	838	CLA	C4B-NB	6.94	1.41	1.35
14	A	818	CLA	C4B-NB	6.93	1.41	1.35
14	b	832	CLA	C4B-NB	6.93	1.41	1.35
14	B	825	CLA	C4B-NB	6.93	1.41	1.35
14	a	819	CLA	C4B-NB	6.92	1.41	1.35
14	2	832	CLA	C4B-NB	6.92	1.41	1.35
14	F	205	CLA	C4B-NB	6.92	1.41	1.35
14	f	205	CLA	C4B-NB	6.92	1.41	1.35
14	6	4404	CLA	C4B-NB	6.91	1.41	1.35
14	a	837	CLA	C4B-NB	6.91	1.41	1.35
14	2	836	CLA	C4B-NB	6.91	1.41	1.35
14	A	836	CLA	C4B-NB	6.90	1.41	1.35
14	8	4004	CLA	C4B-NB	6.90	1.41	1.35
14	A	822	CLA	C4B-NB	6.90	1.41	1.35
14	B	838	CLA	C4B-NB	6.90	1.41	1.35
14	b	837	CLA	C4B-NB	6.89	1.41	1.35
14	2	837	CLA	C4B-NB	6.89	1.41	1.35
14	a	824	CLA	C4B-NB	6.88	1.41	1.35
14	b	838	CLA	C4B-NB	6.88	1.41	1.35
14	B	837	CLA	C4B-NB	6.86	1.41	1.35
14	a	823	CLA	C4B-NB	6.85	1.41	1.35
14	A	823	CLA	C4B-NB	6.85	1.41	1.35
14	7	1101	CLA	C4B-NB	6.85	1.41	1.35
14	B	839	CLA	C4B-NB	6.85	1.41	1.35
14	2	824	CLA	C4B-NB	6.84	1.41	1.35
14	A	827	CLA	C4B-NB	6.84	1.41	1.35
14	2	814	CLA	C4B-NB	6.84	1.41	1.35
14	A	805	CLA	C4B-NB	6.84	1.41	1.35
14	1	821	CLA	C4B-NB	6.83	1.41	1.35
14	K	4004	CLA	C4B-NB	6.82	1.41	1.35
14	b	801	CLA	C4B-NB	6.81	1.41	1.35
14	B	815	CLA	C4B-NB	6.80	1.41	1.35
14	a	806	CLA	C4B-NB	6.79	1.41	1.35
14	1	822	CLA	C4B-NB	6.79	1.41	1.35
14	A	812	CLA	C4B-NB	6.79	1.41	1.35
14	b	814	CLA	C4B-NB	6.77	1.41	1.35
14	B	834	CLA	C4B-NB	6.77	1.41	1.35
14	L	1503	CLA	C4B-NB	6.77	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	b	833	CLA	C4B-NB	6.76	1.41	1.35
14	1	811	CLA	C4B-NB	6.76	1.41	1.35
14	a	812	CLA	C4B-NB	6.76	1.41	1.35
14	2	833	CLA	C4B-NB	6.74	1.41	1.35
14	a	828	CLA	C4B-NB	6.74	1.41	1.35
14	a	854	CLA	C4B-NB	6.74	1.41	1.35
14	A	811	CLA	C4B-NB	6.74	1.41	1.35
14	a	826	CLA	C4B-NB	6.73	1.41	1.35
14	1	826	CLA	C4B-NB	6.73	1.41	1.35
14	b	825	CLA	C4B-NB	6.73	1.41	1.35
14	B	836	CLA	C4B-NB	6.72	1.41	1.35
14	b	835	CLA	C4B-NB	6.72	1.41	1.35
14	0	208	CLA	C4B-NB	6.71	1.41	1.35
14	B	802	CLA	C4B-NB	6.70	1.41	1.35
14	1	842	CLA	C4B-NB	6.70	1.41	1.35
14	1	810	CLA	C4B-NB	6.69	1.41	1.35
14	1	4206	CLA	C4B-NB	6.69	1.41	1.35
14	2	825	CLA	C4B-NB	6.69	1.41	1.35
14	0	202	CLA	C4B-NB	6.69	1.41	1.35
14	B	813	CLA	C4B-NB	6.69	1.41	1.35
14	2	834	CLA	C4B-NB	6.69	1.41	1.35
14	a	813	CLA	C4B-NB	6.68	1.41	1.35
14	2	812	CLA	C4B-NB	6.68	1.41	1.35
14	A	814	CLA	C4B-NB	6.67	1.41	1.35
14	a	842	CLA	C4B-NB	6.67	1.41	1.35
14	l	4203	CLA	C4B-NB	6.67	1.41	1.35
14	a	815	CLA	C4B-NB	6.66	1.41	1.35
14	B	826	CLA	C4B-NB	6.66	1.41	1.35
14	B	807	CLA	C4B-NB	6.66	1.41	1.35
14	1	813	CLA	C4B-NB	6.66	1.41	1.35
14	2	806	CLA	C4B-NB	6.66	1.41	1.35
14	F	201	CLA	C4B-NB	6.65	1.41	1.35
14	B	827	CLA	C4B-NB	6.65	1.41	1.35
14	B	835	CLA	C4B-NB	6.65	1.41	1.35
14	2	835	CLA	C4B-NB	6.65	1.41	1.35
14	2	816	CLA	C4B-NB	6.64	1.41	1.35
14	A	817	CLA	C4B-NB	6.64	1.41	1.35
14	1	808	CLA	C4B-NB	6.64	1.41	1.35
14	L	1502	CLA	C4B-NB	6.64	1.41	1.35
14	2	813	CLA	C4B-NB	6.64	1.41	1.35
14	1	841	CLA	C4B-NB	6.63	1.41	1.35
14	2	818	CLA	C4B-NB	6.63	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	A	844	CLA	C4B-NB	6.63	1.41	1.35
14	a	818	CLA	C4B-NB	6.63	1.41	1.35
14	f	201	CLA	C4B-NB	6.62	1.41	1.35
14	1	824	CLA	C4B-NB	6.62	1.41	1.35
14	A	825	CLA	C4B-NB	6.62	1.41	1.35
14	B	819	CLA	C4B-NB	6.62	1.41	1.35
14	b	807	CLA	C4B-NB	6.62	1.41	1.35
14	f	204	CLA	C4B-NB	6.61	1.41	1.35
14	F	204	CLA	C4B-NB	6.61	1.41	1.35
14	b	834	CLA	C4B-NB	6.61	1.41	1.35
14	B	817	CLA	C4B-NB	6.60	1.41	1.35
14	6	4403	CLA	C4B-NB	6.59	1.41	1.35
14	0	207	CLA	C4B-NB	6.59	1.41	1.35
14	b	818	CLA	C4B-NB	6.59	1.41	1.35
14	B	814	CLA	C4B-NB	6.58	1.41	1.35
14	l	4204	CLA	C4B-NB	6.58	1.41	1.35
14	a	810	CLA	C4B-NB	6.58	1.41	1.35
14	l	4205	CLA	C4B-NB	6.57	1.41	1.35
14	a	814	CLA	C4B-NB	6.57	1.41	1.35
14	A	843	CLA	C4B-NB	6.57	1.41	1.35
14	1	812	CLA	C4B-NB	6.57	1.41	1.35
14	2	826	CLA	C4B-NB	6.56	1.41	1.35
14	b	826	CLA	C4B-NB	6.56	1.41	1.35
14	A	842	CLA	C4B-NB	6.56	1.41	1.35
14	b	813	CLA	C4B-NB	6.55	1.41	1.35
14	L	1501	CLA	C4B-NB	6.54	1.41	1.35
14	1	843	CLA	C4B-NB	6.54	1.41	1.35
14	B	844	CLA	C4B-NB	6.53	1.41	1.35
14	A	809	CLA	C4B-NB	6.53	1.41	1.35
14	2	843	CLA	C4B-NB	6.53	1.41	1.35
14	B	843	CLA	C4B-NB	6.52	1.41	1.35
14	1	844	CLA	C4B-NB	6.51	1.41	1.35
14	0	206	CLA	C4B-NB	6.50	1.41	1.35
14	a	817	CLA	C4B-NB	6.50	1.41	1.35
14	1	816	CLA	C4B-NB	6.50	1.41	1.35
14	1	838	CLA	C4B-NB	6.50	1.41	1.35
14	b	816	CLA	C4B-NB	6.50	1.41	1.35
14	b	843	CLA	C4B-NB	6.50	1.41	1.35
14	b	842	CLA	C4B-NB	6.48	1.41	1.35
14	1	820	CLA	C4B-NB	6.48	1.41	1.35
14	A	813	CLA	C4B-NB	6.48	1.41	1.35
14	A	839	CLA	C4B-NB	6.47	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	807	CLA	C4B-NB	6.47	1.41	1.35
14	a	808	CLA	C4B-NB	6.46	1.41	1.35
14	a	844	CLA	C4B-NB	6.46	1.41	1.35
14	A	816	CLA	C4B-NB	6.46	1.41	1.35
14	a	840	CLA	C4B-NB	6.46	1.41	1.35
14	B	832	CLA	C4B-NB	6.46	1.41	1.35
14	2	842	CLA	C4B-NB	6.45	1.41	1.35
14	A	808	CLA	C4B-NB	6.45	1.41	1.35
14	1	818	CLA	C4B-NB	6.45	1.41	1.35
14	a	843	CLA	C4B-NB	6.44	1.41	1.35
14	A	840	CLA	C4B-NB	6.44	1.41	1.35
14	1	805	CLA	C4B-NB	6.44	1.41	1.35
14	1	815	CLA	C4B-NB	6.44	1.41	1.35
14	1	839	CLA	C4B-NB	6.44	1.40	1.35
14	1	807	CLA	C4B-NB	6.43	1.40	1.35
14	1	806	CLA	C4B-NB	6.43	1.40	1.35
14	2	840	CLA	C4B-NB	6.43	1.40	1.35
14	2	803	CLA	C4B-NB	6.43	1.40	1.35
14	B	841	CLA	C4B-NB	6.42	1.40	1.35
14	A	806	CLA	C4B-NB	6.42	1.40	1.35
14	a	833	CLA	C4B-NB	6.42	1.40	1.35
14	a	809	CLA	C4B-NB	6.41	1.40	1.35
14	B	828	CLA	C4B-NB	6.40	1.40	1.35
14	2	827	CLA	C4B-NB	6.40	1.40	1.35
14	A	819	CLA	C4B-NB	6.40	1.40	1.35
14	b	831	CLA	C4B-NB	6.40	1.40	1.35
14	2	810	CLA	C4B-NB	6.39	1.40	1.35
14	B	809	CLA	C4B-NB	6.39	1.40	1.35
14	B	804	CLA	C4B-NB	6.38	1.40	1.35
14	b	804	CLA	C4B-NB	6.38	1.40	1.35
14	2	831	CLA	C4B-NB	6.38	1.40	1.35
14	2	807	CLA	C4B-NB	6.38	1.40	1.35
14	a	825	CLA	C4B-NB	6.37	1.40	1.35
14	b	817	CLA	C4B-NB	6.37	1.40	1.35
14	B	808	CLA	C4B-NB	6.37	1.40	1.35
14	a	820	CLA	C4B-NB	6.37	1.40	1.35
14	a	831	CLA	C4B-NB	6.37	1.40	1.35
14	b	808	CLA	C4B-NB	6.37	1.40	1.35
14	a	841	CLA	C4B-NB	6.36	1.40	1.35
14	a	816	CLA	C4B-NB	6.36	1.40	1.35
14	b	840	CLA	C4B-NB	6.36	1.40	1.35
14	A	832	CLA	C4B-NB	6.36	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	A	807	CLA	C4B-NB	6.35	1.40	1.35
14	b	809	CLA	C4B-NB	6.35	1.40	1.35
14	A	824	CLA	C4B-NB	6.35	1.40	1.35
14	2	817	CLA	C4B-NB	6.35	1.40	1.35
14	1	814	CLA	C4B-NB	6.34	1.40	1.35
14	1	831	CLA	C4B-NB	6.34	1.40	1.35
14	A	815	CLA	C4B-NB	6.34	1.40	1.35
14	A	820	CLA	C4B-NB	6.34	1.40	1.35
14	a	822	CLA	C4B-NB	6.34	1.40	1.35
14	b	827	CLA	C4B-NB	6.34	1.40	1.35
14	A	821	CLA	C4B-NB	6.33	1.40	1.35
14	1	819	CLA	C4B-NB	6.33	1.40	1.35
14	a	821	CLA	C4B-NB	6.33	1.40	1.35
14	A	830	CLA	C4B-NB	6.32	1.40	1.35
14	a	811	CLA	C4B-NB	6.32	1.40	1.35
14	1	823	CLA	C4B-NB	6.32	1.40	1.35
14	b	811	CLA	C4B-NB	6.32	1.40	1.35
14	2	808	CLA	C4B-NB	6.32	1.40	1.35
14	1	829	CLA	C4B-NB	6.31	1.40	1.35
14	B	818	CLA	C4B-NB	6.31	1.40	1.35
14	a	804	CLA	C4B-NB	6.30	1.40	1.35
14	B	842	CLA	C4B-NB	6.28	1.40	1.35
14	B	811	CLA	C4B-NB	6.28	1.40	1.35
14	a	829	CLA	C4B-NB	6.27	1.40	1.35
14	1	809	CLA	C4B-NB	6.26	1.40	1.35
14	A	841	CLA	C4B-NB	6.26	1.40	1.35
14	B	812	CLA	C4B-NB	6.26	1.40	1.35
14	b	841	CLA	C4B-NB	6.24	1.40	1.35
14	1	827	CLA	C4B-NB	6.24	1.40	1.35
14	2	811	CLA	C4B-NB	6.24	1.40	1.35
14	b	812	CLA	C4B-NB	6.24	1.40	1.35
14	1	840	CLA	C4B-NB	6.22	1.40	1.35
14	b	802	CLA	C4B-NB	6.22	1.40	1.35
14	B	821	CLA	C4B-NB	6.21	1.40	1.35
14	2	841	CLA	C4B-NB	6.20	1.40	1.35
14	A	810	CLA	C4B-NB	6.20	1.40	1.35
14	A	828	CLA	C4B-NB	6.19	1.40	1.35
14	2	820	CLA	C4B-NB	6.18	1.40	1.35
14	b	819	CLA	C4B-NB	6.18	1.40	1.35
14	2	819	CLA	C4B-NB	6.18	1.40	1.35
14	B	820	CLA	C4B-NB	6.18	1.40	1.35
14	b	820	CLA	C4B-NB	6.16	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	801	CLA	C4B-NB	6.15	1.40	1.35
14	a	827	CLA	C4B-NB	6.15	1.40	1.35
14	2	815	CLA	C4B-NB	6.14	1.40	1.35
14	b	810	CLA	C4B-NB	6.13	1.40	1.35
14	2	801	CLA	C4B-NB	6.13	1.40	1.35
14	A	833	CLA	C4B-NB	6.13	1.40	1.35
14	1	832	CLA	C4B-NB	6.13	1.40	1.35
14	1	825	CLA	C4B-NB	6.13	1.40	1.35
14	A	804	CLA	C4B-NB	6.11	1.40	1.35
14	A	826	CLA	C4B-NB	6.10	1.40	1.35
14	a	834	CLA	C4B-NB	6.10	1.40	1.35
14	b	815	CLA	C4B-NB	6.10	1.40	1.35
14	B	816	CLA	C4B-NB	6.09	1.40	1.35
14	1	804	CLA	C4B-NB	6.09	1.40	1.35
14	B	830	CLA	C4B-NB	6.06	1.40	1.35
14	b	829	CLA	C4B-NB	6.06	1.40	1.35
14	a	805	CLA	C4B-NB	6.05	1.40	1.35
14	A	831	CLA	C4B-NB	6.05	1.40	1.35
13	1	803	CL0	C4B-NB	6.05	1.40	1.35
14	B	810	CLA	C4B-NB	6.02	1.40	1.35
14	1	830	CLA	C4B-NB	6.02	1.40	1.35
13	a	803	CL0	C4B-NB	6.01	1.40	1.35
14	b	830	CLA	C4B-NB	6.01	1.40	1.35
14	2	829	CLA	C4B-NB	6.01	1.40	1.35
14	2	805	CLA	C4B-NB	5.99	1.40	1.35
14	A	838	CLA	C4B-NB	5.98	1.40	1.35
14	2	809	CLA	C4B-NB	5.98	1.40	1.35
14	2	830	CLA	C4B-NB	5.98	1.40	1.35
14	1	837	CLA	C4B-NB	5.96	1.40	1.35
14	B	831	CLA	C4B-NB	5.96	1.40	1.35
14	a	832	CLA	C4B-NB	5.96	1.40	1.35
14	B	806	CLA	C4B-NB	5.93	1.40	1.35
14	B	840	CLA	C4B-NB	5.92	1.40	1.35
14	b	806	CLA	C4B-NB	5.92	1.40	1.35
14	a	839	CLA	C4B-NB	5.91	1.40	1.35
14	1	834	CLA	C4B-NB	5.89	1.40	1.35
14	A	834	CLA	C4B-NB	5.87	1.40	1.35
14	b	839	CLA	C4B-NB	5.86	1.40	1.35
13	A	803	CL0	C4B-NB	5.85	1.40	1.35
14	1	833	CLA	C4B-NB	5.84	1.40	1.35
14	a	836	CLA	C4B-NB	5.84	1.40	1.35
14	2	839	CLA	C4B-NB	5.84	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	835	CLA	C4B-NB	5.82	1.40	1.35
14	A	835	CLA	C4B-NB	5.77	1.40	1.35
14	2	804	CLA	C4B-NB	5.77	1.40	1.35
14	b	805	CLA	C4B-NB	5.71	1.40	1.35
14	B	805	CLA	C4B-NB	5.70	1.40	1.35
14	A	829	CLA	C4B-NB	5.67	1.40	1.35
14	a	830	CLA	C4B-NB	5.65	1.40	1.35
14	1	828	CLA	C4B-NB	5.61	1.40	1.35
14	B	845	CLA	C2B-C1B	5.32	1.49	1.39
14	b	844	CLA	C2B-C1B	5.30	1.49	1.39
14	2	844	CLA	C3B-C4B	5.29	1.49	1.39
14	2	844	CLA	C2B-C1B	5.29	1.49	1.39
14	b	844	CLA	C3B-C4B	5.28	1.49	1.39
14	B	845	CLA	C3B-C4B	5.28	1.49	1.39
14	B	845	CLA	CHB-C4A	4.80	1.38	1.34
14	b	844	CLA	CHB-C4A	4.70	1.38	1.34
14	2	844	CLA	CHB-C4A	4.69	1.38	1.34
14	b	831	CLA	CMB-C2B	-4.20	1.42	1.51
14	2	831	CLA	CMB-C2B	-4.18	1.42	1.51
14	B	832	CLA	CMB-C2B	-4.17	1.43	1.51
14	B	801	CLA	C4D-ND	-4.06	1.32	1.37
14	2	801	CLA	C4D-ND	-4.05	1.32	1.37
14	b	806	CLA	C4D-ND	-4.05	1.32	1.37
14	B	840	CLA	C4D-ND	-4.03	1.32	1.37
14	2	805	CLA	C4D-ND	-4.02	1.32	1.37
14	B	806	CLA	C4D-ND	-4.02	1.32	1.37
14	2	839	CLA	C4D-ND	-4.01	1.32	1.37
14	a	804	CLA	C4D-ND	-4.01	1.32	1.37
14	b	839	CLA	C4D-ND	-4.00	1.32	1.37
17	a	849	BCR	C1-C6	-3.96	1.48	1.53
14	a	834	CLA	C4D-ND	-3.95	1.32	1.37
14	1	806	CLA	C4D-ND	-3.94	1.32	1.37
14	a	808	CLA	C4D-ND	-3.94	1.32	1.37
14	A	807	CLA	C4D-ND	-3.94	1.32	1.37
14	1	832	CLA	C4D-ND	-3.93	1.32	1.37
14	B	842	CLA	C4D-ND	-3.91	1.32	1.37
17	A	849	BCR	C1-C6	-3.91	1.48	1.53
14	A	832	CLA	CMB-C2B	-3.90	1.43	1.51
14	1	831	CLA	CMB-C2B	-3.89	1.43	1.51
14	A	833	CLA	C4D-ND	-3.89	1.32	1.37
14	a	833	CLA	CMB-C2B	-3.89	1.43	1.51
14	2	841	CLA	C4D-ND	-3.88	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	1	849	BCR	C1-C6	-3.86	1.48	1.53
14	b	841	CLA	C4D-ND	-3.85	1.32	1.37
14	A	831	CLA	C4D-ND	-3.85	1.32	1.37
14	1	837	CLA	C4D-ND	-3.84	1.32	1.37
14	a	839	CLA	C4D-ND	-3.83	1.32	1.37
14	a	830	CLA	C4D-ND	-3.83	1.32	1.37
14	1	830	CLA	C4D-ND	-3.83	1.32	1.37
14	B	809	CLA	C4D-ND	-3.83	1.32	1.37
14	a	832	CLA	C4D-ND	-3.82	1.32	1.37
14	b	809	CLA	C4D-ND	-3.81	1.32	1.37
14	1	828	CLA	C4D-ND	-3.80	1.32	1.37
14	B	828	CLA	C4D-ND	-3.79	1.32	1.37
14	A	838	CLA	C4D-ND	-3.79	1.32	1.37
14	2	808	CLA	C4D-ND	-3.79	1.32	1.37
14	7	1103	CLA	C1D-ND	3.78	1.42	1.37
14	A	829	CLA	C4D-ND	-3.78	1.32	1.37
14	1	839	CLA	C4D-ND	-3.77	1.32	1.37
14	A	840	CLA	C4D-ND	-3.76	1.32	1.37
14	b	815	CLA	C4D-ND	-3.75	1.32	1.37
17	J	103	BCR	C1-C6	-3.75	1.48	1.53
14	a	841	CLA	C4D-ND	-3.75	1.32	1.37
17	1	850	BCR	C1-C6	-3.74	1.48	1.53
14	a	827	CLA	C4D-ND	-3.74	1.32	1.37
14	J	102	CLA	C1D-ND	3.74	1.42	1.37
17	j	103	BCR	C1-C6	-3.73	1.48	1.53
14	2	838	CLA	C1D-ND	3.73	1.42	1.37
14	j	102	CLA	C1D-ND	3.73	1.42	1.37
14	K	4003	CLA	C1D-ND	3.72	1.42	1.37
14	2	815	CLA	C4D-ND	-3.72	1.32	1.37
17	8	4001	BCR	C1-C6	-3.72	1.48	1.53
17	A	850	BCR	C1-C6	-3.72	1.48	1.53
17	a	850	BCR	C1-C6	-3.72	1.48	1.53
14	b	838	CLA	C1D-ND	3.71	1.42	1.37
14	2	827	CLA	C4D-ND	-3.71	1.32	1.37
14	k	4003	CLA	C1D-ND	3.71	1.42	1.37
17	7	1104	BCR	C1-C6	-3.70	1.48	1.53
14	a	821	CLA	C4D-ND	-3.70	1.32	1.37
17	K	4001	BCR	C1-C6	-3.70	1.48	1.53
14	b	827	CLA	C4D-ND	-3.70	1.32	1.37
14	A	804	CLA	C4D-ND	-3.70	1.32	1.37
17	k	4001	BCR	C1-C6	-3.69	1.48	1.53
14	B	812	CLA	C4D-ND	-3.69	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	839	CLA	C1D-ND	3.68	1.42	1.37
14	A	826	CLA	C4D-ND	-3.68	1.32	1.37
14	B	816	CLA	C4D-ND	-3.68	1.32	1.37
14	2	811	CLA	C4D-ND	-3.68	1.32	1.37
14	1	825	CLA	C4D-ND	-3.68	1.32	1.37
14	a	842	CLA	C4D-ND	-3.67	1.32	1.37
14	1	842	CLA	C4D-ND	-3.67	1.32	1.37
14	a	824	CLA	C4D-ND	-3.67	1.32	1.37
14	b	830	CLA	C4D-ND	-3.66	1.32	1.37
14	a	835	CLA	C4D-ND	-3.66	1.32	1.37
14	B	831	CLA	C4D-ND	-3.66	1.32	1.37
14	A	823	CLA	C4D-ND	-3.65	1.32	1.37
14	A	818	CLA	C1D-ND	3.65	1.42	1.37
17	i	4103	BCR	C1-C6	-3.65	1.48	1.53
14	a	805	CLA	C4D-ND	-3.65	1.32	1.37
14	b	812	CLA	C4D-ND	-3.65	1.32	1.37
14	1	804	CLA	C4D-ND	-3.65	1.32	1.37
14	A	820	CLA	C4D-ND	-3.65	1.32	1.37
14	1	807	CLA	C4D-ND	-3.65	1.32	1.37
14	1	822	CLA	C4D-ND	-3.64	1.32	1.37
14	a	809	CLA	C4D-ND	-3.64	1.32	1.37
14	A	839	CLA	C4D-ND	-3.64	1.32	1.37
14	a	816	CLA	C4D-ND	-3.64	1.32	1.37
14	A	813	CLA	C4D-ND	-3.64	1.32	1.37
14	2	830	CLA	C4D-ND	-3.64	1.32	1.37
14	8	4003	CLA	C1D-ND	3.64	1.42	1.37
14	A	834	CLA	C4D-ND	-3.64	1.32	1.37
14	1	4205	CLA	C4D-ND	-3.64	1.32	1.37
14	A	815	CLA	C4D-ND	-3.63	1.32	1.37
14	1	838	CLA	C4D-ND	-3.63	1.32	1.37
14	A	837	CLA	C4D-ND	-3.63	1.32	1.37
14	1	834	CLA	C4D-ND	-3.63	1.32	1.37
14	A	842	CLA	C4D-ND	-3.63	1.32	1.37
14	a	829	CLA	C4D-ND	-3.62	1.32	1.37
14	b	844	CLA	C4B-CHC	-3.62	1.36	1.43
14	1	817	CLA	C1D-ND	3.61	1.42	1.37
14	2	836	CLA	C4D-ND	-3.61	1.32	1.37
14	2	835	CLA	C4D-ND	-3.61	1.32	1.37
17	h	102	BCR	C1-C6	-3.61	1.48	1.53
14	a	838	CLA	C4D-ND	-3.61	1.32	1.37
17	I	102	BCR	C1-C6	-3.61	1.48	1.53
14	2	807	CLA	C4D-ND	-3.60	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	845	CLA	C4B-CHC	-3.60	1.36	1.43
14	A	828	CLA	C4D-ND	-3.60	1.32	1.37
14	1	836	CLA	C4D-ND	-3.60	1.32	1.37
14	1	827	CLA	C4D-ND	-3.60	1.32	1.37
14	2	844	CLA	C4B-CHC	-3.60	1.36	1.43
14	a	833	CLA	C4D-ND	-3.60	1.32	1.37
14	a	819	CLA	C1D-ND	3.60	1.42	1.37
14	b	836	CLA	C4D-ND	-3.59	1.32	1.37
14	0	207	CLA	C4D-ND	-3.59	1.32	1.37
14	L	1502	CLA	C4D-ND	-3.59	1.32	1.37
14	1	805	CLA	C4D-ND	-3.59	1.32	1.37
14	B	826	CLA	C4D-ND	-3.59	1.32	1.37
14	A	841	CLA	C4D-ND	-3.59	1.32	1.37
14	a	840	CLA	C4D-ND	-3.59	1.32	1.37
14	1	840	CLA	C4D-ND	-3.59	1.32	1.37
14	2	820	CLA	C4D-ND	-3.59	1.32	1.37
14	a	814	CLA	C4D-ND	-3.58	1.32	1.37
14	a	836	CLA	C4D-ND	-3.58	1.32	1.37
14	1	819	CLA	C4D-ND	-3.58	1.32	1.37
14	1	833	CLA	C4D-ND	-3.58	1.32	1.37
14	1	831	CLA	C4D-ND	-3.58	1.32	1.37
17	I	101	BCR	C1-C6	-3.58	1.48	1.53
14	A	808	CLA	C4D-ND	-3.58	1.32	1.37
14	b	820	CLA	C4D-ND	-3.58	1.32	1.37
14	b	835	CLA	C4D-ND	-3.57	1.32	1.37
14	2	804	CLA	C4D-ND	-3.57	1.32	1.37
14	1	4204	CLA	C4D-ND	-3.57	1.32	1.37
14	B	813	CLA	C4D-ND	-3.57	1.32	1.37
14	A	806	CLA	C4D-ND	-3.57	1.32	1.37
14	B	837	CLA	C4D-ND	-3.57	1.32	1.37
14	1	812	CLA	C4D-ND	-3.57	1.32	1.37
14	1	835	CLA	C4D-ND	-3.57	1.32	1.37
14	2	812	CLA	C4D-ND	-3.57	1.32	1.37
14	B	833	CLA	C4D-ND	-3.56	1.32	1.37
14	a	810	CLA	C4D-ND	-3.56	1.32	1.37
14	b	825	CLA	C4D-ND	-3.56	1.32	1.37
14	B	810	CLA	C4D-ND	-3.56	1.32	1.37
14	b	808	CLA	C4D-ND	-3.56	1.32	1.37
14	B	808	CLA	C4D-ND	-3.55	1.32	1.37
14	L	1501	CLA	C4D-ND	-3.55	1.32	1.37
14	b	817	CLA	C4D-ND	-3.55	1.32	1.37
14	B	821	CLA	C4D-ND	-3.55	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	832	CLA	C4D-ND	-3.55	1.32	1.37
14	1	814	CLA	C4D-ND	-3.55	1.32	1.37
14	b	802	CLA	C4D-ND	-3.55	1.32	1.37
14	A	835	CLA	C4D-ND	-3.55	1.32	1.37
14	l	4203	CLA	C4D-ND	-3.55	1.32	1.37
14	1	811	CLA	C4D-ND	-3.54	1.32	1.37
17	i	4102	BCR	C1-C6	-3.54	1.48	1.53
14	B	836	CLA	C4D-ND	-3.54	1.32	1.37
14	k	4002	CLA	C1D-ND	3.54	1.42	1.37
14	A	812	CLA	C4D-ND	-3.54	1.32	1.37
14	2	825	CLA	C4D-ND	-3.54	1.32	1.37
14	B	819	CLA	C4D-ND	-3.54	1.32	1.37
14	a	807	CLA	C4D-ND	-3.53	1.32	1.37
14	A	836	CLA	C4D-ND	-3.53	1.32	1.37
14	A	832	CLA	C4D-ND	-3.53	1.32	1.37
14	2	818	CLA	C4D-ND	-3.53	1.32	1.37
14	b	810	CLA	C4D-ND	-3.53	1.32	1.37
14	A	809	CLA	C4D-ND	-3.53	1.32	1.37
14	2	817	CLA	C4D-ND	-3.53	1.32	1.37
14	1	808	CLA	C4D-ND	-3.53	1.32	1.37
14	B	818	CLA	C4D-ND	-3.53	1.32	1.37
14	b	832	CLA	C4D-ND	-3.53	1.32	1.37
14	2	821	CLA	C4D-ND	-3.52	1.32	1.37
14	B	822	CLA	C4D-ND	-3.52	1.32	1.37
14	8	4002	CLA	C1D-ND	3.52	1.42	1.37
14	b	819	CLA	C4D-ND	-3.52	1.32	1.37
14	B	835	CLA	C4D-ND	-3.52	1.32	1.37
14	B	841	CLA	C4D-ND	-3.52	1.32	1.37
14	0	206	CLA	C4D-ND	-3.52	1.32	1.37
14	a	813	CLA	C4D-ND	-3.51	1.32	1.37
17	h	101	BCR	C1-C6	-3.51	1.48	1.53
14	B	805	CLA	C4D-ND	-3.51	1.32	1.37
14	b	828	CLA	C4D-ND	-3.51	1.32	1.37
14	2	809	CLA	C4D-ND	-3.51	1.32	1.37
14	b	801	CLA	C4D-ND	-3.50	1.32	1.37
14	8	4004	CLA	C4D-ND	-3.50	1.32	1.37
14	K	4002	CLA	C1D-ND	3.50	1.42	1.37
14	2	829	CLA	C4D-ND	-3.49	1.32	1.37
14	A	836	CLA	CMB-C2B	-3.49	1.44	1.51
14	a	837	CLA	CMB-C2B	-3.49	1.44	1.51
14	2	840	CLA	C4D-ND	-3.49	1.32	1.37
14	b	818	CLA	C4D-ND	-3.49	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	844	CLA	C4D-ND	-3.48	1.32	1.37
14	b	813	CLA	C4D-ND	-3.48	1.32	1.37
14	a	811	CLA	C4D-ND	-3.48	1.32	1.37
14	1	835	CLA	CMB-C2B	-3.48	1.44	1.51
14	B	830	CLA	C4D-ND	-3.48	1.32	1.37
14	b	840	CLA	C4D-ND	-3.48	1.32	1.37
14	2	813	CLA	C4D-ND	-3.48	1.32	1.37
14	1	843	CLA	C4D-ND	-3.48	1.32	1.37
14	2	828	CLA	C4D-ND	-3.48	1.32	1.37
14	b	805	CLA	C4D-ND	-3.47	1.32	1.37
14	2	834	CLA	C4D-ND	-3.47	1.32	1.37
14	B	820	CLA	C4D-ND	-3.47	1.32	1.37
14	a	837	CLA	C4D-ND	-3.47	1.32	1.37
14	2	843	CLA	C4D-ND	-3.47	1.32	1.37
14	b	821	CLA	C4D-ND	-3.46	1.32	1.37
14	b	834	CLA	C4D-ND	-3.46	1.32	1.37
14	b	843	CLA	C4D-ND	-3.46	1.32	1.37
14	a	838	CLA	C1D-ND	3.46	1.42	1.37
17	6	4406	BCR	C1-C6	-3.46	1.49	1.53
14	2	833	CLA	C1D-ND	3.46	1.42	1.37
14	B	827	CLA	C4D-ND	-3.46	1.32	1.37
14	a	854	CLA	C4D-ND	-3.46	1.32	1.37
14	B	802	CLA	C4D-ND	-3.45	1.32	1.37
14	B	829	CLA	C4D-ND	-3.45	1.32	1.37
14	2	826	CLA	C4D-ND	-3.45	1.32	1.37
17	b	853	BCR	C1-C6	-3.45	1.49	1.53
14	1	815	CLA	C4D-ND	-3.45	1.32	1.37
14	J	101	CLA	C1D-ND	3.45	1.42	1.37
14	b	826	CLA	C4D-ND	-3.45	1.33	1.37
14	b	829	CLA	C4D-ND	-3.45	1.33	1.37
17	1	847	BCR	C30-C25	-3.45	1.49	1.53
14	1	823	CLA	C4D-ND	-3.45	1.33	1.37
14	B	832	CLA	C4D-ND	-3.45	1.33	1.37
14	2	831	CLA	C4D-ND	-3.45	1.33	1.37
14	1	809	CLA	C4D-ND	-3.44	1.33	1.37
17	B	854	BCR	C1-C6	-3.44	1.49	1.53
14	0	202	CLA	C4D-ND	-3.44	1.33	1.37
14	7	1102	CLA	C1D-ND	3.44	1.42	1.37
14	a	844	CLA	C4D-ND	-3.44	1.33	1.37
17	a	847	BCR	C30-C25	-3.44	1.49	1.53
14	a	843	CLA	C4D-ND	-3.44	1.33	1.37
17	A	847	BCR	C30-C25	-3.43	1.49	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	823	CLA	C4D-ND	-3.43	1.33	1.37
14	j	101	CLA	C1D-ND	3.43	1.42	1.37
14	A	810	CLA	C4D-ND	-3.43	1.33	1.37
14	b	831	CLA	C4D-ND	-3.43	1.33	1.37
14	1	844	CLA	C4D-ND	-3.43	1.33	1.37
14	A	837	CLA	C1D-ND	3.42	1.42	1.37
14	B	814	CLA	C4D-ND	-3.42	1.33	1.37
14	2	810	CLA	C4D-ND	-3.42	1.33	1.37
14	2	819	CLA	C4D-ND	-3.42	1.33	1.37
14	A	816	CLA	C4D-ND	-3.42	1.33	1.37
14	A	830	CLA	C4D-ND	-3.42	1.33	1.37
14	A	824	CLA	C4D-ND	-3.42	1.33	1.37
14	A	843	CLA	C4D-ND	-3.42	1.33	1.37
14	B	834	CLA	C1D-ND	3.41	1.42	1.37
14	a	817	CLA	C4D-ND	-3.41	1.33	1.37
14	1	829	CLA	C4D-ND	-3.41	1.33	1.37
14	B	844	CLA	CMB-C2B	-3.41	1.44	1.51
14	b	811	CLA	C4D-ND	-3.41	1.33	1.37
14	b	823	CLA	C4D-ND	-3.40	1.33	1.37
14	b	843	CLA	CMB-C2B	-3.40	1.44	1.51
14	a	812	CLA	C4D-ND	-3.40	1.33	1.37
14	a	825	CLA	C4D-ND	-3.40	1.33	1.37
14	A	827	CLA	C4D-ND	-3.40	1.33	1.37
14	1	816	CLA	C4D-ND	-3.40	1.33	1.37
14	f	201	CLA	C4D-ND	-3.40	1.33	1.37
14	7	1101	CLA	C4D-ND	-3.40	1.33	1.37
14	K	4004	CLA	C4D-ND	-3.40	1.33	1.37
17	a	847	BCR	C1-C6	-3.40	1.49	1.53
14	1	824	CLA	C4D-ND	-3.39	1.33	1.37
14	b	833	CLA	C1D-ND	3.39	1.42	1.37
14	2	837	CLA	C4D-ND	-3.39	1.33	1.37
14	A	811	CLA	C4D-ND	-3.39	1.33	1.37
14	2	843	CLA	CMB-C2B	-3.39	1.44	1.51
14	A	804	CLA	C3B-C2B	-3.39	1.35	1.40
14	B	822	CLA	CMB-C2B	-3.39	1.44	1.51
14	F	205	CLA	C1D-ND	3.39	1.41	1.37
14	F	201	CLA	C4D-ND	-3.39	1.33	1.37
14	1	804	CLA	C3B-C2B	-3.38	1.35	1.40
14	A	844	CLA	C4D-ND	-3.38	1.33	1.37
14	B	811	CLA	C4D-ND	-3.38	1.33	1.37
14	f	205	CLA	C1D-ND	3.38	1.41	1.37
14	A	817	CLA	C4D-ND	-3.38	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	838	CLA	C4D-ND	-3.38	1.33	1.37
14	L	1503	CLA	C1D-ND	3.38	1.41	1.37
14	0	208	CLA	C1D-ND	3.38	1.41	1.37
17	0	204	BCR	C1-C6	-3.38	1.49	1.53
14	a	805	CLA	C3B-C2B	-3.38	1.35	1.40
14	K	4004	CLA	C1D-ND	3.37	1.41	1.37
14	a	820	CLA	C4D-ND	-3.37	1.33	1.37
14	1	836	CLA	C1D-ND	3.37	1.41	1.37
14	b	817	CLA	C1D-ND	3.37	1.41	1.37
14	A	825	CLA	C4D-ND	-3.36	1.33	1.37
14	a	828	CLA	C4D-ND	-3.36	1.33	1.37
14	8	4004	CLA	C1D-ND	3.36	1.41	1.37
14	B	817	CLA	C4D-ND	-3.36	1.33	1.37
14	A	817	CLA	C1D-ND	3.36	1.41	1.37
14	l	4206	CLA	C1D-ND	3.36	1.41	1.37
17	L	1505	BCR	C1-C6	-3.36	1.49	1.53
14	a	815	CLA	C4D-ND	-3.36	1.33	1.37
14	2	806	CLA	C4D-ND	-3.35	1.33	1.37
14	2	817	CLA	C1D-ND	3.35	1.41	1.37
17	A	847	BCR	C1-C6	-3.35	1.49	1.53
14	B	824	CLA	C4D-ND	-3.35	1.33	1.37
17	0	210	BCR	C1-C6	-3.35	1.49	1.53
14	2	824	CLA	C4D-ND	-3.35	1.33	1.37
14	A	814	CLA	C4D-ND	-3.35	1.33	1.37
14	2	821	CLA	CMB-C2B	-3.35	1.44	1.51
14	b	807	CLA	C4D-ND	-3.35	1.33	1.37
13	a	803	CL0	C4D-ND	-3.35	1.33	1.37
14	B	812	CLA	CMB-C2B	-3.35	1.44	1.51
14	b	821	CLA	CMB-C2B	-3.35	1.44	1.51
14	F	204	CLA	C4D-ND	-3.35	1.33	1.37
14	1	843	CLA	CMB-C2B	-3.35	1.44	1.51
14	B	807	CLA	C4D-ND	-3.34	1.33	1.37
14	1	810	CLA	C4D-ND	-3.34	1.33	1.37
14	1	818	CLA	C4D-ND	-3.34	1.33	1.37
17	6	4402	BCR	C30-C25	-3.34	1.49	1.53
13	A	803	CL0	C4D-ND	-3.34	1.33	1.37
14	a	831	CLA	C4D-ND	-3.34	1.33	1.37
14	b	837	CLA	C4D-ND	-3.34	1.33	1.37
14	6	4403	CLA	C4D-ND	-3.34	1.33	1.37
14	6	4404	CLA	C1D-ND	3.34	1.41	1.37
14	B	825	CLA	C4D-ND	-3.34	1.33	1.37
17	F	203	BCR	C30-C25	-3.33	1.49	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	818	CLA	C4D-ND	-3.33	1.33	1.37
14	a	822	CLA	C4D-ND	-3.33	1.33	1.37
14	L	1503	CLA	C4D-ND	-3.33	1.33	1.37
14	1	841	CLA	C4D-ND	-3.33	1.33	1.37
14	b	824	CLA	C4D-ND	-3.33	1.33	1.37
14	a	826	CLA	C4D-ND	-3.33	1.33	1.37
17	1	847	BCR	C1-C6	-3.32	1.49	1.53
14	A	819	CLA	C4D-ND	-3.32	1.33	1.37
14	1	820	CLA	C4D-ND	-3.32	1.33	1.37
14	A	843	CLA	CMB-C2B	-3.32	1.44	1.51
14	A	818	CLA	C4D-ND	-3.32	1.33	1.37
14	a	823	CLA	C1D-ND	3.32	1.41	1.37
14	B	843	CLA	C4D-ND	-3.32	1.33	1.37
14	a	843	CLA	CMB-C2B	-3.32	1.44	1.51
14	A	805	CLA	C4D-ND	-3.32	1.33	1.37
17	f	203	BCR	C1-C6	-3.32	1.49	1.53
14	b	842	CLA	C4D-ND	-3.32	1.33	1.37
14	1	816	CLA	C1D-ND	3.32	1.41	1.37
14	a	854	CLA	C1D-ND	3.32	1.41	1.37
14	b	812	CLA	CMB-C2B	-3.32	1.44	1.51
14	a	806	CLA	C4D-ND	-3.31	1.33	1.37
14	l	4206	CLA	C4D-ND	-3.31	1.33	1.37
14	B	804	CLA	C4D-ND	-3.31	1.33	1.37
14	1	813	CLA	C4D-ND	-3.31	1.33	1.37
14	b	833	CLA	C4D-ND	-3.31	1.33	1.37
17	F	203	BCR	C1-C6	-3.31	1.49	1.53
14	B	818	CLA	C1D-ND	3.31	1.41	1.37
14	2	811	CLA	CMB-C2B	-3.31	1.44	1.51
14	f	204	CLA	C4D-ND	-3.31	1.33	1.37
17	f	203	BCR	C30-C25	-3.30	1.49	1.53
17	2	849	BCR	C1-C6	-3.30	1.49	1.53
14	b	816	CLA	C4D-ND	-3.30	1.33	1.37
14	A	827	CLA	C1D-ND	3.30	1.41	1.37
14	A	822	CLA	C1D-ND	3.30	1.41	1.37
13	1	803	CL0	C4D-ND	-3.30	1.33	1.37
17	6	4402	BCR	C1-C6	-3.30	1.49	1.53
14	2	823	CLA	C1D-ND	3.30	1.41	1.37
14	0	206	CLA	C1D-ND	3.30	1.41	1.37
14	2	816	CLA	C4D-ND	-3.30	1.33	1.37
14	2	833	CLA	C4D-ND	-3.30	1.33	1.37
14	B	834	CLA	C4D-ND	-3.29	1.33	1.37
14	1	826	CLA	C4D-ND	-3.29	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	l	4204	CLA	C1D-ND	3.29	1.41	1.37
14	2	828	CLA	C1D-ND	3.29	1.41	1.37
14	a	823	CLA	C4D-ND	-3.29	1.33	1.37
14	B	829	CLA	C1D-ND	3.29	1.41	1.37
17	b	849	BCR	C1-C6	-3.28	1.49	1.53
14	A	821	CLA	C4D-ND	-3.28	1.33	1.37
14	2	842	CLA	C4D-ND	-3.28	1.33	1.37
14	b	837	CLA	C1D-ND	3.28	1.41	1.37
14	f	204	CLA	C1D-ND	3.27	1.41	1.37
17	B	850	BCR	C1-C6	-3.27	1.49	1.53
14	B	824	CLA	C1D-ND	3.27	1.41	1.37
14	K	4002	CLA	C4D-ND	-3.27	1.33	1.37
14	a	828	CLA	C1D-ND	3.26	1.41	1.37
14	A	822	CLA	C4D-ND	-3.26	1.33	1.37
14	1	817	CLA	C4D-ND	-3.26	1.33	1.37
14	B	838	CLA	C1D-ND	3.26	1.41	1.37
14	2	803	CLA	C4D-ND	-3.26	1.33	1.37
14	F	204	CLA	C1D-ND	3.26	1.41	1.37
14	0	208	CLA	C4D-ND	-3.26	1.33	1.37
14	k	4002	CLA	C4D-ND	-3.26	1.33	1.37
14	L	1501	CLA	C1D-ND	3.26	1.41	1.37
17	b	846	BCR	C30-C25	-3.26	1.49	1.53
14	6	4403	CLA	C1D-ND	3.25	1.41	1.37
14	b	804	CLA	C4D-ND	-3.25	1.33	1.37
14	b	828	CLA	C1D-ND	3.25	1.41	1.37
14	1	821	CLA	C1D-ND	3.25	1.41	1.37
14	2	837	CLA	C1D-ND	3.25	1.41	1.37
17	L	1504	BCR	C30-C25	-3.25	1.49	1.53
14	B	815	CLA	C4D-ND	-3.24	1.33	1.37
17	2	848	BCR	C30-C25	-3.24	1.49	1.53
17	6	4405	BCR	C1-C6	-3.24	1.49	1.53
14	a	818	CLA	C1D-ND	3.24	1.41	1.37
14	B	836	CLA	CMB-C2B	-3.24	1.44	1.51
17	a	848	BCR	C30-C25	-3.24	1.49	1.53
14	b	823	CLA	C1D-ND	3.23	1.41	1.37
14	1	826	CLA	C1D-ND	3.23	1.41	1.37
17	2	851	BCR	C30-C25	-3.23	1.49	1.53
17	7	1105	BCR	C30-C25	-3.23	1.49	1.53
14	2	814	CLA	C4D-ND	-3.23	1.33	1.37
14	1	821	CLA	C4D-ND	-3.23	1.33	1.37
14	1	812	CLA	C1D-ND	3.23	1.41	1.37
14	2	844	CLA	C4D-ND	-3.22	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	819	CLA	C4D-ND	-3.22	1.33	1.37
17	j	104	BCR	C30-C25	-3.22	1.49	1.53
17	l	4207	BCR	C30-C25	-3.22	1.49	1.53
14	b	822	CLA	C4D-ND	-3.22	1.33	1.37
14	2	835	CLA	CMB-C2B	-3.22	1.44	1.51
17	M	102	BCR	C1-C6	-3.22	1.49	1.53
14	b	835	CLA	CMB-C2B	-3.22	1.45	1.51
14	B	817	CLA	C1D-ND	3.21	1.41	1.37
14	j	101	CLA	C4D-ND	-3.21	1.33	1.37
17	b	848	BCR	C30-C25	-3.21	1.49	1.53
17	A	848	BCR	C1-C6	-3.21	1.49	1.53
14	b	814	CLA	C4D-ND	-3.21	1.33	1.37
14	A	804	CLA	C1D-ND	3.21	1.41	1.37
14	b	844	CLA	C4D-ND	-3.21	1.33	1.37
14	a	805	CLA	CMB-C2B	-3.21	1.45	1.51
14	b	819	CLA	CMB-C2B	-3.20	1.45	1.51
17	2	846	BCR	C30-C25	-3.20	1.49	1.53
17	h	102	BCR	C30-C25	-3.20	1.49	1.53
14	B	845	CLA	C4D-ND	-3.20	1.33	1.37
14	2	822	CLA	C4D-ND	-3.20	1.33	1.37
14	a	805	CLA	C1D-ND	3.20	1.41	1.37
14	b	815	CLA	C1D-ND	3.19	1.41	1.37
14	b	816	CLA	C1D-ND	3.19	1.41	1.37
17	B	847	BCR	C30-C25	-3.19	1.49	1.53
17	B	852	BCR	C30-C25	-3.19	1.49	1.53
14	a	813	CLA	C1D-ND	3.19	1.41	1.37
17	b	851	BCR	C30-C25	-3.19	1.49	1.53
17	J	104	BCR	C30-C25	-3.19	1.49	1.53
17	1	848	BCR	C1-C6	-3.18	1.49	1.53
17	9	102	BCR	C1-C6	-3.18	1.49	1.53
14	k	4003	CLA	C4D-ND	-3.18	1.33	1.37
14	1	804	CLA	CMB-C2B	-3.18	1.45	1.51
17	B	849	BCR	C30-C25	-3.18	1.49	1.53
14	A	816	CLA	C1D-ND	3.18	1.41	1.37
14	B	820	CLA	CMB-C2B	-3.18	1.45	1.51
14	2	816	CLA	C1D-ND	3.18	1.41	1.37
17	a	848	BCR	C1-C6	-3.18	1.49	1.53
14	8	4003	CLA	C4D-ND	-3.18	1.33	1.37
14	A	804	CLA	CMB-C2B	-3.18	1.45	1.51
14	2	814	CLA	C1D-ND	3.18	1.41	1.37
17	0	209	BCR	C30-C25	-3.18	1.49	1.53
14	1	811	CLA	C1D-ND	3.17	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	A	848	BCR	C30-C25	-3.17	1.49	1.53
14	a	814	CLA	C1D-ND	3.17	1.41	1.37
17	I	102	BCR	C30-C25	-3.17	1.49	1.53
14	7	1102	CLA	C4D-ND	-3.17	1.33	1.37
14	b	814	CLA	C1D-ND	3.17	1.41	1.37
14	2	815	CLA	C1D-ND	3.17	1.41	1.37
14	8	4002	CLA	C4D-ND	-3.17	1.33	1.37
14	B	822	CLA	C1D-ND	3.16	1.41	1.37
14	a	817	CLA	C1D-ND	3.16	1.41	1.37
17	b	854	BCR	C1-C6	-3.16	1.49	1.53
14	2	803	CLA	C1D-ND	3.16	1.41	1.37
14	B	815	CLA	C1D-ND	3.16	1.41	1.37
14	2	819	CLA	CMB-C2B	-3.16	1.45	1.51
14	B	835	CLA	CHC-C1C	3.16	1.43	1.35
17	f	206	BCR	C1-C6	-3.16	1.49	1.53
14	1	815	CLA	C1D-ND	3.16	1.41	1.37
14	2	822	CLA	C1D-ND	3.16	1.41	1.37
14	J	101	CLA	C4D-ND	-3.16	1.33	1.37
14	K	4003	CLA	C4D-ND	-3.15	1.33	1.37
14	A	812	CLA	C1D-ND	3.15	1.41	1.37
14	2	834	CLA	CHC-C1C	3.15	1.43	1.35
17	i	4103	BCR	C30-C25	-3.15	1.49	1.53
14	1	804	CLA	C1D-ND	3.15	1.41	1.37
14	b	834	CLA	CHC-C1C	3.15	1.43	1.35
17	F	206	BCR	C1-C6	-3.15	1.49	1.53
17	1	848	BCR	C30-C25	-3.15	1.49	1.53
14	b	822	CLA	C1D-ND	3.15	1.41	1.37
14	1	805	CLA	C1D-ND	3.15	1.41	1.37
14	B	823	CLA	C1D-ND	3.15	1.41	1.37
14	b	838	CLA	C4D-ND	-3.15	1.33	1.37
14	B	816	CLA	C1D-ND	3.14	1.41	1.37
14	b	835	CLA	C1D-ND	3.14	1.41	1.37
14	B	823	CLA	C4D-ND	-3.14	1.33	1.37
14	A	806	CLA	C1D-ND	3.14	1.41	1.37
14	A	824	CLA	C1D-ND	3.13	1.41	1.37
17	B	851	BCR	C1-C6	-3.13	1.49	1.53
14	B	839	CLA	C4D-ND	-3.12	1.33	1.37
17	b	850	BCR	C1-C6	-3.12	1.49	1.53
14	A	813	CLA	C1D-ND	3.12	1.41	1.37
17	2	850	BCR	C1-C6	-3.11	1.49	1.53
14	B	802	CLA	C1D-ND	3.11	1.41	1.37
14	2	838	CLA	C4D-ND	-3.11	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	843	CLA	C1D-ND	3.11	1.41	1.37
14	2	818	CLA	C1D-ND	3.11	1.41	1.37
17	7	1105	BCR	C1-C6	-3.11	1.49	1.53
14	6	4404	CLA	C4D-ND	-3.11	1.33	1.37
14	b	842	CLA	C1D-ND	3.11	1.41	1.37
14	2	835	CLA	C1D-ND	3.11	1.41	1.37
14	1	809	CLA	CHC-C1C	3.11	1.42	1.35
17	2	846	BCR	C1-C6	-3.11	1.49	1.53
14	a	807	CLA	C1D-ND	3.11	1.41	1.37
14	K	4004	CLA	CHC-C1C	3.10	1.42	1.35
14	2	820	CLA	C1D-ND	3.10	1.41	1.37
14	b	801	CLA	C1D-ND	3.10	1.41	1.37
14	B	837	CLA	C1D-ND	3.10	1.41	1.37
14	a	854	CLA	CHC-C1C	3.10	1.42	1.35
17	0	209	BCR	C1-C6	-3.10	1.49	1.53
17	j	104	BCR	C1-C6	-3.10	1.49	1.53
14	1	823	CLA	C1D-ND	3.10	1.41	1.37
17	l	4207	BCR	C1-C6	-3.10	1.49	1.53
14	b	819	CLA	C1D-ND	3.09	1.41	1.37
14	2	821	CLA	C1D-ND	3.09	1.41	1.37
14	L	1501	CLA	CHC-C1C	3.09	1.42	1.35
14	b	804	CLA	C1D-ND	3.09	1.41	1.37
17	b	846	BCR	C1-C6	-3.09	1.49	1.53
14	2	844	CLA	C2D-C1D	3.09	1.48	1.42
14	f	205	CLA	C4D-ND	-3.09	1.33	1.37
14	A	810	CLA	CHC-C1C	3.09	1.42	1.35
14	1	825	CLA	C1D-ND	3.09	1.41	1.37
14	b	836	CLA	C1D-ND	3.09	1.41	1.37
14	B	804	CLA	C1D-ND	3.09	1.41	1.37
14	b	813	CLA	C1D-ND	3.09	1.41	1.37
14	l	4204	CLA	CHC-C1C	3.08	1.42	1.35
14	a	827	CLA	C1D-ND	3.08	1.41	1.37
14	B	807	CLA	CHC-C1C	3.08	1.42	1.35
14	B	836	CLA	C1D-ND	3.08	1.41	1.37
14	8	4004	CLA	CHC-C1C	3.08	1.42	1.35
14	b	817	CLA	CHC-C1C	3.08	1.42	1.35
14	2	817	CLA	CHC-C1C	3.08	1.42	1.35
14	2	805	CLA	CHC-C1C	3.08	1.42	1.35
14	A	806	CLA	CHC-C1C	3.08	1.42	1.35
14	A	815	CLA	C1D-ND	3.08	1.41	1.37
17	2	850	BCR	C30-C25	-3.08	1.49	1.53
14	B	814	CLA	C1D-ND	3.08	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	B	847	BCR	C1-C6	-3.08	1.49	1.53
14	b	807	CLA	CHC-C1C	3.08	1.42	1.35
14	2	813	CLA	C1D-ND	3.07	1.41	1.37
14	a	807	CLA	CHC-C1C	3.07	1.42	1.35
14	1	822	CLA	CHC-C1C	3.07	1.42	1.35
14	1	836	CLA	CHC-C1C	3.07	1.42	1.35
14	a	809	CLA	C1D-ND	3.07	1.41	1.37
14	2	836	CLA	C1D-ND	3.07	1.41	1.37
14	0	202	CLA	C1D-ND	3.07	1.41	1.37
14	B	806	CLA	CHC-C1C	3.07	1.42	1.35
14	B	820	CLA	C1D-ND	3.07	1.41	1.37
14	B	837	CLA	CHC-C1C	3.07	1.42	1.35
14	B	841	CLA	C1D-ND	3.07	1.41	1.37
14	b	821	CLA	C1D-ND	3.07	1.41	1.37
17	b	851	BCR	C1-C6	-3.07	1.49	1.53
17	B	852	BCR	C1-C6	-3.07	1.49	1.53
14	2	826	CLA	C1D-ND	3.07	1.41	1.37
14	b	844	CLA	C2D-C1D	3.07	1.48	1.42
14	A	815	CLA	CHC-C1C	3.07	1.42	1.35
14	B	813	CLA	CHC-C1C	3.07	1.42	1.35
14	B	845	CLA	C2D-C1D	3.07	1.48	1.42
17	2	849	BCR	C30-C25	-3.07	1.49	1.53
14	A	823	CLA	CHC-C1C	3.07	1.42	1.35
14	L	1502	CLA	CHC-C1C	3.07	1.42	1.35
14	B	818	CLA	CHC-C1C	3.07	1.42	1.35
14	A	826	CLA	C1D-ND	3.06	1.41	1.37
14	1	814	CLA	C1D-ND	3.06	1.41	1.37
14	J	102	CLA	C4D-ND	-3.06	1.33	1.37
14	j	102	CLA	C4D-ND	-3.06	1.33	1.37
17	1	850	BCR	C30-C25	-3.06	1.49	1.53
14	B	804	CLA	CHC-C1C	3.06	1.42	1.35
14	1	835	CLA	C1D-ND	3.06	1.41	1.37
14	a	811	CLA	CHC-C1C	3.06	1.42	1.35
14	0	206	CLA	CHC-C1C	3.06	1.42	1.35
17	b	849	BCR	C30-C25	-3.06	1.49	1.53
14	1	832	CLA	CMB-C2B	-3.06	1.45	1.51
14	1	814	CLA	CHC-C1C	3.06	1.42	1.35
14	2	810	CLA	C1D-ND	3.06	1.41	1.37
17	B	850	BCR	C30-C25	-3.06	1.49	1.53
14	1	805	CLA	CHC-C1C	3.06	1.42	1.35
14	a	805	CLA	C3B-CAB	-3.06	1.41	1.47
14	2	816	CLA	CHC-C1C	3.06	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	823	CLA	CHC-C1C	3.06	1.42	1.35
17	a	850	BCR	C30-C25	-3.06	1.49	1.53
14	2	840	CLA	C1D-ND	3.06	1.41	1.37
14	F	205	CLA	C4D-ND	-3.06	1.33	1.37
14	J	101	CLA	CHC-C1C	3.06	1.42	1.35
14	a	816	CLA	CHC-C1C	3.06	1.42	1.35
17	L	1504	BCR	C1-C6	-3.06	1.49	1.53
14	2	842	CLA	C1D-ND	3.06	1.41	1.37
14	b	804	CLA	CHC-C1C	3.06	1.42	1.35
14	b	816	CLA	CHC-C1C	3.05	1.42	1.35
14	A	844	CLA	C1D-ND	3.05	1.41	1.37
14	b	823	CLA	CHC-C1C	3.05	1.42	1.35
14	2	812	CLA	CHC-C1C	3.05	1.42	1.35
14	B	819	CLA	C1D-ND	3.05	1.41	1.37
14	1	807	CLA	C1D-ND	3.05	1.41	1.37
14	a	814	CLA	CHC-C1C	3.05	1.42	1.35
14	b	806	CLA	CHC-C1C	3.05	1.42	1.35
14	a	825	CLA	C1D-ND	3.05	1.41	1.37
14	b	836	CLA	CHC-C1C	3.05	1.42	1.35
14	B	817	CLA	CHC-C1C	3.05	1.42	1.35
14	b	820	CLA	C1D-ND	3.05	1.41	1.37
14	A	842	CLA	C1D-ND	3.05	1.41	1.37
14	A	810	CLA	C1D-ND	3.05	1.41	1.37
17	A	850	BCR	C30-C25	-3.05	1.49	1.53
14	b	826	CLA	C1D-ND	3.05	1.41	1.37
14	1	804	CLA	C3B-CAB	-3.04	1.41	1.47
14	a	838	CLA	CHC-C1C	3.04	1.42	1.35
14	a	834	CLA	CMB-C2B	-3.04	1.45	1.51
14	j	101	CLA	CHC-C1C	3.04	1.42	1.35
14	2	836	CLA	CHC-C1C	3.04	1.42	1.35
17	B	851	BCR	C30-C25	-3.04	1.49	1.53
14	2	806	CLA	CHC-C1C	3.04	1.42	1.35
14	A	820	CLA	C1D-ND	3.04	1.41	1.37
14	a	844	CLA	C1D-ND	3.04	1.41	1.37
17	J	104	BCR	C1-C6	-3.04	1.49	1.53
17	K	4005	BCR	C1-C6	-3.04	1.49	1.53
14	A	808	CLA	C1D-ND	3.04	1.41	1.37
14	a	824	CLA	CHC-C1C	3.03	1.42	1.35
14	0	207	CLA	CHC-C1C	3.03	1.42	1.35
14	b	811	CLA	C1D-ND	3.03	1.41	1.37
17	A	851	BCR	C1-C6	-3.03	1.49	1.53
17	I	101	BCR	C30-C25	-3.03	1.49	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	A	805	CLA	C1D-ND	3.03	1.41	1.37
14	6	4404	CLA	CHC-C1C	3.03	1.42	1.35
14	l	4203	CLA	CHC-C1C	3.03	1.42	1.35
14	B	827	CLA	C1D-ND	3.03	1.41	1.37
14	1	812	CLA	CHC-C1C	3.03	1.42	1.35
14	2	819	CLA	C1D-ND	3.03	1.41	1.37
17	B	854	BCR	C30-C25	-3.03	1.49	1.53
14	b	832	CLA	CHC-C1C	3.03	1.42	1.35
14	f	205	CLA	CHC-C1C	3.03	1.42	1.35
14	7	1102	CLA	CHC-C1C	3.03	1.42	1.35
14	A	813	CLA	CHC-C1C	3.03	1.42	1.35
14	2	838	CLA	CHC-C1C	3.03	1.42	1.35
14	a	842	CLA	C1D-ND	3.03	1.41	1.37
14	l	4205	CLA	CHC-C1C	3.03	1.42	1.35
14	a	821	CLA	C1D-ND	3.03	1.41	1.37
14	F	205	CLA	CHC-C1C	3.03	1.42	1.35
14	2	826	CLA	CHC-C1C	3.03	1.42	1.35
17	8	4005	BCR	C1-C6	-3.03	1.49	1.53
14	a	816	CLA	C1D-ND	3.03	1.41	1.37
14	b	818	CLA	C1D-ND	3.03	1.41	1.37
14	b	829	CLA	C1D-ND	3.03	1.41	1.37
14	2	806	CLA	C1D-ND	3.03	1.41	1.37
14	A	837	CLA	CHC-C1C	3.02	1.42	1.35
14	1	819	CLA	C1D-ND	3.02	1.41	1.37
14	2	803	CLA	CHC-C1C	3.02	1.42	1.35
14	A	833	CLA	CMB-C2B	-3.02	1.45	1.51
14	B	809	CLA	C1D-ND	3.02	1.41	1.37
14	b	824	CLA	C1D-ND	3.02	1.41	1.37
14	0	202	CLA	CHC-C1C	3.02	1.42	1.35
14	b	822	CLA	CHC-C1C	3.02	1.42	1.35
14	B	808	CLA	C1D-ND	3.02	1.41	1.37
14	7	1103	CLA	C4D-ND	-3.02	1.33	1.37
14	A	809	CLA	CHC-C1C	3.02	1.42	1.35
14	1	842	CLA	C1D-ND	3.02	1.41	1.37
14	2	833	CLA	CHC-C1C	3.02	1.42	1.35
14	b	826	CLA	CHC-C1C	3.02	1.42	1.35
14	2	841	CLA	CHC-C1C	3.02	1.42	1.35
14	b	840	CLA	C1D-ND	3.02	1.41	1.37
14	K	4003	CLA	CHC-C1C	3.02	1.42	1.35
14	B	824	CLA	CHC-C1C	3.02	1.42	1.35
17	1	851	BCR	C1-C6	-3.02	1.49	1.53
14	b	804	CLA	C3B-C2B	-3.02	1.36	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	0	208	CLA	CHC-C1C	3.02	1.42	1.35
14	2	824	CLA	C1D-ND	3.02	1.41	1.37
14	A	839	CLA	C1D-ND	3.01	1.41	1.37
14	7	1101	CLA	C1D-ND	3.01	1.41	1.37
14	a	810	CLA	CHC-C1C	3.01	1.42	1.35
14	1	829	CLA	CHC-C1C	3.01	1.42	1.35
14	2	822	CLA	CHC-C1C	3.01	1.42	1.35
17	b	850	BCR	C30-C25	-3.01	1.49	1.53
14	A	830	CLA	CHC-C1C	3.01	1.42	1.35
14	b	841	CLA	CHC-C1C	3.01	1.42	1.35
17	a	851	BCR	C1-C6	-3.01	1.49	1.53
14	b	808	CLA	C1D-ND	3.01	1.41	1.37
14	2	834	CLA	C1D-ND	3.01	1.41	1.37
17	b	853	BCR	C30-C25	-3.01	1.49	1.53
14	B	827	CLA	CHC-C1C	3.01	1.42	1.35
14	b	843	CLA	C1D-ND	3.01	1.41	1.37
14	a	832	CLA	CMB-C2B	-3.01	1.45	1.51
14	B	821	CLA	C1D-ND	3.01	1.41	1.37
14	b	832	CLA	CMB-C2B	-3.01	1.45	1.51
14	a	840	CLA	C1D-ND	3.01	1.41	1.37
14	2	808	CLA	CHC-C1C	3.01	1.42	1.35
14	A	804	CLA	C3B-CAB	-3.01	1.41	1.47
14	b	833	CLA	CHC-C1C	3.01	1.42	1.35
14	B	823	CLA	CHC-C1C	3.00	1.42	1.35
14	B	825	CLA	C1D-ND	3.00	1.41	1.37
14	b	809	CLA	C1D-ND	3.00	1.41	1.37
14	B	833	CLA	CMB-C2B	-3.00	1.45	1.51
14	a	822	CLA	C1D-ND	3.00	1.41	1.37
14	k	4003	CLA	CHC-C1C	3.00	1.42	1.35
14	2	832	CLA	CMB-C2B	-3.00	1.45	1.51
14	A	814	CLA	CHC-C1C	3.00	1.42	1.35
14	b	834	CLA	C1D-ND	3.00	1.41	1.37
14	2	837	CLA	CHC-C1C	3.00	1.42	1.35
14	b	838	CLA	CHC-C1C	3.00	1.42	1.35
14	B	834	CLA	CHC-C1C	3.00	1.42	1.35
14	A	821	CLA	C1D-ND	3.00	1.41	1.37
14	1	822	CLA	CMB-C2B	-3.00	1.45	1.51
14	a	806	CLA	C1D-ND	2.99	1.41	1.37
14	L	1503	CLA	CHC-C1C	2.99	1.42	1.35
14	B	842	CLA	CHC-C1C	2.99	1.42	1.35
14	B	833	CLA	CHC-C1C	2.99	1.42	1.35
14	B	839	CLA	CHC-C1C	2.99	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	b	825	CLA	C1D-ND	2.99	1.41	1.37
14	2	832	CLA	CHC-C1C	2.99	1.42	1.35
14	l	4206	CLA	CHC-C1C	2.99	1.42	1.35
14	1	808	CLA	CHC-C1C	2.99	1.42	1.35
17	k	4004	BCR	C1-C6	-2.99	1.49	1.53
14	a	831	CLA	CHC-C1C	2.99	1.42	1.35
14	B	802	CLA	CHC-C1C	2.99	1.42	1.35
14	K	4002	CLA	CHC-C1C	2.99	1.42	1.35
17	6	4406	BCR	C30-C25	-2.99	1.49	1.53
14	a	837	CLA	C1D-ND	2.99	1.41	1.37
14	A	822	CLA	CHC-C1C	2.98	1.42	1.35
14	A	831	CLA	CMB-C2B	-2.98	1.45	1.51
14	b	801	CLA	CHC-C1C	2.98	1.42	1.35
14	1	820	CLA	C1D-ND	2.98	1.41	1.37
14	1	844	CLA	C1D-ND	2.98	1.41	1.37
14	B	828	CLA	C1D-ND	2.98	1.41	1.37
14	8	4003	CLA	CHC-C1C	2.98	1.42	1.35
14	B	809	CLA	CHC-C1C	2.98	1.42	1.35
14	B	831	CLA	C1D-ND	2.98	1.41	1.37
14	b	814	CLA	CHC-C1C	2.98	1.42	1.35
14	1	809	CLA	C1D-ND	2.98	1.41	1.37
14	B	804	CLA	C3B-C2B	-2.98	1.36	1.40
14	B	838	CLA	CHC-C1C	2.98	1.42	1.35
14	a	815	CLA	C1D-ND	2.98	1.41	1.37
14	2	825	CLA	C1D-ND	2.98	1.41	1.37
14	a	815	CLA	CHC-C1C	2.98	1.42	1.35
14	b	809	CLA	CHC-C1C	2.97	1.42	1.35
14	B	807	CLA	C1D-ND	2.97	1.41	1.37
14	B	826	CLA	C1D-ND	2.97	1.41	1.37
14	2	814	CLA	CHC-C1C	2.97	1.42	1.35
14	a	831	CLA	C1D-ND	2.97	1.41	1.37
14	a	821	CLA	CMB-C2B	-2.97	1.45	1.51
14	J	102	CLA	CHC-C1C	2.97	1.42	1.35
14	1	813	CLA	CHC-C1C	2.97	1.42	1.35
14	b	807	CLA	C1D-ND	2.97	1.41	1.37
14	B	810	CLA	C1D-ND	2.97	1.41	1.37
14	A	835	CLA	C1D-ND	2.97	1.41	1.37
14	1	808	CLA	C1D-ND	2.97	1.41	1.37
14	1	819	CLA	CMB-C2B	-2.97	1.45	1.51
14	B	841	CLA	CHC-C1C	2.97	1.42	1.35
14	2	807	CLA	C1D-ND	2.97	1.41	1.37
17	h	101	BCR	C30-C25	-2.97	1.49	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	823	CLA	CHC-C1C	2.97	1.42	1.35
14	B	811	CLA	C1D-ND	2.97	1.41	1.37
14	a	811	CLA	C1D-ND	2.97	1.41	1.37
14	2	843	CLA	C1D-ND	2.97	1.41	1.37
17	i	4102	BCR	C30-C25	-2.96	1.49	1.53
14	A	836	CLA	C1D-ND	2.96	1.41	1.37
17	2	851	BCR	C1-C6	-2.96	1.49	1.53
14	A	820	CLA	CMB-C2B	-2.96	1.45	1.51
14	a	804	CLA	CHC-C1C	2.96	1.42	1.35
14	1	821	CLA	CHC-C1C	2.96	1.42	1.35
14	b	837	CLA	CHC-C1C	2.96	1.42	1.35
14	2	808	CLA	C1D-ND	2.96	1.41	1.37
14	2	827	CLA	C1D-ND	2.96	1.41	1.37
14	8	4002	CLA	CHC-C1C	2.96	1.42	1.35
17	b	847	BCR	C1-C6	-2.96	1.49	1.53
14	b	827	CLA	C1D-ND	2.96	1.41	1.37
14	a	826	CLA	CHC-C1C	2.96	1.42	1.35
14	k	4002	CLA	CHC-C1C	2.96	1.42	1.35
14	2	821	CLA	CHC-C1C	2.96	1.42	1.35
14	a	822	CLA	CHC-C1C	2.96	1.42	1.35
14	a	824	CLA	CMB-C2B	-2.96	1.45	1.51
14	1	830	CLA	CMB-C2B	-2.96	1.45	1.51
14	7	1103	CLA	CHC-C1C	2.96	1.42	1.35
14	1	822	CLA	C1D-ND	2.96	1.41	1.37
14	B	832	CLA	C1D-ND	2.95	1.41	1.37
14	B	844	CLA	C1D-ND	2.95	1.41	1.37
14	2	828	CLA	CHC-C1C	2.95	1.42	1.35
14	a	829	CLA	C1D-ND	2.95	1.41	1.37
14	A	820	CLA	CHC-C1C	2.95	1.42	1.35
14	1	829	CLA	C1D-ND	2.95	1.41	1.37
14	B	830	CLA	C1D-ND	2.95	1.41	1.37
14	A	823	CLA	CMB-C2B	-2.95	1.45	1.51
14	1	813	CLA	C1D-ND	2.95	1.41	1.37
14	B	826	CLA	CHC-C1C	2.95	1.42	1.35
14	A	821	CLA	CHC-C1C	2.95	1.42	1.35
14	j	102	CLA	CHC-C1C	2.95	1.42	1.35
14	A	843	CLA	C1D-ND	2.95	1.41	1.37
14	2	830	CLA	C1D-ND	2.95	1.41	1.37
14	2	825	CLA	CHC-C1C	2.95	1.42	1.35
14	a	821	CLA	CHC-C1C	2.95	1.42	1.35
14	1	828	CLA	C1D-ND	2.94	1.41	1.37
14	a	813	CLA	CMB-C2B	-2.94	1.45	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	A	813	CLA	CMB-C2B	-2.94	1.45	1.51
14	B	835	CLA	C1D-ND	2.94	1.41	1.37
14	a	836	CLA	CHC-C1C	2.94	1.42	1.35
14	a	840	CLA	CHC-C1C	2.94	1.42	1.35
14	b	831	CLA	C1D-ND	2.94	1.41	1.37
14	b	810	CLA	C1D-ND	2.94	1.41	1.37
14	l	4203	CLA	C1D-ND	2.94	1.41	1.37
14	B	815	CLA	CHC-C1C	2.94	1.42	1.35
14	a	810	CLA	C1D-ND	2.94	1.41	1.37
14	a	833	CLA	C1D-ND	2.94	1.41	1.37
14	1	820	CLA	CHC-C1C	2.94	1.42	1.35
14	2	801	CLA	CHC-C1C	2.94	1.42	1.35
14	1	811	CLA	CHC-C1C	2.93	1.42	1.35
14	b	828	CLA	CHC-C1C	2.93	1.42	1.35
14	1	827	CLA	C1D-ND	2.93	1.41	1.37
14	b	815	CLA	CHC-C1C	2.93	1.42	1.35
14	2	812	CLA	C1D-ND	2.93	1.41	1.37
14	A	823	CLA	C1D-ND	2.93	1.41	1.37
14	b	827	CLA	CHC-C1C	2.93	1.42	1.35
14	a	824	CLA	C1D-ND	2.93	1.41	1.37
17	a	851	BCR	C30-C25	-2.93	1.49	1.53
14	1	824	CLA	CHC-C1C	2.93	1.42	1.35
14	A	840	CLA	C1D-ND	2.93	1.41	1.37
14	2	840	CLA	CHC-C1C	2.93	1.42	1.35
14	1	838	CLA	CMB-C2B	-2.93	1.45	1.51
14	b	840	CLA	CHC-C1C	2.93	1.42	1.35
14	A	841	CLA	C1D-ND	2.93	1.41	1.37
14	A	825	CLA	CHC-C1C	2.93	1.42	1.35
14	B	819	CLA	CHC-C1C	2.93	1.42	1.35
14	b	825	CLA	CHC-C1C	2.93	1.42	1.35
14	1	806	CLA	CMB-C2B	-2.93	1.45	1.51
14	a	840	CLA	CMB-C2B	-2.93	1.45	1.51
14	1	838	CLA	C1D-ND	2.93	1.41	1.37
14	1	840	CLA	C1D-ND	2.93	1.41	1.37
14	1	819	CLA	CHC-C1C	2.93	1.42	1.35
14	A	831	CLA	CHC-C1C	2.93	1.42	1.35
14	A	839	CLA	CHC-C1C	2.93	1.42	1.35
14	B	829	CLA	CHC-C1C	2.92	1.42	1.35
14	A	828	CLA	C1D-ND	2.92	1.41	1.37
14	1	812	CLA	CMB-C2B	-2.92	1.45	1.51
14	A	809	CLA	C1D-ND	2.92	1.41	1.37
14	a	814	CLA	CMB-C2B	-2.92	1.45	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	1	834	CLA	C1D-ND	2.92	1.41	1.37
14	a	830	CLA	CMC-C2C	-2.92	1.44	1.50
14	B	828	CLA	CHC-C1C	2.92	1.42	1.35
14	A	807	CLA	CMB-C2B	-2.92	1.45	1.51
14	2	827	CLA	CHC-C1C	2.92	1.42	1.35
14	A	811	CLA	C1D-ND	2.92	1.41	1.37
14	1	831	CLA	C1D-ND	2.92	1.41	1.37
14	1	810	CLA	CHC-C1C	2.92	1.42	1.35
14	B	801	CLA	CHC-C1C	2.92	1.42	1.35
14	B	813	CLA	C1D-ND	2.92	1.41	1.37
14	2	803	CLA	CMB-C2B	-2.91	1.45	1.51
14	b	821	CLA	CHC-C1C	2.91	1.42	1.35
14	0	207	CLA	C1D-ND	2.91	1.41	1.37
14	2	844	CLA	CAD-C3D	-2.91	1.45	1.50
14	2	803	CLA	C3B-C2B	-2.91	1.36	1.40
14	1	811	CLA	CMB-C2B	-2.91	1.45	1.51
17	b	854	BCR	C30-C25	-2.91	1.49	1.53
14	1	830	CLA	CHC-C1C	2.91	1.42	1.35
14	1	834	CLA	CHC-C1C	2.91	1.42	1.35
14	2	818	CLA	CHC-C1C	2.91	1.42	1.35
14	A	829	CLA	C1D-ND	2.91	1.41	1.37
14	2	829	CLA	C1D-ND	2.91	1.41	1.37
14	B	816	CLA	CHC-C1C	2.91	1.42	1.35
14	b	818	CLA	CHC-C1C	2.91	1.42	1.35
14	B	822	CLA	CHC-C1C	2.91	1.42	1.35
14	a	813	CLA	CHC-C1C	2.91	1.42	1.35
14	a	804	CLA	CMB-C2B	-2.91	1.45	1.51
17	2	847	BCR	C1-C6	-2.91	1.49	1.53
14	A	844	CLA	CHC-C1C	2.91	1.42	1.35
14	B	840	CLA	CHC-C1C	2.91	1.42	1.35
14	A	835	CLA	CHC-C1C	2.91	1.42	1.35
17	7	1104	BCR	C30-C25	-2.91	1.49	1.53
14	b	804	CLA	CMB-C2B	-2.91	1.45	1.51
14	B	825	CLA	CHC-C1C	2.90	1.42	1.35
14	1	810	CLA	CMD-C2D	-2.90	1.44	1.50
14	b	844	CLA	CAD-C3D	-2.90	1.45	1.50
14	A	839	CLA	CMB-C2B	-2.90	1.45	1.51
14	1	815	CLA	CHC-C1C	2.90	1.42	1.35
17	A	851	BCR	C30-C25	-2.90	1.49	1.53
14	1	810	CLA	C1D-ND	2.90	1.41	1.37
14	2	831	CLA	C1D-ND	2.90	1.41	1.37
14	a	812	CLA	CHC-C1C	2.90	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	j	103	BCR	C30-C25	-2.90	1.49	1.53
14	b	839	CLA	CHC-C1C	2.90	1.42	1.35
14	b	830	CLA	CMD-C2D	-2.90	1.44	1.50
14	b	802	CLA	C1D-ND	2.90	1.41	1.37
14	a	822	CLA	CMB-C2B	-2.90	1.45	1.51
17	8	4001	BCR	C30-C25	-2.90	1.49	1.53
14	A	830	CLA	C1D-ND	2.90	1.41	1.37
14	1	843	CLA	C1D-ND	2.90	1.41	1.37
14	2	815	CLA	CHC-C1C	2.90	1.42	1.35
14	2	801	CLA	CMB-C2B	-2.90	1.45	1.51
14	A	812	CLA	CHC-C1C	2.90	1.42	1.35
14	B	831	CLA	CHC-C1C	2.90	1.42	1.35
14	1	838	CLA	CHC-C1C	2.90	1.42	1.35
14	1	828	CLA	CMC-C2C	-2.90	1.44	1.50
14	F	201	CLA	C1D-ND	2.90	1.41	1.37
14	2	809	CLA	C1D-ND	2.90	1.41	1.37
14	a	808	CLA	CMB-C2B	-2.90	1.45	1.51
14	b	824	CLA	CHC-C1C	2.90	1.42	1.35
14	b	830	CLA	C1D-ND	2.89	1.41	1.37
14	B	804	CLA	CMB-C2B	-2.89	1.45	1.51
14	A	811	CLA	CHC-C1C	2.89	1.42	1.35
14	a	812	CLA	CMD-C2D	-2.89	1.44	1.50
14	A	824	CLA	CHC-C1C	2.89	1.42	1.35
14	2	830	CLA	CHC-C1C	2.89	1.42	1.35
17	9	102	BCR	C30-C25	-2.89	1.49	1.53
14	a	832	CLA	CHC-C1C	2.89	1.42	1.35
14	1	807	CLA	CHC-C1C	2.89	1.42	1.35
14	A	811	CLA	CMD-C2D	-2.89	1.44	1.50
14	B	845	CLA	CAD-C3D	-2.89	1.45	1.50
14	a	817	CLA	CHC-C1C	2.89	1.42	1.35
14	A	816	CLA	CHC-C1C	2.89	1.42	1.35
14	a	844	CLA	CHC-C1C	2.89	1.42	1.35
14	b	830	CLA	CHC-C1C	2.89	1.42	1.35
14	f	201	CLA	C1D-ND	2.89	1.41	1.37
14	2	830	CLA	CMD-C2D	-2.89	1.44	1.50
14	A	829	CLA	CMC-C2C	-2.89	1.44	1.50
14	A	812	CLA	CMB-C2B	-2.89	1.45	1.51
14	A	832	CLA	C1D-ND	2.89	1.41	1.37
14	A	808	CLA	CHC-C1C	2.88	1.42	1.35
14	1	820	CLA	CMB-C2B	-2.88	1.45	1.51
14	1	823	CLA	CHC-C1C	2.88	1.42	1.35
14	b	813	CLA	CHC-C1C	2.88	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	A	817	CLA	CHC-C1C	2.88	1.42	1.35
14	a	809	CLA	CHC-C1C	2.88	1.42	1.35
14	a	843	CLA	C1D-ND	2.88	1.41	1.37
14	1	842	CLA	CHC-C1C	2.88	1.42	1.35
14	2	813	CLA	CHC-C1C	2.88	1.42	1.35
17	1	851	BCR	C30-C25	-2.88	1.49	1.53
14	2	840	CLA	CMB-C2B	-2.88	1.45	1.51
14	B	814	CLA	CHC-C1C	2.88	1.42	1.35
14	A	814	CLA	C1D-ND	2.88	1.41	1.37
14	1	840	CLA	CHC-C1C	2.88	1.42	1.35
14	A	843	CLA	C3B-C2B	-2.88	1.36	1.40
14	a	812	CLA	C1D-ND	2.88	1.41	1.37
14	A	842	CLA	CHC-C1C	2.87	1.42	1.35
14	2	824	CLA	CHC-C1C	2.87	1.42	1.35
14	2	813	CLA	CMB-C2B	-2.87	1.45	1.51
14	B	831	CLA	CMD-C2D	-2.87	1.44	1.50
14	1	806	CLA	CHC-C1C	2.87	1.42	1.35
14	L	1502	CLA	C1D-ND	2.87	1.41	1.37
17	J	103	BCR	C30-C25	-2.87	1.49	1.53
14	B	843	CLA	CHC-C1C	2.87	1.42	1.35
14	a	834	CLA	CMD-C2D	-2.87	1.44	1.50
14	a	839	CLA	CMB-C2B	-2.87	1.45	1.51
14	b	802	CLA	CHC-C1C	2.87	1.42	1.35
14	2	807	CLA	CMB-C2B	-2.87	1.45	1.51
17	K	4001	BCR	C30-C25	-2.87	1.49	1.53
14	1	844	CLA	CHC-C1C	2.87	1.42	1.35
14	A	833	CLA	CMD-C2D	-2.87	1.44	1.50
17	B	848	BCR	C1-C6	-2.87	1.49	1.53
14	b	826	CLA	CMB-C2B	-2.86	1.45	1.51
14	1	816	CLA	CHC-C1C	2.86	1.42	1.35
14	a	839	CLA	C1D-ND	2.86	1.41	1.37
14	A	827	CLA	CHC-C1C	2.86	1.42	1.35
14	a	830	CLA	CHC-C1C	2.86	1.42	1.35
14	a	830	CLA	C1D-ND	2.86	1.41	1.37
14	7	1101	CLA	CHC-C1C	2.86	1.42	1.35
14	B	832	CLA	CMD-C2D	-2.86	1.44	1.50
14	1	832	CLA	CMD-C2D	-2.86	1.44	1.50
14	a	808	CLA	CHC-C1C	2.86	1.42	1.35
14	b	842	CLA	CHC-C1C	2.86	1.42	1.35
14	2	842	CLA	CHC-C1C	2.86	1.42	1.35
14	b	808	CLA	CMB-C2B	-2.86	1.45	1.51
14	A	829	CLA	CMB-C2B	-2.86	1.45	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	M	102	BCR	C30-C25	-2.86	1.49	1.53
14	a	841	CLA	CHC-C1C	2.86	1.42	1.35
14	f	204	CLA	CHC-C1C	2.86	1.42	1.35
14	A	821	CLA	CMB-C2B	-2.86	1.45	1.51
14	1	839	CLA	C1D-ND	2.86	1.41	1.37
14	a	806	CLA	CHC-C1C	2.86	1.42	1.35
14	1	828	CLA	CHC-C1C	2.86	1.42	1.35
14	2	839	CLA	CHC-C1C	2.86	1.42	1.35
14	a	843	CLA	C3B-C2B	-2.85	1.36	1.40
14	A	838	CLA	CMB-C2B	-2.85	1.45	1.51
14	a	836	CLA	C1D-ND	2.85	1.41	1.37
14	B	827	CLA	CMB-C2B	-2.85	1.45	1.51
14	2	826	CLA	CMB-C2B	-2.85	1.45	1.51
14	a	842	CLA	CHC-C1C	2.85	1.42	1.35
14	1	4205	CLA	C1D-ND	2.85	1.41	1.37
14	F	201	CLA	CHC-C1C	2.85	1.42	1.35
14	1	828	CLA	CMB-C2B	-2.85	1.45	1.51
14	2	831	CLA	CMD-C2D	-2.85	1.44	1.50
14	1	818	CLA	CHC-C1C	2.84	1.42	1.35
14	A	841	CLA	CHC-C1C	2.84	1.42	1.35
14	a	825	CLA	CHC-C1C	2.84	1.42	1.35
14	B	801	CLA	CMB-C2B	-2.84	1.45	1.51
14	6	4403	CLA	CHC-C1C	2.84	1.42	1.35
14	A	826	CLA	CHC-C1C	2.84	1.42	1.35
14	b	813	CLA	CMB-C2B	-2.84	1.45	1.51
14	A	834	CLA	CHC-C1C	2.84	1.42	1.35
14	a	841	CLA	C1D-ND	2.84	1.41	1.37
14	a	820	CLA	C1D-ND	2.84	1.41	1.37
13	1	803	CL0	CMB-C2B	-2.84	1.45	1.51
14	1	839	CLA	CHC-C1C	2.84	1.42	1.35
17	2	847	BCR	C30-C25	-2.84	1.49	1.53
14	1	818	CLA	C1D-ND	2.84	1.41	1.37
14	b	831	CLA	CMD-C2D	-2.84	1.44	1.50
14	a	835	CLA	C1D-ND	2.84	1.41	1.37
14	a	828	CLA	CHC-C1C	2.84	1.42	1.35
14	b	835	CLA	CHC-C1C	2.84	1.42	1.35
14	A	819	CLA	CHC-C1C	2.83	1.42	1.35
14	b	831	CLA	C3B-C2B	-2.83	1.36	1.40
14	b	840	CLA	CMB-C2B	-2.83	1.45	1.51
14	A	805	CLA	CHC-C1C	2.83	1.42	1.35
14	b	812	CLA	C1D-ND	2.83	1.41	1.37
13	A	803	CL0	CMB-C2B	-2.83	1.45	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	818	CLA	CHC-C1C	2.83	1.42	1.35
14	L	1502	CLA	CMB-C2B	-2.83	1.45	1.51
14	a	830	CLA	CMB-C2B	-2.83	1.45	1.51
14	F	204	CLA	CHC-C1C	2.83	1.42	1.35
14	1	825	CLA	CHC-C1C	2.83	1.42	1.35
14	B	821	CLA	CMB-C2B	-2.83	1.45	1.51
14	B	810	CLA	CHC-C1C	2.83	1.42	1.35
14	B	814	CLA	CMB-C2B	-2.83	1.45	1.51
14	B	832	CLA	C3B-C2B	-2.83	1.36	1.40
14	1	826	CLA	CHC-C1C	2.83	1.42	1.35
14	1	841	CLA	CHC-C1C	2.83	1.42	1.35
14	a	829	CLA	CHC-C1C	2.82	1.42	1.35
14	2	809	CLA	CHC-C1C	2.82	1.42	1.35
14	A	827	CLA	CMB-C2B	-2.82	1.45	1.51
14	1	826	CLA	CMB-C2B	-2.82	1.45	1.51
14	7	1101	CLA	CMB-C2B	-2.82	1.45	1.51
14	2	835	CLA	CHC-C1C	2.82	1.42	1.35
14	A	829	CLA	CHC-C1C	2.82	1.42	1.35
14	1	837	CLA	C1D-ND	2.82	1.41	1.37
14	a	820	CLA	CHC-C1C	2.82	1.42	1.35
14	A	807	CLA	CHC-C1C	2.82	1.42	1.35
14	A	840	CLA	CHC-C1C	2.82	1.42	1.35
14	1	837	CLA	CMB-C2B	-2.82	1.45	1.51
14	B	836	CLA	CHC-C1C	2.82	1.42	1.35
17	k	4001	BCR	C30-C25	-2.82	1.49	1.53
14	a	827	CLA	CHC-C1C	2.82	1.42	1.35
14	1	833	CLA	CHC-C1C	2.82	1.42	1.35
14	1	827	CLA	CHC-C1C	2.82	1.42	1.35
14	B	808	CLA	CMB-C2B	-2.82	1.45	1.51
14	2	807	CLA	CHC-C1C	2.82	1.42	1.35
14	B	812	CLA	C1D-ND	2.81	1.41	1.37
14	1	843	CLA	C3B-C2B	-2.81	1.36	1.40
14	A	838	CLA	C1D-ND	2.81	1.41	1.37
14	B	841	CLA	CMB-C2B	-2.81	1.45	1.51
14	2	820	CLA	CHC-C1C	2.81	1.42	1.35
14	2	831	CLA	C3B-C2B	-2.81	1.36	1.40
17	b	847	BCR	C30-C25	-2.81	1.49	1.53
14	A	828	CLA	CHC-C1C	2.81	1.42	1.35
14	a	828	CLA	CMB-C2B	-2.81	1.45	1.51
14	a	819	CLA	CHC-C1C	2.81	1.42	1.35
14	A	833	CLA	CHC-C1C	2.81	1.42	1.35
14	2	811	CLA	C1D-ND	2.81	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	0	207	CLA	CMB-C2B	-2.81	1.45	1.51
14	a	835	CLA	CHC-C1C	2.81	1.42	1.35
14	b	820	CLA	CMB-C2B	-2.80	1.45	1.51
14	A	819	CLA	C1D-ND	2.80	1.41	1.37
14	1	836	CLA	CMB-C2B	-2.80	1.45	1.51
14	f	201	CLA	CHC-C1C	2.80	1.42	1.35
14	b	810	CLA	CHC-C1C	2.80	1.42	1.35
13	a	803	CL0	CMB-C2B	-2.80	1.45	1.51
14	2	820	CLA	CMB-C2B	-2.80	1.45	1.51
14	2	805	CLA	CMC-C2C	-2.80	1.44	1.50
17	B	848	BCR	C30-C25	-2.80	1.49	1.53
14	a	834	CLA	CHC-C1C	2.80	1.42	1.35
14	B	806	CLA	CMC-C2C	-2.80	1.44	1.50
14	A	818	CLA	CHC-C1C	2.80	1.42	1.35
14	2	842	CLA	CMB-C2B	-2.80	1.45	1.51
14	b	806	CLA	CMC-C2C	-2.80	1.44	1.50
14	B	820	CLA	CHC-C1C	2.80	1.42	1.35
14	b	825	CLA	CMB-C2B	-2.80	1.45	1.51
14	1	817	CLA	CHC-C1C	2.80	1.42	1.35
14	a	810	CLA	CMB-C2B	-2.79	1.45	1.51
14	a	806	CLA	CMB-C2B	-2.79	1.45	1.51
14	1	830	CLA	C1D-ND	2.79	1.41	1.37
14	B	811	CLA	CHC-C1C	2.79	1.42	1.35
14	A	805	CLA	CMB-C2B	-2.79	1.45	1.51
14	B	808	CLA	CHC-C1C	2.79	1.42	1.35
14	B	826	CLA	CMD-C2D	-2.79	1.44	1.50
14	b	842	CLA	CMB-C2B	-2.79	1.45	1.51
14	1	831	CLA	C3B-C2B	-2.79	1.36	1.40
14	2	819	CLA	CHC-C1C	2.79	1.42	1.35
14	1	841	CLA	C1D-ND	2.79	1.41	1.37
14	b	808	CLA	CHC-C1C	2.79	1.42	1.35
14	1	832	CLA	CHC-C1C	2.79	1.42	1.35
14	2	843	CLA	C3B-C2B	-2.78	1.36	1.40
14	b	837	CLA	CMB-C2B	-2.78	1.45	1.51
14	A	809	CLA	CMB-C2B	-2.78	1.45	1.51
14	b	814	CLA	CMB-C2B	-2.78	1.45	1.51
14	1	842	CLA	CMB-C2B	-2.78	1.45	1.51
14	a	826	CLA	CMD-C2D	-2.78	1.44	1.50
14	a	833	CLA	C3B-C2B	-2.78	1.36	1.40
14	2	803	CLA	C3B-CAB	-2.77	1.42	1.47
14	B	826	CLA	CMB-C2B	-2.77	1.45	1.51
14	b	839	CLA	CMB-C2B	-2.77	1.45	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	839	CLA	C1D-ND	2.77	1.41	1.37
14	b	809	CLA	CMB-C2B	-2.77	1.45	1.51
14	B	843	CLA	CMB-C2B	-2.77	1.45	1.51
14	0	206	CLA	CMB-C2B	-2.77	1.45	1.51
14	A	831	CLA	C1D-ND	2.77	1.41	1.37
14	b	819	CLA	CHC-C1C	2.77	1.42	1.35
14	B	811	CLA	CMB-C2B	-2.77	1.45	1.51
14	1	808	CLA	CMB-C2B	-2.77	1.45	1.51
14	1	834	CLA	CMB-C2B	-2.77	1.45	1.51
14	2	814	CLA	CMB-C2B	-2.77	1.45	1.51
14	B	838	CLA	CMB-C2B	-2.77	1.45	1.51
14	2	809	CLA	CMB-C2B	-2.77	1.45	1.51
14	0	202	CLA	CMB-C2B	-2.77	1.45	1.51
14	B	816	CLA	CMB-C2B	-2.77	1.45	1.51
14	B	830	CLA	CHC-C1C	2.77	1.42	1.35
14	a	838	CLA	CMB-C2B	-2.77	1.45	1.51
14	a	836	CLA	CMB-C2B	-2.77	1.45	1.51
14	b	804	CLA	C3B-CAB	-2.77	1.42	1.47
14	B	805	CLA	CMB-C2B	-2.77	1.45	1.51
14	B	804	CLA	C3B-CAB	-2.76	1.42	1.47
14	A	842	CLA	CMB-C2B	-2.76	1.45	1.51
14	B	840	CLA	CMB-C2B	-2.76	1.45	1.51
14	2	825	CLA	CMD-C2D	-2.76	1.44	1.50
14	B	813	CLA	CMB-C2B	-2.76	1.45	1.51
14	a	827	CLA	CMB-C2B	-2.76	1.45	1.51
14	a	833	CLA	CHC-C1C	2.76	1.42	1.35
14	2	810	CLA	CHC-C1C	2.76	1.42	1.35
14	B	801	CLA	CMC-C2C	-2.75	1.45	1.50
14	A	834	CLA	C1D-ND	2.75	1.41	1.37
14	B	821	CLA	CHC-C1C	2.75	1.42	1.35
14	A	837	CLA	CMB-C2B	-2.75	1.45	1.51
14	b	811	CLA	CMB-C2B	-2.75	1.45	1.51
14	1	825	CLA	CMB-C2B	-2.75	1.45	1.51
14	b	825	CLA	CMD-C2D	-2.75	1.45	1.50
14	2	825	CLA	CMB-C2B	-2.75	1.45	1.51
19	F	202	LMT	O2'-C2'	-2.75	1.36	1.43
14	B	809	CLA	CMB-C2B	-2.75	1.45	1.51
14	b	805	CLA	CMB-C2B	-2.75	1.45	1.51
14	b	830	CLA	CMB-C2B	-2.75	1.45	1.51
14	2	839	CLA	CMB-C2B	-2.75	1.45	1.51
14	l	4205	CLA	CMB-C2B	-2.75	1.45	1.51
14	A	807	CLA	C1D-ND	2.75	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	A	825	CLA	CMD-C2D	-2.75	1.45	1.50
14	b	820	CLA	CHC-C1C	2.75	1.42	1.35
14	2	801	CLA	CMC-C2C	-2.75	1.45	1.50
14	2	829	CLA	CHC-C1C	2.75	1.42	1.35
14	a	842	CLA	CMB-C2B	-2.75	1.45	1.51
13	a	803	CL0	CHC-C1C	2.75	1.42	1.35
14	2	808	CLA	CMB-C2B	-2.75	1.45	1.51
14	2	830	CLA	CMB-C2B	-2.75	1.45	1.51
14	1	831	CLA	CHC-C1C	2.75	1.42	1.35
14	A	835	CLA	CMB-C2B	-2.74	1.45	1.51
14	B	802	CLA	CMB-C2B	-2.74	1.45	1.51
14	1	835	CLA	CHC-C1C	2.74	1.42	1.35
14	A	826	CLA	CMB-C2B	-2.74	1.45	1.51
14	A	832	CLA	CHC-C1C	2.74	1.42	1.35
14	b	811	CLA	CHC-C1C	2.74	1.42	1.35
14	B	810	CLA	CMB-C2B	-2.74	1.45	1.51
14	a	812	CLA	CMB-C2B	-2.74	1.45	1.51
14	B	815	CLA	CMB-C2B	-2.74	1.45	1.51
14	2	815	CLA	CMB-C2B	-2.74	1.45	1.51
13	1	803	CL0	CHC-C1C	2.74	1.42	1.35
19	6	4401	LMT	O2'-C2'	-2.74	1.36	1.43
14	B	830	CLA	CMB-C2B	-2.74	1.45	1.51
14	b	815	CLA	CMB-C2B	-2.74	1.45	1.51
14	2	812	CLA	CMB-C2B	-2.74	1.45	1.51
14	a	844	CLA	CMB-C2B	-2.74	1.46	1.51
14	2	804	CLA	CMB-C2B	-2.74	1.46	1.51
14	B	831	CLA	CMB-C2B	-2.73	1.46	1.51
14	A	825	CLA	C1D-ND	2.73	1.41	1.37
14	2	826	CLA	CMD-C2D	-2.73	1.45	1.50
14	A	832	CLA	C3B-C2B	-2.73	1.36	1.40
14	B	827	CLA	CMD-C2D	-2.73	1.45	1.50
14	A	840	CLA	CMB-C2B	-2.73	1.46	1.51
14	a	832	CLA	C1D-ND	2.73	1.41	1.37
14	b	810	CLA	CMB-C2B	-2.73	1.46	1.51
14	b	835	CLA	C3B-C2B	-2.73	1.36	1.40
14	1	833	CLA	CMB-C2B	-2.73	1.46	1.51
14	2	810	CLA	CMB-C2B	-2.73	1.46	1.51
14	1	833	CLA	C1D-ND	2.73	1.41	1.37
14	b	841	CLA	C1D-ND	2.73	1.41	1.37
14	B	842	CLA	C1D-ND	2.73	1.41	1.37
14	b	801	CLA	CMB-C2B	-2.72	1.46	1.51
14	B	840	CLA	C1D-ND	2.72	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	k	4004	BCR	C30-C25	-2.72	1.50	1.53
14	l	4203	CLA	CMB-C2B	-2.72	1.46	1.51
14	1	824	CLA	CMD-C2D	-2.72	1.45	1.50
14	b	839	CLA	C1D-ND	2.72	1.41	1.37
14	b	829	CLA	CHC-C1C	2.72	1.41	1.35
14	L	1501	CLA	CMB-C2B	-2.72	1.46	1.51
17	8	4005	BCR	C30-C25	-2.72	1.50	1.53
14	2	837	CLA	CMB-C2B	-2.72	1.46	1.51
19	f	202	LMT	O2'-C2'	-2.72	1.36	1.43
14	2	835	CLA	C3B-C2B	-2.72	1.36	1.40
17	K	4005	BCR	C30-C25	-2.72	1.50	1.53
14	A	841	CLA	CMB-C2B	-2.71	1.46	1.51
13	A	803	CL0	CHC-C1C	2.71	1.41	1.35
14	l	4204	CLA	CMB-C2B	-2.71	1.46	1.51
14	b	843	CLA	C3B-C2B	-2.71	1.36	1.40
14	2	829	CLA	CMB-C2B	-2.71	1.46	1.51
14	B	836	CLA	C3B-C2B	-2.71	1.36	1.40
14	1	810	CLA	CMB-C2B	-2.71	1.46	1.51
14	1	844	CLA	CMB-C2B	-2.71	1.46	1.51
14	A	836	CLA	CHC-C1C	2.71	1.41	1.35
14	A	811	CLA	CMB-C2B	-2.71	1.46	1.51
14	a	837	CLA	CHC-C1C	2.71	1.41	1.35
14	1	806	CLA	C1D-ND	2.71	1.41	1.37
14	1	824	CLA	C1D-ND	2.71	1.41	1.37
14	f	201	CLA	CMB-C2B	-2.70	1.46	1.51
14	A	835	CLA	C3B-C2B	-2.70	1.36	1.40
14	b	829	CLA	CMB-C2B	-2.70	1.46	1.51
14	b	826	CLA	CMD-C2D	-2.70	1.45	1.50
14	a	835	CLA	CMB-C2B	-2.70	1.46	1.51
14	a	826	CLA	C1D-ND	2.70	1.41	1.37
14	a	843	CLA	CMC-C2C	-2.70	1.45	1.50
14	1	834	CLA	C3B-C2B	-2.70	1.36	1.40
14	a	804	CLA	CMC-C2C	-2.70	1.45	1.50
14	1	809	CLA	CMB-C2B	-2.70	1.46	1.51
14	1	839	CLA	CMB-C2B	-2.70	1.46	1.51
14	A	834	CLA	CMB-C2B	-2.69	1.46	1.51
14	A	806	CLA	CMB-C2B	-2.69	1.46	1.51
14	A	844	CLA	CMB-C2B	-2.69	1.46	1.51
14	1	843	CLA	CMC-C2C	-2.69	1.45	1.50
14	a	804	CLA	CMD-C2D	-2.69	1.45	1.50
14	1	841	CLA	CMB-C2B	-2.69	1.46	1.51
14	1	840	CLA	CMB-C2B	-2.69	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	801	CLA	CMD-C2D	-2.68	1.45	1.50
14	b	811	CLA	CMC-C2C	-2.68	1.45	1.50
14	A	843	CLA	CMC-C2C	-2.68	1.45	1.50
14	B	842	CLA	CMB-C2B	-2.68	1.46	1.51
14	B	805	CLA	CHC-C1C	2.68	1.41	1.35
14	A	808	CLA	CMB-C2B	-2.68	1.46	1.51
14	b	831	CLA	CHC-C1C	2.68	1.41	1.35
14	B	844	CLA	C3B-C2B	-2.68	1.36	1.40
14	b	841	CLA	CMB-C2B	-2.67	1.46	1.51
14	2	841	CLA	CMB-C2B	-2.67	1.46	1.51
14	a	808	CLA	C1D-ND	2.67	1.41	1.37
17	6	4405	BCR	C30-C25	-2.67	1.50	1.53
14	2	801	CLA	CMD-C2D	-2.67	1.45	1.50
14	2	831	CLA	CHC-C1C	2.67	1.41	1.35
14	a	807	CLA	CMB-C2B	-2.67	1.46	1.51
14	a	841	CLA	CMB-C2B	-2.67	1.46	1.51
19	f	202	LMT	O3'-C3'	-2.67	1.36	1.43
14	B	832	CLA	CHC-C1C	2.67	1.41	1.35
19	F	202	LMT	O3'-C3'	-2.67	1.36	1.43
14	2	811	CLA	CHC-C1C	2.67	1.41	1.35
14	b	834	CLA	CMB-C2B	-2.66	1.46	1.51
14	2	810	CLA	CMC-C2C	-2.66	1.45	1.50
14	F	201	CLA	CMB-C2B	-2.66	1.46	1.51
14	b	802	CLA	CMB-C2B	-2.66	1.46	1.51
14	A	810	CLA	CMB-C2B	-2.66	1.46	1.51
14	2	841	CLA	C1D-ND	2.66	1.41	1.37
14	B	829	CLA	CMB-C2B	-2.66	1.46	1.51
14	b	824	CLA	CMB-C2B	-2.66	1.46	1.51
14	B	835	CLA	CMB-C2B	-2.66	1.46	1.51
14	a	811	CLA	CMB-C2B	-2.65	1.46	1.51
14	2	806	CLA	CMB-C2B	-2.65	1.46	1.51
14	1	807	CLA	CMB-C2B	-2.65	1.46	1.51
14	2	834	CLA	CMB-C2B	-2.65	1.46	1.51
14	2	836	CLA	CMB-C2B	-2.65	1.46	1.51
14	B	837	CLA	CMB-C2B	-2.65	1.46	1.51
14	1	805	CLA	CMB-C2B	-2.65	1.46	1.51
14	a	805	CLA	CHC-C1C	2.65	1.41	1.35
17	F	206	BCR	C30-C25	-2.65	1.50	1.53
14	F	204	CLA	CMB-C2B	-2.65	1.46	1.51
14	B	811	CLA	CMC-C2C	-2.65	1.45	1.50
14	b	805	CLA	CHC-C1C	2.65	1.41	1.35
14	b	836	CLA	CMB-C2B	-2.65	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	834	CLA	CMB-C2B	-2.64	1.46	1.51
14	6	4403	CLA	CMB-C2B	-2.64	1.46	1.51
14	A	804	CLA	CHC-C1C	2.64	1.41	1.35
14	1	829	CLA	CMB-C2B	-2.64	1.46	1.51
17	f	206	BCR	C30-C25	-2.64	1.50	1.53
14	2	838	CLA	CMB-C2B	-2.64	1.46	1.51
14	2	804	CLA	CHC-C1C	2.64	1.41	1.35
14	a	809	CLA	CMB-C2B	-2.64	1.46	1.51
14	a	819	CLA	CMB-C2B	-2.64	1.46	1.51
14	1	830	CLA	CMD-C2D	-2.64	1.45	1.50
14	A	814	CLA	CMB-C2B	-2.64	1.46	1.51
14	A	816	CLA	CMB-C2B	-2.64	1.46	1.51
14	A	828	CLA	CMB-C2B	-2.64	1.46	1.51
14	1	804	CLA	CHC-C1C	2.63	1.41	1.35
14	b	833	CLA	CMB-C2B	-2.63	1.46	1.51
14	2	833	CLA	CMB-C2B	-2.63	1.46	1.51
19	6	4401	LMT	O3'-C3'	-2.63	1.36	1.43
14	a	817	CLA	CMB-C2B	-2.63	1.46	1.51
14	b	807	CLA	CMB-C2B	-2.63	1.46	1.51
14	1	827	CLA	CMB-C2B	-2.63	1.46	1.51
14	2	828	CLA	CMB-C2B	-2.63	1.46	1.51
14	B	812	CLA	CHC-C1C	2.63	1.41	1.35
14	2	805	CLA	CMB-C2B	-2.63	1.46	1.51
14	a	836	CLA	C3B-C2B	-2.63	1.36	1.40
14	a	832	CLA	CMD-C2D	-2.62	1.45	1.50
14	1	834	CLA	C3B-CAB	-2.62	1.42	1.47
14	b	805	CLA	CMD-C2D	-2.62	1.45	1.50
14	B	807	CLA	CMB-C2B	-2.62	1.46	1.51
14	a	836	CLA	C3B-CAB	-2.62	1.42	1.47
14	B	825	CLA	CMB-C2B	-2.62	1.46	1.51
14	a	831	CLA	CMB-C2B	-2.62	1.46	1.51
14	1	817	CLA	CMB-C2B	-2.62	1.46	1.51
14	b	812	CLA	CHC-C1C	2.62	1.41	1.35
14	a	815	CLA	CMB-C2B	-2.62	1.46	1.51
14	2	824	CLA	CMB-C2B	-2.62	1.46	1.51
14	a	828	CLA	CMD-C2D	-2.62	1.45	1.50
14	1	824	CLA	CMB-C2B	-2.61	1.46	1.51
14	A	831	CLA	CMD-C2D	-2.61	1.45	1.50
14	A	817	CLA	CMB-C2B	-2.61	1.46	1.51
14	A	818	CLA	CMB-C2B	-2.61	1.46	1.51
14	1	826	CLA	CMD-C2D	-2.61	1.45	1.50
14	1	841	CLA	CMD-C2D	-2.61	1.45	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	1	816	CLA	CMB-C2B	-2.61	1.46	1.51
14	1	813	CLA	CMB-C2B	-2.61	1.46	1.51
14	B	839	CLA	CMB-C2B	-2.61	1.46	1.51
14	b	838	CLA	CMB-C2B	-2.61	1.46	1.51
14	2	842	CLA	CMD-C2D	-2.61	1.45	1.50
14	a	826	CLA	CMB-C2B	-2.60	1.46	1.51
14	B	805	CLA	CMD-C2D	-2.60	1.45	1.50
14	A	819	CLA	CMB-C2B	-2.60	1.46	1.51
14	2	817	CLA	CMB-C2B	-2.60	1.46	1.51
17	1	849	BCR	C30-C25	-2.60	1.50	1.53
14	b	817	CLA	CMB-C2B	-2.60	1.46	1.51
14	b	842	CLA	CMD-C2D	-2.60	1.45	1.50
14	k	4002	CLA	CMB-C2B	-2.60	1.46	1.51
14	1	815	CLA	CMB-C2B	-2.60	1.46	1.51
14	B	818	CLA	CMB-C2B	-2.60	1.46	1.51
14	A	830	CLA	CMB-C2B	-2.60	1.46	1.51
14	1	814	CLA	CMB-C2B	-2.60	1.46	1.51
14	A	815	CLA	CMB-C2B	-2.60	1.46	1.51
14	B	811	CLA	CMD-C2D	-2.60	1.45	1.50
14	b	828	CLA	CMB-C2B	-2.60	1.46	1.51
14	f	204	CLA	CMB-C2B	-2.59	1.46	1.51
14	2	804	CLA	CMD-C2D	-2.59	1.45	1.50
17	A	849	BCR	C30-C25	-2.59	1.50	1.53
14	a	816	CLA	CMB-C2B	-2.59	1.46	1.51
14	a	829	CLA	CMB-C2B	-2.59	1.46	1.51
14	l	4206	CLA	CMB-C2B	-2.59	1.46	1.51
14	2	827	CLA	CMB-C2B	-2.59	1.46	1.51
14	L	1503	CLA	CMB-C2B	-2.59	1.46	1.51
14	0	208	CLA	CMB-C2B	-2.58	1.46	1.51
14	F	201	CLA	CMD-C2D	-2.58	1.45	1.50
14	b	811	CLA	CMD-C2D	-2.58	1.45	1.50
14	b	822	CLA	CMB-C2B	-2.58	1.46	1.51
14	B	833	CLA	C1D-ND	2.58	1.41	1.37
14	a	818	CLA	CMB-C2B	-2.58	1.46	1.51
14	b	806	CLA	CMB-C2B	-2.58	1.46	1.51
14	b	832	CLA	C1D-ND	2.58	1.41	1.37
14	K	4002	CLA	CMB-C2B	-2.58	1.46	1.51
14	A	835	CLA	C3B-CAB	-2.58	1.42	1.47
14	2	822	CLA	CMB-C2B	-2.58	1.46	1.51
19	i	4101	LMT	O3'-C3'	-2.57	1.36	1.43
14	2	823	CLA	CMB-C2B	-2.57	1.46	1.51
14	A	827	CLA	CMD-C2D	-2.57	1.45	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	f	201	CLA	CMD-C2D	-2.57	1.45	1.50
14	A	805	CLA	CMD-C2D	-2.57	1.45	1.50
14	b	827	CLA	CMB-C2B	-2.57	1.46	1.51
14	a	820	CLA	CMB-C2B	-2.57	1.46	1.51
17	a	849	BCR	C30-C25	-2.57	1.50	1.53
14	b	823	CLA	CMB-C2B	-2.57	1.46	1.51
14	a	839	CLA	CHC-C1C	2.57	1.41	1.35
14	A	838	CLA	CHC-C1C	2.57	1.41	1.35
14	b	816	CLA	CMB-C2B	-2.57	1.46	1.51
14	a	806	CLA	CMD-C2D	-2.57	1.45	1.50
14	2	810	CLA	CMD-C2D	-2.57	1.45	1.50
14	B	806	CLA	CMB-C2B	-2.57	1.46	1.51
14	B	843	CLA	CMD-C2D	-2.56	1.45	1.50
14	B	824	CLA	CMB-C2B	-2.56	1.46	1.51
14	2	832	CLA	C1D-ND	2.56	1.40	1.37
14	B	823	CLA	CMB-C2B	-2.56	1.46	1.51
14	7	1101	CLA	CMD-C2D	-2.56	1.45	1.50
14	1	837	CLA	CHC-C1C	2.56	1.41	1.35
14	B	828	CLA	CMB-C2B	-2.56	1.46	1.51
14	B	817	CLA	CMB-C2B	-2.56	1.46	1.51
14	1	818	CLA	CMB-C2B	-2.56	1.46	1.51
19	I	103	LMT	O3'-C3'	-2.56	1.37	1.43
14	A	825	CLA	CMB-C2B	-2.56	1.46	1.51
14	8	4002	CLA	CMB-C2B	-2.55	1.46	1.51
14	B	829	CLA	CMC-C2C	-2.55	1.45	1.50
13	A	803	CL0	C1D-ND	2.55	1.40	1.37
14	2	816	CLA	CMB-C2B	-2.54	1.46	1.51
14	b	828	CLA	CMC-C2C	-2.54	1.45	1.50
14	j	101	CLA	CMB-C2B	-2.54	1.46	1.51
19	h	103	LMT	O3'-C3'	-2.54	1.37	1.43
14	A	824	CLA	CMB-C2B	-2.54	1.46	1.51
14	b	840	CLA	CMD-C2D	-2.53	1.45	1.50
14	B	841	CLA	CMD-C2D	-2.53	1.45	1.50
14	J	102	CLA	CMB-C2B	-2.53	1.46	1.51
14	2	824	CLA	CMD-C2D	-2.53	1.45	1.50
14	f	205	CLA	CMB-C2B	-2.53	1.46	1.51
14	1	806	CLA	CMD-C2D	-2.53	1.45	1.50
14	b	817	CLA	CMC-C2C	-2.52	1.45	1.50
14	F	205	CLA	CMB-C2B	-2.52	1.46	1.51
14	A	812	CLA	C3B-C2B	-2.52	1.36	1.40
14	2	817	CLA	CMC-C2C	-2.52	1.45	1.50
14	7	1102	CLA	CMB-C2B	-2.52	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	828	CLA	CMC-C2C	-2.52	1.45	1.50
14	2	840	CLA	CMD-C2D	-2.51	1.45	1.50
14	b	821	CLA	C3B-C2B	-2.51	1.36	1.40
14	b	824	CLA	CMD-C2D	-2.51	1.45	1.50
14	J	101	CLA	CMB-C2B	-2.51	1.46	1.51
14	7	1103	CLA	CMB-C2B	-2.51	1.46	1.51
14	1	821	CLA	CMB-C2B	-2.51	1.46	1.51
14	A	843	CLA	CHC-C1C	2.51	1.41	1.35
13	a	803	CL0	C1D-ND	2.51	1.40	1.37
14	b	805	CLA	MG-ND	-2.51	2.00	2.05
14	1	843	CLA	CHC-C1C	2.51	1.41	1.35
14	A	822	CLA	CMB-C2B	-2.51	1.46	1.51
14	a	837	CLA	C3B-C2B	-2.51	1.36	1.40
14	A	823	CLA	CMC-C2C	-2.51	1.45	1.50
14	b	805	CLA	C1D-ND	2.50	1.40	1.37
14	K	4004	CLA	CMB-C2B	-2.50	1.46	1.51
13	a	803	CL0	CMD-C2D	-2.50	1.45	1.50
12	a	802	LHG	O7-C5	-2.50	1.40	1.46
14	B	819	CLA	CMB-C2B	-2.50	1.46	1.51
14	1	823	CLA	CMB-C2B	-2.50	1.46	1.51
14	a	825	CLA	CMB-C2B	-2.50	1.46	1.51
14	1	843	CLA	CMD-C2D	-2.50	1.45	1.50
14	a	843	CLA	CHC-C1C	2.50	1.41	1.35
13	1	803	CL0	C1D-ND	2.50	1.40	1.37
14	A	807	CLA	CMD-C2D	-2.50	1.45	1.50
14	a	842	CLA	CMC-C2C	-2.50	1.45	1.50
14	B	822	CLA	C3B-C2B	-2.49	1.36	1.40
14	A	836	CLA	C3B-C2B	-2.49	1.36	1.40
14	A	843	CLA	CMD-C2D	-2.49	1.45	1.50
14	B	825	CLA	CMD-C2D	-2.49	1.45	1.50
14	A	807	CLA	CMC-C2C	-2.49	1.45	1.50
14	2	843	CLA	CHC-C1C	2.49	1.41	1.35
14	j	102	CLA	CMB-C2B	-2.49	1.46	1.51
14	a	854	CLA	CMB-C2B	-2.49	1.46	1.51
13	1	803	CL0	CMD-C2D	-2.49	1.45	1.50
14	a	823	CLA	CMB-C2B	-2.49	1.46	1.51
14	b	843	CLA	CHC-C1C	2.49	1.41	1.35
14	B	818	CLA	CMC-C2C	-2.49	1.45	1.50
14	a	843	CLA	CMD-C2D	-2.49	1.45	1.50
14	a	824	CLA	CMC-C2C	-2.49	1.45	1.50
14	1	835	CLA	C3B-C2B	-2.48	1.36	1.40
14	b	818	CLA	CMB-C2B	-2.48	1.46	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	8	4003	CLA	CMB-C2B	-2.48	1.46	1.51
14	1	811	CLA	C3B-C2B	-2.48	1.36	1.40
14	2	801	CLA	C1D-ND	2.48	1.40	1.37
14	2	809	CLA	CMD-C2D	-2.48	1.45	1.50
14	K	4003	CLA	CMB-C2B	-2.48	1.46	1.51
14	1	822	CLA	CMC-C2C	-2.48	1.45	1.50
14	a	813	CLA	C3B-C2B	-2.48	1.36	1.40
14	B	844	CLA	CHC-C1C	2.48	1.41	1.35
14	a	808	CLA	CMD-C2D	-2.48	1.45	1.50
14	6	4404	CLA	CMB-C2B	-2.48	1.46	1.51
14	A	842	CLA	CMC-C2C	-2.48	1.45	1.50
13	A	803	CL0	CMD-C2D	-2.47	1.45	1.50
17	A	849	BCR	C33-C5	-2.47	1.46	1.50
17	b	853	BCR	C33-C5	-2.47	1.46	1.50
14	1	838	CLA	C3B-C2B	-2.47	1.36	1.40
14	8	4004	CLA	CMB-C2B	-2.47	1.46	1.51
14	B	805	CLA	C1D-ND	2.47	1.40	1.37
14	2	818	CLA	CMB-C2B	-2.47	1.46	1.51
14	2	821	CLA	C3B-C2B	-2.47	1.36	1.40
14	1	806	CLA	CMC-C2C	-2.47	1.45	1.50
17	6	4406	BCR	C33-C5	-2.47	1.46	1.50
14	B	805	CLA	MG-ND	-2.46	2.00	2.05
14	2	804	CLA	MG-ND	-2.46	2.00	2.05
14	1	842	CLA	CMC-C2C	-2.46	1.45	1.50
14	k	4003	CLA	CMB-C2B	-2.46	1.46	1.51
14	B	806	CLA	CMD-C2D	-2.46	1.45	1.50
14	1	831	CLA	CMD-C2D	-2.46	1.45	1.50
14	a	808	CLA	CMC-C2C	-2.46	1.45	1.50
14	B	806	CLA	C1D-ND	2.46	1.40	1.37
17	a	849	BCR	C33-C5	-2.45	1.46	1.50
14	2	819	CLA	C3B-C2B	-2.45	1.37	1.40
14	b	806	CLA	C1D-ND	2.45	1.40	1.37
14	L	1502	CLA	C3B-C2B	-2.45	1.37	1.40
14	A	832	CLA	CMD-C2D	-2.45	1.45	1.50
14	a	816	CLA	CMC-C2C	-2.45	1.45	1.50
14	0	207	CLA	C3B-C2B	-2.45	1.37	1.40
14	2	834	CLA	C3B-C2B	-2.45	1.37	1.40
12	A	802	LHG	O7-C5	-2.45	1.40	1.46
12	1	802	LHG	O7-C5	-2.45	1.40	1.46
14	2	805	CLA	C1D-ND	2.45	1.40	1.37
17	B	854	BCR	C33-C5	-2.44	1.46	1.50
19	i	4101	LMT	O2B-C2B	-2.44	1.37	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	l	4205	CLA	C3B-C2B	-2.44	1.37	1.40
14	2	803	CLA	CMD-C2D	-2.44	1.45	1.50
14	B	804	CLA	CMD-C2D	-2.44	1.45	1.50
14	b	804	CLA	CMD-C2D	-2.44	1.45	1.50
14	b	835	CLA	CMD-C2D	-2.44	1.45	1.50
14	1	834	CLA	CMC-C2C	-2.44	1.45	1.50
14	b	806	CLA	CMD-C2D	-2.44	1.45	1.50
14	B	801	CLA	C1D-ND	2.44	1.40	1.37
14	2	808	CLA	CMC-C2C	-2.44	1.45	1.50
14	a	836	CLA	CMC-C2C	-2.44	1.45	1.50
19	I	103	LMT	O3B-C3B	-2.44	1.37	1.43
14	1	804	CLA	CMC-C2C	-2.44	1.45	1.50
14	B	809	CLA	CMC-C2C	-2.43	1.45	1.50
14	A	810	CLA	CMC-C2C	-2.43	1.45	1.50
14	A	815	CLA	CMC-C2C	-2.43	1.45	1.50
19	h	103	LMT	O3B-C3B	-2.43	1.37	1.43
14	A	835	CLA	CMC-C2C	-2.43	1.45	1.50
14	2	810	CLA	C3B-C2B	-2.43	1.37	1.40
19	I	103	LMT	O2B-C2B	-2.43	1.37	1.43
14	2	804	CLA	C1D-ND	2.43	1.40	1.37
14	B	810	CLA	CMD-C2D	-2.43	1.45	1.50
14	2	805	CLA	CMD-C2D	-2.43	1.45	1.50
19	i	4101	LMT	O2'-C2'	-2.43	1.37	1.43
14	b	834	CLA	C3B-C2B	-2.43	1.37	1.40
14	B	812	CLA	CMD-C2D	-2.43	1.45	1.50
14	1	837	CLA	C3B-CAB	-2.43	1.43	1.47
14	B	837	CLA	CMD-C2D	-2.43	1.45	1.50
14	a	842	CLA	CMD-C2D	-2.43	1.45	1.50
14	1	809	CLA	CMC-C2C	-2.43	1.45	1.50
14	A	844	CLA	CMC-C2C	-2.43	1.45	1.50
14	b	810	CLA	CMD-C2D	-2.42	1.45	1.50
14	B	814	CLA	C3B-C2B	-2.42	1.37	1.40
14	b	809	CLA	CMC-C2C	-2.42	1.45	1.50
19	h	103	LMT	O2'-C2'	-2.42	1.37	1.43
14	b	811	CLA	C3B-C2B	-2.42	1.37	1.40
14	1	809	CLA	CMD-C2D	-2.42	1.45	1.50
14	l	4203	CLA	CMC-C2C	-2.42	1.45	1.50
14	b	805	CLA	CMC-C2C	-2.42	1.45	1.50
14	a	811	CLA	CMC-C2C	-2.42	1.45	1.50
14	2	803	CLA	CMC-C2C	-2.42	1.45	1.50
14	2	835	CLA	CMD-C2D	-2.42	1.45	1.50
14	2	836	CLA	CMD-C2D	-2.42	1.45	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	I	103	LMT	O2'-C2'	-2.42	1.37	1.43
14	B	820	CLA	C3B-CAB	-2.42	1.43	1.47
14	a	833	CLA	CMD-C2D	-2.41	1.45	1.50
14	b	804	CLA	CMC-C2C	-2.41	1.45	1.50
19	h	103	LMT	O2B-C2B	-2.41	1.37	1.43
14	B	820	CLA	C3B-C2B	-2.41	1.37	1.40
14	b	819	CLA	C3B-C2B	-2.41	1.37	1.40
17	1	849	BCR	C33-C5	-2.41	1.47	1.50
14	b	808	CLA	CMD-C2D	-2.41	1.45	1.50
14	B	805	CLA	CMC-C2C	-2.41	1.45	1.50
14	2	819	CLA	C3B-CAB	-2.41	1.43	1.47
14	a	839	CLA	C3B-CAB	-2.41	1.43	1.47
14	A	810	CLA	CMD-C2D	-2.41	1.45	1.50
14	B	836	CLA	CMD-C2D	-2.41	1.45	1.50
14	2	815	CLA	CMC-C2C	-2.41	1.45	1.50
14	A	842	CLA	CMD-C2D	-2.41	1.45	1.50
14	B	804	CLA	CMC-C2C	-2.41	1.45	1.50
14	b	836	CLA	CMD-C2D	-2.41	1.45	1.50
19	i	4101	LMT	O3B-C3B	-2.40	1.37	1.43
14	2	812	CLA	CMC-C2C	-2.40	1.45	1.50
14	b	831	CLA	MG-ND	-2.40	2.01	2.05
14	B	811	CLA	C3B-C2B	-2.40	1.37	1.40
14	a	839	CLA	CMD-C2D	-2.40	1.45	1.50
14	A	834	CLA	CMD-C2D	-2.40	1.45	1.50
14	1	822	CLA	CMD-C2D	-2.40	1.45	1.50
14	A	838	CLA	C3B-CAB	-2.40	1.43	1.47
14	B	828	CLA	CMD-C2D	-2.40	1.45	1.50
19	f	202	LMT	O1'-C1'	-2.40	1.36	1.40
14	2	803	CLA	MG-ND	-2.40	2.01	2.05
14	a	811	CLA	CMD-C2D	-2.40	1.45	1.50
14	b	843	CLA	CMD-C2D	-2.40	1.45	1.50
14	b	815	CLA	CMC-C2C	-2.40	1.45	1.50
14	1	814	CLA	CMC-C2C	-2.40	1.45	1.50
14	2	825	CLA	CMC-C2C	-2.40	1.45	1.50
14	B	836	CLA	CMC-C2C	-2.40	1.45	1.50
14	b	831	CLA	CMC-C2C	-2.39	1.45	1.50
14	a	804	CLA	C1D-ND	2.39	1.40	1.37
14	b	819	CLA	C3B-CAB	-2.39	1.43	1.47
14	B	820	CLA	CMC-C2C	-2.39	1.45	1.50
14	B	835	CLA	C3B-C2B	-2.39	1.37	1.40
14	a	840	CLA	C3B-C2B	-2.39	1.37	1.40
14	b	839	CLA	CMD-C2D	-2.39	1.45	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	811	CLA	CMD-C2D	-2.39	1.45	1.50
14	A	839	CLA	C3B-C2B	-2.39	1.37	1.40
14	A	804	CLA	CMC-C2C	-2.39	1.45	1.50
14	2	829	CLA	CMD-C2D	-2.39	1.45	1.50
14	a	833	CLA	CMC-C2C	-2.39	1.45	1.50
14	b	812	CLA	CMD-C2D	-2.39	1.45	1.50
14	2	843	CLA	CMD-C2D	-2.39	1.45	1.50
14	a	815	CLA	CMD-C2D	-2.39	1.45	1.50
14	a	821	CLA	CMD-C2D	-2.39	1.45	1.50
14	A	838	CLA	CMD-C2D	-2.39	1.45	1.50
14	a	824	CLA	CMD-C2D	-2.39	1.45	1.50
14	a	805	CLA	CMC-C2C	-2.39	1.45	1.50
14	2	804	CLA	CMC-C2C	-2.39	1.45	1.50
14	2	831	CLA	CMC-C2C	-2.39	1.45	1.50
14	1	818	CLA	CMC-C2C	-2.38	1.45	1.50
14	2	839	CLA	CMD-C2D	-2.38	1.45	1.50
14	b	812	CLA	CMC-C2C	-2.38	1.45	1.50
14	2	837	CLA	CMD-C2D	-2.38	1.45	1.50
14	B	830	CLA	CMD-C2D	-2.38	1.45	1.50
14	b	819	CLA	CMC-C2C	-2.38	1.45	1.50
14	A	814	CLA	CMD-C2D	-2.38	1.45	1.50
14	a	835	CLA	CMD-C2D	-2.38	1.45	1.50
14	2	827	CLA	CMD-C2D	-2.38	1.45	1.50
14	A	832	CLA	CMC-C2C	-2.38	1.45	1.50
14	b	827	CLA	CMD-C2D	-2.38	1.45	1.50
14	2	819	CLA	CMC-C2C	-2.38	1.45	1.50
14	A	826	CLA	CMC-C2C	-2.38	1.45	1.50
14	A	836	CLA	CMD-C2D	-2.38	1.45	1.50
14	B	816	CLA	CMC-C2C	-2.38	1.45	1.50
14	b	835	CLA	CMC-C2C	-2.38	1.45	1.50
14	B	844	CLA	CMD-C2D	-2.38	1.45	1.50
14	b	829	CLA	CMD-C2D	-2.38	1.45	1.50
14	2	809	CLA	C3B-CAB	-2.38	1.43	1.47
14	A	804	CLA	CMD-C2D	-2.37	1.45	1.50
14	a	844	CLA	CMC-C2C	-2.37	1.45	1.50
14	1	844	CLA	CMC-C2C	-2.37	1.45	1.50
14	B	832	CLA	MG-ND	-2.37	2.01	2.05
14	A	829	CLA	CMD-C2D	-2.37	1.45	1.50
14	1	806	CLA	C3B-C2B	-2.37	1.37	1.40
14	A	833	CLA	C1D-ND	2.37	1.40	1.37
14	1	813	CLA	CMD-C2D	-2.37	1.45	1.50
14	b	825	CLA	CMC-C2C	-2.37	1.45	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	1	832	CLA	C1D-ND	2.37	1.40	1.37
14	1	833	CLA	CMD-C2D	-2.37	1.45	1.50
14	1	842	CLA	CMD-C2D	-2.37	1.45	1.50
14	a	821	CLA	C3B-CAB	-2.37	1.43	1.47
17	B	851	BCR	C38-C26	-2.37	1.47	1.50
14	A	820	CLA	CMD-C2D	-2.37	1.45	1.50
14	2	835	CLA	CMC-C2C	-2.37	1.45	1.50
14	B	808	CLA	CMD-C2D	-2.37	1.45	1.50
14	B	832	CLA	CMC-C2C	-2.37	1.45	1.50
14	a	837	CLA	CMD-C2D	-2.37	1.45	1.50
14	1	837	CLA	CMD-C2D	-2.36	1.45	1.50
14	B	813	CLA	CMC-C2C	-2.36	1.45	1.50
14	a	830	CLA	CMD-C2D	-2.36	1.45	1.50
14	A	823	CLA	CMD-C2D	-2.36	1.45	1.50
14	B	826	CLA	CMC-C2C	-2.36	1.45	1.50
14	B	838	CLA	CMD-C2D	-2.36	1.45	1.50
14	2	807	CLA	CMC-C2C	-2.36	1.45	1.50
17	b	850	BCR	C38-C26	-2.36	1.47	1.50
14	B	812	CLA	CMC-C2C	-2.36	1.45	1.50
14	A	819	CLA	CMD-C2D	-2.36	1.45	1.50
14	B	840	CLA	CMD-C2D	-2.36	1.45	1.50
14	B	810	CLA	C3B-C2B	-2.36	1.37	1.40
14	a	820	CLA	CMC-C2C	-2.36	1.45	1.50
14	a	841	CLA	CMD-C2D	-2.36	1.45	1.50
14	b	804	CLA	MG-ND	-2.36	2.01	2.05
14	2	831	CLA	MG-ND	-2.36	2.01	2.05
14	1	820	CLA	CMD-C2D	-2.36	1.45	1.50
14	a	827	CLA	CMC-C2C	-2.35	1.45	1.50
14	2	807	CLA	CMD-C2D	-2.35	1.45	1.50
14	a	820	CLA	CMD-C2D	-2.35	1.45	1.50
14	2	805	CLA	C3B-CAB	-2.35	1.43	1.47
14	1	821	CLA	CMD-C2D	-2.35	1.45	1.50
14	a	823	CLA	CMD-C2D	-2.35	1.45	1.50
14	1	828	CLA	CMD-C2D	-2.35	1.45	1.50
14	A	841	CLA	CMD-C2D	-2.35	1.45	1.50
14	1	804	CLA	CMD-C2D	-2.35	1.45	1.50
14	1	831	CLA	CMC-C2C	-2.35	1.45	1.50
14	b	837	CLA	CMD-C2D	-2.35	1.45	1.50
14	2	811	CLA	CMC-C2C	-2.35	1.45	1.50
14	a	829	CLA	CMD-C2D	-2.35	1.45	1.50
14	1	825	CLA	CMC-C2C	-2.35	1.45	1.50
14	B	809	CLA	CMD-C2D	-2.35	1.45	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	A	852	LMG	O7-C8	-2.35	1.40	1.46
14	B	827	CLA	MG-ND	-2.35	2.01	2.05
14	a	831	CLA	CMD-C2D	-2.35	1.45	1.50
14	B	810	CLA	C3B-CAB	-2.35	1.43	1.47
14	1	819	CLA	C3B-CAB	-2.35	1.43	1.47
14	b	828	CLA	CMD-C2D	-2.35	1.45	1.50
14	A	830	CLA	CMD-C2D	-2.34	1.45	1.50
14	0	208	CLA	CMD-C2D	-2.34	1.45	1.50
14	1	840	CLA	CMD-C2D	-2.34	1.45	1.50
14	a	817	CLA	CMC-C2C	-2.34	1.45	1.50
14	B	809	CLA	C3B-C2B	-2.34	1.37	1.40
14	1	839	CLA	CMD-C2D	-2.34	1.45	1.50
14	2	828	CLA	CMD-C2D	-2.34	1.45	1.50
14	b	810	CLA	C3B-CAB	-2.34	1.43	1.47
14	1	818	CLA	CMD-C2D	-2.34	1.45	1.50
14	1	827	CLA	CMD-C2D	-2.34	1.45	1.50
14	A	819	CLA	CMC-C2C	-2.34	1.45	1.50
14	A	821	CLA	CMD-C2D	-2.34	1.45	1.50
14	1	819	CLA	CMD-C2D	-2.34	1.45	1.50
14	A	828	CLA	CMD-C2D	-2.34	1.45	1.50
14	b	810	CLA	C3B-C2B	-2.34	1.37	1.40
14	a	808	CLA	C3B-C2B	-2.33	1.37	1.40
14	2	813	CLA	C3B-C2B	-2.33	1.37	1.40
14	1	835	CLA	CMD-C2D	-2.33	1.45	1.50
14	b	809	CLA	C3B-C2B	-2.33	1.37	1.40
14	a	833	CLA	MG-ND	-2.33	2.01	2.05
14	a	822	CLA	CMD-C2D	-2.33	1.45	1.50
17	2	850	BCR	C38-C26	-2.33	1.47	1.50
19	F	202	LMT	O1'-C1'	-2.33	1.36	1.40
18	a	852	LMG	O7-C8	-2.33	1.40	1.46
14	b	806	CLA	C3B-CAB	-2.33	1.43	1.47
14	A	840	CLA	CMD-C2D	-2.33	1.45	1.50
14	B	808	CLA	CMC-C2C	-2.33	1.45	1.50
14	a	807	CLA	CMC-C2C	-2.33	1.45	1.50
14	A	816	CLA	CMC-C2C	-2.33	1.45	1.50
14	b	809	CLA	CMD-C2D	-2.33	1.45	1.50
14	F	204	CLA	CMD-C2D	-2.33	1.45	1.50
18	0	203	LMG	O7-C8	-2.33	1.40	1.46
14	2	808	CLA	C3B-C2B	-2.33	1.37	1.40
14	1	825	CLA	C3B-CAB	-2.33	1.43	1.47
14	1	829	CLA	CMD-C2D	-2.32	1.45	1.50
14	B	843	CLA	C3B-CAB	-2.32	1.43	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	A	813	CLA	CMC-C2C	-2.32	1.45	1.50
19	6	4401	LMT	O1'-C1'	-2.32	1.36	1.40
14	1	815	CLA	CMD-C2D	-2.32	1.45	1.50
14	A	832	CLA	MG-ND	-2.32	2.01	2.05
14	2	832	CLA	CMD-C2D	-2.32	1.45	1.50
14	A	835	CLA	CMD-C2D	-2.32	1.45	1.50
14	L	1503	CLA	CMD-C2D	-2.32	1.45	1.50
14	1	805	CLA	CMC-C2C	-2.32	1.45	1.50
14	A	807	CLA	C3B-C2B	-2.32	1.37	1.40
14	a	831	CLA	CMC-C2C	-2.32	1.45	1.50
14	a	805	CLA	CMD-C2D	-2.32	1.45	1.50
14	b	813	CLA	C3B-C2B	-2.32	1.37	1.40
14	A	820	CLA	C3B-CAB	-2.32	1.43	1.47
14	2	842	CLA	C3B-CAB	-2.32	1.43	1.47
14	B	804	CLA	MG-ND	-2.32	2.01	2.05
14	b	802	CLA	CMD-C2D	-2.32	1.45	1.50
14	A	816	CLA	CMD-C2D	-2.32	1.45	1.50
14	B	829	CLA	CMD-C2D	-2.32	1.45	1.50
14	a	834	CLA	C1D-ND	2.32	1.40	1.37
14	B	833	CLA	CMD-C2D	-2.31	1.45	1.50
14	a	825	CLA	CMD-C2D	-2.31	1.45	1.50
14	a	827	CLA	CMD-C2D	-2.31	1.45	1.50
14	2	826	CLA	MG-ND	-2.31	2.01	2.05
14	a	827	CLA	C3B-CAB	-2.31	1.43	1.47
14	1	819	CLA	MG-ND	-2.31	2.01	2.05
18	B	803	LMG	O7-C8	-2.31	1.40	1.46
14	1	829	CLA	CMC-C2C	-2.31	1.45	1.50
14	2	808	CLA	CMD-C2D	-2.31	1.45	1.50
14	A	826	CLA	C3B-CAB	-2.31	1.43	1.47
14	a	810	CLA	C3B-CAB	-2.31	1.43	1.47
14	a	821	CLA	MG-ND	-2.31	2.01	2.05
14	1	812	CLA	CMC-C2C	-2.30	1.45	1.50
18	b	803	LMG	O7-C8	-2.30	1.40	1.46
14	1	815	CLA	CMC-C2C	-2.30	1.45	1.50
14	b	808	CLA	CMC-C2C	-2.30	1.45	1.50
14	1	4206	CLA	CMD-C2D	-2.30	1.45	1.50
14	2	809	CLA	C3B-C2B	-2.30	1.37	1.40
14	A	822	CLA	CMD-C2D	-2.30	1.45	1.50
14	1	838	CLA	CMD-C2D	-2.30	1.45	1.50
14	a	809	CLA	CMD-C2D	-2.30	1.45	1.50
14	b	832	CLA	CMD-C2D	-2.30	1.45	1.50
14	1	831	CLA	MG-ND	-2.30	2.01	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	806	CLA	C3B-CAB	-2.30	1.43	1.47
19	F	202	LMT	O3B-C3B	-2.30	1.37	1.43
14	b	807	CLA	CMD-C2D	-2.30	1.45	1.50
14	b	821	CLA	CMC-C2C	-2.30	1.45	1.50
14	b	821	CLA	CMD-C2D	-2.30	1.45	1.50
14	A	824	CLA	CMD-C2D	-2.30	1.45	1.50
14	b	827	CLA	CMC-C2C	-2.30	1.45	1.50
14	b	842	CLA	C3B-CAB	-2.30	1.43	1.47
14	B	841	CLA	C3B-C2B	-2.30	1.37	1.40
14	A	806	CLA	CMC-C2C	-2.30	1.45	1.50
14	B	828	CLA	CMC-C2C	-2.30	1.45	1.50
14	B	822	CLA	CMD-C2D	-2.29	1.45	1.50
14	b	815	CLA	CMD-C2D	-2.29	1.45	1.50
14	2	812	CLA	CMD-C2D	-2.29	1.45	1.50
14	7	1101	CLA	CMC-C2C	-2.29	1.45	1.50
14	1	810	CLA	MG-ND	-2.29	2.01	2.05
14	1	4204	CLA	CMD-C2D	-2.29	1.45	1.50
14	A	809	CLA	C3B-CAB	-2.29	1.43	1.47
14	1	808	CLA	C3B-CAB	-2.29	1.43	1.47
14	A	841	CLA	C3B-CAB	-2.29	1.43	1.47
14	b	813	CLA	C3B-CAB	-2.29	1.43	1.47
14	A	808	CLA	CMC-C2C	-2.29	1.45	1.50
14	1	825	CLA	CMD-C2D	-2.29	1.45	1.50
14	A	807	CLA	C3B-CAB	-2.29	1.43	1.47
14	a	814	CLA	CMC-C2C	-2.29	1.45	1.50
19	f	202	LMT	O3B-C3B	-2.29	1.37	1.43
14	f	204	CLA	CMD-C2D	-2.29	1.45	1.50
14	A	820	CLA	MG-ND	-2.29	2.01	2.05
14	a	817	CLA	CMD-C2D	-2.29	1.45	1.50
14	2	827	CLA	CMC-C2C	-2.29	1.45	1.50
14	2	841	CLA	CMD-C2D	-2.29	1.45	1.50
14	B	842	CLA	CMD-C2D	-2.29	1.46	1.50
14	a	810	CLA	CMD-C2D	-2.29	1.46	1.50
14	2	806	CLA	CMD-C2D	-2.29	1.46	1.50
14	L	1501	CLA	CMD-C2D	-2.29	1.46	1.50
14	A	830	CLA	CMC-C2C	-2.29	1.46	1.50
14	1	840	CLA	C3B-CAB	-2.29	1.43	1.47
14	B	840	CLA	MG-ND	-2.29	2.01	2.05
14	B	807	CLA	CMD-C2D	-2.28	1.46	1.50
14	1	832	CLA	C3B-CAB	-2.28	1.43	1.47
14	1	807	CLA	CMC-C2C	-2.28	1.46	1.50
14	a	805	CLA	MG-ND	-2.28	2.01	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	1	823	CLA	CMD-C2D	-2.28	1.46	1.50
19	6	4401	LMT	O3B-C3B	-2.28	1.37	1.43
14	B	822	CLA	CMC-C2C	-2.28	1.46	1.50
14	1	839	CLA	C3B-C2B	-2.28	1.37	1.40
14	A	826	CLA	CMD-C2D	-2.28	1.46	1.50
14	1	807	CLA	CMD-C2D	-2.28	1.46	1.50
14	B	841	CLA	CMC-C2C	-2.28	1.46	1.50
18	2	802	LMG	O7-C8	-2.28	1.40	1.46
14	a	840	CLA	CMD-C2D	-2.28	1.46	1.50
14	b	839	CLA	MG-ND	-2.28	2.01	2.05
14	a	834	CLA	C3B-CAB	-2.28	1.43	1.47
14	B	827	CLA	CMC-C2C	-2.28	1.46	1.50
14	b	816	CLA	CMD-C2D	-2.28	1.46	1.50
14	A	833	CLA	MG-ND	-2.28	2.01	2.05
14	2	821	CLA	CMC-C2C	-2.28	1.46	1.50
14	l	4205	CLA	CMD-C2D	-2.28	1.46	1.50
14	2	839	CLA	MG-ND	-2.28	2.01	2.05
14	B	813	CLA	C3B-C2B	-2.28	1.37	1.40
14	2	842	CLA	CMC-C2C	-2.27	1.46	1.50
14	A	811	CLA	MG-ND	-2.27	2.01	2.05
14	A	808	CLA	CMD-C2D	-2.27	1.46	1.50
14	a	815	CLA	C3B-C2B	-2.27	1.37	1.40
14	0	207	CLA	CMD-C2D	-2.27	1.46	1.50
14	A	833	CLA	C3B-CAB	-2.27	1.43	1.47
14	a	841	CLA	C3B-C2B	-2.27	1.37	1.40
14	1	829	CLA	C3B-CAB	-2.27	1.43	1.47
14	A	839	CLA	CMD-C2D	-2.27	1.46	1.50
19	i	4101	LMT	O4'-C4B	-2.27	1.37	1.43
14	2	821	CLA	CMD-C2D	-2.27	1.46	1.50
14	B	816	CLA	CMD-C2D	-2.27	1.46	1.50
14	1	804	CLA	MG-ND	-2.27	2.01	2.05
14	L	1502	CLA	CMD-C2D	-2.27	1.46	1.50
14	0	202	CLA	CMD-C2D	-2.27	1.46	1.50
14	2	801	CLA	MG-ND	-2.27	2.01	2.05
14	b	801	CLA	CMD-C2D	-2.27	1.46	1.50
14	b	820	CLA	CMD-C2D	-2.27	1.46	1.50
14	6	4403	CLA	CMD-C2D	-2.27	1.46	1.50
14	a	809	CLA	CMC-C2C	-2.27	1.46	1.50
14	l	4205	CLA	C3B-CAB	-2.27	1.43	1.47
14	B	821	CLA	CMC-C2C	-2.27	1.46	1.50
14	a	836	CLA	CMD-C2D	-2.26	1.46	1.50
14	b	826	CLA	MG-ND	-2.26	2.01	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	b	841	CLA	MG-ND	-2.26	2.01	2.05
14	A	809	CLA	CMD-C2D	-2.26	1.46	1.50
14	B	817	CLA	CMD-C2D	-2.26	1.46	1.50
14	1	834	CLA	CMD-C2D	-2.26	1.46	1.50
14	1	806	CLA	C3B-CAB	-2.26	1.43	1.47
14	B	842	CLA	MG-ND	-2.26	2.01	2.05
14	a	840	CLA	CMC-C2C	-2.26	1.46	1.50
14	b	841	CLA	CMD-C2D	-2.26	1.46	1.50
14	B	813	CLA	CMD-C2D	-2.26	1.46	1.50
12	a	801	LHG	O7-C5	-2.26	1.40	1.46
14	a	831	CLA	C3B-CAB	-2.26	1.43	1.47
14	2	840	CLA	C3B-C2B	-2.26	1.37	1.40
14	0	207	CLA	C3B-CAB	-2.26	1.43	1.47
14	A	839	CLA	CMC-C2C	-2.26	1.46	1.50
14	B	802	CLA	CMD-C2D	-2.26	1.46	1.50
14	b	840	CLA	CMC-C2C	-2.26	1.46	1.50
14	2	820	CLA	CMD-C2D	-2.26	1.46	1.50
14	b	807	CLA	CMC-C2C	-2.26	1.46	1.50
14	2	840	CLA	CMC-C2C	-2.26	1.46	1.50
14	b	826	CLA	CMC-C2C	-2.26	1.46	1.50
14	2	826	CLA	CMC-C2C	-2.26	1.46	1.50
14	a	833	CLA	C3B-CAB	-2.26	1.43	1.47
14	a	806	CLA	CMC-C2C	-2.26	1.46	1.50
14	b	820	CLA	CMC-C2C	-2.26	1.46	1.50
14	A	832	CLA	C3B-CAB	-2.26	1.43	1.47
14	a	834	CLA	MG-ND	-2.26	2.01	2.05
14	2	820	CLA	CMC-C2C	-2.26	1.46	1.50
14	B	821	CLA	CMD-C2D	-2.26	1.46	1.50
14	1	840	CLA	CMC-C2C	-2.26	1.46	1.50
14	A	830	CLA	C3B-CAB	-2.25	1.43	1.47
14	B	807	CLA	CMC-C2C	-2.25	1.46	1.50
14	1	820	CLA	CMC-C2C	-2.25	1.46	1.50
14	B	838	CLA	C3B-C2B	-2.25	1.37	1.40
14	1	4203	CLA	CMD-C2D	-2.25	1.46	1.50
14	2	810	CLA	C3B-CAB	-2.25	1.43	1.47
14	1	808	CLA	CMD-C2D	-2.25	1.46	1.50
14	1	4203	CLA	C3B-C2B	-2.25	1.37	1.40
14	b	802	CLA	CMC-C2C	-2.25	1.46	1.50
14	a	808	CLA	C3B-CAB	-2.25	1.43	1.47
14	b	842	CLA	C3B-C2B	-2.25	1.37	1.40
14	1	827	CLA	CMC-C2C	-2.25	1.46	1.50
14	a	832	CLA	MG-ND	-2.25	2.01	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	813	CLA	C3B-CAB	-2.25	1.43	1.47
12	1	801	LHG	O7-C5	-2.25	1.41	1.46
14	a	829	CLA	CMC-C2C	-2.25	1.46	1.50
14	1	832	CLA	MG-ND	-2.25	2.01	2.05
14	A	820	CLA	C3B-C2B	-2.25	1.37	1.40
14	b	840	CLA	C3B-C2B	-2.25	1.37	1.40
14	1	812	CLA	CMD-C2D	-2.25	1.46	1.50
14	b	809	CLA	C3B-CAB	-2.25	1.43	1.47
14	2	837	CLA	C3B-C2B	-2.25	1.37	1.40
14	2	814	CLA	CMD-C2D	-2.25	1.46	1.50
14	b	814	CLA	CMD-C2D	-2.25	1.46	1.50
14	a	812	CLA	MG-ND	-2.25	2.01	2.05
14	1	830	CLA	MG-ND	-2.25	2.01	2.05
14	B	809	CLA	C3B-CAB	-2.25	1.43	1.47
14	2	815	CLA	CMD-C2D	-2.24	1.46	1.50
14	2	812	CLA	C3B-C2B	-2.24	1.37	1.40
14	A	828	CLA	CMC-C2C	-2.24	1.46	1.50
14	b	842	CLA	CMC-C2C	-2.24	1.46	1.50
14	A	831	CLA	MG-ND	-2.24	2.01	2.05
14	0	206	CLA	CMD-C2D	-2.24	1.46	1.50
14	a	804	CLA	MG-ND	-2.24	2.01	2.05
14	b	802	CLA	C3B-CAB	-2.24	1.43	1.47
14	b	819	CLA	CMD-C2D	-2.24	1.46	1.50
19	I	103	LMT	O4'-C4B	-2.24	1.37	1.43
14	a	823	CLA	CMC-C2C	-2.24	1.46	1.50
14	A	805	CLA	CMC-C2C	-2.24	1.46	1.50
14	B	843	CLA	CMC-C2C	-2.24	1.46	1.50
14	1	813	CLA	C3B-C2B	-2.24	1.37	1.40
14	2	822	CLA	CMD-C2D	-2.24	1.46	1.50
14	L	1502	CLA	C3B-CAB	-2.24	1.43	1.47
14	1	831	CLA	C3B-CAB	-2.24	1.43	1.47
14	B	806	CLA	MG-ND	-2.24	2.01	2.05
14	B	820	CLA	MG-ND	-2.24	2.01	2.05
14	A	806	CLA	CMD-C2D	-2.24	1.46	1.50
14	A	841	CLA	CMC-C2C	-2.24	1.46	1.50
14	A	813	CLA	CMD-C2D	-2.23	1.46	1.50
14	1	838	CLA	CMC-C2C	-2.23	1.46	1.50
14	b	811	CLA	C3B-CAB	-2.23	1.43	1.47
14	b	822	CLA	CMD-C2D	-2.23	1.46	1.50
19	h	103	LMT	O4'-C4B	-2.23	1.37	1.43
14	B	815	CLA	CMD-C2D	-2.23	1.46	1.50
13	A	803	CL0	MG-ND	-2.23	2.01	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	841	CLA	MG-ND	-2.23	2.01	2.05
14	b	837	CLA	C3B-C2B	-2.23	1.37	1.40
14	a	822	CLA	CMC-C2C	-2.23	1.46	1.50
14	2	806	CLA	CMC-C2C	-2.23	1.46	1.50
14	B	820	CLA	CMD-C2D	-2.23	1.46	1.50
14	2	839	CLA	CMC-C2C	-2.23	1.46	1.50
14	A	831	CLA	CMC-C2C	-2.22	1.46	1.50
14	a	807	CLA	CMD-C2D	-2.22	1.46	1.50
14	a	814	CLA	CMD-C2D	-2.22	1.46	1.50
14	b	839	CLA	CMC-C2C	-2.22	1.46	1.50
14	2	816	CLA	CMD-C2D	-2.22	1.46	1.50
14	B	801	CLA	MG-ND	-2.22	2.01	2.05
14	2	818	CLA	CMC-C2C	-2.22	1.46	1.50
14	K	4004	CLA	CMD-C2D	-2.22	1.46	1.50
14	A	821	CLA	CMC-C2C	-2.22	1.46	1.50
14	1	821	CLA	CMC-C2C	-2.22	1.46	1.50
14	B	814	CLA	C3B-CAB	-2.22	1.43	1.47
14	B	823	CLA	CMD-C2D	-2.21	1.46	1.50
14	a	821	CLA	C3B-C2B	-2.21	1.37	1.40
12	A	801	LHG	O7-C5	-2.21	1.41	1.46
14	A	812	CLA	C3B-CAB	-2.21	1.43	1.47
14	2	819	CLA	CMD-C2D	-2.21	1.46	1.50
14	8	4004	CLA	CMD-C2D	-2.21	1.46	1.50
14	B	818	CLA	CMD-C2D	-2.21	1.46	1.50
14	B	840	CLA	CMC-C2C	-2.21	1.46	1.50
14	a	818	CLA	CMC-C2C	-2.21	1.46	1.50
14	8	4004	CLA	C3B-C2B	-2.21	1.37	1.40
14	b	830	CLA	CMC-C2C	-2.21	1.46	1.50
14	1	811	CLA	C3B-CAB	-2.21	1.43	1.47
14	b	818	CLA	CMC-C2C	-2.21	1.46	1.50
14	1	820	CLA	MG-ND	-2.21	2.01	2.05
14	A	829	CLA	MG-ND	-2.21	2.01	2.05
14	B	835	CLA	CMD-C2D	-2.21	1.46	1.50
14	A	822	CLA	CMC-C2C	-2.21	1.46	1.50
14	B	819	CLA	CMC-C2C	-2.20	1.46	1.50
14	b	834	CLA	CMD-C2D	-2.20	1.46	1.50
14	6	4404	CLA	CMD-C2D	-2.20	1.46	1.50
14	a	813	CLA	C3B-CAB	-2.20	1.43	1.47
14	a	854	CLA	CMD-C2D	-2.20	1.46	1.50
14	B	843	CLA	C3B-C2B	-2.20	1.37	1.40
14	b	817	CLA	CMD-C2D	-2.20	1.46	1.50
14	A	840	CLA	C3B-C2B	-2.20	1.37	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	826	CLA	CMC-C2C	-2.20	1.46	1.50
14	1	819	CLA	CMC-C2C	-2.20	1.46	1.50
14	B	815	CLA	C3B-C2B	-2.20	1.37	1.40
14	b	828	CLA	C3B-C2B	-2.20	1.37	1.40
14	A	804	CLA	MG-ND	-2.20	2.01	2.05
14	b	819	CLA	MG-ND	-2.20	2.01	2.05
14	1	828	CLA	MG-ND	-2.20	2.01	2.05
14	2	819	CLA	MG-ND	-2.20	2.01	2.05
14	b	826	CLA	C3B-CAB	-2.20	1.43	1.47
14	2	816	CLA	CMC-C2C	-2.20	1.46	1.50
14	8	4002	CLA	C3B-C2B	-2.20	1.37	1.40
14	a	830	CLA	MG-ND	-2.20	2.01	2.05
14	a	832	CLA	CMC-C2C	-2.20	1.46	1.50
14	b	816	CLA	CMC-C2C	-2.20	1.46	1.50
14	b	841	CLA	CMC-C2C	-2.20	1.46	1.50
14	A	809	CLA	C3B-C2B	-2.20	1.37	1.40
14	1	824	CLA	CMC-C2C	-2.20	1.46	1.50
14	b	834	CLA	CMC-C2C	-2.20	1.46	1.50
14	2	832	CLA	CMC-C2C	-2.20	1.46	1.50
14	B	842	CLA	CMC-C2C	-2.20	1.46	1.50
14	1	808	CLA	C3B-C2B	-2.20	1.37	1.40
14	1	805	CLA	CMD-C2D	-2.19	1.46	1.50
14	2	817	CLA	CMD-C2D	-2.19	1.46	1.50
14	b	832	CLA	MG-ND	-2.19	2.01	2.05
14	1	819	CLA	C3B-C2B	-2.19	1.37	1.40
17	i	4103	BCR	C33-C5	-2.19	1.47	1.50
14	B	815	CLA	CMC-C2C	-2.19	1.46	1.50
17	I	102	BCR	C33-C5	-2.19	1.47	1.50
14	B	835	CLA	CMC-C2C	-2.19	1.46	1.50
14	2	842	CLA	C3B-C2B	-2.19	1.37	1.40
14	B	819	CLA	CMD-C2D	-2.19	1.46	1.50
14	b	802	CLA	C3B-C2B	-2.19	1.37	1.40
17	h	102	BCR	C33-C5	-2.19	1.47	1.50
14	K	4004	CLA	C3B-C2B	-2.19	1.37	1.40
14	2	815	CLA	C3B-C2B	-2.19	1.37	1.40
14	B	833	CLA	MG-ND	-2.19	2.01	2.05
14	f	205	CLA	CMD-C2D	-2.19	1.46	1.50
14	2	808	CLA	C3B-CAB	-2.19	1.43	1.47
14	2	818	CLA	CMD-C2D	-2.19	1.46	1.50
14	a	810	CLA	C3B-C2B	-2.19	1.37	1.40
14	F	201	CLA	CMC-C2C	-2.19	1.46	1.50
14	F	205	CLA	CMD-C2D	-2.19	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	1	809	CLA	C3B-CAB	-2.19	1.43	1.47
14	b	812	CLA	MG-ND	-2.19	2.01	2.05
14	1	813	CLA	CMC-C2C	-2.19	1.46	1.50
14	8	4002	CLA	CMC-C2C	-2.19	1.46	1.50
14	B	831	CLA	CMC-C2C	-2.19	1.46	1.50
14	L	1502	CLA	CMC-C2C	-2.19	1.46	1.50
14	1	832	CLA	CMC-C2C	-2.19	1.46	1.50
14	B	810	CLA	CMC-C2C	-2.19	1.46	1.50
14	a	839	CLA	CMC-C2C	-2.19	1.46	1.50
14	A	814	CLA	C3B-C2B	-2.19	1.37	1.40
14	B	829	CLA	C3B-C2B	-2.19	1.37	1.40
14	2	834	CLA	CMC-C2C	-2.19	1.46	1.50
14	f	201	CLA	CMC-C2C	-2.19	1.46	1.50
14	K	4002	CLA	C3B-C2B	-2.18	1.37	1.40
14	B	816	CLA	C3B-CAB	-2.18	1.43	1.47
14	1	816	CLA	CMC-C2C	-2.18	1.46	1.50
14	B	811	CLA	C3B-CAB	-2.18	1.43	1.47
14	a	835	CLA	MG-ND	-2.18	2.01	2.05
14	2	840	CLA	C3B-CAB	-2.18	1.43	1.47
14	A	820	CLA	CMC-C2C	-2.18	1.46	1.50
14	1	830	CLA	CMC-C2C	-2.18	1.46	1.50
14	2	834	CLA	CMD-C2D	-2.18	1.46	1.50
14	8	4002	CLA	CMD-C2D	-2.18	1.46	1.50
14	2	807	CLA	C3B-CAB	-2.18	1.43	1.47
14	2	843	CLA	CMC-C2C	-2.18	1.46	1.50
13	1	803	CL0	MG-ND	-2.18	2.01	2.05
14	2	841	CLA	CMC-C2C	-2.18	1.46	1.50
14	a	811	CLA	C3B-CAB	-2.18	1.43	1.47
14	1	836	CLA	CMD-C2D	-2.18	1.46	1.50
14	k	4002	CLA	CMD-C2D	-2.18	1.46	1.50
14	a	854	CLA	C3B-C2B	-2.18	1.37	1.40
14	B	832	CLA	C3B-CAB	-2.18	1.43	1.47
14	b	810	CLA	CMC-C2C	-2.18	1.46	1.50
13	a	803	CL0	MG-ND	-2.18	2.01	2.05
14	2	805	CLA	MG-ND	-2.18	2.01	2.05
14	B	808	CLA	C3B-CAB	-2.18	1.43	1.47
14	1	840	CLA	C3B-C2B	-2.18	1.37	1.40
19	6	4401	LMT	O2B-C2B	-2.18	1.37	1.43
14	K	4004	CLA	C3B-CAB	-2.18	1.43	1.47
14	a	806	CLA	C3B-C2B	-2.18	1.37	1.40
14	A	810	CLA	C3B-CAB	-2.18	1.43	1.47
14	B	827	CLA	C3B-CAB	-2.18	1.43	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	b	818	CLA	CMD-C2D	-2.18	1.46	1.50
14	b	814	CLA	CMC-C2C	-2.18	1.46	1.50
14	b	832	CLA	CMC-C2C	-2.18	1.46	1.50
14	2	828	CLA	C3B-C2B	-2.17	1.37	1.40
14	b	829	CLA	CMC-C2C	-2.17	1.46	1.50
14	2	830	CLA	CMC-C2C	-2.17	1.46	1.50
14	2	826	CLA	C3B-CAB	-2.17	1.43	1.47
14	a	834	CLA	CMC-C2C	-2.17	1.46	1.50
14	A	821	CLA	MG-ND	-2.17	2.01	2.05
14	a	822	CLA	MG-ND	-2.17	2.01	2.05
14	B	817	CLA	CMC-C2C	-2.17	1.46	1.50
14	a	821	CLA	CMC-C2C	-2.17	1.46	1.50
14	b	806	CLA	MG-ND	-2.17	2.01	2.05
14	1	833	CLA	MG-ND	-2.17	2.01	2.05
14	A	805	CLA	C3B-C2B	-2.17	1.37	1.40
14	l	4205	CLA	CMC-C2C	-2.17	1.46	1.50
14	f	204	CLA	MG-ND	-2.17	2.01	2.05
14	2	833	CLA	CMD-C2D	-2.17	1.46	1.50
14	A	826	CLA	C3B-C2B	-2.17	1.37	1.40
14	A	838	CLA	C3B-C2B	-2.17	1.37	1.40
14	a	828	CLA	C3B-C2B	-2.17	1.37	1.40
14	1	817	CLA	C3B-C2B	-2.17	1.37	1.40
14	A	812	CLA	CMD-C2D	-2.17	1.46	1.50
14	2	813	CLA	CMD-C2D	-2.17	1.46	1.50
14	2	814	CLA	CMC-C2C	-2.17	1.46	1.50
14	a	813	CLA	CMD-C2D	-2.17	1.46	1.50
14	2	829	CLA	CMC-C2C	-2.17	1.46	1.50
14	A	817	CLA	CMC-C2C	-2.17	1.46	1.50
19	6	4401	LMT	O4 ³ -C4B	-2.17	1.37	1.43
14	b	829	CLA	C3B-CAB	-2.17	1.43	1.47
14	B	830	CLA	CMC-C2C	-2.17	1.46	1.50
14	B	814	CLA	CMC-C2C	-2.17	1.46	1.50
14	B	833	CLA	CMC-C2C	-2.17	1.46	1.50
14	2	829	CLA	C3B-CAB	-2.16	1.43	1.47
19	f	202	LMT	O4 ³ -C4B	-2.16	1.37	1.43
14	B	809	CLA	MG-ND	-2.16	2.01	2.05
14	2	811	CLA	MG-ND	-2.16	2.01	2.05
14	1	810	CLA	CMC-C2C	-2.16	1.46	1.50
14	2	808	CLA	MG-ND	-2.16	2.01	2.05
14	b	843	CLA	CMC-C2C	-2.16	1.46	1.50
14	K	4002	CLA	CMD-C2D	-2.16	1.46	1.50
14	B	830	CLA	C3B-CAB	-2.16	1.43	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	839	CLA	C3B-C2B	-2.16	1.37	1.40
14	1	811	CLA	CMD-C2D	-2.16	1.46	1.50
14	1	837	CLA	CMC-C2C	-2.16	1.46	1.50
14	B	824	CLA	CMD-C2D	-2.16	1.46	1.50
14	b	815	CLA	C3B-C2B	-2.16	1.37	1.40
14	0	207	CLA	CMC-C2C	-2.16	1.46	1.50
17	a	850	BCR	C33-C5	-2.16	1.47	1.50
14	1	823	CLA	CMC-C2C	-2.16	1.46	1.50
14	2	804	CLA	C3B-CAB	-2.16	1.43	1.47
14	1	814	CLA	CMD-C2D	-2.16	1.46	1.50
14	A	838	CLA	CMC-C2C	-2.16	1.46	1.50
14	b	830	CLA	MG-ND	-2.16	2.01	2.05
14	2	830	CLA	MG-ND	-2.16	2.01	2.05
14	K	4002	CLA	CMC-C2C	-2.16	1.46	1.50
14	b	833	CLA	CMD-C2D	-2.16	1.46	1.50
14	B	812	CLA	MG-ND	-2.16	2.01	2.05
14	A	817	CLA	C3B-C2B	-2.16	1.37	1.40
17	A	850	BCR	C33-C5	-2.16	1.47	1.50
14	A	825	CLA	CMC-C2C	-2.16	1.46	1.50
14	B	844	CLA	CMC-C2C	-2.15	1.46	1.50
14	7	1101	CLA	C3B-C2B	-2.15	1.37	1.40
14	A	807	CLA	MG-ND	-2.15	2.01	2.05
14	A	827	CLA	C3B-C2B	-2.15	1.37	1.40
14	a	827	CLA	C3B-C2B	-2.15	1.37	1.40
14	b	831	CLA	C3B-CAB	-2.15	1.43	1.47
14	A	817	CLA	CMD-C2D	-2.15	1.46	1.50
14	B	841	CLA	C3B-CAB	-2.15	1.43	1.47
14	a	809	CLA	C3B-CAB	-2.15	1.43	1.47
14	a	808	CLA	MG-ND	-2.15	2.01	2.05
14	2	813	CLA	CMC-C2C	-2.15	1.46	1.50
19	f	202	LMT	O2B-C2B	-2.15	1.37	1.43
14	k	4002	CLA	CMC-C2C	-2.15	1.46	1.50
14	A	824	CLA	CMC-C2C	-2.15	1.46	1.50
14	b	833	CLA	CMC-C2C	-2.15	1.46	1.50
14	1	825	CLA	C3B-C2B	-2.15	1.37	1.40
14	2	832	CLA	MG-ND	-2.15	2.01	2.05
14	l	4203	CLA	MG-ND	-2.15	2.01	2.05
14	a	815	CLA	CMC-C2C	-2.15	1.46	1.50
14	b	823	CLA	CMD-C2D	-2.15	1.46	1.50
14	2	833	CLA	CMC-C2C	-2.15	1.46	1.50
14	B	831	CLA	MG-ND	-2.15	2.01	2.05
14	b	801	CLA	CMC-C2C	-2.15	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	F	205	CLA	CMC-C2C	-2.15	1.46	1.50
14	1	842	CLA	C3B-CAB	-2.15	1.43	1.47
14	A	837	CLA	CMD-C2D	-2.15	1.46	1.50
14	b	813	CLA	CMD-C2D	-2.15	1.46	1.50
14	2	812	CLA	MG-ND	-2.15	2.01	2.05
14	a	812	CLA	CMC-C2C	-2.15	1.46	1.50
14	F	204	CLA	MG-ND	-2.15	2.01	2.05
14	a	818	CLA	CMD-C2D	-2.15	1.46	1.50
14	2	826	CLA	C3B-C2B	-2.15	1.37	1.40
14	a	838	CLA	CMD-C2D	-2.15	1.46	1.50
14	1	826	CLA	CMC-C2C	-2.15	1.46	1.50
14	f	205	CLA	CMC-C2C	-2.15	1.46	1.50
14	2	831	CLA	C3B-CAB	-2.15	1.43	1.47
14	1	833	CLA	CMC-C2C	-2.15	1.46	1.50
14	a	814	CLA	MG-ND	-2.14	2.01	2.05
14	A	833	CLA	CMC-C2C	-2.14	1.46	1.50
14	7	1102	CLA	CMD-C2D	-2.14	1.46	1.50
14	A	841	CLA	C3B-C2B	-2.14	1.37	1.40
14	B	835	CLA	C3B-CAB	-2.14	1.43	1.47
14	a	804	CLA	CAA-C2A	-2.14	1.50	1.54
14	B	834	CLA	CMC-C2C	-2.14	1.46	1.50
14	a	819	CLA	C3B-C2B	-2.14	1.37	1.40
19	F	202	LMT	O4'-C4B	-2.14	1.37	1.43
14	b	828	CLA	C3B-CAB	-2.14	1.43	1.47
14	A	814	CLA	CMC-C2C	-2.14	1.46	1.50
14	2	838	CLA	CMD-C2D	-2.14	1.46	1.50
14	B	827	CLA	C3B-C2B	-2.14	1.37	1.40
14	1	806	CLA	MG-ND	-2.14	2.01	2.05
14	a	842	CLA	C3B-CAB	-2.14	1.43	1.47
19	F	202	LMT	O2B-C2B	-2.14	1.37	1.43
14	A	838	CLA	MG-ND	-2.14	2.01	2.05
14	6	4403	CLA	MG-ND	-2.14	2.01	2.05
17	k	4001	BCR	C33-C5	-2.14	1.47	1.50
14	1	837	CLA	MG-ND	-2.14	2.01	2.05
14	A	827	CLA	CMC-C2C	-2.14	1.46	1.50
14	a	844	CLA	CMD-C2D	-2.14	1.46	1.50
14	B	802	CLA	CMC-C2C	-2.14	1.46	1.50
14	a	837	CLA	MG-ND	-2.14	2.01	2.05
13	1	803	CL0	CMC-C2C	-2.14	1.46	1.50
14	A	834	CLA	CMC-C2C	-2.14	1.46	1.50
14	8	4004	CLA	C3B-CAB	-2.13	1.43	1.47
14	B	813	CLA	MG-ND	-2.13	2.01	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	A	840	CLA	CMC-C2C	-2.13	1.46	1.50
14	a	854	CLA	C3B-CAB	-2.13	1.43	1.47
14	b	838	CLA	CMD-C2D	-2.13	1.46	1.50
14	0	202	CLA	C3B-CAB	-2.13	1.43	1.47
14	1	816	CLA	CMD-C2D	-2.13	1.46	1.50
17	K	4001	BCR	C33-C5	-2.13	1.47	1.50
14	j	101	CLA	CMD-C2D	-2.13	1.46	1.50
14	A	842	CLA	C3B-CAB	-2.13	1.43	1.47
14	2	815	CLA	C3B-CAB	-2.13	1.43	1.47
14	b	801	CLA	C3B-C2B	-2.13	1.37	1.40
14	a	816	CLA	CMD-C2D	-2.13	1.46	1.50
14	a	837	CLA	CMC-C2C	-2.13	1.46	1.50
14	1	844	CLA	CMD-C2D	-2.13	1.46	1.50
14	b	838	CLA	CMC-C2C	-2.13	1.46	1.50
14	b	801	CLA	C3B-CAB	-2.13	1.43	1.47
14	b	840	CLA	C3B-CAB	-2.13	1.43	1.47
14	1	841	CLA	CMC-C2C	-2.13	1.46	1.50
14	B	834	CLA	CMD-C2D	-2.13	1.46	1.50
14	2	823	CLA	CMD-C2D	-2.13	1.46	1.50
14	j	102	CLA	CBD-CAD	2.13	1.56	1.51
14	A	808	CLA	C3B-CAB	-2.13	1.43	1.47
14	1	826	CLA	C3B-C2B	-2.13	1.37	1.40
14	A	834	CLA	MG-ND	-2.13	2.01	2.05
14	b	815	CLA	C3B-CAB	-2.13	1.43	1.47
14	A	812	CLA	CMC-C2C	-2.13	1.46	1.50
14	a	835	CLA	CMC-C2C	-2.13	1.46	1.50
14	1	835	CLA	MG-ND	-2.13	2.01	2.05
14	B	833	CLA	C3B-C2B	-2.13	1.37	1.40
14	2	809	CLA	CMC-C2C	-2.13	1.46	1.50
14	a	825	CLA	CMC-C2C	-2.13	1.46	1.50
14	b	808	CLA	C3B-CAB	-2.13	1.43	1.47
14	A	815	CLA	CMD-C2D	-2.13	1.46	1.50
14	a	828	CLA	CMC-C2C	-2.13	1.46	1.50
14	a	824	CLA	MG-ND	-2.13	2.01	2.05
14	2	820	CLA	MG-ND	-2.13	2.01	2.05
14	k	4002	CLA	C3B-C2B	-2.12	1.37	1.40
14	b	837	CLA	MG-ND	-2.12	2.01	2.05
14	b	813	CLA	CMC-C2C	-2.12	1.46	1.50
14	1	822	CLA	MG-ND	-2.12	2.01	2.05
14	b	820	CLA	MG-ND	-2.12	2.01	2.05
14	A	824	CLA	C3B-CAB	-2.12	1.43	1.47
14	A	811	CLA	CMC-C2C	-2.12	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	b	809	CLA	MG-ND	-2.12	2.01	2.05
14	a	819	CLA	CMD-C2D	-2.12	1.46	1.50
14	b	805	CLA	C3B-CAB	-2.12	1.43	1.47
14	1	807	CLA	C3B-CAB	-2.12	1.43	1.47
14	A	823	CLA	MG-ND	-2.12	2.01	2.05
14	1	817	CLA	CMD-C2D	-2.12	1.46	1.50
14	1	837	CLA	C3B-C2B	-2.12	1.37	1.40
14	F	201	CLA	MG-ND	-2.12	2.01	2.05
14	b	834	CLA	C3B-CAB	-2.12	1.43	1.47
14	0	202	CLA	CMC-C2C	-2.12	1.46	1.50
14	A	825	CLA	MG-ND	-2.12	2.01	2.05
14	1	816	CLA	C3B-C2B	-2.12	1.37	1.40
13	a	803	CL0	CMC-C2C	-2.12	1.46	1.50
14	J	101	CLA	CMD-C2D	-2.12	1.46	1.50
14	A	836	CLA	CMC-C2C	-2.12	1.46	1.50
14	B	802	CLA	C3B-CAB	-2.12	1.43	1.47
14	B	821	CLA	MG-ND	-2.12	2.01	2.05
14	f	204	CLA	CMC-C2C	-2.12	1.46	1.50
14	B	839	CLA	CMC-C2C	-2.11	1.46	1.50
14	B	814	CLA	CMD-C2D	-2.11	1.46	1.50
14	B	805	CLA	C3B-CAB	-2.11	1.43	1.47
14	A	840	CLA	MG-ND	-2.11	2.01	2.05
14	2	835	CLA	MG-ND	-2.11	2.01	2.05
14	B	816	CLA	C3B-C2B	-2.11	1.37	1.40
14	b	826	CLA	C3B-C2B	-2.11	1.37	1.40
14	a	826	CLA	MG-ND	-2.11	2.01	2.05
14	f	201	CLA	MG-ND	-2.11	2.01	2.05
14	b	829	CLA	MG-ND	-2.11	2.01	2.05
13	A	803	CL0	CMC-C2C	-2.11	1.46	1.50
14	A	809	CLA	MG-ND	-2.11	2.01	2.05
14	F	205	CLA	MG-ND	-2.11	2.01	2.05
14	a	810	CLA	MG-ND	-2.11	2.01	2.05
14	1	835	CLA	CMC-C2C	-2.11	1.46	1.50
14	1	810	CLA	C3B-CAB	-2.11	1.43	1.47
14	A	818	CLA	C3B-C2B	-2.11	1.37	1.40
14	2	814	CLA	C3B-C2B	-2.11	1.37	1.40
14	7	1103	CLA	CBD-CAD	2.11	1.56	1.51
14	a	813	CLA	CMC-C2C	-2.11	1.46	1.50
14	b	835	CLA	MG-ND	-2.11	2.01	2.05
14	A	840	CLA	C3B-CAB	-2.11	1.43	1.47
14	2	830	CLA	C3B-CAB	-2.11	1.43	1.47
14	1	841	CLA	MG-ND	-2.11	2.01	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	b	821	CLA	MG-ND	-2.11	2.01	2.05
14	6	4404	CLA	CMC-C2C	-2.11	1.46	1.50
14	2	828	CLA	C3B-CAB	-2.11	1.43	1.47
14	1	812	CLA	MG-ND	-2.11	2.01	2.05
14	a	843	CLA	C4B-CHC	-2.11	1.35	1.41
14	2	822	CLA	CMC-C2C	-2.10	1.46	1.50
14	A	813	CLA	MG-ND	-2.10	2.01	2.05
14	A	834	CLA	C3B-CAB	-2.10	1.43	1.47
14	A	843	CLA	C4B-CHC	-2.10	1.35	1.41
14	2	837	CLA	CMC-C2C	-2.10	1.46	1.50
14	a	835	CLA	C3B-CAB	-2.10	1.43	1.47
14	B	830	CLA	MG-ND	-2.10	2.01	2.05
14	b	825	CLA	C3B-CAB	-2.10	1.43	1.47
14	1	811	CLA	CMC-C2C	-2.10	1.46	1.50
14	2	837	CLA	MG-ND	-2.10	2.01	2.05
14	6	4403	CLA	CMC-C2C	-2.10	1.46	1.50
14	2	825	CLA	C3B-CAB	-2.10	1.43	1.47
14	a	844	CLA	C3B-C2B	-2.10	1.37	1.40
14	1	823	CLA	C3B-CAB	-2.10	1.43	1.47
14	b	825	CLA	MG-ND	-2.10	2.01	2.05
14	a	818	CLA	C3B-C2B	-2.10	1.37	1.40
14	B	829	CLA	C3B-CAB	-2.10	1.43	1.47
14	b	830	CLA	C3B-CAB	-2.10	1.43	1.47
14	2	806	CLA	C3B-CAB	-2.10	1.43	1.47
14	2	812	CLA	C3B-CAB	-2.10	1.43	1.47
14	A	836	CLA	MG-ND	-2.10	2.01	2.05
14	B	822	CLA	MG-ND	-2.10	2.01	2.05
14	1	808	CLA	MG-ND	-2.10	2.01	2.05
14	B	813	CLA	C3B-CAB	-2.10	1.43	1.47
14	b	802	CLA	MG-ND	-2.09	2.01	2.05
14	f	205	CLA	MG-ND	-2.09	2.01	2.05
14	1	833	CLA	C3B-CAB	-2.09	1.43	1.47
14	2	829	CLA	MG-ND	-2.09	2.01	2.05
14	J	102	CLA	CBD-CAD	2.09	1.56	1.51
14	a	828	CLA	MG-ND	-2.09	2.01	2.05
14	A	818	CLA	CMD-C2D	-2.09	1.46	1.50
14	a	841	CLA	MG-ND	-2.09	2.01	2.05
14	2	838	CLA	CMC-C2C	-2.09	1.46	1.50
14	1	843	CLA	C4B-CHC	-2.09	1.35	1.41
14	2	836	CLA	CMC-C2C	-2.09	1.46	1.50
14	B	801	CLA	CAA-C2A	-2.09	1.50	1.54
14	A	837	CLA	C3B-C2B	-2.09	1.37	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	825	CLA	C3B-CAB	-2.09	1.43	1.47
17	8	4001	BCR	C33-C5	-2.09	1.47	1.50
14	a	816	CLA	C3B-C2B	-2.09	1.37	1.40
14	B	837	CLA	CMC-C2C	-2.09	1.46	1.50
14	B	808	CLA	MG-ND	-2.09	2.01	2.05
14	a	839	CLA	MG-ND	-2.09	2.01	2.05
14	A	843	CLA	MG-ND	-2.09	2.01	2.05
14	A	844	CLA	CMD-C2D	-2.09	1.46	1.50
14	1	808	CLA	CMC-C2C	-2.09	1.46	1.50
14	b	824	CLA	CMC-C2C	-2.09	1.46	1.50
14	b	832	CLA	C3B-C2B	-2.09	1.37	1.40
14	b	837	CLA	CMC-C2C	-2.09	1.46	1.50
14	1	826	CLA	MG-ND	-2.09	2.01	2.05
14	2	825	CLA	MG-ND	-2.09	2.01	2.05
17	1	850	BCR	C33-C5	-2.08	1.47	1.50
14	1	824	CLA	MG-ND	-2.08	2.01	2.05
14	b	842	CLA	MG-ND	-2.08	2.01	2.05
14	a	812	CLA	C3B-CAB	-2.08	1.43	1.47
14	b	836	CLA	CMC-C2C	-2.08	1.46	1.50
14	1	839	CLA	C3B-CAB	-2.08	1.43	1.47
14	A	811	CLA	C3B-CAB	-2.08	1.43	1.47
14	2	834	CLA	C3B-CAB	-2.08	1.43	1.47
14	1	4204	CLA	C3B-CAB	-2.08	1.43	1.47
14	B	825	CLA	CMC-C2C	-2.08	1.46	1.50
14	b	814	CLA	C3B-C2B	-2.08	1.37	1.40
14	b	823	CLA	C3B-CAB	-2.08	1.43	1.47
14	A	827	CLA	MG-ND	-2.08	2.01	2.05
14	F	204	CLA	CMC-C2C	-2.08	1.46	1.50
14	1	836	CLA	CMC-C2C	-2.08	1.46	1.50
12	2	852	LHG	O7-C5	-2.08	1.41	1.46
14	a	810	CLA	CMC-C2C	-2.08	1.46	1.50
17	2	848	BCR	C12-C13	-2.08	1.44	1.50
14	b	808	CLA	MG-ND	-2.07	2.01	2.05
14	2	823	CLA	CMC-C2C	-2.07	1.46	1.50
14	a	834	CLA	C3B-C2B	-2.07	1.37	1.40
14	6	4404	CLA	MG-ND	-2.07	2.01	2.05
14	B	807	CLA	C3B-CAB	-2.07	1.43	1.47
14	2	843	CLA	C4B-CHC	-2.07	1.35	1.41
14	1	810	CLA	C3B-C2B	-2.07	1.37	1.40
14	2	824	CLA	CMC-C2C	-2.07	1.46	1.50
14	a	806	CLA	MG-ND	-2.07	2.01	2.05
14	A	811	CLA	C3B-C2B	-2.07	1.37	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	b	822	CLA	CMC-C2C	-2.07	1.46	1.50
14	B	831	CLA	C3B-CAB	-2.07	1.43	1.47
14	B	823	CLA	CMC-C2C	-2.07	1.46	1.50
14	A	844	CLA	C3B-C2B	-2.07	1.37	1.40
14	B	829	CLA	MG-ND	-2.07	2.01	2.05
14	B	824	CLA	C3B-CAB	-2.07	1.43	1.47
14	A	813	CLA	C3B-CAB	-2.07	1.43	1.47
14	B	826	CLA	C3B-CAB	-2.07	1.43	1.47
14	b	807	CLA	C3B-CAB	-2.07	1.43	1.47
14	2	801	CLA	CAA-C2A	-2.07	1.50	1.54
14	7	1101	CLA	MG-ND	-2.07	2.01	2.05
14	B	802	CLA	C3B-C2B	-2.07	1.37	1.40
14	0	202	CLA	C3B-C2B	-2.07	1.37	1.40
14	B	839	CLA	CMD-C2D	-2.07	1.46	1.50
14	a	841	CLA	C3B-CAB	-2.07	1.43	1.47
14	A	809	CLA	CMC-C2C	-2.07	1.46	1.50
14	a	831	CLA	MG-ND	-2.07	2.01	2.05
14	a	841	CLA	CMC-C2C	-2.07	1.46	1.50
14	2	833	CLA	C3B-CAB	-2.07	1.43	1.47
14	F	201	CLA	C3B-C2B	-2.07	1.37	1.40
14	A	806	CLA	MG-ND	-2.07	2.01	2.05
14	A	844	CLA	MG-ND	-2.07	2.01	2.05
14	B	834	CLA	C3B-CAB	-2.07	1.43	1.47
14	B	818	CLA	C3B-CAB	-2.07	1.43	1.47
14	B	838	CLA	C3B-CAB	-2.07	1.43	1.47
14	b	833	CLA	C3B-CAB	-2.07	1.43	1.47
14	B	836	CLA	MG-ND	-2.06	2.01	2.05
14	7	1101	CLA	C3B-CAB	-2.06	1.43	1.47
14	1	829	CLA	MG-ND	-2.06	2.01	2.05
14	L	1503	CLA	CMC-C2C	-2.06	1.46	1.50
14	B	826	CLA	MG-ND	-2.06	2.01	2.05
14	a	842	CLA	MG-ND	-2.06	2.01	2.05
14	A	816	CLA	MG-ND	-2.06	2.01	2.05
14	a	838	CLA	C3B-C2B	-2.06	1.37	1.40
14	A	841	CLA	MG-ND	-2.06	2.01	2.05
14	a	838	CLA	CMC-C2C	-2.06	1.46	1.50
18	A	853	LMG	O7-C8	-2.06	1.41	1.46
12	B	853	LHG	O7-C5	-2.06	1.41	1.46
14	B	838	CLA	CMC-C2C	-2.06	1.46	1.50
14	2	831	CLA	C4B-CHC	-2.06	1.35	1.41
14	B	843	CLA	MG-ND	-2.06	2.01	2.05
14	1	842	CLA	MG-ND	-2.06	2.01	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	a	843	CLA	MG-ND	-2.06	2.01	2.05
14	1	843	CLA	MG-ND	-2.06	2.01	2.05
14	A	805	CLA	MG-ND	-2.06	2.01	2.05
14	a	829	CLA	MG-ND	-2.06	2.01	2.05
14	b	814	CLA	MG-ND	-2.06	2.01	2.05
14	1	839	CLA	CMC-C2C	-2.06	1.46	1.50
14	2	837	CLA	C3B-CAB	-2.06	1.43	1.47
17	b	848	BCR	C12-C13	-2.06	1.44	1.50
14	B	824	CLA	CMC-C2C	-2.06	1.46	1.50
17	B	852	BCR	C38-C26	-2.06	1.47	1.50
14	A	808	CLA	MG-ND	-2.06	2.01	2.05
14	1	839	CLA	MG-ND	-2.06	2.01	2.05
14	2	842	CLA	MG-ND	-2.06	2.01	2.05
14	0	208	CLA	CMC-C2C	-2.06	1.46	1.50
18	a	853	LMG	O7-C8	-2.06	1.41	1.46
14	2	823	CLA	C3B-CAB	-2.06	1.43	1.47
14	B	844	CLA	C4B-CHC	-2.06	1.35	1.41
14	1	812	CLA	C3B-C2B	-2.06	1.37	1.40
14	2	821	CLA	MG-ND	-2.06	2.01	2.05
14	k	4003	CLA	CMD-C2D	-2.05	1.46	1.50
14	b	812	CLA	C3B-CAB	-2.05	1.43	1.47
14	j	102	CLA	CMD-C2D	-2.05	1.46	1.50
14	B	838	CLA	MG-ND	-2.05	2.01	2.05
12	b	852	LHG	O7-C5	-2.05	1.41	1.46
14	1	814	CLA	C3B-C2B	-2.05	1.37	1.40
14	a	806	CLA	C3B-CAB	-2.05	1.43	1.47
14	1	840	CLA	MG-ND	-2.05	2.01	2.05
14	2	827	CLA	MG-ND	-2.05	2.01	2.05
14	B	832	CLA	C4B-CHC	-2.05	1.35	1.41
14	B	828	CLA	MG-ND	-2.05	2.01	2.05
14	b	814	CLA	C3B-CAB	-2.05	1.43	1.47
14	2	814	CLA	C3B-CAB	-2.05	1.43	1.47
14	l	4203	CLA	C3B-CAB	-2.05	1.43	1.47
14	B	806	CLA	C3B-C2B	-2.05	1.37	1.40
17	i	4103	BCR	C38-C26	-2.05	1.47	1.50
14	A	830	CLA	MG-ND	-2.05	2.01	2.05
14	a	817	CLA	MG-ND	-2.05	2.01	2.05
14	b	818	CLA	MG-ND	-2.05	2.01	2.05
14	a	812	CLA	C3B-C2B	-2.05	1.37	1.40
14	2	832	CLA	C3B-C2B	-2.05	1.37	1.40
18	1	852	LMG	O7-C8	-2.05	1.41	1.46
14	1	832	CLA	C3B-C2B	-2.05	1.37	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	b	827	CLA	MG-ND	-2.05	2.01	2.05
14	2	836	CLA	MG-ND	-2.05	2.01	2.05
14	1	843	CLA	C3B-CAB	-2.05	1.43	1.47
14	b	837	CLA	C3B-CAB	-2.05	1.43	1.47
14	2	811	CLA	C4B-CHC	-2.05	1.35	1.41
14	A	815	CLA	C3B-C2B	-2.05	1.37	1.40
14	1	844	CLA	C3B-C2B	-2.05	1.37	1.40
14	1	805	CLA	MG-ND	-2.05	2.01	2.05
14	1	836	CLA	C3B-C2B	-2.05	1.37	1.40
14	f	201	CLA	C3B-C2B	-2.05	1.37	1.40
14	2	817	CLA	C3B-CAB	-2.05	1.43	1.47
14	J	102	CLA	CMD-C2D	-2.04	1.46	1.50
14	A	817	CLA	C3B-CAB	-2.04	1.43	1.47
14	b	817	CLA	C3B-CAB	-2.04	1.43	1.47
14	A	842	CLA	C3B-C2B	-2.04	1.37	1.40
14	A	837	CLA	CMC-C2C	-2.04	1.46	1.50
14	8	4003	CLA	CMD-C2D	-2.04	1.46	1.50
14	A	842	CLA	MG-ND	-2.04	2.01	2.05
14	2	807	CLA	MG-ND	-2.04	2.01	2.05
14	b	823	CLA	CMC-C2C	-2.04	1.46	1.50
14	B	812	CLA	C3B-CAB	-2.04	1.43	1.47
14	1	815	CLA	MG-ND	-2.04	2.01	2.05
14	b	806	CLA	C3B-C2B	-2.04	1.37	1.40
17	B	849	BCR	C12-C13	-2.04	1.44	1.50
14	B	825	CLA	MG-ND	-2.04	2.01	2.05
14	b	811	CLA	MG-ND	-2.04	2.01	2.05
14	B	837	CLA	MG-ND	-2.04	2.01	2.05
14	a	814	CLA	C3B-CAB	-2.04	1.43	1.47
14	a	854	CLA	CMC-C2C	-2.04	1.46	1.50
14	B	812	CLA	C4B-CHC	-2.04	1.35	1.41
14	2	818	CLA	MG-ND	-2.04	2.01	2.05
14	A	839	CLA	C3B-CAB	-2.04	1.43	1.47
14	a	818	CLA	C3B-CAB	-2.04	1.43	1.47
14	B	815	CLA	MG-ND	-2.04	2.01	2.05
14	b	831	CLA	C4B-CHC	-2.04	1.35	1.41
14	b	836	CLA	MG-ND	-2.04	2.01	2.05
14	2	832	CLA	C3B-CAB	-2.04	1.43	1.47
14	2	814	CLA	MG-ND	-2.04	2.01	2.05
14	0	206	CLA	C3B-CAB	-2.04	1.43	1.47
14	A	814	CLA	C3B-CAB	-2.04	1.43	1.47
14	a	839	CLA	C4B-CHC	-2.04	1.35	1.41
14	l	4204	CLA	MG-ND	-2.03	2.01	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	1	813	CLA	MG-ND	-2.03	2.01	2.05
14	1	844	CLA	MG-ND	-2.03	2.01	2.05
17	I	102	BCR	C38-C26	-2.03	1.47	1.50
14	a	809	CLA	MG-ND	-2.03	2.01	2.05
14	2	835	CLA	C3B-CAB	-2.03	1.43	1.47
14	B	819	CLA	MG-ND	-2.03	2.01	2.05
13	A	803	CL0	C3B-CAB	-2.03	1.43	1.47
14	a	840	CLA	MG-ND	-2.03	2.01	2.05
14	2	810	CLA	MG-ND	-2.03	2.01	2.05
14	A	833	CLA	C3B-C2B	-2.03	1.37	1.40
14	a	844	CLA	C3B-CAB	-2.03	1.43	1.47
14	K	4003	CLA	CMD-C2D	-2.03	1.46	1.50
14	L	1501	CLA	C3B-CAB	-2.03	1.43	1.47
14	1	826	CLA	C3B-CAB	-2.03	1.43	1.47
14	a	844	CLA	MG-ND	-2.03	2.01	2.05
14	a	840	CLA	C3B-CAB	-2.03	1.43	1.47
14	A	844	CLA	C3B-CAB	-2.03	1.43	1.47
14	2	843	CLA	MG-ND	-2.03	2.01	2.05
14	A	843	CLA	C3B-CAB	-2.03	1.43	1.47
17	0	210	BCR	C30-C25	-2.03	1.51	1.53
14	a	807	CLA	MG-ND	-2.03	2.01	2.05
14	b	843	CLA	C4B-CHC	-2.03	1.35	1.41
14	b	828	CLA	MG-ND	-2.03	2.01	2.05
14	1	813	CLA	C3B-CAB	-2.03	1.43	1.47
14	l	4206	CLA	CMC-C2C	-2.03	1.46	1.50
14	K	4004	CLA	CMC-C2C	-2.03	1.46	1.50
14	b	835	CLA	C3B-CAB	-2.03	1.43	1.47
14	A	828	CLA	MG-ND	-2.02	2.01	2.05
14	L	1501	CLA	CMC-C2C	-2.02	1.46	1.50
14	A	805	CLA	C3B-CAB	-2.02	1.43	1.47
14	A	815	CLA	C3B-CAB	-2.02	1.43	1.47
14	B	836	CLA	C4B-CHC	-2.02	1.35	1.41
14	A	827	CLA	C3B-CAB	-2.02	1.43	1.47
14	B	833	CLA	C3B-CAB	-2.02	1.43	1.47
14	2	824	CLA	C3B-C2B	-2.02	1.37	1.40
14	2	824	CLA	MG-ND	-2.02	2.01	2.05
14	a	842	CLA	C3B-C2B	-2.02	1.37	1.40
14	b	832	CLA	C3B-CAB	-2.02	1.43	1.47
14	1	812	CLA	C3B-CAB	-2.02	1.43	1.47
14	1	816	CLA	C3B-CAB	-2.02	1.43	1.47
14	A	813	CLA	C3B-C2B	-2.02	1.37	1.40
14	2	813	CLA	MG-ND	-2.02	2.01	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	815	CLA	MG-ND	-2.02	2.01	2.05
14	1	844	CLA	C3B-CAB	-2.02	1.43	1.47
14	L	1501	CLA	C3B-C2B	-2.02	1.37	1.40
14	B	836	CLA	C3B-CAB	-2.02	1.43	1.47
14	b	812	CLA	C4B-CHC	-2.02	1.35	1.41
17	2	851	BCR	C38-C26	-2.02	1.47	1.50
14	1	811	CLA	MG-ND	-2.02	2.01	2.05
14	b	813	CLA	MG-ND	-2.02	2.01	2.05
14	1	813	CLA	CMA-C3A	-2.02	1.48	1.53
17	h	102	BCR	C38-C26	-2.02	1.47	1.50
14	b	824	CLA	C3B-CAB	-2.02	1.43	1.47
14	1	842	CLA	C3B-C2B	-2.02	1.37	1.40
14	8	4004	CLA	CMC-C2C	-2.02	1.46	1.50
14	A	824	CLA	MG-ND	-2.02	2.01	2.05
14	L	1501	CLA	MG-ND	-2.02	2.01	2.05
14	L	1502	CLA	MG-ND	-2.02	2.01	2.05
14	a	815	CLA	MG-ND	-2.02	2.01	2.05
14	b	843	CLA	MG-ND	-2.02	2.01	2.05
17	0	204	BCR	C30-C25	-2.02	1.51	1.53
13	a	803	CL0	C3B-CAB	-2.02	1.43	1.47
14	B	809	CLA	CAC-C3C	-2.02	1.45	1.51
14	B	811	CLA	MG-ND	-2.02	2.01	2.05
14	B	844	CLA	C3B-CAB	-2.01	1.43	1.47
14	7	1103	CLA	CMD-C2D	-2.01	1.46	1.50
14	l	4204	CLA	CMC-C2C	-2.01	1.46	1.50
14	b	824	CLA	MG-ND	-2.01	2.01	2.05
14	B	816	CLA	MG-ND	-2.01	2.01	2.05
14	B	840	CLA	C3B-CAB	-2.01	1.43	1.47
14	1	827	CLA	MG-ND	-2.01	2.01	2.05
17	B	851	BCR	C36-C18	-2.01	1.46	1.50
14	a	816	CLA	C3B-CAB	-2.01	1.43	1.47
14	a	820	CLA	C3B-CAB	-2.01	1.43	1.47
14	A	838	CLA	C4B-CHC	-2.01	1.35	1.41
14	1	838	CLA	C3B-CAB	-2.01	1.43	1.47
14	A	810	CLA	MG-ND	-2.01	2.01	2.05
14	a	813	CLA	MG-ND	-2.01	2.01	2.05
14	a	820	CLA	MG-ND	-2.01	2.01	2.05
14	1	841	CLA	C3B-C2B	-2.01	1.37	1.40
14	A	839	CLA	MG-ND	-2.01	2.01	2.05
14	0	207	CLA	MG-ND	-2.01	2.01	2.05
14	b	835	CLA	C4B-CHC	-2.01	1.35	1.41
14	1	837	CLA	C4B-CHC	-2.01	1.35	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	839	CLA	C3B-CAB	-2.01	1.43	1.47
17	2	850	BCR	C36-C18	-2.01	1.46	1.50
14	b	812	CLA	C3B-C2B	-2.00	1.37	1.40
14	A	823	CLA	C3B-CAB	-2.00	1.43	1.47
17	b	850	BCR	C36-C18	-2.00	1.46	1.50
14	B	825	CLA	C3B-CAB	-2.00	1.43	1.47
14	b	815	CLA	MG-ND	-2.00	2.01	2.05
14	a	815	CLA	C3B-CAB	-2.00	1.43	1.47
14	1	807	CLA	MG-ND	-2.00	2.01	2.05
17	b	851	BCR	C38-C26	-2.00	1.47	1.50
14	a	814	CLA	C3B-C2B	-2.00	1.37	1.40
14	B	810	CLA	MG-ND	-2.00	2.01	2.05

All (3182) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	829	CLA	C4A-NA-C1A	8.28	110.43	106.71
14	a	830	CLA	C4A-NA-C1A	8.25	110.42	106.71
14	1	828	CLA	C4A-NA-C1A	8.23	110.41	106.71
14	A	825	CLA	C4A-NA-C1A	8.02	110.31	106.71
14	1	824	CLA	C4A-NA-C1A	8.00	110.30	106.71
14	a	826	CLA	C4A-NA-C1A	7.93	110.27	106.71
14	f	204	CLA	C4A-NA-C1A	7.80	110.21	106.71
14	F	204	CLA	C4A-NA-C1A	7.74	110.19	106.71
14	A	830	CLA	C4A-NA-C1A	7.65	110.15	106.71
14	6	4403	CLA	C4A-NA-C1A	7.62	110.13	106.71
14	a	831	CLA	C4A-NA-C1A	7.59	110.12	106.71
14	B	824	CLA	C4A-NA-C1A	7.58	110.12	106.71
14	1	829	CLA	C4A-NA-C1A	7.57	110.11	106.71
14	b	823	CLA	C4A-NA-C1A	7.55	110.10	106.71
14	K	4003	CLA	C4A-NA-C1A	7.54	110.09	106.71
14	J	101	CLA	C4A-NA-C1A	7.52	110.09	106.71
14	7	1102	CLA	C4A-NA-C1A	7.52	110.09	106.71
14	8	4003	CLA	C4A-NA-C1A	7.52	110.08	106.71
14	2	823	CLA	C4A-NA-C1A	7.50	110.08	106.71
14	j	101	CLA	C4A-NA-C1A	7.49	110.07	106.71
14	2	804	CLA	C4A-NA-C1A	7.48	110.07	106.71
14	b	805	CLA	C4A-NA-C1A	7.48	110.07	106.71
14	2	810	CLA	C4A-NA-C1A	7.48	110.07	106.71
14	a	825	CLA	C4A-NA-C1A	7.48	110.07	106.71
14	b	811	CLA	C4A-NA-C1A	7.48	110.07	106.71
14	A	807	CLA	C4A-NA-C1A	7.46	110.06	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	B	811	CLA	C4A-NA-C1A	7.46	110.06	106.71
14	k	4003	CLA	C4A-NA-C1A	7.46	110.06	106.71
14	A	824	CLA	C4A-NA-C1A	7.45	110.06	106.71
14	a	808	CLA	C4A-NA-C1A	7.45	110.06	106.71
14	b	812	CLA	C4A-NA-C1A	7.43	110.05	106.71
14	2	811	CLA	C4A-NA-C1A	7.43	110.05	106.71
14	B	812	CLA	C4A-NA-C1A	7.42	110.04	106.71
14	1	823	CLA	C4A-NA-C1A	7.42	110.04	106.71
14	B	805	CLA	C4A-NA-C1A	7.40	110.03	106.71
14	B	836	CLA	C4A-NA-C1A	7.39	110.03	106.71
14	b	822	CLA	C4A-NA-C1A	7.39	110.03	106.71
14	B	820	CLA	C4A-NA-C1A	7.39	110.03	106.71
14	2	819	CLA	C4A-NA-C1A	7.39	110.03	106.71
14	2	835	CLA	C4A-NA-C1A	7.38	110.02	106.71
14	B	813	CLA	C4A-NA-C1A	7.36	110.02	106.71
14	1	806	CLA	C4A-NA-C1A	7.36	110.02	106.71
14	2	831	CLA	C4A-NA-C1A	7.35	110.01	106.71
14	b	819	CLA	C4A-NA-C1A	7.35	110.01	106.71
14	2	822	CLA	C4A-NA-C1A	7.33	110.00	106.71
14	1	810	CLA	C4A-NA-C1A	7.33	110.00	106.71
14	B	832	CLA	C4A-NA-C1A	7.32	110.00	106.71
14	B	809	CLA	C4A-NA-C1A	7.32	110.00	106.71
14	b	835	CLA	C4A-NA-C1A	7.32	110.00	106.71
14	a	812	CLA	C4A-NA-C1A	7.31	109.99	106.71
14	2	812	CLA	C4A-NA-C1A	7.31	109.99	106.71
14	B	823	CLA	C4A-NA-C1A	7.30	109.99	106.71
14	B	838	CLA	C4A-NA-C1A	7.30	109.99	106.71
14	b	809	CLA	C4A-NA-C1A	7.29	109.98	106.71
14	2	808	CLA	C4A-NA-C1A	7.29	109.98	106.71
14	b	837	CLA	C4A-NA-C1A	7.29	109.98	106.71
14	A	806	CLA	C4A-NA-C1A	7.28	109.98	106.71
14	b	831	CLA	C4A-NA-C1A	7.27	109.97	106.71
14	a	807	CLA	C4A-NA-C1A	7.26	109.97	106.71
14	2	824	CLA	C4A-NA-C1A	7.25	109.97	106.71
14	a	827	CLA	C4A-NA-C1A	7.25	109.97	106.71
14	b	824	CLA	C4A-NA-C1A	7.24	109.96	106.71
14	A	837	CLA	C4A-NA-C1A	7.24	109.96	106.71
14	B	825	CLA	C4A-NA-C1A	7.24	109.96	106.71
14	b	806	CLA	C4A-NA-C1A	7.24	109.96	106.71
14	a	838	CLA	C4A-NA-C1A	7.23	109.96	106.71
14	2	837	CLA	C4A-NA-C1A	7.23	109.96	106.71
14	A	811	CLA	C4A-NA-C1A	7.20	109.94	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	1	805	CLA	C4A-NA-C1A	7.20	109.94	106.71
14	1	836	CLA	C4A-NA-C1A	7.18	109.94	106.71
14	A	826	CLA	C4A-NA-C1A	7.18	109.93	106.71
14	B	806	CLA	C4A-NA-C1A	7.18	109.93	106.71
14	l	4203	CLA	C4A-NA-C1A	7.17	109.93	106.71
14	a	809	CLA	C4A-NA-C1A	7.16	109.92	106.71
14	1	825	CLA	C4A-NA-C1A	7.15	109.92	106.71
14	1	807	CLA	C4A-NA-C1A	7.14	109.91	106.71
14	2	805	CLA	C4A-NA-C1A	7.13	109.91	106.71
14	2	818	CLA	C4A-NA-C1A	7.12	109.91	106.71
14	A	808	CLA	C4A-NA-C1A	7.10	109.90	106.71
14	B	819	CLA	C4A-NA-C1A	7.08	109.89	106.71
14	A	842	CLA	C4A-NA-C1A	7.07	109.88	106.71
14	B	812	CLA	CMB-C2B-C1B	-7.01	117.70	128.46
14	2	811	CLA	CMB-C2B-C1B	-6.99	117.72	128.46
14	b	812	CLA	CMB-C2B-C1B	-6.98	117.73	128.46
14	a	836	CLA	C4A-NA-C1A	6.97	109.84	106.71
14	a	842	CLA	C4A-NA-C1A	6.97	109.84	106.71
14	1	834	CLA	C4A-NA-C1A	6.96	109.84	106.71
14	1	842	CLA	C4A-NA-C1A	6.93	109.82	106.71
14	b	818	CLA	C4A-NA-C1A	6.93	109.82	106.71
14	B	832	CLA	CMB-C2B-C1B	-6.92	117.83	128.46
14	2	831	CLA	CMB-C2B-C1B	-6.89	117.87	128.46
14	a	841	CLA	C4A-NA-C1A	6.88	109.80	106.71
14	1	815	CLA	C4A-NA-C1A	6.88	109.80	106.71
14	b	831	CLA	CMB-C2B-C1B	-6.87	117.90	128.46
14	b	841	CLA	C4A-NA-C1A	6.86	109.79	106.71
14	B	840	CLA	CMB-C2B-C1B	-6.85	117.93	128.46
14	1	839	CLA	C4A-NA-C1A	6.85	109.79	106.71
14	a	817	CLA	C4A-NA-C1A	6.84	109.78	106.71
14	b	839	CLA	CMB-C2B-C1B	-6.84	117.94	128.46
14	1	844	CLA	C4A-NA-C1A	6.84	109.78	106.71
14	2	841	CLA	C4A-NA-C1A	6.84	109.78	106.71
14	A	835	CLA	C4A-NA-C1A	6.83	109.78	106.71
14	k	4002	CLA	C4A-NA-C1A	6.82	109.77	106.71
14	A	840	CLA	C4A-NA-C1A	6.81	109.77	106.71
14	2	839	CLA	CMB-C2B-C1B	-6.80	118.01	128.46
14	A	816	CLA	C4A-NA-C1A	6.80	109.76	106.71
14	a	834	CLA	C4A-NA-C1A	6.79	109.76	106.71
14	1	832	CLA	C4A-NA-C1A	6.79	109.76	106.71
14	A	841	CLA	C4A-NA-C1A	6.78	109.75	106.71
14	8	4002	CLA	C4A-NA-C1A	6.78	109.75	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	1	813	CLA	C4A-NA-C1A	6.77	109.75	106.71
14	B	842	CLA	C4A-NA-C1A	6.76	109.74	106.71
14	K	4002	CLA	C4A-NA-C1A	6.76	109.74	106.71
14	a	815	CLA	C4A-NA-C1A	6.76	109.74	106.71
14	1	840	CLA	C4A-NA-C1A	6.75	109.74	106.71
14	b	802	CLA	C4A-NA-C1A	6.73	109.73	106.71
14	2	844	CLA	C4A-NA-C1A	6.73	109.73	106.71
14	A	844	CLA	C4A-NA-C1A	6.72	109.73	106.71
14	b	844	CLA	C4A-NA-C1A	6.72	109.73	106.71
14	b	832	CLA	C4A-NA-C1A	6.72	109.73	106.71
14	a	844	CLA	C4A-NA-C1A	6.71	109.72	106.71
14	A	833	CLA	C4A-NA-C1A	6.71	109.72	106.71
14	2	832	CLA	C4A-NA-C1A	6.71	109.72	106.71
14	A	814	CLA	C4A-NA-C1A	6.68	109.71	106.71
14	2	843	CLA	C4A-NA-C1A	6.68	109.71	106.71
14	B	808	CLA	C4A-NA-C1A	6.67	109.70	106.71
14	b	843	CLA	C4A-NA-C1A	6.66	109.70	106.71
14	a	840	CLA	C4A-NA-C1A	6.66	109.70	106.71
14	B	845	CLA	C4A-NA-C1A	6.66	109.70	106.71
14	1	808	CLA	C4A-NA-C1A	6.66	109.70	106.71
14	B	833	CLA	C4A-NA-C1A	6.65	109.70	106.71
14	B	844	CLA	C4A-NA-C1A	6.64	109.69	106.71
14	2	816	CLA	C4A-NA-C1A	6.63	109.69	106.71
14	A	819	CLA	C4A-NA-C1A	6.63	109.69	106.71
14	a	818	CLA	C4A-NA-C1A	6.62	109.68	106.71
14	A	817	CLA	C4A-NA-C1A	6.61	109.68	106.71
14	a	810	CLA	C4A-NA-C1A	6.60	109.67	106.71
14	b	808	CLA	C4A-NA-C1A	6.60	109.67	106.71
14	1	838	CLA	C4A-NA-C1A	6.60	109.67	106.71
14	2	829	CLA	C4A-NA-C1A	6.59	109.67	106.71
14	A	839	CLA	C4A-NA-C1A	6.58	109.67	106.71
14	2	807	CLA	C4A-NA-C1A	6.58	109.67	106.71
14	1	818	CLA	C4A-NA-C1A	6.58	109.66	106.71
14	a	820	CLA	C4A-NA-C1A	6.56	109.66	106.71
14	b	817	CLA	C4A-NA-C1A	6.56	109.66	106.71
14	A	809	CLA	C4A-NA-C1A	6.56	109.65	106.71
14	B	817	CLA	C4A-NA-C1A	6.56	109.65	106.71
14	1	816	CLA	C4A-NA-C1A	6.54	109.65	106.71
14	b	816	CLA	C4A-NA-C1A	6.54	109.64	106.71
14	B	830	CLA	C4A-NA-C1A	6.50	109.63	106.71
14	b	838	CLA	C4A-NA-C1A	6.47	109.62	106.71
14	2	817	CLA	C4A-NA-C1A	6.47	109.62	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	0	207	CLA	C4A-NA-C1A	6.44	109.60	106.71
14	b	829	CLA	C4A-NA-C1A	6.44	109.60	106.71
14	2	826	CLA	C4A-NA-C1A	6.43	109.60	106.71
14	B	818	CLA	C4A-NA-C1A	6.40	109.58	106.71
14	a	833	CLA	C4A-NA-C1A	6.39	109.58	106.71
14	B	839	CLA	C4A-NA-C1A	6.36	109.57	106.71
14	2	838	CLA	C4A-NA-C1A	6.36	109.57	106.71
14	A	832	CLA	C4A-NA-C1A	6.34	109.56	106.71
14	L	1502	CLA	C4A-NA-C1A	6.34	109.56	106.71
14	1	831	CLA	CMB-C2B-C1B	-6.34	118.72	128.46
14	l	4205	CLA	C4A-NA-C1A	6.33	109.55	106.71
14	A	832	CLA	CMB-C2B-C1B	-6.33	118.74	128.46
14	a	833	CLA	CMB-C2B-C1B	-6.33	118.74	128.46
14	B	827	CLA	C4A-NA-C1A	6.29	109.53	106.71
14	1	819	CLA	C4A-NA-C1A	6.29	109.53	106.71
14	b	826	CLA	C4A-NA-C1A	6.29	109.53	106.71
14	L	1501	CLA	C4A-NA-C1A	6.28	109.53	106.71
14	b	820	CLA	C4A-NA-C1A	6.28	109.53	106.71
14	2	833	CLA	C4A-NA-C1A	6.27	109.52	106.71
14	1	811	CLA	C4A-NA-C1A	6.27	109.52	106.71
14	1	831	CLA	C4A-NA-C1A	6.26	109.52	106.71
14	l	4204	CLA	C4A-NA-C1A	6.26	109.52	106.71
14	a	813	CLA	C4A-NA-C1A	6.23	109.51	106.71
14	0	206	CLA	C4A-NA-C1A	6.23	109.51	106.71
14	a	837	CLA	C4A-NA-C1A	6.22	109.50	106.71
14	A	820	CLA	C4A-NA-C1A	6.21	109.50	106.71
14	2	820	CLA	C4A-NA-C1A	6.21	109.50	106.71
13	A	803	CL0	C4A-NA-C1A	6.20	109.50	106.71
14	a	821	CLA	C4A-NA-C1A	6.20	109.50	106.71
14	1	835	CLA	C4A-NA-C1A	6.20	109.49	106.71
14	B	801	CLA	CMB-C2B-C1B	-6.19	118.95	128.46
14	A	812	CLA	C4A-NA-C1A	6.19	109.49	106.71
14	B	834	CLA	C4A-NA-C1A	6.18	109.48	106.71
14	a	804	CLA	CMB-C2B-C1B	-6.17	118.98	128.46
14	1	833	CLA	C4A-NA-C1A	6.17	109.48	106.71
14	2	801	CLA	CMB-C2B-C1B	-6.15	119.01	128.46
14	1	830	CLA	CMB-C2B-C1B	-6.15	119.02	128.46
13	a	803	CL0	C4A-NA-C1A	6.15	109.47	106.71
14	B	821	CLA	C4A-NA-C1A	6.13	109.46	106.71
14	a	835	CLA	C4A-NA-C1A	6.13	109.46	106.71
14	a	832	CLA	CMB-C2B-C1B	-6.13	119.04	128.46
14	A	831	CLA	CMB-C2B-C1B	-6.13	119.04	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	834	CLA	C4A-NA-C1A	6.12	109.46	106.71
14	B	831	CLA	CMB-C2B-C1B	-6.12	119.06	128.46
14	A	836	CLA	C4A-NA-C1A	6.12	109.46	106.71
13	1	803	CL0	C4A-NA-C1A	6.11	109.45	106.71
14	b	830	CLA	CMB-C2B-C1B	-6.09	119.10	128.46
14	B	815	CLA	C4A-NA-C1A	6.09	109.44	106.71
14	B	807	CLA	C4A-NA-C1A	6.08	109.44	106.71
14	2	830	CLA	CMB-C2B-C1B	-6.08	119.12	128.46
14	b	814	CLA	C4A-NA-C1A	6.08	109.44	106.71
14	2	825	CLA	C4A-NA-C1A	6.07	109.44	106.71
14	b	833	CLA	C4A-NA-C1A	6.07	109.44	106.71
14	2	814	CLA	C4A-NA-C1A	6.03	109.42	106.71
14	b	807	CLA	C4A-NA-C1A	5.98	109.39	106.71
14	B	810	CLA	C4A-NA-C1A	5.95	109.38	106.71
14	b	815	CLA	C4A-NA-C1A	5.94	109.38	106.71
14	B	816	CLA	C4A-NA-C1A	5.93	109.37	106.71
14	B	826	CLA	C4A-NA-C1A	5.92	109.37	106.71
14	b	825	CLA	C4A-NA-C1A	5.91	109.36	106.71
14	A	815	CLA	C4A-NA-C1A	5.88	109.35	106.71
14	2	809	CLA	C4A-NA-C1A	5.88	109.35	106.71
14	b	810	CLA	C4A-NA-C1A	5.87	109.35	106.71
14	a	834	CLA	CMB-C2B-C1B	-5.86	119.45	128.46
14	A	833	CLA	CMB-C2B-C1B	-5.83	119.50	128.46
14	b	826	CLA	CMB-C2B-C1B	-5.83	119.51	128.46
14	2	826	CLA	CMB-C2B-C1B	-5.82	119.52	128.46
14	1	832	CLA	CMB-C2B-C1B	-5.81	119.53	128.46
14	2	806	CLA	C4A-NA-C1A	5.81	109.32	106.71
14	2	836	CLA	C4A-NA-C1A	5.81	109.32	106.71
14	B	827	CLA	CMB-C2B-C1B	-5.80	119.54	128.46
14	1	814	CLA	C4A-NA-C1A	5.79	109.31	106.71
14	2	815	CLA	C4A-NA-C1A	5.79	109.31	106.71
14	a	816	CLA	C4A-NA-C1A	5.77	109.30	106.71
14	A	818	CLA	C4A-NA-C1A	5.77	109.30	106.71
14	a	819	CLA	C4A-NA-C1A	5.74	109.29	106.71
14	a	832	CLA	C4A-NA-C1A	5.74	109.29	106.71
14	1	817	CLA	C4A-NA-C1A	5.73	109.28	106.71
14	B	837	CLA	C4A-NA-C1A	5.72	109.28	106.71
14	b	836	CLA	C4A-NA-C1A	5.72	109.28	106.71
14	f	201	CLA	C4A-NA-C1A	5.71	109.28	106.71
14	b	819	CLA	CMB-C2B-C1B	-5.70	119.70	128.46
14	1	841	CLA	C4A-NA-C1A	5.70	109.27	106.71
14	b	841	CLA	CMB-C2B-C1B	-5.70	119.71	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	B	820	CLA	CMB-C2B-C1B	-5.69	119.72	128.46
14	B	842	CLA	CMB-C2B-C1B	-5.69	119.72	128.46
14	2	819	CLA	CMB-C2B-C1B	-5.69	119.72	128.46
14	2	841	CLA	CMB-C2B-C1B	-5.68	119.73	128.46
14	A	813	CLA	CMB-C2B-C1B	-5.67	119.75	128.46
14	a	814	CLA	CMB-C2B-C1B	-5.66	119.76	128.46
14	1	812	CLA	CMB-C2B-C1B	-5.66	119.77	128.46
14	F	201	CLA	C4A-NA-C1A	5.64	109.24	106.71
14	7	1103	CLA	C4A-NA-C1A	5.64	109.24	106.71
14	A	831	CLA	C4A-NA-C1A	5.63	109.24	106.71
14	1	830	CLA	C4A-NA-C1A	5.63	109.24	106.71
14	l	4206	CLA	C4A-NA-C1A	5.63	109.23	106.71
14	j	102	CLA	C4A-NA-C1A	5.61	109.23	106.71
14	b	821	CLA	C4A-NA-C1A	5.59	109.22	106.71
14	J	102	CLA	C4A-NA-C1A	5.58	109.22	106.71
14	L	1503	CLA	C4A-NA-C1A	5.57	109.21	106.71
14	B	822	CLA	C4A-NA-C1A	5.55	109.20	106.71
14	a	806	CLA	C4A-NA-C1A	5.55	109.20	106.71
14	A	805	CLA	C4A-NA-C1A	5.53	109.19	106.71
14	1	812	CLA	C4A-NA-C1A	5.53	109.19	106.71
14	A	813	CLA	C4A-NA-C1A	5.53	109.19	106.71
14	7	1101	CLA	C4A-NA-C1A	5.52	109.19	106.71
14	2	821	CLA	C4A-NA-C1A	5.51	109.18	106.71
14	0	208	CLA	C4A-NA-C1A	5.51	109.18	106.71
14	a	814	CLA	C4A-NA-C1A	5.50	109.18	106.71
14	1	820	CLA	CMB-C2B-C1B	-5.43	120.12	128.46
14	A	821	CLA	CMB-C2B-C1B	-5.42	120.13	128.46
14	A	823	CLA	CMB-C2B-C1B	-5.41	120.15	128.46
14	b	801	CLA	C4A-NA-C1A	5.41	109.14	106.71
14	A	823	CLA	C4A-NA-C1A	5.40	109.13	106.71
14	a	822	CLA	CMB-C2B-C1B	-5.40	120.17	128.46
14	1	822	CLA	CMB-C2B-C1B	-5.38	120.19	128.46
14	a	824	CLA	CMB-C2B-C1B	-5.37	120.21	128.46
14	0	202	CLA	C4A-NA-C1A	5.36	109.11	106.71
14	a	824	CLA	C4A-NA-C1A	5.34	109.11	106.71
14	1	822	CLA	C4A-NA-C1A	5.31	109.09	106.71
14	B	802	CLA	C4A-NA-C1A	5.31	109.09	106.71
14	b	834	CLA	C4A-NA-C1A	5.28	109.08	106.71
14	L	1501	CLA	CMB-C2B-C1B	-5.27	120.37	128.46
14	b	818	CLA	CMB-C2B-C1B	-5.25	120.39	128.46
14	B	835	CLA	C4A-NA-C1A	5.24	109.06	106.71
14	l	4204	CLA	CMB-C2B-C1B	-5.24	120.41	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	821	CLA	C4A-NA-C1A	5.24	109.06	106.71
14	0	206	CLA	CMB-C2B-C1B	-5.23	120.42	128.46
14	2	818	CLA	CMB-C2B-C1B	-5.23	120.43	128.46
14	B	819	CLA	CMB-C2B-C1B	-5.22	120.45	128.46
14	a	822	CLA	C4A-NA-C1A	5.21	109.05	106.71
14	b	830	CLA	C4A-NA-C1A	5.20	109.04	106.71
14	B	831	CLA	C4A-NA-C1A	5.17	109.03	106.71
14	B	801	CLA	C4A-NA-C1A	5.17	109.03	106.71
14	2	834	CLA	C4A-NA-C1A	5.17	109.03	106.71
14	b	813	CLA	C4A-NA-C1A	5.16	109.03	106.71
14	1	820	CLA	C4A-NA-C1A	5.14	109.02	106.71
14	B	829	CLA	C4A-NA-C1A	5.13	109.01	106.71
14	2	813	CLA	C4A-NA-C1A	5.12	109.01	106.71
14	B	806	CLA	CMB-C2B-C1B	-5.12	120.59	128.46
14	b	801	CLA	CMB-C2B-C1B	-5.12	120.60	128.46
14	b	832	CLA	CHD-C1D-ND	-5.11	119.76	124.45
14	B	802	CLA	CMB-C2B-C1B	-5.11	120.61	128.46
14	2	828	CLA	C4A-NA-C1A	5.11	109.00	106.71
14	a	807	CLA	CMB-C2B-C1B	-5.10	120.62	128.46
14	2	805	CLA	CMB-C2B-C1B	-5.10	120.62	128.46
14	b	806	CLA	CMB-C2B-C1B	-5.09	120.64	128.46
14	A	806	CLA	CMB-C2B-C1B	-5.09	120.64	128.46
14	0	202	CLA	CMB-C2B-C1B	-5.09	120.64	128.46
14	B	833	CLA	CHD-C1D-ND	-5.09	119.78	124.45
14	1	805	CLA	CMB-C2B-C1B	-5.08	120.65	128.46
14	2	830	CLA	C4A-NA-C1A	5.07	108.99	106.71
14	2	825	CLA	CMB-C2B-C1B	-5.07	120.67	128.46
14	a	804	CLA	C4A-NA-C1A	5.06	108.98	106.71
14	a	828	CLA	C4A-NA-C1A	5.06	108.98	106.71
14	B	826	CLA	CMB-C2B-C1B	-5.06	120.69	128.46
14	b	825	CLA	CMB-C2B-C1B	-5.06	120.69	128.46
14	2	832	CLA	CHD-C1D-ND	-5.05	119.81	124.45
14	b	828	CLA	C4A-NA-C1A	5.05	108.98	106.71
14	a	830	CLA	CMB-C2B-C1B	-5.04	120.72	128.46
14	A	829	CLA	CMB-C2B-C1B	-5.04	120.72	128.46
14	1	826	CLA	C4A-NA-C1A	5.04	108.97	106.71
14	1	828	CLA	CMB-C2B-C1B	-5.03	120.73	128.46
14	2	801	CLA	C4A-NA-C1A	5.00	108.96	106.71
14	B	814	CLA	C4A-NA-C1A	4.97	108.94	106.71
14	A	827	CLA	C4A-NA-C1A	4.96	108.94	106.71
14	a	854	CLA	C4A-NA-C1A	4.96	108.93	106.71
14	1	819	CLA	CMB-C2B-C1B	-4.95	120.86	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	B	833	CLA	CMB-C2B-C1B	-4.93	120.88	128.46
14	a	821	CLA	CMB-C2B-C1B	-4.93	120.89	128.46
14	A	820	CLA	CMB-C2B-C1B	-4.93	120.89	128.46
14	K	4004	CLA	C4A-NA-C1A	4.92	108.92	106.71
14	b	832	CLA	CMB-C2B-C1B	-4.90	120.94	128.46
14	2	832	CLA	CMB-C2B-C1B	-4.89	120.95	128.46
14	a	834	CLA	CHD-C1D-ND	-4.88	119.97	124.45
14	B	822	CLA	CMB-C2B-C1B	-4.88	120.96	128.46
14	b	821	CLA	CMB-C2B-C1B	-4.88	120.96	128.46
14	1	832	CLA	CHD-C1D-ND	-4.87	119.98	124.45
14	8	4004	CLA	C4A-NA-C1A	4.86	108.89	106.71
14	2	821	CLA	CMB-C2B-C1B	-4.86	121.00	128.46
14	A	833	CLA	CHD-C1D-ND	-4.83	120.02	124.45
14	a	804	CLA	CMB-C2B-C3B	4.82	133.71	124.68
14	B	818	CLA	CMB-C2B-C1B	-4.82	121.05	128.46
14	B	801	CLA	CMB-C2B-C3B	4.81	133.68	124.68
14	2	816	CLA	CMB-C2B-C1B	-4.81	121.07	128.46
14	B	817	CLA	CMB-C2B-C1B	-4.81	121.07	128.46
14	b	817	CLA	CMB-C2B-C1B	-4.80	121.08	128.46
14	2	817	CLA	CMB-C2B-C1B	-4.80	121.09	128.46
14	2	801	CLA	CMB-C2B-C3B	4.79	133.64	124.68
14	a	809	CLA	CMB-C2B-C1B	-4.76	121.14	128.46
14	b	816	CLA	CMB-C2B-C1B	-4.76	121.14	128.46
14	1	821	CLA	C4A-NA-C1A	4.76	108.84	106.71
14	1	807	CLA	CMB-C2B-C1B	-4.75	121.16	128.46
14	1	827	CLA	C4A-NA-C1A	4.74	108.84	106.71
14	B	821	CLA	CMB-C2B-C1B	-4.74	121.18	128.46
14	a	823	CLA	C4A-NA-C1A	4.73	108.83	106.71
14	b	820	CLA	CMB-C2B-C1B	-4.73	121.20	128.46
14	A	822	CLA	C4A-NA-C1A	4.72	108.83	106.71
14	A	808	CLA	CMB-C2B-C1B	-4.72	121.21	128.46
14	a	839	CLA	CMB-C2B-C1B	-4.72	121.22	128.46
14	2	820	CLA	CMB-C2B-C1B	-4.72	121.22	128.46
14	B	837	CLA	CMB-C2B-C1B	-4.71	121.22	128.46
14	b	836	CLA	CMB-C2B-C1B	-4.71	121.22	128.46
14	A	838	CLA	CMB-C2B-C1B	-4.71	121.23	128.46
14	B	828	CLA	CMB-C2B-C1B	-4.70	121.23	128.46
14	2	836	CLA	CMB-C2B-C1B	-4.70	121.24	128.46
14	b	827	CLA	CMB-C2B-C1B	-4.70	121.25	128.46
14	2	827	CLA	CMB-C2B-C1B	-4.69	121.25	128.46
14	A	828	CLA	C4A-NA-C1A	4.67	108.81	106.71
14	1	837	CLA	CMB-C2B-C1B	-4.67	121.29	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	a	829	CLA	C4A-NA-C1A	4.66	108.80	106.71
14	f	204	CLA	CMB-C2B-C1B	-4.65	121.32	128.46
14	B	805	CLA	CMB-C2B-C1B	-4.64	121.33	128.46
14	A	810	CLA	CMB-C2B-C1B	-4.64	121.33	128.46
14	A	815	CLA	CMB-C2B-C1B	-4.63	121.34	128.46
14	1	821	CLA	CMB-C2B-C1B	-4.63	121.34	128.46
14	a	831	CLA	CMB-C2B-C1B	-4.63	121.34	128.46
14	a	811	CLA	CMB-C2B-C1B	-4.63	121.34	128.46
14	A	830	CLA	CMB-C2B-C1B	-4.63	121.35	128.46
14	b	805	CLA	CMB-C2B-C1B	-4.63	121.35	128.46
14	A	843	CLA	C4A-NA-C1A	4.62	108.78	106.71
14	6	4403	CLA	CMB-C2B-C1B	-4.62	121.36	128.46
14	B	830	CLA	CMB-C2B-C1B	-4.62	121.37	128.46
14	F	204	CLA	CMB-C2B-C1B	-4.61	121.37	128.46
14	1	829	CLA	CMB-C2B-C1B	-4.61	121.37	128.46
14	A	822	CLA	CMB-C2B-C1B	-4.61	121.38	128.46
14	a	823	CLA	CMB-C2B-C1B	-4.61	121.38	128.46
14	2	829	CLA	CMB-C2B-C1B	-4.61	121.39	128.46
14	a	811	CLA	C4A-NA-C1A	4.60	108.78	106.71
14	A	816	CLA	CMB-C2B-C1B	-4.60	121.39	128.46
14	1	815	CLA	CMB-C2B-C1B	-4.60	121.39	128.46
14	2	804	CLA	CMB-C2B-C1B	-4.60	121.40	128.46
14	a	816	CLA	CMB-C2B-C1B	-4.59	121.41	128.46
14	A	810	CLA	C4A-NA-C1A	4.58	108.77	106.71
14	1	843	CLA	C4A-NA-C1A	4.58	108.77	106.71
14	1	809	CLA	CMB-C2B-C1B	-4.58	121.42	128.46
14	a	817	CLA	CMB-C2B-C1B	-4.58	121.43	128.46
14	b	829	CLA	CMB-C2B-C1B	-4.58	121.43	128.46
14	a	843	CLA	C4A-NA-C1A	4.57	108.76	106.71
14	1	814	CLA	CMB-C2B-C1B	-4.56	121.45	128.46
14	A	811	CLA	CMB-C2B-C1B	-4.55	121.47	128.46
14	a	812	CLA	CMB-C2B-C1B	-4.53	121.49	128.46
14	1	810	CLA	CMB-C2B-C1B	-4.53	121.50	128.46
14	A	827	CLA	CMB-C2B-C1B	-4.52	121.51	128.46
14	a	828	CLA	CMB-C2B-C1B	-4.52	121.52	128.46
14	1	826	CLA	CMB-C2B-C1B	-4.52	121.52	128.46
14	L	1503	CLA	CMB-C2B-C1B	-4.51	121.53	128.46
14	b	833	CLA	CMB-C2B-C1B	-4.51	121.53	128.46
14	0	208	CLA	CMB-C2B-C1B	-4.50	121.54	128.46
14	2	833	CLA	CMB-C2B-C1B	-4.50	121.56	128.46
14	l	4206	CLA	CMB-C2B-C1B	-4.49	121.56	128.46
14	B	834	CLA	CMB-C2B-C1B	-4.49	121.56	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	1	809	CLA	C4A-NA-C1A	4.47	108.72	106.71
14	b	804	CLA	CMB-C2B-C1B	-4.47	121.59	128.46
14	a	829	CLA	CMB-C2B-C1B	-4.46	121.60	128.46
14	A	841	CLA	CMB-C2B-C1B	-4.46	121.61	128.46
14	b	802	CLA	CMB-C2B-C1B	-4.46	121.61	128.46
14	2	843	CLA	CMB-C2B-C1B	-4.46	121.61	128.46
14	B	804	CLA	CMB-C2B-C1B	-4.46	121.61	128.46
14	1	840	CLA	CMB-C2B-C1B	-4.45	121.63	128.46
14	2	803	CLA	CMB-C2B-C1B	-4.45	121.63	128.46
14	A	828	CLA	CMB-C2B-C1B	-4.43	121.65	128.46
14	b	843	CLA	CMB-C2B-C1B	-4.43	121.66	128.46
14	1	827	CLA	CMB-C2B-C1B	-4.42	121.67	128.46
14	B	814	CLA	CMB-C2B-C1B	-4.40	121.70	128.46
14	b	807	CLA	CMB-C2B-C1B	-4.40	121.70	128.46
14	2	806	CLA	CMB-C2B-C1B	-4.39	121.71	128.46
14	B	844	CLA	CMB-C2B-C1B	-4.39	121.72	128.46
14	B	807	CLA	CMB-C2B-C1B	-4.39	121.72	128.46
14	1	818	CLA	CMB-C2B-C1B	-4.36	121.76	128.46
13	1	803	CL0	CMB-C2B-C1B	-4.36	121.76	128.46
13	a	803	CL0	CMB-C2B-C1B	-4.36	121.76	128.46
14	a	820	CLA	CMB-C2B-C1B	-4.36	121.77	128.46
14	b	813	CLA	CMB-C2B-C1B	-4.36	121.77	128.46
14	A	819	CLA	CMB-C2B-C1B	-4.35	121.77	128.46
14	A	824	CLA	CMB-C2B-C1B	-4.35	121.78	128.46
14	2	813	CLA	CMB-C2B-C1B	-4.35	121.78	128.46
14	l	4205	CLA	CMB-C2B-C1B	-4.34	121.79	128.46
13	A	803	CL0	CMB-C2B-C1B	-4.34	121.80	128.46
14	0	207	CLA	CMB-C2B-C1B	-4.34	121.80	128.46
14	a	825	CLA	CMB-C2B-C1B	-4.34	121.80	128.46
14	b	838	CLA	CMB-C2B-C1B	-4.34	121.80	128.46
14	1	823	CLA	CMB-C2B-C1B	-4.33	121.81	128.46
14	B	839	CLA	CMB-C2B-C1B	-4.32	121.82	128.46
14	2	838	CLA	CMB-C2B-C1B	-4.32	121.83	128.46
14	L	1502	CLA	CMB-C2B-C1B	-4.31	121.84	128.46
14	F	205	CLA	C4A-NA-C1A	4.30	108.64	106.71
14	a	837	CLA	CMB-C2B-C1B	-4.29	121.86	128.46
14	A	836	CLA	CMB-C2B-C1B	-4.29	121.87	128.46
14	1	835	CLA	CMB-C2B-C1B	-4.29	121.88	128.46
14	1	834	CLA	CMB-C2B-C1B	-4.27	121.90	128.46
14	A	835	CLA	CMB-C2B-C1B	-4.26	121.91	128.46
14	a	839	CLA	C4A-NA-C1A	4.25	108.62	106.71
14	B	840	CLA	C4A-NA-C1A	4.24	108.61	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	a	801	LHG	O4-P-O5	4.23	133.18	112.24
14	1	838	CLA	CMB-C2B-C1B	-4.23	121.96	128.46
14	2	815	CLA	CMB-C2B-C1B	-4.23	121.96	128.46
14	a	836	CLA	CMB-C2B-C1B	-4.23	121.96	128.46
12	A	801	LHG	O4-P-O5	4.23	133.14	112.24
12	1	801	LHG	O4-P-O5	4.23	133.13	112.24
14	A	838	CLA	C4A-NA-C1A	4.22	108.61	106.71
14	f	205	CLA	C4A-NA-C1A	4.22	108.61	106.71
14	b	842	CLA	CMB-C2B-C1B	-4.22	121.97	128.46
14	b	839	CLA	C4A-NA-C1A	4.22	108.60	106.71
14	1	825	CLA	CHD-C1D-ND	-4.22	120.58	124.45
14	1	826	CLA	CHD-C1D-ND	-4.22	120.58	124.45
12	9	101	LHG	O4-P-O5	4.22	133.09	112.24
12	M	101	LHG	O4-P-O5	4.22	133.08	112.24
14	6	4404	CLA	C4A-NA-C1A	4.22	108.60	106.71
14	1	837	CLA	C4A-NA-C1A	4.21	108.60	106.71
14	2	842	CLA	CMB-C2B-C1B	-4.21	121.99	128.46
14	J	101	CLA	CMB-C2B-C1B	-4.21	121.99	128.46
12	m	101	LHG	O4-P-O5	4.21	133.04	112.24
14	2	839	CLA	C4A-NA-C1A	4.20	108.59	106.71
14	a	835	CLA	CMB-C2B-C1B	-4.20	122.01	128.46
14	A	843	CLA	CMB-C2B-C1B	-4.20	122.01	128.46
14	a	840	CLA	CMB-C2B-C1B	-4.20	122.01	128.46
14	b	815	CLA	CMB-C2B-C1B	-4.20	122.02	128.46
14	j	101	CLA	CMB-C2B-C1B	-4.19	122.02	128.46
12	b	852	LHG	O4-P-O5	4.19	132.97	112.24
14	B	816	CLA	CMB-C2B-C1B	-4.19	122.02	128.46
14	7	1102	CLA	CMB-C2B-C1B	-4.19	122.02	128.46
12	1	802	LHG	O4-P-O5	4.19	132.95	112.24
14	b	818	CLA	CMB-C2B-C3B	4.19	132.51	124.68
14	j	102	CLA	CMB-C2B-C1B	-4.19	122.03	128.46
12	2	852	LHG	O4-P-O5	4.19	132.93	112.24
14	B	843	CLA	CMB-C2B-C1B	-4.18	122.03	128.46
12	a	802	LHG	O4-P-O5	4.18	132.92	112.24
12	B	853	LHG	O4-P-O5	4.18	132.91	112.24
14	B	819	CLA	CMB-C2B-C3B	4.18	132.50	124.68
12	A	802	LHG	O4-P-O5	4.18	132.91	112.24
14	A	839	CLA	CMB-C2B-C1B	-4.18	122.04	128.46
14	A	826	CLA	CHD-C1D-ND	-4.18	120.62	124.45
14	2	818	CLA	CMB-C2B-C3B	4.18	132.49	124.68
14	a	810	CLA	CMB-C2B-C1B	-4.18	122.05	128.46
14	1	833	CLA	CMB-C2B-C1B	-4.18	122.05	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	7	1103	CLA	CMB-C2B-C1B	-4.17	122.05	128.46
14	a	843	CLA	CMB-C2B-C1B	-4.17	122.05	128.46
14	A	826	CLA	CMB-C2B-C1B	-4.17	122.05	128.46
14	1	808	CLA	CMB-C2B-C1B	-4.17	122.06	128.46
14	1	843	CLA	CMB-C2B-C1B	-4.17	122.06	128.46
14	a	827	CLA	CHD-C1D-ND	-4.16	120.63	124.45
14	a	828	CLA	CHD-C1D-ND	-4.16	120.63	124.45
14	A	834	CLA	CMB-C2B-C1B	-4.16	122.07	128.46
14	J	102	CLA	CMB-C2B-C1B	-4.16	122.07	128.46
14	B	840	CLA	CMB-C2B-C3B	4.16	132.46	124.68
14	A	827	CLA	CHD-C1D-ND	-4.16	120.64	124.45
14	b	839	CLA	CMB-C2B-C3B	4.16	132.45	124.68
14	a	827	CLA	CMB-C2B-C1B	-4.15	122.08	128.46
14	A	809	CLA	CMB-C2B-C1B	-4.14	122.10	128.46
14	2	839	CLA	CMB-C2B-C3B	4.13	132.41	124.68
15	2	845	PQN	C11-C12-C13	-4.12	119.93	126.79
15	B	846	PQN	C11-C12-C13	-4.11	119.96	126.79
14	1	825	CLA	CMB-C2B-C1B	-4.10	122.16	128.46
14	B	813	CLA	CMB-C2B-C1B	-4.09	122.17	128.46
14	F	201	CLA	CMB-C2B-C1B	-4.09	122.17	128.46
14	2	807	CLA	CMB-C2B-C1B	-4.09	122.17	128.46
15	b	845	PQN	C11-C12-C13	-4.09	119.99	126.79
14	B	808	CLA	CMB-C2B-C1B	-4.08	122.19	128.46
17	0	209	BCR	C24-C23-C22	-4.08	120.06	126.23
14	b	808	CLA	CMB-C2B-C1B	-4.08	122.19	128.46
14	l	4203	CLA	CMB-C2B-C1B	-4.08	122.20	128.46
14	f	201	CLA	CMB-C2B-C1B	-4.07	122.21	128.46
14	B	841	CLA	C4A-NA-C1A	4.07	108.53	106.71
17	L	1504	BCR	C24-C23-C22	-4.06	120.10	126.23
14	f	205	CLA	CMB-C2B-C1B	-4.06	122.22	128.46
17	l	4207	BCR	C24-C23-C22	-4.06	120.10	126.23
14	1	841	CLA	CMB-C2B-C1B	-4.06	122.23	128.46
14	2	812	CLA	CMB-C2B-C1B	-4.06	122.23	128.46
14	F	205	CLA	CMB-C2B-C1B	-4.04	122.26	128.46
14	6	4404	CLA	CMB-C2B-C1B	-4.04	122.26	128.46
14	a	815	CLA	CMB-C2B-C1B	-4.02	122.28	128.46
14	A	814	CLA	CMB-C2B-C1B	-4.01	122.30	128.46
14	K	4003	CLA	CMB-C2B-C1B	-4.01	122.30	128.46
14	A	830	CLA	CMB-C2B-C3B	4.01	132.18	124.68
14	k	4003	CLA	CMB-C2B-C1B	-4.01	122.30	128.46
14	1	829	CLA	CMB-C2B-C3B	4.01	132.17	124.68
14	1	813	CLA	CMB-C2B-C1B	-4.01	122.31	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	8	4003	CLA	CMB-C2B-C1B	-4.00	122.31	128.46
14	a	831	CLA	CMB-C2B-C3B	4.00	132.17	124.68
14	b	831	CLA	C2D-C1D-ND	-4.00	107.16	110.10
14	2	840	CLA	C4A-NA-C1A	4.00	108.50	106.71
17	I	101	BCR	C15-C16-C17	-4.00	115.29	123.47
14	a	822	CLA	CMB-C2B-C3B	3.99	132.14	124.68
14	A	821	CLA	CMB-C2B-C3B	3.99	132.14	124.68
14	A	825	CLA	CMB-C2B-C1B	-3.98	122.35	128.46
17	h	101	BCR	C15-C16-C17	-3.98	115.32	123.47
14	1	820	CLA	CMB-C2B-C3B	3.98	132.12	124.68
17	i	4102	BCR	C15-C16-C17	-3.97	115.34	123.47
14	a	826	CLA	CMB-C2B-C1B	-3.97	122.36	128.46
14	b	827	CLA	CMB-C2B-C3B	3.97	132.10	124.68
14	B	832	CLA	C2D-C1D-ND	-3.97	107.18	110.10
14	B	828	CLA	CMB-C2B-C3B	3.97	132.10	124.68
14	2	827	CLA	CMB-C2B-C3B	3.97	132.10	124.68
14	2	805	CLA	CHD-C1D-ND	-3.96	120.81	124.45
14	1	824	CLA	CMB-C2B-C1B	-3.96	122.38	128.46
17	2	849	BCR	C15-C16-C17	-3.95	115.38	123.47
14	2	831	CLA	C2D-C1D-ND	-3.95	107.19	110.10
14	2	840	CLA	CMB-C2B-C1B	-3.95	122.39	128.46
17	b	849	BCR	C15-C16-C17	-3.95	115.39	123.47
14	B	815	CLA	O2D-CGD-O1D	-3.94	116.14	123.84
14	b	840	CLA	C4A-NA-C1A	3.93	108.47	106.71
17	B	850	BCR	C15-C16-C17	-3.93	115.42	123.47
14	b	840	CLA	CMB-C2B-C1B	-3.93	122.42	128.46
14	B	815	CLA	CMB-C2B-C1B	-3.93	122.42	128.46
14	B	806	CLA	CHD-C1D-ND	-3.93	120.84	124.45
14	2	814	CLA	CMB-C2B-C1B	-3.93	122.43	128.46
14	B	841	CLA	CMB-C2B-C1B	-3.92	122.44	128.46
14	a	806	CLA	CMB-C2B-C1B	-3.92	122.44	128.46
14	B	837	CLA	CMB-C2B-C3B	3.92	132.00	124.68
14	b	814	CLA	CMB-C2B-C1B	-3.92	122.45	128.46
14	b	806	CLA	CHD-C1D-ND	-3.92	120.86	124.45
17	b	850	BCR	C24-C23-C22	-3.91	120.32	126.23
17	B	851	BCR	C24-C23-C22	-3.91	120.33	126.23
14	b	814	CLA	O2D-CGD-O1D	-3.91	116.20	123.84
14	2	814	CLA	O2D-CGD-O1D	-3.90	116.20	123.84
14	2	836	CLA	CMB-C2B-C3B	3.90	131.98	124.68
14	b	836	CLA	CMB-C2B-C3B	3.90	131.98	124.68
14	7	1101	CLA	CMB-C2B-C1B	-3.89	122.48	128.46
14	A	805	CLA	CMB-C2B-C1B	-3.89	122.49	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	837	CLA	CMB-C2B-C1B	-3.88	122.50	128.46
14	A	842	CLA	CMB-C2B-C1B	-3.87	122.51	128.46
14	2	805	CLA	CMB-C2B-C3B	3.87	131.92	124.68
14	B	806	CLA	CMB-C2B-C3B	3.86	131.90	124.68
14	1	836	CLA	CMB-C2B-C1B	-3.85	122.54	128.46
14	1	842	CLA	CMB-C2B-C1B	-3.85	122.55	128.46
14	b	806	CLA	CMB-C2B-C3B	3.85	131.88	124.68
17	2	850	BCR	C24-C23-C22	-3.85	120.42	126.23
14	B	821	CLA	CMB-C2B-C3B	3.85	131.87	124.68
14	b	823	CLA	CMB-C2B-C1B	-3.84	122.56	128.46
14	B	839	CLA	CHD-C1D-ND	-3.84	120.92	124.45
14	2	838	CLA	CHD-C1D-ND	-3.84	120.92	124.45
14	a	838	CLA	CMB-C2B-C1B	-3.84	122.56	128.46
14	B	824	CLA	CMB-C2B-C1B	-3.83	122.57	128.46
14	a	842	CLA	CMB-C2B-C1B	-3.83	122.58	128.46
14	2	823	CLA	CMB-C2B-C1B	-3.83	122.58	128.46
14	1	821	CLA	CMB-C2B-C3B	3.83	131.84	124.68
14	f	205	CLA	C2A-C3A-C4A	-3.82	95.69	101.87
14	b	820	CLA	CMB-C2B-C3B	3.82	131.83	124.68
14	B	805	CLA	O2D-CGD-O1D	-3.81	116.39	123.84
14	2	804	CLA	O2D-CGD-O1D	-3.81	116.39	123.84
14	2	820	CLA	CMB-C2B-C3B	3.81	131.80	124.68
14	6	4404	CLA	C2A-C3A-C4A	-3.80	95.73	101.87
14	b	838	CLA	CHD-C1D-ND	-3.80	120.96	124.45
14	F	205	CLA	C2A-C3A-C4A	-3.80	95.73	101.87
14	A	822	CLA	CMB-C2B-C3B	3.79	131.77	124.68
14	b	805	CLA	O2D-CGD-O1D	-3.79	116.43	123.84
14	a	823	CLA	CMB-C2B-C3B	3.78	131.75	124.68
14	B	809	CLA	CHD-C1D-ND	-3.78	120.98	124.45
14	b	828	CLA	CMB-C2B-C1B	-3.76	122.69	128.46
17	8	4005	BCR	C2-C1-C6	3.74	116.24	110.48
14	2	808	CLA	CHD-C1D-ND	-3.74	121.02	124.45
14	2	828	CLA	CMB-C2B-C1B	-3.74	122.72	128.46
14	b	809	CLA	CHD-C1D-ND	-3.73	121.02	124.45
17	k	4004	BCR	C2-C1-C6	3.73	116.23	110.48
17	h	102	BCR	C15-C16-C17	-3.72	115.85	123.47
17	K	4005	BCR	C2-C1-C6	3.72	116.21	110.48
14	b	824	CLA	CMB-C2B-C1B	-3.72	122.75	128.46
17	I	102	BCR	C15-C16-C17	-3.71	115.88	123.47
14	B	829	CLA	CMB-C2B-C1B	-3.70	122.78	128.46
14	b	834	CLA	CMB-C2B-C1B	-3.70	122.78	128.46
14	2	834	CLA	CMB-C2B-C1B	-3.70	122.78	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	i	4103	BCR	C15-C16-C17	-3.69	115.91	123.47
14	B	825	CLA	CMB-C2B-C1B	-3.69	122.79	128.46
14	2	843	CLA	CHD-C1D-ND	-3.68	121.07	124.45
14	2	824	CLA	CMB-C2B-C1B	-3.68	122.81	128.46
14	b	843	CLA	CHD-C1D-ND	-3.68	121.08	124.45
14	B	844	CLA	CHD-C1D-ND	-3.67	121.08	124.45
14	1	839	CLA	CMB-C2B-C1B	-3.67	122.83	128.46
14	B	835	CLA	CMB-C2B-C1B	-3.67	122.83	128.46
14	a	844	CLA	CMB-C2B-C1B	-3.66	122.83	128.46
14	A	844	CLA	CMB-C2B-C1B	-3.66	122.84	128.46
14	a	811	CLA	CMB-C2B-C3B	3.66	131.52	124.68
14	A	810	CLA	CMB-C2B-C3B	3.65	131.51	124.68
14	a	841	CLA	CMB-C2B-C1B	-3.65	122.85	128.46
14	A	816	CLA	CMB-C2B-C3B	3.65	131.51	124.68
14	A	840	CLA	CMB-C2B-C1B	-3.65	122.86	128.46
14	A	812	CLA	CMB-C2B-C1B	-3.64	122.86	128.46
14	a	817	CLA	CMB-C2B-C3B	3.64	131.49	124.68
14	1	815	CLA	CMB-C2B-C3B	3.64	131.49	124.68
14	b	809	CLA	CMB-C2B-C1B	-3.64	122.88	128.46
14	a	805	CLA	CMB-C2B-C1B	-3.63	122.88	128.46
14	1	811	CLA	CMB-C2B-C1B	-3.63	122.88	128.46
14	1	809	CLA	CMB-C2B-C3B	3.63	131.47	124.68
15	A	845	PQN	C14-C13-C15	3.63	121.38	115.27
14	1	831	CLA	O2D-CGD-O1D	-3.63	116.75	123.84
14	A	804	CLA	CMB-C2B-C1B	-3.63	122.89	128.46
15	a	845	PQN	C14-C13-C15	3.62	121.37	115.27
14	A	832	CLA	O2D-CGD-O1D	-3.62	116.76	123.84
14	B	830	CLA	O2D-CGD-O1D	-3.62	116.76	123.84
14	1	844	CLA	CMB-C2B-C1B	-3.62	122.91	128.46
14	1	804	CLA	CMB-C2B-C1B	-3.61	122.91	128.46
14	a	813	CLA	CMB-C2B-C1B	-3.61	122.91	128.46
14	2	837	CLA	CMB-C2B-C1B	-3.61	122.91	128.46
14	a	833	CLA	O2D-CGD-O1D	-3.61	116.79	123.84
14	b	829	CLA	O2D-CGD-O1D	-3.61	116.79	123.84
14	b	837	CLA	CMB-C2B-C1B	-3.60	122.92	128.46
14	B	838	CLA	CMB-C2B-C1B	-3.60	122.92	128.46
15	1	845	PQN	C14-C13-C15	3.60	121.33	115.27
14	2	829	CLA	O2D-CGD-O1D	-3.60	116.79	123.84
14	B	809	CLA	CMB-C2B-C1B	-3.60	122.93	128.46
14	L	1502	CLA	CHD-C1D-ND	-3.60	121.15	124.45
14	B	802	CLA	CMB-C2B-C3B	3.59	131.40	124.68
14	A	817	CLA	CMB-C2B-C1B	-3.59	122.94	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	0	202	CLA	CMB-C2B-C3B	3.59	131.40	124.68
14	1	833	CLA	O2D-CGD-O1D	-3.59	116.82	123.84
14	b	801	CLA	CMB-C2B-C3B	3.59	131.39	124.68
14	1	816	CLA	CMB-C2B-C1B	-3.58	122.95	128.46
14	2	808	CLA	CMB-C2B-C1B	-3.58	122.96	128.46
14	A	834	CLA	O2D-CGD-O1D	-3.57	116.85	123.84
17	k	4001	BCR	C15-C14-C13	-3.57	122.22	127.31
17	7	1104	BCR	C7-C8-C9	-3.57	120.85	126.23
14	b	807	CLA	CMB-C2B-C3B	3.56	131.35	124.68
14	B	807	CLA	CMB-C2B-C3B	3.56	131.34	124.68
14	a	835	CLA	O2D-CGD-O1D	-3.56	116.88	123.84
17	j	103	BCR	C7-C8-C9	-3.56	120.86	126.23
14	a	809	CLA	CHD-C1D-ND	-3.56	121.19	124.45
14	1	807	CLA	CHD-C1D-ND	-3.55	121.19	124.45
14	0	207	CLA	CHD-C1D-ND	-3.55	121.19	124.45
14	a	818	CLA	CMB-C2B-C1B	-3.55	123.01	128.46
14	2	806	CLA	CMB-C2B-C3B	3.55	131.31	124.68
17	1	849	BCR	C15-C16-C17	-3.54	116.22	123.47
17	K	4001	BCR	C15-C14-C13	-3.54	122.26	127.31
17	a	849	BCR	C15-C16-C17	-3.54	116.23	123.47
17	A	849	BCR	C15-C16-C17	-3.53	116.23	123.47
17	J	103	BCR	C7-C8-C9	-3.53	120.89	126.23
14	A	808	CLA	CHD-C1D-ND	-3.53	121.21	124.45
14	a	835	CLA	CMB-C2B-C3B	3.52	131.26	124.68
14	b	834	CLA	CHD-C1D-ND	-3.52	121.22	124.45
17	8	4001	BCR	C15-C14-C13	-3.51	122.30	127.31
14	b	817	CLA	CMB-C2B-C3B	3.51	131.24	124.68
14	l	4205	CLA	CHD-C1D-ND	-3.50	121.23	124.45
17	i	4103	BCR	C11-C10-C9	-3.50	122.31	127.31
14	2	834	CLA	CHD-C1D-ND	-3.50	121.24	124.45
14	1	833	CLA	CMB-C2B-C3B	3.50	131.22	124.68
14	b	810	CLA	CMB-C2B-C1B	-3.49	123.10	128.46
14	a	830	CLA	CMB-C2B-C3B	3.49	131.21	124.68
14	1	818	CLA	CMB-C2B-C3B	3.49	131.21	124.68
14	B	810	CLA	CMB-C2B-C1B	-3.49	123.10	128.46
14	A	834	CLA	CMB-C2B-C3B	3.49	131.20	124.68
17	I	102	BCR	C15-C14-C13	-3.48	122.34	127.31
12	1	802	LHG	O8-C23-C24	3.48	120.52	111.38
14	B	818	CLA	CMB-C2B-C3B	3.48	131.19	124.68
14	a	836	CLA	C2D-C1D-ND	-3.48	107.54	110.10
14	2	809	CLA	CMB-C2B-C1B	-3.48	123.11	128.46
14	K	4004	CLA	CMB-C2B-C1B	-3.48	123.12	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	829	CLA	CMB-C2B-C3B	3.48	131.19	124.68
14	2	817	CLA	CMB-C2B-C3B	3.48	131.19	124.68
17	h	102	BCR	C11-C10-C9	-3.48	122.35	127.31
14	b	815	CLA	C2D-C1D-ND	-3.47	107.54	110.10
14	l	4205	CLA	O2D-CGD-O1D	-3.47	117.05	123.84
14	A	821	CLA	O2D-CGD-O1D	-3.47	117.05	123.84
14	L	1502	CLA	O2D-CGD-O1D	-3.47	117.05	123.84
14	A	838	CLA	O2D-CGD-O1D	-3.47	117.06	123.84
14	1	837	CLA	O2D-CGD-O1D	-3.47	117.06	123.84
14	1	834	CLA	C2D-C1D-ND	-3.47	107.55	110.10
14	A	819	CLA	CMB-C2B-C3B	3.47	131.16	124.68
14	a	822	CLA	O2D-CGD-O1D	-3.47	117.06	123.84
14	1	828	CLA	CMB-C2B-C3B	3.46	131.16	124.68
14	1	820	CLA	O2D-CGD-O1D	-3.46	117.07	123.84
14	8	4004	CLA	CMB-C2B-C1B	-3.46	123.14	128.46
14	B	831	CLA	CMB-C2B-C3B	3.46	131.15	124.68
14	0	207	CLA	O2D-CGD-O1D	-3.46	117.07	123.84
14	b	830	CLA	CMB-C2B-C3B	3.46	131.15	124.68
12	A	802	LHG	O8-C23-C24	3.46	120.45	111.38
14	a	839	CLA	O2D-CGD-O1D	-3.46	117.08	123.84
14	a	820	CLA	CMB-C2B-C3B	3.46	131.15	124.68
12	a	802	LHG	O8-C23-C24	3.46	120.44	111.38
17	i	4103	BCR	C15-C14-C13	-3.45	122.38	127.31
14	b	810	CLA	O2D-CGD-O1D	-3.45	117.08	123.84
17	L	1505	BCR	C28-C27-C26	-3.45	107.91	114.08
14	A	835	CLA	C2D-C1D-ND	-3.45	107.56	110.10
14	B	810	CLA	O2D-CGD-O1D	-3.45	117.09	123.84
14	b	808	CLA	O2D-CGD-O1D	-3.45	117.09	123.84
14	2	809	CLA	O2D-CGD-O1D	-3.45	117.09	123.84
14	2	839	CLA	CHD-C1D-ND	-3.45	121.28	124.45
14	2	807	CLA	O2D-CGD-O1D	-3.45	117.10	123.84
14	B	835	CLA	CHD-C1D-ND	-3.45	121.29	124.45
14	B	808	CLA	O2D-CGD-O1D	-3.44	117.10	123.84
17	0	204	BCR	C28-C27-C26	-3.44	107.93	114.08
14	a	854	CLA	CMB-C2B-C1B	-3.44	123.18	128.46
17	0	210	BCR	C28-C27-C26	-3.44	107.94	114.08
14	B	840	CLA	CHD-C1D-ND	-3.44	121.29	124.45
17	I	102	BCR	C11-C10-C9	-3.42	122.42	127.31
14	b	839	CLA	CHD-C1D-ND	-3.41	121.32	124.45
14	2	830	CLA	CMB-C2B-C3B	3.41	131.06	124.68
17	h	102	BCR	C15-C14-C13	-3.40	122.45	127.31
14	B	816	CLA	C2D-C1D-ND	-3.40	107.60	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	a	815	CLA	O2D-CGD-O1D	-3.40	117.19	123.84
14	1	834	CLA	O2D-CGD-O1D	-3.40	117.20	123.84
14	A	814	CLA	O2D-CGD-O1D	-3.40	117.20	123.84
14	1	813	CLA	O2D-CGD-O1D	-3.39	117.21	123.84
17	B	851	BCR	C37-C22-C21	-3.38	118.19	122.92
14	b	827	CLA	C4A-NA-C1A	3.38	108.23	106.71
14	2	822	CLA	CMB-C2B-C1B	-3.38	123.27	128.46
17	2	851	BCR	C24-C23-C22	-3.38	121.13	126.23
17	B	854	BCR	C15-C14-C13	-3.38	122.49	127.31
14	a	836	CLA	O2D-CGD-O1D	-3.38	117.24	123.84
14	2	815	CLA	C2D-C1D-ND	-3.37	107.62	110.10
17	i	4102	BCR	C15-C14-C13	-3.37	122.50	127.31
14	2	810	CLA	CMB-C2B-C1B	-3.37	123.28	128.46
17	b	851	BCR	C24-C23-C22	-3.37	121.14	126.23
17	I	101	BCR	C15-C14-C13	-3.37	122.51	127.31
14	b	822	CLA	CMB-C2B-C1B	-3.37	123.29	128.46
14	A	835	CLA	O2D-CGD-O1D	-3.36	117.26	123.84
17	a	850	BCR	C15-C16-C17	-3.36	116.58	123.47
17	b	853	BCR	C15-C14-C13	-3.36	122.51	127.31
17	2	850	BCR	C37-C22-C21	-3.36	118.22	122.92
14	a	825	CLA	O2D-CGD-O1D	-3.36	117.27	123.84
17	B	852	BCR	C24-C23-C22	-3.36	121.16	126.23
17	L	1505	BCR	C15-C16-C17	-3.35	116.60	123.47
17	A	850	BCR	C15-C16-C17	-3.35	116.60	123.47
17	h	101	BCR	C15-C14-C13	-3.35	122.53	127.31
14	A	827	CLA	CMB-C2B-C3B	3.35	130.95	124.68
14	b	811	CLA	CMB-C2B-C1B	-3.35	123.31	128.46
14	1	823	CLA	O2D-CGD-O1D	-3.35	117.29	123.84
14	A	824	CLA	O2D-CGD-O1D	-3.35	117.29	123.84
17	0	210	BCR	C15-C16-C17	-3.35	116.62	123.47
17	b	850	BCR	C37-C22-C21	-3.35	118.24	122.92
14	b	841	CLA	CMB-C2B-C3B	3.34	130.93	124.68
14	2	841	CLA	CMB-C2B-C3B	3.34	130.93	124.68
14	1	826	CLA	CMB-C2B-C3B	3.33	130.92	124.68
14	B	823	CLA	CMB-C2B-C1B	-3.33	123.34	128.46
14	B	832	CLA	C1B-CHB-C4A	-3.33	123.52	130.12
14	l	4203	CLA	C2D-C1D-ND	-3.33	107.65	110.10
17	0	204	BCR	C15-C16-C17	-3.33	116.65	123.47
17	k	4001	BCR	C15-C16-C17	-3.33	116.65	123.47
14	f	205	CLA	CMB-C2B-C3B	3.33	130.91	124.68
14	B	842	CLA	CMB-C2B-C3B	3.33	130.91	124.68
14	B	828	CLA	C4A-NA-C1A	3.33	108.20	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	8	4001	BCR	C15-C16-C17	-3.33	116.66	123.47
17	6	4406	BCR	C15-C14-C13	-3.33	122.56	127.31
14	2	831	CLA	C1B-CHB-C4A	-3.33	123.53	130.12
14	a	828	CLA	CMB-C2B-C3B	3.32	130.90	124.68
14	B	811	CLA	CMB-C2B-C1B	-3.32	123.36	128.46
14	2	827	CLA	CHD-C1D-ND	-3.32	121.40	124.45
14	A	811	CLA	CMB-C2B-C3B	3.32	130.89	124.68
14	F	205	CLA	CMB-C2B-C3B	3.32	130.89	124.68
14	2	827	CLA	C4A-NA-C1A	3.32	108.20	106.71
14	b	831	CLA	C1B-CHB-C4A	-3.31	123.56	130.12
14	b	827	CLA	CHD-C1D-ND	-3.31	121.41	124.45
14	6	4404	CLA	CMB-C2B-C3B	3.31	130.87	124.68
17	1	850	BCR	C15-C16-C17	-3.31	116.70	123.47
17	K	4001	BCR	C15-C16-C17	-3.31	116.70	123.47
14	B	813	CLA	C2D-C1D-ND	-3.30	107.67	110.10
14	a	812	CLA	CMB-C2B-C3B	3.30	130.86	124.68
14	B	828	CLA	CHD-C1D-ND	-3.30	121.42	124.45
14	1	810	CLA	CMB-C2B-C3B	3.28	130.81	124.68
19	i	4101	LMT	O5B-C5B-C4B	3.28	115.64	109.69
14	1	838	CLA	O2D-CGD-O1D	-3.27	117.44	123.84
13	1	803	CL0	O2D-CGD-O1D	-3.27	117.44	123.84
13	a	803	CL0	O2D-CGD-O1D	-3.26	117.46	123.84
14	a	839	CLA	C2D-C1D-ND	-3.26	107.70	110.10
14	B	827	CLA	O2D-CGD-O1D	-3.26	117.46	123.84
14	2	826	CLA	O2D-CGD-O1D	-3.26	117.46	123.84
14	A	839	CLA	O2D-CGD-O1D	-3.26	117.46	123.84
14	a	829	CLA	CHD-C1D-ND	-3.26	121.46	124.45
14	l	4204	CLA	CMB-C2B-C3B	3.26	130.78	124.68
14	A	843	CLA	O2D-CGD-O1D	-3.26	117.47	123.84
14	b	826	CLA	O2D-CGD-O1D	-3.26	117.47	123.84
13	A	803	CL0	O2D-CGD-O1D	-3.26	117.47	123.84
14	B	841	CLA	O2D-CGD-O1D	-3.26	117.47	123.84
14	b	840	CLA	O2D-CGD-O1D	-3.26	117.47	123.84
14	b	842	CLA	C4A-NA-C1A	3.26	108.17	106.71
14	a	840	CLA	O2D-CGD-O1D	-3.26	117.47	123.84
14	2	842	CLA	C4A-NA-C1A	3.25	108.17	106.71
14	a	842	CLA	O2D-CGD-O1D	-3.25	117.48	123.84
14	B	833	CLA	O2D-CGD-O1D	-3.25	117.48	123.84
14	2	840	CLA	O2D-CGD-O1D	-3.25	117.48	123.84
14	2	842	CLA	C1B-CHB-C4A	-3.25	123.68	130.12
14	1	817	CLA	CMB-C2B-C1B	-3.25	123.47	128.46
14	L	1501	CLA	CMB-C2B-C3B	3.25	130.76	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	a	843	CLA	O2D-CGD-O1D	-3.25	117.48	123.84
19	h	103	LMT	O5B-C5B-C4B	3.25	115.59	109.69
14	1	843	CLA	O2D-CGD-O1D	-3.25	117.49	123.84
14	B	843	CLA	C1B-CHB-C4A	-3.25	123.69	130.12
14	A	838	CLA	C2D-C1D-ND	-3.24	107.71	110.10
14	b	816	CLA	O2D-CGD-O1D	-3.24	117.50	123.84
14	A	831	CLA	CMB-C2B-C3B	3.24	130.75	124.68
14	2	816	CLA	CMB-C2B-C3B	3.24	130.75	124.68
14	2	812	CLA	C2D-C1D-ND	-3.24	107.71	110.10
14	1	842	CLA	O2D-CGD-O1D	-3.24	117.50	123.84
14	b	842	CLA	C1B-CHB-C4A	-3.24	123.70	130.12
14	B	817	CLA	O2D-CGD-O1D	-3.24	117.50	123.84
14	a	832	CLA	CMB-C2B-C3B	3.24	130.74	124.68
14	L	1503	CLA	CMB-C2B-C3B	3.24	130.74	124.68
14	B	830	CLA	CMB-C2B-C3B	3.24	130.74	124.68
14	0	206	CLA	CMB-C2B-C3B	3.24	130.74	124.68
14	A	828	CLA	CHD-C1D-ND	-3.23	121.48	124.45
14	2	832	CLA	O2D-CGD-O1D	-3.23	117.52	123.84
19	I	103	LMT	O5B-C5B-C4B	3.23	115.56	109.69
14	a	837	CLA	O2D-CGD-O1D	-3.23	117.53	123.84
14	1	827	CLA	CHD-C1D-ND	-3.23	121.49	124.45
14	1	804	CLA	O2D-CGD-O1D	-3.23	117.53	123.84
14	1	812	CLA	CMB-C2B-C3B	3.23	130.71	124.68
14	A	842	CLA	O2D-CGD-O1D	-3.22	117.53	123.84
14	1	830	CLA	CMB-C2B-C3B	3.22	130.71	124.68
14	2	815	CLA	CMB-C2B-C3B	3.22	130.71	124.68
14	1	4206	CLA	CMB-C2B-C3B	3.22	130.71	124.68
14	B	817	CLA	CMB-C2B-C3B	3.22	130.71	124.68
14	2	829	CLA	CMB-C2B-C3B	3.22	130.71	124.68
14	B	843	CLA	C4A-NA-C1A	3.22	108.15	106.71
14	0	208	CLA	CMB-C2B-C3B	3.22	130.70	124.68
14	a	805	CLA	O2D-CGD-O1D	-3.22	117.55	123.84
17	B	851	BCR	C15-C14-C13	-3.22	122.72	127.31
14	A	836	CLA	O2D-CGD-O1D	-3.21	117.55	123.84
14	b	816	CLA	CMB-C2B-C3B	3.21	130.69	124.68
14	b	832	CLA	O2D-CGD-O1D	-3.21	117.56	123.84
14	2	844	CLA	C3A-C4A-CHB	-3.21	119.98	123.91
14	1	835	CLA	O2D-CGD-O1D	-3.21	117.57	123.84
14	2	834	CLA	O2D-CGD-O1D	-3.21	117.57	123.84
14	A	818	CLA	CMB-C2B-C1B	-3.21	123.54	128.46
14	a	819	CLA	CMB-C2B-C1B	-3.21	123.54	128.46
14	A	804	CLA	O2D-CGD-O1D	-3.20	117.58	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	813	CLA	CMB-C2B-C3B	3.20	130.67	124.68
14	b	834	CLA	O2D-CGD-O1D	-3.20	117.58	123.84
17	j	103	BCR	C15-C16-C17	-3.20	116.92	123.47
14	2	816	CLA	O2D-CGD-O1D	-3.20	117.58	123.84
17	2	850	BCR	C15-C14-C13	-3.20	122.75	127.31
14	1	837	CLA	C2D-C1D-ND	-3.20	107.75	110.10
14	B	816	CLA	CMB-C2B-C3B	3.20	130.66	124.68
14	b	815	CLA	CMB-C2B-C3B	3.19	130.65	124.68
14	a	814	CLA	CMB-C2B-C3B	3.19	130.65	124.68
17	b	846	BCR	C15-C16-C17	-3.19	116.94	123.47
14	B	835	CLA	O2D-CGD-O1D	-3.19	117.60	123.84
14	1	807	CLA	CMB-C2B-C3B	3.19	130.65	124.68
17	7	1104	BCR	C15-C16-C17	-3.19	116.94	123.47
14	b	804	CLA	O2D-CGD-O1D	-3.19	117.61	123.84
14	a	809	CLA	CMB-C2B-C3B	3.18	130.63	124.68
14	b	844	CLA	C3A-C4A-CHB	-3.18	120.02	123.91
17	b	850	BCR	C15-C14-C13	-3.18	122.77	127.31
14	b	829	CLA	CMB-C2B-C3B	3.18	130.62	124.68
17	B	847	BCR	C15-C16-C17	-3.18	116.96	123.47
14	1	822	CLA	O2D-CGD-O1D	-3.17	117.63	123.84
17	J	103	BCR	C15-C16-C17	-3.17	116.97	123.47
14	a	807	CLA	O2D-CGD-O1D	-3.17	117.64	123.84
14	B	804	CLA	O2D-CGD-O1D	-3.17	117.64	123.84
14	1	840	CLA	O2D-CGD-O1D	-3.17	117.64	123.84
14	K	4002	CLA	CMB-C2B-C1B	-3.17	123.59	128.46
14	B	821	CLA	O2D-CGD-O1D	-3.17	117.64	123.84
14	B	845	CLA	C3A-C4A-CHB	-3.17	120.03	123.91
14	a	807	CLA	CMB-C2B-C3B	3.17	130.60	124.68
14	b	802	CLA	O2D-CGD-O1D	-3.17	117.65	123.84
14	A	806	CLA	O2D-CGD-O1D	-3.16	117.65	123.84
17	2	846	BCR	C15-C16-C17	-3.16	117.00	123.47
17	9	102	BCR	C15-C16-C17	-3.16	117.00	123.47
14	k	4002	CLA	CMB-C2B-C1B	-3.16	123.61	128.46
14	1	827	CLA	C1B-CHB-C4A	-3.15	123.87	130.12
14	A	806	CLA	CMB-C2B-C3B	3.15	130.58	124.68
14	2	803	CLA	O2D-CGD-O1D	-3.15	117.67	123.84
14	A	823	CLA	O2D-CGD-O1D	-3.15	117.68	123.84
14	a	824	CLA	O2D-CGD-O1D	-3.15	117.68	123.84
14	A	841	CLA	O2D-CGD-O1D	-3.15	117.68	123.84
14	b	820	CLA	O2D-CGD-O1D	-3.15	117.68	123.84
14	8	4002	CLA	CMB-C2B-C1B	-3.15	123.63	128.46
14	B	826	CLA	CMB-C2B-C3B	3.15	130.57	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	2	825	CLA	CMB-C2B-C3B	3.15	130.56	124.68
14	A	808	CLA	CMB-C2B-C3B	3.14	130.56	124.68
14	1	805	CLA	O2D-CGD-O1D	-3.14	117.69	123.84
17	b	854	BCR	C15-C16-C17	-3.14	117.04	123.47
14	A	828	CLA	C1B-CHB-C4A	-3.14	123.90	130.12
17	M	102	BCR	C15-C16-C17	-3.14	117.04	123.47
14	a	829	CLA	C1B-CHB-C4A	-3.14	123.90	130.12
14	2	820	CLA	O2D-CGD-O1D	-3.14	117.70	123.84
14	A	837	CLA	O2D-CGD-O1D	-3.14	117.71	123.84
14	1	805	CLA	CMB-C2B-C3B	3.13	130.54	124.68
14	b	839	CLA	O2D-CGD-O1D	-3.13	117.71	123.84
17	2	850	BCR	C15-C16-C17	-3.13	117.06	123.47
14	b	811	CLA	O2D-CGD-O1D	-3.13	117.72	123.84
14	B	840	CLA	O2D-CGD-O1D	-3.13	117.72	123.84
14	2	818	CLA	O2D-CGD-O1D	-3.13	117.72	123.84
14	A	828	CLA	CMB-C2B-C3B	3.13	130.53	124.68
14	B	819	CLA	O2D-CGD-O1D	-3.13	117.72	123.84
17	b	850	BCR	C15-C16-C17	-3.13	117.07	123.47
14	1	836	CLA	O2D-CGD-O1D	-3.13	117.73	123.84
14	2	835	CLA	CMB-C2B-C1B	-3.12	123.66	128.46
14	b	819	CLA	O2D-CGD-O1D	-3.12	117.73	123.84
14	2	810	CLA	O2D-CGD-O1D	-3.12	117.73	123.84
14	a	838	CLA	O2D-CGD-O1D	-3.12	117.74	123.84
14	b	825	CLA	CMB-C2B-C3B	3.12	130.51	124.68
14	b	841	CLA	CHD-C1D-ND	-3.12	121.59	124.45
17	a	851	BCR	C24-C23-C22	-3.11	121.53	126.23
14	b	835	CLA	CMB-C2B-C1B	-3.11	123.68	128.46
17	B	851	BCR	C15-C16-C17	-3.11	117.11	123.47
17	1	851	BCR	C15-C16-C17	-3.11	117.11	123.47
14	b	818	CLA	O2D-CGD-O1D	-3.11	117.77	123.84
14	B	834	CLA	O2D-CGD-O1D	-3.10	117.77	123.84
14	2	801	CLA	O2D-CGD-O1D	-3.10	117.77	123.84
14	2	841	CLA	CHD-C1D-ND	-3.10	121.60	124.45
14	B	820	CLA	O2D-CGD-O1D	-3.10	117.78	123.84
14	B	836	CLA	CMB-C2B-C1B	-3.10	123.70	128.46
17	A	851	BCR	C24-C23-C22	-3.10	121.55	126.23
14	1	808	CLA	O2D-CGD-O1D	-3.10	117.78	123.84
14	b	833	CLA	O2D-CGD-O1D	-3.10	117.78	123.84
14	2	833	CLA	O2D-CGD-O1D	-3.10	117.78	123.84
14	B	831	CLA	C2D-C1D-ND	-3.10	107.82	110.10
14	a	829	CLA	CMB-C2B-C3B	3.10	130.47	124.68
14	2	839	CLA	O2D-CGD-O1D	-3.10	117.78	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	2	830	CLA	C2D-C1D-ND	-3.10	107.82	110.10
17	1	851	BCR	C24-C23-C22	-3.09	121.56	126.23
14	1	832	CLA	O2D-CGD-O1D	-3.09	117.79	123.84
14	A	833	CLA	O2D-CGD-O1D	-3.09	117.79	123.84
14	1	824	CLA	O2D-CGD-O1D	-3.09	117.79	123.84
14	A	809	CLA	O2D-CGD-O1D	-3.09	117.79	123.84
14	a	823	CLA	O2D-CGD-O1D	-3.09	117.79	123.84
14	a	826	CLA	O2D-CGD-O1D	-3.09	117.79	123.84
14	B	801	CLA	O2D-CGD-O1D	-3.09	117.79	123.84
17	A	851	BCR	C15-C16-C17	-3.09	117.14	123.47
14	a	834	CLA	O2D-CGD-O1D	-3.09	117.80	123.84
14	1	827	CLA	CMB-C2B-C3B	3.09	130.45	124.68
14	A	825	CLA	O2D-CGD-O1D	-3.08	117.81	123.84
14	B	811	CLA	O2D-CGD-O1D	-3.08	117.81	123.84
14	F	205	CLA	C2A-C1A-CHA	3.08	129.24	123.86
14	a	804	CLA	O2D-CGD-O1D	-3.07	117.83	123.84
14	a	810	CLA	O2D-CGD-O1D	-3.07	117.83	123.84
14	1	821	CLA	O2D-CGD-O1D	-3.07	117.83	123.84
14	2	819	CLA	O2D-CGD-O1D	-3.07	117.83	123.84
17	a	851	BCR	C15-C16-C17	-3.07	117.18	123.47
14	f	205	CLA	C2A-C1A-CHA	3.07	129.23	123.86
14	6	4404	CLA	C2A-C1A-CHA	3.07	129.23	123.86
14	A	810	CLA	O2D-CGD-O1D	-3.07	117.84	123.84
14	B	842	CLA	CHD-C1D-ND	-3.07	121.64	124.45
14	A	822	CLA	O2D-CGD-O1D	-3.07	117.84	123.84
14	1	824	CLA	CMB-C2B-C3B	3.06	130.41	124.68
14	a	839	CLA	CMB-C2B-C3B	3.06	130.41	124.68
17	A	849	BCR	C11-C10-C9	-3.06	122.94	127.31
14	2	822	CLA	O2D-CGD-O1D	-3.06	117.85	123.84
14	A	838	CLA	CMB-C2B-C3B	3.06	130.41	124.68
14	1	839	CLA	O2D-CGD-O1D	-3.06	117.86	123.84
14	1	818	CLA	O2D-CGD-O1D	-3.05	117.87	123.84
14	2	813	CLA	O2D-CGD-O1D	-3.05	117.87	123.84
14	B	813	CLA	CMB-C2B-C3B	3.05	130.39	124.68
14	l	4203	CLA	CMB-C2B-C3B	3.05	130.39	124.68
14	b	813	CLA	O2D-CGD-O1D	-3.05	117.87	123.84
14	1	840	CLA	C1-C2-C3	-3.05	120.77	126.04
14	a	826	CLA	CMB-C2B-C3B	3.05	130.38	124.68
14	A	825	CLA	CMB-C2B-C3B	3.05	130.38	124.68
14	A	840	CLA	O2D-CGD-O1D	-3.05	117.88	123.84
14	1	807	CLA	C1B-CHB-C4A	-3.04	124.09	130.12
14	B	814	CLA	O2D-CGD-O1D	-3.04	117.89	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	a	841	CLA	O2D-CGD-O1D	-3.04	117.89	123.84
14	1	809	CLA	O2D-CGD-O1D	-3.04	117.89	123.84
14	a	831	CLA	O2D-CGD-O1D	-3.04	117.89	123.84
14	b	830	CLA	C2D-C1D-ND	-3.04	107.86	110.10
14	A	819	CLA	O2D-CGD-O1D	-3.04	117.89	123.84
14	B	834	CLA	CMB-C2B-C3B	3.04	130.37	124.68
14	b	828	CLA	O2D-CGD-O1D	-3.04	117.90	123.84
14	B	829	CLA	O2D-CGD-O1D	-3.04	117.90	123.84
14	a	811	CLA	O2D-CGD-O1D	-3.04	117.90	123.84
14	1	829	CLA	O2D-CGD-O1D	-3.04	117.90	123.84
14	A	841	CLA	C1-C2-C3	-3.03	120.80	126.04
14	A	842	CLA	CMB-C2B-C3B	3.03	130.35	124.68
14	b	809	CLA	CMB-C2B-C3B	3.03	130.35	124.68
14	2	833	CLA	CMB-C2B-C3B	3.03	130.35	124.68
14	b	802	CLA	C1-C2-C3	-3.03	120.80	126.04
14	2	828	CLA	O2D-CGD-O1D	-3.03	117.91	123.84
14	B	812	CLA	CMB-C2B-C3B	3.03	130.35	124.68
14	A	808	CLA	C1B-CHB-C4A	-3.03	124.12	130.12
14	1	837	CLA	CMB-C2B-C3B	3.03	130.34	124.68
14	A	830	CLA	O2D-CGD-O1D	-3.03	117.92	123.84
14	A	824	CLA	CMB-C2B-C3B	3.03	130.34	124.68
14	6	4403	CLA	CMB-C2B-C3B	3.03	130.34	124.68
14	a	820	CLA	O2D-CGD-O1D	-3.03	117.92	123.84
14	2	812	CLA	CMB-C2B-C3B	3.03	130.34	124.68
17	1	849	BCR	C11-C10-C9	-3.03	122.99	127.31
14	a	809	CLA	C1B-CHB-C4A	-3.03	124.12	130.12
14	1	842	CLA	CMB-C2B-C3B	3.02	130.34	124.68
14	B	823	CLA	O2D-CGD-O1D	-3.02	117.93	123.84
14	b	807	CLA	O2D-CGD-O1D	-3.02	117.93	123.84
14	b	833	CLA	CMB-C2B-C3B	3.02	130.33	124.68
14	2	806	CLA	O2D-CGD-O1D	-3.02	117.93	123.84
14	2	805	CLA	O2D-CGD-O1D	-3.02	117.93	123.84
14	a	806	CLA	O2D-CGD-O1D	-3.02	117.94	123.84
17	B	854	BCR	C11-C10-C9	-3.02	123.01	127.31
14	1	823	CLA	CMB-C2B-C3B	3.01	130.32	124.68
14	A	805	CLA	O2D-CGD-O1D	-3.01	117.95	123.84
14	2	814	CLA	O2D-CGD-CBD	3.01	116.62	111.27
14	B	827	CLA	CMB-C2B-C3B	3.01	130.31	124.68
14	2	811	CLA	CMB-C2B-C3B	3.01	130.31	124.68
14	A	842	CLA	C1B-CHB-C4A	-3.01	124.15	130.12
14	b	843	CLA	O2D-CGD-O1D	-3.01	117.95	123.84
14	7	1101	CLA	O2D-CGD-O1D	-3.01	117.95	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	a	831	CLA	C2D-C1D-ND	-3.01	107.89	110.10
14	f	204	CLA	CMB-C2B-C3B	3.01	130.31	124.68
14	B	807	CLA	O2D-CGD-O1D	-3.01	117.95	123.84
14	B	815	CLA	O2D-CGD-CBD	3.01	116.61	111.27
14	b	838	CLA	C2D-C1D-ND	-3.01	107.89	110.10
14	2	807	CLA	CMB-C2B-C3B	3.01	130.31	124.68
14	B	806	CLA	O2D-CGD-O1D	-3.01	117.96	123.84
14	B	842	CLA	O2D-CGD-O1D	-3.01	117.96	123.84
14	1	828	CLA	O2D-CGD-O1D	-3.01	117.96	123.84
17	7	1104	BCR	C11-C10-C9	-3.01	123.02	127.31
14	b	806	CLA	O2D-CGD-O1D	-3.00	117.96	123.84
17	a	849	BCR	C11-C10-C9	-3.00	123.02	127.31
14	B	808	CLA	CMB-C2B-C3B	3.00	130.30	124.68
14	a	842	CLA	C1B-CHB-C4A	-3.00	124.17	130.12
14	1	807	CLA	O2D-CGD-O1D	-3.00	117.97	123.84
14	b	841	CLA	O2D-CGD-O1D	-3.00	117.97	123.84
14	2	843	CLA	O2D-CGD-O1D	-3.00	117.97	123.84
19	h	103	LMT	C1'-O5'-C5'	-3.00	107.80	113.69
14	F	204	CLA	CMB-C2B-C3B	3.00	130.29	124.68
19	i	4101	LMT	C1'-O5'-C5'	-3.00	107.81	113.69
14	2	826	CLA	CMB-C2B-C3B	3.00	130.28	124.68
14	b	826	CLA	C2D-C1D-ND	-2.99	107.90	110.10
14	b	822	CLA	O2D-CGD-O1D	-2.99	117.98	123.84
17	B	851	BCR	C11-C10-C9	-2.99	123.04	127.31
14	1	829	CLA	C2D-C1D-ND	-2.99	107.90	110.10
14	a	842	CLA	CMB-C2B-C3B	2.99	130.28	124.68
14	B	809	CLA	CMB-C2B-C3B	2.99	130.28	124.68
14	B	839	CLA	C2D-C1D-ND	-2.99	107.90	110.10
14	2	831	CLA	O2D-CGD-O1D	-2.99	117.99	123.84
17	6	4406	BCR	C11-C10-C9	-2.99	123.04	127.31
14	b	808	CLA	CMB-C2B-C3B	2.99	130.27	124.68
14	K	4004	CLA	O2D-CGD-O1D	-2.99	117.99	123.84
19	I	103	LMT	C1'-O5'-C5'	-2.99	107.82	113.69
14	0	206	CLA	CHD-C1D-ND	-2.99	121.71	124.45
14	2	808	CLA	CMB-C2B-C3B	2.99	130.27	124.68
14	b	814	CLA	O2D-CGD-CBD	2.99	116.58	111.27
17	J	103	BCR	C11-C10-C9	-2.99	123.05	127.31
14	A	829	CLA	O2D-CGD-O1D	-2.99	118.00	123.84
17	2	850	BCR	C11-C10-C9	-2.99	123.05	127.31
14	a	825	CLA	CMB-C2B-C3B	2.99	130.26	124.68
14	2	841	CLA	O2D-CGD-O1D	-2.98	118.00	123.84
14	b	812	CLA	CMB-C2B-C3B	2.98	130.26	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	b	853	BCR	C11-C10-C9	-2.98	123.06	127.31
14	a	854	CLA	O2D-CGD-O1D	-2.98	118.01	123.84
14	B	844	CLA	O2D-CGD-O1D	-2.98	118.01	123.84
17	j	103	BCR	C11-C10-C9	-2.98	123.06	127.31
14	b	826	CLA	CMB-C2B-C3B	2.98	130.25	124.68
14	2	825	CLA	O2D-CGD-O1D	-2.98	118.02	123.84
14	B	826	CLA	O2D-CGD-O1D	-2.97	118.02	123.84
14	1	842	CLA	C1B-CHB-C4A	-2.97	124.23	130.12
17	K	4001	BCR	C24-C23-C22	-2.97	121.74	126.23
17	b	850	BCR	C11-C10-C9	-2.97	123.08	127.31
14	b	821	CLA	C1B-CHB-C4A	-2.97	124.24	130.12
14	b	825	CLA	O2D-CGD-O1D	-2.96	118.04	123.84
14	b	805	CLA	CMB-C2B-C3B	2.96	130.22	124.68
14	B	832	CLA	O2D-CGD-O1D	-2.96	118.04	123.84
14	8	4004	CLA	O2D-CGD-O1D	-2.96	118.04	123.84
14	l	4204	CLA	CHD-C1D-ND	-2.96	121.73	124.45
14	1	806	CLA	CMB-C2B-C1B	-2.96	123.91	128.46
14	1	840	CLA	C1B-CHB-C4A	-2.96	124.25	130.12
17	k	4001	BCR	C24-C23-C22	-2.96	121.76	126.23
14	B	805	CLA	CMB-C2B-C3B	2.96	130.22	124.68
14	L	1501	CLA	CHD-C1D-ND	-2.96	121.73	124.45
14	b	836	CLA	O2D-CGD-O1D	-2.96	118.05	123.84
14	A	808	CLA	O2D-CGD-O1D	-2.96	118.05	123.84
14	b	831	CLA	O2D-CGD-O1D	-2.96	118.05	123.84
17	8	4001	BCR	C24-C23-C22	-2.95	121.77	126.23
14	a	809	CLA	O2D-CGD-O1D	-2.95	118.06	123.84
14	A	807	CLA	CMB-C2B-C1B	-2.95	123.93	128.46
17	6	4402	BCR	C15-C16-C17	-2.95	117.43	123.47
14	2	838	CLA	C2D-C1D-ND	-2.95	107.93	110.10
14	a	830	CLA	O2D-CGD-O1D	-2.95	118.08	123.84
14	2	827	CLA	O2D-CGD-O1D	-2.95	118.08	123.84
14	B	828	CLA	O2D-CGD-O1D	-2.95	118.08	123.84
14	A	815	CLA	CMB-C2B-C3B	2.95	130.19	124.68
14	b	827	CLA	C1B-CHB-C4A	-2.95	124.28	130.12
14	b	827	CLA	O2D-CGD-O1D	-2.95	118.08	123.84
14	B	812	CLA	O2D-CGD-O1D	-2.94	118.08	123.84
14	2	811	CLA	O2D-CGD-O1D	-2.94	118.08	123.84
14	b	802	CLA	C1B-CHB-C4A	-2.94	124.29	130.12
14	B	837	CLA	O2D-CGD-O1D	-2.94	118.09	123.84
14	0	202	CLA	O2D-CGD-O1D	-2.94	118.09	123.84
14	A	841	CLA	C1B-CHB-C4A	-2.94	124.29	130.12
14	A	811	CLA	C2D-C1D-ND	-2.94	107.94	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	b	812	CLA	O2D-CGD-O1D	-2.94	118.09	123.84
14	2	821	CLA	C1B-CHB-C4A	-2.94	124.29	130.12
14	B	809	CLA	O2D-CGD-O1D	-2.94	118.09	123.84
17	A	850	BCR	C15-C14-C13	-2.94	123.11	127.31
14	2	826	CLA	C2D-C1D-ND	-2.94	107.94	110.10
14	A	841	CLA	CMB-C2B-C3B	2.94	130.17	124.68
13	a	803	CL0	C1-C2-C3	-2.94	120.97	126.04
14	2	836	CLA	O2D-CGD-O1D	-2.94	118.10	123.84
14	a	808	CLA	CMB-C2B-C1B	-2.93	123.95	128.46
14	2	827	CLA	C1B-CHB-C4A	-2.93	124.31	130.12
14	b	833	CLA	C1B-CHB-C4A	-2.93	124.31	130.12
14	A	835	CLA	CHD-C1D-ND	-2.93	121.76	124.45
14	1	814	CLA	CMB-C2B-C3B	2.93	130.16	124.68
14	B	822	CLA	C1B-CHB-C4A	-2.93	124.31	130.12
17	7	1105	BCR	C15-C16-C17	-2.93	117.47	123.47
14	2	831	CLA	C3C-C4C-NC	-2.93	107.28	110.57
17	f	203	BCR	C15-C16-C17	-2.93	117.47	123.47
14	B	828	CLA	C1B-CHB-C4A	-2.93	124.31	130.12
14	B	814	CLA	CMB-C2B-C3B	2.93	130.16	124.68
14	b	809	CLA	O2D-CGD-O1D	-2.93	118.12	123.84
14	a	816	CLA	CMB-C2B-C3B	2.92	130.15	124.68
14	2	808	CLA	O2D-CGD-O1D	-2.92	118.12	123.84
14	B	802	CLA	O2D-CGD-O1D	-2.92	118.12	123.84
17	a	850	BCR	C15-C14-C13	-2.92	123.14	127.31
14	1	834	CLA	CHD-C1D-ND	-2.92	121.77	124.45
17	F	203	BCR	C15-C16-C17	-2.92	117.49	123.47
14	A	812	CLA	C2D-C1D-ND	-2.92	107.95	110.10
14	1	810	CLA	O2D-CGD-O1D	-2.92	118.13	123.84
14	B	834	CLA	C1B-CHB-C4A	-2.92	124.34	130.12
14	2	804	CLA	CMB-C2B-C3B	2.92	130.13	124.68
14	a	812	CLA	C2D-C1D-ND	-2.92	107.95	110.10
14	A	830	CLA	C2D-C1D-ND	-2.91	107.96	110.10
14	a	813	CLA	C2D-C1D-ND	-2.91	107.96	110.10
14	f	201	CLA	O2D-CGD-O1D	-2.91	118.14	123.84
14	B	832	CLA	C3C-C4C-NC	-2.91	107.30	110.57
14	1	840	CLA	CMB-C2B-C3B	2.91	130.13	124.68
13	1	803	CL0	C1-C2-C3	-2.91	121.01	126.04
14	1	810	CLA	C2D-C1D-ND	-2.91	107.96	110.10
14	A	811	CLA	O2D-CGD-O1D	-2.91	118.14	123.84
14	a	812	CLA	O2D-CGD-O1D	-2.91	118.14	123.84
14	b	801	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
14	b	802	CLA	CMB-C2B-C3B	2.91	130.12	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	1	847	BCR	C24-C23-C22	-2.91	121.84	126.23
14	j	101	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
14	F	201	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
17	a	847	BCR	C24-C23-C22	-2.91	121.84	126.23
14	1	811	CLA	C2D-C1D-ND	-2.91	107.96	110.10
14	b	839	CLA	C2D-C1D-ND	-2.91	107.96	110.10
17	2	849	BCR	C27-C26-C25	2.91	126.95	122.73
14	B	827	CLA	C2D-C1D-ND	-2.91	107.96	110.10
14	7	1102	CLA	O2D-CGD-O1D	-2.90	118.16	123.84
14	b	813	CLA	CMB-C2B-C3B	2.90	130.11	124.68
14	b	831	CLA	C3C-C4C-NC	-2.90	107.32	110.57
14	2	813	CLA	CMB-C2B-C3B	2.90	130.11	124.68
14	b	819	CLA	C2D-C1D-ND	-2.90	107.97	110.10
14	2	833	CLA	C1B-CHB-C4A	-2.90	124.37	130.12
17	1	850	BCR	C15-C14-C13	-2.90	123.18	127.31
14	1	841	CLA	O2D-CGD-O1D	-2.90	118.18	123.84
17	j	104	BCR	C15-C16-C17	-2.90	117.54	123.47
14	1	822	CLA	CMB-C2B-C3B	2.89	130.09	124.68
17	6	4406	BCR	C7-C8-C9	-2.89	121.87	126.23
17	J	104	BCR	C15-C16-C17	-2.89	117.56	123.47
14	J	101	CLA	O2D-CGD-O1D	-2.89	118.19	123.84
17	A	847	BCR	C24-C23-C22	-2.88	121.88	126.23
14	A	827	CLA	O2D-CGD-O1D	-2.88	118.20	123.84
14	B	820	CLA	C2D-C1D-ND	-2.88	107.98	110.10
14	l	4203	CLA	O2D-CGD-O1D	-2.88	118.20	123.84
14	a	824	CLA	CMB-C2B-C3B	2.88	130.07	124.68
14	a	808	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
14	a	844	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
14	B	840	CLA	C2D-C1D-ND	-2.88	107.98	110.10
14	1	844	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
14	A	807	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
14	2	839	CLA	C2D-C1D-ND	-2.88	107.98	110.10
13	A	803	CL0	C1-C2-C3	-2.88	121.07	126.04
14	A	807	CLA	CHD-C1D-ND	-2.88	121.81	124.45
17	2	849	BCR	C30-C25-C26	-2.88	118.56	122.61
17	A	849	BCR	C15-C14-C13	-2.87	123.21	127.31
14	1	843	CLA	CHB-C4A-NA	2.87	128.49	124.51
14	1	832	CLA	CMB-C2B-C3B	2.87	130.05	124.68
14	6	4404	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
14	1	805	CLA	C2D-C1D-ND	-2.87	107.99	110.10
14	f	205	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
14	A	844	CLA	O2D-CGD-O1D	-2.87	118.23	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	1	826	CLA	O2D-CGD-O1D	-2.87	118.23	123.84
17	1	849	BCR	C15-C14-C13	-2.87	123.22	127.31
14	1	830	CLA	O2D-CGD-O1D	-2.87	118.23	123.84
14	2	812	CLA	O2D-CGD-O1D	-2.87	118.23	123.84
17	h	102	BCR	C35-C13-C14	-2.87	118.91	122.92
14	a	832	CLA	O2D-CGD-O1D	-2.87	118.24	123.84
14	A	833	CLA	CMB-C2B-C3B	2.86	130.03	124.68
14	F	205	CLA	O2D-CGD-O1D	-2.86	118.24	123.84
14	L	1503	CLA	O2D-CGD-O1D	-2.86	118.24	123.84
17	B	854	BCR	C7-C8-C9	-2.86	121.91	126.23
14	a	834	CLA	CMB-C2B-C3B	2.86	130.03	124.68
14	A	831	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
14	a	828	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
14	a	843	CLA	CHB-C4A-NA	2.86	128.47	124.51
14	a	836	CLA	CHD-C1D-ND	-2.86	121.83	124.45
17	a	849	BCR	C15-C14-C13	-2.86	123.23	127.31
17	B	850	BCR	C27-C26-C25	2.86	126.88	122.73
14	2	819	CLA	C2D-C1D-ND	-2.86	108.00	110.10
14	A	823	CLA	CMB-C2B-C3B	2.86	130.02	124.68
14	2	817	CLA	O2D-CGD-O1D	-2.85	118.26	123.84
14	a	833	CLA	C2D-C1D-ND	-2.85	108.00	110.10
14	8	4004	CLA	C2D-C1D-ND	-2.85	108.00	110.10
14	1	806	CLA	O2D-CGD-O1D	-2.85	118.26	123.84
17	b	853	BCR	C7-C8-C9	-2.85	121.93	126.23
14	0	208	CLA	O2D-CGD-O1D	-2.85	118.27	123.84
18	A	853	LMG	O6-C1-O1	-2.85	103.23	109.97
14	B	818	CLA	O2D-CGD-O1D	-2.85	118.27	123.84
14	2	801	CLA	CHD-C1D-ND	-2.84	121.84	124.45
18	1	852	LMG	O6-C1-O1	-2.84	103.24	109.97
14	A	843	CLA	CHB-C4A-NA	2.84	128.44	124.51
14	a	810	CLA	CMB-C2B-C3B	2.84	129.99	124.68
17	b	849	BCR	C27-C26-C25	2.84	126.85	122.73
14	b	823	CLA	O2D-CGD-O1D	-2.84	118.29	123.84
14	2	823	CLA	O2D-CGD-O1D	-2.84	118.30	123.84
14	B	807	CLA	CHB-C4A-NA	2.83	128.43	124.51
14	8	4002	CLA	CHD-C1D-ND	-2.83	121.85	124.45
18	a	853	LMG	O6-C1-O1	-2.83	103.27	109.97
14	2	831	CLA	CMB-C2B-C3B	2.83	129.97	124.68
14	7	1102	CLA	CMB-C2B-C3B	2.83	129.97	124.68
17	I	102	BCR	C35-C13-C14	-2.83	118.96	122.92
14	a	854	CLA	C2D-C1D-ND	-2.83	108.02	110.10
14	B	813	CLA	O2D-CGD-O1D	-2.83	118.31	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	1	812	CLA	O2D-CGD-O1D	-2.83	118.31	123.84
14	b	817	CLA	O2D-CGD-O1D	-2.83	118.31	123.84
14	l	4206	CLA	O2D-CGD-O1D	-2.83	118.31	123.84
14	J	101	CLA	CMB-C2B-C3B	2.82	129.96	124.68
17	i	4103	BCR	C35-C13-C14	-2.82	118.97	122.92
17	B	850	BCR	C30-C25-C26	-2.82	118.64	122.61
14	A	844	CLA	CHD-C1D-ND	-2.82	121.86	124.45
14	B	844	CLA	C2D-C1D-ND	-2.82	108.02	110.10
14	b	807	CLA	CHB-C4A-NA	2.82	128.41	124.51
14	2	842	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
14	1	808	CLA	CMB-C2B-C3B	2.82	129.96	124.68
14	b	843	CLA	C2D-C1D-ND	-2.82	108.03	110.10
14	a	804	CLA	CHD-C1D-ND	-2.82	121.86	124.45
14	1	843	CLA	C2D-C1D-ND	-2.82	108.03	110.10
14	B	824	CLA	O2D-CGD-O1D	-2.82	118.33	123.84
17	M	102	BCR	C24-C23-C22	-2.81	121.98	126.23
14	A	809	CLA	CMB-C2B-C3B	2.81	129.94	124.68
14	j	101	CLA	CMB-C2B-C3B	2.81	129.94	124.68
14	B	801	CLA	CHD-C1D-ND	-2.81	121.87	124.45
14	a	843	CLA	C2D-C1D-ND	-2.81	108.03	110.10
14	b	842	CLA	O2D-CGD-O1D	-2.81	118.34	123.84
17	9	102	BCR	C24-C23-C22	-2.81	121.99	126.23
14	B	815	CLA	CMB-C2B-C3B	2.81	129.93	124.68
14	b	810	CLA	C2D-C1D-ND	-2.81	108.03	110.10
14	a	844	CLA	CHD-C1D-ND	-2.81	121.87	124.45
14	A	813	CLA	O2D-CGD-O1D	-2.81	118.35	123.84
14	B	832	CLA	CMB-C2B-C3B	2.81	129.93	124.68
17	b	854	BCR	C24-C23-C22	-2.81	122.00	126.23
14	1	827	CLA	O2D-CGD-O1D	-2.80	118.36	123.84
17	6	4405	BCR	C15-C14-C13	-2.80	123.31	127.31
14	a	814	CLA	O2D-CGD-O1D	-2.80	118.36	123.84
14	K	4004	CLA	C1B-CHB-C4A	-2.80	124.58	130.12
17	b	849	BCR	C30-C25-C26	-2.80	118.67	122.61
14	A	843	CLA	C2D-C1D-ND	-2.80	108.04	110.10
14	2	814	CLA	CMB-C2B-C3B	2.80	129.91	124.68
17	f	206	BCR	C15-C14-C13	-2.80	123.32	127.31
14	b	814	CLA	CMB-C2B-C3B	2.79	129.91	124.68
14	8	4004	CLA	C1B-CHB-C4A	-2.79	124.58	130.12
14	A	828	CLA	O2D-CGD-O1D	-2.79	118.38	123.84
14	1	808	CLA	C2D-C1D-ND	-2.79	108.05	110.10
14	2	843	CLA	C1B-CHB-C4A	-2.79	124.59	130.12
14	a	808	CLA	CHD-C1D-ND	-2.79	121.89	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	B	844	CLA	C1B-CHB-C4A	-2.79	124.59	130.12
14	A	818	CLA	CHB-C4A-NA	2.79	128.37	124.51
14	b	834	CLA	C1B-CHB-C4A	-2.79	124.59	130.12
14	B	843	CLA	O2D-CGD-O1D	-2.79	118.39	123.84
14	l	814	CLA	CHD-C1D-ND	-2.79	121.89	124.45
14	b	831	CLA	CMB-C2B-C3B	2.79	129.89	124.68
14	a	807	CLA	C2D-C1D-ND	-2.78	108.05	110.10
14	l	831	CLA	C2D-C1D-ND	-2.78	108.05	110.10
17	M	102	BCR	C15-C14-C13	-2.78	123.34	127.31
14	B	835	CLA	C1B-CHB-C4A	-2.78	124.61	130.12
14	a	829	CLA	O2D-CGD-O1D	-2.78	118.40	123.84
14	2	803	CLA	C1B-CHB-C4A	-2.78	124.61	130.12
14	k	4002	CLA	CHD-C1D-ND	-2.78	121.90	124.45
14	K	4004	CLA	C2D-C1D-ND	-2.78	108.06	110.10
17	F	206	BCR	C15-C14-C13	-2.78	123.35	127.31
17	b	854	BCR	C15-C14-C13	-2.78	123.35	127.31
14	l	806	CLA	CHD-C1D-ND	-2.77	121.90	124.45
14	2	806	CLA	CHB-C4A-NA	2.77	128.35	124.51
14	a	854	CLA	C1B-CHB-C4A	-2.77	124.63	130.12
14	F	201	CLA	CMB-C2B-C3B	2.77	129.86	124.68
14	B	813	CLA	C1B-CHB-C4A	-2.77	124.63	130.12
14	b	843	CLA	C1B-CHB-C4A	-2.77	124.63	130.12
18	B	803	LMG	O6-C1-O1	-2.77	103.41	109.97
14	2	830	CLA	O2D-CGD-O1D	-2.77	118.42	123.84
14	B	804	CLA	C1B-CHB-C4A	-2.77	124.63	130.12
14	l	841	CLA	CMB-C2B-C3B	2.77	129.86	124.68
17	F	203	BCR	C11-C10-C9	-2.77	123.36	127.31
14	2	834	CLA	C1B-CHB-C4A	-2.77	124.63	130.12
14	f	201	CLA	CMB-C2B-C3B	2.77	129.86	124.68
17	B	848	BCR	C28-C27-C26	-2.77	109.13	114.08
17	9	102	BCR	C15-C14-C13	-2.77	123.36	127.31
14	K	4002	CLA	CHD-C1D-ND	-2.77	121.91	124.45
14	2	806	CLA	C3C-C4C-NC	-2.76	107.47	110.57
14	l	4203	CLA	C1B-CHB-C4A	-2.76	124.64	130.12
18	b	803	LMG	O6-C1-O1	-2.76	103.43	109.97
14	b	804	CLA	C1B-CHB-C4A	-2.76	124.65	130.12
14	2	839	CLA	C1B-CHB-C4A	-2.76	124.65	130.12
14	B	840	CLA	C1B-CHB-C4A	-2.76	124.65	130.12
17	b	847	BCR	C28-C27-C26	-2.76	109.15	114.08
17	2	847	BCR	C28-C27-C26	-2.76	109.15	114.08
17	f	203	BCR	C11-C10-C9	-2.76	123.37	127.31
18	2	802	LMG	O6-C1-O1	-2.76	103.44	109.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	a	810	CLA	C2D-C1D-ND	-2.76	108.07	110.10
14	2	843	CLA	C2D-C1D-ND	-2.76	108.07	110.10
14	B	807	CLA	C3C-C4C-NC	-2.76	107.48	110.57
14	b	832	CLA	CHD-C1D-C2D	2.75	131.26	125.48
14	b	842	CLA	CMB-C2B-C3B	2.75	129.83	124.68
14	b	807	CLA	C3C-C4C-NC	-2.75	107.48	110.57
14	l	4204	CLA	C1B-CHB-C4A	-2.75	124.66	130.12
14	2	809	CLA	C2D-C1D-ND	-2.75	108.08	110.10
14	a	844	CLA	CMB-C2B-C3B	2.75	129.83	124.68
14	b	838	CLA	O2D-CGD-O1D	-2.75	118.46	123.84
14	b	807	CLA	C1B-CHB-C4A	-2.75	124.67	130.12
14	L	1501	CLA	C1B-CHB-C4A	-2.75	124.67	130.12
14	2	812	CLA	C1B-CHB-C4A	-2.75	124.67	130.12
14	B	833	CLA	CHD-C1D-C2D	2.75	131.25	125.48
14	A	815	CLA	CHD-C1D-ND	-2.75	121.93	124.45
14	0	206	CLA	C1B-CHB-C4A	-2.75	124.67	130.12
14	1	817	CLA	O2D-CGD-O1D	-2.75	118.46	123.84
14	A	816	CLA	O2D-CGD-O1D	-2.75	118.46	123.84
14	1	817	CLA	CHB-C4A-NA	2.75	128.31	124.51
14	2	842	CLA	CMB-C2B-C3B	2.75	129.82	124.68
14	2	832	CLA	CHD-C1D-C2D	2.75	131.25	125.48
14	f	201	CLA	CAA-CBA-CGA	-2.75	105.22	113.25
14	B	831	CLA	O2D-CGD-O1D	-2.75	118.47	123.84
14	1	815	CLA	O2D-CGD-O1D	-2.75	118.47	123.84
17	A	851	BCR	C28-C27-C26	-2.75	109.17	114.08
14	1	844	CLA	CHD-C1D-ND	-2.75	121.93	124.45
14	K	4003	CLA	O2D-CGD-O1D	-2.74	118.47	123.84
14	B	807	CLA	C1B-CHB-C4A	-2.74	124.68	130.12
14	B	833	CLA	CMB-C2B-C3B	2.74	129.81	124.68
17	a	851	BCR	C28-C27-C26	-2.74	109.18	114.08
14	A	840	CLA	CMB-C2B-C3B	2.74	129.81	124.68
14	a	819	CLA	CHB-C4A-NA	2.74	128.30	124.51
14	a	842	CLA	CHD-C1D-ND	-2.74	121.94	124.45
14	a	833	CLA	C1B-CHB-C4A	-2.74	124.69	130.12
14	k	4003	CLA	O2D-CGD-O1D	-2.74	118.48	123.84
14	8	4003	CLA	O2D-CGD-O1D	-2.74	118.48	123.84
17	b	847	BCR	C15-C16-C17	-2.74	117.87	123.47
14	1	841	CLA	C1-C2-C3	-2.74	121.31	126.04
14	1	841	CLA	CAA-CBA-CGA	-2.74	105.25	113.25
14	a	819	CLA	O2D-CGD-O1D	-2.74	118.49	123.84
14	A	844	CLA	CMB-C2B-C3B	2.74	129.80	124.68
14	F	201	CLA	CAA-CBA-CGA	-2.73	105.26	113.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	B	848	BCR	C15-C16-C17	-2.73	117.87	123.47
14	b	839	CLA	C1B-CHB-C4A	-2.73	124.70	130.12
14	B	839	CLA	O2D-CGD-O1D	-2.73	118.49	123.84
14	F	201	CLA	C1-C2-C3	-2.73	121.32	126.04
17	1	851	BCR	C28-C27-C26	-2.73	109.20	114.08
14	A	818	CLA	O2D-CGD-O1D	-2.73	118.50	123.84
14	1	839	CLA	CMB-C2B-C3B	2.73	129.78	124.68
14	B	843	CLA	CMB-C2B-C3B	2.73	129.78	124.68
14	2	806	CLA	C1B-CHB-C4A	-2.73	124.72	130.12
14	1	831	CLA	C1B-CHB-C4A	-2.72	124.72	130.12
14	b	815	CLA	O2D-CGD-O1D	-2.72	118.51	123.84
17	B	850	BCR	C7-C8-C9	-2.72	122.12	126.23
14	a	817	CLA	O2D-CGD-O1D	-2.72	118.51	123.84
14	A	809	CLA	C2D-C1D-ND	-2.72	108.10	110.10
14	A	832	CLA	C2D-C1D-ND	-2.72	108.10	110.10
14	b	830	CLA	CHB-C4A-NA	2.72	128.28	124.51
17	2	847	BCR	C15-C16-C17	-2.72	117.90	123.47
14	b	832	CLA	CMB-C2B-C3B	2.72	129.77	124.68
14	A	832	CLA	C1B-CHB-C4A	-2.72	124.73	130.12
14	2	838	CLA	O2D-CGD-O1D	-2.72	118.52	123.84
14	A	806	CLA	C2D-C1D-ND	-2.72	108.10	110.10
14	B	816	CLA	O2D-CGD-O1D	-2.72	118.52	123.84
14	1	822	CLA	C1B-CHB-C4A	-2.72	124.73	130.12
14	2	815	CLA	CHD-C1D-ND	-2.72	121.96	124.45
14	2	817	CLA	CHD-C1D-ND	-2.72	121.96	124.45
14	2	808	CLA	C1B-CHB-C4A	-2.72	124.74	130.12
14	a	816	CLA	CHD-C1D-ND	-2.72	121.96	124.45
14	1	829	CLA	CHD-C1D-ND	-2.72	121.96	124.45
14	a	841	CLA	CMB-C2B-C3B	2.72	129.76	124.68
14	B	809	CLA	C1B-CHB-C4A	-2.71	124.74	130.12
17	K	4001	BCR	C28-C27-C26	-2.71	109.23	114.08
14	1	844	CLA	CMB-C2B-C3B	2.71	129.75	124.68
14	2	815	CLA	O2D-CGD-O1D	-2.71	118.54	123.84
14	f	201	CLA	C1-C2-C3	-2.71	121.36	126.04
14	B	836	CLA	O2D-CGD-O1D	-2.71	118.54	123.84
14	b	815	CLA	CHD-C1D-ND	-2.71	121.97	124.45
14	B	831	CLA	CHB-C4A-NA	2.71	128.25	124.51
14	B	810	CLA	CHD-C1D-ND	-2.71	121.97	124.45
17	6	4402	BCR	C11-C10-C9	-2.71	123.45	127.31
14	2	830	CLA	CHB-C4A-NA	2.71	128.25	124.51
14	A	836	CLA	O2A-CGA-O1A	-2.71	116.76	123.59
14	6	4403	CLA	O2D-CGD-O1D	-2.71	118.55	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	k	4001	BCR	C28-C27-C26	-2.70	109.25	114.08
14	a	837	CLA	O2A-CGA-O1A	-2.70	116.77	123.59
14	1	842	CLA	CHD-C1D-ND	-2.70	121.97	124.45
14	2	832	CLA	CMB-C2B-C3B	2.70	129.74	124.68
14	F	204	CLA	O2D-CGD-O1D	-2.70	118.56	123.84
14	B	807	CLA	C2D-C1D-ND	-2.70	108.11	110.10
14	b	830	CLA	O2D-CGD-O1D	-2.70	118.56	123.84
14	a	822	CLA	C1B-CHB-C4A	-2.70	124.77	130.12
14	B	816	CLA	CHD-C1D-ND	-2.70	121.97	124.45
14	B	810	CLA	C2D-C1D-ND	-2.70	108.11	110.10
14	a	824	CLA	C1B-CHB-C4A	-2.70	124.77	130.12
14	b	828	CLA	CMB-C2B-C3B	2.70	129.73	124.68
17	8	4001	BCR	C28-C27-C26	-2.70	109.26	114.08
14	A	821	CLA	C1B-CHB-C4A	-2.70	124.77	130.12
14	A	830	CLA	CHD-C1D-ND	-2.70	121.97	124.45
14	a	831	CLA	CHD-C1D-ND	-2.70	121.97	124.45
14	1	835	CLA	O2A-CGA-O1A	-2.70	116.78	123.59
14	A	842	CLA	CHD-C1D-ND	-2.70	121.98	124.45
14	b	840	CLA	CMB-C2B-C3B	2.70	129.72	124.68
14	2	826	CLA	C1B-CHB-C4A	-2.70	124.78	130.12
12	1	801	LHG	C11-C10-C9	-2.70	100.74	114.42
14	b	835	CLA	O2D-CGD-O1D	-2.70	118.57	123.84
14	2	828	CLA	CMB-C2B-C3B	2.69	129.72	124.68
14	A	810	CLA	CHD-C1D-ND	-2.69	121.98	124.45
14	f	204	CLA	O2D-CGD-O1D	-2.69	118.57	123.84
14	2	822	CLA	CMB-C2B-C3B	2.69	129.72	124.68
14	1	816	CLA	O2D-CGD-O1D	-2.69	118.57	123.84
17	b	849	BCR	C7-C8-C9	-2.69	122.17	126.23
14	b	809	CLA	C1B-CHB-C4A	-2.69	124.78	130.12
17	b	846	BCR	C15-C14-C13	-2.69	123.47	127.31
14	a	818	CLA	O2D-CGD-O1D	-2.69	118.58	123.84
14	a	811	CLA	C1B-CHB-C4A	-2.69	124.79	130.12
14	1	811	CLA	O2D-CGD-O1D	-2.69	118.58	123.84
14	1	819	CLA	O2D-CGD-O1D	-2.69	118.58	123.84
14	B	827	CLA	C1B-CHB-C4A	-2.69	124.79	130.12
12	a	801	LHG	C11-C10-C9	-2.69	100.78	114.42
14	2	840	CLA	CMB-C2B-C3B	2.69	129.71	124.68
14	2	807	CLA	C1B-CHB-C4A	-2.69	124.80	130.12
14	b	808	CLA	O2D-CGD-CBD	2.69	116.04	111.27
17	a	850	BCR	C11-C10-C9	-2.69	123.48	127.31
14	2	835	CLA	O2D-CGD-O1D	-2.68	118.59	123.84
14	2	807	CLA	O2D-CGD-CBD	2.68	116.04	111.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	817	CLA	O2D-CGD-O1D	-2.68	118.59	123.84
17	8	4005	BCR	C3-C4-C5	-2.68	109.29	114.08
14	a	821	CLA	O2D-CGD-O1D	-2.68	118.59	123.84
14	1	820	CLA	C1B-CHB-C4A	-2.68	124.81	130.12
17	A	850	BCR	C11-C10-C9	-2.68	123.48	127.31
14	B	808	CLA	O2D-CGD-CBD	2.68	116.03	111.27
12	A	801	LHG	C11-C10-C9	-2.68	100.82	114.42
14	b	822	CLA	CMB-C2B-C3B	2.68	129.69	124.68
17	K	4005	BCR	C3-C4-C5	-2.68	109.29	114.08
14	b	826	CLA	C1B-CHB-C4A	-2.68	124.81	130.12
14	B	829	CLA	CMB-C2B-C3B	2.68	129.69	124.68
17	b	848	BCR	C27-C26-C25	2.68	126.61	122.73
14	a	813	CLA	O2D-CGD-O1D	-2.67	118.61	123.84
14	A	810	CLA	C1B-CHB-C4A	-2.67	124.83	130.12
17	k	4004	BCR	C3-C4-C5	-2.67	109.31	114.08
14	B	823	CLA	CMB-C2B-C3B	2.67	129.67	124.68
14	2	844	CLA	C3B-C4B-NB	-2.67	107.77	110.11
14	k	4002	CLA	O2D-CGD-O1D	-2.67	118.62	123.84
14	1	809	CLA	CHD-C1D-ND	-2.67	122.00	124.45
14	A	813	CLA	C1B-CHB-C4A	-2.67	124.83	130.12
14	B	841	CLA	CMB-C2B-C3B	2.67	129.67	124.68
14	b	819	CLA	CMC-C2C-C1C	-2.67	120.98	125.04
14	A	823	CLA	C1B-CHB-C4A	-2.67	124.84	130.12
14	A	820	CLA	O2D-CGD-O1D	-2.66	118.63	123.84
14	A	812	CLA	O2D-CGD-O1D	-2.66	118.63	123.84
17	b	847	BCR	C15-C14-C13	-2.66	123.51	127.31
14	b	817	CLA	CHD-C1D-ND	-2.66	122.01	124.45
14	b	844	CLA	C3B-C4B-NB	-2.66	107.77	110.11
14	b	808	CLA	C1B-CHB-C4A	-2.66	124.84	130.12
14	2	823	CLA	CMB-C2B-C3B	2.66	129.66	124.68
14	B	816	CLA	C1B-CHB-C4A	-2.66	124.85	130.12
14	B	820	CLA	CMC-C2C-C1C	-2.66	120.99	125.04
14	a	838	CLA	CHD-C1D-ND	-2.66	122.01	124.45
17	2	849	BCR	C7-C8-C9	-2.66	122.22	126.23
14	a	814	CLA	C1B-CHB-C4A	-2.66	124.85	130.12
14	8	4002	CLA	O2D-CGD-O1D	-2.66	118.64	123.84
14	K	4002	CLA	O2D-CGD-O1D	-2.66	118.64	123.84
17	6	4406	BCR	C33-C5-C6	-2.66	121.54	124.53
17	1	850	BCR	C11-C10-C9	-2.66	123.52	127.31
17	2	846	BCR	C15-C14-C13	-2.66	123.52	127.31
14	B	818	CLA	CHD-C1D-ND	-2.66	122.01	124.45
14	1	812	CLA	C1B-CHB-C4A	-2.65	124.86	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	b	853	BCR	C33-C5-C6	-2.65	121.55	124.53
14	B	824	CLA	CMB-C2B-C3B	2.65	129.64	124.68
14	2	806	CLA	C2D-C1D-ND	-2.65	108.15	110.10
14	B	822	CLA	O2D-CGD-O1D	-2.65	118.66	123.84
14	a	816	CLA	O2D-CGD-O1D	-2.65	118.66	123.84
14	6	4404	CLA	C1B-CHB-C4A	-2.65	124.87	130.12
14	B	843	CLA	C2D-C1D-ND	-2.65	108.15	110.10
14	b	815	CLA	C1B-CHB-C4A	-2.65	124.87	130.12
14	b	823	CLA	CMB-C2B-C3B	2.65	129.63	124.68
14	2	819	CLA	CMC-C2C-C1C	-2.65	121.01	125.04
14	B	845	CLA	C3B-C4B-NB	-2.65	107.78	110.11
17	B	849	BCR	C27-C26-C25	2.65	126.58	122.73
17	2	850	BCR	C28-C27-C26	-2.65	109.35	114.08
17	2	849	BCR	C11-C10-C9	-2.65	123.53	127.31
17	2	847	BCR	C15-C14-C13	-2.65	123.53	127.31
14	1	820	CLA	C3C-C4C-NC	-2.65	107.60	110.57
14	B	808	CLA	C1B-CHB-C4A	-2.65	124.88	130.12
17	B	854	BCR	C33-C5-C6	-2.64	121.56	124.53
14	2	821	CLA	O2D-CGD-O1D	-2.64	118.67	123.84
14	f	201	CLA	C1B-CHB-C4A	-2.64	124.88	130.12
14	1	809	CLA	C1B-CHB-C4A	-2.64	124.88	130.12
17	b	849	BCR	C11-C10-C9	-2.64	123.54	127.31
14	2	815	CLA	C1B-CHB-C4A	-2.64	124.88	130.12
17	B	847	BCR	C15-C14-C13	-2.64	123.54	127.31
14	f	205	CLA	C1B-CHB-C4A	-2.64	124.89	130.12
14	B	821	CLA	C3C-C4C-NC	-2.64	107.61	110.57
14	a	811	CLA	CHD-C1D-ND	-2.64	122.03	124.45
14	b	842	CLA	C2D-C1D-ND	-2.64	108.16	110.10
14	a	843	CLA	C1B-CHB-C4A	-2.64	124.89	130.12
17	i	4103	BCR	C24-C23-C22	-2.64	122.25	126.23
17	B	851	BCR	C28-C27-C26	-2.64	109.37	114.08
14	b	821	CLA	O2D-CGD-O1D	-2.64	118.68	123.84
17	I	102	BCR	C24-C23-C22	-2.64	122.25	126.23
17	b	850	BCR	C28-C27-C26	-2.63	109.37	114.08
14	B	825	CLA	O2D-CGD-O1D	-2.63	118.69	123.84
14	1	836	CLA	CHD-C1D-ND	-2.63	122.03	124.45
14	a	809	CLA	C1-C2-C3	-2.63	121.49	126.04
14	a	827	CLA	C1B-CHB-C4A	-2.63	124.90	130.12
14	1	834	CLA	CHB-C4A-NA	2.63	128.15	124.51
14	F	205	CLA	C1B-CHB-C4A	-2.63	124.91	130.12
14	1	814	CLA	O2D-CGD-O1D	-2.63	118.70	123.84
17	2	848	BCR	C27-C26-C25	2.63	126.55	122.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	1	825	CLA	O2D-CGD-O1D	-2.63	118.70	123.84
14	1	843	CLA	C1B-CHB-C4A	-2.63	124.92	130.12
14	A	826	CLA	C1B-CHB-C4A	-2.62	124.92	130.12
14	1	825	CLA	C1B-CHB-C4A	-2.62	124.92	130.12
12	1	802	LHG	C11-C10-C9	-2.62	101.10	114.42
14	a	822	CLA	C2D-C1D-ND	-2.62	108.17	110.10
14	2	842	CLA	C2D-C1D-ND	-2.62	108.17	110.10
14	b	805	CLA	C1-C2-C3	-2.62	121.51	126.04
14	a	827	CLA	CMB-C2B-C3B	2.62	129.59	124.68
14	A	817	CLA	CMB-C2B-C3B	2.62	129.58	124.68
14	1	816	CLA	CMB-C2B-C3B	2.62	129.58	124.68
14	b	807	CLA	C2D-C1D-ND	-2.62	108.17	110.10
12	a	802	LHG	C11-C10-C9	-2.62	101.13	114.42
14	A	815	CLA	O2D-CGD-O1D	-2.62	118.72	123.84
14	1	819	CLA	CMB-C2B-C3B	2.62	129.58	124.68
14	a	821	CLA	CMB-C2B-C3B	2.62	129.57	124.68
17	B	850	BCR	C11-C10-C9	-2.62	123.58	127.31
14	2	808	CLA	O2A-CGA-O1A	-2.62	116.99	123.59
14	2	820	CLA	C3C-C4C-NC	-2.62	107.64	110.57
14	A	826	CLA	O2D-CGD-O1D	-2.62	118.72	123.84
14	A	843	CLA	C1B-CHB-C4A	-2.62	124.94	130.12
14	b	820	CLA	C3C-C4C-NC	-2.62	107.64	110.57
14	A	821	CLA	C3C-C4C-NC	-2.61	107.64	110.57
12	A	802	LHG	C11-C10-C9	-2.61	101.15	114.42
14	A	826	CLA	CMB-C2B-C3B	2.61	129.57	124.68
14	a	825	CLA	O2D-CGD-CBD	2.61	115.91	111.27
14	a	831	CLA	C1B-CHB-C4A	-2.61	124.94	130.12
14	A	820	CLA	CMB-C2B-C3B	2.61	129.56	124.68
14	2	836	CLA	C1B-CHB-C4A	-2.61	124.95	130.12
17	b	853	BCR	C15-C16-C17	-2.61	118.13	123.47
14	B	809	CLA	O2A-CGA-O1A	-2.61	117.01	123.59
14	1	808	CLA	C1B-CHB-C4A	-2.61	124.95	130.12
14	1	841	CLA	C1B-CHB-C4A	-2.61	124.95	130.12
14	b	837	CLA	CMB-C2B-C3B	2.61	129.56	124.68
17	h	102	BCR	C24-C23-C22	-2.61	122.29	126.23
17	B	848	BCR	C15-C14-C13	-2.61	123.59	127.31
14	1	811	CLA	C1B-CHB-C4A	-2.61	124.95	130.12
14	1	829	CLA	C1B-CHB-C4A	-2.61	124.95	130.12
14	A	837	CLA	CHD-C1D-ND	-2.61	122.06	124.45
14	1	813	CLA	CHD-C1D-ND	-2.61	122.06	124.45
14	a	827	CLA	O2D-CGD-O1D	-2.61	118.74	123.84
17	F	203	BCR	C15-C14-C13	-2.61	123.59	127.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	B	825	CLA	CHB-C4A-NA	2.60	128.11	124.51
14	1	807	CLA	C1-C2-C3	-2.60	121.54	126.04
14	A	814	CLA	CHD-C1D-ND	-2.60	122.06	124.45
17	6	4406	BCR	C15-C16-C17	-2.60	118.14	123.47
14	a	815	CLA	CHD-C1D-ND	-2.60	122.06	124.45
17	7	1105	BCR	C27-C26-C25	2.60	126.51	122.73
14	a	810	CLA	C1B-CHB-C4A	-2.60	124.96	130.12
14	b	836	CLA	C1B-CHB-C4A	-2.60	124.96	130.12
14	b	809	CLA	O2A-CGA-O1A	-2.60	117.02	123.59
14	b	829	CLA	O2D-CGD-CBD	2.60	115.89	111.27
14	A	812	CLA	C1B-CHB-C4A	-2.60	124.97	130.12
14	a	836	CLA	CHB-C4A-NA	2.60	128.11	124.51
14	b	824	CLA	O2D-CGD-O1D	-2.60	118.75	123.84
14	A	804	CLA	CHA-C1A-NA	-2.60	120.45	126.40
14	a	832	CLA	CHB-C4A-NA	2.60	128.11	124.51
14	b	810	CLA	CHD-C1D-ND	-2.60	122.07	124.45
18	A	853	LMG	C1-C2-C3	-2.60	104.58	110.00
14	2	829	CLA	O2D-CGD-CBD	2.60	115.88	111.27
14	A	820	CLA	C2D-C1D-ND	-2.60	108.19	110.10
14	A	830	CLA	C1B-CHB-C4A	-2.60	124.97	130.12
14	L	1502	CLA	O2D-CGD-CBD	2.60	115.88	111.27
14	2	829	CLA	C1B-CHB-C4A	-2.60	124.97	130.12
13	1	803	CL0	CMB-C2B-C3B	2.60	129.53	124.68
17	f	203	BCR	C15-C14-C13	-2.60	123.61	127.31
17	0	204	BCR	C11-C10-C9	-2.59	123.61	127.31
14	a	821	CLA	C2D-C1D-ND	-2.59	108.19	110.10
14	K	4004	CLA	CHD-C1D-ND	-2.59	122.07	124.45
14	a	822	CLA	C3C-C4C-NC	-2.59	107.66	110.57
14	a	805	CLA	CHA-C1A-NA	-2.59	120.46	126.40
14	l	4205	CLA	O2D-CGD-CBD	2.59	115.87	111.27
18	1	852	LMG	C1-C2-C3	-2.59	104.60	110.00
14	B	819	CLA	C1B-CHB-C4A	-2.59	124.98	130.12
17	B	854	BCR	C15-C16-C17	-2.59	118.17	123.47
17	6	4402	BCR	C15-C14-C13	-2.59	123.61	127.31
14	a	805	CLA	C1B-CHB-C4A	-2.59	124.99	130.12
14	1	820	CLA	C2D-C1D-ND	-2.59	108.19	110.10
14	B	837	CLA	C1B-CHB-C4A	-2.59	124.99	130.12
14	K	4004	CLA	CHB-C4A-NA	2.59	128.09	124.51
14	8	4004	CLA	CHB-C4A-NA	2.59	128.09	124.51
14	2	804	CLA	C1-C2-C3	-2.59	121.56	126.04
14	A	809	CLA	C1B-CHB-C4A	-2.59	124.99	130.12
14	1	822	CLA	CHA-C1A-NA	-2.59	120.47	126.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	0	209	BCR	C27-C26-C25	2.59	126.49	122.73
14	0	207	CLA	O2D-CGD-CBD	2.59	115.86	111.27
18	a	853	LMG	C1-C2-C3	-2.59	104.61	110.00
14	A	823	CLA	CHA-C1A-NA	-2.59	120.48	126.40
17	L	1504	BCR	C27-C26-C25	2.59	126.48	122.73
14	2	818	CLA	C1B-CHB-C4A	-2.59	125.00	130.12
14	2	824	CLA	O2D-CGD-O1D	-2.59	118.78	123.84
14	B	830	CLA	O2D-CGD-CBD	2.59	115.86	111.27
13	a	803	CL0	CMB-C2B-C3B	2.58	129.51	124.68
14	F	201	CLA	C1B-CHB-C4A	-2.58	125.00	130.12
14	2	841	CLA	C1B-CHB-C4A	-2.58	125.00	130.12
12	B	853	LHG	O8-C23-C24	2.58	120.02	111.91
14	B	830	CLA	C1B-CHB-C4A	-2.58	125.00	130.12
14	a	824	CLA	CHA-C1A-NA	-2.58	120.48	126.40
17	f	206	BCR	C27-C26-C25	2.58	126.48	122.73
14	2	809	CLA	CHD-C1D-ND	-2.58	122.08	124.45
14	1	804	CLA	CHA-C1A-NA	-2.58	120.49	126.40
14	1	819	CLA	C1B-CHB-C4A	-2.58	125.00	130.12
14	B	838	CLA	CMB-C2B-C3B	2.58	129.51	124.68
17	l	4207	BCR	C27-C26-C25	2.58	126.48	122.73
14	A	808	CLA	C1-C2-C3	-2.58	121.58	126.04
14	a	818	CLA	CMB-C2B-C3B	2.58	129.50	124.68
14	1	804	CLA	C1B-CHB-C4A	-2.58	125.01	130.12
14	B	801	CLA	C2D-C1D-ND	-2.58	108.20	110.10
14	b	830	CLA	C1B-CHB-C4A	-2.58	125.01	130.12
14	1	823	CLA	O2D-CGD-CBD	2.58	115.85	111.27
14	a	813	CLA	C1B-CHB-C4A	-2.58	125.01	130.12
14	B	801	CLA	C4-C3-C5	2.58	119.60	115.27
12	b	852	LHG	O8-C23-C24	2.57	119.99	111.91
14	2	830	CLA	C1B-CHB-C4A	-2.57	125.02	130.12
14	a	854	CLA	CHB-C4A-NA	2.57	128.07	124.51
14	b	824	CLA	CHB-C4A-NA	2.57	128.07	124.51
14	B	805	CLA	C1-C2-C3	-2.57	121.59	126.04
14	a	821	CLA	C1B-CHB-C4A	-2.57	125.02	130.12
17	6	4405	BCR	C27-C26-C25	2.57	126.46	122.73
14	b	841	CLA	C1B-CHB-C4A	-2.57	125.03	130.12
14	A	831	CLA	CHB-C4A-NA	2.57	128.07	124.51
14	2	824	CLA	CHB-C4A-NA	2.57	128.07	124.51
17	a	850	BCR	C35-C13-C14	-2.57	119.32	122.92
13	A	803	CL0	CMB-C2B-C3B	2.57	129.49	124.68
14	1	825	CLA	CMB-C2B-C3B	2.57	129.49	124.68
14	A	821	CLA	C2D-C1D-ND	-2.57	108.21	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	804	CLA	C1B-CHB-C4A	-2.57	125.03	130.12
12	2	852	LHG	O8-C23-C24	2.57	119.97	111.91
17	F	206	BCR	C27-C26-C25	2.57	126.46	122.73
14	A	835	CLA	CHB-C4A-NA	2.57	128.06	124.51
17	l	4207	BCR	C11-C10-C9	-2.57	123.65	127.31
14	0	206	CLA	O2D-CGD-O1D	-2.57	118.82	123.84
14	b	837	CLA	O2D-CGD-O1D	-2.57	118.82	123.84
14	B	822	CLA	C2D-C1D-ND	-2.56	108.21	110.10
14	1	819	CLA	C2D-C1D-ND	-2.56	108.21	110.10
14	B	831	CLA	C1B-CHB-C4A	-2.56	125.04	130.12
17	1	850	BCR	C33-C5-C6	-2.56	121.65	124.53
14	2	837	CLA	O2D-CGD-O1D	-2.56	118.83	123.84
14	A	820	CLA	C1B-CHB-C4A	-2.56	125.04	130.12
14	2	837	CLA	CMB-C2B-C3B	2.56	129.47	124.68
14	A	830	CLA	C1-C2-C3	-2.56	121.61	126.04
17	a	850	BCR	C33-C5-C6	-2.56	121.65	124.53
14	1	814	CLA	C1B-CHB-C4A	-2.56	125.04	130.12
14	b	818	CLA	C1B-CHB-C4A	-2.56	125.04	130.12
17	A	850	BCR	C35-C13-C14	-2.56	119.34	122.92
14	B	842	CLA	C1B-CHB-C4A	-2.56	125.05	130.12
17	0	210	BCR	C11-C10-C9	-2.56	123.66	127.31
17	A	850	BCR	C20-C21-C22	-2.56	123.66	127.31
14	a	838	CLA	C1B-CHB-C4A	-2.56	125.05	130.12
14	b	829	CLA	C1B-CHB-C4A	-2.56	125.05	130.12
14	1	815	CLA	C1B-CHB-C4A	-2.56	125.05	130.12
14	a	820	CLA	C1B-CHB-C4A	-2.56	125.05	130.12
14	b	841	CLA	O2D-CGD-CBD	2.56	115.81	111.27
14	b	809	CLA	C1-C2-C3	-2.56	121.62	126.04
17	L	1504	BCR	C11-C10-C9	-2.56	123.66	127.31
14	a	854	CLA	CHD-C1D-ND	-2.55	122.11	124.45
17	1	850	BCR	C35-C13-C14	-2.55	119.34	122.92
14	a	816	CLA	C1B-CHB-C4A	-2.55	125.06	130.12
14	A	815	CLA	C1B-CHB-C4A	-2.55	125.06	130.12
17	F	203	BCR	C24-C23-C22	-2.55	122.38	126.23
14	A	824	CLA	O2D-CGD-CBD	2.55	115.80	111.27
14	2	808	CLA	C1-C2-C3	-2.55	121.63	126.04
14	a	831	CLA	C1-C2-C3	-2.55	121.63	126.04
14	2	841	CLA	O2D-CGD-CBD	2.55	115.80	111.27
17	f	203	BCR	C16-C15-C14	-2.55	118.25	123.47
14	b	836	CLA	CHD-C1D-ND	-2.55	122.11	124.45
17	L	1505	BCR	C11-C10-C9	-2.55	123.67	127.31
17	A	848	BCR	C27-C26-C25	2.55	126.43	122.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	0	209	BCR	C11-C10-C9	-2.55	123.67	127.31
14	1	837	CLA	C1B-CHB-C4A	-2.55	125.07	130.12
14	b	806	CLA	C1B-CHB-C4A	-2.55	125.07	130.12
17	f	203	BCR	C24-C23-C22	-2.55	122.38	126.23
14	B	837	CLA	CHD-C1D-ND	-2.55	122.11	124.45
14	2	833	CLA	CHD-C1D-ND	-2.55	122.11	124.45
17	6	4402	BCR	C16-C15-C14	-2.55	118.25	123.47
14	1	824	CLA	C1B-CHB-C4A	-2.55	125.07	130.12
17	2	848	BCR	C35-C13-C12	2.55	120.23	114.60
17	F	203	BCR	C16-C15-C14	-2.55	118.26	123.47
14	B	809	CLA	C1-C2-C3	-2.55	121.64	126.04
14	b	833	CLA	CHD-C1D-ND	-2.55	122.11	124.45
14	1	829	CLA	C1-C2-C3	-2.54	121.64	126.04
17	b	848	BCR	C35-C13-C12	2.54	120.22	114.60
14	8	4004	CLA	CHD-C1D-ND	-2.54	122.12	124.45
14	A	825	CLA	C1B-CHB-C4A	-2.54	125.08	130.12
14	k	4002	CLA	CHB-C4A-NA	2.54	128.03	124.51
14	L	1501	CLA	O2D-CGD-O1D	-2.54	118.87	123.84
17	1	848	BCR	C27-C26-C25	2.54	126.42	122.73
14	A	816	CLA	C1B-CHB-C4A	-2.54	125.08	130.12
17	j	104	BCR	C27-C26-C25	2.54	126.42	122.73
14	a	817	CLA	C1B-CHB-C4A	-2.54	125.09	130.12
14	l	4204	CLA	O2D-CGD-O1D	-2.54	118.87	123.84
14	8	4002	CLA	CHB-C4A-NA	2.54	128.02	124.51
14	B	842	CLA	O2D-CGD-CBD	2.54	115.78	111.27
14	A	819	CLA	C1B-CHB-C4A	-2.54	125.09	130.12
14	B	806	CLA	C1B-CHB-C4A	-2.54	125.09	130.12
17	J	104	BCR	C27-C26-C25	2.54	126.42	122.73
18	2	802	LMG	C40-C39-C38	-2.54	101.54	114.42
17	6	4402	BCR	C24-C23-C22	-2.54	122.40	126.23
14	A	838	CLA	C1B-CHB-C4A	-2.54	125.09	130.12
14	b	840	CLA	CHD-C1D-ND	-2.54	122.12	124.45
14	2	840	CLA	CHD-C1D-ND	-2.54	122.12	124.45
17	1	850	BCR	C20-C21-C22	-2.54	123.69	127.31
17	B	847	BCR	C27-C26-C25	2.54	126.41	122.73
14	a	826	CLA	C1B-CHB-C4A	-2.54	125.09	130.12
14	a	832	CLA	C1B-CHB-C4A	-2.54	125.09	130.12
18	B	803	LMG	C40-C39-C38	-2.54	101.55	114.42
14	A	814	CLA	CMB-C2B-C3B	2.54	129.42	124.68
14	2	801	CLA	C4-C3-C5	2.54	119.54	115.27
14	a	804	CLA	C4-C3-C5	2.53	119.53	115.27
14	b	811	CLA	O2A-CGA-O1A	-2.53	117.20	123.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	1	834	CLA	C1B-CHB-C4A	-2.53	125.10	130.12
17	A	849	BCR	C33-C5-C6	-2.53	121.68	124.53
13	1	803	CL0	C3C-C4C-NC	-2.53	107.73	110.57
14	B	841	CLA	CHD-C1D-ND	-2.53	122.13	124.45
18	b	803	LMG	C40-C39-C38	-2.53	101.57	114.42
14	2	807	CLA	CHB-C4A-NA	2.53	128.01	124.51
14	B	838	CLA	O2D-CGD-O1D	-2.53	118.89	123.84
17	B	849	BCR	C35-C13-C12	2.53	120.19	114.60
14	b	823	CLA	CHA-C1A-NA	-2.53	120.61	126.40
14	2	823	CLA	CHA-C1A-NA	-2.53	120.61	126.40
14	A	837	CLA	C1B-CHB-C4A	-2.53	125.11	130.12
14	a	839	CLA	C1B-CHB-C4A	-2.53	125.11	130.12
14	1	818	CLA	C1B-CHB-C4A	-2.53	125.11	130.12
14	2	811	CLA	CHB-C4A-NA	2.53	128.01	124.51
13	a	803	CL0	C3C-C4C-NC	-2.53	107.74	110.57
14	A	835	CLA	C1B-CHB-C4A	-2.53	125.11	130.12
14	1	836	CLA	C1B-CHB-C4A	-2.53	125.11	130.12
14	1	824	CLA	C2D-C1D-ND	-2.53	108.24	110.10
14	1	830	CLA	CHB-C4A-NA	2.53	128.00	124.51
14	2	822	CLA	CHB-C4A-NA	2.52	128.00	124.51
17	a	848	BCR	C27-C26-C25	2.52	126.39	122.73
14	A	831	CLA	C1B-CHB-C4A	-2.52	125.12	130.12
14	2	810	CLA	O2A-CGA-O1A	-2.52	117.22	123.59
17	f	206	BCR	C15-C16-C17	-2.52	118.31	123.47
14	a	836	CLA	C1B-CHB-C4A	-2.52	125.12	130.12
14	2	805	CLA	C1B-CHB-C4A	-2.52	125.12	130.12
14	B	824	CLA	CHA-C1A-NA	-2.52	120.62	126.40
14	b	835	CLA	CHA-C1A-NA	-2.52	120.63	126.40
14	B	811	CLA	O2A-CGA-O1A	-2.52	117.24	123.59
14	a	815	CLA	CMB-C2B-C3B	2.52	129.39	124.68
17	A	851	BCR	C7-C8-C9	-2.52	122.43	126.23
14	2	819	CLA	C3C-C4C-NC	-2.52	107.75	110.57
14	B	834	CLA	CHD-C1D-ND	-2.52	122.14	124.45
14	1	823	CLA	C1B-CHB-C4A	-2.52	125.13	130.12
17	6	4405	BCR	C15-C16-C17	-2.52	118.32	123.47
14	1	819	CLA	CHD-C1D-ND	-2.52	122.14	124.45
14	A	814	CLA	C1-C2-C3	-2.52	121.69	126.04
17	A	850	BCR	C33-C5-C6	-2.52	121.70	124.53
14	K	4002	CLA	CHB-C4A-NA	2.51	127.99	124.51
14	A	820	CLA	CHD-C1D-ND	-2.51	122.14	124.45
14	2	821	CLA	C2D-C1D-ND	-2.51	108.25	110.10
14	b	819	CLA	C3C-C4C-NC	-2.51	107.75	110.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	b	813	CLA	C1B-CHB-C4A	-2.51	125.14	130.12
14	1	813	CLA	C1-C2-C3	-2.51	121.70	126.04
17	6	4405	BCR	C11-C10-C9	-2.51	123.73	127.31
14	2	801	CLA	C2D-C1D-ND	-2.51	108.25	110.10
14	K	4003	CLA	CHB-C4A-NA	2.51	127.98	124.51
17	a	850	BCR	C20-C21-C22	-2.51	123.73	127.31
14	A	817	CLA	CHD-C1D-ND	-2.51	122.15	124.45
14	1	813	CLA	CMB-C2B-C3B	2.51	129.37	124.68
17	F	206	BCR	C15-C16-C17	-2.51	118.34	123.47
14	B	820	CLA	C3C-C4C-NC	-2.51	107.76	110.57
14	B	836	CLA	CHA-C1A-NA	-2.51	120.66	126.40
14	2	813	CLA	C1B-CHB-C4A	-2.51	125.15	130.12
14	2	838	CLA	CMB-C2B-C3B	2.51	129.37	124.68
14	b	812	CLA	CHB-C4A-NA	2.51	127.98	124.51
14	2	836	CLA	C2D-C1D-ND	-2.51	108.26	110.10
14	B	825	CLA	C1B-CHB-C4A	-2.51	125.15	130.12
14	A	809	CLA	CHD-C1D-ND	-2.50	122.15	124.45
17	a	847	BCR	C15-C16-C17	-2.50	118.34	123.47
14	8	4003	CLA	CHB-C4A-NA	2.50	127.97	124.51
14	2	835	CLA	CHA-C1A-NA	-2.50	120.67	126.40
14	b	840	CLA	C2D-C1D-ND	-2.50	108.26	110.10
14	B	814	CLA	C1B-CHB-C4A	-2.50	125.16	130.12
14	1	830	CLA	C1B-CHB-C4A	-2.50	125.16	130.12
14	1	812	CLA	CHD-C1D-ND	-2.50	122.16	124.45
14	B	812	CLA	CHB-C4A-NA	2.50	127.97	124.51
14	b	838	CLA	CMB-C2B-C3B	2.50	129.35	124.68
17	1	849	BCR	C33-C5-C6	-2.50	121.72	124.53
17	A	847	BCR	C15-C16-C17	-2.50	118.36	123.47
17	b	846	BCR	C27-C26-C25	2.50	126.35	122.73
17	f	206	BCR	C11-C10-C9	-2.50	123.75	127.31
14	B	831	CLA	CHD-C1D-ND	-2.50	122.16	124.45
17	1	847	BCR	C15-C16-C17	-2.50	118.36	123.47
13	A	803	CL0	C3C-C4C-NC	-2.49	107.77	110.57
17	0	204	BCR	C15-C14-C13	-2.49	123.75	127.31
14	B	823	CLA	CHB-C4A-NA	2.49	127.96	124.51
14	b	808	CLA	CHB-C4A-NA	2.49	127.96	124.51
14	k	4003	CLA	CHB-C4A-NA	2.49	127.96	124.51
14	A	824	CLA	C1B-CHB-C4A	-2.49	125.18	130.12
14	A	825	CLA	C2D-C1D-ND	-2.49	108.27	110.10
14	2	819	CLA	C1B-CHB-C4A	-2.49	125.18	130.12
17	F	206	BCR	C11-C10-C9	-2.49	123.75	127.31
14	2	840	CLA	C2D-C1D-ND	-2.49	108.27	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	1	808	CLA	CHD-C1D-ND	-2.49	122.17	124.45
14	b	830	CLA	CHD-C1D-ND	-2.49	122.17	124.45
17	j	104	BCR	C24-C23-C22	-2.49	122.47	126.23
14	a	815	CLA	C1-C2-C3	-2.49	121.74	126.04
12	m	101	LHG	O8-C23-C24	2.49	119.72	111.91
14	b	807	CLA	CHD-C1D-ND	-2.49	122.17	124.45
14	a	822	CLA	O2D-CGD-CBD	2.49	115.69	111.27
17	1	851	BCR	C7-C8-C9	-2.49	122.47	126.23
14	a	825	CLA	C1B-CHB-C4A	-2.49	125.19	130.12
14	a	814	CLA	CHD-C1D-ND	-2.49	122.17	124.45
14	a	809	CLA	O2A-CGA-O1A	-2.49	117.31	123.59
14	2	836	CLA	CHD-C1D-ND	-2.49	122.17	124.45
17	L	1505	BCR	C15-C14-C13	-2.49	123.76	127.31
14	2	824	CLA	C1B-CHB-C4A	-2.48	125.20	130.12
14	B	808	CLA	CHB-C4A-NA	2.48	127.95	124.51
14	b	824	CLA	C1B-CHB-C4A	-2.48	125.20	130.12
14	2	834	CLA	CMB-C2B-C3B	2.48	129.32	124.68
17	2	846	BCR	C27-C26-C25	2.48	126.34	122.73
14	1	837	CLA	CHD-C1D-ND	-2.48	122.17	124.45
14	b	834	CLA	CMB-C2B-C3B	2.48	129.32	124.68
14	1	816	CLA	C1B-CHB-C4A	-2.48	125.20	130.12
14	1	820	CLA	O2D-CGD-CBD	2.48	115.67	111.27
18	B	803	LMG	O2-C2-C1	-2.48	104.02	110.05
14	A	821	CLA	O2D-CGD-CBD	2.48	115.67	111.27
14	a	804	CLA	C2D-C1D-ND	-2.48	108.28	110.10
17	J	104	BCR	C24-C23-C22	-2.48	122.49	126.23
17	a	851	BCR	C7-C8-C9	-2.48	122.49	126.23
14	a	818	CLA	CHD-C1D-ND	-2.48	122.18	124.45
14	a	821	CLA	CHD-C1D-ND	-2.48	122.18	124.45
14	2	830	CLA	CHD-C1D-ND	-2.48	122.18	124.45
12	M	101	LHG	O8-C23-C24	2.48	119.69	111.91
14	B	839	CLA	CMB-C2B-C3B	2.48	129.31	124.68
14	1	817	CLA	CMB-C2B-C3B	2.48	129.31	124.68
14	A	827	CLA	C1B-CHB-C4A	-2.48	125.21	130.12
14	a	839	CLA	CHD-C1D-ND	-2.48	122.18	124.45
14	B	813	CLA	CHB-C4A-NA	2.48	127.94	124.51
14	b	822	CLA	CHB-C4A-NA	2.48	127.94	124.51
14	a	818	CLA	C1B-CHB-C4A	-2.48	125.21	130.12
17	A	847	BCR	C7-C8-C9	-2.48	122.50	126.23
14	b	821	CLA	C2D-C1D-ND	-2.48	108.28	110.10
17	0	210	BCR	C15-C14-C13	-2.47	123.78	127.31
15	1	845	PQN	C11-C12-C13	-2.47	122.67	126.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	1	826	CLA	C1B-CHB-C4A	-2.47	125.22	130.12
12	9	101	LHG	O8-C23-C24	2.47	119.67	111.91
14	2	843	CLA	CHB-C4A-NA	2.47	127.93	124.51
14	A	808	CLA	O2A-CGA-O1A	-2.47	117.36	123.59
15	a	845	PQN	C11-C12-C13	-2.47	122.68	126.79
14	A	818	CLA	CMB-C2B-C3B	2.47	129.30	124.68
14	a	810	CLA	CHD-C1D-ND	-2.47	122.19	124.45
14	b	823	CLA	C1B-CHB-C4A	-2.47	125.23	130.12
18	b	803	LMG	O2-C2-C1	-2.47	104.05	110.05
14	a	819	CLA	CMB-C2B-C3B	2.47	129.30	124.68
14	A	817	CLA	C1B-CHB-C4A	-2.47	125.23	130.12
14	1	807	CLA	O2A-CGA-O1A	-2.47	117.36	123.59
17	0	209	BCR	C15-C14-C13	-2.47	123.79	127.31
14	A	818	CLA	C1B-CHB-C4A	-2.47	125.23	130.12
14	B	824	CLA	C1B-CHB-C4A	-2.47	125.23	130.12
14	b	819	CLA	C1B-CHB-C4A	-2.47	125.23	130.12
14	2	813	CLA	CHB-C4A-NA	2.47	127.92	124.51
17	6	4406	BCR	C27-C26-C25	2.47	126.31	122.73
14	A	836	CLA	C2D-C1D-ND	-2.47	108.29	110.10
14	k	4002	CLA	CMB-C2B-C3B	2.47	129.29	124.68
17	0	209	BCR	C20-C21-C22	-2.47	123.79	127.31
14	1	816	CLA	CHD-C1D-ND	-2.46	122.19	124.45
17	0	209	BCR	C15-C16-C17	-2.46	118.43	123.47
14	2	812	CLA	CHB-C4A-NA	2.46	127.92	124.51
14	B	820	CLA	C1B-CHB-C4A	-2.46	125.24	130.12
14	1	835	CLA	C2D-C1D-ND	-2.46	108.29	110.10
18	2	802	LMG	O2-C2-C1	-2.46	104.06	110.05
14	B	844	CLA	CHB-C4A-NA	2.46	127.92	124.51
14	b	827	CLA	O1D-CGD-CBD	2.46	129.52	124.48
17	a	847	BCR	C7-C8-C9	-2.46	122.52	126.23
14	2	827	CLA	O1D-CGD-CBD	2.46	129.52	124.48
17	1	847	BCR	C7-C8-C9	-2.46	122.52	126.23
14	a	841	CLA	CHA-C1A-NA	-2.46	120.76	126.40
14	b	817	CLA	C1B-CHB-C4A	-2.46	125.25	130.12
14	1	828	CLA	C1B-CHB-C4A	-2.46	125.25	130.12
14	1	839	CLA	CHA-C1A-NA	-2.46	120.77	126.40
14	B	828	CLA	O1D-CGD-CBD	2.46	129.51	124.48
14	a	837	CLA	C2D-C1D-ND	-2.46	108.29	110.10
14	1	812	CLA	C2D-C1D-ND	-2.46	108.29	110.10
14	b	805	CLA	C1B-CHB-C4A	-2.46	125.25	130.12
14	a	806	CLA	C1B-CHB-C4A	-2.46	125.25	130.12
14	a	830	CLA	C1B-CHB-C4A	-2.46	125.25	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	l	4207	BCR	C15-C16-C17	-2.46	118.44	123.47
14	b	805	CLA	C3C-C4C-NC	-2.45	107.82	110.57
14	A	805	CLA	C1B-CHB-C4A	-2.45	125.25	130.12
14	B	837	CLA	C2D-C1D-ND	-2.45	108.30	110.10
14	2	817	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
14	A	813	CLA	CHD-C1D-ND	-2.45	122.20	124.45
14	A	813	CLA	C2D-C1D-ND	-2.45	108.30	110.10
14	K	4002	CLA	CMB-C2B-C3B	2.45	129.27	124.68
17	2	848	BCR	C15-C16-C17	-2.45	118.45	123.47
14	a	828	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
14	1	817	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
14	1	840	CLA	CHD-C1D-ND	-2.45	122.20	124.45
17	a	849	BCR	C33-C5-C6	-2.45	121.77	124.53
17	L	1504	BCR	C15-C16-C17	-2.45	118.45	123.47
14	2	823	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
14	L	1502	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
14	7	1101	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
14	2	804	CLA	C3C-C4C-NC	-2.45	107.82	110.57
14	1	4205	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
14	B	805	CLA	C3C-C4C-NC	-2.45	107.82	110.57
17	7	1105	BCR	C24-C23-C22	-2.45	122.53	126.23
17	9	102	BCR	C33-C5-C6	-2.45	121.78	124.53
14	2	806	CLA	CHD-C1D-ND	-2.45	122.20	124.45
14	b	813	CLA	CHB-C4A-NA	2.45	127.90	124.51
17	B	849	BCR	C15-C16-C17	-2.45	118.46	123.47
14	A	844	CLA	C1B-CHB-C4A	-2.45	125.27	130.12
14	B	836	CLA	CHB-C4A-NA	2.45	127.89	124.51
17	l	4207	BCR	C20-C21-C22	-2.45	123.82	127.31
14	2	804	CLA	C1B-CHB-C4A	-2.45	125.27	130.12
14	B	823	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
14	A	840	CLA	CHA-C1A-NA	-2.44	120.80	126.40
17	B	854	BCR	C27-C26-C25	2.44	126.28	122.73
14	a	828	CLA	C2D-C1D-ND	-2.44	108.30	110.10
14	b	833	CLA	CHB-C4A-NA	2.44	127.89	124.51
15	A	845	PQN	C11-C12-C13	-2.44	122.73	126.79
14	2	816	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
14	8	4002	CLA	CMB-C2B-C3B	2.44	129.25	124.68
14	2	822	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
14	b	836	CLA	C2D-C1D-ND	-2.44	108.31	110.10
14	B	818	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
14	0	207	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
14	1	836	CLA	CMB-C2B-C3B	2.44	129.24	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	829	CLA	C1B-CHB-C4A	-2.44	125.29	130.12
14	B	835	CLA	CMB-C2B-C3B	2.44	129.24	124.68
14	a	815	CLA	O2A-CGA-O1A	-2.44	117.44	123.59
14	2	836	CLA	C3C-C4C-NC	-2.44	107.84	110.57
17	a	847	BCR	C16-C15-C14	-2.44	118.48	123.47
14	a	827	CLA	C4-C3-C5	2.44	119.37	115.27
14	B	841	CLA	C2D-C1D-ND	-2.44	108.31	110.10
14	1	831	CLA	C3C-C4C-NC	-2.43	107.84	110.57
14	b	835	CLA	CHB-C4A-NA	2.43	127.88	124.51
17	L	1504	BCR	C20-C21-C22	-2.43	123.84	127.31
14	b	802	CLA	CHD-C1D-ND	-2.43	122.22	124.45
14	b	816	CLA	C1B-CHB-C4A	-2.43	125.30	130.12
17	b	853	BCR	C27-C26-C25	2.43	126.26	122.73
14	1	825	CLA	C4-C3-C5	2.43	119.36	115.27
14	B	837	CLA	C3C-C4C-NC	-2.43	107.84	110.57
14	a	833	CLA	C3C-C4C-NC	-2.43	107.84	110.57
14	a	844	CLA	C1B-CHB-C4A	-2.43	125.30	130.12
14	A	838	CLA	CHD-C1D-ND	-2.43	122.22	124.45
14	a	826	CLA	C2D-C1D-ND	-2.43	108.31	110.10
17	b	848	BCR	C15-C16-C17	-2.43	118.49	123.47
14	A	837	CLA	CMB-C2B-C3B	2.43	129.23	124.68
17	A	847	BCR	C16-C15-C14	-2.43	118.49	123.47
14	B	817	CLA	C1B-CHB-C4A	-2.43	125.30	130.12
14	b	816	CLA	CHD-C1D-ND	-2.43	122.22	124.45
14	2	833	CLA	CHB-C4A-NA	2.43	127.87	124.51
17	b	854	BCR	C27-C26-C25	2.43	126.26	122.73
14	2	835	CLA	CHB-C4A-NA	2.43	127.87	124.51
17	M	102	BCR	C27-C26-C25	2.43	126.26	122.73
14	b	801	CLA	C1B-CHB-C4A	-2.43	125.31	130.12
14	A	843	CLA	C1-C2-C3	-2.43	121.85	126.04
14	a	837	CLA	C1B-CHB-C4A	-2.43	125.31	130.12
14	1	844	CLA	C1B-CHB-C4A	-2.43	125.31	130.12
17	1	847	BCR	C16-C15-C14	-2.43	118.50	123.47
14	B	817	CLA	CHD-C1D-ND	-2.43	122.22	124.45
14	a	819	CLA	C1B-CHB-C4A	-2.43	125.31	130.12
14	A	827	CLA	C2D-C1D-ND	-2.42	108.32	110.10
14	a	843	CLA	C1-C2-C3	-2.42	121.85	126.04
14	1	813	CLA	O2A-CGA-O1A	-2.42	117.47	123.59
14	b	843	CLA	CHB-C4A-NA	2.42	127.86	124.51
14	2	835	CLA	C1B-CHB-C4A	-2.42	125.32	130.12
14	A	814	CLA	O2A-CGA-O1A	-2.42	117.47	123.59
14	A	826	CLA	C4-C3-C5	2.42	119.35	115.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	b	838	CLA	C1B-CHB-C4A	-2.42	125.32	130.12
14	B	835	CLA	CAA-C2A-C3A	-2.42	106.14	112.78
14	B	805	CLA	C1B-CHB-C4A	-2.42	125.32	130.12
12	m	101	LHG	C11-C10-C9	-2.42	102.13	114.42
14	a	839	CLA	O2A-CGA-O1A	-2.42	117.48	123.59
14	B	814	CLA	CHB-C4A-NA	2.42	127.86	124.51
17	L	1504	BCR	C15-C14-C13	-2.42	123.86	127.31
14	B	839	CLA	C1B-CHB-C4A	-2.42	125.32	130.12
12	M	101	LHG	C11-C10-C9	-2.42	102.14	114.42
14	l	4203	CLA	CHB-C4A-NA	2.42	127.86	124.51
14	b	824	CLA	CMB-C2B-C3B	2.42	129.21	124.68
17	2	850	BCR	C20-C21-C22	-2.42	123.86	127.31
14	2	838	CLA	C1B-CHB-C4A	-2.42	125.33	130.12
12	9	101	LHG	C11-C10-C9	-2.42	102.14	114.42
14	a	838	CLA	CMB-C2B-C3B	2.42	129.20	124.68
14	b	834	CLA	CAA-C2A-C3A	-2.42	106.16	112.78
14	2	834	CLA	CAA-C2A-C3A	-2.42	106.16	112.78
14	B	834	CLA	CHB-C4A-NA	2.42	127.86	124.51
14	1	835	CLA	C1B-CHB-C4A	-2.42	125.33	130.12
14	b	822	CLA	C1B-CHB-C4A	-2.42	125.33	130.12
17	l	4207	BCR	C15-C14-C13	-2.42	123.86	127.31
14	b	802	CLA	CAA-CBA-CGA	-2.42	106.19	113.25
14	2	825	CLA	C1B-CHB-C4A	-2.42	125.33	130.12
17	2	847	BCR	C7-C8-C9	-2.41	122.59	126.23
14	2	816	CLA	CHD-C1D-ND	-2.41	122.23	124.45
14	b	835	CLA	C1B-CHB-C4A	-2.41	125.33	130.12
14	1	840	CLA	CAA-CBA-CGA	-2.41	106.20	113.25
14	A	841	CLA	CHD-C1D-ND	-2.41	122.24	124.45
14	B	836	CLA	CHD-C1D-ND	-2.41	122.24	124.45
17	b	850	BCR	C20-C21-C22	-2.41	123.87	127.31
14	B	836	CLA	C1B-CHB-C4A	-2.41	125.34	130.12
14	b	836	CLA	C3C-C4C-NC	-2.41	107.87	110.57
14	B	807	CLA	CHD-C1D-ND	-2.41	122.24	124.45
14	0	208	CLA	C1B-CHB-C4A	-2.41	125.34	130.12
14	2	811	CLA	C1B-CHB-C4A	-2.41	125.34	130.12
14	b	812	CLA	C1B-CHB-C4A	-2.41	125.35	130.12
14	2	820	CLA	C1B-CHB-C4A	-2.41	125.35	130.12
14	1	843	CLA	C1-C2-C3	-2.41	121.88	126.04
14	B	814	CLA	CHD-C1D-ND	-2.41	122.24	124.45
14	2	801	CLA	C1B-CHB-C4A	-2.41	125.35	130.12
14	B	812	CLA	C1B-CHB-C4A	-2.41	125.35	130.12
14	b	820	CLA	C1B-CHB-C4A	-2.41	125.35	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	b	836	CLA	CHA-C1A-NA	-2.41	120.89	126.40
14	b	835	CLA	CHD-C1D-ND	-2.40	122.24	124.45
14	L	1503	CLA	C1B-CHB-C4A	-2.40	125.36	130.12
14	0	202	CLA	C1B-CHB-C4A	-2.40	125.36	130.12
14	A	838	CLA	O2A-CGA-O1A	-2.40	117.53	123.59
14	b	825	CLA	C1B-CHB-C4A	-2.40	125.36	130.12
14	l	4206	CLA	C1B-CHB-C4A	-2.40	125.36	130.12
17	b	854	BCR	C33-C5-C6	-2.40	121.83	124.53
14	2	820	CLA	CHD-C1D-ND	-2.40	122.25	124.45
14	B	802	CLA	C1B-CHB-C4A	-2.40	125.36	130.12
14	A	841	CLA	CAA-CBA-CGA	-2.40	106.24	113.25
14	a	804	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
14	a	814	CLA	C2D-C1D-ND	-2.40	108.34	110.10
14	A	836	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
17	b	847	BCR	C7-C8-C9	-2.40	122.61	126.23
14	A	832	CLA	C3C-C4C-NC	-2.40	107.88	110.57
14	k	4002	CLA	C2D-C1D-ND	-2.40	108.34	110.10
17	B	851	BCR	C20-C21-C22	-2.40	123.89	127.31
14	B	810	CLA	CMB-C2B-C3B	2.40	129.16	124.68
17	j	104	BCR	C15-C14-C13	-2.39	123.89	127.31
14	B	835	CLA	CAA-CBA-CGA	-2.39	106.25	113.25
14	B	841	CLA	C1B-CHB-C4A	-2.39	125.37	130.12
14	2	809	CLA	CMB-C2B-C3B	2.39	129.16	124.68
18	a	852	LMG	C38-C37-C36	-2.39	102.27	114.42
14	A	806	CLA	C1-C2-C3	-2.39	122.88	126.75
14	2	824	CLA	CMB-C2B-C3B	2.39	129.16	124.68
17	M	102	BCR	C33-C5-C6	-2.39	121.84	124.53
14	f	204	CLA	C1B-CHB-C4A	-2.39	125.38	130.12
17	9	102	BCR	C27-C26-C25	2.39	126.20	122.73
14	1	837	CLA	O2A-CGA-O1A	-2.39	117.56	123.59
17	1	851	BCR	C15-C14-C13	-2.39	123.90	127.31
18	0	203	LMG	C38-C37-C36	-2.39	102.30	114.42
17	B	848	BCR	C7-C8-C9	-2.39	122.62	126.23
14	b	834	CLA	CAA-CBA-CGA	-2.39	106.27	113.25
14	a	807	CLA	C1-C2-C3	-2.39	122.89	126.75
18	A	852	LMG	C38-C37-C36	-2.39	102.30	114.42
14	b	835	CLA	C3C-C4C-NC	-2.39	107.89	110.57
14	B	801	CLA	C1B-CHB-C4A	-2.39	125.39	130.12
14	b	840	CLA	C1B-CHB-C4A	-2.39	125.39	130.12
14	F	204	CLA	C1B-CHB-C4A	-2.38	125.39	130.12
14	B	821	CLA	C1B-CHB-C4A	-2.38	125.39	130.12
14	B	826	CLA	C1B-CHB-C4A	-2.38	125.39	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	2	835	CLA	C3C-C4C-NC	-2.38	107.90	110.57
17	A	847	BCR	C27-C26-C25	2.38	126.19	122.73
17	a	847	BCR	C27-C26-C25	2.38	126.19	122.73
14	b	813	CLA	CHD-C1D-ND	-2.38	122.27	124.45
14	2	834	CLA	CAA-CBA-CGA	-2.38	106.29	113.25
14	B	825	CLA	CMB-C2B-C3B	2.38	129.13	124.68
14	1	834	CLA	O2D-CGD-CBD	2.38	115.50	111.27
17	1	847	BCR	C27-C26-C25	2.38	126.19	122.73
17	a	851	BCR	C15-C14-C13	-2.38	123.91	127.31
14	2	836	CLA	CHA-C1A-NA	-2.38	120.95	126.40
14	b	825	CLA	C2D-C1D-ND	-2.38	108.35	110.10
14	b	810	CLA	CMB-C2B-C3B	2.38	129.12	124.68
14	B	837	CLA	CHA-C1A-NA	-2.37	120.96	126.40
14	a	836	CLA	O2D-CGD-CBD	2.37	115.48	111.27
14	B	810	CLA	C1B-CHB-C4A	-2.37	125.42	130.12
14	6	4403	CLA	C1B-CHB-C4A	-2.37	125.42	130.12
14	2	844	CLA	CHB-C4A-NA	2.37	127.97	124.34
14	A	827	CLA	C2A-C1A-CHA	2.37	128.00	123.86
14	2	814	CLA	C1B-CHB-C4A	-2.37	125.42	130.12
17	J	103	BCR	C27-C26-C25	2.37	126.17	122.73
14	a	824	CLA	CMA-C3A-C2A	-2.37	104.27	113.83
17	7	1105	BCR	C15-C14-C13	-2.37	123.93	127.31
17	b	849	BCR	C40-C30-C25	2.37	114.14	110.30
14	1	837	CLA	O2D-CGD-CBD	2.37	115.47	111.27
17	2	849	BCR	C40-C30-C25	2.36	114.13	110.30
17	A	851	BCR	C15-C14-C13	-2.36	123.94	127.31
14	A	823	CLA	CMA-C3A-C2A	-2.36	104.29	113.83
14	a	813	CLA	CMB-C2B-C3B	2.36	129.10	124.68
14	1	822	CLA	CMA-C3A-C2A	-2.36	104.30	113.83
14	a	835	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
17	b	851	BCR	C37-C22-C21	-2.36	119.62	122.92
18	0	201	LMG	C38-C37-C36	-2.36	102.45	114.42
14	B	810	CLA	CHB-C4A-NA	2.36	127.77	124.51
14	2	829	CLA	CHB-C4A-NA	2.36	127.77	124.51
17	B	850	BCR	C40-C30-C25	2.36	114.12	110.30
14	K	4003	CLA	CMB-C2B-C3B	2.36	129.09	124.68
18	L	1506	LMG	C38-C37-C36	-2.36	102.46	114.42
14	B	825	CLA	CHD-C1D-ND	-2.36	122.29	124.45
14	2	813	CLA	CHD-C1D-ND	-2.36	122.29	124.45
14	B	836	CLA	C3C-C4C-NC	-2.36	107.93	110.57
14	b	814	CLA	C1B-CHB-C4A	-2.36	125.45	130.12
14	1	805	CLA	C1-C2-C3	-2.36	122.94	126.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	B	815	CLA	C1B-CHB-C4A	-2.36	125.45	130.12
14	A	835	CLA	O2D-CGD-CBD	2.36	115.45	111.27
14	a	836	CLA	C1-C2-C3	-2.35	121.97	126.04
14	2	840	CLA	C1B-CHB-C4A	-2.35	125.45	130.12
18	l	4202	LMG	C38-C37-C36	-2.35	102.47	114.42
14	1	811	CLA	CMB-C2B-C3B	2.35	129.08	124.68
14	A	805	CLA	O2D-CGD-CBD	2.35	115.45	111.27
14	b	844	CLA	CHB-C4A-NA	2.35	127.94	124.34
14	b	810	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
14	A	812	CLA	CMB-C2B-C3B	2.35	129.08	124.68
14	a	828	CLA	C2A-C1A-CHA	2.35	127.97	123.86
14	1	826	CLA	C2A-C1A-CHA	2.35	127.97	123.86
14	1	838	CLA	CMB-C2B-C3B	2.35	129.08	124.68
17	8	4005	BCR	C27-C26-C25	2.35	126.14	122.73
14	1	833	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
14	7	1101	CLA	O2D-CGD-CBD	2.35	115.44	111.27
14	A	834	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
18	0	201	LMG	O7-C10-O9	-2.35	118.02	123.70
14	2	835	CLA	CHD-C1D-ND	-2.35	122.30	124.45
17	b	846	BCR	C24-C23-C22	-2.35	122.69	126.23
17	K	4005	BCR	C27-C26-C25	2.35	126.14	122.73
17	j	103	BCR	C27-C26-C25	2.35	126.14	122.73
18	a	852	LMG	O6-C1-O1	-2.35	104.42	109.97
14	a	840	CLA	CMB-C2B-C3B	2.35	129.07	124.68
14	2	809	CLA	C1B-CHB-C4A	-2.35	125.47	130.12
17	7	1104	BCR	C27-C26-C25	2.34	126.13	122.73
14	B	838	CLA	C2D-C1D-ND	-2.34	108.38	110.10
14	1	826	CLA	C2D-C1D-ND	-2.34	108.38	110.10
18	0	203	LMG	O6-C1-O1	-2.34	104.43	109.97
17	A	847	BCR	C15-C14-C13	-2.34	123.97	127.31
14	B	813	CLA	O2A-CGA-O1A	-2.34	117.69	123.59
14	A	840	CLA	CHD-C1D-ND	-2.34	122.30	124.45
17	B	847	BCR	C24-C23-C22	-2.34	122.70	126.23
14	a	806	CLA	O2D-CGD-CBD	2.34	115.42	111.27
18	b	803	LMG	C38-C37-C36	-2.34	102.55	114.42
17	1	847	BCR	C15-C14-C13	-2.34	123.97	127.31
17	a	847	BCR	C15-C14-C13	-2.34	123.97	127.31
18	L	1506	LMG	O7-C10-O9	-2.34	118.05	123.70
14	1	816	CLA	C2D-C1D-ND	-2.34	108.38	110.10
14	k	4003	CLA	C2D-C1D-ND	-2.34	108.38	110.10
18	l	4202	LMG	O7-C10-O9	-2.34	118.06	123.70
14	1	814	CLA	CHB-C4A-NA	2.34	127.74	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	k	4003	CLA	CMB-C2B-C3B	2.33	129.05	124.68
17	k	4004	BCR	C27-C26-C25	2.33	126.12	122.73
14	a	831	CLA	O2D-CGD-CBD	2.33	115.42	111.27
14	B	821	CLA	CHD-C1D-ND	-2.33	122.31	124.45
14	2	824	CLA	CHD-C1D-ND	-2.33	122.31	124.45
14	B	845	CLA	CHB-C4A-NA	2.33	127.91	124.34
18	2	802	LMG	C38-C37-C36	-2.33	102.58	114.42
14	A	839	CLA	C1-C2-C3	-2.33	122.01	126.04
14	f	205	CLA	O2A-CGA-O1A	-2.33	117.49	123.30
12	M	101	LHG	C27-C26-C25	-2.33	102.60	114.42
14	B	806	CLA	CHB-C4A-NA	2.33	127.73	124.51
18	B	803	LMG	C38-C37-C36	-2.33	102.60	114.42
18	A	852	LMG	O6-C1-O1	-2.33	104.46	109.97
14	l	4203	CLA	O2A-CGA-O1A	-2.33	117.72	123.59
14	A	815	CLA	CHB-C4A-NA	2.33	127.73	124.51
17	J	104	BCR	C15-C14-C13	-2.33	123.99	127.31
14	8	4003	CLA	C2D-C1D-ND	-2.33	108.39	110.10
14	2	809	CLA	CHB-C4A-NA	2.33	127.73	124.51
14	6	4404	CLA	O2A-CGA-O1A	-2.33	117.50	123.30
12	9	101	LHG	C27-C26-C25	-2.33	102.61	114.42
14	a	816	CLA	CHB-C4A-NA	2.33	127.73	124.51
14	8	4003	CLA	CMB-C2B-C3B	2.33	129.03	124.68
17	K	4001	BCR	C33-C5-C6	-2.33	121.92	124.53
14	A	835	CLA	C1-C2-C3	-2.32	122.02	126.04
14	b	820	CLA	CHD-C1D-ND	-2.32	122.32	124.45
12	m	101	LHG	C27-C26-C25	-2.32	102.63	114.42
14	1	838	CLA	C1-C2-C3	-2.32	122.03	126.04
14	2	812	CLA	O2A-CGA-O1A	-2.32	117.73	123.59
14	a	839	CLA	O2D-CGD-CBD	2.32	115.39	111.27
14	1	834	CLA	C1-C2-C3	-2.32	122.03	126.04
14	a	841	CLA	CHD-C1D-ND	-2.32	122.32	124.45
14	b	806	CLA	CHB-C4A-NA	2.32	127.72	124.51
17	b	850	BCR	C7-C8-C9	-2.32	122.73	126.23
17	k	4004	BCR	C7-C8-C9	-2.32	122.73	126.23
14	1	829	CLA	O2D-CGD-CBD	2.32	115.39	111.27
17	i	4102	BCR	C27-C26-C25	2.32	126.10	122.73
17	B	847	BCR	C33-C5-C6	-2.32	121.92	124.53
14	a	804	CLA	CAA-CBA-CGA	-2.32	106.48	113.25
14	F	205	CLA	O2A-CGA-O1A	-2.32	117.52	123.30
14	7	1103	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
14	a	811	CLA	O2D-CGD-CBD	2.32	115.39	111.27
14	2	825	CLA	CHD-C1D-ND	-2.32	122.33	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	K	4003	CLA	C2D-C1D-ND	-2.32	108.40	110.10
14	1	806	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
17	2	851	BCR	C37-C22-C21	-2.32	119.68	122.92
14	a	840	CLA	C1-C2-C3	-2.32	122.04	126.04
17	2	846	BCR	C24-C23-C22	-2.31	122.74	126.23
14	b	810	CLA	CHB-C4A-NA	2.31	127.71	124.51
14	A	838	CLA	O2D-CGD-CBD	2.31	115.38	111.27
14	l	4203	CLA	CHA-C1A-NA	-2.31	121.10	126.40
14	A	831	CLA	CHA-C1A-NA	-2.31	121.10	126.40
14	a	836	CLA	C3C-C4C-NC	-2.31	107.98	110.57
17	8	4005	BCR	C7-C8-C9	-2.31	122.74	126.23
14	A	835	CLA	C3C-C4C-NC	-2.31	107.98	110.57
14	A	807	CLA	C1B-CHB-C4A	-2.31	125.54	130.12
12	A	801	LHG	C20-C19-C18	-2.31	102.70	114.42
14	j	102	CLA	C1B-CHB-C4A	-2.31	125.54	130.12
17	L	1505	BCR	C39-C30-C25	2.31	114.04	110.30
17	I	101	BCR	C27-C26-C25	2.31	126.08	122.73
14	1	819	CLA	CHB-C4A-NA	2.31	127.70	124.51
14	A	822	CLA	C1B-CHB-C4A	-2.31	125.55	130.12
14	K	4002	CLA	C2D-C1D-ND	-2.31	108.40	110.10
14	2	825	CLA	C2D-C1D-ND	-2.31	108.40	110.10
12	1	801	LHG	C20-C19-C18	-2.31	102.71	114.42
14	a	832	CLA	CHA-C1A-NA	-2.31	121.11	126.40
14	2	801	CLA	CAA-CBA-CGA	-2.31	106.51	113.25
17	K	4005	BCR	C7-C8-C9	-2.31	122.75	126.23
14	b	824	CLA	CHD-C1D-ND	-2.31	122.33	124.45
17	6	4405	BCR	C2-C1-C6	2.31	114.03	110.48
14	a	808	CLA	C1B-CHB-C4A	-2.31	125.55	130.12
14	B	826	CLA	C2D-C1D-ND	-2.31	108.41	110.10
17	h	101	BCR	C27-C26-C25	2.31	126.08	122.73
14	1	828	CLA	CHB-C4A-NA	2.30	127.70	124.51
14	b	825	CLA	CHD-C1D-ND	-2.30	122.34	124.45
14	a	805	CLA	O2A-CGA-O1A	-2.30	117.78	123.59
14	1	809	CLA	O2D-CGD-CBD	2.30	115.36	111.27
14	B	830	CLA	CHB-C4A-NA	2.30	127.70	124.51
14	1	834	CLA	C3C-C4C-NC	-2.30	107.99	110.57
14	2	805	CLA	CHB-C4A-NA	2.30	127.69	124.51
14	2	843	CLA	O2A-CGA-O1A	-2.30	117.79	123.59
14	1	830	CLA	CHA-C1A-NA	-2.30	121.13	126.40
14	A	830	CLA	O2D-CGD-CBD	2.30	115.35	111.27
14	B	801	CLA	CAA-CBA-CGA	-2.30	106.53	113.25
17	0	204	BCR	C39-C30-C25	2.30	114.03	110.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	J	102	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
17	8	4001	BCR	C35-C13-C14	-2.30	119.70	122.92
12	a	801	LHG	C20-C19-C18	-2.30	102.76	114.42
14	B	822	CLA	CMB-C2B-C3B	2.30	128.98	124.68
14	A	810	CLA	O2D-CGD-CBD	2.30	115.35	111.27
17	B	852	BCR	C37-C22-C21	-2.30	119.70	122.92
14	2	812	CLA	CHA-C1A-NA	-2.30	121.14	126.40
14	8	4002	CLA	C2D-C1D-ND	-2.29	108.41	110.10
14	1	804	CLA	O2A-CGA-O1A	-2.29	117.80	123.59
14	a	813	CLA	CHD-C1D-ND	-2.29	122.35	124.45
14	b	820	CLA	CHB-C4A-NA	2.29	127.68	124.51
17	B	851	BCR	C7-C8-C9	-2.29	122.77	126.23
17	2	850	BCR	C7-C8-C9	-2.29	122.77	126.23
14	a	841	CLA	O2A-CGA-O1A	-2.29	117.81	123.59
14	1	839	CLA	O2A-CGA-O1A	-2.29	117.81	123.59
14	B	802	CLA	CHD-C1D-ND	-2.29	122.35	124.45
14	1	821	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
14	b	829	CLA	CHB-C4A-NA	2.29	127.68	124.51
14	2	820	CLA	CHB-C4A-NA	2.29	127.68	124.51
14	2	837	CLA	C2D-C1D-ND	-2.29	108.42	110.10
17	k	4001	BCR	C35-C13-C14	-2.29	119.72	122.92
19	I	103	LMT	C2'-C3'-C4'	2.29	114.91	109.68
14	b	821	CLA	CMB-C2B-C3B	2.29	128.96	124.68
17	2	846	BCR	C33-C5-C6	-2.29	121.96	124.53
14	a	830	CLA	CHB-C4A-NA	2.29	127.68	124.51
14	A	839	CLA	CMB-C2B-C3B	2.29	128.96	124.68
14	1	842	CLA	C2D-C1D-ND	-2.29	108.42	110.10
14	2	811	CLA	CHA-C1A-NA	-2.29	121.16	126.40
14	a	838	CLA	CHB-C4A-NA	2.29	127.67	124.51
14	2	832	CLA	C2D-C1D-ND	-2.29	108.42	110.10
14	A	812	CLA	CHD-C1D-ND	-2.29	122.35	124.45
14	B	826	CLA	CHD-C1D-ND	-2.29	122.35	124.45
17	0	210	BCR	C39-C30-C25	2.29	114.01	110.30
14	b	843	CLA	O2A-CGA-O1A	-2.29	117.82	123.59
14	b	805	CLA	CHB-C4A-NA	2.28	127.67	124.51
14	B	832	CLA	CHD-C1D-ND	-2.28	122.36	124.45
14	b	801	CLA	CHD-C1D-ND	-2.28	122.36	124.45
15	B	846	PQN	C16-C15-C13	-2.28	107.47	113.45
15	2	845	PQN	C16-C15-C13	-2.28	107.47	113.45
14	1	838	CLA	C1B-CHB-C4A	-2.28	125.59	130.12
14	a	840	CLA	C1B-CHB-C4A	-2.28	125.60	130.12
14	b	804	CLA	CHA-C1A-NA	-2.28	121.17	126.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	2	818	CLA	CHB-C4A-NA	2.28	127.67	124.51
17	8	4001	BCR	C33-C5-C6	-2.28	121.97	124.53
14	a	834	CLA	C1B-CHB-C4A	-2.28	125.60	130.12
19	6	4401	LMT	C1'-O5'-C5'	-2.28	109.21	113.69
14	b	826	CLA	CHA-C1A-NA	-2.28	121.17	126.40
14	A	817	CLA	C2D-C1D-ND	-2.28	108.42	110.10
17	K	4001	BCR	C35-C13-C14	-2.28	119.73	122.92
14	0	207	CLA	CMB-C2B-C3B	2.28	128.94	124.68
14	a	818	CLA	C2D-C1D-ND	-2.28	108.42	110.10
14	B	804	CLA	CHA-C1A-NA	-2.28	121.18	126.40
14	B	813	CLA	CHA-C1A-NA	-2.28	121.18	126.40
14	B	844	CLA	O2A-CGA-O1A	-2.28	117.84	123.59
17	1	849	BCR	C24-C23-C22	-2.28	122.79	126.23
14	a	821	CLA	CHB-C4A-NA	2.28	127.66	124.51
17	0	209	BCR	C39-C30-C25	2.28	113.99	110.30
19	h	103	LMT	C2'-C3'-C4'	2.28	114.88	109.68
14	a	832	CLA	C2D-C1D-ND	-2.28	108.43	110.10
17	f	206	BCR	C2-C1-C6	2.28	113.98	110.48
14	6	4403	CLA	CHA-C1A-NA	-2.28	121.19	126.40
14	2	831	CLA	CHD-C1D-ND	-2.28	122.36	124.45
17	b	846	BCR	C33-C5-C6	-2.28	121.97	124.53
17	2	847	BCR	C33-C5-C6	-2.28	121.97	124.53
17	I	102	BCR	C34-C9-C10	-2.28	119.74	122.92
14	A	804	CLA	O2A-CGA-O1A	-2.27	117.85	123.59
14	a	823	CLA	C1B-CHB-C4A	-2.27	125.61	130.12
14	b	832	CLA	C1B-CHB-C4A	-2.27	125.61	130.12
17	F	206	BCR	C2-C1-C6	2.27	113.98	110.48
14	A	820	CLA	CHB-C4A-NA	2.27	127.66	124.51
14	b	826	CLA	O2A-CGA-O1A	-2.27	117.86	123.59
19	F	202	LMT	C1'-O5'-C5'	-2.27	109.23	113.69
15	b	845	PQN	C16-C15-C13	-2.27	107.50	113.45
14	B	812	CLA	CHA-C1A-NA	-2.27	121.19	126.40
14	A	840	CLA	O2A-CGA-O1A	-2.27	117.86	123.59
14	B	827	CLA	O2A-CGA-O1A	-2.27	117.86	123.59
14	0	202	CLA	CHD-C1D-ND	-2.27	122.37	124.45
14	a	834	CLA	O2D-CGD-CBD	2.27	115.30	111.27
14	j	102	CLA	CHB-C4A-NA	2.27	127.65	124.51
14	1	830	CLA	C2D-C1D-ND	-2.27	108.43	110.10
17	2	848	BCR	C40-C30-C25	2.27	113.98	110.30
18	b	803	LMG	O7-C10-O9	-2.27	118.22	123.70
12	1	801	LHG	C18-C17-C16	-2.27	102.90	114.42
14	B	827	CLA	CHA-C1A-NA	-2.27	121.20	126.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	1	847	BCR	C11-C10-C9	-2.27	124.07	127.31
14	A	829	CLA	CHB-C4A-NA	2.27	127.65	124.51
14	1	832	CLA	O2D-CGD-CBD	2.27	115.30	111.27
14	b	827	CLA	C3C-C4C-NC	-2.27	108.03	110.57
14	l	4205	CLA	CMB-C2B-C3B	2.27	128.92	124.68
14	B	804	CLA	C3B-C4B-NB	-2.27	106.28	109.21
14	A	842	CLA	C2D-C1D-ND	-2.27	108.43	110.10
12	A	801	LHG	C18-C17-C16	-2.27	102.91	114.42
14	A	840	CLA	C1B-CHB-C4A	-2.27	125.63	130.12
14	B	833	CLA	C1B-CHB-C4A	-2.27	125.63	130.12
14	2	810	CLA	C1B-CHB-C4A	-2.27	125.63	130.12
19	i	4101	LMT	C2'-C3'-C4'	2.27	114.86	109.68
14	2	821	CLA	CMB-C2B-C3B	2.27	128.92	124.68
14	2	811	CLA	C2D-C1D-ND	-2.27	108.43	110.10
14	1	839	CLA	C1B-CHB-C4A	-2.27	125.63	130.12
14	A	833	CLA	C1B-CHB-C4A	-2.27	125.63	130.12
14	A	833	CLA	O2D-CGD-CBD	2.27	115.29	111.27
12	a	801	LHG	C18-C17-C16	-2.27	102.93	114.42
14	F	204	CLA	CHA-C1A-NA	-2.26	121.21	126.40
17	l	4207	BCR	C39-C30-C25	2.26	113.97	110.30
14	b	812	CLA	CHD-C1D-ND	-2.26	122.37	124.45
14	b	811	CLA	C1B-CHB-C4A	-2.26	125.63	130.12
14	b	812	CLA	CHA-C1A-NA	-2.26	121.21	126.40
14	B	823	CLA	C2D-C1D-ND	-2.26	108.44	110.10
14	b	837	CLA	C2D-C1D-ND	-2.26	108.44	110.10
14	1	839	CLA	CHD-C1D-ND	-2.26	122.37	124.45
14	1	832	CLA	C1B-CHB-C4A	-2.26	125.63	130.12
17	k	4001	BCR	C33-C5-C6	-2.26	121.99	124.53
14	L	1502	CLA	CMB-C2B-C3B	2.26	128.91	124.68
18	A	852	LMG	O3-C3-C2	-2.26	105.12	110.35
17	L	1504	BCR	C39-C30-C25	2.26	113.97	110.30
14	a	841	CLA	C1B-CHB-C4A	-2.26	125.64	130.12
14	1	810	CLA	CHA-C1A-NA	-2.26	121.22	126.40
14	2	803	CLA	CHA-C1A-NA	-2.26	121.22	126.40
14	2	804	CLA	CHB-C4A-NA	2.26	127.64	124.51
18	0	203	LMG	O3-C3-C2	-2.26	105.12	110.35
17	B	848	BCR	C35-C13-C14	-2.26	119.76	122.92
17	a	849	BCR	C24-C23-C22	-2.26	122.82	126.23
14	J	102	CLA	CHB-C4A-NA	2.26	127.64	124.51
14	a	807	CLA	O2D-CGD-CBD	2.26	115.28	111.27
14	2	826	CLA	O2A-CGA-O1A	-2.26	117.89	123.59
14	b	823	CLA	CHB-C4A-NA	2.26	127.64	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	2	826	CLA	CHA-C1A-NA	-2.26	121.22	126.40
14	A	839	CLA	C1B-CHB-C4A	-2.26	125.64	130.12
14	A	805	CLA	O2A-CGA-O1A	-2.26	117.89	123.59
14	f	204	CLA	CHA-C1A-NA	-2.26	121.23	126.40
17	K	4001	BCR	C11-C10-C9	-2.26	124.09	127.31
14	F	205	CLA	CHD-C1D-ND	-2.26	122.38	124.45
14	1	811	CLA	CHD-C1D-ND	-2.26	122.38	124.45
14	B	833	CLA	C2D-C1D-ND	-2.26	108.44	110.10
17	I	101	BCR	C35-C13-C14	-2.26	119.76	122.92
14	A	811	CLA	CHA-C1A-NA	-2.26	121.23	126.40
14	B	804	CLA	O2A-CGA-O1A	-2.25	117.90	123.59
14	a	806	CLA	O2A-CGA-O1A	-2.25	117.90	123.59
14	B	824	CLA	CHB-C4A-NA	2.25	127.63	124.51
19	f	202	LMT	C1'-O5'-C5'	-2.25	109.26	113.69
14	B	811	CLA	C1B-CHB-C4A	-2.25	125.65	130.12
18	B	803	LMG	O7-C10-O9	-2.25	118.26	123.70
14	A	837	CLA	CHB-C4A-NA	2.25	127.63	124.51
14	B	821	CLA	CHB-C4A-NA	2.25	127.63	124.51
14	1	826	CLA	CHB-C4A-NA	2.25	127.63	124.51
14	a	839	CLA	CHA-C1A-NA	-2.25	121.24	126.40
14	7	1101	CLA	O2A-CGA-O1A	-2.25	117.91	123.59
14	B	819	CLA	CHB-C4A-NA	2.25	127.63	124.51
14	A	835	CLA	CMB-C2B-C3B	2.25	128.89	124.68
14	B	828	CLA	C3C-C4C-NC	-2.25	108.05	110.57
14	k	4003	CLA	C1B-CHB-C4A	-2.25	125.66	130.12
14	1	836	CLA	CHB-C4A-NA	2.25	127.62	124.51
14	2	803	CLA	O2A-CGA-O1A	-2.25	117.92	123.59
14	b	804	CLA	C3B-C4B-NB	-2.25	106.30	109.21
17	h	102	BCR	C34-C9-C10	-2.25	119.77	122.92
17	2	851	BCR	C10-C11-C12	-2.25	116.20	123.22
14	b	812	CLA	C2D-C1D-ND	-2.25	108.45	110.10
14	1	835	CLA	CHD-C1D-ND	-2.25	122.39	124.45
14	A	838	CLA	CHA-C1A-NA	-2.25	121.25	126.40
17	a	847	BCR	C11-C10-C9	-2.25	124.11	127.31
14	A	827	CLA	CHB-C4A-NA	2.24	127.62	124.51
14	B	812	CLA	C2D-C1D-ND	-2.24	108.45	110.10
18	2	802	LMG	O7-C10-O9	-2.24	118.28	123.70
14	b	804	CLA	O2A-CGA-O1A	-2.24	117.93	123.59
14	B	805	CLA	CHB-C4A-NA	2.24	127.61	124.51
14	b	832	CLA	C2D-C1D-ND	-2.24	108.45	110.10
17	A	849	BCR	C24-C23-C22	-2.24	122.85	126.23
17	8	4001	BCR	C29-C30-C25	2.24	113.93	110.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	2	849	BCR	C15-C14-C13	-2.24	124.11	127.31
18	a	852	LMG	O3-C3-C2	-2.24	105.17	110.35
14	a	828	CLA	CHB-C4A-NA	2.24	127.61	124.51
14	2	827	CLA	C3C-C4C-NC	-2.24	108.06	110.57
17	b	847	BCR	C33-C5-C6	-2.24	122.01	124.53
17	B	852	BCR	C10-C11-C12	-2.24	116.23	123.22
14	2	803	CLA	C6-C7-C8	-2.24	108.68	115.92
14	2	823	CLA	CHB-C4A-NA	2.24	127.61	124.51
14	2	832	CLA	C1B-CHB-C4A	-2.24	125.68	130.12
17	2	847	BCR	C29-C30-C25	2.24	113.93	110.48
14	B	812	CLA	CHD-C1D-ND	-2.24	122.40	124.45
17	B	848	BCR	C33-C5-C6	-2.24	122.02	124.53
13	1	803	CL0	C1B-CHB-C4A	-2.24	125.69	130.12
14	A	815	CLA	CAC-C3C-C2C	-2.24	123.70	127.53
14	7	1103	CLA	CHB-C4A-NA	2.24	127.61	124.51
14	a	812	CLA	CHA-C1A-NA	-2.24	121.27	126.40
17	A	847	BCR	C11-C10-C9	-2.24	124.12	127.31
14	A	806	CLA	O2D-CGD-CBD	2.24	115.24	111.27
14	B	808	CLA	CHD-C1D-ND	-2.24	122.40	124.45
14	K	4003	CLA	C1B-CHB-C4A	-2.24	125.69	130.12
14	2	813	CLA	C3C-C4C-NC	-2.24	108.06	110.57
14	b	804	CLA	C6-C7-C8	-2.24	108.69	115.92
14	1	837	CLA	CHA-C1A-NA	-2.24	121.28	126.40
14	a	842	CLA	C2D-C1D-ND	-2.23	108.46	110.10
17	B	849	BCR	C40-C30-C25	2.23	113.92	110.30
14	A	814	CLA	C1B-CHB-C4A	-2.23	125.69	130.12
17	L	1505	BCR	C33-C5-C6	-2.23	122.02	124.53
14	A	831	CLA	C2D-C1D-ND	-2.23	108.46	110.10
14	1	828	CLA	C3C-C4C-NC	-2.23	108.07	110.57
14	8	4003	CLA	C1B-CHB-C4A	-2.23	125.70	130.12
13	A	803	CL0	C1B-CHB-C4A	-2.23	125.70	130.12
17	a	850	BCR	C24-C23-C22	-2.23	122.86	126.23
14	B	814	CLA	C3C-C4C-NC	-2.23	108.07	110.57
14	a	824	CLA	C1-C2-C3	-2.23	122.19	126.04
14	b	818	CLA	CHB-C4A-NA	2.23	127.59	124.51
17	b	851	BCR	C10-C11-C12	-2.23	116.26	123.22
14	B	804	CLA	C6-C7-C8	-2.23	108.72	115.92
17	8	4001	BCR	C11-C10-C9	-2.23	124.13	127.31
17	b	851	BCR	C16-C15-C14	-2.23	118.92	123.47
14	1	810	CLA	O2A-CGA-O1A	-2.23	117.98	123.59
14	a	816	CLA	CAC-C3C-C2C	-2.23	123.72	127.53
14	1	814	CLA	CAC-C3C-C2C	-2.23	123.72	127.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	a	836	CLA	CMB-C2B-C3B	2.23	128.84	124.68
17	b	847	BCR	C29-C30-C25	2.22	113.91	110.48
17	2	847	BCR	C35-C13-C14	-2.22	119.81	122.92
14	1	834	CLA	CMB-C2B-C3B	2.22	128.84	124.68
14	2	803	CLA	C3B-C4B-NB	-2.22	106.33	109.21
17	a	850	BCR	C37-C22-C21	-2.22	119.81	122.92
14	1	822	CLA	C1-C2-C3	-2.22	122.20	126.04
14	2	811	CLA	CHD-C1D-ND	-2.22	122.41	124.45
17	i	4102	BCR	C35-C13-C14	-2.22	119.81	122.92
14	b	831	CLA	CHD-C1D-ND	-2.22	122.41	124.45
14	2	826	CLA	CHB-C4A-NA	2.22	127.58	124.51
17	2	851	BCR	C16-C15-C14	-2.22	118.92	123.47
17	1	850	BCR	C24-C23-C22	-2.22	122.88	126.23
14	a	812	CLA	O2A-CGA-O1A	-2.22	117.99	123.59
14	2	807	CLA	CHD-C1D-ND	-2.22	122.41	124.45
14	A	823	CLA	C1-C2-C3	-2.22	122.20	126.04
14	L	1502	CLA	O2A-CGA-O1A	-2.22	117.99	123.59
14	1	805	CLA	O2D-CGD-CBD	2.22	115.21	111.27
14	a	815	CLA	C1B-CHB-C4A	-2.22	125.72	130.12
17	b	848	BCR	C40-C30-C25	2.22	113.90	110.30
17	i	4103	BCR	C34-C9-C10	-2.22	119.81	122.92
17	h	101	BCR	C35-C13-C14	-2.22	119.81	122.92
14	b	837	CLA	C1B-CHB-C4A	-2.22	125.72	130.12
17	b	848	BCR	C24-C23-C22	-2.22	122.88	126.23
17	1	848	BCR	C30-C25-C26	-2.22	119.49	122.61
13	a	803	CL0	C1B-CHB-C4A	-2.22	125.72	130.12
17	k	4001	BCR	C29-C30-C25	2.22	113.89	110.48
14	A	811	CLA	O2A-CGA-O1A	-2.22	118.00	123.59
14	b	818	CLA	CHD-C1D-ND	-2.21	122.42	124.45
14	1	813	CLA	C1B-CHB-C4A	-2.21	125.73	130.12
14	A	830	CLA	O2A-CGA-O1A	-2.21	118.00	123.59
14	a	831	CLA	O2A-CGA-O1A	-2.21	118.00	123.59
14	b	837	CLA	CHA-C1A-NA	-2.21	121.33	126.40
17	k	4001	BCR	C11-C10-C9	-2.21	124.15	127.31
14	b	822	CLA	C2D-C1D-ND	-2.21	108.47	110.10
17	1	850	BCR	C37-C22-C21	-2.21	119.83	122.92
14	f	205	CLA	CHD-C1D-ND	-2.21	122.42	124.45
14	1	829	CLA	O2A-CGA-O1A	-2.21	118.01	123.59
17	I	102	BCR	C27-C26-C25	2.21	125.94	122.73
14	1	806	CLA	CMB-C2B-C3B	2.21	128.81	124.68
17	0	210	BCR	C33-C5-C6	-2.21	122.05	124.53
17	K	4001	BCR	C29-C30-C25	2.21	113.88	110.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	829	CLA	C3C-C4C-NC	-2.21	108.09	110.57
14	B	838	CLA	C1B-CHB-C4A	-2.21	125.74	130.12
14	2	837	CLA	CHA-C1A-NA	-2.21	121.34	126.40
14	2	822	CLA	C2D-C1D-ND	-2.21	108.48	110.10
14	L	1501	CLA	CHB-C4A-NA	2.21	127.56	124.51
14	B	822	CLA	O2A-CGA-O1A	-2.21	118.02	123.59
17	A	848	BCR	C30-C25-C26	-2.21	119.50	122.61
17	B	848	BCR	C29-C30-C25	2.21	113.88	110.48
17	B	850	BCR	C15-C14-C13	-2.21	124.16	127.31
14	2	818	CLA	C2D-C1D-ND	-2.21	108.48	110.10
14	b	838	CLA	CHB-C4A-NA	2.21	127.56	124.51
14	1	833	CLA	C3B-C4B-NB	-2.21	106.36	109.21
14	b	808	CLA	CHD-C1D-ND	-2.21	122.43	124.45
14	1	835	CLA	C1-C2-C3	-2.21	122.23	126.04
14	B	819	CLA	CHD-C1D-ND	-2.20	122.43	124.45
14	l	4206	CLA	CHB-C4A-NA	2.20	127.56	124.51
14	B	838	CLA	CHA-C1A-NA	-2.20	121.35	126.40
17	A	850	BCR	C24-C23-C22	-2.20	122.91	126.23
17	B	852	BCR	C16-C15-C14	-2.20	118.96	123.47
14	2	821	CLA	O2A-CGA-O1A	-2.20	118.04	123.59
17	h	102	BCR	C27-C26-C25	2.20	125.92	122.73
14	l	4205	CLA	O2A-CGA-O1A	-2.20	118.04	123.59
17	A	850	BCR	C37-C22-C21	-2.20	119.84	122.92
17	2	848	BCR	C24-C23-C22	-2.20	122.91	126.23
18	b	803	LMG	O1-C1-C2	-2.20	104.87	108.30
14	a	837	CLA	CHD-C1D-ND	-2.20	122.43	124.45
14	b	821	CLA	O2A-CGA-O1A	-2.20	118.05	123.59
17	i	4102	BCR	C11-C10-C9	-2.19	124.18	127.31
14	b	813	CLA	C3C-C4C-NC	-2.19	108.11	110.57
14	A	836	CLA	C1-C2-C3	-2.19	122.25	126.04
18	2	802	LMG	O1-C1-C2	-2.19	104.88	108.30
14	B	824	CLA	CHD-C1D-ND	-2.19	122.44	124.45
14	0	206	CLA	CHB-C4A-NA	2.19	127.54	124.51
17	i	4103	BCR	C27-C26-C25	2.19	125.91	122.73
14	a	830	CLA	C3C-C4C-NC	-2.19	108.11	110.57
14	b	801	CLA	C3C-C4C-NC	-2.19	108.11	110.57
17	b	849	BCR	C33-C5-C6	-2.19	122.07	124.53
17	a	848	BCR	C30-C25-C26	-2.19	119.53	122.61
14	A	834	CLA	C3B-C4B-NB	-2.19	106.38	109.21
14	0	208	CLA	CHB-C4A-NA	2.19	127.54	124.51
14	L	1503	CLA	CHB-C4A-NA	2.19	127.54	124.51
17	b	847	BCR	C35-C13-C14	-2.19	119.86	122.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	807	CLA	CMB-C2B-C3B	2.19	128.77	124.68
14	B	819	CLA	C2D-C1D-ND	-2.19	108.49	110.10
14	a	837	CLA	C1-C2-C3	-2.19	122.26	126.04
17	8	4005	BCR	C24-C23-C22	-2.19	122.93	126.23
14	2	818	CLA	CHD-C1D-ND	-2.19	122.44	124.45
14	b	828	CLA	CAA-CBA-CGA	-2.19	106.86	113.25
14	2	830	CLA	CHA-C1A-NA	-2.19	121.39	126.40
17	B	849	BCR	C24-C23-C22	-2.18	122.93	126.23
14	b	826	CLA	CHB-C4A-NA	2.18	127.53	124.51
14	A	839	CLA	O2D-CGD-CBD	2.18	115.15	111.27
14	B	802	CLA	C3C-C4C-NC	-2.18	108.12	110.57
14	B	841	CLA	CHB-C4A-NA	2.18	127.53	124.51
14	l	4204	CLA	CHB-C4A-NA	2.18	127.53	124.51
14	0	207	CLA	O2A-CGA-O1A	-2.18	118.08	123.59
14	b	840	CLA	C1-C2-C3	-2.18	122.27	126.04
14	b	823	CLA	CHD-C1D-ND	-2.18	122.45	124.45
14	B	841	CLA	C1-C2-C3	-2.18	122.27	126.04
14	k	4002	CLA	C1B-CHB-C4A	-2.18	125.80	130.12
13	1	803	CL0	CHB-C4A-NA	2.18	127.53	124.51
14	6	4404	CLA	CHD-C1D-ND	-2.18	122.45	124.45
14	a	812	CLA	C1B-CHB-C4A	-2.18	125.80	130.12
14	B	829	CLA	CAA-CBA-CGA	-2.18	106.89	113.25
14	1	810	CLA	C1B-CHB-C4A	-2.18	125.80	130.12
14	2	837	CLA	C1B-CHB-C4A	-2.18	125.80	130.12
14	2	838	CLA	CHB-C4A-NA	2.18	127.53	124.51
17	A	848	BCR	C40-C30-C25	2.18	113.83	110.30
14	7	1103	CLA	CAA-C2A-C3A	-2.18	111.01	116.10
14	1	834	CLA	CAA-CBA-CGA	-2.18	106.89	113.25
14	b	830	CLA	O2A-CGA-O1A	-2.18	118.09	123.59
17	K	4005	BCR	C24-C23-C22	-2.18	122.95	126.23
13	A	803	CL0	CHB-C4A-NA	2.18	127.52	124.51
14	B	831	CLA	O2A-CGA-O1A	-2.18	118.10	123.59
14	K	4002	CLA	C1B-CHB-C4A	-2.18	125.81	130.12
14	B	817	CLA	C3C-C4C-NC	-2.17	108.13	110.57
14	a	836	CLA	CAA-CBA-CGA	-2.17	106.90	113.25
14	2	828	CLA	CAA-CBA-CGA	-2.17	106.90	113.25
14	a	840	CLA	O2D-CGD-CBD	2.17	115.13	111.27
17	b	849	BCR	C15-C14-C13	-2.17	124.21	127.31
14	2	830	CLA	O2A-CGA-O1A	-2.17	118.11	123.59
14	A	817	CLA	C3C-C4C-NC	-2.17	108.13	110.57
14	a	808	CLA	CMB-C2B-C3B	2.17	128.74	124.68
14	J	102	CLA	CAA-C2A-C3A	-2.17	111.03	116.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	827	CLA	O2A-CGA-O1A	-2.17	118.11	123.59
14	A	811	CLA	C1B-CHB-C4A	-2.17	125.81	130.12
14	a	839	CLA	C1-C2-C3	-2.17	122.29	126.04
17	F	203	BCR	C27-C26-C25	2.17	125.88	122.73
14	b	830	CLA	CHA-C1A-NA	-2.17	121.42	126.40
14	J	101	CLA	C1B-CHB-C4A	-2.17	125.82	130.12
17	k	4004	BCR	C24-C23-C22	-2.17	122.95	126.23
14	a	828	CLA	O2A-CGA-O1A	-2.17	118.11	123.59
14	b	801	CLA	CHB-C4A-NA	2.17	127.51	124.51
14	1	838	CLA	O2D-CGD-CBD	2.17	115.12	111.27
14	0	208	CLA	CHD-C1D-ND	-2.17	122.46	124.45
14	8	4002	CLA	C1B-CHB-C4A	-2.17	125.82	130.12
14	2	826	CLA	CHD-C1D-ND	-2.17	122.46	124.45
17	h	101	BCR	C11-C10-C9	-2.17	124.22	127.31
14	B	831	CLA	CHA-C1A-NA	-2.17	121.43	126.40
17	B	852	BCR	C28-C27-C26	-2.17	110.21	114.08
17	a	848	BCR	C40-C30-C25	2.17	113.81	110.30
17	2	851	BCR	C28-C27-C26	-2.17	110.21	114.08
14	B	811	CLA	C3C-C4C-NC	-2.17	108.14	110.57
14	2	823	CLA	CHD-C1D-ND	-2.17	122.46	124.45
14	B	839	CLA	CHB-C4A-NA	2.17	127.51	124.51
14	j	102	CLA	CAA-C2A-C3A	-2.16	111.05	116.10
17	1	848	BCR	C40-C30-C25	2.16	113.81	110.30
17	0	204	BCR	C33-C5-C6	-2.16	122.10	124.53
14	6	4404	CLA	C2D-C1D-ND	-2.16	108.51	110.10
14	j	101	CLA	CHB-C4A-NA	2.16	127.50	124.51
13	a	803	CL0	CHB-C4A-NA	2.16	127.50	124.51
17	b	851	BCR	C28-C27-C26	-2.16	110.22	114.08
14	A	833	CLA	C2D-C1D-ND	-2.16	108.51	110.10
14	L	1503	CLA	C2D-C1D-ND	-2.16	108.51	110.10
14	2	810	CLA	O2D-CGD-CBD	2.16	115.11	111.27
18	2	802	LMG	O3-C3-C2	-2.16	105.35	110.35
14	1	816	CLA	C3C-C4C-NC	-2.16	108.15	110.57
17	f	203	BCR	C27-C26-C25	2.16	125.87	122.73
14	b	820	CLA	C4-C3-C5	2.16	118.91	115.27
14	J	101	CLA	CHB-C4A-NA	2.16	127.50	124.51
17	1	849	BCR	C7-C8-C9	-2.16	122.97	126.23
18	b	803	LMG	O3-C3-C2	-2.16	105.35	110.35
14	b	811	CLA	CMB-C2B-C3B	2.16	128.72	124.68
14	1	829	CLA	C6-C7-C8	-2.16	108.94	115.92
14	1	819	CLA	C1-C2-C3	-2.16	122.31	126.04
14	j	101	CLA	C1B-CHB-C4A	-2.16	125.84	130.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	830	CLA	C6-C7-C8	-2.16	108.94	115.92
17	j	104	BCR	C11-C10-C9	-2.16	124.23	127.31
14	a	835	CLA	O2A-CGA-O1A	-2.16	118.14	123.59
14	1	826	CLA	O2A-CGA-O1A	-2.16	118.14	123.59
14	b	809	CLA	C3C-C4C-NC	-2.16	108.15	110.57
14	b	811	CLA	C3C-C4C-NC	-2.16	108.15	110.57
14	2	840	CLA	C1-C2-C3	-2.16	122.31	126.04
14	F	205	CLA	C2D-C1D-ND	-2.16	108.52	110.10
14	B	821	CLA	C4-C3-C5	2.16	118.90	115.27
14	0	202	CLA	C3C-C4C-NC	-2.16	108.15	110.57
14	B	827	CLA	O2D-CGD-CBD	2.16	115.10	111.27
14	b	828	CLA	C1B-CHB-C4A	-2.16	125.85	130.12
14	A	820	CLA	C1-C2-C3	-2.16	122.31	126.04
18	l	4202	LMG	O3-C3-C2	-2.16	105.37	110.35
18	0	201	LMG	O3-C3-C2	-2.16	105.37	110.35
14	2	826	CLA	O2D-CGD-CBD	2.16	115.10	111.27
14	a	818	CLA	C3C-C4C-NC	-2.16	108.15	110.57
14	B	827	CLA	CHB-C4A-NA	2.16	127.49	124.51
14	a	835	CLA	C3B-C4B-NB	-2.15	106.42	109.21
14	1	837	CLA	C1-C2-C3	-2.15	122.32	126.04
17	6	4402	BCR	C27-C26-C25	2.15	125.86	122.73
14	a	813	CLA	C3C-C4C-NC	-2.15	108.16	110.57
17	A	849	BCR	C7-C8-C9	-2.15	122.98	126.23
18	B	803	LMG	O3-C3-C2	-2.15	105.37	110.35
18	a	852	LMG	O1-C7-C8	-2.15	105.71	110.90
14	A	838	CLA	C1-C2-C3	-2.15	122.32	126.04
14	a	827	CLA	C3B-C4B-NB	-2.15	106.43	109.21
14	A	834	CLA	O2A-CGA-O1A	-2.15	118.16	123.59
17	B	850	BCR	C33-C5-C6	-2.15	122.11	124.53
17	a	848	BCR	C33-C5-C6	-2.15	122.11	124.53
17	1	848	BCR	C33-C5-C6	-2.15	122.11	124.53
14	B	811	CLA	CMB-C2B-C3B	2.15	128.70	124.68
12	A	801	LHG	C27-C26-C25	-2.15	103.51	114.42
14	A	836	CLA	CHD-C1D-ND	-2.15	122.48	124.45
14	a	835	CLA	C3C-C4C-NC	-2.15	108.16	110.57
14	A	826	CLA	C3B-C4B-NB	-2.15	106.43	109.21
18	B	803	LMG	O1-C1-C2	-2.15	104.95	108.30
14	f	205	CLA	C2D-C1D-ND	-2.15	108.52	110.10
14	a	814	CLA	CHB-C4A-NA	2.15	127.48	124.51
13	a	803	CL0	O2A-CGA-O1A	-2.15	118.17	123.59
14	1	818	CLA	CHD-C1D-ND	-2.15	122.48	124.45
17	A	850	BCR	C27-C26-C25	2.15	125.85	122.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	2	836	CLA	CHB-C4A-NA	2.15	127.48	124.51
14	B	807	CLA	O2A-CGA-O1A	-2.15	118.17	123.59
14	7	1102	CLA	C1B-CHB-C4A	-2.15	125.86	130.12
14	B	827	CLA	CHD-C1D-ND	-2.15	122.48	124.45
14	2	814	CLA	CHD-C1D-ND	-2.15	122.48	124.45
17	J	104	BCR	C11-C10-C9	-2.15	124.25	127.31
18	A	852	LMG	O1-C7-C8	-2.15	105.72	110.90
17	2	849	BCR	C33-C5-C6	-2.15	122.12	124.53
14	B	829	CLA	CHD-C1D-ND	-2.15	122.48	124.45
14	A	835	CLA	CAA-CBA-CGA	-2.15	106.98	113.25
14	a	831	CLA	C6-C7-C8	-2.15	108.98	115.92
14	B	812	CLA	C3A-C2A-C1A	2.15	104.55	101.34
17	B	850	BCR	C24-C23-C22	-2.15	122.99	126.23
14	b	811	CLA	O2D-CGD-CBD	2.15	115.08	111.27
17	a	849	BCR	C27-C26-C25	2.14	125.84	122.73
14	b	826	CLA	O2D-CGD-CBD	2.14	115.08	111.27
17	a	849	BCR	C7-C8-C9	-2.14	123.00	126.23
17	I	101	BCR	C11-C10-C9	-2.14	124.25	127.31
14	b	818	CLA	C2D-C1D-ND	-2.14	108.52	110.10
14	2	811	CLA	C3A-C2A-C1A	2.14	104.55	101.34
14	A	813	CLA	CHB-C4A-NA	2.14	127.48	124.51
14	A	819	CLA	CHB-C4A-NA	2.14	127.48	124.51
18	0	203	LMG	O1-C7-C8	-2.14	105.73	110.90
14	2	820	CLA	C4-C3-C5	2.14	118.88	115.27
17	B	850	BCR	C20-C21-C22	-2.14	124.25	127.31
14	2	840	CLA	CHB-C4A-NA	2.14	127.47	124.51
12	a	801	LHG	C27-C26-C25	-2.14	103.55	114.42
18	L	1506	LMG	O3-C3-C2	-2.14	105.40	110.35
14	b	840	CLA	CHB-C4A-NA	2.14	127.47	124.51
14	A	806	CLA	C1B-CHB-C4A	-2.14	125.88	130.12
14	1	833	CLA	O2A-CGA-O1A	-2.14	118.19	123.59
17	b	853	BCR	C24-C23-C22	-2.14	123.00	126.23
14	1	833	CLA	C3C-C4C-NC	-2.14	108.17	110.57
12	2	852	LHG	C27-C26-C25	-2.14	103.57	114.42
12	1	801	LHG	O8-C23-O10	-2.14	118.19	123.59
12	b	852	LHG	C27-C26-C25	-2.14	103.57	114.42
14	1	825	CLA	C3B-C4B-NB	-2.14	106.44	109.21
17	7	1105	BCR	C11-C10-C9	-2.14	124.26	127.31
14	2	816	CLA	C3C-C4C-NC	-2.14	108.17	110.57
17	I	102	BCR	C33-C5-C6	-2.14	122.13	124.53
14	B	829	CLA	C1B-CHB-C4A	-2.14	125.88	130.12
14	A	819	CLA	O2A-CGA-O1A	-2.14	118.20	123.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	1	801	LHG	C27-C26-C25	-2.14	103.57	114.42
14	a	820	CLA	CHB-C4A-NA	2.14	127.47	124.51
14	B	841	CLA	C3C-C4C-NC	-2.14	108.17	110.57
12	a	801	LHG	O8-C23-O10	-2.14	118.20	123.59
17	b	849	BCR	C24-C23-C22	-2.14	123.01	126.23
14	K	4004	CLA	CMB-C2B-C3B	2.14	128.68	124.68
14	b	821	CLA	CHD-C1D-ND	-2.14	122.49	124.45
14	b	840	CLA	C3C-C4C-NC	-2.14	108.18	110.57
14	2	808	CLA	C3C-C4C-NC	-2.14	108.18	110.57
14	2	810	CLA	C3C-C4C-NC	-2.14	108.18	110.57
14	7	1102	CLA	CHB-C4A-NA	2.14	127.47	124.51
14	1	844	CLA	CHB-C4A-NA	2.13	127.46	124.51
14	b	815	CLA	CHB-C4A-NA	2.13	127.46	124.51
17	J	103	BCR	C15-C14-C13	-2.13	124.27	127.31
14	a	806	CLA	C2D-C1D-ND	-2.13	108.53	110.10
14	A	834	CLA	C3C-C4C-NC	-2.13	108.18	110.57
14	B	811	CLA	O2D-CGD-CBD	2.13	115.06	111.27
14	B	815	CLA	CHD-C1D-ND	-2.13	122.49	124.45
14	B	816	CLA	CHB-C4A-NA	2.13	127.46	124.51
14	1	831	CLA	O1D-CGD-CBD	2.13	128.84	124.48
14	A	819	CLA	CHD-C1D-ND	-2.13	122.50	124.45
14	7	1101	CLA	C2D-C1D-ND	-2.13	108.53	110.10
17	2	849	BCR	C24-C23-C22	-2.13	123.02	126.23
14	1	812	CLA	CHB-C4A-NA	2.13	127.46	124.51
14	1	818	CLA	CHB-C4A-NA	2.13	127.46	124.51
14	2	810	CLA	CMB-C2B-C3B	2.13	128.66	124.68
14	2	828	CLA	C1B-CHB-C4A	-2.13	125.90	130.12
14	b	814	CLA	CHD-C1D-ND	-2.13	122.50	124.45
14	A	844	CLA	CHB-C4A-NA	2.13	127.45	124.51
17	7	1104	BCR	C15-C14-C13	-2.13	124.27	127.31
12	B	853	LHG	C27-C26-C25	-2.13	103.62	114.42
17	a	850	BCR	C16-C15-C14	-2.13	119.11	123.47
13	1	803	CL0	O2A-CGA-O1A	-2.13	118.22	123.59
18	0	203	LMG	O2-C2-C1	-2.13	104.88	110.05
14	A	816	CLA	CHA-C1A-NA	-2.13	121.53	126.40
12	A	801	LHG	O8-C23-O10	-2.13	118.23	123.59
14	b	807	CLA	O2A-CGA-O1A	-2.13	118.23	123.59
14	A	806	CLA	CHA-C1A-NA	-2.13	121.53	126.40
14	a	821	CLA	C1-C2-C3	-2.13	122.37	126.04
14	b	816	CLA	C3C-C4C-NC	-2.13	108.19	110.57
14	8	4004	CLA	CMB-C2B-C3B	2.13	128.66	124.68
14	2	834	CLA	C3B-C4B-NB	-2.12	106.46	109.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	2	821	CLA	CHD-C1D-ND	-2.12	122.50	124.45
14	A	832	CLA	O1D-CGD-CBD	2.12	128.83	124.48
14	B	802	CLA	CHB-C4A-NA	2.12	127.45	124.51
14	B	808	CLA	O2A-CGA-O1A	-2.12	118.23	123.59
14	1	805	CLA	CHA-C1A-NA	-2.12	121.53	126.40
17	1	851	BCR	C31-C1-C6	2.12	113.74	110.30
14	2	806	CLA	O2A-CGA-O1A	-2.12	118.23	123.59
14	B	843	CLA	C3B-C4B-NB	-2.12	106.47	109.21
14	b	836	CLA	CHB-C4A-NA	2.12	127.45	124.51
17	A	850	BCR	C16-C15-C14	-2.12	119.13	123.47
17	1	851	BCR	C29-C30-C25	2.12	113.75	110.48
14	f	205	CLA	CAA-C2A-C1A	2.12	118.93	111.97
14	A	831	CLA	O2A-CGA-O1A	-2.12	118.24	123.59
17	a	851	BCR	C10-C11-C12	-2.12	116.60	123.22
14	0	202	CLA	CHB-C4A-NA	2.12	127.44	124.51
17	j	103	BCR	C15-C14-C13	-2.12	124.28	127.31
14	a	827	CLA	C2D-C1D-ND	-2.12	108.54	110.10
14	1	833	CLA	CHB-C4A-NA	2.12	127.44	124.51
17	b	854	BCR	C37-C22-C21	-2.12	119.95	122.92
17	0	209	BCR	C37-C22-C21	-2.12	119.95	122.92
14	a	817	CLA	CHA-C1A-NA	-2.12	121.54	126.40
17	1	850	BCR	C27-C26-C25	2.12	125.81	122.73
14	a	854	CLA	CMB-C2B-C3B	2.12	128.64	124.68
17	6	4406	BCR	C24-C23-C22	-2.12	123.03	126.23
14	1	805	CLA	C1B-CHB-C4A	-2.12	125.92	130.12
14	2	828	CLA	CHD-C1D-ND	-2.12	122.51	124.45
14	b	812	CLA	C3A-C2A-C1A	2.12	104.51	101.34
14	l	4206	CLA	C2D-C1D-ND	-2.12	108.54	110.10
17	I	101	BCR	C38-C26-C27	-2.12	109.55	113.62
14	1	830	CLA	C1-C2-C3	-2.12	122.38	126.04
17	a	850	BCR	C27-C26-C25	2.12	125.81	122.73
17	1	849	BCR	C27-C26-C25	2.12	125.81	122.73
14	b	808	CLA	O2A-CGA-O1A	-2.12	118.25	123.59
17	1	851	BCR	C10-C11-C12	-2.12	116.61	123.22
14	b	842	CLA	C3B-C4B-NB	-2.12	106.47	109.21
17	9	102	BCR	C7-C8-C9	-2.12	123.04	126.23
14	B	809	CLA	C3C-C4C-NC	-2.12	108.20	110.57
14	2	840	CLA	C3C-C4C-NC	-2.12	108.20	110.57
14	a	833	CLA	O1D-CGD-CBD	2.11	128.81	124.48
17	M	102	BCR	C37-C22-C21	-2.11	119.96	122.92
14	a	835	CLA	CHB-C4A-NA	2.11	127.44	124.51
17	M	102	BCR	C7-C8-C9	-2.11	123.04	126.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	A	851	BCR	C10-C11-C12	-2.11	116.62	123.22
17	a	851	BCR	C29-C30-C25	2.11	113.73	110.48
14	F	205	CLA	CAA-C2A-C1A	2.11	118.90	111.97
14	1	818	CLA	O2A-CGA-O1A	-2.11	118.26	123.59
17	A	849	BCR	C27-C26-C25	2.11	125.80	122.73
14	6	4404	CLA	CAA-C2A-C1A	2.11	118.89	111.97
18	0	201	LMG	O2-C2-C1	-2.11	104.92	110.05
14	0	207	CLA	CHB-C4A-NA	2.11	127.43	124.51
14	j	101	CLA	CHA-C1A-NA	-2.11	121.56	126.40
14	A	834	CLA	CHB-C4A-NA	2.11	127.43	124.51
14	7	1102	CLA	CHA-C1A-NA	-2.11	121.57	126.40
17	1	848	BCR	C16-C15-C14	-2.11	119.15	123.47
18	A	852	LMG	O2-C2-C1	-2.11	104.92	110.05
14	l	4206	CLA	CHD-C1D-ND	-2.11	122.52	124.45
14	A	821	CLA	C1-C2-C3	-2.11	122.40	126.04
14	1	830	CLA	O2A-CGA-O1A	-2.11	118.27	123.59
17	h	101	BCR	C38-C26-C27	-2.11	109.57	113.62
14	B	821	CLA	CAA-CBA-CGA	-2.11	107.09	113.25
17	B	854	BCR	C24-C23-C22	-2.11	123.05	126.23
14	a	807	CLA	C1B-CHB-C4A	-2.11	125.94	130.12
14	2	807	CLA	O2A-CGA-O1A	-2.11	118.28	123.59
17	L	1504	BCR	C37-C22-C21	-2.11	119.97	122.92
14	2	820	CLA	CAA-CBA-CGA	-2.11	107.10	113.25
17	2	850	BCR	C29-C30-C25	2.11	113.72	110.48
14	2	842	CLA	C3B-C4B-NB	-2.11	106.49	109.21
14	a	806	CLA	CMB-C2B-C3B	2.11	128.62	124.68
18	l	4202	LMG	O2-C2-C1	-2.11	104.93	110.05
13	A	803	CL0	O2A-CGA-O1A	-2.11	118.28	123.59
14	A	812	CLA	C3C-C4C-NC	-2.11	108.21	110.57
14	1	815	CLA	CHA-C1A-NA	-2.11	121.58	126.40
17	A	851	BCR	C31-C1-C6	2.10	113.71	110.30
14	b	826	CLA	CHD-C1D-ND	-2.10	122.52	124.45
14	a	832	CLA	O2A-CGA-O1A	-2.10	118.28	123.59
17	a	848	BCR	C16-C15-C14	-2.10	119.16	123.47
14	b	820	CLA	CAA-CBA-CGA	-2.10	107.11	113.25
17	B	847	BCR	C35-C13-C14	-2.10	119.98	122.92
14	1	832	CLA	C2D-C1D-ND	-2.10	108.55	110.10
12	A	801	LHG	O8-C23-C24	2.10	118.51	111.91
17	j	104	BCR	C31-C1-C6	2.10	113.71	110.30
12	a	801	LHG	O8-C23-C24	2.10	118.51	111.91
14	2	844	CLA	CHD-C1D-ND	-2.10	122.48	124.52
14	A	805	CLA	C2D-C1D-ND	-2.10	108.56	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	a	852	LMG	O2-C2-C1	-2.10	104.94	110.05
14	1	811	CLA	C3C-C4C-NC	-2.10	108.21	110.57
17	2	849	BCR	C20-C21-C22	-2.10	124.31	127.31
17	A	851	BCR	C29-C30-C25	2.10	113.72	110.48
14	a	807	CLA	CHA-C1A-NA	-2.10	121.59	126.40
14	B	822	CLA	CHD-C1D-ND	-2.10	122.52	124.45
14	A	805	CLA	CMB-C2B-C3B	2.10	128.61	124.68
14	L	1503	CLA	CHD-C1D-ND	-2.10	122.53	124.45
14	a	820	CLA	CHD-C1D-ND	-2.10	122.53	124.45
14	B	837	CLA	CHB-C4A-NA	2.10	127.41	124.51
14	A	831	CLA	C1-C2-C3	-2.10	122.42	126.04
17	a	851	BCR	C31-C1-C6	2.10	113.70	110.30
17	i	4102	BCR	C38-C26-C27	-2.10	109.59	113.62
17	b	850	BCR	C29-C30-C25	2.10	113.71	110.48
14	a	820	CLA	O2A-CGA-O1A	-2.10	118.30	123.59
14	B	836	CLA	O2A-CGA-O1A	-2.10	118.07	123.30
12	1	801	LHG	O8-C23-C24	2.10	118.49	111.91
17	9	102	BCR	C37-C22-C21	-2.10	119.99	122.92
14	B	845	CLA	CHD-C1D-ND	-2.10	122.49	124.52
17	b	854	BCR	C7-C8-C9	-2.10	123.07	126.23
14	b	810	CLA	O2D-CGD-CBD	2.10	114.99	111.27
18	L	1506	LMG	O2-C2-C1	-2.09	104.96	110.05
14	J	101	CLA	CHA-C1A-NA	-2.09	121.60	126.40
14	1	811	CLA	CHB-C4A-NA	2.09	127.41	124.51
14	1	812	CLA	O2A-CGA-O1A	-2.09	118.31	123.59
14	A	812	CLA	CHB-C4A-NA	2.09	127.41	124.51
14	f	204	CLA	CHB-C4A-NA	2.09	127.41	124.51
14	1	833	CLA	O1D-CGD-CBD	2.09	128.76	124.48
14	2	835	CLA	O2A-CGA-O1A	-2.09	118.08	123.30
17	h	102	BCR	C33-C5-C6	-2.09	122.18	124.53
17	2	846	BCR	C35-C13-C14	-2.09	119.99	122.92
15	b	845	PQN	C2M-C2-C3	-2.09	120.99	124.40
14	7	1101	CLA	CMB-C2B-C3B	2.09	128.59	124.68
14	8	4004	CLA	CHA-C1A-NA	-2.09	121.61	126.40
15	1	845	PQN	C2M-C2-C3	-2.09	120.99	124.40
17	b	849	BCR	C20-C21-C22	-2.09	124.33	127.31
14	a	844	CLA	CHB-C4A-NA	2.09	127.40	124.51
14	a	835	CLA	C2D-C1D-ND	-2.09	108.56	110.10
14	F	204	CLA	CHD-C1D-ND	-2.09	122.53	124.45
14	2	812	CLA	CHD-C1D-ND	-2.09	122.53	124.45
17	A	848	BCR	C16-C15-C14	-2.09	119.20	123.47
14	b	841	CLA	CHB-C4A-NA	2.09	127.40	124.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	2	815	CLA	CHB-C4A-NA	2.09	127.40	124.51
18	A	853	LMG	O3-C3-C2	-2.09	105.52	110.35
14	2	804	CLA	O2D-CGD-CBD	2.09	114.98	111.27
14	6	4404	CLA	CHA-C1A-NA	-2.09	121.62	126.40
14	2	835	CLA	C2D-C1D-ND	-2.09	108.57	110.10
17	J	104	BCR	C31-C1-C6	2.09	113.68	110.30
17	i	4103	BCR	C33-C5-C6	-2.09	122.19	124.53
17	1	850	BCR	C16-C15-C14	-2.09	119.20	123.47
14	1	820	CLA	C1-C2-C3	-2.09	122.44	126.04
17	9	102	BCR	C20-C21-C22	-2.09	124.33	127.31
14	2	814	CLA	O2A-CGA-O1A	-2.09	118.10	123.30
14	1	810	CLA	C1-C2-C3	-2.09	123.38	126.75
14	A	824	CLA	CHB-C4A-NA	2.09	127.40	124.51
17	B	851	BCR	C29-C30-C25	2.09	113.69	110.48
14	f	205	CLA	CHA-C1A-NA	-2.08	121.62	126.40
14	a	832	CLA	C1-C2-C3	-2.08	122.44	126.04
17	A	848	BCR	C33-C5-C6	-2.08	122.19	124.53
14	A	837	CLA	CHA-C1A-NA	-2.08	121.62	126.40
14	a	838	CLA	CHA-C1A-NA	-2.08	121.62	126.40
14	a	815	CLA	C2D-C1D-ND	-2.08	108.57	110.10
14	b	827	CLA	C2D-C1D-ND	-2.08	108.57	110.10
14	a	812	CLA	C1-C2-C3	-2.08	123.38	126.75
15	B	846	PQN	C16-C17-C18	-2.08	109.19	115.92
14	l	4205	CLA	CHB-C4A-NA	2.08	127.39	124.51
14	b	835	CLA	O2A-CGA-O1A	-2.08	118.11	123.30
14	a	824	CLA	O2A-CGA-O1A	-2.08	118.34	123.59
14	a	839	CLA	C3C-C4C-NC	-2.08	108.24	110.57
14	1	823	CLA	CHB-C4A-NA	2.08	127.39	124.51
14	a	840	CLA	CHD-C1D-ND	-2.08	122.54	124.45
14	B	835	CLA	C3B-C4B-NB	-2.08	106.52	109.21
14	a	805	CLA	CHB-C4A-NA	2.08	127.39	124.51
17	b	846	BCR	C35-C13-C14	-2.08	120.01	122.92
14	a	822	CLA	C1-C2-C3	-2.08	122.44	126.04
14	B	815	CLA	O2A-CGA-O1A	-2.08	118.11	123.30
14	a	814	CLA	C4-C3-C5	2.08	118.77	115.27
14	F	205	CLA	CHA-C1A-NA	-2.08	121.64	126.40
14	A	839	CLA	CHD-C1D-ND	-2.08	122.54	124.45
14	b	834	CLA	C3B-C4B-NB	-2.08	106.52	109.21
14	a	825	CLA	CHB-C4A-NA	2.08	127.39	124.51
15	b	845	PQN	C16-C17-C18	-2.08	109.20	115.92
14	1	833	CLA	C2D-C1D-ND	-2.08	108.57	110.10
14	1	836	CLA	CHA-C1A-NA	-2.08	121.64	126.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	A	841	CLA	O2A-CGA-O1A	-2.08	118.35	123.59
14	B	845	CLA	C1C-NC-C4C	2.08	107.64	106.71
14	b	836	CLA	O2A-CGA-O1A	-2.08	118.12	123.30
17	b	850	BCR	C35-C13-C14	-2.08	120.01	122.92
14	6	4403	CLA	CHD-C1D-ND	-2.08	122.55	124.45
17	l	4207	BCR	C37-C22-C21	-2.08	120.01	122.92
14	1	825	CLA	O2A-CGA-O1A	-2.08	118.35	123.59
14	b	805	CLA	O2D-CGD-CBD	2.08	114.96	111.27
14	1	822	CLA	O2A-CGA-O1A	-2.08	118.35	123.59
14	b	828	CLA	CHD-C1D-ND	-2.08	122.55	124.45
14	B	828	CLA	C2D-C1D-ND	-2.08	108.57	110.10
14	0	208	CLA	C2D-C1D-ND	-2.08	108.57	110.10
14	a	814	CLA	O2A-CGA-O1A	-2.07	118.36	123.59
14	F	204	CLA	CHB-C4A-NA	2.07	127.38	124.51
14	a	827	CLA	O2A-CGA-O1A	-2.07	118.36	123.59
14	B	836	CLA	C2D-C1D-ND	-2.07	108.58	110.10
15	B	846	PQN	C2M-C2-C3	-2.07	121.02	124.40
14	2	841	CLA	CHB-C4A-NA	2.07	127.38	124.51
14	A	834	CLA	O1D-CGD-CBD	2.07	128.73	124.48
14	1	837	CLA	C3C-C4C-NC	-2.07	108.25	110.57
15	2	845	PQN	C16-C17-C18	-2.07	109.22	115.92
18	a	853	LMG	O3-C3-C2	-2.07	105.56	110.35
14	1	825	CLA	C2D-C1D-ND	-2.07	108.58	110.10
14	2	809	CLA	O2D-CGD-CBD	2.07	114.95	111.27
14	b	814	CLA	O2A-CGA-O1A	-2.07	118.14	123.30
14	a	833	CLA	CHB-C4A-NA	2.07	127.38	124.51
14	2	803	CLA	CAA-CBA-CGA	-2.07	107.20	113.25
14	a	815	CLA	O2D-CGD-CBD	2.07	114.94	111.27
15	A	845	PQN	C2M-C2-C3	-2.07	121.02	124.40
15	a	845	PQN	C2M-C2-C3	-2.07	121.03	124.40
14	b	805	CLA	CBA-CAA-C2A	-2.07	107.76	113.86
14	a	854	CLA	CHA-C1A-NA	-2.07	121.66	126.40
14	A	826	CLA	O2A-CGA-O1A	-2.07	118.37	123.59
14	B	813	CLA	CHD-C1D-ND	-2.07	122.55	124.45
14	1	808	CLA	CHB-C4A-NA	2.07	127.37	124.51
14	B	805	CLA	O2D-CGD-CBD	2.07	114.94	111.27
14	2	827	CLA	C2D-C1D-ND	-2.07	108.58	110.10
14	A	814	CLA	O2D-CGD-CBD	2.07	114.94	111.27
14	f	204	CLA	CHD-C1D-ND	-2.07	122.56	124.45
14	A	811	CLA	C1-C2-C3	-2.07	123.41	126.75
14	1	832	CLA	C1-C2-C3	-2.07	123.41	126.75
14	b	804	CLA	CAA-CBA-CGA	-2.07	107.22	113.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	K	4004	CLA	O2A-CGA-O1A	-2.06	118.38	123.59
14	a	854	CLA	O2A-CGA-O1A	-2.06	118.38	123.59
14	a	819	CLA	CHA-C1A-NA	-2.06	121.67	126.40
17	F	206	BCR	C33-C5-C6	-2.06	122.21	124.53
17	1	847	BCR	C33-C5-C6	-2.06	122.21	124.53
14	A	818	CLA	CHA-C1A-NA	-2.06	121.67	126.40
14	A	826	CLA	C2D-C1D-ND	-2.06	108.58	110.10
17	A	847	BCR	C33-C5-C6	-2.06	122.21	124.53
14	L	1502	CLA	CHB-C4A-NA	2.06	127.36	124.51
14	1	838	CLA	CHD-C1D-ND	-2.06	122.56	124.45
18	1	852	LMG	O3-C3-C2	-2.06	105.58	110.35
17	7	1105	BCR	C31-C1-C6	2.06	113.64	110.30
14	2	833	CLA	O1D-CGD-CBD	2.06	128.70	124.48
14	a	834	CLA	C2D-C1D-ND	-2.06	108.58	110.10
14	A	823	CLA	O2A-CGA-O1A	-2.06	118.39	123.59
14	b	802	CLA	O2A-CGA-O1A	-2.06	118.39	123.59
14	1	817	CLA	CHA-C1A-NA	-2.06	121.68	126.40
14	2	804	CLA	CBA-CAA-C2A	-2.06	107.78	113.86
14	A	813	CLA	O2A-CGA-O1A	-2.06	118.39	123.59
14	b	844	CLA	CHD-C1D-ND	-2.06	122.53	124.52
14	B	804	CLA	CAA-CBA-CGA	-2.06	107.23	113.25
14	b	835	CLA	C2D-C1D-ND	-2.06	108.59	110.10
17	F	206	BCR	C40-C30-C25	2.06	113.64	110.30
14	a	810	CLA	CHB-C4A-NA	2.06	127.36	124.51
14	a	835	CLA	O1D-CGD-CBD	2.06	128.70	124.48
14	a	813	CLA	CHB-C4A-NA	2.06	127.36	124.51
14	1	813	CLA	O2D-CGD-CBD	2.06	114.93	111.27
14	A	814	CLA	C2D-C1D-ND	-2.06	108.59	110.10
14	L	1501	CLA	CHA-C1A-NA	-2.06	121.68	126.40
14	K	4004	CLA	CHA-C1A-NA	-2.06	121.68	126.40
14	B	844	CLA	C1-C2-C3	-2.06	122.48	126.04
14	B	805	CLA	CBA-CAA-C2A	-2.06	107.79	113.86
17	6	4405	BCR	C40-C30-C25	2.06	113.64	110.30
14	2	836	CLA	O2A-CGA-O1A	-2.06	118.17	123.30
14	1	840	CLA	O2A-CGA-O1A	-2.06	118.40	123.59
14	2	832	CLA	CHD-C4C-C3C	2.06	127.86	124.84
14	A	813	CLA	C4-C3-C5	2.06	118.73	115.27
14	A	833	CLA	C1-C2-C3	-2.05	123.43	126.75
14	b	827	CLA	O2A-CGA-O1A	-2.05	118.41	123.59
14	B	837	CLA	O2A-CGA-O1A	-2.05	118.18	123.30
17	2	850	BCR	C27-C26-C25	2.05	125.71	122.73
14	1	4203	CLA	CHD-C1D-ND	-2.05	122.57	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	1	813	CLA	C2D-C1D-ND	-2.05	108.59	110.10
17	2	850	BCR	C35-C13-C14	-2.05	120.05	122.92
14	1	842	CLA	O2A-CGA-O1A	-2.05	118.41	123.59
17	f	206	BCR	C33-C5-C6	-2.05	122.22	124.53
14	2	822	CLA	O2A-CGA-O1A	-2.05	118.18	123.30
14	2	827	CLA	O2A-CGA-O1A	-2.05	118.41	123.59
17	2	849	BCR	C38-C26-C27	-2.05	109.68	113.62
17	b	851	BCR	C15-C16-C17	-2.05	119.27	123.47
14	1	4204	CLA	CHA-C1A-NA	-2.05	121.70	126.40
14	1	812	CLA	C4-C3-C5	2.05	118.72	115.27
17	A	848	BCR	C35-C13-C14	-2.05	120.05	122.92
14	0	206	CLA	CHA-C1A-NA	-2.05	121.70	126.40
14	2	843	CLA	C1-C2-C3	-2.05	122.50	126.04
14	B	823	CLA	O2A-CGA-O1A	-2.05	118.19	123.30
14	b	833	CLA	O1D-CGD-CBD	2.05	128.67	124.48
14	1	825	CLA	C11-C10-C8	-2.05	109.30	115.92
14	a	842	CLA	O2A-CGA-O1A	-2.05	118.42	123.59
14	a	827	CLA	C11-C10-C8	-2.05	109.30	115.92
14	1	821	CLA	O2A-CGA-O1A	-2.05	118.43	123.59
17	a	847	BCR	C33-C5-C6	-2.05	122.23	124.53
14	a	823	CLA	O2A-CGA-O1A	-2.05	118.43	123.59
15	2	845	PQN	C2M-C2-C3	-2.05	121.06	124.40
14	A	832	CLA	CHD-C1D-ND	-2.05	122.57	124.45
14	a	825	CLA	O2A-CGA-O1A	-2.05	118.43	123.59
14	2	839	CLA	C3B-C4B-NB	-2.05	106.57	109.21
14	b	839	CLA	C1-C2-C3	-2.05	123.44	126.75
18	a	852	LMG	O7-C10-O9	-2.04	118.76	123.70
14	A	842	CLA	O2A-CGA-O1A	-2.04	118.43	123.59
14	B	815	CLA	CHB-C4A-NA	2.04	127.34	124.51
17	B	847	BCR	C11-C10-C9	-2.04	124.39	127.31
17	b	849	BCR	C38-C26-C27	-2.04	109.69	113.62
17	6	4406	BCR	C35-C13-C14	-2.04	120.06	122.92
14	B	834	CLA	C2D-C1D-ND	-2.04	108.60	110.10
14	1	806	CLA	C2D-C1D-ND	-2.04	108.60	110.10
14	B	840	CLA	CHA-C1A-NA	-2.04	121.72	126.40
14	b	822	CLA	O2A-CGA-O1A	-2.04	118.21	123.30
14	B	828	CLA	C1-C2-C3	-2.04	123.45	126.75
14	b	839	CLA	CHA-C1A-NA	-2.04	121.72	126.40
17	a	848	BCR	C35-C13-C14	-2.04	120.06	122.92
14	1	839	CLA	C2D-C1D-ND	-2.04	108.60	110.10
14	B	811	CLA	C6-C5-C3	2.04	118.80	113.45
14	8	4004	CLA	O2A-CGA-O1A	-2.04	118.44	123.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	B	851	BCR	C35-C13-C14	-2.04	120.07	122.92
14	B	829	CLA	CMC-C2C-C1C	-2.04	121.93	125.04
17	B	852	BCR	C20-C21-C22	-2.04	124.40	127.31
17	b	854	BCR	C20-C21-C22	-2.04	124.40	127.31
14	a	834	CLA	C1-C2-C3	-2.04	123.45	126.75
14	B	810	CLA	O2D-CGD-CBD	2.04	114.89	111.27
14	1	819	CLA	CHA-C1A-NA	-2.04	121.73	126.40
14	b	814	CLA	CHB-C4A-NA	2.04	127.33	124.51
14	A	826	CLA	C11-C10-C8	-2.04	109.33	115.92
17	M	102	BCR	C20-C21-C22	-2.04	124.40	127.31
14	2	828	CLA	CMC-C2C-C1C	-2.04	121.94	125.04
14	A	834	CLA	C2D-C1D-ND	-2.04	108.60	110.10
14	2	814	CLA	CHB-C4A-NA	2.04	127.33	124.51
14	6	4403	CLA	CHB-C4A-NA	2.04	127.33	124.51
17	f	206	BCR	C40-C30-C25	2.04	113.60	110.30
14	b	843	CLA	C1-C2-C3	-2.04	122.52	126.04
14	K	4003	CLA	CHA-C1A-NA	-2.04	121.73	126.40
14	B	834	CLA	O1D-CGD-CBD	2.04	128.65	124.48
14	A	809	CLA	CHB-C4A-NA	2.04	127.33	124.51
14	A	832	CLA	CHB-C4A-NA	2.04	127.33	124.51
17	b	850	BCR	C27-C26-C25	2.04	125.69	122.73
14	1	832	CLA	CHD-C1D-C2D	2.04	129.75	125.48
14	A	824	CLA	O2A-CGA-O1A	-2.04	118.45	123.59
17	B	852	BCR	C2-C1-C6	2.04	113.61	110.48
14	a	811	CLA	CHB-C4A-NA	2.04	127.33	124.51
14	1	823	CLA	O2A-CGA-O1A	-2.04	118.45	123.59
14	2	839	CLA	C1-C2-C3	-2.04	123.46	126.75
14	B	805	CLA	O1D-CGD-CBD	2.04	128.65	124.48
14	a	838	CLA	O2A-CGA-O1A	-2.03	118.23	123.30
14	A	833	CLA	CHD-C1D-C2D	2.03	129.75	125.48
14	K	4004	CLA	C1-C2-C3	-2.03	122.53	126.04
14	B	840	CLA	C1-C2-C3	-2.03	123.46	126.75
14	A	838	CLA	C3C-C4C-NC	-2.03	108.29	110.57
14	a	821	CLA	CHA-C1A-NA	-2.03	121.74	126.40
14	B	828	CLA	O2A-CGA-O1A	-2.03	118.46	123.59
14	b	839	CLA	C3B-C4B-NB	-2.03	106.58	109.21
14	A	822	CLA	O2A-CGA-O1A	-2.03	118.46	123.59
17	b	846	BCR	C11-C10-C9	-2.03	124.41	127.31
14	b	804	CLA	CMB-C2B-C3B	2.03	128.48	124.68
17	1	4207	BCR	C38-C26-C25	-2.03	122.25	124.53
14	2	839	CLA	CHA-C1A-NA	-2.03	121.74	126.40
14	b	839	CLA	CBA-CAA-C2A	-2.03	107.86	113.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	l	4207	BCR	C33-C5-C6	-2.03	122.25	124.53
14	8	4003	CLA	CHA-C1A-NA	-2.03	121.75	126.40
17	2	851	BCR	C15-C16-C17	-2.03	119.31	123.47
14	A	820	CLA	CHA-C1A-NA	-2.03	121.75	126.40
14	A	810	CLA	CHB-C4A-NA	2.03	127.32	124.51
14	b	821	CLA	CHB-C4A-NA	2.03	127.32	124.51
14	A	837	CLA	O2A-CGA-O1A	-2.03	118.24	123.30
17	B	850	BCR	C38-C26-C27	-2.03	109.72	113.62
14	B	805	CLA	C2D-C1D-ND	-2.03	108.61	110.10
14	k	4003	CLA	CHA-C1A-NA	-2.03	121.75	126.40
14	2	839	CLA	CBA-CAA-C2A	-2.03	107.88	113.86
17	B	852	BCR	C15-C16-C17	-2.03	119.32	123.47
14	2	810	CLA	C6-C5-C3	2.03	118.77	113.45
14	b	832	CLA	CHD-C4C-C3C	2.03	127.82	124.84
17	B	851	BCR	C27-C26-C25	2.03	125.67	122.73
14	B	840	CLA	CBA-CAA-C2A	-2.03	107.88	113.86
14	b	806	CLA	C3B-C4B-NB	-2.03	106.59	109.21
17	2	846	BCR	C11-C10-C9	-2.03	124.42	127.31
17	h	101	BCR	C33-C5-C6	-2.03	122.25	124.53
14	b	827	CLA	C1-C2-C3	-2.03	123.47	126.75
14	2	827	CLA	C1-C2-C3	-2.03	123.47	126.75
14	B	806	CLA	C3B-C4B-NB	-2.03	106.59	109.21
14	A	804	CLA	CHB-C4A-NA	2.02	127.31	124.51
14	B	833	CLA	CHD-C4C-C3C	2.02	127.82	124.84
14	B	840	CLA	C3B-C4B-NB	-2.02	106.59	109.21
14	l	804	CLA	CHB-C4A-NA	2.02	127.31	124.51
14	a	834	CLA	CHD-C1D-C2D	2.02	129.72	125.48
17	1	848	BCR	C35-C13-C14	-2.02	120.09	122.92
17	2	851	BCR	C2-C1-C6	2.02	113.60	110.48
14	1	831	CLA	CHB-C4A-NA	2.02	127.31	124.51
17	I	101	BCR	C33-C5-C6	-2.02	122.26	124.53
17	0	209	BCR	C38-C26-C25	-2.02	122.26	124.53
18	0	203	LMG	O7-C10-O9	-2.02	118.81	123.70
17	b	851	BCR	C2-C1-C6	2.02	113.59	110.48
14	B	802	CLA	CHA-C1A-NA	-2.02	121.77	126.40
14	a	825	CLA	CHD-C1D-ND	-2.02	122.60	124.45
14	8	4002	CLA	CHA-C1A-NA	-2.02	121.77	126.40
14	1	836	CLA	O2A-CGA-O1A	-2.02	118.26	123.30
14	A	807	CLA	O2A-CGA-O1A	-2.02	118.50	123.59
14	2	803	CLA	C2D-C1D-ND	-2.02	108.62	110.10
18	A	853	LMG	O7-C10-O9	-2.02	118.82	123.70
14	B	804	CLA	CMB-C2B-C3B	2.02	128.45	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	b	844	CLA	C1C-NC-C4C	2.02	107.61	106.71
14	2	804	CLA	O1D-CGD-CBD	2.02	128.61	124.48
14	b	801	CLA	CHA-C1A-NA	-2.02	121.78	126.40
18	A	852	LMG	O7-C10-O9	-2.01	118.83	123.70
14	B	805	CLA	O2A-CGA-O1A	-2.01	118.51	123.59
17	2	851	BCR	C20-C21-C22	-2.01	124.44	127.31
14	B	804	CLA	C2D-C1D-ND	-2.01	108.62	110.10
14	2	832	CLA	O2A-CGA-O1A	-2.01	118.28	123.30
14	a	854	CLA	C1-C2-C3	-2.01	122.56	126.04
14	1	806	CLA	O2A-CGA-O1A	-2.01	118.51	123.59
14	2	805	CLA	C3B-C4B-NB	-2.01	106.61	109.21
14	B	801	CLA	O2D-CGD-CBD	2.01	114.84	111.27
14	2	803	CLA	CMB-C2B-C3B	2.01	128.44	124.68
17	b	851	BCR	C20-C21-C22	-2.01	124.44	127.31
14	b	811	CLA	C6-C5-C3	2.01	118.73	113.45
14	B	844	CLA	C3C-C4C-NC	-2.01	108.31	110.57
14	a	818	CLA	CHB-C4A-NA	2.01	127.29	124.51
14	B	814	CLA	CHA-C1A-NA	-2.01	121.80	126.40
14	b	832	CLA	O2A-CGA-O1A	-2.01	118.29	123.30
14	A	817	CLA	CHB-C4A-NA	2.01	127.29	124.51
14	J	101	CLA	O2A-CGA-O1A	-2.01	118.29	123.30
14	B	822	CLA	CHB-C4A-NA	2.01	127.29	124.51
14	0	202	CLA	CHA-C1A-NA	-2.01	121.80	126.40
14	b	805	CLA	O2A-CGA-O1A	-2.01	118.52	123.59
17	b	848	BCR	C15-C14-C13	-2.01	124.42	127.30
14	a	808	CLA	C2D-C1D-ND	-2.01	108.62	110.10
14	2	804	CLA	O2A-CGA-O1A	-2.01	118.53	123.59
14	A	834	CLA	CHD-C1D-ND	-2.01	122.61	124.45
17	6	4405	BCR	C33-C5-C6	-2.01	122.28	124.53
14	1	836	CLA	C3A-C2A-C1A	2.01	104.34	101.34
14	a	808	CLA	O2A-CGA-O1A	-2.01	118.53	123.59
14	B	842	CLA	CHB-C4A-NA	2.01	127.28	124.51
14	b	805	CLA	O1D-CGD-CBD	2.01	128.59	124.48
14	a	834	CLA	CHA-C1A-NA	-2.00	121.81	126.40
14	2	819	CLA	CHB-C4A-NA	2.00	127.28	124.51
17	L	1504	BCR	C38-C26-C25	-2.00	122.28	124.53
14	k	4002	CLA	CHA-C1A-NA	-2.00	121.81	126.40
14	1	832	CLA	CHA-C1A-NA	-2.00	121.81	126.40
14	1	831	CLA	CHD-C1D-ND	-2.00	122.61	124.45
17	a	848	BCR	C38-C26-C27	-2.00	109.77	113.62
14	2	813	CLA	CHA-C1A-NA	-2.00	121.81	126.40
14	b	828	CLA	CMC-C2C-C1C	-2.00	121.99	125.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	J	102	CLA	CMB-C2B-C3B	2.00	128.43	124.68
14	K	4002	CLA	CHA-C1A-NA	-2.00	121.81	126.40
14	2	821	CLA	CHB-C4A-NA	2.00	127.28	124.51
14	2	825	CLA	CHB-C4A-NA	2.00	127.28	124.51
14	b	833	CLA	C2D-C1D-ND	-2.00	108.63	110.10
14	b	813	CLA	CHA-C1A-NA	-2.00	121.82	126.40

All (270) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
13	A	803	CL0	NA
13	A	803	CL0	ND
13	A	803	CL0	NC
13	a	803	CL0	NA
13	a	803	CL0	ND
13	a	803	CL0	NC
13	1	803	CL0	NA
13	1	803	CL0	ND
13	1	803	CL0	NC
14	A	804	CLA	ND
14	A	805	CLA	ND
14	A	806	CLA	ND
14	A	807	CLA	ND
14	A	808	CLA	ND
14	A	809	CLA	ND
14	A	810	CLA	ND
14	A	811	CLA	ND
14	A	812	CLA	ND
14	A	813	CLA	ND
14	A	814	CLA	ND
14	A	815	CLA	ND
14	A	816	CLA	ND
14	A	818	CLA	ND
14	A	819	CLA	ND
14	A	820	CLA	ND
14	A	821	CLA	ND
14	A	822	CLA	ND
14	A	823	CLA	ND
14	A	824	CLA	ND
14	A	825	CLA	ND
14	A	826	CLA	ND
14	A	827	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
14	A	828	CLA	ND
14	A	829	CLA	ND
14	A	830	CLA	ND
14	A	831	CLA	ND
14	A	832	CLA	ND
14	A	833	CLA	ND
14	A	834	CLA	ND
14	A	835	CLA	ND
14	A	836	CLA	ND
14	A	837	CLA	ND
14	A	838	CLA	ND
14	A	839	CLA	ND
14	A	840	CLA	ND
14	A	841	CLA	ND
14	A	843	CLA	ND
14	A	844	CLA	ND
14	B	801	CLA	ND
14	B	802	CLA	ND
14	B	804	CLA	ND
14	B	805	CLA	ND
14	B	806	CLA	ND
14	B	807	CLA	ND
14	B	809	CLA	ND
14	B	810	CLA	ND
14	B	811	CLA	ND
14	B	812	CLA	ND
14	B	813	CLA	ND
14	B	814	CLA	ND
14	B	815	CLA	ND
14	B	816	CLA	ND
14	B	817	CLA	ND
14	B	818	CLA	ND
14	B	819	CLA	ND
14	B	821	CLA	ND
14	B	822	CLA	ND
14	B	825	CLA	ND
14	B	827	CLA	ND
14	B	828	CLA	ND
14	B	829	CLA	ND
14	B	830	CLA	ND
14	B	831	CLA	ND
14	B	832	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
14	B	833	CLA	ND
14	B	834	CLA	ND
14	B	835	CLA	ND
14	B	836	CLA	ND
14	B	837	CLA	ND
14	B	838	CLA	ND
14	B	839	CLA	ND
14	B	840	CLA	ND
14	B	841	CLA	ND
14	B	842	CLA	ND
14	B	843	CLA	ND
14	B	845	CLA	ND
14	F	201	CLA	ND
14	F	204	CLA	ND
14	F	205	CLA	ND
14	J	101	CLA	ND
14	J	102	CLA	ND
14	L	1501	CLA	ND
14	L	1502	CLA	ND
14	L	1503	CLA	ND
14	K	4003	CLA	ND
14	K	4004	CLA	ND
14	a	804	CLA	ND
14	a	805	CLA	ND
14	a	806	CLA	ND
14	a	807	CLA	ND
14	a	808	CLA	ND
14	a	809	CLA	ND
14	a	810	CLA	ND
14	a	811	CLA	ND
14	a	812	CLA	ND
14	a	813	CLA	ND
14	a	814	CLA	ND
14	a	815	CLA	ND
14	a	816	CLA	ND
14	a	817	CLA	ND
14	a	819	CLA	ND
14	a	820	CLA	ND
14	a	821	CLA	ND
14	a	822	CLA	ND
14	a	823	CLA	ND
14	a	824	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
14	a	825	CLA	ND
14	a	826	CLA	ND
14	a	827	CLA	ND
14	a	828	CLA	ND
14	a	829	CLA	ND
14	a	830	CLA	ND
14	a	831	CLA	ND
14	a	832	CLA	ND
14	a	833	CLA	ND
14	a	834	CLA	ND
14	a	835	CLA	ND
14	a	836	CLA	ND
14	a	837	CLA	ND
14	a	838	CLA	ND
14	a	839	CLA	ND
14	a	840	CLA	ND
14	a	841	CLA	ND
14	a	843	CLA	ND
14	a	844	CLA	ND
14	a	854	CLA	ND
14	1	804	CLA	ND
14	1	805	CLA	ND
14	1	806	CLA	ND
14	1	807	CLA	ND
14	1	808	CLA	ND
14	1	809	CLA	ND
14	1	810	CLA	ND
14	1	811	CLA	ND
14	1	812	CLA	ND
14	1	813	CLA	ND
14	1	814	CLA	ND
14	1	815	CLA	ND
14	1	817	CLA	ND
14	1	818	CLA	ND
14	1	819	CLA	ND
14	1	820	CLA	ND
14	1	821	CLA	ND
14	1	822	CLA	ND
14	1	823	CLA	ND
14	1	824	CLA	ND
14	1	825	CLA	ND
14	1	826	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
14	1	827	CLA	ND
14	1	828	CLA	ND
14	1	829	CLA	ND
14	1	830	CLA	ND
14	1	831	CLA	ND
14	1	832	CLA	ND
14	1	833	CLA	ND
14	1	834	CLA	ND
14	1	835	CLA	ND
14	1	836	CLA	ND
14	1	837	CLA	ND
14	1	838	CLA	ND
14	1	839	CLA	ND
14	1	840	CLA	ND
14	1	841	CLA	ND
14	1	843	CLA	ND
14	1	844	CLA	ND
14	b	801	CLA	ND
14	b	802	CLA	ND
14	b	804	CLA	ND
14	b	805	CLA	ND
14	b	806	CLA	ND
14	b	807	CLA	ND
14	b	809	CLA	ND
14	b	810	CLA	ND
14	b	811	CLA	ND
14	b	812	CLA	ND
14	b	813	CLA	ND
14	b	814	CLA	ND
14	b	815	CLA	ND
14	b	816	CLA	ND
14	b	817	CLA	ND
14	b	818	CLA	ND
14	b	820	CLA	ND
14	b	821	CLA	ND
14	b	824	CLA	ND
14	b	826	CLA	ND
14	b	827	CLA	ND
14	b	828	CLA	ND
14	b	829	CLA	ND
14	b	830	CLA	ND
14	b	831	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
14	b	832	CLA	ND
14	b	833	CLA	ND
14	b	834	CLA	ND
14	b	835	CLA	ND
14	b	836	CLA	ND
14	b	837	CLA	ND
14	b	838	CLA	ND
14	b	839	CLA	ND
14	b	840	CLA	ND
14	b	841	CLA	ND
14	b	842	CLA	ND
14	b	844	CLA	ND
14	2	801	CLA	ND
14	2	803	CLA	ND
14	2	804	CLA	ND
14	2	805	CLA	ND
14	2	806	CLA	ND
14	2	808	CLA	ND
14	2	809	CLA	ND
14	2	810	CLA	ND
14	2	811	CLA	ND
14	2	812	CLA	ND
14	2	813	CLA	ND
14	2	814	CLA	ND
14	2	815	CLA	ND
14	2	816	CLA	ND
14	2	817	CLA	ND
14	2	818	CLA	ND
14	2	820	CLA	ND
14	2	821	CLA	ND
14	2	824	CLA	ND
14	2	826	CLA	ND
14	2	827	CLA	ND
14	2	828	CLA	ND
14	2	829	CLA	ND
14	2	830	CLA	ND
14	2	831	CLA	ND
14	2	832	CLA	ND
14	2	833	CLA	ND
14	2	834	CLA	ND
14	2	835	CLA	ND
14	2	836	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
14	2	837	CLA	ND
14	2	838	CLA	ND
14	2	839	CLA	ND
14	2	840	CLA	ND
14	2	841	CLA	ND
14	2	842	CLA	ND
14	2	844	CLA	ND
14	f	201	CLA	ND
14	f	204	CLA	ND
14	f	205	CLA	ND
14	6	4403	CLA	ND
14	6	4404	CLA	ND
14	j	101	CLA	ND
14	j	102	CLA	ND
14	7	1101	CLA	ND
14	7	1102	CLA	ND
14	7	1103	CLA	ND
14	k	4003	CLA	ND
14	8	4003	CLA	ND
14	8	4004	CLA	ND
14	l	4203	CLA	ND
14	l	4204	CLA	ND
14	l	4205	CLA	ND
14	l	4206	CLA	ND
14	0	202	CLA	ND
14	0	206	CLA	ND
14	0	207	CLA	ND
14	0	208	CLA	ND

All (4250) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	A	801	LHG	C3-O3-P-O4
12	A	801	LHG	C3-O3-P-O6
12	A	801	LHG	O10-C23-O8-C6
12	A	802	LHG	O1-C1-C2-C3
12	A	802	LHG	C3-O3-P-O4
12	A	802	LHG	C3-O3-P-O5
12	A	802	LHG	C3-O3-P-O6
12	B	853	LHG	C4-O6-P-O3
12	B	853	LHG	O9-C7-O7-C5
12	B	853	LHG	C8-C7-O7-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	M	101	LHG	C4-O6-P-O5
12	a	801	LHG	C3-O3-P-O4
12	a	801	LHG	C3-O3-P-O6
12	a	801	LHG	O10-C23-O8-C6
12	a	802	LHG	O1-C1-C2-C3
12	a	802	LHG	C3-O3-P-O4
12	a	802	LHG	C3-O3-P-O5
12	a	802	LHG	C3-O3-P-O6
12	1	801	LHG	C3-O3-P-O4
12	1	801	LHG	C3-O3-P-O6
12	1	801	LHG	O10-C23-O8-C6
12	1	802	LHG	O1-C1-C2-C3
12	1	802	LHG	C3-O3-P-O4
12	1	802	LHG	C3-O3-P-O5
12	1	802	LHG	C3-O3-P-O6
12	b	852	LHG	C4-O6-P-O3
12	b	852	LHG	O9-C7-O7-C5
12	b	852	LHG	C8-C7-O7-C5
12	2	852	LHG	C4-O6-P-O3
12	2	852	LHG	O9-C7-O7-C5
12	2	852	LHG	C8-C7-O7-C5
12	m	101	LHG	C4-O6-P-O5
12	9	101	LHG	C4-O6-P-O5
13	A	803	CL0	C11-C12-C13-C14
13	a	803	CL0	C11-C12-C13-C14
13	1	803	CL0	C11-C12-C13-C14
14	A	805	CLA	C1A-C2A-CAA-CBA
14	A	805	CLA	CHA-CBD-CGD-O1D
14	A	805	CLA	CHA-CBD-CGD-O2D
14	A	806	CLA	C1A-C2A-CAA-CBA
14	A	807	CLA	C1A-C2A-CAA-CBA
14	A	807	CLA	C3A-C2A-CAA-CBA
14	A	807	CLA	CHA-CBD-CGD-O1D
14	A	807	CLA	CHA-CBD-CGD-O2D
14	A	807	CLA	CAD-CBD-CGD-O1D
14	A	807	CLA	CAD-CBD-CGD-O2D
14	A	808	CLA	C1A-C2A-CAA-CBA
14	A	808	CLA	CBD-CGD-O2D-CED
14	A	808	CLA	O1D-CGD-O2D-CED
14	A	810	CLA	C1A-C2A-CAA-CBA
14	A	810	CLA	C3A-C2A-CAA-CBA
14	A	810	CLA	CHA-CBD-CGD-O1D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	810	CLA	CHA-CBD-CGD-O2D
14	A	812	CLA	C1A-C2A-CAA-CBA
14	A	812	CLA	C3A-C2A-CAA-CBA
14	A	812	CLA	CHA-CBD-CGD-O1D
14	A	812	CLA	CHA-CBD-CGD-O2D
14	A	813	CLA	C1A-C2A-CAA-CBA
14	A	813	CLA	CBD-CGD-O2D-CED
14	A	813	CLA	C2-C3-C5-C6
14	A	813	CLA	C4-C3-C5-C6
14	A	814	CLA	C1A-C2A-CAA-CBA
14	A	814	CLA	C3A-C2A-CAA-CBA
14	A	815	CLA	C1A-C2A-CAA-CBA
14	A	816	CLA	CBD-CGD-O2D-CED
14	A	817	CLA	CBD-CGD-O2D-CED
14	A	818	CLA	CBA-CGA-O2A-C1
14	A	819	CLA	C4-C3-C5-C6
14	A	820	CLA	C1A-C2A-CAA-CBA
14	A	820	CLA	C3A-C2A-CAA-CBA
14	A	821	CLA	C3A-C2A-CAA-CBA
14	A	824	CLA	C1A-C2A-CAA-CBA
14	A	824	CLA	C3A-C2A-CAA-CBA
14	A	824	CLA	CHA-CBD-CGD-O2D
14	A	825	CLA	CHA-CBD-CGD-O1D
14	A	825	CLA	CHA-CBD-CGD-O2D
14	A	825	CLA	CAD-CBD-CGD-O1D
14	A	825	CLA	C2-C3-C5-C6
14	A	825	CLA	C4-C3-C5-C6
14	A	826	CLA	CHA-CBD-CGD-O1D
14	A	826	CLA	CHA-CBD-CGD-O2D
14	A	826	CLA	C2-C3-C5-C6
14	A	826	CLA	C4-C3-C5-C6
14	A	827	CLA	C6-C7-C8-C9
14	A	827	CLA	C14-C13-C15-C16
14	A	829	CLA	CHA-CBD-CGD-O1D
14	A	829	CLA	CHA-CBD-CGD-O2D
14	A	836	CLA	C2-C3-C5-C6
14	A	836	CLA	C4-C3-C5-C6
14	A	837	CLA	CHA-CBD-CGD-O1D
14	A	837	CLA	CHA-CBD-CGD-O2D
14	A	838	CLA	C2-C3-C5-C6
14	A	840	CLA	C1A-C2A-CAA-CBA
14	A	840	CLA	C3A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	843	CLA	C1A-C2A-CAA-CBA
14	A	843	CLA	CHA-CBD-CGD-O1D
14	A	843	CLA	CHA-CBD-CGD-O2D
14	B	802	CLA	C1A-C2A-CAA-CBA
14	B	804	CLA	CHA-CBD-CGD-O1D
14	B	804	CLA	CHA-CBD-CGD-O2D
14	B	804	CLA	CAD-CBD-CGD-O1D
14	B	806	CLA	C6-C7-C8-C9
14	B	808	CLA	CHA-CBD-CGD-O1D
14	B	808	CLA	CHA-CBD-CGD-O2D
14	B	809	CLA	C14-C13-C15-C16
14	B	811	CLA	CHA-CBD-CGD-O1D
14	B	811	CLA	CHA-CBD-CGD-O2D
14	B	812	CLA	C3A-C2A-CAA-CBA
14	B	815	CLA	C1A-C2A-CAA-CBA
14	B	815	CLA	C2A-CAA-CBA-CGA
14	B	816	CLA	CHA-CBD-CGD-O1D
14	B	816	CLA	CHA-CBD-CGD-O2D
14	B	817	CLA	C1A-C2A-CAA-CBA
14	B	817	CLA	CBA-CGA-O2A-C1
14	B	818	CLA	CHA-CBD-CGD-O1D
14	B	818	CLA	CHA-CBD-CGD-O2D
14	B	819	CLA	C1A-C2A-CAA-CBA
14	B	819	CLA	C3A-C2A-CAA-CBA
14	B	820	CLA	C2A-CAA-CBA-CGA
14	B	821	CLA	C3A-C2A-CAA-CBA
14	B	821	CLA	C2-C3-C5-C6
14	B	821	CLA	C4-C3-C5-C6
14	B	822	CLA	CBD-CGD-O2D-CED
14	B	823	CLA	C1A-C2A-CAA-CBA
14	B	823	CLA	C3A-C2A-CAA-CBA
14	B	824	CLA	C1A-C2A-CAA-CBA
14	B	825	CLA	C1A-C2A-CAA-CBA
14	B	826	CLA	CBD-CGD-O2D-CED
14	B	831	CLA	C1A-C2A-CAA-CBA
14	B	831	CLA	C3A-C2A-CAA-CBA
14	B	831	CLA	CHA-CBD-CGD-O1D
14	B	831	CLA	CHA-CBD-CGD-O2D
14	B	835	CLA	C1A-C2A-CAA-CBA
14	B	836	CLA	C1A-C2A-CAA-CBA
14	B	837	CLA	CBD-CGD-O2D-CED
14	B	838	CLA	C1A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	B	838	CLA	C3A-C2A-CAA-CBA
14	B	839	CLA	CBA-CGA-O2A-C1
14	B	840	CLA	CHA-CBD-CGD-O1D
14	B	842	CLA	CHA-CBD-CGD-O1D
14	B	843	CLA	C1A-C2A-CAA-CBA
14	B	844	CLA	CBD-CGD-O2D-CED
14	F	201	CLA	CHA-CBD-CGD-O2D
14	F	205	CLA	C1A-C2A-CAA-CBA
14	F	205	CLA	C3A-C2A-CAA-CBA
14	J	101	CLA	C1A-C2A-CAA-CBA
14	J	101	CLA	C3A-C2A-CAA-CBA
14	J	101	CLA	CHA-CBD-CGD-O1D
14	J	101	CLA	CHA-CBD-CGD-O2D
14	J	101	CLA	CAD-CBD-CGD-O1D
14	J	101	CLA	CAD-CBD-CGD-O2D
14	J	101	CLA	CBD-CGD-O2D-CED
14	L	1501	CLA	C1A-C2A-CAA-CBA
14	L	1501	CLA	C3A-C2A-CAA-CBA
14	K	4003	CLA	CHA-CBD-CGD-O1D
14	K	4003	CLA	CHA-CBD-CGD-O2D
14	K	4004	CLA	C1A-C2A-CAA-CBA
14	K	4004	CLA	CHA-CBD-CGD-O1D
14	K	4004	CLA	CHA-CBD-CGD-O2D
14	a	806	CLA	C1A-C2A-CAA-CBA
14	a	806	CLA	CHA-CBD-CGD-O1D
14	a	806	CLA	CHA-CBD-CGD-O2D
14	a	807	CLA	C1A-C2A-CAA-CBA
14	a	808	CLA	C1A-C2A-CAA-CBA
14	a	808	CLA	C3A-C2A-CAA-CBA
14	a	808	CLA	CHA-CBD-CGD-O1D
14	a	808	CLA	CHA-CBD-CGD-O2D
14	a	808	CLA	CAD-CBD-CGD-O1D
14	a	808	CLA	CAD-CBD-CGD-O2D
14	a	809	CLA	C1A-C2A-CAA-CBA
14	a	809	CLA	CBD-CGD-O2D-CED
14	a	809	CLA	O1D-CGD-O2D-CED
14	a	811	CLA	C1A-C2A-CAA-CBA
14	a	811	CLA	C3A-C2A-CAA-CBA
14	a	811	CLA	CHA-CBD-CGD-O1D
14	a	811	CLA	CHA-CBD-CGD-O2D
14	a	813	CLA	C1A-C2A-CAA-CBA
14	a	813	CLA	C3A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	813	CLA	CHA-CBD-CGD-O1D
14	a	813	CLA	CHA-CBD-CGD-O2D
14	a	814	CLA	C1A-C2A-CAA-CBA
14	a	814	CLA	CBD-CGD-O2D-CED
14	a	814	CLA	C2-C3-C5-C6
14	a	814	CLA	C4-C3-C5-C6
14	a	815	CLA	C1A-C2A-CAA-CBA
14	a	815	CLA	C3A-C2A-CAA-CBA
14	a	816	CLA	C1A-C2A-CAA-CBA
14	a	817	CLA	CBD-CGD-O2D-CED
14	a	818	CLA	CBD-CGD-O2D-CED
14	a	819	CLA	CBA-CGA-O2A-C1
14	a	820	CLA	C4-C3-C5-C6
14	a	821	CLA	C1A-C2A-CAA-CBA
14	a	821	CLA	C3A-C2A-CAA-CBA
14	a	822	CLA	C3A-C2A-CAA-CBA
14	a	825	CLA	C1A-C2A-CAA-CBA
14	a	825	CLA	C3A-C2A-CAA-CBA
14	a	825	CLA	CHA-CBD-CGD-O2D
14	a	826	CLA	CHA-CBD-CGD-O1D
14	a	826	CLA	CHA-CBD-CGD-O2D
14	a	826	CLA	CAD-CBD-CGD-O1D
14	a	826	CLA	C2-C3-C5-C6
14	a	826	CLA	C4-C3-C5-C6
14	a	827	CLA	CHA-CBD-CGD-O1D
14	a	827	CLA	CHA-CBD-CGD-O2D
14	a	827	CLA	C2-C3-C5-C6
14	a	827	CLA	C4-C3-C5-C6
14	a	828	CLA	C6-C7-C8-C9
14	a	828	CLA	C14-C13-C15-C16
14	a	830	CLA	CHA-CBD-CGD-O1D
14	a	830	CLA	CHA-CBD-CGD-O2D
14	a	837	CLA	C2-C3-C5-C6
14	a	837	CLA	C4-C3-C5-C6
14	a	838	CLA	CHA-CBD-CGD-O1D
14	a	838	CLA	CHA-CBD-CGD-O2D
14	a	839	CLA	C2-C3-C5-C6
14	a	841	CLA	C1A-C2A-CAA-CBA
14	a	841	CLA	C3A-C2A-CAA-CBA
14	a	843	CLA	C1A-C2A-CAA-CBA
14	a	843	CLA	CHA-CBD-CGD-O1D
14	a	843	CLA	CHA-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	854	CLA	C1A-C2A-CAA-CBA
14	a	854	CLA	CHA-CBD-CGD-O1D
14	a	854	CLA	CHA-CBD-CGD-O2D
14	1	805	CLA	C1A-C2A-CAA-CBA
14	1	806	CLA	C1A-C2A-CAA-CBA
14	1	806	CLA	C3A-C2A-CAA-CBA
14	1	806	CLA	CHA-CBD-CGD-O1D
14	1	806	CLA	CHA-CBD-CGD-O2D
14	1	806	CLA	CAD-CBD-CGD-O1D
14	1	806	CLA	CAD-CBD-CGD-O2D
14	1	807	CLA	C1A-C2A-CAA-CBA
14	1	807	CLA	CBD-CGD-O2D-CED
14	1	807	CLA	O1D-CGD-O2D-CED
14	1	809	CLA	C1A-C2A-CAA-CBA
14	1	809	CLA	C3A-C2A-CAA-CBA
14	1	809	CLA	CHA-CBD-CGD-O1D
14	1	809	CLA	CHA-CBD-CGD-O2D
14	1	811	CLA	C1A-C2A-CAA-CBA
14	1	811	CLA	C3A-C2A-CAA-CBA
14	1	811	CLA	CHA-CBD-CGD-O1D
14	1	811	CLA	CHA-CBD-CGD-O2D
14	1	812	CLA	C1A-C2A-CAA-CBA
14	1	812	CLA	CBD-CGD-O2D-CED
14	1	812	CLA	C2-C3-C5-C6
14	1	812	CLA	C4-C3-C5-C6
14	1	813	CLA	C1A-C2A-CAA-CBA
14	1	813	CLA	C3A-C2A-CAA-CBA
14	1	814	CLA	C1A-C2A-CAA-CBA
14	1	815	CLA	CBD-CGD-O2D-CED
14	1	816	CLA	CBD-CGD-O2D-CED
14	1	817	CLA	CBA-CGA-O2A-C1
14	1	818	CLA	C4-C3-C5-C6
14	1	819	CLA	C1A-C2A-CAA-CBA
14	1	819	CLA	C3A-C2A-CAA-CBA
14	1	820	CLA	C3A-C2A-CAA-CBA
14	1	823	CLA	C1A-C2A-CAA-CBA
14	1	823	CLA	C3A-C2A-CAA-CBA
14	1	823	CLA	CHA-CBD-CGD-O2D
14	1	824	CLA	CHA-CBD-CGD-O1D
14	1	824	CLA	CHA-CBD-CGD-O2D
14	1	824	CLA	CAD-CBD-CGD-O1D
14	1	824	CLA	C2-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	1	824	CLA	C4-C3-C5-C6
14	1	825	CLA	CHA-CBD-CGD-O1D
14	1	825	CLA	CHA-CBD-CGD-O2D
14	1	825	CLA	C2-C3-C5-C6
14	1	825	CLA	C4-C3-C5-C6
14	1	826	CLA	C6-C7-C8-C9
14	1	826	CLA	C14-C13-C15-C16
14	1	828	CLA	CHA-CBD-CGD-O1D
14	1	828	CLA	CHA-CBD-CGD-O2D
14	1	835	CLA	C2-C3-C5-C6
14	1	835	CLA	C4-C3-C5-C6
14	1	836	CLA	CHA-CBD-CGD-O1D
14	1	836	CLA	CHA-CBD-CGD-O2D
14	1	837	CLA	C2-C3-C5-C6
14	1	839	CLA	C1A-C2A-CAA-CBA
14	1	839	CLA	C3A-C2A-CAA-CBA
14	1	841	CLA	CHA-CBD-CGD-O2D
14	1	843	CLA	C1A-C2A-CAA-CBA
14	1	843	CLA	CHA-CBD-CGD-O1D
14	1	843	CLA	CHA-CBD-CGD-O2D
14	b	801	CLA	C1A-C2A-CAA-CBA
14	b	804	CLA	CHA-CBD-CGD-O1D
14	b	804	CLA	CHA-CBD-CGD-O2D
14	b	804	CLA	CAD-CBD-CGD-O1D
14	b	806	CLA	C6-C7-C8-C9
14	b	808	CLA	CHA-CBD-CGD-O1D
14	b	808	CLA	CHA-CBD-CGD-O2D
14	b	809	CLA	C14-C13-C15-C16
14	b	811	CLA	CHA-CBD-CGD-O1D
14	b	811	CLA	CHA-CBD-CGD-O2D
14	b	812	CLA	C3A-C2A-CAA-CBA
14	b	814	CLA	C1A-C2A-CAA-CBA
14	b	814	CLA	C2A-CAA-CBA-CGA
14	b	815	CLA	CHA-CBD-CGD-O1D
14	b	815	CLA	CHA-CBD-CGD-O2D
14	b	816	CLA	C1A-C2A-CAA-CBA
14	b	816	CLA	CBA-CGA-O2A-C1
14	b	817	CLA	CHA-CBD-CGD-O1D
14	b	817	CLA	CHA-CBD-CGD-O2D
14	b	818	CLA	C1A-C2A-CAA-CBA
14	b	818	CLA	C3A-C2A-CAA-CBA
14	b	819	CLA	C2A-CAA-CBA-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	b	820	CLA	C3A-C2A-CAA-CBA
14	b	820	CLA	C2-C3-C5-C6
14	b	820	CLA	C4-C3-C5-C6
14	b	821	CLA	CBD-CGD-O2D-CED
14	b	822	CLA	C1A-C2A-CAA-CBA
14	b	822	CLA	C3A-C2A-CAA-CBA
14	b	823	CLA	C1A-C2A-CAA-CBA
14	b	824	CLA	C1A-C2A-CAA-CBA
14	b	825	CLA	CBD-CGD-O2D-CED
14	b	830	CLA	C1A-C2A-CAA-CBA
14	b	830	CLA	C3A-C2A-CAA-CBA
14	b	830	CLA	CHA-CBD-CGD-O1D
14	b	830	CLA	CHA-CBD-CGD-O2D
14	b	834	CLA	C1A-C2A-CAA-CBA
14	b	835	CLA	C1A-C2A-CAA-CBA
14	b	836	CLA	CBD-CGD-O2D-CED
14	b	837	CLA	C1A-C2A-CAA-CBA
14	b	837	CLA	C3A-C2A-CAA-CBA
14	b	838	CLA	CBA-CGA-O2A-C1
14	b	839	CLA	CHA-CBD-CGD-O1D
14	b	841	CLA	CHA-CBD-CGD-O1D
14	b	842	CLA	C1A-C2A-CAA-CBA
14	b	843	CLA	CBD-CGD-O2D-CED
14	2	803	CLA	CHA-CBD-CGD-O1D
14	2	803	CLA	CHA-CBD-CGD-O2D
14	2	803	CLA	CAD-CBD-CGD-O1D
14	2	805	CLA	C6-C7-C8-C9
14	2	807	CLA	CHA-CBD-CGD-O1D
14	2	807	CLA	CHA-CBD-CGD-O2D
14	2	808	CLA	C14-C13-C15-C16
14	2	810	CLA	CHA-CBD-CGD-O1D
14	2	810	CLA	CHA-CBD-CGD-O2D
14	2	811	CLA	C3A-C2A-CAA-CBA
14	2	814	CLA	C1A-C2A-CAA-CBA
14	2	814	CLA	C2A-CAA-CBA-CGA
14	2	815	CLA	CHA-CBD-CGD-O1D
14	2	815	CLA	CHA-CBD-CGD-O2D
14	2	816	CLA	C1A-C2A-CAA-CBA
14	2	816	CLA	CBA-CGA-O2A-C1
14	2	817	CLA	CHA-CBD-CGD-O1D
14	2	817	CLA	CHA-CBD-CGD-O2D
14	2	818	CLA	C1A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	2	818	CLA	C3A-C2A-CAA-CBA
14	2	819	CLA	C2A-CAA-CBA-CGA
14	2	820	CLA	C3A-C2A-CAA-CBA
14	2	820	CLA	C2-C3-C5-C6
14	2	820	CLA	C4-C3-C5-C6
14	2	821	CLA	CBD-CGD-O2D-CED
14	2	822	CLA	C1A-C2A-CAA-CBA
14	2	822	CLA	C3A-C2A-CAA-CBA
14	2	823	CLA	C1A-C2A-CAA-CBA
14	2	824	CLA	C1A-C2A-CAA-CBA
14	2	825	CLA	CBD-CGD-O2D-CED
14	2	830	CLA	C1A-C2A-CAA-CBA
14	2	830	CLA	C3A-C2A-CAA-CBA
14	2	830	CLA	CHA-CBD-CGD-O1D
14	2	830	CLA	CHA-CBD-CGD-O2D
14	2	834	CLA	C1A-C2A-CAA-CBA
14	2	835	CLA	C1A-C2A-CAA-CBA
14	2	836	CLA	CBD-CGD-O2D-CED
14	2	837	CLA	C1A-C2A-CAA-CBA
14	2	837	CLA	C3A-C2A-CAA-CBA
14	2	838	CLA	CBA-CGA-O2A-C1
14	2	839	CLA	CHA-CBD-CGD-O1D
14	2	841	CLA	CHA-CBD-CGD-O1D
14	2	842	CLA	C1A-C2A-CAA-CBA
14	2	843	CLA	CBD-CGD-O2D-CED
14	f	201	CLA	CHA-CBD-CGD-O2D
14	f	205	CLA	C1A-C2A-CAA-CBA
14	f	205	CLA	C3A-C2A-CAA-CBA
14	6	4404	CLA	C1A-C2A-CAA-CBA
14	6	4404	CLA	C3A-C2A-CAA-CBA
14	j	101	CLA	C1A-C2A-CAA-CBA
14	j	101	CLA	C3A-C2A-CAA-CBA
14	j	101	CLA	CHA-CBD-CGD-O1D
14	j	101	CLA	CHA-CBD-CGD-O2D
14	j	101	CLA	CAD-CBD-CGD-O1D
14	j	101	CLA	CAD-CBD-CGD-O2D
14	j	101	CLA	CBD-CGD-O2D-CED
14	7	1101	CLA	C1A-C2A-CAA-CBA
14	7	1101	CLA	CHA-CBD-CGD-O1D
14	7	1101	CLA	CHA-CBD-CGD-O2D
14	7	1102	CLA	C1A-C2A-CAA-CBA
14	7	1102	CLA	C3A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	7	1102	CLA	CHA-CBD-CGD-O1D
14	7	1102	CLA	CHA-CBD-CGD-O2D
14	7	1102	CLA	CAD-CBD-CGD-O1D
14	7	1102	CLA	CAD-CBD-CGD-O2D
14	7	1102	CLA	CBD-CGD-O2D-CED
14	k	4003	CLA	CHA-CBD-CGD-O1D
14	k	4003	CLA	CHA-CBD-CGD-O2D
14	8	4003	CLA	CHA-CBD-CGD-O1D
14	8	4003	CLA	CHA-CBD-CGD-O2D
14	8	4004	CLA	C1A-C2A-CAA-CBA
14	8	4004	CLA	CHA-CBD-CGD-O1D
14	8	4004	CLA	CHA-CBD-CGD-O2D
14	l	4204	CLA	C1A-C2A-CAA-CBA
14	l	4204	CLA	C3A-C2A-CAA-CBA
14	0	202	CLA	C1A-C2A-CAA-CBA
14	0	206	CLA	C1A-C2A-CAA-CBA
14	0	206	CLA	C3A-C2A-CAA-CBA
17	A	847	BCR	C1-C6-C7-C8
17	A	847	BCR	C6-C7-C8-C9
17	A	847	BCR	C11-C12-C13-C35
17	A	847	BCR	C20-C21-C22-C23
17	A	847	BCR	C20-C21-C22-C37
17	A	847	BCR	C37-C22-C23-C24
17	A	848	BCR	C1-C6-C7-C8
17	A	848	BCR	C11-C12-C13-C35
17	A	848	BCR	C21-C22-C23-C24
17	A	848	BCR	C37-C22-C23-C24
17	A	849	BCR	C1-C6-C7-C8
17	A	849	BCR	C7-C8-C9-C34
17	A	849	BCR	C22-C23-C24-C25
17	A	850	BCR	C1-C6-C7-C8
17	A	850	BCR	C7-C8-C9-C34
17	A	850	BCR	C11-C12-C13-C35
17	A	850	BCR	C14-C15-C16-C17
17	A	850	BCR	C16-C17-C18-C19
17	A	850	BCR	C36-C18-C19-C20
17	A	850	BCR	C18-C19-C20-C21
17	A	850	BCR	C20-C21-C22-C23
17	A	850	BCR	C20-C21-C22-C37
17	A	850	BCR	C22-C23-C24-C25
17	A	851	BCR	C7-C8-C9-C10
17	A	851	BCR	C10-C11-C12-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	A	851	BCR	C11-C12-C13-C35
17	A	851	BCR	C17-C18-C19-C20
17	A	851	BCR	C36-C18-C19-C20
17	A	851	BCR	C18-C19-C20-C21
17	A	851	BCR	C20-C21-C22-C23
17	A	851	BCR	C20-C21-C22-C37
17	A	851	BCR	C37-C22-C23-C24
17	A	851	BCR	C22-C23-C24-C25
17	B	847	BCR	C6-C7-C8-C9
17	B	847	BCR	C18-C19-C20-C21
17	B	848	BCR	C1-C6-C7-C8
17	B	848	BCR	C11-C10-C9-C8
17	B	848	BCR	C37-C22-C23-C24
17	B	849	BCR	C37-C22-C23-C24
17	B	850	BCR	C1-C6-C7-C8
17	B	850	BCR	C10-C11-C12-C13
17	B	850	BCR	C11-C12-C13-C14
17	B	850	BCR	C11-C12-C13-C35
17	B	850	BCR	C21-C22-C23-C24
17	B	850	BCR	C37-C22-C23-C24
17	B	850	BCR	C22-C23-C24-C25
17	B	851	BCR	C7-C8-C9-C34
17	B	851	BCR	C11-C10-C9-C8
17	B	851	BCR	C10-C11-C12-C13
17	B	851	BCR	C11-C12-C13-C35
17	B	851	BCR	C14-C15-C16-C17
17	B	851	BCR	C18-C19-C20-C21
17	B	851	BCR	C37-C22-C23-C24
17	B	851	BCR	C22-C23-C24-C25
17	B	851	BCR	C23-C24-C25-C30
17	B	852	BCR	C21-C22-C23-C24
17	B	852	BCR	C37-C22-C23-C24
17	B	852	BCR	C22-C23-C24-C25
17	B	852	BCR	C23-C24-C25-C30
17	B	854	BCR	C20-C21-C22-C37
17	B	854	BCR	C22-C23-C24-C25
17	F	203	BCR	C1-C6-C7-C8
17	F	203	BCR	C7-C8-C9-C10
17	F	203	BCR	C35-C13-C14-C15
17	F	203	BCR	C21-C22-C23-C24
17	F	203	BCR	C37-C22-C23-C24
17	F	206	BCR	C1-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	F	206	BCR	C6-C7-C8-C9
17	F	206	BCR	C7-C8-C9-C10
17	F	206	BCR	C10-C11-C12-C13
17	F	206	BCR	C21-C22-C23-C24
17	F	206	BCR	C37-C22-C23-C24
17	I	101	BCR	C6-C7-C8-C9
17	I	101	BCR	C7-C8-C9-C10
17	I	101	BCR	C7-C8-C9-C34
17	I	101	BCR	C11-C12-C13-C14
17	I	101	BCR	C11-C12-C13-C35
17	I	101	BCR	C37-C22-C23-C24
17	I	102	BCR	C5-C6-C7-C8
17	I	102	BCR	C6-C7-C8-C9
17	I	102	BCR	C7-C8-C9-C34
17	I	102	BCR	C10-C11-C12-C13
17	I	102	BCR	C11-C12-C13-C14
17	I	102	BCR	C12-C13-C14-C15
17	I	102	BCR	C16-C17-C18-C36
17	I	102	BCR	C23-C24-C25-C30
17	J	103	BCR	C6-C7-C8-C9
17	J	103	BCR	C36-C18-C19-C20
17	J	103	BCR	C22-C23-C24-C25
17	J	104	BCR	C20-C21-C22-C37
17	J	104	BCR	C21-C22-C23-C24
17	J	104	BCR	C37-C22-C23-C24
17	L	1504	BCR	C1-C6-C7-C8
17	L	1504	BCR	C17-C18-C19-C20
17	L	1504	BCR	C37-C22-C23-C24
17	L	1504	BCR	C23-C24-C25-C26
17	L	1504	BCR	C23-C24-C25-C30
17	L	1505	BCR	C1-C6-C7-C8
17	L	1505	BCR	C6-C7-C8-C9
17	L	1505	BCR	C11-C10-C9-C34
17	L	1505	BCR	C37-C22-C23-C24
17	L	1505	BCR	C22-C23-C24-C25
17	M	102	BCR	C7-C8-C9-C34
17	M	102	BCR	C20-C21-C22-C37
17	M	102	BCR	C21-C22-C23-C24
17	M	102	BCR	C22-C23-C24-C25
17	K	4001	BCR	C1-C6-C7-C8
17	K	4001	BCR	C7-C8-C9-C34
17	K	4001	BCR	C21-C22-C23-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	K	4001	BCR	C37-C22-C23-C24
17	K	4005	BCR	C35-C13-C14-C15
17	K	4005	BCR	C18-C19-C20-C21
17	K	4005	BCR	C37-C22-C23-C24
17	a	847	BCR	C1-C6-C7-C8
17	a	847	BCR	C6-C7-C8-C9
17	a	847	BCR	C11-C12-C13-C35
17	a	847	BCR	C20-C21-C22-C23
17	a	847	BCR	C20-C21-C22-C37
17	a	847	BCR	C37-C22-C23-C24
17	a	848	BCR	C1-C6-C7-C8
17	a	848	BCR	C11-C12-C13-C35
17	a	848	BCR	C21-C22-C23-C24
17	a	848	BCR	C37-C22-C23-C24
17	a	849	BCR	C1-C6-C7-C8
17	a	849	BCR	C7-C8-C9-C34
17	a	849	BCR	C22-C23-C24-C25
17	a	850	BCR	C1-C6-C7-C8
17	a	850	BCR	C7-C8-C9-C34
17	a	850	BCR	C11-C12-C13-C35
17	a	850	BCR	C14-C15-C16-C17
17	a	850	BCR	C16-C17-C18-C19
17	a	850	BCR	C36-C18-C19-C20
17	a	850	BCR	C18-C19-C20-C21
17	a	850	BCR	C20-C21-C22-C23
17	a	850	BCR	C20-C21-C22-C37
17	a	850	BCR	C22-C23-C24-C25
17	a	851	BCR	C7-C8-C9-C10
17	a	851	BCR	C10-C11-C12-C13
17	a	851	BCR	C11-C12-C13-C35
17	a	851	BCR	C17-C18-C19-C20
17	a	851	BCR	C36-C18-C19-C20
17	a	851	BCR	C18-C19-C20-C21
17	a	851	BCR	C20-C21-C22-C23
17	a	851	BCR	C20-C21-C22-C37
17	a	851	BCR	C37-C22-C23-C24
17	a	851	BCR	C22-C23-C24-C25
17	1	847	BCR	C1-C6-C7-C8
17	1	847	BCR	C6-C7-C8-C9
17	1	847	BCR	C11-C12-C13-C35
17	1	847	BCR	C20-C21-C22-C23
17	1	847	BCR	C20-C21-C22-C37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	1	847	BCR	C37-C22-C23-C24
17	1	848	BCR	C1-C6-C7-C8
17	1	848	BCR	C11-C12-C13-C35
17	1	848	BCR	C21-C22-C23-C24
17	1	848	BCR	C37-C22-C23-C24
17	1	849	BCR	C1-C6-C7-C8
17	1	849	BCR	C7-C8-C9-C34
17	1	849	BCR	C22-C23-C24-C25
17	1	850	BCR	C1-C6-C7-C8
17	1	850	BCR	C7-C8-C9-C34
17	1	850	BCR	C11-C12-C13-C35
17	1	850	BCR	C14-C15-C16-C17
17	1	850	BCR	C16-C17-C18-C19
17	1	850	BCR	C36-C18-C19-C20
17	1	850	BCR	C18-C19-C20-C21
17	1	850	BCR	C20-C21-C22-C23
17	1	850	BCR	C20-C21-C22-C37
17	1	850	BCR	C22-C23-C24-C25
17	1	851	BCR	C7-C8-C9-C10
17	1	851	BCR	C10-C11-C12-C13
17	1	851	BCR	C11-C12-C13-C35
17	1	851	BCR	C17-C18-C19-C20
17	1	851	BCR	C36-C18-C19-C20
17	1	851	BCR	C18-C19-C20-C21
17	1	851	BCR	C20-C21-C22-C23
17	1	851	BCR	C20-C21-C22-C37
17	1	851	BCR	C37-C22-C23-C24
17	1	851	BCR	C22-C23-C24-C25
17	b	846	BCR	C6-C7-C8-C9
17	b	846	BCR	C18-C19-C20-C21
17	b	847	BCR	C1-C6-C7-C8
17	b	847	BCR	C11-C10-C9-C8
17	b	847	BCR	C37-C22-C23-C24
17	b	848	BCR	C37-C22-C23-C24
17	b	849	BCR	C1-C6-C7-C8
17	b	849	BCR	C10-C11-C12-C13
17	b	849	BCR	C11-C12-C13-C14
17	b	849	BCR	C11-C12-C13-C35
17	b	849	BCR	C21-C22-C23-C24
17	b	849	BCR	C37-C22-C23-C24
17	b	849	BCR	C22-C23-C24-C25
17	b	850	BCR	C7-C8-C9-C34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	b	850	BCR	C11-C10-C9-C8
17	b	850	BCR	C10-C11-C12-C13
17	b	850	BCR	C11-C12-C13-C35
17	b	850	BCR	C14-C15-C16-C17
17	b	850	BCR	C18-C19-C20-C21
17	b	850	BCR	C37-C22-C23-C24
17	b	850	BCR	C22-C23-C24-C25
17	b	850	BCR	C23-C24-C25-C30
17	b	851	BCR	C21-C22-C23-C24
17	b	851	BCR	C37-C22-C23-C24
17	b	851	BCR	C22-C23-C24-C25
17	b	851	BCR	C23-C24-C25-C30
17	b	853	BCR	C20-C21-C22-C37
17	b	853	BCR	C22-C23-C24-C25
17	b	854	BCR	C7-C8-C9-C34
17	b	854	BCR	C20-C21-C22-C37
17	b	854	BCR	C21-C22-C23-C24
17	b	854	BCR	C22-C23-C24-C25
17	2	846	BCR	C6-C7-C8-C9
17	2	846	BCR	C18-C19-C20-C21
17	2	847	BCR	C1-C6-C7-C8
17	2	847	BCR	C11-C10-C9-C8
17	2	847	BCR	C37-C22-C23-C24
17	2	848	BCR	C37-C22-C23-C24
17	2	849	BCR	C1-C6-C7-C8
17	2	849	BCR	C10-C11-C12-C13
17	2	849	BCR	C11-C12-C13-C14
17	2	849	BCR	C11-C12-C13-C35
17	2	849	BCR	C21-C22-C23-C24
17	2	849	BCR	C37-C22-C23-C24
17	2	849	BCR	C22-C23-C24-C25
17	2	850	BCR	C7-C8-C9-C34
17	2	850	BCR	C11-C10-C9-C8
17	2	850	BCR	C10-C11-C12-C13
17	2	850	BCR	C11-C12-C13-C35
17	2	850	BCR	C14-C15-C16-C17
17	2	850	BCR	C18-C19-C20-C21
17	2	850	BCR	C37-C22-C23-C24
17	2	850	BCR	C22-C23-C24-C25
17	2	850	BCR	C23-C24-C25-C30
17	2	851	BCR	C21-C22-C23-C24
17	2	851	BCR	C37-C22-C23-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	2	851	BCR	C22-C23-C24-C25
17	2	851	BCR	C23-C24-C25-C30
17	f	203	BCR	C1-C6-C7-C8
17	f	203	BCR	C7-C8-C9-C10
17	f	203	BCR	C35-C13-C14-C15
17	f	203	BCR	C21-C22-C23-C24
17	f	203	BCR	C37-C22-C23-C24
17	f	206	BCR	C1-C6-C7-C8
17	f	206	BCR	C6-C7-C8-C9
17	f	206	BCR	C7-C8-C9-C10
17	f	206	BCR	C10-C11-C12-C13
17	f	206	BCR	C21-C22-C23-C24
17	f	206	BCR	C37-C22-C23-C24
17	6	4402	BCR	C1-C6-C7-C8
17	6	4402	BCR	C7-C8-C9-C10
17	6	4402	BCR	C35-C13-C14-C15
17	6	4402	BCR	C21-C22-C23-C24
17	6	4402	BCR	C37-C22-C23-C24
17	6	4405	BCR	C1-C6-C7-C8
17	6	4405	BCR	C6-C7-C8-C9
17	6	4405	BCR	C7-C8-C9-C10
17	6	4405	BCR	C10-C11-C12-C13
17	6	4405	BCR	C21-C22-C23-C24
17	6	4405	BCR	C37-C22-C23-C24
17	6	4406	BCR	C20-C21-C22-C37
17	6	4406	BCR	C22-C23-C24-C25
17	i	4102	BCR	C6-C7-C8-C9
17	i	4102	BCR	C7-C8-C9-C10
17	i	4102	BCR	C7-C8-C9-C34
17	i	4102	BCR	C11-C12-C13-C14
17	i	4102	BCR	C11-C12-C13-C35
17	i	4102	BCR	C37-C22-C23-C24
17	i	4103	BCR	C5-C6-C7-C8
17	i	4103	BCR	C6-C7-C8-C9
17	i	4103	BCR	C7-C8-C9-C34
17	i	4103	BCR	C10-C11-C12-C13
17	i	4103	BCR	C11-C12-C13-C14
17	i	4103	BCR	C12-C13-C14-C15
17	i	4103	BCR	C16-C17-C18-C36
17	i	4103	BCR	C23-C24-C25-C30
17	h	101	BCR	C6-C7-C8-C9
17	h	101	BCR	C7-C8-C9-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	h	101	BCR	C7-C8-C9-C34
17	h	101	BCR	C11-C12-C13-C14
17	h	101	BCR	C11-C12-C13-C35
17	h	101	BCR	C37-C22-C23-C24
17	h	102	BCR	C5-C6-C7-C8
17	h	102	BCR	C6-C7-C8-C9
17	h	102	BCR	C7-C8-C9-C34
17	h	102	BCR	C10-C11-C12-C13
17	h	102	BCR	C11-C12-C13-C14
17	h	102	BCR	C12-C13-C14-C15
17	h	102	BCR	C16-C17-C18-C36
17	h	102	BCR	C23-C24-C25-C30
17	j	103	BCR	C6-C7-C8-C9
17	j	103	BCR	C36-C18-C19-C20
17	j	103	BCR	C22-C23-C24-C25
17	j	104	BCR	C20-C21-C22-C37
17	j	104	BCR	C21-C22-C23-C24
17	j	104	BCR	C37-C22-C23-C24
17	7	1104	BCR	C6-C7-C8-C9
17	7	1104	BCR	C36-C18-C19-C20
17	7	1104	BCR	C22-C23-C24-C25
17	7	1105	BCR	C20-C21-C22-C37
17	7	1105	BCR	C21-C22-C23-C24
17	7	1105	BCR	C37-C22-C23-C24
17	k	4001	BCR	C1-C6-C7-C8
17	k	4001	BCR	C7-C8-C9-C34
17	k	4001	BCR	C21-C22-C23-C24
17	k	4001	BCR	C37-C22-C23-C24
17	k	4004	BCR	C35-C13-C14-C15
17	k	4004	BCR	C18-C19-C20-C21
17	k	4004	BCR	C37-C22-C23-C24
17	8	4001	BCR	C1-C6-C7-C8
17	8	4001	BCR	C7-C8-C9-C34
17	8	4001	BCR	C21-C22-C23-C24
17	8	4001	BCR	C37-C22-C23-C24
17	8	4005	BCR	C35-C13-C14-C15
17	8	4005	BCR	C18-C19-C20-C21
17	8	4005	BCR	C37-C22-C23-C24
17	l	4207	BCR	C1-C6-C7-C8
17	l	4207	BCR	C17-C18-C19-C20
17	l	4207	BCR	C37-C22-C23-C24
17	l	4207	BCR	C23-C24-C25-C26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	l	4207	BCR	C23-C24-C25-C30
17	0	204	BCR	C1-C6-C7-C8
17	0	204	BCR	C6-C7-C8-C9
17	0	204	BCR	C11-C10-C9-C34
17	0	204	BCR	C37-C22-C23-C24
17	0	204	BCR	C22-C23-C24-C25
17	0	209	BCR	C1-C6-C7-C8
17	0	209	BCR	C17-C18-C19-C20
17	0	209	BCR	C37-C22-C23-C24
17	0	209	BCR	C23-C24-C25-C26
17	0	209	BCR	C23-C24-C25-C30
17	0	210	BCR	C1-C6-C7-C8
17	0	210	BCR	C6-C7-C8-C9
17	0	210	BCR	C11-C10-C9-C34
17	0	210	BCR	C37-C22-C23-C24
17	0	210	BCR	C22-C23-C24-C25
17	9	102	BCR	C7-C8-C9-C34
17	9	102	BCR	C20-C21-C22-C37
17	9	102	BCR	C21-C22-C23-C24
17	9	102	BCR	C22-C23-C24-C25
18	A	852	LMG	C11-C10-O7-C8
18	A	853	LMG	C2-C1-O1-C7
18	A	853	LMG	O6-C1-O1-C7
18	L	1506	LMG	C9-C8-O7-C10
18	L	1506	LMG	C11-C10-O7-C8
18	a	852	LMG	C11-C10-O7-C8
18	a	853	LMG	C2-C1-O1-C7
18	a	853	LMG	O6-C1-O1-C7
18	1	852	LMG	C2-C1-O1-C7
18	1	852	LMG	O6-C1-O1-C7
18	l	4202	LMG	C9-C8-O7-C10
18	l	4202	LMG	C11-C10-O7-C8
18	0	201	LMG	C9-C8-O7-C10
18	0	201	LMG	C11-C10-O7-C8
18	0	203	LMG	C11-C10-O7-C8
19	I	103	LMT	O5'-C1'-O1'-C1
19	I	103	LMT	C2-C1-O1'-C1'
19	i	4101	LMT	O5'-C1'-O1'-C1
19	i	4101	LMT	C2-C1-O1'-C1'
19	h	103	LMT	O5'-C1'-O1'-C1
19	h	103	LMT	C2-C1-O1'-C1'
14	A	818	CLA	O1D-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	819	CLA	O1D-CGD-O2D-CED
14	1	817	CLA	O1D-CGD-O2D-CED
14	B	837	CLA	O1D-CGD-O2D-CED
14	F	201	CLA	O1D-CGD-O2D-CED
14	K	4002	CLA	O1D-CGD-O2D-CED
14	1	841	CLA	O1D-CGD-O2D-CED
14	b	836	CLA	O1D-CGD-O2D-CED
14	2	836	CLA	O1D-CGD-O2D-CED
14	f	201	CLA	O1D-CGD-O2D-CED
14	k	4002	CLA	O1D-CGD-O2D-CED
14	8	4002	CLA	O1D-CGD-O2D-CED
14	A	818	CLA	CBD-CGD-O2D-CED
14	A	823	CLA	CBD-CGD-O2D-CED
14	A	825	CLA	CBD-CGD-O2D-CED
14	A	832	CLA	CBD-CGD-O2D-CED
14	A	834	CLA	CBD-CGD-O2D-CED
14	B	805	CLA	CBD-CGD-O2D-CED
14	B	815	CLA	CBD-CGD-O2D-CED
14	B	817	CLA	CBD-CGD-O2D-CED
14	F	201	CLA	CBD-CGD-O2D-CED
14	K	4002	CLA	CBD-CGD-O2D-CED
14	K	4003	CLA	CBD-CGD-O2D-CED
14	a	819	CLA	CBD-CGD-O2D-CED
14	a	824	CLA	CBD-CGD-O2D-CED
14	a	826	CLA	CBD-CGD-O2D-CED
14	a	833	CLA	CBD-CGD-O2D-CED
14	a	835	CLA	CBD-CGD-O2D-CED
14	1	817	CLA	CBD-CGD-O2D-CED
14	1	822	CLA	CBD-CGD-O2D-CED
14	1	824	CLA	CBD-CGD-O2D-CED
14	1	831	CLA	CBD-CGD-O2D-CED
14	1	833	CLA	CBD-CGD-O2D-CED
14	1	841	CLA	CBD-CGD-O2D-CED
14	b	805	CLA	CBD-CGD-O2D-CED
14	b	814	CLA	CBD-CGD-O2D-CED
14	b	816	CLA	CBD-CGD-O2D-CED
14	2	804	CLA	CBD-CGD-O2D-CED
14	2	814	CLA	CBD-CGD-O2D-CED
14	2	816	CLA	CBD-CGD-O2D-CED
14	f	201	CLA	CBD-CGD-O2D-CED
14	k	4002	CLA	CBD-CGD-O2D-CED
14	k	4003	CLA	CBD-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	8	4002	CLA	CBD-CGD-O2D-CED
14	8	4003	CLA	CBD-CGD-O2D-CED
14	A	834	CLA	O1A-CGA-O2A-C1
14	B	809	CLA	O1A-CGA-O2A-C1
14	B	829	CLA	O1A-CGA-O2A-C1
14	B	843	CLA	O1A-CGA-O2A-C1
14	a	835	CLA	O1A-CGA-O2A-C1
14	1	833	CLA	O1A-CGA-O2A-C1
14	b	809	CLA	O1A-CGA-O2A-C1
14	b	828	CLA	O1A-CGA-O2A-C1
14	b	842	CLA	O1A-CGA-O2A-C1
14	2	808	CLA	O1A-CGA-O2A-C1
14	2	828	CLA	O1A-CGA-O2A-C1
14	2	842	CLA	O1A-CGA-O2A-C1
14	B	839	CLA	O1A-CGA-O2A-C1
14	b	838	CLA	O1A-CGA-O2A-C1
14	2	838	CLA	O1A-CGA-O2A-C1
14	B	822	CLA	O1D-CGD-O2D-CED
14	b	821	CLA	O1D-CGD-O2D-CED
14	2	821	CLA	O1D-CGD-O2D-CED
19	I	103	LMT	O5B-C1B-O1B-C4'
19	i	4101	LMT	O5B-C1B-O1B-C4'
19	h	103	LMT	O5B-C1B-O1B-C4'
14	B	844	CLA	O1D-CGD-O2D-CED
14	K	4003	CLA	O1D-CGD-O2D-CED
14	b	843	CLA	O1D-CGD-O2D-CED
14	2	843	CLA	O1D-CGD-O2D-CED
14	k	4003	CLA	O1D-CGD-O2D-CED
14	8	4003	CLA	O1D-CGD-O2D-CED
12	A	801	LHG	C24-C23-O8-C6
12	a	801	LHG	C24-C23-O8-C6
12	1	801	LHG	C24-C23-O8-C6
14	B	809	CLA	CBA-CGA-O2A-C1
14	b	809	CLA	CBA-CGA-O2A-C1
14	2	808	CLA	CBA-CGA-O2A-C1
14	A	804	CLA	CBD-CGD-O2D-CED
14	A	809	CLA	CBD-CGD-O2D-CED
14	A	812	CLA	CBD-CGD-O2D-CED
14	A	824	CLA	CBD-CGD-O2D-CED
14	A	837	CLA	CBD-CGD-O2D-CED
14	A	841	CLA	CBD-CGD-O2D-CED
14	A	844	CLA	CBD-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	B	840	CLA	CBD-CGD-O2D-CED
14	a	805	CLA	CBD-CGD-O2D-CED
14	a	810	CLA	CBD-CGD-O2D-CED
14	a	813	CLA	CBD-CGD-O2D-CED
14	a	825	CLA	CBD-CGD-O2D-CED
14	a	838	CLA	CBD-CGD-O2D-CED
14	a	844	CLA	CBD-CGD-O2D-CED
14	1	804	CLA	CBD-CGD-O2D-CED
14	1	808	CLA	CBD-CGD-O2D-CED
14	1	811	CLA	CBD-CGD-O2D-CED
14	1	823	CLA	CBD-CGD-O2D-CED
14	1	836	CLA	CBD-CGD-O2D-CED
14	1	840	CLA	CBD-CGD-O2D-CED
14	1	844	CLA	CBD-CGD-O2D-CED
14	b	802	CLA	CBD-CGD-O2D-CED
14	b	839	CLA	CBD-CGD-O2D-CED
14	2	839	CLA	CBD-CGD-O2D-CED
14	A	814	CLA	O1A-CGA-O2A-C1
14	A	825	CLA	O1A-CGA-O2A-C1
14	A	836	CLA	O1A-CGA-O2A-C1
14	B	808	CLA	O1A-CGA-O2A-C1
14	B	812	CLA	O1A-CGA-O2A-C1
14	B	816	CLA	O1A-CGA-O2A-C1
14	F	201	CLA	O1A-CGA-O2A-C1
14	a	815	CLA	O1A-CGA-O2A-C1
14	a	826	CLA	O1A-CGA-O2A-C1
14	a	837	CLA	O1A-CGA-O2A-C1
14	1	813	CLA	O1A-CGA-O2A-C1
14	1	824	CLA	O1A-CGA-O2A-C1
14	1	835	CLA	O1A-CGA-O2A-C1
14	1	841	CLA	O1A-CGA-O2A-C1
14	b	808	CLA	O1A-CGA-O2A-C1
14	b	812	CLA	O1A-CGA-O2A-C1
14	b	815	CLA	O1A-CGA-O2A-C1
14	2	807	CLA	O1A-CGA-O2A-C1
14	2	811	CLA	O1A-CGA-O2A-C1
14	2	815	CLA	O1A-CGA-O2A-C1
14	f	201	CLA	O1A-CGA-O2A-C1
14	B	817	CLA	O1A-CGA-O2A-C1
14	b	816	CLA	O1A-CGA-O2A-C1
14	2	816	CLA	O1A-CGA-O2A-C1
14	B	826	CLA	O1D-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	b	825	CLA	O1D-CGD-O2D-CED
14	2	825	CLA	O1D-CGD-O2D-CED
14	A	813	CLA	O1D-CGD-O2D-CED
14	A	816	CLA	O1D-CGD-O2D-CED
14	A	817	CLA	O1D-CGD-O2D-CED
14	a	814	CLA	O1D-CGD-O2D-CED
14	a	817	CLA	O1D-CGD-O2D-CED
14	a	818	CLA	O1D-CGD-O2D-CED
14	1	812	CLA	O1D-CGD-O2D-CED
14	1	815	CLA	O1D-CGD-O2D-CED
14	1	816	CLA	O1D-CGD-O2D-CED
14	A	821	CLA	CBD-CGD-O2D-CED
14	A	835	CLA	CBD-CGD-O2D-CED
14	B	814	CLA	CBD-CGD-O2D-CED
14	a	822	CLA	CBD-CGD-O2D-CED
14	a	836	CLA	CBD-CGD-O2D-CED
14	1	820	CLA	CBD-CGD-O2D-CED
14	1	834	CLA	CBD-CGD-O2D-CED
14	b	813	CLA	CBD-CGD-O2D-CED
14	2	813	CLA	CBD-CGD-O2D-CED
14	J	101	CLA	O1D-CGD-O2D-CED
14	j	101	CLA	O1D-CGD-O2D-CED
14	7	1102	CLA	O1D-CGD-O2D-CED
18	A	852	LMG	O9-C10-O7-C8
18	L	1506	LMG	O9-C10-O7-C8
18	a	852	LMG	O9-C10-O7-C8
18	l	4202	LMG	O9-C10-O7-C8
18	0	201	LMG	O9-C10-O7-C8
18	0	203	LMG	O9-C10-O7-C8
14	A	830	CLA	C3-C5-C6-C7
14	A	842	CLA	C3-C5-C6-C7
14	A	843	CLA	C3-C5-C6-C7
14	B	809	CLA	C3-C5-C6-C7
14	B	816	CLA	C3-C5-C6-C7
14	B	820	CLA	C3-C5-C6-C7
14	B	827	CLA	C3-C5-C6-C7
14	B	829	CLA	C3-C5-C6-C7
14	a	831	CLA	C3-C5-C6-C7
14	a	842	CLA	C3-C5-C6-C7
14	a	843	CLA	C3-C5-C6-C7
14	1	829	CLA	C3-C5-C6-C7
14	1	842	CLA	C3-C5-C6-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	1	843	CLA	C3-C5-C6-C7
14	b	809	CLA	C3-C5-C6-C7
14	b	815	CLA	C3-C5-C6-C7
14	b	819	CLA	C3-C5-C6-C7
14	b	826	CLA	C3-C5-C6-C7
14	b	828	CLA	C3-C5-C6-C7
14	2	808	CLA	C3-C5-C6-C7
14	2	815	CLA	C3-C5-C6-C7
14	2	819	CLA	C3-C5-C6-C7
14	2	826	CLA	C3-C5-C6-C7
14	2	828	CLA	C3-C5-C6-C7
14	A	814	CLA	CBA-CGA-O2A-C1
14	A	834	CLA	CBA-CGA-O2A-C1
14	A	836	CLA	CBA-CGA-O2A-C1
14	B	808	CLA	CBA-CGA-O2A-C1
14	B	816	CLA	CBA-CGA-O2A-C1
14	B	829	CLA	CBA-CGA-O2A-C1
14	B	843	CLA	CBA-CGA-O2A-C1
14	a	815	CLA	CBA-CGA-O2A-C1
14	a	835	CLA	CBA-CGA-O2A-C1
14	a	837	CLA	CBA-CGA-O2A-C1
14	1	813	CLA	CBA-CGA-O2A-C1
14	1	833	CLA	CBA-CGA-O2A-C1
14	1	835	CLA	CBA-CGA-O2A-C1
14	b	808	CLA	CBA-CGA-O2A-C1
14	b	815	CLA	CBA-CGA-O2A-C1
14	b	828	CLA	CBA-CGA-O2A-C1
14	b	842	CLA	CBA-CGA-O2A-C1
14	2	807	CLA	CBA-CGA-O2A-C1
14	2	815	CLA	CBA-CGA-O2A-C1
14	2	828	CLA	CBA-CGA-O2A-C1
14	2	842	CLA	CBA-CGA-O2A-C1
14	A	825	CLA	O1D-CGD-O2D-CED
14	a	826	CLA	O1D-CGD-O2D-CED
14	1	824	CLA	O1D-CGD-O2D-CED
14	F	205	CLA	CBD-CGD-O2D-CED
14	f	205	CLA	CBD-CGD-O2D-CED
14	6	4404	CLA	CBD-CGD-O2D-CED
14	A	818	CLA	O1A-CGA-O2A-C1
14	a	819	CLA	O1A-CGA-O2A-C1
14	1	817	CLA	O1A-CGA-O2A-C1
14	B	844	CLA	C4-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	b	843	CLA	C4-C3-C5-C6
14	2	843	CLA	C4-C3-C5-C6
14	A	819	CLA	C2-C3-C5-C6
14	a	820	CLA	C2-C3-C5-C6
14	1	818	CLA	C2-C3-C5-C6
14	B	818	CLA	CBD-CGD-O2D-CED
14	2	817	CLA	CBD-CGD-O2D-CED
14	A	831	CLA	C2A-CAA-CBA-CGA
14	A	843	CLA	C2A-CAA-CBA-CGA
14	B	804	CLA	C2A-CAA-CBA-CGA
14	B	812	CLA	C2A-CAA-CBA-CGA
14	B	830	CLA	C2A-CAA-CBA-CGA
14	B	839	CLA	C2A-CAA-CBA-CGA
14	a	832	CLA	C2A-CAA-CBA-CGA
14	a	843	CLA	C2A-CAA-CBA-CGA
14	1	830	CLA	C2A-CAA-CBA-CGA
14	1	843	CLA	C2A-CAA-CBA-CGA
14	b	804	CLA	C2A-CAA-CBA-CGA
14	b	812	CLA	C2A-CAA-CBA-CGA
14	b	829	CLA	C2A-CAA-CBA-CGA
14	b	838	CLA	C2A-CAA-CBA-CGA
14	2	803	CLA	C2A-CAA-CBA-CGA
14	2	811	CLA	C2A-CAA-CBA-CGA
14	2	829	CLA	C2A-CAA-CBA-CGA
14	2	838	CLA	C2A-CAA-CBA-CGA
14	B	801	CLA	C3-C5-C6-C7
14	B	812	CLA	C3-C5-C6-C7
14	a	804	CLA	C3-C5-C6-C7
14	b	812	CLA	C3-C5-C6-C7
14	2	801	CLA	C3-C5-C6-C7
14	2	811	CLA	C3-C5-C6-C7
14	A	825	CLA	CBA-CGA-O2A-C1
14	A	826	CLA	CBA-CGA-O2A-C1
14	B	802	CLA	CBA-CGA-O2A-C1
14	B	806	CLA	CBA-CGA-O2A-C1
14	B	812	CLA	CBA-CGA-O2A-C1
14	B	840	CLA	CBA-CGA-O2A-C1
14	F	201	CLA	CBA-CGA-O2A-C1
14	a	826	CLA	CBA-CGA-O2A-C1
14	a	827	CLA	CBA-CGA-O2A-C1
14	1	824	CLA	CBA-CGA-O2A-C1
14	1	825	CLA	CBA-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	1	841	CLA	CBA-CGA-O2A-C1
14	b	801	CLA	CBA-CGA-O2A-C1
14	b	806	CLA	CBA-CGA-O2A-C1
14	b	812	CLA	CBA-CGA-O2A-C1
14	b	839	CLA	CBA-CGA-O2A-C1
14	2	805	CLA	CBA-CGA-O2A-C1
14	2	811	CLA	CBA-CGA-O2A-C1
14	2	839	CLA	CBA-CGA-O2A-C1
14	f	201	CLA	CBA-CGA-O2A-C1
14	0	202	CLA	CBA-CGA-O2A-C1
14	A	834	CLA	O1D-CGD-O2D-CED
14	B	805	CLA	O1D-CGD-O2D-CED
14	a	835	CLA	O1D-CGD-O2D-CED
14	1	833	CLA	O1D-CGD-O2D-CED
14	b	805	CLA	O1D-CGD-O2D-CED
14	2	804	CLA	O1D-CGD-O2D-CED
14	b	817	CLA	CBD-CGD-O2D-CED
14	B	817	CLA	O1D-CGD-O2D-CED
14	b	816	CLA	O1D-CGD-O2D-CED
14	2	816	CLA	O1D-CGD-O2D-CED
14	A	815	CLA	O1A-CGA-O2A-C1
14	A	823	CLA	O1A-CGA-O2A-C1
14	A	826	CLA	O1A-CGA-O2A-C1
14	B	801	CLA	O1A-CGA-O2A-C1
14	B	840	CLA	O1A-CGA-O2A-C1
14	a	804	CLA	O1A-CGA-O2A-C1
14	a	816	CLA	O1A-CGA-O2A-C1
14	a	824	CLA	O1A-CGA-O2A-C1
14	a	827	CLA	O1A-CGA-O2A-C1
14	1	814	CLA	O1A-CGA-O2A-C1
14	1	822	CLA	O1A-CGA-O2A-C1
14	1	825	CLA	O1A-CGA-O2A-C1
14	b	839	CLA	O1A-CGA-O2A-C1
14	2	801	CLA	O1A-CGA-O2A-C1
14	2	839	CLA	O1A-CGA-O2A-C1
17	A	850	BCR	C15-C16-C17-C18
17	B	850	BCR	C9-C10-C11-C12
17	B	851	BCR	C19-C20-C21-C22
17	a	850	BCR	C15-C16-C17-C18
17	1	850	BCR	C15-C16-C17-C18
17	b	849	BCR	C9-C10-C11-C12
17	b	850	BCR	C19-C20-C21-C22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	2	849	BCR	C9-C10-C11-C12
17	2	850	BCR	C19-C20-C21-C22
14	A	810	CLA	CBD-CGD-O2D-CED
14	A	838	CLA	CBD-CGD-O2D-CED
14	A	843	CLA	CBD-CGD-O2D-CED
14	B	809	CLA	CBD-CGD-O2D-CED
14	B	831	CLA	CBD-CGD-O2D-CED
14	a	811	CLA	CBD-CGD-O2D-CED
14	a	839	CLA	CBD-CGD-O2D-CED
14	a	843	CLA	CBD-CGD-O2D-CED
14	1	809	CLA	CBD-CGD-O2D-CED
14	1	837	CLA	CBD-CGD-O2D-CED
14	1	843	CLA	CBD-CGD-O2D-CED
14	b	809	CLA	CBD-CGD-O2D-CED
14	b	830	CLA	CBD-CGD-O2D-CED
14	2	808	CLA	CBD-CGD-O2D-CED
14	2	830	CLA	CBD-CGD-O2D-CED
12	A	802	LHG	O2-C2-C3-O3
12	a	802	LHG	O2-C2-C3-O3
12	1	802	LHG	O2-C2-C3-O3
12	m	101	LHG	O2-C2-C3-O3
12	9	101	LHG	O2-C2-C3-O3
14	A	814	CLA	C3-C5-C6-C7
14	a	815	CLA	C3-C5-C6-C7
14	1	813	CLA	C3-C5-C6-C7
14	A	811	CLA	CBA-CGA-O2A-C1
14	A	823	CLA	CBA-CGA-O2A-C1
14	A	839	CLA	CBA-CGA-O2A-C1
14	B	801	CLA	CBA-CGA-O2A-C1
14	B	821	CLA	CBA-CGA-O2A-C1
14	a	804	CLA	CBA-CGA-O2A-C1
14	a	812	CLA	CBA-CGA-O2A-C1
14	a	824	CLA	CBA-CGA-O2A-C1
14	a	840	CLA	CBA-CGA-O2A-C1
14	1	810	CLA	CBA-CGA-O2A-C1
14	1	822	CLA	CBA-CGA-O2A-C1
14	1	838	CLA	CBA-CGA-O2A-C1
14	b	820	CLA	CBA-CGA-O2A-C1
14	2	801	CLA	CBA-CGA-O2A-C1
14	2	820	CLA	CBA-CGA-O2A-C1
14	B	802	CLA	O1A-CGA-O2A-C1
14	B	806	CLA	O1A-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	b	801	CLA	O1A-CGA-O2A-C1
14	b	806	CLA	O1A-CGA-O2A-C1
14	2	805	CLA	O1A-CGA-O2A-C1
14	0	202	CLA	O1A-CGA-O2A-C1
14	B	834	CLA	CBD-CGD-O2D-CED
14	b	833	CLA	CBD-CGD-O2D-CED
14	2	833	CLA	CBD-CGD-O2D-CED
17	J	104	BCR	C14-C15-C16-C17
17	j	104	BCR	C14-C15-C16-C17
17	7	1105	BCR	C14-C15-C16-C17
19	F	202	LMT	O5'-C5'-C6'-O6'
19	f	202	LMT	O5'-C5'-C6'-O6'
19	6	4401	LMT	O5'-C5'-C6'-O6'
14	B	815	CLA	O1D-CGD-O2D-CED
14	2	814	CLA	O1D-CGD-O2D-CED
14	a	840	CLA	CBD-CGD-O2D-CED
14	1	838	CLA	CBD-CGD-O2D-CED
14	A	815	CLA	CBA-CGA-O2A-C1
14	a	816	CLA	CBA-CGA-O2A-C1
14	1	814	CLA	CBA-CGA-O2A-C1
14	b	814	CLA	O1D-CGD-O2D-CED
18	L	1506	LMG	O6-C5-C6-O5
18	l	4202	LMG	O6-C5-C6-O5
18	0	201	LMG	O6-C5-C6-O5
14	A	839	CLA	O1A-CGA-O2A-C1
14	a	840	CLA	O1A-CGA-O2A-C1
14	1	838	CLA	O1A-CGA-O2A-C1
14	B	801	CLA	C4-C3-C5-C6
14	L	1503	CLA	C4-C3-C5-C6
14	a	804	CLA	C4-C3-C5-C6
14	2	801	CLA	C4-C3-C5-C6
14	l	4206	CLA	C4-C3-C5-C6
14	0	208	CLA	C4-C3-C5-C6
14	B	801	CLA	C2-C3-C5-C6
14	L	1503	CLA	C2-C3-C5-C6
14	a	804	CLA	C2-C3-C5-C6
14	2	801	CLA	C2-C3-C5-C6
14	l	4206	CLA	C2-C3-C5-C6
14	0	208	CLA	C2-C3-C5-C6
14	A	839	CLA	CBD-CGD-O2D-CED
14	A	810	CLA	C2A-CAA-CBA-CGA
14	A	819	CLA	C2A-CAA-CBA-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	B	823	CLA	C2A-CAA-CBA-CGA
14	B	829	CLA	C2A-CAA-CBA-CGA
14	a	811	CLA	C2A-CAA-CBA-CGA
14	a	820	CLA	C2A-CAA-CBA-CGA
14	1	809	CLA	C2A-CAA-CBA-CGA
14	1	818	CLA	C2A-CAA-CBA-CGA
14	b	822	CLA	C2A-CAA-CBA-CGA
14	b	828	CLA	C2A-CAA-CBA-CGA
14	2	822	CLA	C2A-CAA-CBA-CGA
14	2	828	CLA	C2A-CAA-CBA-CGA
14	A	812	CLA	O1D-CGD-O2D-CED
14	a	813	CLA	O1D-CGD-O2D-CED
14	a	833	CLA	O1D-CGD-O2D-CED
14	1	811	CLA	O1D-CGD-O2D-CED
14	1	831	CLA	O1D-CGD-O2D-CED
14	A	811	CLA	O1A-CGA-O2A-C1
14	B	821	CLA	O1A-CGA-O2A-C1
14	a	812	CLA	O1A-CGA-O2A-C1
14	1	810	CLA	O1A-CGA-O2A-C1
14	b	820	CLA	O1A-CGA-O2A-C1
14	2	820	CLA	O1A-CGA-O2A-C1
18	L	1506	LMG	O6-C1-O1-C7
18	1	4202	LMG	O6-C1-O1-C7
18	0	201	LMG	O6-C1-O1-C7
14	A	832	CLA	O1D-CGD-O2D-CED
14	B	835	CLA	C2C-C3C-CAC-CBC
14	b	834	CLA	C2C-C3C-CAC-CBC
14	2	834	CLA	C2C-C3C-CAC-CBC
14	A	821	CLA	CBA-CGA-O2A-C1
14	B	844	CLA	CBA-CGA-O2A-C1
14	a	822	CLA	CBA-CGA-O2A-C1
14	1	820	CLA	CBA-CGA-O2A-C1
14	b	843	CLA	CBA-CGA-O2A-C1
14	2	843	CLA	CBA-CGA-O2A-C1
14	A	823	CLA	O1D-CGD-O2D-CED
14	a	824	CLA	O1D-CGD-O2D-CED
14	1	822	CLA	O1D-CGD-O2D-CED
14	A	821	CLA	O1A-CGA-O2A-C1
14	a	822	CLA	O1A-CGA-O2A-C1
14	1	820	CLA	O1A-CGA-O2A-C1
14	B	842	CLA	CBD-CGD-O2D-CED
14	2	841	CLA	CBD-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	A	802	LHG	C1-C2-C3-O3
12	a	802	LHG	C1-C2-C3-O3
12	1	802	LHG	C1-C2-C3-O3
18	B	803	LMG	O9-C10-O7-C8
18	b	803	LMG	O9-C10-O7-C8
18	2	802	LMG	O9-C10-O7-C8
14	b	843	CLA	O1A-CGA-O2A-C1
14	B	819	CLA	C3-C5-C6-C7
14	b	818	CLA	C3-C5-C6-C7
14	2	818	CLA	C3-C5-C6-C7
14	A	804	CLA	O1D-CGD-O2D-CED
14	a	805	CLA	O1D-CGD-O2D-CED
14	1	804	CLA	O1D-CGD-O2D-CED
14	A	807	CLA	CBA-CGA-O2A-C1
14	A	808	CLA	CBA-CGA-O2A-C1
14	A	810	CLA	CBA-CGA-O2A-C1
14	A	819	CLA	CBA-CGA-O2A-C1
14	B	820	CLA	CBA-CGA-O2A-C1
14	B	834	CLA	CBA-CGA-O2A-C1
14	L	1501	CLA	CBA-CGA-O2A-C1
14	L	1503	CLA	CBA-CGA-O2A-C1
14	a	808	CLA	CBA-CGA-O2A-C1
14	a	809	CLA	CBA-CGA-O2A-C1
14	a	811	CLA	CBA-CGA-O2A-C1
14	a	820	CLA	CBA-CGA-O2A-C1
14	1	806	CLA	CBA-CGA-O2A-C1
14	1	807	CLA	CBA-CGA-O2A-C1
14	1	809	CLA	CBA-CGA-O2A-C1
14	1	818	CLA	CBA-CGA-O2A-C1
14	b	819	CLA	CBA-CGA-O2A-C1
14	b	833	CLA	CBA-CGA-O2A-C1
14	2	819	CLA	CBA-CGA-O2A-C1
14	2	833	CLA	CBA-CGA-O2A-C1
14	l	4204	CLA	CBA-CGA-O2A-C1
14	l	4206	CLA	CBA-CGA-O2A-C1
14	0	206	CLA	CBA-CGA-O2A-C1
14	0	208	CLA	CBA-CGA-O2A-C1
14	b	841	CLA	CBD-CGD-O2D-CED
19	I	103	LMT	C4'-C5'-C6'-O6'
19	i	4101	LMT	C4'-C5'-C6'-O6'
19	h	103	LMT	C4'-C5'-C6'-O6'
17	L	1504	BCR	C13-C14-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	l	4207	BCR	C13-C14-C15-C16
17	0	209	BCR	C13-C14-C15-C16
14	B	844	CLA	O1A-CGA-O2A-C1
14	2	843	CLA	O1A-CGA-O2A-C1
14	A	813	CLA	C8-C10-C11-C12
14	B	832	CLA	C5-C6-C7-C8
14	a	814	CLA	C8-C10-C11-C12
14	1	812	CLA	C8-C10-C11-C12
14	b	831	CLA	C5-C6-C7-C8
14	2	831	CLA	C5-C6-C7-C8
12	M	101	LHG	O2-C2-C3-O3
14	A	808	CLA	C3-C5-C6-C7
14	a	809	CLA	C3-C5-C6-C7
14	1	807	CLA	C3-C5-C6-C7
12	B	853	LHG	C23-C24-C25-C26
12	b	852	LHG	C23-C24-C25-C26
12	2	852	LHG	C23-C24-C25-C26
14	A	810	CLA	O1A-CGA-O2A-C1
14	a	811	CLA	O1A-CGA-O2A-C1
14	1	809	CLA	O1A-CGA-O2A-C1
14	B	844	CLA	C2-C3-C5-C6
14	b	843	CLA	C2-C3-C5-C6
14	2	843	CLA	C2-C3-C5-C6
14	A	810	CLA	C6-C7-C8-C9
14	A	829	CLA	C6-C7-C8-C9
14	B	802	CLA	C6-C7-C8-C9
14	a	811	CLA	C6-C7-C8-C9
14	a	830	CLA	C6-C7-C8-C9
14	1	809	CLA	C6-C7-C8-C9
14	1	828	CLA	C6-C7-C8-C9
14	b	801	CLA	C6-C7-C8-C9
14	0	202	CLA	C6-C7-C8-C9
14	A	824	CLA	O1D-CGD-O2D-CED
14	A	841	CLA	O1D-CGD-O2D-CED
14	a	825	CLA	O1D-CGD-O2D-CED
14	1	823	CLA	O1D-CGD-O2D-CED
14	1	840	CLA	O1D-CGD-O2D-CED
14	b	802	CLA	O1D-CGD-O2D-CED
14	A	811	CLA	C2A-CAA-CBA-CGA
14	a	812	CLA	C2A-CAA-CBA-CGA
14	1	810	CLA	C2A-CAA-CBA-CGA
17	A	848	BCR	C7-C8-C9-C34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	B	847	BCR	C37-C22-C23-C24
17	B	851	BCR	C36-C18-C19-C20
17	F	203	BCR	C7-C8-C9-C34
17	J	103	BCR	C37-C22-C23-C24
17	L	1504	BCR	C7-C8-C9-C34
17	L	1505	BCR	C7-C8-C9-C34
17	M	102	BCR	C11-C12-C13-C35
17	M	102	BCR	C37-C22-C23-C24
17	a	848	BCR	C7-C8-C9-C34
17	1	848	BCR	C7-C8-C9-C34
17	b	846	BCR	C37-C22-C23-C24
17	b	850	BCR	C36-C18-C19-C20
17	b	854	BCR	C11-C12-C13-C35
17	b	854	BCR	C37-C22-C23-C24
17	2	846	BCR	C37-C22-C23-C24
17	2	850	BCR	C36-C18-C19-C20
17	f	203	BCR	C7-C8-C9-C34
17	6	4402	BCR	C7-C8-C9-C34
17	j	103	BCR	C37-C22-C23-C24
17	7	1104	BCR	C37-C22-C23-C24
17	l	4207	BCR	C7-C8-C9-C34
17	0	204	BCR	C7-C8-C9-C34
17	0	209	BCR	C7-C8-C9-C34
17	0	210	BCR	C7-C8-C9-C34
17	9	102	BCR	C11-C12-C13-C35
17	9	102	BCR	C37-C22-C23-C24
17	A	847	BCR	C21-C22-C23-C24
17	A	848	BCR	C7-C8-C9-C10
17	A	851	BCR	C21-C22-C23-C24
17	B	847	BCR	C7-C8-C9-C10
17	B	847	BCR	C21-C22-C23-C24
17	B	851	BCR	C7-C8-C9-C10
17	B	851	BCR	C21-C22-C23-C24
17	J	103	BCR	C21-C22-C23-C24
17	L	1504	BCR	C7-C8-C9-C10
17	L	1504	BCR	C21-C22-C23-C24
17	L	1505	BCR	C7-C8-C9-C10
17	K	4005	BCR	C21-C22-C23-C24
17	a	847	BCR	C21-C22-C23-C24
17	a	848	BCR	C7-C8-C9-C10
17	a	851	BCR	C21-C22-C23-C24
17	1	847	BCR	C21-C22-C23-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	1	848	BCR	C7-C8-C9-C10
17	1	851	BCR	C21-C22-C23-C24
17	b	846	BCR	C7-C8-C9-C10
17	b	846	BCR	C21-C22-C23-C24
17	b	850	BCR	C7-C8-C9-C10
17	b	850	BCR	C21-C22-C23-C24
17	2	846	BCR	C7-C8-C9-C10
17	2	846	BCR	C21-C22-C23-C24
17	2	850	BCR	C7-C8-C9-C10
17	2	850	BCR	C21-C22-C23-C24
17	j	103	BCR	C21-C22-C23-C24
17	7	1104	BCR	C21-C22-C23-C24
17	k	4004	BCR	C21-C22-C23-C24
17	8	4005	BCR	C21-C22-C23-C24
17	l	4207	BCR	C7-C8-C9-C10
17	l	4207	BCR	C21-C22-C23-C24
17	0	204	BCR	C7-C8-C9-C10
17	0	209	BCR	C7-C8-C9-C10
17	0	209	BCR	C21-C22-C23-C24
17	0	210	BCR	C7-C8-C9-C10
19	I	103	LMT	O5'-C5'-C6'-O6'
19	i	4101	LMT	O5'-C5'-C6'-O6'
19	h	103	LMT	O5'-C5'-C6'-O6'
14	A	808	CLA	O1A-CGA-O2A-C1
14	A	819	CLA	O1A-CGA-O2A-C1
14	B	820	CLA	O1A-CGA-O2A-C1
14	a	809	CLA	O1A-CGA-O2A-C1
14	a	820	CLA	O1A-CGA-O2A-C1
14	1	807	CLA	O1A-CGA-O2A-C1
14	1	818	CLA	O1A-CGA-O2A-C1
14	b	819	CLA	O1A-CGA-O2A-C1
14	2	819	CLA	O1A-CGA-O2A-C1
14	B	806	CLA	C10-C11-C12-C13
14	b	806	CLA	C10-C11-C12-C13
14	2	805	CLA	C10-C11-C12-C13
14	A	837	CLA	O1D-CGD-O2D-CED
14	a	838	CLA	O1D-CGD-O2D-CED
14	1	836	CLA	O1D-CGD-O2D-CED
14	B	833	CLA	CBD-CGD-O2D-CED
14	b	832	CLA	CBD-CGD-O2D-CED
14	2	832	CLA	CBD-CGD-O2D-CED
12	M	101	LHG	C24-C23-O8-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	m	101	LHG	C24-C23-O8-C6
12	9	101	LHG	C24-C23-O8-C6
14	B	832	CLA	CBA-CGA-O2A-C1
14	b	831	CLA	CBA-CGA-O2A-C1
14	2	831	CLA	CBA-CGA-O2A-C1
14	A	805	CLA	C8-C10-C11-C12
14	A	807	CLA	C15-C16-C17-C18
14	A	813	CLA	C15-C16-C17-C18
14	A	832	CLA	C15-C16-C17-C18
14	A	843	CLA	C13-C15-C16-C17
14	B	801	CLA	C5-C6-C7-C8
14	B	809	CLA	C13-C15-C16-C17
14	B	813	CLA	C8-C10-C11-C12
14	B	820	CLA	C5-C6-C7-C8
14	B	821	CLA	C8-C10-C11-C12
14	B	844	CLA	C13-C15-C16-C17
14	a	804	CLA	C5-C6-C7-C8
14	a	806	CLA	C5-C6-C7-C8
14	a	806	CLA	C8-C10-C11-C12
14	a	808	CLA	C15-C16-C17-C18
14	a	814	CLA	C15-C16-C17-C18
14	a	832	CLA	C8-C10-C11-C12
14	a	833	CLA	C15-C16-C17-C18
14	a	843	CLA	C13-C15-C16-C17
14	1	806	CLA	C15-C16-C17-C18
14	1	812	CLA	C15-C16-C17-C18
14	1	830	CLA	C8-C10-C11-C12
14	1	831	CLA	C15-C16-C17-C18
14	1	843	CLA	C13-C15-C16-C17
14	b	809	CLA	C13-C15-C16-C17
14	b	819	CLA	C5-C6-C7-C8
14	b	820	CLA	C8-C10-C11-C12
14	b	843	CLA	C13-C15-C16-C17
14	2	801	CLA	C5-C6-C7-C8
14	2	808	CLA	C13-C15-C16-C17
14	2	812	CLA	C8-C10-C11-C12
14	2	819	CLA	C5-C6-C7-C8
14	2	820	CLA	C8-C10-C11-C12
14	2	843	CLA	C13-C15-C16-C17
14	7	1101	CLA	C5-C6-C7-C8
14	7	1101	CLA	C8-C10-C11-C12
14	1	4203	CLA	C8-C10-C11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	844	CLA	O1D-CGD-O2D-CED
14	a	844	CLA	O1D-CGD-O2D-CED
14	1	844	CLA	O1D-CGD-O2D-CED
14	A	805	CLA	C5-C6-C7-C8
14	A	829	CLA	C10-C11-C12-C13
14	A	831	CLA	C8-C10-C11-C12
14	A	839	CLA	C8-C10-C11-C12
14	A	839	CLA	C13-C15-C16-C17
14	A	842	CLA	C8-C10-C11-C12
14	B	809	CLA	C10-C11-C12-C13
14	B	816	CLA	C8-C10-C11-C12
14	B	830	CLA	C8-C10-C11-C12
14	B	831	CLA	C13-C15-C16-C17
14	L	1503	CLA	C13-C15-C16-C17
14	a	830	CLA	C10-C11-C12-C13
14	a	840	CLA	C8-C10-C11-C12
14	a	840	CLA	C13-C15-C16-C17
14	a	842	CLA	C8-C10-C11-C12
14	1	828	CLA	C10-C11-C12-C13
14	1	838	CLA	C8-C10-C11-C12
14	1	838	CLA	C13-C15-C16-C17
14	1	842	CLA	C8-C10-C11-C12
14	b	809	CLA	C10-C11-C12-C13
14	b	815	CLA	C8-C10-C11-C12
14	b	829	CLA	C8-C10-C11-C12
14	b	830	CLA	C13-C15-C16-C17
14	2	808	CLA	C10-C11-C12-C13
14	2	815	CLA	C8-C10-C11-C12
14	2	829	CLA	C8-C10-C11-C12
14	2	830	CLA	C13-C15-C16-C17
14	l	4206	CLA	C13-C15-C16-C17
14	0	208	CLA	C13-C15-C16-C17
18	A	852	LMG	C10-C11-C12-C13
18	L	1506	LMG	C10-C11-C12-C13
18	a	852	LMG	C10-C11-C12-C13
18	1	4202	LMG	C10-C11-C12-C13
18	0	201	LMG	C10-C11-C12-C13
18	0	203	LMG	C10-C11-C12-C13
14	A	804	CLA	C13-C15-C16-C17
14	A	805	CLA	C10-C11-C12-C13
14	A	807	CLA	C10-C11-C12-C13
14	A	830	CLA	C10-C11-C12-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	805	CLA	C13-C15-C16-C17
14	a	806	CLA	C10-C11-C12-C13
14	a	808	CLA	C10-C11-C12-C13
14	a	831	CLA	C10-C11-C12-C13
14	1	804	CLA	C13-C15-C16-C17
14	1	806	CLA	C10-C11-C12-C13
14	1	829	CLA	C10-C11-C12-C13
14	7	1101	CLA	C10-C11-C12-C13
14	A	805	CLA	CBA-CGA-O2A-C1
14	a	806	CLA	CBA-CGA-O2A-C1
14	7	1101	CLA	CBA-CGA-O2A-C1
14	A	809	CLA	O1D-CGD-O2D-CED
14	a	810	CLA	O1D-CGD-O2D-CED
14	1	808	CLA	O1D-CGD-O2D-CED
14	b	839	CLA	O1D-CGD-O2D-CED
18	A	853	LMG	O9-C10-O7-C8
18	a	853	LMG	O9-C10-O7-C8
18	1	852	LMG	O9-C10-O7-C8
14	B	834	CLA	C2-C1-O2A-CGA
14	b	833	CLA	C2-C1-O2A-CGA
14	2	833	CLA	C2-C1-O2A-CGA
14	A	823	CLA	C15-C16-C17-C18
14	B	811	CLA	C13-C15-C16-C17
14	a	824	CLA	C15-C16-C17-C18
14	1	822	CLA	C15-C16-C17-C18
14	b	811	CLA	C13-C15-C16-C17
14	2	810	CLA	C13-C15-C16-C17
12	B	853	LHG	C7-C8-C9-C10
12	b	852	LHG	C7-C8-C9-C10
12	2	852	LHG	C7-C8-C9-C10
14	A	808	CLA	C15-C16-C17-C18
14	a	809	CLA	C15-C16-C17-C18
14	B	809	CLA	C11-C10-C8-C7
14	B	811	CLA	C11-C10-C8-C7
14	B	816	CLA	C12-C13-C15-C16
14	b	809	CLA	C11-C10-C8-C7
14	b	811	CLA	C11-C10-C8-C7
14	b	815	CLA	C12-C13-C15-C16
14	2	808	CLA	C11-C10-C8-C7
14	2	810	CLA	C11-C10-C8-C7
14	2	815	CLA	C12-C13-C15-C16
17	I	101	BCR	C9-C10-C11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	I	102	BCR	C9-C10-C11-C12
17	I	102	BCR	C13-C14-C15-C16
17	i	4102	BCR	C9-C10-C11-C12
17	i	4103	BCR	C9-C10-C11-C12
17	i	4103	BCR	C13-C14-C15-C16
17	h	101	BCR	C9-C10-C11-C12
17	h	102	BCR	C9-C10-C11-C12
17	h	102	BCR	C13-C14-C15-C16
14	A	806	CLA	C2A-CAA-CBA-CGA
14	A	820	CLA	C2A-CAA-CBA-CGA
14	A	835	CLA	C2A-CAA-CBA-CGA
14	A	838	CLA	C2A-CAA-CBA-CGA
14	B	806	CLA	C2A-CAA-CBA-CGA
14	a	807	CLA	C2A-CAA-CBA-CGA
14	a	821	CLA	C2A-CAA-CBA-CGA
14	a	836	CLA	C2A-CAA-CBA-CGA
14	a	839	CLA	C2A-CAA-CBA-CGA
14	1	805	CLA	C2A-CAA-CBA-CGA
14	1	819	CLA	C2A-CAA-CBA-CGA
14	1	834	CLA	C2A-CAA-CBA-CGA
14	1	837	CLA	C2A-CAA-CBA-CGA
14	b	806	CLA	C2A-CAA-CBA-CGA
14	2	805	CLA	C2A-CAA-CBA-CGA
14	A	835	CLA	O1D-CGD-O2D-CED
14	B	840	CLA	O1D-CGD-O2D-CED
14	a	836	CLA	O1D-CGD-O2D-CED
14	1	834	CLA	O1D-CGD-O2D-CED
14	2	839	CLA	O1D-CGD-O2D-CED
14	A	832	CLA	C5-C6-C7-C8
14	A	834	CLA	C8-C10-C11-C12
14	A	839	CLA	C15-C16-C17-C18
14	a	833	CLA	C5-C6-C7-C8
14	a	835	CLA	C8-C10-C11-C12
14	a	840	CLA	C15-C16-C17-C18
14	1	807	CLA	C15-C16-C17-C18
14	1	831	CLA	C5-C6-C7-C8
14	1	833	CLA	C8-C10-C11-C12
14	1	838	CLA	C15-C16-C17-C18
14	A	807	CLA	O1A-CGA-O2A-C1
14	B	834	CLA	O1A-CGA-O2A-C1
14	L	1501	CLA	O1A-CGA-O2A-C1
14	a	808	CLA	O1A-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	1	806	CLA	O1A-CGA-O2A-C1
14	b	833	CLA	O1A-CGA-O2A-C1
14	2	833	CLA	O1A-CGA-O2A-C1
14	l	4204	CLA	O1A-CGA-O2A-C1
14	0	206	CLA	O1A-CGA-O2A-C1
14	2	840	CLA	CBD-CGD-O2D-CED
14	B	801	CLA	C10-C11-C12-C13
14	a	804	CLA	C10-C11-C12-C13
14	2	801	CLA	C10-C11-C12-C13
15	B	846	PQN	C20-C21-C22-C23
15	b	845	PQN	C20-C21-C22-C23
15	2	845	PQN	C20-C21-C22-C23
14	B	814	CLA	O1D-CGD-O2D-CED
14	b	813	CLA	O1D-CGD-O2D-CED
14	2	813	CLA	O1D-CGD-O2D-CED
17	A	847	BCR	C10-C11-C12-C13
17	B	852	BCR	C10-C11-C12-C13
17	F	206	BCR	C18-C19-C20-C21
17	I	101	BCR	C10-C11-C12-C13
17	I	101	BCR	C18-C19-C20-C21
17	J	103	BCR	C10-C11-C12-C13
17	L	1504	BCR	C10-C11-C12-C13
17	K	4001	BCR	C10-C11-C12-C13
17	a	847	BCR	C10-C11-C12-C13
17	1	847	BCR	C10-C11-C12-C13
17	b	851	BCR	C10-C11-C12-C13
17	2	851	BCR	C10-C11-C12-C13
17	f	206	BCR	C18-C19-C20-C21
17	6	4405	BCR	C18-C19-C20-C21
17	i	4102	BCR	C10-C11-C12-C13
17	i	4102	BCR	C18-C19-C20-C21
17	h	101	BCR	C10-C11-C12-C13
17	h	101	BCR	C18-C19-C20-C21
17	j	103	BCR	C10-C11-C12-C13
17	k	4001	BCR	C10-C11-C12-C13
17	8	4001	BCR	C10-C11-C12-C13
17	l	4207	BCR	C10-C11-C12-C13
17	0	209	BCR	C10-C11-C12-C13
14	L	1503	CLA	C10-C11-C12-C13
14	l	4206	CLA	C10-C11-C12-C13
14	0	208	CLA	C10-C11-C12-C13
14	B	841	CLA	CBD-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	B	832	CLA	O1A-CGA-O2A-C1
14	L	1503	CLA	O1A-CGA-O2A-C1
14	b	831	CLA	O1A-CGA-O2A-C1
14	2	831	CLA	O1A-CGA-O2A-C1
14	l	4206	CLA	O1A-CGA-O2A-C1
14	0	208	CLA	O1A-CGA-O2A-C1
14	A	821	CLA	C13-C15-C16-C17
14	A	827	CLA	C13-C15-C16-C17
14	A	830	CLA	C13-C15-C16-C17
14	A	834	CLA	C5-C6-C7-C8
14	B	808	CLA	C10-C11-C12-C13
14	B	809	CLA	C5-C6-C7-C8
14	B	829	CLA	C5-C6-C7-C8
14	a	822	CLA	C13-C15-C16-C17
14	a	828	CLA	C13-C15-C16-C17
14	a	831	CLA	C13-C15-C16-C17
14	a	835	CLA	C5-C6-C7-C8
14	1	820	CLA	C13-C15-C16-C17
14	1	826	CLA	C13-C15-C16-C17
14	1	829	CLA	C13-C15-C16-C17
14	1	833	CLA	C5-C6-C7-C8
14	b	808	CLA	C10-C11-C12-C13
14	b	809	CLA	C5-C6-C7-C8
14	b	828	CLA	C5-C6-C7-C8
14	2	807	CLA	C10-C11-C12-C13
14	2	808	CLA	C5-C6-C7-C8
14	2	828	CLA	C5-C6-C7-C8
14	b	840	CLA	CBD-CGD-O2D-CED
14	A	805	CLA	C13-C15-C16-C17
14	A	807	CLA	C5-C6-C7-C8
14	A	821	CLA	C10-C11-C12-C13
14	A	826	CLA	C5-C6-C7-C8
14	B	835	CLA	C5-C6-C7-C8
14	a	806	CLA	C13-C15-C16-C17
14	a	808	CLA	C5-C6-C7-C8
14	a	822	CLA	C10-C11-C12-C13
14	a	827	CLA	C5-C6-C7-C8
14	1	806	CLA	C5-C6-C7-C8
14	1	820	CLA	C10-C11-C12-C13
14	1	825	CLA	C5-C6-C7-C8
14	b	834	CLA	C5-C6-C7-C8
14	2	812	CLA	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	2	834	CLA	C5-C6-C7-C8
14	7	1101	CLA	C13-C15-C16-C17
12	M	101	LHG	C3-O3-P-O6
12	M	101	LHG	C4-O6-P-O3
12	m	101	LHG	C3-O3-P-O6
12	m	101	LHG	C4-O6-P-O3
12	9	101	LHG	C3-O3-P-O6
12	9	101	LHG	C4-O6-P-O3
14	L	1502	CLA	CBA-CGA-O2A-C1
14	l	4205	CLA	CBA-CGA-O2A-C1
14	0	207	CLA	CBA-CGA-O2A-C1
14	A	821	CLA	O1D-CGD-O2D-CED
14	a	822	CLA	O1D-CGD-O2D-CED
14	1	820	CLA	O1D-CGD-O2D-CED
14	A	810	CLA	C15-C16-C17-C18
14	B	805	CLA	C8-C10-C11-C12
14	B	813	CLA	C5-C6-C7-C8
14	a	811	CLA	C15-C16-C17-C18
14	1	809	CLA	C15-C16-C17-C18
14	b	805	CLA	C8-C10-C11-C12
14	2	804	CLA	C8-C10-C11-C12
14	l	4203	CLA	C5-C6-C7-C8
14	f	205	CLA	O1D-CGD-O2D-CED
14	F	205	CLA	O1D-CGD-O2D-CED
14	6	4404	CLA	O1D-CGD-O2D-CED
14	A	805	CLA	O1A-CGA-O2A-C1
14	a	806	CLA	O1A-CGA-O2A-C1
14	7	1101	CLA	O1A-CGA-O2A-C1
14	A	804	CLA	C2A-CAA-CBA-CGA
14	A	837	CLA	C2A-CAA-CBA-CGA
14	A	842	CLA	C2A-CAA-CBA-CGA
14	B	801	CLA	C2A-CAA-CBA-CGA
14	B	825	CLA	C2A-CAA-CBA-CGA
14	a	804	CLA	C2A-CAA-CBA-CGA
14	a	805	CLA	C2A-CAA-CBA-CGA
14	a	838	CLA	C2A-CAA-CBA-CGA
14	a	842	CLA	C2A-CAA-CBA-CGA
14	1	804	CLA	C2A-CAA-CBA-CGA
14	1	836	CLA	C2A-CAA-CBA-CGA
14	1	842	CLA	C2A-CAA-CBA-CGA
14	b	824	CLA	C2A-CAA-CBA-CGA
14	2	801	CLA	C2A-CAA-CBA-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	2	824	CLA	C2A-CAA-CBA-CGA
14	A	821	CLA	C16-C17-C18-C19
14	a	822	CLA	C16-C17-C18-C19
14	1	820	CLA	C16-C17-C18-C19
17	i	4102	BCR	C14-C15-C16-C17
14	B	816	CLA	C15-C16-C17-C18
14	b	815	CLA	C15-C16-C17-C18
14	2	815	CLA	C15-C16-C17-C18
17	L	1505	BCR	C9-C10-C11-C12
17	0	204	BCR	C9-C10-C11-C12
17	0	210	BCR	C9-C10-C11-C12
12	M	101	LHG	C28-C29-C30-C31
12	m	101	LHG	C28-C29-C30-C31
12	9	101	LHG	C28-C29-C30-C31
14	B	805	CLA	C13-C15-C16-C17
14	2	804	CLA	C13-C15-C16-C17
17	A	851	BCR	C11-C10-C9-C34
17	B	847	BCR	C16-C17-C18-C36
17	B	848	BCR	C11-C10-C9-C34
17	B	848	BCR	C20-C21-C22-C37
17	B	851	BCR	C20-C21-C22-C37
17	B	854	BCR	C11-C10-C9-C34
17	F	206	BCR	C35-C13-C14-C15
17	I	101	BCR	C16-C17-C18-C36
17	I	102	BCR	C11-C10-C9-C34
17	I	102	BCR	C35-C13-C14-C15
17	J	103	BCR	C16-C17-C18-C36
17	L	1505	BCR	C20-C21-C22-C37
17	K	4001	BCR	C11-C10-C9-C34
17	K	4001	BCR	C20-C21-C22-C37
17	a	851	BCR	C11-C10-C9-C34
17	1	851	BCR	C11-C10-C9-C34
17	b	846	BCR	C16-C17-C18-C36
17	b	847	BCR	C11-C10-C9-C34
17	b	847	BCR	C20-C21-C22-C37
17	b	850	BCR	C20-C21-C22-C37
17	b	853	BCR	C11-C10-C9-C34
17	2	846	BCR	C16-C17-C18-C36
17	2	847	BCR	C11-C10-C9-C34
17	2	847	BCR	C20-C21-C22-C37
17	2	850	BCR	C20-C21-C22-C37
17	f	206	BCR	C35-C13-C14-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	6	4405	BCR	C35-C13-C14-C15
17	6	4406	BCR	C11-C10-C9-C34
17	i	4102	BCR	C16-C17-C18-C36
17	i	4103	BCR	C11-C10-C9-C34
17	i	4103	BCR	C35-C13-C14-C15
17	h	101	BCR	C16-C17-C18-C36
17	h	102	BCR	C11-C10-C9-C34
17	h	102	BCR	C35-C13-C14-C15
17	j	103	BCR	C35-C13-C14-C15
17	j	103	BCR	C16-C17-C18-C36
17	7	1104	BCR	C35-C13-C14-C15
17	7	1104	BCR	C16-C17-C18-C36
17	k	4001	BCR	C11-C10-C9-C34
17	k	4001	BCR	C20-C21-C22-C37
17	8	4001	BCR	C11-C10-C9-C34
17	8	4001	BCR	C20-C21-C22-C37
17	0	204	BCR	C20-C21-C22-C37
17	0	210	BCR	C20-C21-C22-C37
14	B	832	CLA	C3-C5-C6-C7
14	b	831	CLA	C3-C5-C6-C7
14	2	831	CLA	C3-C5-C6-C7
14	A	810	CLA	C16-C17-C18-C19
14	B	802	CLA	C16-C17-C18-C20
14	B	834	CLA	C6-C7-C8-C10
14	a	811	CLA	C16-C17-C18-C19
14	1	809	CLA	C16-C17-C18-C19
14	b	801	CLA	C16-C17-C18-C20
14	b	833	CLA	C6-C7-C8-C10
14	2	833	CLA	C6-C7-C8-C10
14	0	202	CLA	C16-C17-C18-C20
15	A	845	PQN	C26-C27-C28-C30
15	a	845	PQN	C26-C27-C28-C30
15	1	845	PQN	C26-C27-C28-C30
18	L	1506	LMG	C11-C12-C13-C14
18	l	4202	LMG	C11-C12-C13-C14
18	0	201	LMG	C11-C12-C13-C14
14	B	818	CLA	O1D-CGD-O2D-CED
14	A	810	CLA	C8-C10-C11-C12
14	a	811	CLA	C8-C10-C11-C12
14	1	809	CLA	C8-C10-C11-C12
14	b	805	CLA	C13-C15-C16-C17
18	B	803	LMG	C28-C29-C30-C31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	b	803	LMG	C28-C29-C30-C31
18	2	802	LMG	C28-C29-C30-C31
14	a	811	CLA	O1D-CGD-O2D-CED
14	1	809	CLA	O1D-CGD-O2D-CED
14	b	817	CLA	O1D-CGD-O2D-CED
14	2	817	CLA	O1D-CGD-O2D-CED
12	B	853	LHG	C30-C31-C32-C33
12	b	852	LHG	C30-C31-C32-C33
12	2	852	LHG	C30-C31-C32-C33
18	A	852	LMG	C18-C19-C20-C21
18	B	803	LMG	C14-C15-C16-C17
18	a	852	LMG	C18-C19-C20-C21
18	b	803	LMG	C14-C15-C16-C17
18	2	802	LMG	C14-C15-C16-C17
18	0	203	LMG	C18-C19-C20-C21
14	A	810	CLA	O1D-CGD-O2D-CED
12	A	801	LHG	O2-C2-C3-O3
12	a	801	LHG	O2-C2-C3-O3
12	1	801	LHG	O2-C2-C3-O3
14	A	815	CLA	C3-C5-C6-C7
14	a	816	CLA	C3-C5-C6-C7
14	1	814	CLA	C3-C5-C6-C7
17	A	850	BCR	C12-C13-C14-C15
17	B	850	BCR	C11-C10-C9-C8
17	B	854	BCR	C20-C21-C22-C23
17	F	203	BCR	C11-C10-C9-C8
17	F	203	BCR	C12-C13-C14-C15
17	I	101	BCR	C12-C13-C14-C15
17	I	102	BCR	C16-C17-C18-C19
17	I	102	BCR	C20-C21-C22-C23
17	J	103	BCR	C12-C13-C14-C15
17	J	104	BCR	C20-C21-C22-C23
17	L	1505	BCR	C11-C10-C9-C8
17	M	102	BCR	C11-C10-C9-C8
17	M	102	BCR	C16-C17-C18-C19
17	M	102	BCR	C20-C21-C22-C23
17	a	850	BCR	C12-C13-C14-C15
17	1	850	BCR	C12-C13-C14-C15
17	b	849	BCR	C11-C10-C9-C8
17	b	853	BCR	C20-C21-C22-C23
17	b	854	BCR	C11-C10-C9-C8
17	b	854	BCR	C16-C17-C18-C19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	b	854	BCR	C20-C21-C22-C23
17	2	849	BCR	C11-C10-C9-C8
17	f	203	BCR	C11-C10-C9-C8
17	f	203	BCR	C12-C13-C14-C15
17	6	4402	BCR	C11-C10-C9-C8
17	6	4402	BCR	C12-C13-C14-C15
17	6	4406	BCR	C20-C21-C22-C23
17	i	4102	BCR	C12-C13-C14-C15
17	i	4103	BCR	C16-C17-C18-C19
17	i	4103	BCR	C20-C21-C22-C23
17	h	101	BCR	C12-C13-C14-C15
17	h	102	BCR	C16-C17-C18-C19
17	h	102	BCR	C20-C21-C22-C23
17	j	103	BCR	C12-C13-C14-C15
17	j	104	BCR	C20-C21-C22-C23
17	7	1104	BCR	C12-C13-C14-C15
17	7	1105	BCR	C20-C21-C22-C23
17	0	204	BCR	C11-C10-C9-C8
17	0	210	BCR	C11-C10-C9-C8
17	9	102	BCR	C11-C10-C9-C8
17	9	102	BCR	C16-C17-C18-C19
17	9	102	BCR	C20-C21-C22-C23
18	A	852	LMG	C16-C17-C18-C19
18	a	852	LMG	C16-C17-C18-C19
18	0	203	LMG	C16-C17-C18-C19
14	A	807	CLA	C13-C15-C16-C17
14	A	810	CLA	C10-C11-C12-C13
14	A	831	CLA	C15-C16-C17-C18
14	L	1502	CLA	C10-C11-C12-C13
14	a	808	CLA	C13-C15-C16-C17
14	a	811	CLA	C10-C11-C12-C13
14	a	832	CLA	C15-C16-C17-C18
14	1	806	CLA	C13-C15-C16-C17
14	1	809	CLA	C10-C11-C12-C13
14	1	830	CLA	C15-C16-C17-C18
14	1	4205	CLA	C10-C11-C12-C13
14	0	207	CLA	C10-C11-C12-C13
15	B	846	PQN	C15-C16-C17-C18
15	b	845	PQN	C15-C16-C17-C18
15	2	845	PQN	C15-C16-C17-C18
14	L	1502	CLA	O1A-CGA-O2A-C1
14	l	4205	CLA	O1A-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	0	207	CLA	O1A-CGA-O2A-C1
14	A	821	CLA	C16-C17-C18-C20
14	A	843	CLA	C16-C17-C18-C20
14	B	829	CLA	C16-C17-C18-C19
14	a	822	CLA	C16-C17-C18-C20
14	a	843	CLA	C16-C17-C18-C20
14	1	820	CLA	C16-C17-C18-C20
14	1	843	CLA	C16-C17-C18-C20
14	b	828	CLA	C16-C17-C18-C19
14	2	828	CLA	C16-C17-C18-C19
14	B	809	CLA	O1D-CGD-O2D-CED
14	b	809	CLA	O1D-CGD-O2D-CED
14	2	808	CLA	O1D-CGD-O2D-CED
14	A	827	CLA	C4-C3-C5-C6
14	a	828	CLA	C4-C3-C5-C6
14	1	826	CLA	C4-C3-C5-C6
14	A	827	CLA	C2-C3-C5-C6
14	a	828	CLA	C2-C3-C5-C6
14	1	826	CLA	C2-C3-C5-C6
14	A	805	CLA	C6-C7-C8-C9
14	A	832	CLA	C11-C10-C8-C9
14	A	843	CLA	C6-C7-C8-C9
14	a	806	CLA	C6-C7-C8-C9
14	a	833	CLA	C11-C10-C8-C9
14	a	843	CLA	C6-C7-C8-C9
14	1	831	CLA	C11-C10-C8-C9
14	1	843	CLA	C6-C7-C8-C9
14	7	1101	CLA	C6-C7-C8-C9
14	A	838	CLA	O1D-CGD-O2D-CED
14	1	837	CLA	O1D-CGD-O2D-CED
18	A	852	LMG	C31-C32-C33-C34
18	a	852	LMG	C31-C32-C33-C34
18	0	203	LMG	C31-C32-C33-C34
14	A	839	CLA	C2A-CAA-CBA-CGA
14	B	831	CLA	C2A-CAA-CBA-CGA
14	a	840	CLA	C2A-CAA-CBA-CGA
14	1	838	CLA	C2A-CAA-CBA-CGA
14	b	830	CLA	C2A-CAA-CBA-CGA
14	2	830	CLA	C2A-CAA-CBA-CGA
14	a	839	CLA	O1D-CGD-O2D-CED
17	B	847	BCR	C7-C8-C9-C34
17	b	846	BCR	C7-C8-C9-C34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	2	846	BCR	C7-C8-C9-C34
12	B	853	LHG	C27-C28-C29-C30
12	2	852	LHG	C27-C28-C29-C30
18	A	852	LMG	C33-C34-C35-C36
18	a	852	LMG	C33-C34-C35-C36
18	0	203	LMG	C33-C34-C35-C36
12	B	853	LHG	O1-C1-C2-C3
12	b	852	LHG	O1-C1-C2-C3
12	2	852	LHG	O1-C1-C2-C3
17	I	102	BCR	C7-C8-C9-C10
17	K	4001	BCR	C7-C8-C9-C10
17	i	4103	BCR	C7-C8-C9-C10
17	h	102	BCR	C7-C8-C9-C10
17	k	4001	BCR	C7-C8-C9-C10
17	8	4001	BCR	C7-C8-C9-C10
14	A	829	CLA	C3-C5-C6-C7
14	L	1503	CLA	C3-C5-C6-C7
14	K	4004	CLA	C3-C5-C6-C7
14	a	830	CLA	C3-C5-C6-C7
14	a	854	CLA	C3-C5-C6-C7
14	1	828	CLA	C3-C5-C6-C7
14	8	4004	CLA	C3-C5-C6-C7
14	B	811	CLA	C5-C6-C7-C8
14	2	810	CLA	C5-C6-C7-C8
12	b	852	LHG	C27-C28-C29-C30
18	L	1506	LMG	C4-C5-C6-O5
18	l	4202	LMG	C4-C5-C6-O5
18	0	201	LMG	C4-C5-C6-O5
12	B	853	LHG	C25-C26-C27-C28
12	M	101	LHG	C27-C28-C29-C30
12	b	852	LHG	C25-C26-C27-C28
12	2	852	LHG	C25-C26-C27-C28
12	m	101	LHG	C27-C28-C29-C30
12	9	101	LHG	C27-C28-C29-C30
14	A	807	CLA	C16-C17-C18-C19
14	A	810	CLA	C16-C17-C18-C20
14	A	843	CLA	C16-C17-C18-C19
14	B	802	CLA	C16-C17-C18-C19
14	B	834	CLA	C6-C7-C8-C9
14	L	1502	CLA	C16-C17-C18-C19
14	a	808	CLA	C16-C17-C18-C19
14	a	811	CLA	C16-C17-C18-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	843	CLA	C16-C17-C18-C19
14	1	806	CLA	C16-C17-C18-C19
14	1	809	CLA	C16-C17-C18-C20
14	1	843	CLA	C16-C17-C18-C19
14	b	801	CLA	C16-C17-C18-C19
14	b	833	CLA	C6-C7-C8-C9
14	2	833	CLA	C6-C7-C8-C9
14	1	4205	CLA	C16-C17-C18-C19
14	0	202	CLA	C16-C17-C18-C19
14	0	207	CLA	C16-C17-C18-C19
15	A	845	PQN	C26-C27-C28-C29
15	a	845	PQN	C26-C27-C28-C29
15	1	845	PQN	C26-C27-C28-C29
14	A	842	CLA	C10-C11-C12-C13
14	a	842	CLA	C10-C11-C12-C13
14	1	842	CLA	C10-C11-C12-C13
14	b	811	CLA	C5-C6-C7-C8
14	B	842	CLA	CBA-CGA-O2A-C1
14	b	841	CLA	CBA-CGA-O2A-C1
14	2	841	CLA	CBA-CGA-O2A-C1
14	A	843	CLA	O1D-CGD-O2D-CED
14	a	843	CLA	O1D-CGD-O2D-CED
14	1	843	CLA	O1D-CGD-O2D-CED
14	L	1502	CLA	C2C-C3C-CAC-CBC
14	0	207	CLA	C2C-C3C-CAC-CBC
14	B	808	CLA	C15-C16-C17-C18
14	b	808	CLA	C15-C16-C17-C18
14	2	807	CLA	C15-C16-C17-C18
12	A	801	LHG	C24-C25-C26-C27
12	a	801	LHG	C24-C25-C26-C27
12	1	801	LHG	C24-C25-C26-C27
14	1	4205	CLA	C2C-C3C-CAC-CBC
14	1	4206	CLA	C3-C5-C6-C7
14	0	208	CLA	C3-C5-C6-C7
14	B	831	CLA	O1D-CGD-O2D-CED
14	b	830	CLA	O1D-CGD-O2D-CED
14	2	830	CLA	O1D-CGD-O2D-CED
14	A	805	CLA	C3A-C2A-CAA-CBA
14	A	808	CLA	C3A-C2A-CAA-CBA
14	A	815	CLA	C3A-C2A-CAA-CBA
14	A	838	CLA	C3A-C2A-CAA-CBA
14	B	802	CLA	C3A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	B	824	CLA	C3A-C2A-CAA-CBA
14	B	825	CLA	C3A-C2A-CAA-CBA
14	F	201	CLA	C3A-C2A-CAA-CBA
14	F	204	CLA	C3A-C2A-CAA-CBA
14	a	806	CLA	C3A-C2A-CAA-CBA
14	a	809	CLA	C3A-C2A-CAA-CBA
14	a	816	CLA	C3A-C2A-CAA-CBA
14	a	839	CLA	C3A-C2A-CAA-CBA
14	1	807	CLA	C3A-C2A-CAA-CBA
14	1	814	CLA	C3A-C2A-CAA-CBA
14	1	837	CLA	C3A-C2A-CAA-CBA
14	1	841	CLA	C3A-C2A-CAA-CBA
14	b	801	CLA	C3A-C2A-CAA-CBA
14	b	823	CLA	C3A-C2A-CAA-CBA
14	b	824	CLA	C3A-C2A-CAA-CBA
14	2	823	CLA	C3A-C2A-CAA-CBA
14	2	824	CLA	C3A-C2A-CAA-CBA
14	f	201	CLA	C3A-C2A-CAA-CBA
14	f	204	CLA	C3A-C2A-CAA-CBA
14	6	4403	CLA	C3A-C2A-CAA-CBA
14	7	1101	CLA	C3A-C2A-CAA-CBA
14	0	202	CLA	C3A-C2A-CAA-CBA
14	a	829	CLA	C5-C6-C7-C8
12	A	801	LHG	C14-C15-C16-C17
12	M	101	LHG	C25-C26-C27-C28
12	a	801	LHG	C14-C15-C16-C17
12	1	801	LHG	C14-C15-C16-C17
12	m	101	LHG	C25-C26-C27-C28
12	9	101	LHG	C25-C26-C27-C28
14	A	809	CLA	CBA-CGA-O2A-C1
14	a	810	CLA	CBA-CGA-O2A-C1
14	1	808	CLA	CBA-CGA-O2A-C1
14	B	805	CLA	C16-C17-C18-C19
14	B	829	CLA	C16-C17-C18-C20
14	L	1502	CLA	C16-C17-C18-C20
14	b	805	CLA	C16-C17-C18-C19
14	b	828	CLA	C16-C17-C18-C20
14	2	804	CLA	C16-C17-C18-C19
14	2	828	CLA	C16-C17-C18-C20
14	1	4205	CLA	C16-C17-C18-C20
14	0	207	CLA	C16-C17-C18-C20
12	A	801	LHG	C12-C13-C14-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	A	801	LHG	C29-C30-C31-C32
12	a	801	LHG	C12-C13-C14-C15
12	a	801	LHG	C29-C30-C31-C32
12	1	801	LHG	C12-C13-C14-C15
12	1	801	LHG	C29-C30-C31-C32
12	B	853	LHG	C4-C5-C6-O8
12	b	852	LHG	C4-C5-C6-O8
12	2	852	LHG	C4-C5-C6-O8
18	L	1506	LMG	C7-C8-C9-O8
18	l	4202	LMG	C7-C8-C9-O8
18	0	201	LMG	C7-C8-C9-O8
17	B	854	BCR	C14-C15-C16-C17
17	I	101	BCR	C14-C15-C16-C17
17	b	853	BCR	C14-C15-C16-C17
17	6	4406	BCR	C14-C15-C16-C17
17	h	101	BCR	C14-C15-C16-C17
14	B	843	CLA	C2C-C3C-CAC-CBC
14	b	842	CLA	C2C-C3C-CAC-CBC
14	A	828	CLA	C5-C6-C7-C8
14	1	827	CLA	C5-C6-C7-C8
14	B	816	CLA	C4-C3-C5-C6
14	b	815	CLA	C4-C3-C5-C6
14	2	815	CLA	C4-C3-C5-C6
14	A	823	CLA	C2-C3-C5-C6
14	B	816	CLA	C2-C3-C5-C6
14	a	824	CLA	C2-C3-C5-C6
14	1	822	CLA	C2-C3-C5-C6
14	b	815	CLA	C2-C3-C5-C6
14	2	815	CLA	C2-C3-C5-C6
12	B	853	LHG	C24-C25-C26-C27
12	b	852	LHG	C24-C25-C26-C27
12	2	852	LHG	C24-C25-C26-C27
12	m	101	LHG	C11-C10-C9-C8
14	A	823	CLA	C2A-CAA-CBA-CGA
14	B	809	CLA	C2A-CAA-CBA-CGA
14	a	824	CLA	C2A-CAA-CBA-CGA
14	1	822	CLA	C2A-CAA-CBA-CGA
14	b	809	CLA	C2A-CAA-CBA-CGA
12	A	801	LHG	C11-C12-C13-C14
12	M	101	LHG	C11-C10-C9-C8
12	a	801	LHG	C11-C12-C13-C14
12	1	801	LHG	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	9	101	LHG	C11-C10-C9-C8
14	2	842	CLA	C2C-C3C-CAC-CBC
18	A	852	LMG	C19-C20-C21-C22
18	a	852	LMG	C19-C20-C21-C22
18	0	203	LMG	C19-C20-C21-C22
14	b	806	CLA	C2C-C3C-CAC-CBC
12	A	801	LHG	C34-C35-C36-C37
12	a	801	LHG	C34-C35-C36-C37
12	1	801	LHG	C34-C35-C36-C37
14	B	806	CLA	C2C-C3C-CAC-CBC
14	2	805	CLA	C2C-C3C-CAC-CBC
18	L	1506	LMG	C34-C35-C36-C37
18	b	803	LMG	C15-C16-C17-C18
18	l	4202	LMG	C34-C35-C36-C37
18	0	201	LMG	C34-C35-C36-C37
14	B	829	CLA	C15-C16-C17-C18
14	b	828	CLA	C15-C16-C17-C18
14	2	828	CLA	C15-C16-C17-C18
18	B	803	LMG	C15-C16-C17-C18
18	2	802	LMG	C15-C16-C17-C18
14	A	814	CLA	C2-C1-O2A-CGA
14	a	815	CLA	C2-C1-O2A-CGA
14	1	813	CLA	C2-C1-O2A-CGA
14	K	4003	CLA	C4C-C3C-CAC-CBC
14	8	4003	CLA	C4C-C3C-CAC-CBC
14	k	4003	CLA	C4C-C3C-CAC-CBC
14	A	823	CLA	C3-C5-C6-C7
14	B	804	CLA	C3-C5-C6-C7
14	a	824	CLA	C3-C5-C6-C7
14	1	822	CLA	C3-C5-C6-C7
14	b	804	CLA	C3-C5-C6-C7
14	2	803	CLA	C3-C5-C6-C7
17	A	847	BCR	C5-C6-C7-C8
17	A	848	BCR	C5-C6-C7-C8
17	A	849	BCR	C5-C6-C7-C8
17	A	849	BCR	C23-C24-C25-C26
17	A	849	BCR	C23-C24-C25-C30
17	A	850	BCR	C5-C6-C7-C8
17	A	851	BCR	C23-C24-C25-C26
17	A	851	BCR	C23-C24-C25-C30
17	B	847	BCR	C1-C6-C7-C8
17	B	847	BCR	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	B	847	BCR	C23-C24-C25-C26
17	B	847	BCR	C23-C24-C25-C30
17	B	848	BCR	C5-C6-C7-C8
17	B	850	BCR	C5-C6-C7-C8
17	B	851	BCR	C5-C6-C7-C8
17	B	851	BCR	C23-C24-C25-C26
17	B	852	BCR	C23-C24-C25-C26
17	B	854	BCR	C1-C6-C7-C8
17	B	854	BCR	C5-C6-C7-C8
17	F	203	BCR	C5-C6-C7-C8
17	F	206	BCR	C5-C6-C7-C8
17	I	101	BCR	C1-C6-C7-C8
17	I	101	BCR	C5-C6-C7-C8
17	I	102	BCR	C1-C6-C7-C8
17	I	102	BCR	C23-C24-C25-C26
17	J	104	BCR	C23-C24-C25-C26
17	J	104	BCR	C23-C24-C25-C30
17	L	1504	BCR	C5-C6-C7-C8
17	L	1505	BCR	C5-C6-C7-C8
17	M	102	BCR	C1-C6-C7-C8
17	M	102	BCR	C5-C6-C7-C8
17	K	4001	BCR	C5-C6-C7-C8
17	K	4001	BCR	C23-C24-C25-C26
17	K	4001	BCR	C23-C24-C25-C30
17	a	847	BCR	C5-C6-C7-C8
17	a	848	BCR	C5-C6-C7-C8
17	a	849	BCR	C5-C6-C7-C8
17	a	849	BCR	C23-C24-C25-C26
17	a	849	BCR	C23-C24-C25-C30
17	a	850	BCR	C5-C6-C7-C8
17	a	851	BCR	C23-C24-C25-C26
17	a	851	BCR	C23-C24-C25-C30
17	1	847	BCR	C5-C6-C7-C8
17	1	848	BCR	C5-C6-C7-C8
17	1	849	BCR	C5-C6-C7-C8
17	1	849	BCR	C23-C24-C25-C26
17	1	849	BCR	C23-C24-C25-C30
17	1	850	BCR	C5-C6-C7-C8
17	1	851	BCR	C23-C24-C25-C26
17	1	851	BCR	C23-C24-C25-C30
17	b	846	BCR	C1-C6-C7-C8
17	b	846	BCR	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	b	846	BCR	C23-C24-C25-C26
17	b	846	BCR	C23-C24-C25-C30
17	b	847	BCR	C5-C6-C7-C8
17	b	849	BCR	C5-C6-C7-C8
17	b	850	BCR	C5-C6-C7-C8
17	b	850	BCR	C23-C24-C25-C26
17	b	851	BCR	C23-C24-C25-C26
17	b	853	BCR	C1-C6-C7-C8
17	b	853	BCR	C5-C6-C7-C8
17	b	854	BCR	C1-C6-C7-C8
17	b	854	BCR	C5-C6-C7-C8
17	2	846	BCR	C1-C6-C7-C8
17	2	846	BCR	C5-C6-C7-C8
17	2	846	BCR	C23-C24-C25-C26
17	2	846	BCR	C23-C24-C25-C30
17	2	847	BCR	C5-C6-C7-C8
17	2	849	BCR	C5-C6-C7-C8
17	2	850	BCR	C5-C6-C7-C8
17	2	850	BCR	C23-C24-C25-C26
17	2	851	BCR	C23-C24-C25-C26
17	f	203	BCR	C5-C6-C7-C8
17	f	206	BCR	C5-C6-C7-C8
17	6	4402	BCR	C5-C6-C7-C8
17	6	4405	BCR	C5-C6-C7-C8
17	6	4406	BCR	C1-C6-C7-C8
17	6	4406	BCR	C5-C6-C7-C8
17	i	4102	BCR	C1-C6-C7-C8
17	i	4102	BCR	C5-C6-C7-C8
17	i	4103	BCR	C1-C6-C7-C8
17	i	4103	BCR	C23-C24-C25-C26
17	h	101	BCR	C1-C6-C7-C8
17	h	101	BCR	C5-C6-C7-C8
17	h	102	BCR	C1-C6-C7-C8
17	h	102	BCR	C23-C24-C25-C26
17	j	104	BCR	C23-C24-C25-C26
17	j	104	BCR	C23-C24-C25-C30
17	7	1105	BCR	C23-C24-C25-C26
17	7	1105	BCR	C23-C24-C25-C30
17	k	4001	BCR	C5-C6-C7-C8
17	k	4001	BCR	C23-C24-C25-C26
17	k	4001	BCR	C23-C24-C25-C30
17	8	4001	BCR	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	8	4001	BCR	C23-C24-C25-C26
17	8	4001	BCR	C23-C24-C25-C30
17	1	4207	BCR	C5-C6-C7-C8
17	0	204	BCR	C5-C6-C7-C8
17	0	209	BCR	C5-C6-C7-C8
17	0	210	BCR	C5-C6-C7-C8
17	9	102	BCR	C1-C6-C7-C8
17	9	102	BCR	C5-C6-C7-C8
14	A	829	CLA	CBA-CGA-O2A-C1
14	a	830	CLA	CBA-CGA-O2A-C1
14	1	828	CLA	CBA-CGA-O2A-C1
18	B	803	LMG	C11-C10-O7-C8
18	b	803	LMG	C11-C10-O7-C8
18	2	802	LMG	C11-C10-O7-C8
18	B	803	LMG	C12-C13-C14-C15
18	b	803	LMG	C12-C13-C14-C15
18	b	803	LMG	C34-C35-C36-C37
18	2	802	LMG	C12-C13-C14-C15
18	B	803	LMG	C34-C35-C36-C37
18	2	802	LMG	C34-C35-C36-C37
14	A	841	CLA	C13-C15-C16-C17
14	B	805	CLA	C10-C11-C12-C13
14	1	840	CLA	C13-C15-C16-C17
14	b	802	CLA	C13-C15-C16-C17
14	2	804	CLA	C10-C11-C12-C13
14	B	834	CLA	O1D-CGD-O2D-CED
14	b	833	CLA	O1D-CGD-O2D-CED
14	2	833	CLA	O1D-CGD-O2D-CED
14	a	815	CLA	C4-C3-C5-C6
14	1	822	CLA	C4-C3-C5-C6
13	A	803	CL0	C2-C3-C5-C6
13	a	803	CL0	C2-C3-C5-C6
13	1	803	CL0	C2-C3-C5-C6
14	A	814	CLA	C2-C3-C5-C6
14	A	821	CLA	C11-C12-C13-C15
14	A	831	CLA	C11-C12-C13-C15
14	A	832	CLA	C11-C10-C8-C7
14	B	805	CLA	C6-C7-C8-C10
14	L	1502	CLA	C11-C12-C13-C15
14	a	815	CLA	C2-C3-C5-C6
14	a	822	CLA	C11-C12-C13-C15
14	a	832	CLA	C11-C12-C13-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	833	CLA	C11-C10-C8-C7
14	1	813	CLA	C2-C3-C5-C6
14	1	820	CLA	C11-C12-C13-C15
14	1	830	CLA	C11-C12-C13-C15
14	1	831	CLA	C11-C10-C8-C7
14	b	805	CLA	C6-C7-C8-C10
14	2	804	CLA	C6-C7-C8-C10
14	1	4205	CLA	C11-C12-C13-C15
14	0	207	CLA	C11-C12-C13-C15
14	A	813	CLA	C3-C5-C6-C7
14	a	814	CLA	C3-C5-C6-C7
14	1	812	CLA	C3-C5-C6-C7
14	A	808	CLA	C5-C6-C7-C8
14	B	804	CLA	C5-C6-C7-C8
14	B	805	CLA	C5-C6-C7-C8
14	B	843	CLA	C10-C11-C12-C13
14	1	807	CLA	C5-C6-C7-C8
14	b	804	CLA	C5-C6-C7-C8
14	b	805	CLA	C5-C6-C7-C8
14	b	805	CLA	C10-C11-C12-C13
14	b	842	CLA	C10-C11-C12-C13
14	2	803	CLA	C5-C6-C7-C8
14	2	804	CLA	C5-C6-C7-C8
14	2	842	CLA	C10-C11-C12-C13
17	B	848	BCR	C19-C20-C21-C22
17	b	847	BCR	C19-C20-C21-C22
17	2	847	BCR	C19-C20-C21-C22
12	M	101	LHG	C23-C24-C25-C26
12	m	101	LHG	C23-C24-C25-C26
12	9	101	LHG	C23-C24-C25-C26
14	A	843	CLA	CBA-CGA-O2A-C1
14	a	843	CLA	CBA-CGA-O2A-C1
14	1	843	CLA	CBA-CGA-O2A-C1
14	2	808	CLA	C2A-CAA-CBA-CGA
14	A	830	CLA	C15-C16-C17-C18
14	a	809	CLA	C5-C6-C7-C8
14	a	831	CLA	C15-C16-C17-C18
14	a	843	CLA	C5-C6-C7-C8
14	1	843	CLA	C5-C6-C7-C8
12	A	801	LHG	C16-C17-C18-C19
12	a	801	LHG	C16-C17-C18-C19
12	1	801	LHG	C16-C17-C18-C19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	843	CLA	C5-C6-C7-C8
14	1	829	CLA	C15-C16-C17-C18
12	B	853	LHG	C32-C33-C34-C35
12	b	852	LHG	C32-C33-C34-C35
12	2	852	LHG	C32-C33-C34-C35
17	B	854	BCR	C6-C7-C8-C9
17	b	853	BCR	C6-C7-C8-C9
17	6	4406	BCR	C6-C7-C8-C9
14	A	829	CLA	C16-C17-C18-C19
14	a	830	CLA	C16-C17-C18-C19
14	1	828	CLA	C16-C17-C18-C19
14	b	815	CLA	C5-C6-C7-C8
18	A	852	LMG	C17-C18-C19-C20
18	a	852	LMG	C17-C18-C19-C20
18	0	203	LMG	C17-C18-C19-C20
17	A	850	BCR	C10-C11-C12-C13
17	a	850	BCR	C10-C11-C12-C13
17	1	850	BCR	C10-C11-C12-C13
17	7	1104	BCR	C10-C11-C12-C13
14	B	816	CLA	C5-C6-C7-C8
14	2	815	CLA	C5-C6-C7-C8
14	f	201	CLA	C2C-C3C-CAC-CBC
12	M	101	LHG	C30-C31-C32-C33
12	m	101	LHG	C30-C31-C32-C33
12	9	101	LHG	C30-C31-C32-C33
18	A	852	LMG	C2-C1-O1-C7
18	a	852	LMG	C2-C1-O1-C7
18	0	203	LMG	C2-C1-O1-C7
18	B	803	LMG	O7-C8-C9-O8
18	b	803	LMG	O7-C8-C9-O8
18	2	802	LMG	O7-C8-C9-O8
18	b	803	LMG	O6-C5-C6-O5
18	2	802	LMG	O6-C5-C6-O5
12	M	101	LHG	C24-C25-C26-C27
12	9	101	LHG	C24-C25-C26-C27
14	F	201	CLA	C2C-C3C-CAC-CBC
14	1	841	CLA	C2C-C3C-CAC-CBC
18	B	803	LMG	O6-C5-C6-O5
13	A	803	CL0	C4-C3-C5-C6
13	a	803	CL0	C4-C3-C5-C6
13	1	803	CL0	C4-C3-C5-C6
14	A	814	CLA	C4-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	823	CLA	C4-C3-C5-C6
14	a	824	CLA	C4-C3-C5-C6
14	1	813	CLA	C4-C3-C5-C6
12	m	101	LHG	C24-C25-C26-C27
14	A	821	CLA	C11-C12-C13-C14
14	A	831	CLA	C11-C12-C13-C14
14	B	805	CLA	C6-C7-C8-C9
14	B	806	CLA	C11-C10-C8-C9
14	B	809	CLA	C11-C10-C8-C9
14	B	821	CLA	C11-C10-C8-C9
14	B	832	CLA	C11-C10-C8-C9
14	L	1502	CLA	C11-C12-C13-C14
14	a	822	CLA	C11-C12-C13-C14
14	a	832	CLA	C11-C12-C13-C14
14	1	820	CLA	C11-C12-C13-C14
14	1	830	CLA	C11-C12-C13-C14
14	b	805	CLA	C6-C7-C8-C9
14	b	806	CLA	C11-C10-C8-C9
14	b	809	CLA	C11-C10-C8-C9
14	b	820	CLA	C11-C10-C8-C9
14	b	831	CLA	C11-C10-C8-C9
14	2	804	CLA	C6-C7-C8-C9
14	2	805	CLA	C11-C10-C8-C9
14	2	808	CLA	C11-C10-C8-C9
14	2	820	CLA	C11-C10-C8-C9
14	2	831	CLA	C11-C10-C8-C9
14	l	4205	CLA	C11-C12-C13-C14
14	0	207	CLA	C11-C12-C13-C14
14	B	808	CLA	C3-C5-C6-C7
14	b	808	CLA	C3-C5-C6-C7
14	2	807	CLA	C3-C5-C6-C7
14	A	821	CLA	C2A-CAA-CBA-CGA
14	A	824	CLA	C2A-CAA-CBA-CGA
14	B	834	CLA	C2A-CAA-CBA-CGA
14	a	822	CLA	C2A-CAA-CBA-CGA
14	a	825	CLA	C2A-CAA-CBA-CGA
14	1	820	CLA	C2A-CAA-CBA-CGA
14	1	823	CLA	C2A-CAA-CBA-CGA
14	b	833	CLA	C2A-CAA-CBA-CGA
14	2	833	CLA	C2A-CAA-CBA-CGA
17	M	102	BCR	C7-C8-C9-C10
17	b	854	BCR	C7-C8-C9-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	9	102	BCR	C7-C8-C9-C10
14	A	829	CLA	O1A-CGA-O2A-C1
14	a	830	CLA	O1A-CGA-O2A-C1
14	1	828	CLA	O1A-CGA-O2A-C1
14	A	809	CLA	C1A-C2A-CAA-CBA
14	A	811	CLA	C1A-C2A-CAA-CBA
14	A	821	CLA	C1A-C2A-CAA-CBA
14	A	823	CLA	C1A-C2A-CAA-CBA
14	A	832	CLA	C1A-C2A-CAA-CBA
14	A	833	CLA	C1A-C2A-CAA-CBA
14	A	838	CLA	C1A-C2A-CAA-CBA
14	A	842	CLA	C1A-C2A-CAA-CBA
14	B	807	CLA	C1A-C2A-CAA-CBA
14	B	812	CLA	C1A-C2A-CAA-CBA
14	B	814	CLA	C1A-C2A-CAA-CBA
14	B	816	CLA	C1A-C2A-CAA-CBA
14	B	821	CLA	C1A-C2A-CAA-CBA
14	B	826	CLA	C1A-C2A-CAA-CBA
14	B	833	CLA	C1A-C2A-CAA-CBA
14	B	834	CLA	C1A-C2A-CAA-CBA
14	B	837	CLA	C1A-C2A-CAA-CBA
14	B	839	CLA	C1A-C2A-CAA-CBA
14	F	204	CLA	C1A-C2A-CAA-CBA
14	a	810	CLA	C1A-C2A-CAA-CBA
14	a	812	CLA	C1A-C2A-CAA-CBA
14	a	822	CLA	C1A-C2A-CAA-CBA
14	a	824	CLA	C1A-C2A-CAA-CBA
14	a	833	CLA	C1A-C2A-CAA-CBA
14	a	834	CLA	C1A-C2A-CAA-CBA
14	a	839	CLA	C1A-C2A-CAA-CBA
14	a	842	CLA	C1A-C2A-CAA-CBA
14	1	808	CLA	C1A-C2A-CAA-CBA
14	1	810	CLA	C1A-C2A-CAA-CBA
14	1	820	CLA	C1A-C2A-CAA-CBA
14	1	822	CLA	C1A-C2A-CAA-CBA
14	1	831	CLA	C1A-C2A-CAA-CBA
14	1	832	CLA	C1A-C2A-CAA-CBA
14	1	837	CLA	C1A-C2A-CAA-CBA
14	1	842	CLA	C1A-C2A-CAA-CBA
14	b	807	CLA	C1A-C2A-CAA-CBA
14	b	812	CLA	C1A-C2A-CAA-CBA
14	b	813	CLA	C1A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	b	815	CLA	C1A-C2A-CAA-CBA
14	b	820	CLA	C1A-C2A-CAA-CBA
14	b	825	CLA	C1A-C2A-CAA-CBA
14	b	832	CLA	C1A-C2A-CAA-CBA
14	b	833	CLA	C1A-C2A-CAA-CBA
14	b	836	CLA	C1A-C2A-CAA-CBA
14	b	838	CLA	C1A-C2A-CAA-CBA
14	2	806	CLA	C1A-C2A-CAA-CBA
14	2	811	CLA	C1A-C2A-CAA-CBA
14	2	813	CLA	C1A-C2A-CAA-CBA
14	2	815	CLA	C1A-C2A-CAA-CBA
14	2	820	CLA	C1A-C2A-CAA-CBA
14	2	825	CLA	C1A-C2A-CAA-CBA
14	2	832	CLA	C1A-C2A-CAA-CBA
14	2	833	CLA	C1A-C2A-CAA-CBA
14	2	836	CLA	C1A-C2A-CAA-CBA
14	2	838	CLA	C1A-C2A-CAA-CBA
14	f	204	CLA	C1A-C2A-CAA-CBA
14	6	4403	CLA	C1A-C2A-CAA-CBA
14	A	807	CLA	C16-C17-C18-C20
14	A	832	CLA	C16-C17-C18-C20
14	a	808	CLA	C16-C17-C18-C20
14	a	833	CLA	C16-C17-C18-C20
14	1	806	CLA	C16-C17-C18-C20
14	1	831	CLA	C16-C17-C18-C20
18	A	853	LMG	C11-C10-O7-C8
18	a	853	LMG	C11-C10-O7-C8
18	1	852	LMG	C11-C10-O7-C8
19	I	103	LMT	C4-C5-C6-C7
19	i	4101	LMT	C4-C5-C6-C7
19	h	103	LMT	C4-C5-C6-C7
17	K	4005	BCR	C15-C16-C17-C18
17	k	4004	BCR	C15-C16-C17-C18
17	8	4005	BCR	C15-C16-C17-C18
14	A	839	CLA	O1D-CGD-O2D-CED
14	a	840	CLA	O1D-CGD-O2D-CED
14	1	838	CLA	O1D-CGD-O2D-CED
14	b	809	CLA	C15-C16-C17-C18
14	2	808	CLA	C15-C16-C17-C18
14	B	809	CLA	C15-C16-C17-C18
12	A	802	LHG	O6-C4-C5-C6
12	a	802	LHG	O6-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	1	802	LHG	O6-C4-C5-C6
14	A	826	CLA	C10-C11-C12-C13
14	a	827	CLA	C10-C11-C12-C13
14	1	825	CLA	C10-C11-C12-C13
19	I	103	LMT	C5'-C4'-O1B-C1B
19	i	4101	LMT	C5'-C4'-O1B-C1B
19	h	103	LMT	C5'-C4'-O1B-C1B
14	A	829	CLA	C16-C17-C18-C20
14	a	830	CLA	C16-C17-C18-C20
14	1	828	CLA	C16-C17-C18-C20
15	A	845	PQN	C25-C26-C27-C28
15	a	845	PQN	C25-C26-C27-C28
12	M	101	LHG	C1-C2-C3-O3
12	m	101	LHG	C1-C2-C3-O3
12	9	101	LHG	C1-C2-C3-O3
15	1	845	PQN	C25-C26-C27-C28
14	B	832	CLA	C2A-CAA-CBA-CGA
14	b	831	CLA	C2A-CAA-CBA-CGA
14	2	831	CLA	C2A-CAA-CBA-CGA
14	B	821	CLA	C3-C5-C6-C7
14	b	820	CLA	C3-C5-C6-C7
14	2	820	CLA	C3-C5-C6-C7
14	B	806	CLA	C13-C15-C16-C17
14	L	1503	CLA	C8-C10-C11-C12
14	b	806	CLA	C13-C15-C16-C17
14	2	805	CLA	C13-C15-C16-C17
14	l	4206	CLA	C8-C10-C11-C12
14	0	208	CLA	C8-C10-C11-C12
14	A	843	CLA	O1A-CGA-O2A-C1
14	b	841	CLA	O1D-CGD-O2D-CED
14	A	819	CLA	C6-C7-C8-C9
14	B	835	CLA	C10-C11-C12-C13
14	a	820	CLA	C6-C7-C8-C9
14	b	834	CLA	C10-C11-C12-C13
14	2	834	CLA	C10-C11-C12-C13
14	B	842	CLA	O1D-CGD-O2D-CED
14	2	841	CLA	O1D-CGD-O2D-CED
14	B	811	CLA	C8-C10-C11-C12
14	b	811	CLA	C8-C10-C11-C12
14	2	810	CLA	C8-C10-C11-C12
14	1	818	CLA	C6-C7-C8-C9
14	a	843	CLA	O1A-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	1	843	CLA	O1A-CGA-O2A-C1
12	A	802	LHG	O1-C1-C2-O2
12	a	802	LHG	O1-C1-C2-O2
12	1	802	LHG	O1-C1-C2-O2
18	B	803	LMG	C38-C39-C40-C41
18	b	803	LMG	C38-C39-C40-C41
15	A	845	PQN	C20-C21-C22-C23
17	J	103	BCR	C35-C13-C14-C15
17	M	102	BCR	C16-C17-C18-C36
17	b	854	BCR	C16-C17-C18-C36
17	9	102	BCR	C16-C17-C18-C36
15	B	846	PQN	C14-C13-C15-C16
15	b	845	PQN	C14-C13-C15-C16
15	2	845	PQN	C14-C13-C15-C16
18	2	802	LMG	C38-C39-C40-C41
14	A	822	CLA	CBA-CGA-O2A-C1
14	A	832	CLA	CBA-CGA-O2A-C1
14	B	835	CLA	CBA-CGA-O2A-C1
14	a	823	CLA	CBA-CGA-O2A-C1
14	a	833	CLA	CBA-CGA-O2A-C1
14	1	821	CLA	CBA-CGA-O2A-C1
14	1	831	CLA	CBA-CGA-O2A-C1
14	b	834	CLA	CBA-CGA-O2A-C1
14	2	834	CLA	CBA-CGA-O2A-C1
15	a	845	PQN	C20-C21-C22-C23
14	A	833	CLA	C2A-CAA-CBA-CGA
14	B	807	CLA	C2A-CAA-CBA-CGA
14	a	834	CLA	C2A-CAA-CBA-CGA
14	1	832	CLA	C2A-CAA-CBA-CGA
14	b	807	CLA	C2A-CAA-CBA-CGA
14	2	806	CLA	C2A-CAA-CBA-CGA
14	B	806	CLA	C8-C10-C11-C12
14	b	806	CLA	C8-C10-C11-C12
14	2	805	CLA	C8-C10-C11-C12
14	A	836	CLA	C2-C1-O2A-CGA
14	B	835	CLA	C2-C1-O2A-CGA
14	a	837	CLA	C2-C1-O2A-CGA
14	1	835	CLA	C2-C1-O2A-CGA
14	b	834	CLA	C2-C1-O2A-CGA
14	2	834	CLA	C2-C1-O2A-CGA
14	A	826	CLA	C11-C12-C13-C14
14	a	827	CLA	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	1	825	CLA	C11-C12-C13-C14
14	B	833	CLA	O1D-CGD-O2D-CED
14	b	832	CLA	O1D-CGD-O2D-CED
14	2	832	CLA	O1D-CGD-O2D-CED
14	B	843	CLA	C8-C10-C11-C12
14	b	842	CLA	C8-C10-C11-C12
14	2	842	CLA	C8-C10-C11-C12
15	1	845	PQN	C20-C21-C22-C23
18	L	1506	LMG	C31-C32-C33-C34
18	0	201	LMG	C31-C32-C33-C34
14	B	810	CLA	CBA-CGA-O2A-C1
14	b	810	CLA	CBA-CGA-O2A-C1
14	2	809	CLA	CBA-CGA-O2A-C1
12	A	802	LHG	O6-C4-C5-O7
12	a	802	LHG	O6-C4-C5-O7
12	1	802	LHG	O6-C4-C5-O7
14	B	819	CLA	C6-C7-C8-C9
14	b	818	CLA	C6-C7-C8-C9
14	2	818	CLA	C6-C7-C8-C9
18	l	4202	LMG	C31-C32-C33-C34
17	A	848	BCR	C20-C21-C22-C23
17	B	854	BCR	C11-C10-C9-C8
17	a	848	BCR	C20-C21-C22-C23
17	1	848	BCR	C20-C21-C22-C23
17	b	853	BCR	C11-C10-C9-C8
17	6	4406	BCR	C11-C10-C9-C8
13	A	803	CL0	CAA-CBA-CGA-O2A
13	a	803	CL0	CAA-CBA-CGA-O2A
13	1	803	CL0	CAA-CBA-CGA-O2A
14	L	1501	CLA	C5-C6-C7-C8
14	l	4204	CLA	C5-C6-C7-C8
14	0	206	CLA	C5-C6-C7-C8
19	f	202	LMT	C4B-C5B-C6B-O6B
12	A	801	LHG	C23-C24-C25-C26
12	a	801	LHG	C23-C24-C25-C26
12	1	801	LHG	C23-C24-C25-C26
14	B	821	CLA	C5-C6-C7-C8
14	b	820	CLA	C5-C6-C7-C8
14	2	820	CLA	C5-C6-C7-C8
19	F	202	LMT	C4B-C5B-C6B-O6B
19	6	4401	LMT	C4B-C5B-C6B-O6B
13	A	803	CL0	C6-C7-C8-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	A	803	CL0	C11-C10-C8-C7
13	a	803	CL0	C6-C7-C8-C10
13	a	803	CL0	C11-C10-C8-C7
13	1	803	CL0	C6-C7-C8-C10
13	1	803	CL0	C11-C10-C8-C7
14	A	821	CLA	C6-C7-C8-C10
14	A	842	CLA	C6-C7-C8-C10
14	B	802	CLA	C6-C7-C8-C10
14	B	804	CLA	C11-C10-C8-C7
14	B	806	CLA	C6-C7-C8-C10
14	B	806	CLA	C11-C10-C8-C7
14	B	809	CLA	C6-C7-C8-C10
14	B	810	CLA	C6-C7-C8-C10
14	B	821	CLA	C11-C10-C8-C7
14	B	830	CLA	C6-C7-C8-C10
14	B	832	CLA	C11-C10-C8-C7
14	B	835	CLA	C11-C10-C8-C7
14	B	844	CLA	C11-C10-C8-C7
14	L	1501	CLA	C6-C7-C8-C10
14	a	822	CLA	C6-C7-C8-C10
14	a	842	CLA	C6-C7-C8-C10
14	1	820	CLA	C6-C7-C8-C10
14	1	842	CLA	C6-C7-C8-C10
14	b	801	CLA	C6-C7-C8-C10
14	b	804	CLA	C11-C10-C8-C7
14	b	806	CLA	C6-C7-C8-C10
14	b	806	CLA	C11-C10-C8-C7
14	b	809	CLA	C6-C7-C8-C10
14	b	810	CLA	C6-C7-C8-C10
14	b	820	CLA	C11-C10-C8-C7
14	b	829	CLA	C6-C7-C8-C10
14	b	831	CLA	C11-C10-C8-C7
14	b	834	CLA	C11-C10-C8-C7
14	b	843	CLA	C11-C10-C8-C7
14	2	803	CLA	C11-C10-C8-C7
14	2	805	CLA	C6-C7-C8-C10
14	2	805	CLA	C11-C10-C8-C7
14	2	808	CLA	C6-C7-C8-C10
14	2	809	CLA	C6-C7-C8-C10
14	2	820	CLA	C11-C10-C8-C7
14	2	829	CLA	C6-C7-C8-C10
14	2	831	CLA	C11-C10-C8-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	2	834	CLA	C11-C10-C8-C7
14	2	843	CLA	C11-C10-C8-C7
14	1	4204	CLA	C6-C7-C8-C10
14	0	202	CLA	C6-C7-C8-C10
14	0	206	CLA	C6-C7-C8-C10
15	B	846	PQN	C16-C17-C18-C20
15	b	845	PQN	C16-C17-C18-C20
15	2	845	PQN	C16-C17-C18-C20
13	A	803	CL0	C11-C10-C8-C9
13	a	803	CL0	C11-C10-C8-C9
13	1	803	CL0	C11-C10-C8-C9
14	A	821	CLA	C6-C7-C8-C9
14	A	830	CLA	C6-C7-C8-C9
14	A	843	CLA	C11-C10-C8-C9
14	B	804	CLA	C11-C10-C8-C9
14	B	809	CLA	C6-C7-C8-C9
14	B	810	CLA	C6-C7-C8-C9
14	B	812	CLA	C11-C12-C13-C14
14	B	816	CLA	C14-C13-C15-C16
14	B	835	CLA	C11-C10-C8-C9
14	a	822	CLA	C6-C7-C8-C9
14	a	831	CLA	C6-C7-C8-C9
14	a	843	CLA	C11-C10-C8-C9
14	1	820	CLA	C6-C7-C8-C9
14	1	829	CLA	C6-C7-C8-C9
14	1	843	CLA	C11-C10-C8-C9
14	b	804	CLA	C11-C10-C8-C9
14	b	809	CLA	C6-C7-C8-C9
14	b	810	CLA	C6-C7-C8-C9
14	b	812	CLA	C11-C12-C13-C14
14	b	815	CLA	C14-C13-C15-C16
14	b	834	CLA	C11-C10-C8-C9
14	2	803	CLA	C11-C10-C8-C9
14	2	808	CLA	C6-C7-C8-C9
14	2	809	CLA	C6-C7-C8-C9
14	2	811	CLA	C11-C12-C13-C14
14	2	815	CLA	C14-C13-C15-C16
14	2	834	CLA	C11-C10-C8-C9
15	B	846	PQN	C16-C17-C18-C19
15	b	845	PQN	C16-C17-C18-C19
15	2	845	PQN	C16-C17-C18-C19
14	A	810	CLA	C13-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	822	CLA	C8-C10-C11-C12
14	A	827	CLA	C10-C11-C12-C13
14	a	811	CLA	C13-C15-C16-C17
14	a	823	CLA	C8-C10-C11-C12
14	a	828	CLA	C10-C11-C12-C13
14	1	809	CLA	C13-C15-C16-C17
14	1	821	CLA	C8-C10-C11-C12
14	1	826	CLA	C10-C11-C12-C13
14	b	810	CLA	C10-C11-C12-C13
14	A	815	CLA	C2A-CAA-CBA-CGA
14	A	825	CLA	C2A-CAA-CBA-CGA
14	B	810	CLA	C2A-CAA-CBA-CGA
14	a	816	CLA	C2A-CAA-CBA-CGA
14	a	826	CLA	C2A-CAA-CBA-CGA
14	1	814	CLA	C2A-CAA-CBA-CGA
14	1	824	CLA	C2A-CAA-CBA-CGA
14	b	810	CLA	C2A-CAA-CBA-CGA
14	2	809	CLA	C2A-CAA-CBA-CGA
14	1	814	CLA	C2C-C3C-CAC-CBC
14	A	815	CLA	C2C-C3C-CAC-CBC
14	a	816	CLA	C2C-C3C-CAC-CBC
17	A	850	BCR	C7-C8-C9-C10
17	F	206	BCR	C11-C12-C13-C14
17	J	103	BCR	C11-C12-C13-C14
17	a	850	BCR	C7-C8-C9-C10
17	1	850	BCR	C7-C8-C9-C10
17	f	206	BCR	C11-C12-C13-C14
17	6	4405	BCR	C11-C12-C13-C14
17	j	103	BCR	C11-C12-C13-C14
14	B	810	CLA	C10-C11-C12-C13
14	2	809	CLA	C10-C11-C12-C13
14	A	814	CLA	C6-C7-C8-C9
14	a	815	CLA	C6-C7-C8-C9
14	1	813	CLA	C6-C7-C8-C9
14	A	828	CLA	CBA-CGA-O2A-C1
14	B	807	CLA	CBA-CGA-O2A-C1
14	B	830	CLA	CBA-CGA-O2A-C1
14	a	829	CLA	CBA-CGA-O2A-C1
14	1	827	CLA	CBA-CGA-O2A-C1
14	b	807	CLA	CBA-CGA-O2A-C1
14	b	829	CLA	CBA-CGA-O2A-C1
14	2	806	CLA	CBA-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	2	829	CLA	CBA-CGA-O2A-C1
14	2	830	CLA	CBA-CGA-O2A-C1
14	J	102	CLA	C4C-C3C-CAC-CBC
14	j	102	CLA	C4C-C3C-CAC-CBC
14	7	1103	CLA	C4C-C3C-CAC-CBC
14	L	1501	CLA	CBD-CGD-O2D-CED
14	l	4204	CLA	CBD-CGD-O2D-CED
14	0	206	CLA	CBD-CGD-O2D-CED
14	A	834	CLA	C15-C16-C17-C18
14	B	816	CLA	C10-C11-C12-C13
14	B	843	CLA	C15-C16-C17-C18
14	a	835	CLA	C15-C16-C17-C18
14	1	833	CLA	C15-C16-C17-C18
14	b	815	CLA	C10-C11-C12-C13
14	b	842	CLA	C15-C16-C17-C18
14	2	815	CLA	C10-C11-C12-C13
14	2	842	CLA	C15-C16-C17-C18
14	B	831	CLA	CBA-CGA-O2A-C1
14	b	830	CLA	CBA-CGA-O2A-C1
17	A	847	BCR	C18-C19-C20-C21
17	a	847	BCR	C18-C19-C20-C21
14	B	813	CLA	C4-C3-C5-C6
14	2	812	CLA	C4-C3-C5-C6
14	l	4203	CLA	C4-C3-C5-C6
15	B	846	PQN	C12-C13-C15-C16
15	b	845	PQN	C12-C13-C15-C16
15	2	845	PQN	C12-C13-C15-C16
14	A	822	CLA	O1A-CGA-O2A-C1
14	B	835	CLA	O1A-CGA-O2A-C1
14	a	823	CLA	O1A-CGA-O2A-C1
14	1	821	CLA	O1A-CGA-O2A-C1
14	b	810	CLA	O1A-CGA-O2A-C1
14	b	834	CLA	O1A-CGA-O2A-C1
14	2	834	CLA	O1A-CGA-O2A-C1
13	A	803	CL0	CBA-CGA-O2A-C1
13	a	803	CL0	CBA-CGA-O2A-C1
13	1	803	CL0	CBA-CGA-O2A-C1
14	A	832	CLA	O1A-CGA-O2A-C1
14	B	810	CLA	O1A-CGA-O2A-C1
14	a	833	CLA	O1A-CGA-O2A-C1
14	1	831	CLA	O1A-CGA-O2A-C1
14	2	809	CLA	O1A-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	826	CLA	C3A-C2A-CAA-CBA
14	A	842	CLA	C3A-C2A-CAA-CBA
14	A	843	CLA	C3A-C2A-CAA-CBA
14	B	816	CLA	C3A-C2A-CAA-CBA
14	B	836	CLA	C3A-C2A-CAA-CBA
14	B	837	CLA	C3A-C2A-CAA-CBA
14	B	843	CLA	C3A-C2A-CAA-CBA
14	a	827	CLA	C3A-C2A-CAA-CBA
14	a	842	CLA	C3A-C2A-CAA-CBA
14	a	843	CLA	C3A-C2A-CAA-CBA
14	1	825	CLA	C3A-C2A-CAA-CBA
14	1	842	CLA	C3A-C2A-CAA-CBA
14	1	843	CLA	C3A-C2A-CAA-CBA
14	b	815	CLA	C3A-C2A-CAA-CBA
14	b	835	CLA	C3A-C2A-CAA-CBA
14	b	836	CLA	C3A-C2A-CAA-CBA
14	b	842	CLA	C3A-C2A-CAA-CBA
14	2	815	CLA	C3A-C2A-CAA-CBA
14	2	835	CLA	C3A-C2A-CAA-CBA
14	2	836	CLA	C3A-C2A-CAA-CBA
14	2	842	CLA	C3A-C2A-CAA-CBA
18	0	201	LMG	C32-C33-C34-C35
18	L	1506	LMG	C32-C33-C34-C35
18	l	4202	LMG	C32-C33-C34-C35
14	b	831	CLA	C10-C11-C12-C13
14	2	831	CLA	C10-C11-C12-C13
14	B	805	CLA	C16-C17-C18-C20
14	b	805	CLA	C16-C17-C18-C20
14	2	804	CLA	C16-C17-C18-C20
14	B	819	CLA	CBA-CGA-O2A-C1
14	b	818	CLA	CBA-CGA-O2A-C1
14	2	818	CLA	CBA-CGA-O2A-C1
14	B	832	CLA	C10-C11-C12-C13
12	M	101	LHG	C4-C5-C6-O8
12	m	101	LHG	C4-C5-C6-O8
12	9	101	LHG	C4-C5-C6-O8
14	B	841	CLA	O1D-CGD-O2D-CED
12	A	802	LHG	C12-C13-C14-C15
12	a	802	LHG	C12-C13-C14-C15
12	1	802	LHG	C12-C13-C14-C15
18	B	803	LMG	C31-C32-C33-C34
18	b	803	LMG	C31-C32-C33-C34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	2	802	LMG	C31-C32-C33-C34
14	b	840	CLA	O1D-CGD-O2D-CED
19	I	103	LMT	C3'-C4'-O1B-C1B
19	i	4101	LMT	C3'-C4'-O1B-C1B
19	h	103	LMT	C3'-C4'-O1B-C1B
14	A	804	CLA	C4-C3-C5-C6
14	a	805	CLA	C4-C3-C5-C6
14	1	804	CLA	C4-C3-C5-C6
14	B	811	CLA	C16-C17-C18-C20
14	b	811	CLA	C16-C17-C18-C20
14	2	810	CLA	C16-C17-C18-C20
14	2	840	CLA	O1D-CGD-O2D-CED
14	A	809	CLA	O1A-CGA-O2A-C1
14	a	810	CLA	O1A-CGA-O2A-C1
14	1	808	CLA	O1A-CGA-O2A-C1
12	B	853	LHG	O1-C1-C2-O2
12	b	852	LHG	O1-C1-C2-O2
12	2	852	LHG	O1-C1-C2-O2
12	A	801	LHG	C7-C8-C9-C10
12	a	801	LHG	C7-C8-C9-C10
12	1	801	LHG	C7-C8-C9-C10
14	a	822	CLA	C5-C6-C7-C8
14	B	830	CLA	O1A-CGA-O2A-C1
14	b	829	CLA	O1A-CGA-O2A-C1
14	2	829	CLA	O1A-CGA-O2A-C1
18	A	853	LMG	O1-C7-C8-O7
18	a	853	LMG	O1-C7-C8-O7
18	1	852	LMG	O1-C7-C8-O7
14	1	820	CLA	C5-C6-C7-C8
14	A	821	CLA	C5-C6-C7-C8
14	B	804	CLA	C11-C12-C13-C14
14	B	805	CLA	C11-C12-C13-C14
14	B	844	CLA	C11-C10-C8-C9
14	b	804	CLA	C11-C12-C13-C14
14	b	805	CLA	C11-C12-C13-C14
14	b	843	CLA	C11-C10-C8-C9
14	2	803	CLA	C11-C12-C13-C14
14	2	804	CLA	C11-C12-C13-C14
14	2	843	CLA	C11-C10-C8-C9
17	A	847	BCR	C23-C24-C25-C30
17	A	850	BCR	C23-C24-C25-C26
17	A	850	BCR	C23-C24-C25-C30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	B	851	BCR	C1-C6-C7-C8
17	B	852	BCR	C1-C6-C7-C8
17	B	852	BCR	C5-C6-C7-C8
17	B	854	BCR	C23-C24-C25-C26
17	B	854	BCR	C23-C24-C25-C30
17	F	203	BCR	C23-C24-C25-C26
17	F	206	BCR	C23-C24-C25-C26
17	J	103	BCR	C5-C6-C7-C8
17	J	104	BCR	C5-C6-C7-C8
17	L	1505	BCR	C23-C24-C25-C26
17	L	1505	BCR	C23-C24-C25-C30
17	M	102	BCR	C23-C24-C25-C26
17	M	102	BCR	C23-C24-C25-C30
17	K	4005	BCR	C1-C6-C7-C8
17	K	4005	BCR	C23-C24-C25-C26
17	a	847	BCR	C23-C24-C25-C30
17	a	850	BCR	C23-C24-C25-C26
17	a	850	BCR	C23-C24-C25-C30
17	1	847	BCR	C23-C24-C25-C30
17	1	850	BCR	C23-C24-C25-C26
17	1	850	BCR	C23-C24-C25-C30
17	b	850	BCR	C1-C6-C7-C8
17	b	851	BCR	C1-C6-C7-C8
17	b	851	BCR	C5-C6-C7-C8
17	b	853	BCR	C23-C24-C25-C26
17	b	853	BCR	C23-C24-C25-C30
17	b	854	BCR	C23-C24-C25-C26
17	b	854	BCR	C23-C24-C25-C30
17	2	850	BCR	C1-C6-C7-C8
17	2	851	BCR	C1-C6-C7-C8
17	2	851	BCR	C5-C6-C7-C8
17	f	203	BCR	C23-C24-C25-C26
17	f	206	BCR	C23-C24-C25-C26
17	6	4402	BCR	C23-C24-C25-C26
17	6	4405	BCR	C23-C24-C25-C26
17	6	4406	BCR	C23-C24-C25-C26
17	6	4406	BCR	C23-C24-C25-C30
17	j	103	BCR	C5-C6-C7-C8
17	j	104	BCR	C5-C6-C7-C8
17	7	1104	BCR	C5-C6-C7-C8
17	7	1105	BCR	C5-C6-C7-C8
17	k	4004	BCR	C1-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	k	4004	BCR	C23-C24-C25-C26
17	8	4005	BCR	C1-C6-C7-C8
17	8	4005	BCR	C23-C24-C25-C26
17	0	204	BCR	C23-C24-C25-C26
17	0	204	BCR	C23-C24-C25-C30
17	0	210	BCR	C23-C24-C25-C26
17	0	210	BCR	C23-C24-C25-C30
17	9	102	BCR	C23-C24-C25-C26
17	9	102	BCR	C23-C24-C25-C30
17	J	104	BCR	C11-C12-C13-C35
17	j	104	BCR	C11-C12-C13-C35
17	7	1105	BCR	C11-C12-C13-C35
17	7	1104	BCR	C11-C12-C13-C14
12	A	801	LHG	C35-C36-C37-C38
12	1	801	LHG	C35-C36-C37-C38
12	a	801	LHG	C35-C36-C37-C38
14	B	819	CLA	C6-C7-C8-C10
14	a	833	CLA	C16-C17-C18-C19
14	b	818	CLA	C6-C7-C8-C10
14	2	818	CLA	C6-C7-C8-C10
12	A	801	LHG	C28-C29-C30-C31
12	a	801	LHG	C28-C29-C30-C31
12	1	801	LHG	C28-C29-C30-C31
18	A	852	LMG	C30-C31-C32-C33
18	a	852	LMG	C30-C31-C32-C33
18	0	203	LMG	C30-C31-C32-C33
14	A	813	CLA	C13-C15-C16-C17
14	1	812	CLA	C13-C15-C16-C17
13	A	803	CL0	C11-C12-C13-C15
13	a	803	CL0	C11-C12-C13-C15
13	1	803	CL0	C11-C12-C13-C15
14	A	804	CLA	C2-C3-C5-C6
14	A	827	CLA	C6-C7-C8-C10
14	A	827	CLA	C12-C13-C15-C16
14	A	829	CLA	C6-C7-C8-C10
14	A	830	CLA	C6-C7-C8-C10
14	A	841	CLA	C11-C10-C8-C7
14	A	843	CLA	C11-C10-C8-C7
14	B	805	CLA	C11-C12-C13-C15
14	B	811	CLA	C11-C12-C13-C15
14	B	812	CLA	C11-C12-C13-C15
14	L	1503	CLA	C11-C10-C8-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	805	CLA	C2-C3-C5-C6
14	a	828	CLA	C6-C7-C8-C10
14	a	828	CLA	C12-C13-C15-C16
14	a	830	CLA	C6-C7-C8-C10
14	a	831	CLA	C6-C7-C8-C10
14	a	843	CLA	C11-C10-C8-C7
14	1	804	CLA	C2-C3-C5-C6
14	1	826	CLA	C6-C7-C8-C10
14	1	826	CLA	C12-C13-C15-C16
14	1	828	CLA	C6-C7-C8-C10
14	1	829	CLA	C6-C7-C8-C10
14	1	840	CLA	C11-C10-C8-C7
14	1	843	CLA	C11-C10-C8-C7
14	b	802	CLA	C11-C10-C8-C7
14	b	805	CLA	C11-C12-C13-C15
14	b	809	CLA	C12-C13-C15-C16
14	b	811	CLA	C11-C12-C13-C15
14	b	812	CLA	C11-C12-C13-C15
14	2	804	CLA	C11-C12-C13-C15
14	2	808	CLA	C12-C13-C15-C16
14	2	810	CLA	C11-C12-C13-C15
14	2	811	CLA	C11-C12-C13-C15
14	1	4206	CLA	C11-C10-C8-C7
14	0	208	CLA	C11-C10-C8-C7
14	a	814	CLA	C13-C15-C16-C17
17	B	854	BCR	C9-C10-C11-C12
17	b	853	BCR	C9-C10-C11-C12
17	6	4406	BCR	C9-C10-C11-C12
14	A	832	CLA	C16-C17-C18-C19
14	1	831	CLA	C16-C17-C18-C19
15	B	846	PQN	C26-C27-C28-C30
15	b	845	PQN	C26-C27-C28-C30
15	2	845	PQN	C26-C27-C28-C30
18	A	852	LMG	C11-C12-C13-C14
14	b	841	CLA	O1A-CGA-O2A-C1
14	2	841	CLA	O1A-CGA-O2A-C1
18	a	852	LMG	C11-C12-C13-C14
18	0	203	LMG	C11-C12-C13-C14
14	A	822	CLA	C2A-CAA-CBA-CGA
14	a	823	CLA	C2A-CAA-CBA-CGA
14	1	821	CLA	C2A-CAA-CBA-CGA
14	a	824	CLA	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	1	822	CLA	C5-C6-C7-C8
17	B	850	BCR	C11-C10-C9-C34
17	B	852	BCR	C20-C21-C22-C37
17	F	203	BCR	C16-C17-C18-C36
17	L	1504	BCR	C20-C21-C22-C37
17	b	849	BCR	C11-C10-C9-C34
17	b	851	BCR	C20-C21-C22-C37
17	2	849	BCR	C11-C10-C9-C34
17	2	851	BCR	C20-C21-C22-C37
17	f	203	BCR	C16-C17-C18-C36
17	6	4402	BCR	C16-C17-C18-C36
17	l	4207	BCR	C20-C21-C22-C37
17	0	209	BCR	C20-C21-C22-C37
14	A	823	CLA	C5-C6-C7-C8
12	b	852	LHG	C24-C23-O8-C6
12	B	853	LHG	C26-C27-C28-C29
12	b	852	LHG	C26-C27-C28-C29
12	2	852	LHG	C26-C27-C28-C29
14	A	804	CLA	C15-C16-C17-C18
14	a	805	CLA	C15-C16-C17-C18
14	1	804	CLA	C15-C16-C17-C18
13	A	803	CL0	CAD-CBD-CGD-O2D
13	a	803	CL0	CAD-CBD-CGD-O2D
13	1	803	CL0	CAD-CBD-CGD-O2D
14	A	809	CLA	CAD-CBD-CGD-O2D
14	A	820	CLA	CAD-CBD-CGD-O2D
14	A	825	CLA	CAD-CBD-CGD-O2D
14	A	842	CLA	CAD-CBD-CGD-O2D
14	B	822	CLA	CAD-CBD-CGD-O2D
14	B	825	CLA	CAD-CBD-CGD-O2D
14	B	837	CLA	CAD-CBD-CGD-O2D
14	a	810	CLA	CAD-CBD-CGD-O2D
14	a	821	CLA	CAD-CBD-CGD-O2D
14	a	826	CLA	CAD-CBD-CGD-O2D
14	a	842	CLA	CAD-CBD-CGD-O2D
14	1	808	CLA	CAD-CBD-CGD-O2D
14	1	819	CLA	CAD-CBD-CGD-O2D
14	1	824	CLA	CAD-CBD-CGD-O2D
14	1	842	CLA	CAD-CBD-CGD-O2D
14	b	821	CLA	CAD-CBD-CGD-O2D
14	b	824	CLA	CAD-CBD-CGD-O2D
14	b	836	CLA	CAD-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	2	821	CLA	CAD-CBD-CGD-O2D
14	2	824	CLA	CAD-CBD-CGD-O2D
14	2	836	CLA	CAD-CBD-CGD-O2D
18	b	803	LMG	C16-C17-C18-C19
18	2	802	LMG	C16-C17-C18-C19
14	B	842	CLA	O1A-CGA-O2A-C1
14	A	834	CLA	C13-C15-C16-C17
14	a	835	CLA	C13-C15-C16-C17
14	1	833	CLA	C13-C15-C16-C17
18	B	803	LMG	C16-C17-C18-C19
17	A	848	BCR	C22-C23-C24-C25
17	I	102	BCR	C22-C23-C24-C25
17	K	4001	BCR	C22-C23-C24-C25
17	a	848	BCR	C22-C23-C24-C25
17	1	848	BCR	C22-C23-C24-C25
17	i	4103	BCR	C22-C23-C24-C25
17	h	102	BCR	C22-C23-C24-C25
17	k	4001	BCR	C22-C23-C24-C25
17	8	4001	BCR	C22-C23-C24-C25
12	B	853	LHG	C24-C23-O8-C6
12	2	852	LHG	C24-C23-O8-C6
14	B	811	CLA	C16-C17-C18-C19
14	b	811	CLA	C16-C17-C18-C19
14	2	810	CLA	C16-C17-C18-C19
19	f	202	LMT	C4'-C5'-C6'-O6'
14	A	813	CLA	C10-C11-C12-C13
14	A	843	CLA	C15-C16-C17-C18
14	a	814	CLA	C10-C11-C12-C13
14	a	843	CLA	C15-C16-C17-C18
14	1	812	CLA	C10-C11-C12-C13
14	1	843	CLA	C15-C16-C17-C18
19	F	202	LMT	C4'-C5'-C6'-O6'
19	6	4401	LMT	C4'-C5'-C6'-O6'
12	M	101	LHG	O10-C23-O8-C6
12	m	101	LHG	O10-C23-O8-C6
12	9	101	LHG	O10-C23-O8-C6
14	B	816	CLA	C13-C15-C16-C17
14	b	815	CLA	C13-C15-C16-C17
14	2	815	CLA	C13-C15-C16-C17
17	1	847	BCR	C18-C19-C20-C21
14	F	204	CLA	C2A-CAA-CBA-CGA
14	f	204	CLA	C2A-CAA-CBA-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	6	4403	CLA	C2A-CAA-CBA-CGA
17	A	851	BCR	C14-C15-C16-C17
14	2	842	CLA	C5-C6-C7-C8
14	B	809	CLA	C16-C17-C18-C19
14	b	809	CLA	C16-C17-C18-C19
14	2	808	CLA	C16-C17-C18-C19
14	A	824	CLA	CHA-CBD-CGD-O1D
14	A	838	CLA	CHA-CBD-CGD-O1D
14	B	807	CLA	CHA-CBD-CGD-O1D
14	B	807	CLA	CHA-CBD-CGD-O2D
14	B	823	CLA	CHA-CBD-CGD-O1D
14	B	833	CLA	CHA-CBD-CGD-O1D
14	B	833	CLA	CHA-CBD-CGD-O2D
14	B	840	CLA	CHA-CBD-CGD-O2D
14	B	842	CLA	CHA-CBD-CGD-O2D
14	F	201	CLA	CHA-CBD-CGD-O1D
14	L	1501	CLA	CHA-CBD-CGD-O1D
14	K	4002	CLA	CHA-CBD-CGD-O1D
14	a	825	CLA	CHA-CBD-CGD-O1D
14	a	839	CLA	CHA-CBD-CGD-O1D
14	1	823	CLA	CHA-CBD-CGD-O1D
14	1	837	CLA	CHA-CBD-CGD-O1D
14	1	841	CLA	CHA-CBD-CGD-O1D
14	b	807	CLA	CHA-CBD-CGD-O1D
14	b	807	CLA	CHA-CBD-CGD-O2D
14	b	822	CLA	CHA-CBD-CGD-O1D
14	b	832	CLA	CHA-CBD-CGD-O1D
14	b	832	CLA	CHA-CBD-CGD-O2D
14	b	839	CLA	CHA-CBD-CGD-O2D
14	b	841	CLA	CHA-CBD-CGD-O2D
14	2	806	CLA	CHA-CBD-CGD-O1D
14	2	806	CLA	CHA-CBD-CGD-O2D
14	2	822	CLA	CHA-CBD-CGD-O1D
14	2	832	CLA	CHA-CBD-CGD-O1D
14	2	832	CLA	CHA-CBD-CGD-O2D
14	2	839	CLA	CHA-CBD-CGD-O2D
14	2	841	CLA	CHA-CBD-CGD-O2D
14	f	201	CLA	CHA-CBD-CGD-O1D
14	k	4002	CLA	CHA-CBD-CGD-O1D
14	8	4002	CLA	CHA-CBD-CGD-O1D
14	l	4204	CLA	CHA-CBD-CGD-O1D
14	0	206	CLA	CHA-CBD-CGD-O1D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	B	843	CLA	C5-C6-C7-C8
14	A	815	CLA	CBD-CGD-O2D-CED
14	a	816	CLA	CBD-CGD-O2D-CED
14	1	814	CLA	CBD-CGD-O2D-CED
13	A	803	CL0	O1A-CGA-O2A-C1
13	a	803	CL0	O1A-CGA-O2A-C1
13	1	803	CL0	O1A-CGA-O2A-C1
14	B	807	CLA	O1A-CGA-O2A-C1
14	B	831	CLA	O1A-CGA-O2A-C1
14	1	827	CLA	O1A-CGA-O2A-C1
14	b	807	CLA	O1A-CGA-O2A-C1
14	b	830	CLA	O1A-CGA-O2A-C1
14	2	806	CLA	O1A-CGA-O2A-C1
14	2	830	CLA	O1A-CGA-O2A-C1
18	A	852	LMG	O10-C28-O8-C9
18	a	852	LMG	O10-C28-O8-C9
18	0	203	LMG	O10-C28-O8-C9
14	B	844	CLA	C15-C16-C17-C18
14	b	843	CLA	C15-C16-C17-C18
14	2	843	CLA	C15-C16-C17-C18
12	M	101	LHG	O7-C5-C6-O8
12	m	101	LHG	O7-C5-C6-O8
12	9	101	LHG	O7-C5-C6-O8
14	b	842	CLA	C5-C6-C7-C8
14	A	828	CLA	O1A-CGA-O2A-C1
14	B	819	CLA	O1A-CGA-O2A-C1
14	a	829	CLA	O1A-CGA-O2A-C1
14	b	818	CLA	O1A-CGA-O2A-C1
14	2	818	CLA	O1A-CGA-O2A-C1
15	B	846	PQN	C25-C26-C27-C28
15	b	845	PQN	C25-C26-C27-C28
15	2	845	PQN	C25-C26-C27-C28
14	1	828	CLA	C4-C3-C5-C6
14	A	834	CLA	C10-C11-C12-C13
14	A	834	CLA	C6-C7-C8-C9
14	B	844	CLA	C6-C7-C8-C9
14	a	835	CLA	C6-C7-C8-C9
14	1	833	CLA	C6-C7-C8-C9
14	b	843	CLA	C6-C7-C8-C9
14	B	810	CLA	C2C-C3C-CAC-CBC
14	b	810	CLA	C2C-C3C-CAC-CBC
14	2	809	CLA	C2C-C3C-CAC-CBC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	832	CLA	C13-C15-C16-C17
14	a	833	CLA	C13-C15-C16-C17
14	a	835	CLA	C10-C11-C12-C13
14	1	831	CLA	C13-C15-C16-C17
14	1	833	CLA	C10-C11-C12-C13
14	A	836	CLA	C2A-CAA-CBA-CGA
14	a	837	CLA	C2A-CAA-CBA-CGA
14	1	835	CLA	C2A-CAA-CBA-CGA
14	B	812	CLA	C14-C13-C15-C16
14	b	812	CLA	C14-C13-C15-C16
14	2	811	CLA	C14-C13-C15-C16
17	I	101	BCR	C21-C22-C23-C24
17	i	4102	BCR	C21-C22-C23-C24
17	h	101	BCR	C21-C22-C23-C24
14	F	201	CLA	C1A-C2A-CAA-CBA
14	K	4003	CLA	C1A-C2A-CAA-CBA
14	1	841	CLA	C1A-C2A-CAA-CBA
14	f	201	CLA	C1A-C2A-CAA-CBA
14	k	4003	CLA	C1A-C2A-CAA-CBA
14	8	4003	CLA	C1A-C2A-CAA-CBA
14	B	820	CLA	C6-C7-C8-C9
14	b	819	CLA	C6-C7-C8-C9
14	2	819	CLA	C6-C7-C8-C9
14	L	1501	CLA	C13-C15-C16-C17
14	l	4204	CLA	C13-C15-C16-C17
14	0	206	CLA	C13-C15-C16-C17
14	A	813	CLA	C2-C1-O2A-CGA
14	F	201	CLA	C2-C1-O2A-CGA
14	a	814	CLA	C2-C1-O2A-CGA
14	1	812	CLA	C2-C1-O2A-CGA
14	1	841	CLA	C2-C1-O2A-CGA
14	f	201	CLA	C2-C1-O2A-CGA
18	l	4202	LMG	C29-C30-C31-C32
17	J	103	BCR	C9-C10-C11-C12
17	j	103	BCR	C9-C10-C11-C12
18	L	1506	LMG	C29-C30-C31-C32
18	0	201	LMG	C29-C30-C31-C32
14	A	829	CLA	C4-C3-C5-C6
14	a	830	CLA	C4-C3-C5-C6
12	B	853	LHG	C4-O6-P-O4
12	M	101	LHG	C3-O3-P-O5
12	M	101	LHG	C4-O6-P-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	b	852	LHG	C4-O6-P-O4
12	2	852	LHG	C4-O6-P-O4
12	m	101	LHG	C3-O3-P-O5
12	m	101	LHG	C4-O6-P-O4
12	9	101	LHG	C3-O3-P-O5
12	9	101	LHG	C4-O6-P-O4
14	B	844	CLA	C16-C17-C18-C20
14	b	843	CLA	C16-C17-C18-C20
14	2	843	CLA	C16-C17-C18-C20
14	A	824	CLA	O2A-C1-C2-C3
14	a	825	CLA	O2A-C1-C2-C3
14	1	823	CLA	O2A-C1-C2-C3
18	2	802	LMG	C13-C14-C15-C16
18	B	803	LMG	C13-C14-C15-C16
14	b	833	CLA	C5-C6-C7-C8
13	1	803	CL0	C3-C5-C6-C7
14	B	834	CLA	C5-C6-C7-C8
14	2	833	CLA	C5-C6-C7-C8
18	B	803	LMG	C32-C33-C34-C35
18	b	803	LMG	C13-C14-C15-C16
18	b	803	LMG	C32-C33-C34-C35
18	2	802	LMG	C32-C33-C34-C35
14	A	828	CLA	C6-C7-C8-C9
14	B	809	CLA	C16-C17-C18-C20
14	a	829	CLA	C6-C7-C8-C9
14	1	827	CLA	C6-C7-C8-C9
14	b	809	CLA	C16-C17-C18-C20
14	2	808	CLA	C16-C17-C18-C20
18	B	803	LMG	C17-C18-C19-C20
18	b	803	LMG	C17-C18-C19-C20
18	2	802	LMG	C17-C18-C19-C20
14	A	832	CLA	CAD-CBD-CGD-O1D
14	A	834	CLA	CAD-CBD-CGD-O1D
14	B	816	CLA	CAD-CBD-CGD-O1D
14	B	835	CLA	CAD-CBD-CGD-O1D
14	B	840	CLA	CAD-CBD-CGD-O1D
14	B	844	CLA	CAD-CBD-CGD-O1D
14	F	201	CLA	C2-C3-C5-C6
14	L	1501	CLA	CAD-CBD-CGD-O1D
14	K	4002	CLA	CAD-CBD-CGD-O1D
14	K	4003	CLA	CAD-CBD-CGD-O1D
14	a	833	CLA	CAD-CBD-CGD-O1D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	835	CLA	CAD-CBD-CGD-O1D
14	1	831	CLA	CAD-CBD-CGD-O1D
14	1	833	CLA	CAD-CBD-CGD-O1D
14	1	841	CLA	C2-C3-C5-C6
14	b	815	CLA	CAD-CBD-CGD-O1D
14	b	834	CLA	CAD-CBD-CGD-O1D
14	b	839	CLA	CAD-CBD-CGD-O1D
14	b	843	CLA	CAD-CBD-CGD-O1D
14	2	815	CLA	CAD-CBD-CGD-O1D
14	2	834	CLA	CAD-CBD-CGD-O1D
14	2	839	CLA	CAD-CBD-CGD-O1D
14	2	843	CLA	CAD-CBD-CGD-O1D
14	f	201	CLA	C2-C3-C5-C6
14	k	4002	CLA	CAD-CBD-CGD-O1D
14	k	4003	CLA	CAD-CBD-CGD-O1D
14	8	4002	CLA	CAD-CBD-CGD-O1D
14	8	4003	CLA	CAD-CBD-CGD-O1D
14	l	4204	CLA	CAD-CBD-CGD-O1D
14	0	206	CLA	CAD-CBD-CGD-O1D
14	B	840	CLA	C2C-C3C-CAC-CBC
14	b	839	CLA	C2C-C3C-CAC-CBC
13	A	803	CL0	C3-C5-C6-C7
13	a	803	CL0	C3-C5-C6-C7
14	A	834	CLA	C3-C5-C6-C7
14	B	813	CLA	C3-C5-C6-C7
14	a	835	CLA	C3-C5-C6-C7
14	1	833	CLA	C3-C5-C6-C7
14	2	812	CLA	C3-C5-C6-C7
14	l	4203	CLA	C3-C5-C6-C7
14	A	827	CLA	CBA-CGA-O2A-C1
14	a	828	CLA	CBA-CGA-O2A-C1
14	1	826	CLA	CBA-CGA-O2A-C1
14	2	839	CLA	C2C-C3C-CAC-CBC
14	0	202	CLA	C4-C3-C5-C6
14	A	810	CLA	C11-C12-C13-C15
14	A	826	CLA	C11-C10-C8-C7
14	A	830	CLA	C12-C13-C15-C16
14	A	832	CLA	C12-C13-C15-C16
14	A	834	CLA	C6-C7-C8-C10
14	A	835	CLA	C12-C13-C15-C16
14	B	809	CLA	C12-C13-C15-C16
14	B	841	CLA	C11-C12-C13-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	811	CLA	C11-C12-C13-C15
14	a	827	CLA	C11-C10-C8-C7
14	a	831	CLA	C12-C13-C15-C16
14	a	833	CLA	C12-C13-C15-C16
14	a	835	CLA	C6-C7-C8-C10
14	a	836	CLA	C12-C13-C15-C16
14	1	809	CLA	C11-C12-C13-C15
14	1	825	CLA	C11-C10-C8-C7
14	1	829	CLA	C12-C13-C15-C16
14	1	831	CLA	C12-C13-C15-C16
14	1	833	CLA	C6-C7-C8-C10
14	1	834	CLA	C12-C13-C15-C16
14	b	840	CLA	C11-C12-C13-C15
14	2	840	CLA	C11-C12-C13-C15
18	A	852	LMG	C15-C16-C17-C18
17	7	1104	BCR	C9-C10-C11-C12
18	a	852	LMG	C15-C16-C17-C18
18	0	203	LMG	C15-C16-C17-C18
18	a	852	LMG	C37-C38-C39-C40
18	A	852	LMG	C37-C38-C39-C40
18	0	203	LMG	C37-C38-C39-C40
14	A	830	CLA	C2A-CAA-CBA-CGA
14	a	831	CLA	C2A-CAA-CBA-CGA
14	1	829	CLA	C2A-CAA-CBA-CGA
14	B	821	CLA	C11-C12-C13-C15
14	b	820	CLA	C11-C12-C13-C15
14	2	820	CLA	C11-C12-C13-C15
14	A	820	CLA	C3-C5-C6-C7
14	a	821	CLA	C3-C5-C6-C7
14	1	819	CLA	C3-C5-C6-C7
14	B	805	CLA	CAA-CBA-CGA-O2A
14	b	805	CLA	CAA-CBA-CGA-O2A
14	2	804	CLA	CAA-CBA-CGA-O2A
12	B	853	LHG	O7-C5-C6-O8
12	b	852	LHG	O7-C5-C6-O8
12	2	852	LHG	O7-C5-C6-O8
18	L	1506	LMG	O7-C8-C9-O8
18	l	4202	LMG	O7-C8-C9-O8
18	0	201	LMG	O7-C8-C9-O8
12	a	802	LHG	C13-C14-C15-C16
12	A	802	LHG	C13-C14-C15-C16
17	a	851	BCR	C14-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	1	851	BCR	C14-C15-C16-C17
14	A	836	CLA	C3-C5-C6-C7
14	a	837	CLA	C3-C5-C6-C7
14	1	835	CLA	C3-C5-C6-C7
12	1	802	LHG	C13-C14-C15-C16
14	b	816	CLA	C4C-C3C-CAC-CBC
14	b	801	CLA	C4-C3-C5-C6
14	B	817	CLA	C4C-C3C-CAC-CBC
13	A	803	CL0	C6-C7-C8-C9
13	a	803	CL0	C6-C7-C8-C9
13	1	803	CL0	C6-C7-C8-C9
14	A	832	CLA	C6-C7-C8-C9
14	A	841	CLA	C11-C10-C8-C9
14	B	811	CLA	C11-C10-C8-C9
14	B	811	CLA	C11-C12-C13-C14
14	B	831	CLA	C14-C13-C15-C16
14	L	1503	CLA	C11-C10-C8-C9
14	a	833	CLA	C6-C7-C8-C9
14	1	831	CLA	C6-C7-C8-C9
14	1	840	CLA	C11-C10-C8-C9
14	b	802	CLA	C11-C10-C8-C9
14	b	811	CLA	C11-C10-C8-C9
14	b	811	CLA	C11-C12-C13-C14
14	b	830	CLA	C14-C13-C15-C16
14	2	810	CLA	C11-C10-C8-C9
14	2	810	CLA	C11-C12-C13-C14
14	2	830	CLA	C14-C13-C15-C16
14	2	843	CLA	C6-C7-C8-C9
14	l	4206	CLA	C11-C10-C8-C9
14	0	208	CLA	C11-C10-C8-C9
17	A	850	BCR	C6-C7-C8-C9
17	a	850	BCR	C6-C7-C8-C9
17	1	850	BCR	C6-C7-C8-C9
12	a	801	LHG	C18-C19-C20-C21
14	2	816	CLA	C4C-C3C-CAC-CBC
18	A	852	LMG	C34-C35-C36-C37
18	a	852	LMG	C34-C35-C36-C37
18	0	203	LMG	C34-C35-C36-C37
14	A	804	CLA	C16-C17-C18-C20
14	a	805	CLA	C16-C17-C18-C20
14	1	804	CLA	C16-C17-C18-C20
12	A	801	LHG	C18-C19-C20-C21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	1	801	LHG	C18-C19-C20-C21
12	2	852	LHG	C11-C10-C9-C8
12	B	853	LHG	C11-C10-C9-C8
12	b	852	LHG	C11-C10-C9-C8
18	B	803	LMG	C18-C19-C20-C21
18	b	803	LMG	C18-C19-C20-C21
17	A	848	BCR	C19-C20-C21-C22
17	B	847	BCR	C19-C20-C21-C22
17	a	848	BCR	C19-C20-C21-C22
17	1	848	BCR	C19-C20-C21-C22
17	b	846	BCR	C19-C20-C21-C22
17	2	846	BCR	C19-C20-C21-C22
18	2	802	LMG	C18-C19-C20-C21
14	A	827	CLA	O1A-CGA-O2A-C1
14	a	828	CLA	O1A-CGA-O2A-C1
14	1	826	CLA	O1A-CGA-O2A-C1
14	A	824	CLA	C1-C2-C3-C4
14	a	825	CLA	C1-C2-C3-C4
14	1	823	CLA	C1-C2-C3-C4
14	A	841	CLA	C2C-C3C-CAC-CBC
14	1	840	CLA	C2C-C3C-CAC-CBC
14	b	802	CLA	C2C-C3C-CAC-CBC
14	A	812	CLA	C2A-CAA-CBA-CGA
14	A	841	CLA	C2A-CAA-CBA-CGA
14	a	813	CLA	C2A-CAA-CBA-CGA
14	1	811	CLA	C2A-CAA-CBA-CGA
14	1	840	CLA	C2A-CAA-CBA-CGA
14	b	802	CLA	C2A-CAA-CBA-CGA
14	A	805	CLA	C2-C1-O2A-CGA
14	A	822	CLA	C2-C1-O2A-CGA
14	B	809	CLA	C2-C1-O2A-CGA
14	a	806	CLA	C2-C1-O2A-CGA
14	a	823	CLA	C2-C1-O2A-CGA
14	1	821	CLA	C2-C1-O2A-CGA
14	b	809	CLA	C2-C1-O2A-CGA
14	2	808	CLA	C2-C1-O2A-CGA
14	7	1101	CLA	C2-C1-O2A-CGA
17	F	206	BCR	C14-C15-C16-C17
17	f	206	BCR	C14-C15-C16-C17
17	6	4405	BCR	C14-C15-C16-C17
14	A	807	CLA	C3-C5-C6-C7
14	A	810	CLA	C3-C5-C6-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	808	CLA	C3-C5-C6-C7
14	a	811	CLA	C3-C5-C6-C7
14	1	806	CLA	C3-C5-C6-C7
14	1	809	CLA	C3-C5-C6-C7
14	0	206	CLA	O1D-CGD-O2D-CED
18	L	1506	LMG	C29-C28-O8-C9
18	l	4202	LMG	C29-C28-O8-C9
18	0	201	LMG	C29-C28-O8-C9
14	b	818	CLA	C5-C6-C7-C8
14	2	818	CLA	C5-C6-C7-C8
14	B	802	CLA	C4-C3-C5-C6
14	l	4204	CLA	O1D-CGD-O2D-CED
14	B	806	CLA	C3-C5-C6-C7
14	b	806	CLA	C3-C5-C6-C7
14	2	805	CLA	C3-C5-C6-C7
17	A	847	BCR	C23-C24-C25-C26
17	F	203	BCR	C23-C24-C25-C30
17	F	206	BCR	C23-C24-C25-C30
17	J	103	BCR	C1-C6-C7-C8
17	K	4005	BCR	C5-C6-C7-C8
17	K	4005	BCR	C23-C24-C25-C30
17	a	847	BCR	C23-C24-C25-C26
17	1	847	BCR	C23-C24-C25-C26
17	f	203	BCR	C23-C24-C25-C30
17	6	4402	BCR	C23-C24-C25-C30
17	j	103	BCR	C1-C6-C7-C8
17	7	1104	BCR	C1-C6-C7-C8
17	k	4004	BCR	C5-C6-C7-C8
17	k	4004	BCR	C23-C24-C25-C30
17	8	4005	BCR	C5-C6-C7-C8
17	8	4005	BCR	C23-C24-C25-C30
14	A	829	CLA	C2-C3-C5-C6
14	B	813	CLA	C2-C3-C5-C6
14	a	830	CLA	C2-C3-C5-C6
14	1	828	CLA	C2-C3-C5-C6
14	2	812	CLA	C2-C3-C5-C6
14	l	4203	CLA	C2-C3-C5-C6
14	L	1501	CLA	O1D-CGD-O2D-CED
14	A	822	CLA	C2C-C3C-CAC-CBC
14	1	821	CLA	C2C-C3C-CAC-CBC
14	a	823	CLA	C2C-C3C-CAC-CBC
14	B	819	CLA	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	B	853	LHG	C3-O3-P-O6
12	b	852	LHG	C3-O3-P-O6
12	2	852	LHG	C3-O3-P-O6
18	L	1506	LMG	C33-C34-C35-C36
18	l	4202	LMG	C33-C34-C35-C36
18	0	201	LMG	C33-C34-C35-C36
18	B	803	LMG	C7-C8-C9-O8
18	b	803	LMG	C7-C8-C9-O8
18	2	802	LMG	C7-C8-C9-O8
14	B	819	CLA	CAA-CBA-CGA-O2A
14	b	818	CLA	CAA-CBA-CGA-O2A
14	2	818	CLA	CAA-CBA-CGA-O2A
14	A	821	CLA	C14-C13-C15-C16
14	a	822	CLA	C14-C13-C15-C16
17	I	102	BCR	C15-C16-C17-C18
17	i	4103	BCR	C15-C16-C17-C18
17	h	102	BCR	C15-C16-C17-C18
14	A	831	CLA	C16-C17-C18-C20
14	B	820	CLA	C6-C7-C8-C10
14	a	832	CLA	C16-C17-C18-C20
14	1	830	CLA	C16-C17-C18-C20
14	b	819	CLA	C6-C7-C8-C10
14	2	819	CLA	C6-C7-C8-C10
12	B	853	LHG	C29-C30-C31-C32
12	2	852	LHG	C29-C30-C31-C32
12	A	802	LHG	C7-C8-C9-C10
12	1	802	LHG	C7-C8-C9-C10
12	b	852	LHG	C29-C30-C31-C32
17	A	851	BCR	C7-C8-C9-C34
17	a	851	BCR	C7-C8-C9-C34
14	B	844	CLA	C16-C17-C18-C19
14	a	829	CLA	C6-C7-C8-C10
14	1	827	CLA	C6-C7-C8-C10
14	b	843	CLA	C16-C17-C18-C19
14	2	843	CLA	C16-C17-C18-C19
12	A	801	LHG	C2-C3-O3-P
12	a	801	LHG	C2-C3-O3-P
12	1	801	LHG	C2-C3-O3-P
14	2	829	CLA	C4C-C3C-CAC-CBC
14	L	1503	CLA	CAA-CBA-CGA-O2A
12	a	802	LHG	C7-C8-C9-C10
17	A	851	BCR	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	B	849	BCR	C21-C22-C23-C24
17	a	851	BCR	C11-C12-C13-C14
17	b	848	BCR	C21-C22-C23-C24
17	2	848	BCR	C21-C22-C23-C24
14	l	4206	CLA	CAA-CBA-CGA-O2A
14	0	208	CLA	CAA-CBA-CGA-O2A
14	B	830	CLA	C4C-C3C-CAC-CBC
14	b	829	CLA	C4C-C3C-CAC-CBC
14	A	813	CLA	CBA-CGA-O2A-C1
14	A	842	CLA	CBA-CGA-O2A-C1
14	K	4004	CLA	CBA-CGA-O2A-C1
14	a	814	CLA	CBA-CGA-O2A-C1
14	a	842	CLA	CBA-CGA-O2A-C1
14	a	854	CLA	CBA-CGA-O2A-C1
14	1	812	CLA	CBA-CGA-O2A-C1
14	1	842	CLA	CBA-CGA-O2A-C1
14	8	4004	CLA	CBA-CGA-O2A-C1
18	b	803	LMG	C11-C12-C13-C14
14	K	4004	CLA	O1A-CGA-O2A-C1
14	a	814	CLA	O1A-CGA-O2A-C1
14	a	854	CLA	O1A-CGA-O2A-C1
14	8	4004	CLA	O1A-CGA-O2A-C1
18	A	852	LMG	C28-C29-C30-C31
18	0	203	LMG	C28-C29-C30-C31
18	2	802	LMG	C11-C12-C13-C14
12	A	801	LHG	C27-C28-C29-C30
12	a	801	LHG	C27-C28-C29-C30
12	1	801	LHG	C27-C28-C29-C30
18	B	803	LMG	C11-C12-C13-C14
14	A	813	CLA	O1A-CGA-O2A-C1
14	1	812	CLA	O1A-CGA-O2A-C1
18	a	852	LMG	C28-C29-C30-C31
14	A	828	CLA	C6-C7-C8-C10
17	J	104	BCR	C19-C20-C21-C22
17	j	104	BCR	C19-C20-C21-C22
17	7	1105	BCR	C19-C20-C21-C22
14	A	829	CLA	C5-C6-C7-C8
14	L	1502	CLA	C8-C10-C11-C12
14	a	830	CLA	C5-C6-C7-C8
14	1	828	CLA	C5-C6-C7-C8
14	l	4205	CLA	C8-C10-C11-C12
14	0	207	CLA	C8-C10-C11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	1	827	CLA	C2C-C3C-CAC-CBC
14	A	828	CLA	C2C-C3C-CAC-CBC
14	a	829	CLA	C2C-C3C-CAC-CBC
15	B	846	PQN	C26-C27-C28-C29
15	b	845	PQN	C26-C27-C28-C29
15	2	845	PQN	C26-C27-C28-C29
14	B	835	CLA	C4-C3-C5-C6
14	b	834	CLA	C4-C3-C5-C6
14	2	834	CLA	C4-C3-C5-C6
14	B	821	CLA	C2A-CAA-CBA-CGA
14	b	820	CLA	C2A-CAA-CBA-CGA
14	2	820	CLA	C2A-CAA-CBA-CGA
14	A	806	CLA	C3A-C2A-CAA-CBA
14	B	815	CLA	C3A-C2A-CAA-CBA
14	a	807	CLA	C3A-C2A-CAA-CBA
14	1	805	CLA	C3A-C2A-CAA-CBA
14	b	814	CLA	C3A-C2A-CAA-CBA
14	2	814	CLA	C3A-C2A-CAA-CBA
14	B	825	CLA	CAA-CBA-CGA-O1A
14	B	826	CLA	CAA-CBA-CGA-O2A
14	b	824	CLA	CAA-CBA-CGA-O1A
14	b	825	CLA	CAA-CBA-CGA-O2A
14	2	824	CLA	CAA-CBA-CGA-O1A
14	2	825	CLA	CAA-CBA-CGA-O2A
14	B	816	CLA	C4C-C3C-CAC-CBC
14	b	815	CLA	C4C-C3C-CAC-CBC
14	2	815	CLA	C4C-C3C-CAC-CBC
17	B	852	BCR	C19-C20-C21-C22
17	b	851	BCR	C19-C20-C21-C22
17	2	851	BCR	C19-C20-C21-C22
14	A	810	CLA	C11-C12-C13-C14
14	A	832	CLA	C14-C13-C15-C16
14	B	813	CLA	C11-C10-C8-C9
14	B	816	CLA	C11-C12-C13-C14
14	a	811	CLA	C11-C12-C13-C14
14	a	833	CLA	C14-C13-C15-C16
14	1	809	CLA	C11-C12-C13-C14
14	1	820	CLA	C14-C13-C15-C16
14	1	831	CLA	C14-C13-C15-C16
14	b	815	CLA	C11-C12-C13-C14
14	2	812	CLA	C11-C10-C8-C9
14	2	815	CLA	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	l	4203	CLA	C11-C10-C8-C9
15	B	846	PQN	C24-C23-C25-C26
15	b	845	PQN	C24-C23-C25-C26
15	2	845	PQN	C24-C23-C25-C26
17	A	851	BCR	C16-C17-C18-C36
17	B	849	BCR	C20-C21-C22-C37
17	B	850	BCR	C35-C13-C14-C15
17	B	851	BCR	C11-C10-C9-C34
17	L	1504	BCR	C16-C17-C18-C36
17	a	851	BCR	C16-C17-C18-C36
17	1	851	BCR	C16-C17-C18-C36
17	b	848	BCR	C20-C21-C22-C37
17	b	849	BCR	C35-C13-C14-C15
17	b	850	BCR	C11-C10-C9-C34
17	2	848	BCR	C20-C21-C22-C37
17	2	849	BCR	C35-C13-C14-C15
17	2	850	BCR	C11-C10-C9-C34
14	B	826	CLA	CAA-CBA-CGA-O1A
14	K	4002	CLA	CAA-CBA-CGA-O2A
14	2	825	CLA	CAA-CBA-CGA-O1A
14	k	4002	CLA	CAA-CBA-CGA-O2A
14	8	4002	CLA	CAA-CBA-CGA-O2A
14	A	804	CLA	C16-C17-C18-C19
14	B	821	CLA	C11-C12-C13-C14
14	a	805	CLA	C16-C17-C18-C19
14	1	804	CLA	C16-C17-C18-C19
14	b	820	CLA	C11-C12-C13-C14
14	2	820	CLA	C11-C12-C13-C14
18	B	803	LMG	C29-C28-O8-C9
14	a	816	CLA	O1D-CGD-O2D-CED
14	1	814	CLA	O1D-CGD-O2D-CED
14	F	205	CLA	CAA-CBA-CGA-O1A
14	b	825	CLA	CAA-CBA-CGA-O1A
14	f	205	CLA	CAA-CBA-CGA-O1A
14	6	4404	CLA	CAA-CBA-CGA-O1A
17	1	851	BCR	C7-C8-C9-C34
14	A	815	CLA	O1D-CGD-O2D-CED
18	L	1506	LMG	C35-C36-C37-C38
18	l	4202	LMG	C35-C36-C37-C38
18	0	201	LMG	C35-C36-C37-C38
17	1	851	BCR	C11-C12-C13-C14
14	A	832	CLA	C4-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	833	CLA	C4-C3-C5-C6
14	1	831	CLA	C4-C3-C5-C6
14	A	816	CLA	C1A-C2A-CAA-CBA
14	A	818	CLA	C1A-C2A-CAA-CBA
14	A	826	CLA	C1A-C2A-CAA-CBA
14	B	822	CLA	C1A-C2A-CAA-CBA
14	B	844	CLA	C1A-C2A-CAA-CBA
14	a	817	CLA	C1A-C2A-CAA-CBA
14	a	819	CLA	C1A-C2A-CAA-CBA
14	a	827	CLA	C1A-C2A-CAA-CBA
14	1	815	CLA	C1A-C2A-CAA-CBA
14	1	817	CLA	C1A-C2A-CAA-CBA
14	1	825	CLA	C1A-C2A-CAA-CBA
14	b	821	CLA	C1A-C2A-CAA-CBA
14	b	843	CLA	C1A-C2A-CAA-CBA
14	2	821	CLA	C1A-C2A-CAA-CBA
14	2	843	CLA	C1A-C2A-CAA-CBA
18	b	803	LMG	C29-C28-O8-C9
18	2	802	LMG	C29-C28-O8-C9
14	A	808	CLA	C11-C12-C13-C15
14	A	808	CLA	C12-C13-C15-C16
14	A	813	CLA	C11-C10-C8-C7
14	A	826	CLA	C6-C7-C8-C10
14	A	839	CLA	C11-C12-C13-C15
14	B	801	CLA	C11-C10-C8-C7
14	B	816	CLA	C6-C7-C8-C10
14	B	844	CLA	C11-C12-C13-C15
14	a	804	CLA	C11-C10-C8-C7
14	a	809	CLA	C11-C12-C13-C15
14	a	809	CLA	C12-C13-C15-C16
14	a	814	CLA	C11-C10-C8-C7
14	a	827	CLA	C6-C7-C8-C10
14	a	840	CLA	C11-C12-C13-C15
14	1	807	CLA	C11-C12-C13-C15
14	1	807	CLA	C12-C13-C15-C16
14	1	812	CLA	C11-C10-C8-C7
14	1	825	CLA	C6-C7-C8-C10
14	1	838	CLA	C11-C12-C13-C15
14	b	815	CLA	C6-C7-C8-C10
14	b	843	CLA	C11-C12-C13-C15
14	2	801	CLA	C11-C10-C8-C7
14	2	815	CLA	C6-C7-C8-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	2	843	CLA	C11-C12-C13-C15
14	1	842	CLA	O1A-CGA-O2A-C1
14	A	842	CLA	O1A-CGA-O2A-C1
14	K	4002	CLA	CAA-CBA-CGA-O1A
14	k	4002	CLA	CAA-CBA-CGA-O1A
14	A	814	CLA	C2A-CAA-CBA-CGA
14	B	819	CLA	C2A-CAA-CBA-CGA
14	B	841	CLA	C2A-CAA-CBA-CGA
14	a	815	CLA	C2A-CAA-CBA-CGA
14	1	813	CLA	C2A-CAA-CBA-CGA
14	b	818	CLA	C2A-CAA-CBA-CGA
14	b	840	CLA	C2A-CAA-CBA-CGA
14	2	818	CLA	C2A-CAA-CBA-CGA
14	2	840	CLA	C2A-CAA-CBA-CGA
14	a	842	CLA	O1A-CGA-O2A-C1
14	F	205	CLA	CAA-CBA-CGA-O2A
14	f	205	CLA	CAA-CBA-CGA-O2A
14	6	4404	CLA	CAA-CBA-CGA-O2A
14	8	4002	CLA	CAA-CBA-CGA-O1A
14	B	812	CLA	C4-C3-C5-C6
14	L	1501	CLA	C4-C3-C5-C6
14	b	812	CLA	C4-C3-C5-C6
14	2	811	CLA	C4-C3-C5-C6
14	l	4204	CLA	C4-C3-C5-C6
14	0	206	CLA	C4-C3-C5-C6
12	m	101	LHG	C32-C33-C34-C35
14	a	828	CLA	C8-C10-C11-C12
12	M	101	LHG	C32-C33-C34-C35
12	9	101	LHG	C32-C33-C34-C35
17	A	851	BCR	C11-C10-C9-C8
17	B	849	BCR	C20-C21-C22-C23
17	B	850	BCR	C16-C17-C18-C19
17	a	851	BCR	C11-C10-C9-C8
17	1	851	BCR	C11-C10-C9-C8
17	b	848	BCR	C20-C21-C22-C23
17	b	849	BCR	C16-C17-C18-C19
17	2	848	BCR	C20-C21-C22-C23
17	2	849	BCR	C16-C17-C18-C19
14	A	827	CLA	C8-C10-C11-C12
14	1	826	CLA	C8-C10-C11-C12
13	A	803	CL0	CAA-CBA-CGA-O1A
13	a	803	CL0	CAA-CBA-CGA-O1A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	K	4005	BCR	C13-C14-C15-C16
17	k	4004	BCR	C13-C14-C15-C16
17	8	4005	BCR	C13-C14-C15-C16
13	1	803	CL0	CAA-CBA-CGA-O1A
18	A	852	LMG	O6-C1-O1-C7
18	a	852	LMG	O6-C1-O1-C7
18	0	203	LMG	O6-C1-O1-C7
14	B	811	CLA	C4-C3-C5-C6
14	b	811	CLA	C4-C3-C5-C6
14	2	810	CLA	C4-C3-C5-C6
14	B	816	CLA	C2-C1-O2A-CGA
14	b	815	CLA	C2-C1-O2A-CGA
14	2	815	CLA	C2-C1-O2A-CGA
14	B	835	CLA	C2-C3-C5-C6
14	b	834	CLA	C2-C3-C5-C6
14	2	834	CLA	C2-C3-C5-C6
14	6	4403	CLA	C4C-C3C-CAC-CBC
14	B	815	CLA	CAA-CBA-CGA-O2A
14	b	814	CLA	CAA-CBA-CGA-O2A
14	2	814	CLA	CAA-CBA-CGA-O2A
14	F	204	CLA	C4C-C3C-CAC-CBC
14	f	204	CLA	C4C-C3C-CAC-CBC
18	A	852	LMG	C14-C15-C16-C17
18	a	852	LMG	C14-C15-C16-C17
18	0	203	LMG	C14-C15-C16-C17
14	F	201	CLA	C4-C3-C5-C6
14	1	841	CLA	C4-C3-C5-C6
14	f	201	CLA	C4-C3-C5-C6
17	A	848	BCR	C23-C24-C25-C30
17	A	851	BCR	C1-C6-C7-C8
17	A	851	BCR	C5-C6-C7-C8
17	B	848	BCR	C23-C24-C25-C30
17	B	849	BCR	C23-C24-C25-C26
17	B	849	BCR	C23-C24-C25-C30
17	B	850	BCR	C23-C24-C25-C30
17	I	101	BCR	C23-C24-C25-C30
17	J	103	BCR	C23-C24-C25-C30
17	J	104	BCR	C1-C6-C7-C8
17	a	848	BCR	C23-C24-C25-C30
17	a	851	BCR	C1-C6-C7-C8
17	a	851	BCR	C5-C6-C7-C8
17	1	848	BCR	C23-C24-C25-C30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	1	851	BCR	C1-C6-C7-C8
17	1	851	BCR	C5-C6-C7-C8
17	b	847	BCR	C23-C24-C25-C30
17	b	848	BCR	C23-C24-C25-C26
17	b	848	BCR	C23-C24-C25-C30
17	b	849	BCR	C23-C24-C25-C30
17	2	847	BCR	C23-C24-C25-C30
17	2	848	BCR	C23-C24-C25-C26
17	2	848	BCR	C23-C24-C25-C30
17	2	849	BCR	C23-C24-C25-C30
17	f	206	BCR	C23-C24-C25-C30
17	6	4405	BCR	C23-C24-C25-C30
17	i	4102	BCR	C23-C24-C25-C30
17	h	101	BCR	C23-C24-C25-C30
17	j	103	BCR	C23-C24-C25-C30
17	j	104	BCR	C1-C6-C7-C8
17	7	1104	BCR	C23-C24-C25-C30
17	7	1105	BCR	C1-C6-C7-C8
14	A	813	CLA	C5-C6-C7-C8
14	a	814	CLA	C5-C6-C7-C8
14	1	812	CLA	C5-C6-C7-C8
18	A	853	LMG	O1-C7-C8-C9
18	a	853	LMG	O1-C7-C8-C9
18	1	852	LMG	O1-C7-C8-C9
14	A	837	CLA	CAA-CBA-CGA-O2A
14	B	825	CLA	CAA-CBA-CGA-O2A
14	a	838	CLA	CAA-CBA-CGA-O2A
14	1	836	CLA	CAA-CBA-CGA-O2A
14	b	824	CLA	CAA-CBA-CGA-O2A
14	2	824	CLA	CAA-CBA-CGA-O2A
17	B	851	BCR	C15-C16-C17-C18
17	F	203	BCR	C13-C14-C15-C16
17	b	850	BCR	C15-C16-C17-C18
17	2	850	BCR	C15-C16-C17-C18
17	f	203	BCR	C13-C14-C15-C16
17	6	4402	BCR	C13-C14-C15-C16
14	A	810	CLA	C4-C3-C5-C6
14	a	811	CLA	C4-C3-C5-C6
14	1	809	CLA	C4-C3-C5-C6
14	1	840	CLA	C16-C17-C18-C20
14	b	802	CLA	C16-C17-C18-C20
14	A	841	CLA	C16-C17-C18-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	B	808	CLA	C4-C3-C5-C6
14	B	834	CLA	C4-C3-C5-C6
14	b	808	CLA	C4-C3-C5-C6
14	b	833	CLA	C4-C3-C5-C6
14	2	807	CLA	C4-C3-C5-C6
14	2	833	CLA	C4-C3-C5-C6
14	A	813	CLA	C6-C7-C8-C10
14	A	841	CLA	C2-C3-C5-C6
14	B	812	CLA	C11-C10-C8-C7
14	B	821	CLA	C6-C7-C8-C10
14	B	831	CLA	C12-C13-C15-C16
14	B	844	CLA	C6-C7-C8-C10
14	a	814	CLA	C6-C7-C8-C10
14	1	812	CLA	C6-C7-C8-C10
14	1	840	CLA	C2-C3-C5-C6
14	b	802	CLA	C2-C3-C5-C6
14	b	812	CLA	C11-C10-C8-C7
14	b	820	CLA	C6-C7-C8-C10
14	b	830	CLA	C12-C13-C15-C16
14	b	843	CLA	C6-C7-C8-C10
14	2	811	CLA	C11-C10-C8-C7
14	2	820	CLA	C6-C7-C8-C10
14	2	830	CLA	C12-C13-C15-C16
14	2	843	CLA	C6-C7-C8-C10
14	l	4204	CLA	C2-C3-C5-C6
14	0	206	CLA	C2-C3-C5-C6
14	a	804	CLA	C2C-C3C-CAC-CBC
14	2	801	CLA	C2C-C3C-CAC-CBC
18	A	853	LMG	O7-C8-C9-O8
18	a	853	LMG	O7-C8-C9-O8
18	1	852	LMG	O7-C8-C9-O8
14	A	808	CLA	C10-C11-C12-C13
14	a	809	CLA	C10-C11-C12-C13
14	1	807	CLA	C10-C11-C12-C13
14	a	811	CLA	CAA-CBA-CGA-O2A
14	1	809	CLA	CAA-CBA-CGA-O2A
14	A	844	CLA	CAA-CBA-CGA-O2A
14	a	844	CLA	CAA-CBA-CGA-O2A
14	1	844	CLA	CAA-CBA-CGA-O2A
17	A	849	BCR	C16-C17-C18-C36
17	A	850	BCR	C16-C17-C18-C36
17	B	850	BCR	C16-C17-C18-C36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	I	102	BCR	C20-C21-C22-C37
17	a	849	BCR	C16-C17-C18-C36
17	a	850	BCR	C16-C17-C18-C36
17	1	849	BCR	C16-C17-C18-C36
17	1	850	BCR	C16-C17-C18-C36
17	b	849	BCR	C16-C17-C18-C36
17	2	849	BCR	C16-C17-C18-C36
17	i	4103	BCR	C20-C21-C22-C37
17	h	102	BCR	C20-C21-C22-C37
17	l	4207	BCR	C16-C17-C18-C36
17	0	209	BCR	C16-C17-C18-C36
14	A	810	CLA	CAA-CBA-CGA-O2A
18	a	853	LMG	O7-C10-C11-C12
14	A	805	CLA	C4-C3-C5-C6
14	A	830	CLA	C4-C3-C5-C6
14	a	806	CLA	C4-C3-C5-C6
14	a	831	CLA	C4-C3-C5-C6
14	1	829	CLA	C4-C3-C5-C6
14	7	1101	CLA	C4-C3-C5-C6
14	a	828	CLA	C5-C6-C7-C8
14	2	801	CLA	C8-C10-C11-C12
14	2	823	CLA	CAA-CBA-CGA-O2A
14	B	802	CLA	C2-C3-C5-C6
14	L	1501	CLA	C2-C3-C5-C6
14	b	801	CLA	C2-C3-C5-C6
14	0	202	CLA	C2-C3-C5-C6
14	B	801	CLA	C2C-C3C-CAC-CBC
18	A	853	LMG	O7-C10-C11-C12
18	1	852	LMG	O7-C10-C11-C12
14	A	807	CLA	C11-C10-C8-C9
14	A	808	CLA	C14-C13-C15-C16
14	A	813	CLA	C11-C10-C8-C9
14	A	826	CLA	C11-C10-C8-C9
14	A	835	CLA	C14-C13-C15-C16
14	A	839	CLA	C11-C12-C13-C14
14	B	816	CLA	C6-C7-C8-C9
14	B	841	CLA	C11-C12-C13-C14
14	L	1503	CLA	C11-C12-C13-C14
14	L	1503	CLA	C14-C13-C15-C16
14	a	808	CLA	C11-C10-C8-C9
14	a	809	CLA	C14-C13-C15-C16
14	a	814	CLA	C11-C10-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	a	827	CLA	C11-C10-C8-C9
14	a	836	CLA	C14-C13-C15-C16
14	a	840	CLA	C11-C12-C13-C14
14	1	806	CLA	C11-C10-C8-C9
14	1	807	CLA	C14-C13-C15-C16
14	1	812	CLA	C11-C10-C8-C9
14	1	825	CLA	C11-C10-C8-C9
14	1	834	CLA	C14-C13-C15-C16
14	1	838	CLA	C11-C12-C13-C14
14	b	815	CLA	C6-C7-C8-C9
14	b	840	CLA	C11-C12-C13-C14
14	2	815	CLA	C6-C7-C8-C9
14	2	840	CLA	C11-C12-C13-C14
14	l	4206	CLA	C11-C12-C13-C14
14	l	4206	CLA	C14-C13-C15-C16
14	0	208	CLA	C11-C12-C13-C14
14	0	208	CLA	C14-C13-C15-C16
14	B	824	CLA	CAA-CBA-CGA-O2A
14	b	823	CLA	CAA-CBA-CGA-O2A
14	A	811	CLA	C3A-C2A-CAA-CBA
14	A	816	CLA	C3A-C2A-CAA-CBA
14	B	808	CLA	C3A-C2A-CAA-CBA
14	K	4004	CLA	C3A-C2A-CAA-CBA
14	a	812	CLA	C3A-C2A-CAA-CBA
14	a	817	CLA	C3A-C2A-CAA-CBA
14	a	854	CLA	C3A-C2A-CAA-CBA
14	1	810	CLA	C3A-C2A-CAA-CBA
14	1	815	CLA	C3A-C2A-CAA-CBA
14	b	808	CLA	C3A-C2A-CAA-CBA
14	2	807	CLA	C3A-C2A-CAA-CBA
14	8	4004	CLA	C3A-C2A-CAA-CBA
12	B	853	LHG	O2-C2-C3-O3
12	2	852	LHG	O2-C2-C3-O3
14	A	823	CLA	CAA-CBA-CGA-O2A
14	a	824	CLA	CAA-CBA-CGA-O2A
14	1	822	CLA	CAA-CBA-CGA-O2A
14	B	815	CLA	CAA-CBA-CGA-O1A
14	2	814	CLA	CAA-CBA-CGA-O1A
14	A	808	CLA	CAD-CBD-CGD-O2D
14	A	814	CLA	CAD-CBD-CGD-O2D
14	A	819	CLA	CAD-CBD-CGD-O2D
14	A	828	CLA	CAD-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	A	833	CLA	CAD-CBD-CGD-O2D
14	A	835	CLA	CAD-CBD-CGD-O2D
14	A	840	CLA	CAD-CBD-CGD-O2D
14	B	813	CLA	CAD-CBD-CGD-O2D
14	B	814	CLA	CAD-CBD-CGD-O2D
14	B	823	CLA	CAD-CBD-CGD-O2D
14	B	827	CLA	CAD-CBD-CGD-O2D
14	B	828	CLA	CAD-CBD-CGD-O2D
14	B	830	CLA	CAD-CBD-CGD-O2D
14	B	843	CLA	CAD-CBD-CGD-O2D
14	a	809	CLA	CAD-CBD-CGD-O2D
14	a	815	CLA	CAD-CBD-CGD-O2D
14	a	820	CLA	CAD-CBD-CGD-O2D
14	a	829	CLA	CAD-CBD-CGD-O2D
14	a	834	CLA	CAD-CBD-CGD-O2D
14	a	836	CLA	CAD-CBD-CGD-O2D
14	a	841	CLA	CAD-CBD-CGD-O2D
14	1	807	CLA	CAD-CBD-CGD-O2D
14	1	813	CLA	CAD-CBD-CGD-O2D
14	1	818	CLA	CAD-CBD-CGD-O2D
14	1	827	CLA	CAD-CBD-CGD-O2D
14	1	832	CLA	CAD-CBD-CGD-O2D
14	1	834	CLA	CAD-CBD-CGD-O2D
14	1	839	CLA	CAD-CBD-CGD-O2D
14	b	813	CLA	CAD-CBD-CGD-O2D
14	b	822	CLA	CAD-CBD-CGD-O2D
14	b	826	CLA	CAD-CBD-CGD-O2D
14	b	827	CLA	CAD-CBD-CGD-O2D
14	b	829	CLA	CAD-CBD-CGD-O2D
14	b	842	CLA	CAD-CBD-CGD-O2D
14	2	812	CLA	CAD-CBD-CGD-O2D
14	2	813	CLA	CAD-CBD-CGD-O2D
14	2	822	CLA	CAD-CBD-CGD-O2D
14	2	826	CLA	CAD-CBD-CGD-O2D
14	2	827	CLA	CAD-CBD-CGD-O2D
14	2	829	CLA	CAD-CBD-CGD-O2D
14	2	842	CLA	CAD-CBD-CGD-O2D
14	1	4203	CLA	CAD-CBD-CGD-O2D
14	A	827	CLA	C5-C6-C7-C8
14	B	801	CLA	C8-C10-C11-C12
14	a	804	CLA	C8-C10-C11-C12
14	1	826	CLA	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	b	814	CLA	CAA-CBA-CGA-O1A
12	A	801	LHG	C10-C11-C12-C13
12	a	801	LHG	C10-C11-C12-C13
12	1	801	LHG	C10-C11-C12-C13
17	L	1504	BCR	C22-C23-C24-C25
17	l	4207	BCR	C22-C23-C24-C25
17	0	209	BCR	C22-C23-C24-C25
14	B	804	CLA	C4-C3-C5-C6
14	B	806	CLA	C4-C3-C5-C6
14	B	807	CLA	C4-C3-C5-C6
14	b	804	CLA	C4-C3-C5-C6
14	b	806	CLA	C4-C3-C5-C6
14	b	807	CLA	C4-C3-C5-C6
14	2	803	CLA	C4-C3-C5-C6
14	2	805	CLA	C4-C3-C5-C6
14	2	806	CLA	C4-C3-C5-C6
14	A	812	CLA	CAA-CBA-CGA-O1A
14	A	837	CLA	CAA-CBA-CGA-O1A
14	a	813	CLA	CAA-CBA-CGA-O1A
14	a	838	CLA	CAA-CBA-CGA-O1A
14	1	811	CLA	CAA-CBA-CGA-O1A
14	1	836	CLA	CAA-CBA-CGA-O1A
14	B	806	CLA	C2-C3-C5-C6
14	B	812	CLA	C2-C3-C5-C6
14	b	806	CLA	C2-C3-C5-C6
14	b	812	CLA	C2-C3-C5-C6
14	2	805	CLA	C2-C3-C5-C6
14	2	811	CLA	C2-C3-C5-C6
14	a	837	CLA	CAA-CBA-CGA-O2A
14	1	835	CLA	CAA-CBA-CGA-O2A
17	B	854	BCR	C21-C22-C23-C24
17	b	853	BCR	C21-C22-C23-C24
17	6	4406	BCR	C21-C22-C23-C24
14	K	4003	CLA	CAA-CBA-CGA-O2A
14	2	822	CLA	CAA-CBA-CGA-O2A
14	k	4003	CLA	CAA-CBA-CGA-O2A
14	8	4003	CLA	CAA-CBA-CGA-O2A
12	B	853	LHG	O6-C4-C5-O7
12	b	852	LHG	O6-C4-C5-O7
12	2	852	LHG	O6-C4-C5-O7
14	A	836	CLA	CAA-CBA-CGA-O2A
14	A	812	CLA	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	B	823	CLA	CAA-CBA-CGA-O2A
14	a	813	CLA	CAA-CBA-CGA-O2A
14	a	844	CLA	CAA-CBA-CGA-O1A
14	1	811	CLA	CAA-CBA-CGA-O2A
14	1	844	CLA	CAA-CBA-CGA-O1A
14	b	822	CLA	CAA-CBA-CGA-O2A
14	A	819	CLA	O2A-C1-C2-C3
14	B	812	CLA	O2A-C1-C2-C3
14	B	813	CLA	O2A-C1-C2-C3
14	B	820	CLA	O2A-C1-C2-C3
14	B	832	CLA	O2A-C1-C2-C3
14	a	820	CLA	O2A-C1-C2-C3
14	1	818	CLA	O2A-C1-C2-C3
14	b	812	CLA	O2A-C1-C2-C3
14	b	819	CLA	O2A-C1-C2-C3
14	b	831	CLA	O2A-C1-C2-C3
14	2	811	CLA	O2A-C1-C2-C3
14	2	812	CLA	O2A-C1-C2-C3
14	2	819	CLA	O2A-C1-C2-C3
14	2	831	CLA	O2A-C1-C2-C3
14	l	4203	CLA	O2A-C1-C2-C3
14	A	824	CLA	O1A-CGA-O2A-C1
14	A	844	CLA	CAA-CBA-CGA-O1A
14	B	824	CLA	CAA-CBA-CGA-O1A
14	b	823	CLA	CAA-CBA-CGA-O1A
14	2	823	CLA	CAA-CBA-CGA-O1A
14	k	4003	CLA	CAA-CBA-CGA-O1A
12	b	852	LHG	O2-C2-C3-O3
14	a	825	CLA	O1A-CGA-O2A-C1
14	A	804	CLA	CHA-CBD-CGD-O1D
14	A	804	CLA	CHA-CBD-CGD-O2D
14	A	815	CLA	CHA-CBD-CGD-O1D
14	A	817	CLA	CHA-CBD-CGD-O1D
14	A	817	CLA	CHA-CBD-CGD-O2D
14	A	821	CLA	CHA-CBD-CGD-O1D
14	A	835	CLA	CHA-CBD-CGD-O1D
14	A	841	CLA	CHA-CBD-CGD-O1D
14	B	815	CLA	CHA-CBD-CGD-O1D
14	B	815	CLA	CHA-CBD-CGD-O2D
14	B	824	CLA	CHA-CBD-CGD-O1D
14	B	824	CLA	CHA-CBD-CGD-O2D
14	B	832	CLA	CHA-CBD-CGD-O1D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	B	832	CLA	CHA-CBD-CGD-O2D
14	L	1501	CLA	CHA-CBD-CGD-O2D
14	K	4002	CLA	CHA-CBD-CGD-O2D
14	a	805	CLA	CHA-CBD-CGD-O1D
14	a	805	CLA	CHA-CBD-CGD-O2D
14	a	816	CLA	CHA-CBD-CGD-O1D
14	a	818	CLA	CHA-CBD-CGD-O1D
14	a	818	CLA	CHA-CBD-CGD-O2D
14	a	822	CLA	CHA-CBD-CGD-O1D
14	a	836	CLA	CHA-CBD-CGD-O1D
14	1	804	CLA	CHA-CBD-CGD-O1D
14	1	804	CLA	CHA-CBD-CGD-O2D
14	1	814	CLA	CHA-CBD-CGD-O1D
14	1	816	CLA	CHA-CBD-CGD-O1D
14	1	816	CLA	CHA-CBD-CGD-O2D
14	1	820	CLA	CHA-CBD-CGD-O1D
14	1	834	CLA	CHA-CBD-CGD-O1D
14	1	840	CLA	CHA-CBD-CGD-O1D
14	b	802	CLA	CHA-CBD-CGD-O1D
14	b	814	CLA	CHA-CBD-CGD-O1D
14	b	814	CLA	CHA-CBD-CGD-O2D
14	b	823	CLA	CHA-CBD-CGD-O1D
14	b	823	CLA	CHA-CBD-CGD-O2D
14	b	831	CLA	CHA-CBD-CGD-O1D
14	b	831	CLA	CHA-CBD-CGD-O2D
14	2	814	CLA	CHA-CBD-CGD-O1D
14	2	814	CLA	CHA-CBD-CGD-O2D
14	2	823	CLA	CHA-CBD-CGD-O1D
14	2	823	CLA	CHA-CBD-CGD-O2D
14	2	831	CLA	CHA-CBD-CGD-O1D
14	2	831	CLA	CHA-CBD-CGD-O2D
14	k	4002	CLA	CHA-CBD-CGD-O2D
14	8	4002	CLA	CHA-CBD-CGD-O2D
14	l	4204	CLA	CHA-CBD-CGD-O2D
14	0	206	CLA	CHA-CBD-CGD-O2D
17	K	4005	BCR	C9-C10-C11-C12
17	k	4004	BCR	C9-C10-C11-C12
17	8	4005	BCR	C9-C10-C11-C12
14	B	823	CLA	CAA-CBA-CGA-O1A
14	K	4003	CLA	CAA-CBA-CGA-O1A
14	b	822	CLA	CAA-CBA-CGA-O1A
14	2	822	CLA	CAA-CBA-CGA-O1A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	8	4003	CLA	CAA-CBA-CGA-O1A
14	B	809	CLA	CAA-CBA-CGA-O2A
14	B	807	CLA	C2-C3-C5-C6
14	2	806	CLA	C2-C3-C5-C6
14	7	1101	CLA	C2-C3-C5-C6
12	B	853	LHG	O6-C4-C5-C6
12	b	852	LHG	O6-C4-C5-C6
12	2	852	LHG	O6-C4-C5-C6
17	A	851	BCR	C16-C17-C18-C19
17	B	850	BCR	C12-C13-C14-C15
17	F	206	BCR	C12-C13-C14-C15
17	I	101	BCR	C20-C21-C22-C23
17	a	851	BCR	C16-C17-C18-C19
17	1	851	BCR	C16-C17-C18-C19
17	b	849	BCR	C12-C13-C14-C15
17	2	849	BCR	C12-C13-C14-C15
17	f	206	BCR	C12-C13-C14-C15
17	6	4405	BCR	C12-C13-C14-C15
17	i	4102	BCR	C20-C21-C22-C23
17	h	101	BCR	C20-C21-C22-C23
14	b	809	CLA	CAA-CBA-CGA-O2A
14	2	808	CLA	CAA-CBA-CGA-O2A
12	A	802	LHG	C11-C10-C9-C8
14	a	843	CLA	C2C-C3C-CAC-CBC
12	a	802	LHG	C11-C10-C9-C8
14	1	823	CLA	O1A-CGA-O2A-C1
12	M	101	LHG	O8-C23-C24-C25
12	9	101	LHG	O8-C23-C24-C25
14	1	823	CLA	CAA-CBA-CGA-O2A
14	b	842	CLA	CAA-CBA-CGA-O2A
12	1	802	LHG	C11-C10-C9-C8
14	B	827	CLA	C2A-CAA-CBA-CGA
14	b	826	CLA	C2A-CAA-CBA-CGA
14	2	826	CLA	C2A-CAA-CBA-CGA
14	B	811	CLA	CBA-CGA-O2A-C1
14	b	811	CLA	CBA-CGA-O2A-C1
14	2	810	CLA	CBA-CGA-O2A-C1
14	A	843	CLA	C2C-C3C-CAC-CBC
14	1	843	CLA	C2C-C3C-CAC-CBC
14	A	824	CLA	CAA-CBA-CGA-O2A
14	B	843	CLA	CAA-CBA-CGA-O2A
14	a	825	CLA	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	2	842	CLA	CAA-CBA-CGA-O2A
18	0	201	LMG	C37-C38-C39-C40
18	L	1506	LMG	C37-C38-C39-C40
18	l	4202	LMG	C37-C38-C39-C40
14	A	805	CLA	C2-C3-C5-C6
14	A	821	CLA	C12-C13-C15-C16
14	B	804	CLA	C6-C7-C8-C10
14	a	806	CLA	C2-C3-C5-C6
14	a	822	CLA	C12-C13-C15-C16
14	1	820	CLA	C12-C13-C15-C16
14	b	804	CLA	C6-C7-C8-C10
14	b	807	CLA	C2-C3-C5-C6
14	2	803	CLA	C6-C7-C8-C10
12	m	101	LHG	O8-C23-C24-C25
14	1	810	CLA	CAA-CBA-CGA-O2A
14	A	830	CLA	C14-C13-C15-C16
14	A	842	CLA	C11-C10-C8-C9
14	B	804	CLA	C6-C7-C8-C9
14	B	844	CLA	C11-C12-C13-C14
14	a	831	CLA	C14-C13-C15-C16
14	a	842	CLA	C11-C10-C8-C9
14	1	829	CLA	C14-C13-C15-C16
14	1	842	CLA	C11-C10-C8-C9
14	b	804	CLA	C6-C7-C8-C9
14	b	843	CLA	C11-C12-C13-C14
14	2	803	CLA	C6-C7-C8-C9
14	2	843	CLA	C11-C12-C13-C14
14	A	824	CLA	CBA-CGA-O2A-C1
14	a	825	CLA	CBA-CGA-O2A-C1
14	1	823	CLA	CBA-CGA-O2A-C1
14	A	811	CLA	CAA-CBA-CGA-O2A
14	a	812	CLA	CAA-CBA-CGA-O2A
14	B	817	CLA	C2A-CAA-CBA-CGA
14	b	816	CLA	C2A-CAA-CBA-CGA
14	2	816	CLA	C2A-CAA-CBA-CGA
14	a	824	CLA	CAA-CBA-CGA-O1A
14	A	823	CLA	CAA-CBA-CGA-O1A
14	1	822	CLA	CAA-CBA-CGA-O1A
14	B	827	CLA	C4-C3-C5-C6
14	b	826	CLA	C4-C3-C5-C6
14	2	826	CLA	C4-C3-C5-C6
14	A	836	CLA	CAA-CBA-CGA-O1A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	B	828	CLA	CBA-CGA-O2A-C1
14	b	827	CLA	CBA-CGA-O2A-C1
14	2	827	CLA	CBA-CGA-O2A-C1
14	A	831	CLA	C1A-C2A-CAA-CBA
14	A	836	CLA	C1A-C2A-CAA-CBA
14	B	808	CLA	C1A-C2A-CAA-CBA
14	B	813	CLA	C1A-C2A-CAA-CBA
14	a	832	CLA	C1A-C2A-CAA-CBA
14	a	837	CLA	C1A-C2A-CAA-CBA
14	1	830	CLA	C1A-C2A-CAA-CBA
14	1	835	CLA	C1A-C2A-CAA-CBA
14	b	808	CLA	C1A-C2A-CAA-CBA
14	2	807	CLA	C1A-C2A-CAA-CBA
14	2	812	CLA	C1A-C2A-CAA-CBA
14	1	4203	CLA	C1A-C2A-CAA-CBA
14	a	837	CLA	CAA-CBA-CGA-O1A
14	1	835	CLA	CAA-CBA-CGA-O1A
14	a	829	CLA	C2-C1-O2A-CGA
14	A	810	CLA	CAA-CBA-CGA-O1A
14	a	811	CLA	CAA-CBA-CGA-O1A
14	1	809	CLA	CAA-CBA-CGA-O1A
14	B	811	CLA	C15-C16-C17-C18
14	b	811	CLA	C15-C16-C17-C18
14	2	810	CLA	C15-C16-C17-C18
14	A	841	CLA	C4-C3-C5-C6
14	1	840	CLA	C4-C3-C5-C6
14	b	802	CLA	C4-C3-C5-C6
14	2	829	CLA	CAA-CBA-CGA-O2A
14	2	842	CLA	CAA-CBA-CGA-O1A
12	B	853	LHG	C3-O3-P-O4
12	b	852	LHG	C3-O3-P-O4
12	2	852	LHG	C3-O3-P-O4
12	A	801	LHG	C11-C10-C9-C8
18	2	802	LMG	C35-C36-C37-C38
14	B	843	CLA	CAA-CBA-CGA-O1A
18	1	4202	LMG	O10-C28-C29-C30
12	a	801	LHG	C11-C10-C9-C8
17	B	850	BCR	C23-C24-C25-C26
17	J	103	BCR	C23-C24-C25-C26
17	b	849	BCR	C23-C24-C25-C26
17	2	849	BCR	C23-C24-C25-C26
17	j	103	BCR	C23-C24-C25-C26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	7	1104	BCR	C23-C24-C25-C26
14	b	842	CLA	CAA-CBA-CGA-O1A
12	1	801	LHG	C11-C10-C9-C8
18	b	803	LMG	C35-C36-C37-C38
14	B	830	CLA	CAA-CBA-CGA-O2A
14	b	829	CLA	CAA-CBA-CGA-O2A
18	B	803	LMG	C35-C36-C37-C38
14	2	808	CLA	C8-C10-C11-C12
14	1	806	CLA	C2A-CAA-CBA-CGA
18	L	1506	LMG	O10-C28-C29-C30
14	B	809	CLA	C8-C10-C11-C12
14	b	809	CLA	C8-C10-C11-C12
14	B	833	CLA	CAA-CBA-CGA-O2A
14	b	832	CLA	CAA-CBA-CGA-O2A
14	2	832	CLA	CAA-CBA-CGA-O2A
14	f	204	CLA	CAA-CBA-CGA-O2A
14	6	4403	CLA	CAA-CBA-CGA-O2A
14	1	810	CLA	CAA-CBA-CGA-O1A
18	0	201	LMG	O10-C28-C29-C30
14	B	832	CLA	C4-C3-C5-C6
14	b	831	CLA	C4-C3-C5-C6
14	F	204	CLA	CAA-CBA-CGA-O2A
14	A	815	CLA	CAD-CBD-CGD-O1D
14	A	817	CLA	CAD-CBD-CGD-O1D
14	A	838	CLA	CAD-CBD-CGD-O1D
14	a	816	CLA	CAD-CBD-CGD-O1D
14	a	818	CLA	CAD-CBD-CGD-O1D
14	a	839	CLA	CAD-CBD-CGD-O1D
14	1	814	CLA	CAD-CBD-CGD-O1D
14	1	816	CLA	CAD-CBD-CGD-O1D
14	1	837	CLA	CAD-CBD-CGD-O1D
14	B	828	CLA	O1A-CGA-O2A-C1
14	b	827	CLA	O1A-CGA-O2A-C1
14	A	824	CLA	CAA-CBA-CGA-O1A
14	a	812	CLA	CAA-CBA-CGA-O1A
14	A	813	CLA	C14-C13-C15-C16
14	B	812	CLA	C11-C10-C8-C9
14	B	843	CLA	C11-C10-C8-C9
14	a	814	CLA	C14-C13-C15-C16
14	1	812	CLA	C14-C13-C15-C16
14	b	812	CLA	C11-C10-C8-C9
14	b	842	CLA	C11-C10-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
14	2	811	CLA	C11-C10-C8-C9
14	2	842	CLA	C11-C10-C8-C9
14	B	807	CLA	C6-C7-C8-C9
14	2	806	CLA	C6-C7-C8-C9
14	b	840	CLA	C5-C6-C7-C8
14	A	811	CLA	CAA-CBA-CGA-O1A
14	a	825	CLA	CAA-CBA-CGA-O1A
14	1	823	CLA	CAA-CBA-CGA-O1A
14	b	807	CLA	C6-C7-C8-C9
14	2	840	CLA	C5-C6-C7-C8
14	2	827	CLA	O1A-CGA-O2A-C1
14	B	841	CLA	C5-C6-C7-C8
14	A	807	CLA	C2A-CAA-CBA-CGA
14	a	808	CLA	C2A-CAA-CBA-CGA
18	a	852	LMG	O6-C5-C6-O5
14	f	204	CLA	CAA-CBA-CGA-O1A
14	B	809	CLA	CAA-CBA-CGA-O1A
14	b	809	CLA	CAA-CBA-CGA-O1A
14	2	808	CLA	CAA-CBA-CGA-O1A
14	2	831	CLA	C4-C3-C5-C6
14	A	822	CLA	C6-C7-C8-C10
14	A	832	CLA	C2-C3-C5-C6
14	A	842	CLA	C11-C10-C8-C7
14	B	817	CLA	C3A-C2A-CAA-CBA
14	B	835	CLA	C3A-C2A-CAA-CBA
14	L	1501	CLA	C12-C13-C15-C16
14	a	823	CLA	C6-C7-C8-C10
14	a	833	CLA	C2-C3-C5-C6
14	a	842	CLA	C11-C10-C8-C7
14	1	821	CLA	C6-C7-C8-C10
14	1	831	CLA	C2-C3-C5-C6
14	1	842	CLA	C11-C10-C8-C7
14	b	816	CLA	C3A-C2A-CAA-CBA
14	b	834	CLA	C3A-C2A-CAA-CBA
14	2	816	CLA	C3A-C2A-CAA-CBA
14	2	834	CLA	C3A-C2A-CAA-CBA
14	l	4204	CLA	C12-C13-C15-C16
14	0	206	CLA	C12-C13-C15-C16
14	F	204	CLA	CAA-CBA-CGA-O1A
14	6	4403	CLA	CAA-CBA-CGA-O1A
14	a	828	CLA	CAA-CBA-CGA-O2A
18	B	803	LMG	O7-C10-C11-C12

Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Atoms
18	b	803	LMG	O7-C10-C11-C12
18	2	802	LMG	O7-C10-C11-C12
17	A	847	BCR	C7-C8-C9-C10
17	A	847	BCR	C11-C12-C13-C14
17	B	848	BCR	C21-C22-C23-C24
17	L	1505	BCR	C21-C22-C23-C24
17	a	847	BCR	C7-C8-C9-C10
17	a	847	BCR	C11-C12-C13-C14
17	1	847	BCR	C7-C8-C9-C10
17	1	847	BCR	C11-C12-C13-C14
17	b	847	BCR	C21-C22-C23-C24
17	2	847	BCR	C21-C22-C23-C24
17	0	204	BCR	C21-C22-C23-C24
17	0	210	BCR	C21-C22-C23-C24
17	a	851	BCR	C19-C20-C21-C22
17	1	851	BCR	C19-C20-C21-C22
12	A	802	LHG	O7-C7-C8-C9
12	a	802	LHG	O7-C7-C8-C9
12	1	802	LHG	O7-C7-C8-C9
14	A	827	CLA	CAA-CBA-CGA-O2A
14	1	826	CLA	CAA-CBA-CGA-O2A
14	B	833	CLA	CAA-CBA-CGA-O1A
14	b	832	CLA	CAA-CBA-CGA-O1A
14	2	832	CLA	CAA-CBA-CGA-O1A
18	0	203	LMG	O6-C5-C6-O5
12	A	801	LHG	C15-C16-C17-C18
18	2	802	LMG	C29-C30-C31-C32
12	1	801	LHG	C15-C16-C17-C18
18	b	803	LMG	C29-C30-C31-C32
18	A	852	LMG	O6-C5-C6-O5
14	A	815	CLA	CAA-CBA-CGA-O2A
12	a	801	LHG	C15-C16-C17-C18
14	2	810	CLA	O1A-CGA-O2A-C1
18	B	803	LMG	C29-C30-C31-C32
14	L	1501	CLA	CAA-CBA-CGA-O2A
14	a	816	CLA	CAA-CBA-CGA-O2A
14	a	832	CLA	CAA-CBA-CGA-O2A
14	1	814	CLA	CAA-CBA-CGA-O2A
14	l	4204	CLA	CAA-CBA-CGA-O2A
14	0	206	CLA	CAA-CBA-CGA-O2A


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









































































































































































































































































































































































































































































































































































































































































































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20963. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 113



Y Index: 179



Z Index: 143

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0187. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 351 nm³; this corresponds to an approximate mass of 317 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.323\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20963 and PDB model 6UZV. Per-residue inclusion information can be found in section 3 on page 38.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0187 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0187).





































































9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.0187) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7685	 0.5660
0	 0.7079	 0.5640
1	 0.8109	 0.5790
2	 0.8169	 0.5800
3	 0.8339	 0.5710
4	 0.6648	 0.5280
5	 0.6552	 0.5010
6	 0.6367	 0.5200
7	 0.6539	 0.5280
8	 0.5148	 0.4620
9	 0.6176	 0.5450
A	 0.8031	 0.5800
B	 0.8121	 0.5820
C	 0.8339	 0.5710
D	 0.6458	 0.5280
E	 0.6379	 0.5110
F	 0.6509	 0.5260
I	 0.7450	 0.5690
J	 0.6320	 0.5210
K	 0.5006	 0.4640
L	 0.7016	 0.5600
M	 0.6242	 0.5470
a	 0.8057	 0.5790
b	 0.8198	 0.5820
c	 0.8339	 0.5710
d	 0.6525	 0.5240
e	 0.6418	 0.5020
f	 0.6425	 0.5220
h	 0.7475	 0.5690
i	 0.7450	 0.5670
j	 0.6450	 0.5260
k	 0.4904	 0.4500
l	 0.7164	 0.5640
m	 0.6165	 0.5450

