



## Full wwPDB EM Validation Report ⓘ

May 30, 2024 – 03:07 PM JST

PDB ID : 8WB4  
EMDB ID : EMD-37414  
Title : Structure of PSII-ACPII supercomplex from cryptophyte algae  
Authors : Li, X.Y.; Mao, Z.Y.; Shen, J.R.; Han, G.Y.  
Deposited on : 2023-09-08  
Resolution : 2.47 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	M	115	
1	m	115	
2	1	235	
2	7	235	
3	2	217	
3	8	217	
4	3	222	
4	9	222	
5	0	226	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	4	226	47% 76% 24%
6	5	218	51% 85% 14%
6	p	218	52% 85% 14%
7	6	220	32% 79% 21%
7	P	220	32% 79% 21%
8	A	360	93% 7%
8	a	360	93% 7%
9	D	351	97% .
9	d	351	97% .
10	E	84	13% 92% 8%
10	e	84	14% 92% 8%
11	F	42	71% 29%
11	f	42	71% 29%
12	H	67	97% .
12	h	67	97% .
13	I	38	92% 8%
13	i	38	92% 8%
14	J	39	54% 72% 28%
14	j	39	54% 72% 28%
15	K	45	82% 18%
15	k	45	82% 18%
16	O	330	70% 70% 30%
16	o	330	70% 70% 30%
17	Q	21	100%
17	q	21	100%

Continued on next page...


Continued from previous page...

Mol	Chain	Length	Quality of chain
18	R	26	42% 100%
18	r	26	50% 100%
19	S	285	17% 71% 29%
19	s	285	17% 71% 29%
20	T	32	100%
20	t	32	100%
21	U	150	61% 62% 38%
21	u	150	61% 61% 38%
22	V	163	80% 80% 20%
22	v	163	80% 80% 20%
23	X	39	100%
23	x	39	100%
24	Y	34	9% 100%
24	y	34	9% 100%
25	Z	62	95% ..
25	z	62	98% .
26	B	509	99% .
26	b	509	99% .
27	C	461	98% .
27	c	461	98% .
28	G	64	58% 100%
28	g	64	59% 100%
29	L	38	100%
29	l	38	100%
30	W	114	39% 61%

Continued on next page...



*Continued from previous page...*

Mol	Chain	Length	Quality of chain	
30	w	114		39% 61%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
32	CLA	0	601	X	-	-	-
32	CLA	0	602	X	-	-	-
32	CLA	0	603	X	-	-	-
32	CLA	0	604	X	-	-	-
32	CLA	0	605	X	-	-	-
32	CLA	0	606	X	-	-	-
32	CLA	0	607	X	-	-	-
32	CLA	0	608	X	-	-	-
32	CLA	0	609	X	-	-	-
32	CLA	0	611	X	-	-	-
32	CLA	0	612	X	-	-	-
32	CLA	0	613	X	-	-	-
32	CLA	1	601	X	-	-	-
32	CLA	1	602	X	-	-	-
32	CLA	1	603	X	-	-	-
32	CLA	1	604	X	-	-	-
32	CLA	1	605	X	-	-	-
32	CLA	1	606	X	-	-	-
32	CLA	1	607	X	-	-	-
32	CLA	1	608	X	-	-	-
32	CLA	1	609	X	-	-	-
32	CLA	1	611	X	-	-	-
32	CLA	1	612	X	-	-	-
32	CLA	1	613	X	-	-	-
32	CLA	2	601	X	-	-	-
32	CLA	2	602	X	-	-	-
32	CLA	2	603	X	-	-	-
32	CLA	2	604	X	-	-	-
32	CLA	2	605	X	-	-	-
32	CLA	2	606	X	-	-	-
32	CLA	2	607	X	-	-	-
32	CLA	2	608	X	-	-	-
32	CLA	2	609	X	-	-	-
32	CLA	2	611	X	-	-	-
32	CLA	2	612	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
32	CLA	3	601	X	-	-	-
32	CLA	3	602	X	-	-	-
32	CLA	3	603	X	-	-	-
32	CLA	3	604	X	-	-	-
32	CLA	3	605	X	-	-	-
32	CLA	3	606	X	-	-	-
32	CLA	3	607	X	-	-	-
32	CLA	3	608	X	-	-	-
32	CLA	3	609	X	-	-	-
32	CLA	3	610	X	-	-	-
32	CLA	3	611	X	-	-	-
32	CLA	4	601	X	-	-	-
32	CLA	4	602	X	-	-	-
32	CLA	4	603	X	-	-	-
32	CLA	4	604	X	-	-	-
32	CLA	4	605	X	-	-	-
32	CLA	4	606	X	-	-	-
32	CLA	4	607	X	-	-	-
32	CLA	4	608	X	-	-	-
32	CLA	4	609	X	-	-	-
32	CLA	4	611	X	-	-	-
32	CLA	4	612	X	-	-	-
32	CLA	4	613	X	-	-	-
32	CLA	5	302	X	-	-	-
32	CLA	5	303	X	-	-	-
32	CLA	5	304	X	-	-	-
32	CLA	5	305	X	-	-	-
32	CLA	5	306	X	-	-	-
32	CLA	5	307	X	-	-	-
32	CLA	5	308	X	-	-	-
32	CLA	5	309	X	-	-	-
32	CLA	5	310	X	-	-	-
32	CLA	5	312	X	-	-	-
32	CLA	5	313	X	-	-	-
32	CLA	6	601	X	-	-	-
32	CLA	6	602	X	-	-	-
32	CLA	6	603	X	-	-	-
32	CLA	6	604	X	-	-	-
32	CLA	6	606	X	-	-	-
32	CLA	6	607	X	-	-	-
32	CLA	6	608	X	-	-	-
32	CLA	6	610	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
32	CLA	6	611	X	-	-	-
32	CLA	7	601	X	-	-	-
32	CLA	7	602	X	-	-	-
32	CLA	7	603	X	-	-	-
32	CLA	7	604	X	-	-	-
32	CLA	7	605	X	-	-	-
32	CLA	7	606	X	-	-	-
32	CLA	7	607	X	-	-	-
32	CLA	7	608	X	-	-	-
32	CLA	7	609	X	-	-	-
32	CLA	7	611	X	-	-	-
32	CLA	7	612	X	-	-	-
32	CLA	7	613	X	-	-	-
32	CLA	8	601	X	-	-	-
32	CLA	8	602	X	-	-	-
32	CLA	8	603	X	-	-	-
32	CLA	8	604	X	-	-	-
32	CLA	8	605	X	-	-	-
32	CLA	8	606	X	-	-	-
32	CLA	8	607	X	-	-	-
32	CLA	8	608	X	-	-	-
32	CLA	8	609	X	-	-	-
32	CLA	8	611	X	-	-	-
32	CLA	8	612	X	-	-	-
32	CLA	9	601	X	-	-	-
32	CLA	9	602	X	-	-	-
32	CLA	9	603	X	-	-	-
32	CLA	9	604	X	-	-	-
32	CLA	9	605	X	-	-	-
32	CLA	9	606	X	-	-	-
32	CLA	9	607	X	-	-	-
32	CLA	9	608	X	-	-	-
32	CLA	9	609	X	-	-	-
32	CLA	9	610	X	-	-	-
32	CLA	9	611	X	-	-	-
32	CLA	A	602	X	-	-	-
32	CLA	A	603	X	-	-	-
32	CLA	A	605	X	-	-	-
32	CLA	B	602	X	-	-	-
32	CLA	B	603	X	-	-	-
32	CLA	B	604	X	-	-	-
32	CLA	B	605	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
32	CLA	B	606	X	-	-	-
32	CLA	B	607	X	-	-	-
32	CLA	B	608	X	-	-	-
32	CLA	B	609	X	-	-	-
32	CLA	B	610	X	-	-	-
32	CLA	B	611	X	-	-	-
32	CLA	B	612	X	-	-	-
32	CLA	B	613	X	-	-	-
32	CLA	B	614	X	-	-	-
32	CLA	B	615	X	-	-	-
32	CLA	B	616	X	-	-	-
32	CLA	B	617	X	-	-	-
32	CLA	C	501	X	-	-	-
32	CLA	C	502	X	-	-	-
32	CLA	C	503	X	-	-	-
32	CLA	C	504	X	-	-	-
32	CLA	C	505	X	-	-	-
32	CLA	C	506	X	-	-	-
32	CLA	C	507	X	-	-	-
32	CLA	C	508	X	-	-	-
32	CLA	C	509	X	-	-	-
32	CLA	C	510	X	-	-	-
32	CLA	C	511	X	-	-	-
32	CLA	C	512	X	-	-	-
32	CLA	C	513	X	-	-	-
32	CLA	D	401	X	-	-	-
32	CLA	D	403	X	-	-	-
32	CLA	D	404	X	-	-	-
32	CLA	G	101	X	-	-	-
32	CLA	P	601	X	-	-	-
32	CLA	P	602	X	-	-	-
32	CLA	P	603	X	-	-	-
32	CLA	P	604	X	-	-	-
32	CLA	P	606	X	-	-	-
32	CLA	P	607	X	-	-	-
32	CLA	P	608	X	-	-	-
32	CLA	P	610	X	-	-	-
32	CLA	P	611	X	-	-	-
32	CLA	S	302	X	-	-	-
32	CLA	S	303	X	-	-	-
32	CLA	a	405	X	-	-	-
32	CLA	a	406	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
32	CLA	a	408	X	-	-	-
32	CLA	b	602	X	-	-	-
32	CLA	b	603	X	-	-	-
32	CLA	b	604	X	-	-	-
32	CLA	b	605	X	-	-	-
32	CLA	b	606	X	-	-	-
32	CLA	b	607	X	-	-	-
32	CLA	b	608	X	-	-	-
32	CLA	b	609	X	-	-	-
32	CLA	b	610	X	-	-	-
32	CLA	b	611	X	-	-	-
32	CLA	b	612	X	-	-	-
32	CLA	b	613	X	-	-	-
32	CLA	b	614	X	-	-	-
32	CLA	b	615	X	-	-	-
32	CLA	b	616	X	-	-	-
32	CLA	b	617	X	-	-	-
32	CLA	c	501	X	-	-	-
32	CLA	c	502	X	-	-	-
32	CLA	c	503	X	-	-	-
32	CLA	c	504	X	-	-	-
32	CLA	c	505	X	-	-	-
32	CLA	c	506	X	-	-	-
32	CLA	c	507	X	-	-	-
32	CLA	c	508	X	-	-	-
32	CLA	c	509	X	-	-	-
32	CLA	c	510	X	-	-	-
32	CLA	c	511	X	-	-	-
32	CLA	c	512	X	-	-	-
32	CLA	c	513	X	-	-	-
32	CLA	d	402	X	-	-	-
32	CLA	d	403	X	-	-	-
32	CLA	d	409	X	-	-	-
32	CLA	g	102	X	-	-	-
32	CLA	p	302	X	-	-	-
32	CLA	p	303	X	-	-	-
32	CLA	p	304	X	-	-	-
32	CLA	p	305	X	-	-	-
32	CLA	p	306	X	-	-	-
32	CLA	p	307	X	-	-	-
32	CLA	p	308	X	-	-	-
32	CLA	p	309	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Type</b>	<b>Chain</b>	<b>Res</b>	<b>Chirality</b>	<b>Geometry</b>	<b>Clashes</b>	<b>Electron density</b>
32	CLA	p	310	X	-	-	-
32	CLA	p	312	X	-	-	-
32	CLA	p	313	X	-	-	-
32	CLA	s	302	X	-	-	-
32	CLA	s	303	X	-	-	-

## 2 Entry composition [i](#)

There are 47 unique types of molecules in this entry. The entry contains 80246 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem II reaction center M.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	m	36	265	175	42	48	0	0
1	M	36	265	175	42	48	0	0

- Molecule 2 is a protein called ACPII-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	194	1472	946	256	262	8	0	0
2	7	194	1472	946	256	262	8	0	0

- Molecule 3 is a protein called ACPII-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	173	1362	899	222	238	3	0	0
3	8	173	1362	899	222	238	3	0	0

- Molecule 4 is a protein called ACPII-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	178	1371	885	230	247	9	0	0
4	9	178	1371	885	230	247	9	0	0

- Molecule 5 is a protein called ACPII-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	4	172	Total	C	N	O	S	0	0
			1308	845	225	229	9		
5	0	172	Total	C	N	O	S	0	0
			1308	845	225	229	9		

- Molecule 6 is a protein called ACPII-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	5	187	Total	C	N	O	S	0	0
			1471	956	243	267	5		
6	p	187	Total	C	N	O	S	0	0
			1471	956	243	267	5		

- Molecule 7 is a protein called ACPII-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	6	173	Total	C	N	O	S	0	0
			1344	878	221	237	8		
7	P	173	Total	C	N	O	S	0	0
			1344	878	221	237	8		

- Molecule 8 is a protein called Photosystem II protein D1.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	A	334	Total	C	N	O	S	0	0
			2618	1712	430	464	12		
8	a	334	Total	C	N	O	S	0	0
			2618	1712	430	464	12		

- Molecule 9 is a protein called Photosystem II D2 protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	D	342	Total	C	N	O	S	0	0
			2713	1794	444	463	12		
9	d	342	Total	C	N	O	S	0	0
			2713	1794	444	463	12		

- Molecule 10 is a protein called Cytochrome b559 subunit alpha.

Mol	Chain	Residues	Atoms				AltConf	Trace
10	E	77	Total	C	N	O	0	0
			629	409	104	116		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf	Trace
10	e	77	Total	C	N	O	0	0
			629	409	104	116		

- Molecule 11 is a protein called Cytochrome b559 subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	F	30	Total	C	N	O	S	0	0
			247	168	41	37	1		
11	f	30	Total	C	N	O	S	0	0
			247	168	41	37	1		

- Molecule 12 is a protein called Photosystem II reaction center protein H.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	H	65	Total	C	N	O	S	0	0
			515	344	81	88	2		
12	h	65	Total	C	N	O	S	0	0
			515	344	81	88	2		

- Molecule 13 is a protein called Photosystem II reaction center protein I.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	I	35	Total	C	N	O	S	0	0
			287	191	46	49	1		
13	i	35	Total	C	N	O	S	0	0
			287	191	46	49	1		

- Molecule 14 is a protein called Photosystem II reaction center protein J.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	J	28	Total	C	N	O	0	0
			214	147	32	35		
14	j	28	Total	C	N	O	0	0
			214	147	32	35		

- Molecule 15 is a protein called Photosystem II reaction center protein K.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	K	37	Total	C	N	O	0	0
			297	209	44	44		
15	k	37	Total	C	N	O	0	0
			297	209	44	44		

- Molecule 16 is a protein called Photosystem II reaction center protein O.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	O	231	Total 1749	C 1103	N 282	O 358	S 6	0	0
16	o	231	Total 1749	C 1103	N 282	O 358	S 6	0	0

- Molecule 17 is a protein called Photosystem II reaction center protein Q.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
17	Q	21	Total 105	C 63	N 21	O 21	0	0
17	q	21	Total 105	C 63	N 21	O 21	0	0

- Molecule 18 is a protein called Photosystem II reaction center protein R.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
18	R	26	Total 130	C 78	N 26	O 26	0	0
18	r	26	Total 130	C 78	N 26	O 26	0	0

- Molecule 19 is a protein called CCP-II-S.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	S	203	Total 1563	C 1005	N 255	O 299	S 4	0	0
19	s	203	Total 1563	C 1005	N 255	O 299	S 4	0	0

- Molecule 20 is a protein called Photosystem II reaction center protein T.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	T	32	Total 260	C 179	N 40	O 40	S 1	0	0
20	t	32	Total 260	C 179	N 40	O 40	S 1	0	0

- Molecule 21 is a protein called Photosystem II reaction center protein U.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	93	Total	C	N	O	S	0	0
			742	476	122	142	2		
21	u	93	Total	C	N	O	S	0	0
			742	476	122	142	2		

- Molecule 22 is a protein called Photosystem II cytochrome c550.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	131	Total	C	N	O	S	0	0
			996	626	170	196	4		
22	v	131	Total	C	N	O	S	0	0
			996	626	170	196	4		

- Molecule 23 is a protein called Photosystem II reaction center X protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	X	39	Total	C	N	O	S	0	0
			292	192	47	52	1		
23	x	39	Total	C	N	O	S	0	0
			292	192	47	52	1		

- Molecule 24 is a protein called Photosystem II reaction center protein Ycf12.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Y	34	Total	C	N	O	S	0	0
			266	180	43	42	1		
24	y	34	Total	C	N	O	S	0	0
			266	180	43	42	1		

- Molecule 25 is a protein called Photosystem II reaction center protein Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Z	61	Total	C	N	O	S	0	0
			457	315	67	74	1		
25	z	61	Total	C	N	O	S	0	0
			457	315	67	74	1		

- Molecule 26 is a protein called Photosystem II CP47 reaction center protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	b	504	Total	C	N	O	S	0	0
			3962	2587	676	688	11		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	B	504	3962	2587	676	688	11	0	0

- Molecule 27 is a protein called Photosystem II CP43 reaction center protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	c	451	3504	2290	589	615	10	0	0
27	C	451	3504	2290	589	615	10	0	0

- Molecule 28 is a protein called Photosystem II reaction center protein G.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
28	g	64	320	192	64	64	0	0
28	G	64	320	192	64	64	0	0


- Molecule 29 is a protein called Photosystem II reaction center protein L.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	l	38	310	209	48	52	1	0	0
29	L	38	310	209	48	52	1	0	0

- Molecule 30 is a protein called Photosystem II reaction center protein W.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
30	w	45	367	238	57	72	0	0
30	W	45	367	238	57	72	0	0

- Molecule 31 is (6'R,11cis,11'cis,13cis,15cis)-4',5'-didehydro-5',6'-dihydro-beta,beta-carotene (three-letter code: 8CT) (formula: C<sub>40</sub>H<sub>56</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	AltConf
31	M	1	Total C 40 40	0
31	3	1	Total C 40 40	0
31	6	1	Total C 40 40	0
31	A	1	Total C 40 40	0
31	D	1	Total C 40 40	0
31	H	1	Total C 40 40	0
31	K	1	Total C 40 40	0
31	K	1	Total C 40 40	0
31	Z	1	Total C 40 40	0
31	b	1	Total C 40 40	0
31	b	1	Total C 40 40	0
31	c	1	Total C 40 40	0
31	d	1	Total C 40 40	0
31	k	1	Total C 40 40	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
31	k	1	Total C 40 40	0
31	z	1	Total C 40 40	0
31	9	1	Total C 40 40	0
31	C	1	Total C 40 40	0
31	P	1	Total C 40 40	0
31	a	1	Total C 40 40	0
31	h	1	Total C 40 40	0
31	B	1	Total C 40 40	0
31	B	1	Total C 40 40	0
31	B	1	Total C 40 40	0

- Molecule 32 is CHLOROPHYLL A (three-letter code: CLA) (formula:  $C_{55}H_{72}MgN_4O_5$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	AltConf
32	1	1	Total C Mg N O 42 34 1 4 3	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
32	1	1	59	49	1	4	5	0
32	1	1	50	40	1	4	5	0
32	1	1	55	45	1	4	5	0
32	1	1	50	40	1	4	5	0
32	1	1	45	35	1	4	5	0
32	1	1	45	35	1	4	5	0
32	1	1	60	50	1	4	5	0
32	1	1	41	33	1	4	3	0
32	1	1	45	35	1	4	5	0
32	1	1	45	35	1	4	5	0
32	1	1	45	35	1	4	5	0
32	2	1	42	34	1	4	3	0
32	2	1	59	49	1	4	5	0
32	2	1	50	40	1	4	5	0
32	2	1	55	45	1	4	5	0
32	2	1	60	50	1	4	5	0
32	2	1	45	35	1	4	5	0
32	2	1	45	35	1	4	5	0
32	2	1	60	50	1	4	5	0
32	2	1	41	33	1	4	3	0
32	2	1	45	35	1	4	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
32	2	1	45	35	1	4	5	0
32	3	1	42	34	1	4	3	0
32	3	1	59	49	1	4	5	0
32	3	1	50	40	1	4	5	0
32	3	1	55	45	1	4	5	0
32	3	1	46	36	1	4	5	0
32	3	1	45	35	1	4	5	0
32	3	1	60	50	1	4	5	0
32	3	1	41	33	1	4	3	0
32	3	1	60	50	1	4	5	0
32	3	1	45	35	1	4	5	0
32	3	1	45	35	1	4	5	0
32	4	1	42	34	1	4	3	0
32	4	1	59	49	1	4	5	0
32	4	1	50	40	1	4	5	0
32	4	1	55	45	1	4	5	0
32	4	1	50	40	1	4	5	0
32	4	1	45	35	1	4	5	0
32	4	1	45	35	1	4	5	0
32	4	1	60	50	1	4	5	0
32	4	1	41	33	1	4	3	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
32	4	1	45	35	1	4	5	0
32	4	1	45	35	1	4	5	0
32	4	1	45	35	1	4	5	0
32	5	1	42	34	1	4	3	0
32	5	1	59	49	1	4	5	0
32	5	1	50	40	1	4	5	0
32	5	1	55	45	1	4	5	0
32	5	1	60	50	1	4	5	0
32	5	1	45	35	1	4	5	0
32	5	1	45	35	1	4	5	0
32	5	1	60	50	1	4	5	0
32	5	1	41	33	1	4	3	0
32	5	1	45	35	1	4	5	0
32	5	1	45	35	1	4	5	0
32	6	1	42	34	1	4	3	0
32	6	1	59	49	1	4	5	0
32	6	1	50	40	1	4	5	0
32	6	1	55	45	1	4	5	0
32	6	1	45	35	1	4	5	0
32	6	1	60	50	1	4	5	0
32	6	1	41	33	1	4	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
32	6	1	45	35	1	4	5	0
32	6	1	45	35	1	4	5	0
32	A	1	65	55	1	4	5	0
32	A	1	49	39	1	4	5	0
32	A	1	60	50	1	4	5	0
32	D	1	59	49	1	4	5	0
32	D	1	57	47	1	4	5	0
32	D	1	60	50	1	4	5	0
32	S	1	45	35	1	4	5	0
32	S	1	65	55	1	4	5	0
32	b	1	47	37	1	4	5	0
32	b	1	61	52	1	4	4	0
32	b	1	64	54	1	4	5	0
32	b	1	61	51	1	4	5	0
32	b	1	65	55	1	4	5	0
32	b	1	65	55	1	4	5	0
32	b	1	41	33	1	4	3	0
32	b	1	65	55	1	4	5	0
32	b	1	65	55	1	4	5	0
32	b	1	65	55	1	4	5	0
32	b	1	65	55	1	4	5	0
32	b	1	64	54	1	4	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
32	b	1	65	55	1	4	5	0
32	b	1	65	55	1	4	5	0
32	b	1	64	54	1	4	5	0
32	b	1	65	55	1	4	5	0
32	b	1	65	55	1	4	5	0
32	c	1	65	55	1	4	5	0
32	c	1	64	54	1	4	5	0
32	c	1	65	55	1	4	5	0
32	c	1	64	54	1	4	5	0
32	c	1	65	55	1	4	5	0
32	c	1	45	35	1	4	5	0
32	c	1	65	55	1	4	5	0
32	c	1	65	55	1	4	5	0
32	c	1	65	55	1	4	5	0
32	c	1	65	55	1	4	5	0
32	c	1	57	47	1	4	5	0
32	c	1	49	39	1	4	5	0
32	d	1	57	47	1	4	5	0
32	d	1	60	50	1	4	5	0
32	d	1	59	49	1	4	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
32	g	1	45	35	1	4	5	0
32	0	1	42	34	1	4	3	0
32	0	1	59	49	1	4	5	0
32	0	1	50	40	1	4	5	0
32	0	1	55	45	1	4	5	0
32	0	1	50	40	1	4	5	0
32	0	1	45	35	1	4	5	0
32	0	1	45	35	1	4	5	0
32	0	1	60	50	1	4	5	0
32	0	1	41	33	1	4	3	0
32	0	1	45	35	1	4	5	0
32	0	1	45	35	1	4	5	0
32	0	1	45	35	1	4	5	0
32	7	1	42	34	1	4	3	0
32	7	1	59	49	1	4	5	0
32	7	1	50	40	1	4	5	0
32	7	1	55	45	1	4	5	0
32	7	1	50	40	1	4	5	0
32	7	1	45	35	1	4	5	0
32	7	1	45	35	1	4	5	0
32	7	1	60	50	1	4	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
32	7	1	Total	C	Mg	N	O	0
			41	33	1	4	3	
32	7	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
32	7	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
32	7	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
32	8	1	Total	C	Mg	N	O	0
			42	34	1	4	3	
32	8	1	Total	C	Mg	N	O	0
			59	49	1	4	5	
32	8	1	Total	C	Mg	N	O	0
			50	40	1	4	5	
32	8	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
32	8	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
32	8	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
32	8	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
32	8	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
32	8	1	Total	C	Mg	N	O	0
			41	33	1	4	3	
32	8	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
32	8	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
32	9	1	Total	C	Mg	N	O	0
			42	34	1	4	3	
32	9	1	Total	C	Mg	N	O	0
			59	49	1	4	5	
32	9	1	Total	C	Mg	N	O	0
			50	40	1	4	5	
32	9	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
32	9	1	Total	C	Mg	N	O	0
			46	36	1	4	5	
32	9	1	Total	C	Mg	N	O	0
			45	35	1	4	5	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
32	9	1	Total 60	C 50	Mg 1	N 4	O 5	0
32	9	1	Total 41	C 33	Mg 1	N 4	O 3	0
32	9	1	Total 60	C 50	Mg 1	N 4	O 5	0
32	9	1	Total 45	C 35	Mg 1	N 4	O 5	0
32	9	1	Total 45	C 35	Mg 1	N 4	O 5	0
32	C	1	Total 65	C 55	Mg 1	N 4	O 5	0
32	C	1	Total 64	C 54	Mg 1	N 4	O 5	0
32	C	1	Total 65	C 55	Mg 1	N 4	O 5	0
32	C	1	Total 64	C 54	Mg 1	N 4	O 5	0
32	C	1	Total 65	C 55	Mg 1	N 4	O 5	0
32	C	1	Total 45	C 35	Mg 1	N 4	O 5	0
32	C	1	Total 65	C 55	Mg 1	N 4	O 5	0
32	C	1	Total 65	C 55	Mg 1	N 4	O 5	0
32	C	1	Total 65	C 55	Mg 1	N 4	O 5	0
32	C	1	Total 65	C 55	Mg 1	N 4	O 5	0
32	C	1	Total 57	C 47	Mg 1	N 4	O 5	0
32	C	1	Total 49	C 39	Mg 1	N 4	O 5	0
32	G	1	Total 45	C 35	Mg 1	N 4	O 5	0
32	P	1	Total 42	C 34	Mg 1	N 4	O 3	0
32	P	1	Total 59	C 49	Mg 1	N 4	O 5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
32	P	1	50	40	1	4	5	0
32	P	1	55	45	1	4	5	0
32	P	1	45	35	1	4	5	0
32	P	1	60	50	1	4	5	0
32	P	1	41	33	1	4	3	0
32	P	1	45	35	1	4	5	0
32	P	1	45	35	1	4	5	0
32	a	1	65	55	1	4	5	0
32	a	1	49	39	1	4	5	0
32	a	1	60	50	1	4	5	0
32	p	1	42	34	1	4	3	0
32	p	1	59	49	1	4	5	0
32	p	1	50	40	1	4	5	0
32	p	1	55	45	1	4	5	0
32	p	1	60	50	1	4	5	0
32	p	1	45	35	1	4	5	0
32	p	1	45	35	1	4	5	0
32	p	1	60	50	1	4	5	0
32	p	1	41	33	1	4	3	0
32	p	1	45	35	1	4	5	0
32	p	1	45	35	1	4	5	0


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
32	s	1	45	35	1	4	5	0
32	s	1	65	55	1	4	5	0
32	B	1	47	37	1	4	5	0
32	B	1	61	52	1	4	4	0
32	B	1	64	54	1	4	5	0
32	B	1	61	51	1	4	5	0
32	B	1	65	55	1	4	5	0
32	B	1	65	55	1	4	5	0
32	B	1	41	33	1	4	3	0
32	B	1	65	55	1	4	5	0
32	B	1	65	55	1	4	5	0
32	B	1	65	55	1	4	5	0
32	B	1	64	54	1	4	5	0
32	B	1	65	55	1	4	5	0
32	B	1	65	55	1	4	5	0
32	B	1	64	54	1	4	5	0
32	B	1	65	55	1	4	5	0
32	B	1	65	55	1	4	5	0

- Molecule 33 is Chlorophyll c2 (three-letter code: KC2) (formula:  $C_{35}H_{28}MgN_4O_5$ ) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Atoms				AltConf	
			Total	C	Mg	N		O
33	1	1	45	35	1	4	5	0
33	2	1	45	35	1	4	5	0
33	4	1	45	35	1	4	5	0
33	5	1	45	35	1	4	5	0
33	6	1	45	35	1	4	5	0
33	6	1	45	35	1	4	5	0
33	0	1	45	35	1	4	5	0
33	7	1	45	35	1	4	5	0
33	8	1	45	35	1	4	5	0
33	P	1	45	35	1	4	5	0
33	P	1	45	35	1	4	5	0
33	p	1	45	35	1	4	5	0

- Molecule 34 is (1 {R})-3,5,5-trimethyl-4-[(3 {E},5 {E},7 {E},9 {E},11 {E},13 {E},15 {E})-3,7,12,16-tetramethyl-18-[(4 {R})-2,6,6-trimethyl-4-oxidanyl-cyclohexen-1-yl]octadec a-3,5,7,9,11,13,15-heptaen-1,17-diynyl]cyclohex-3-en-1-ol (three-letter code: II0) (formula:

C<sub>40</sub>H<sub>52</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
34	1	1	Total	C	O	0
			42	40	2	
34	1	1	Total	C	O	0
			42	40	2	
34	1	1	Total	C	O	0
			42	40	2	
34	1	1	Total	C	O	0
			42	40	2	
34	2	1	Total	C	O	0
			42	40	2	
34	2	1	Total	C	O	0
			42	40	2	
34	2	1	Total	C	O	0
			42	40	2	
34	3	1	Total	C	O	0
			42	40	2	
34	3	1	Total	C	O	0
			42	40	2	
34	3	1	Total	C	O	0
			42	40	2	
34	4	1	Total	C	O	0
			42	40	2	
34	4	1	Total	C	O	0
			42	40	2	

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
34	4	1	42	40	2	0
34	5	1	42	40	2	0
34	5	1	42	40	2	0
34	5	1	42	40	2	0
34	5	1	42	40	2	0
34	5	1	42	40	2	0
34	6	1	42	40	2	0
34	6	1	42	40	2	0
34	0	1	42	40	2	0
34	0	1	42	40	2	0
34	0	1	42	40	2	0
34	0	1	42	40	2	0
34	7	1	42	40	2	0
34	7	1	42	40	2	0
34	7	1	42	40	2	0
34	7	1	42	40	2	0
34	8	1	42	40	2	0
34	8	1	42	40	2	0
34	8	1	42	40	2	0
34	8	1	42	40	2	0
34	9	1	42	40	2	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
34	9	1	Total	C	O	0
			42	40	2	
34	9	1	Total	C	O	0
			42	40	2	
34	P	1	Total	C	O	0
			42	40	2	
34	P	1	Total	C	O	0
			42	40	2	
34	p	1	Total	C	O	0
			42	40	2	
34	p	1	Total	C	O	0
			42	40	2	
34	p	1	Total	C	O	0
			42	40	2	

- Molecule 35 is (1 {R})-3,5,5-trimethyl-4-[(3 {E},5 {E},7 {E},9 {E},11 {E},13 {E},15 {E},17 {E})-3,7,12,16-tetramethyl-18-[(1 {R},4 {R})-2,6,6-trimethyl-4-oxidanyl-cyclohex-2-en-1-yl]octadeca-3,5,7,9,11,13,15,17-octaeen-1-ynyl]cyclohex-3-en-1-ol (three-letter code: II3) (formula: C<sub>40</sub>H<sub>54</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
35	1	1	Total	C	O	0
			42	40	2	
35	6	1	Total	C	O	0
			42	40	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
35	7	1	Total	C	O	0
			42	40	2	
35	P	1	Total	C	O	0
			42	40	2	

- Molecule 36 is (1 {R})-3,5,5-trimethyl-4-[(3 {E},5 {E},7 {E},9 {E},11 {E},13 {E},15 {E},17 {E})-3,7,12,16-tetramethyl-18-(2,6,6-trimethylcyclohexen-1-yl)octadeca-3,5,7,9,11,13,15,17-octaen-1-ynyl]cyclohex-3-en-1-ol (three-letter code: IHT) (formula: C<sub>40</sub>H<sub>54</sub>O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
36	1	1	Total	C	O	0
			41	40	1	
36	2	1	Total	C	O	0
			41	40	1	
36	4	1	Total	C	O	0
			41	40	1	
36	4	1	Total	C	O	0
			41	40	1	
36	5	1	Total	C	O	0
			41	40	1	
36	0	1	Total	C	O	0
			41	40	1	
36	0	1	Total	C	O	0
			41	40	1	
36	7	1	Total	C	O	0
			41	40	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
36	8	1	41	40	1	0
36	p	1	41	40	1	0

- Molecule 37 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (three-letter code: LMG) (formula:  $C_{45}H_{86}O_{10}$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
37	2	1	36	26	10	0
37	4	1	36	26	10	0
37	6	1	28	18	10	0
37	A	1	48	38	10	0
37	D	1	46	36	10	0
37	D	1	40	30	10	0
37	b	1	51	41	10	0
37	c	1	46	36	10	0
37	d	1	40	30	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
37	d	1	46	36	10	0
37	g	1	28	18	10	0
37	l	1	40	30	10	0
37	o	1	36	26	10	0
37	8	1	36	26	10	0
37	C	1	46	36	10	0
37	G	1	28	18	10	0
37	L	1	40	30	10	0
37	P	1	28	18	10	0
37	a	1	48	38	10	0
37	B	1	51	41	10	0


- Molecule 38 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (three-letter code: LHG) (formula:  $C_{38}H_{75}O_{10}P$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
38	2	1	Total	C	O	P	0
			22	12	9	1	
38	A	1	Total	C	O	P	0
			43	32	10	1	
38	A	1	Total	C	O	P	0
			49	38	10	1	
38	D	1	Total	C	O	P	0
			48	38	9	1	
38	D	1	Total	C	O	P	0
			32	21	10	1	
38	S	1	Total	C	O	P	0
			37	26	10	1	
38	b	1	Total	C	O	P	0
			39	28	10	1	
38	b	1	Total	C	O	P	0
			39	28	10	1	
38	d	1	Total	C	O	P	0
			48	38	9	1	
38	d	1	Total	C	O	P	0
			32	21	10	1	
38	l	1	Total	C	O	P	0
			49	38	10	1	
38	8	1	Total	C	O	P	0
			22	12	9	1	
38	L	1	Total	C	O	P	0
			49	38	10	1	
38	a	1	Total	C	O	P	0
			43	32	10	1	
38	a	1	Total	C	O	P	0
			49	38	10	1	
38	s	1	Total	C	O	P	0
			37	26	10	1	
38	B	1	Total	C	O	P	0
			39	28	10	1	
38	B	1	Total	C	O	P	0
			39	28	10	1	


- Molecule 39 is 1,2-DI-O-ACYL-3-O-[6-DEOXY-6-SULFO-ALPHA-D-GLUCOPYRANOSYL]-SN-GLYCEROL (three-letter code: SQD) (formula: C<sub>41</sub>H<sub>78</sub>O<sub>12</sub>S) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	S	
39	5	1	35	22	12	1	0
39	A	1	54	41	12	1	0
39	b	1	48	35	12	1	0
39	b	1	54	41	12	1	0
39	a	1	54	41	12	1	0
39	p	1	35	22	12	1	0
39	B	1	48	35	12	1	0
39	B	1	54	41	12	1	0

- Molecule 40 is CA-MN4-O5 CLUSTER (three-letter code: OEX) (formula:  $\text{CaMn}_4\text{O}_5$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	Ca	Mn	O	
40	A	1	10	1	4	5	0
40	a	1	10	1	4	5	0

- Molecule 41 is PHEOPHYTIN A (three-letter code: PHO) (formula:  $C_{55}H_{74}N_4O_5$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf	
			Total	C	N		O
41	A	1	64	55	4	5	0

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
41	D	1	Total 64	C 55	N 4	O 5	0
41	d	1	Total 64	C 55	N 4	O 5	0
41	a	1	Total 64	C 55	N 4	O 5	0

- Molecule 42 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		AltConf
			Total	Cl	
42	A	1	Total 1	Cl 1	0
42	a	1	Total 1	Cl 1	0

- Molecule 43 is 2,3-DIMETHYL-5-(3,7,11,15,19,23,27,31,35-NONAMETHYL-2,6,10,14,18,22,26,30,34-HEXATRIACONTANAENYL-2,5-CYCLOHEXADIENE-1,4-DIONE-2,3-DIMETHYL-5-SOLANESYL-1,4-BENZOQUINONE (three-letter code: PL9) (formula: C<sub>53</sub>H<sub>80</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
43	A	1	Total 13	C 11	O 2	0
43	D	1	Total 55	C 53	O 2	0
43	d	1	Total 55	C 53	O 2	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
43	a	1	13	11	2	0

- Molecule 44 is BICARBONATE ION (three-letter code: BCT) (formula:  $\text{CHO}_3$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
44	A	1	4	1	3	0
44	a	1	4	1	3	0

- Molecule 45 is DIGALACTOSYL DIACYL GLYCEROL (DGDG) (three-letter code: DGD) (formula:  $\text{C}_{51}\text{H}_{96}\text{O}_{15}$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
45	A	1	53	39	14	0
45	H	1	62	47	15	0
45	c	1	55	40	15	0
45	c	1	56	41	15	0
45	c	1	55	40	15	0
45	C	1	55	40	15	0
45	C	1	56	41	15	0
45	C	1	55	40	15	0
45	a	1	53	39	14	0
45	h	1	62	47	15	0

- Molecule 46 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms		AltConf
			Total	Fe	
46	D	1	1	1	0
46	d	1	1	1	0



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Photosystem II reaction center M

Chain m:  31% 69%

MET GLN ARG LEU LEU ALA ALA LEU LEU VAL ALA ALA ALA ALA SER SER ALA ALA PHE PHE ALA ALA PRO PRO THR THR ALA ALA LEU LEU THR THR GLY LEU ARG ARG GLN GLN ALA ALA PRO LEU LEU CYS SER SER GLY ASN LYS LEU SER SER ALA ALA ALA CYS ARG ALA ALA PRO PRO ARG ARG ALA ALA LYS LYS PRO PRO MET MET MET MET LEU LEU ALA ALA THR

THR ASN GLN ALA MET LEU LEU ALA ALA GLU GLY THR THR MET MET T108 GLY SER SER GLU GLY ASP LYS PHE


- Molecule 1: Photosystem II reaction center M

Chain M:  31% 69%

MET GLN ARG LEU LEU ALA ALA LEU LEU VAL ALA ALA ALA SER SER ALA ALA PHE PHE ALA ALA PRO PRO THR THR ALA ALA LEU LEU THR THR GLY LEU ARG ARG GLN GLN ALA ALA PRO LEU LEU CYS SER SER GLY ASN LYS LEU SER SER ALA ALA ALA CYS ARG ALA ALA PRO PRO ARG ARG ALA ALA LYS LYS PRO PRO MET MET MET MET LEU LEU ALA ALA THR

THR ASN GLN ALA MET LEU LEU ALA ALA GLU GLY THR THR MET MET T108 GLY SER SER GLU GLY ASP LYS PHE

- Molecule 2: ACPII-1


Chain 1:  30% 83% 17%


LYS MET LEU ARG LEU SER ILE LEU LEU ALA ALA CYS LEU ALA ALA ALA GLN ALA PHE THR SER PRO ALA ALA LEU LEU ARG PRO SER THR ARG ALA VAL SER ARG PRO SER MET GLN LEU Y42 K43 D44 G45 I46 I47 Q48 Q49 L50 G51 V52 E53 G57 A58 G59 R60 P61 A62

M63 L64 D65 G66 T67 L68 D71 F74 L77 G78 Q109 D110 A111 Y112 K113 F114 P115 G116 F117 E118 G119 A120 F121 G122 A124 M125 M126 M127 K128 L132 E135 Q136 L148 L177 M178 A181 N182 P183 D184 T185 L186 R189 L212 G215 R216 G217 P218



I219 E220 F221 I222 T223 M224 I225 P226 M227 F228 K229 M230 P231 L232 P234 P235

- Molecule 2: ACPII-1



Chain 7:  29% 83% 17%





• Molecule 3: ACPII-2





• Molecule 3: ACPII-2



• Molecule 4: ACPII-3




• Molecule 4: ACPII-3




• Molecule 5: ACPII-4









• Molecule 7: ACPII-6



• Molecule 7: ACPII-6




• Molecule 8: Photosystem II protein D1




- Molecule 8: Photosystem II protein D1

Chain a:  93% 7%




- Molecule 9: Photosystem II D2 protein

Chain D:  97%





- Molecule 9: Photosystem II D2 protein

Chain d:  97%





- Molecule 10: Cytochrome b559 subunit alpha

Chain E:  13% 92% 8%




- Molecule 10: Cytochrome b559 subunit alpha

Chain e:  14% 92% 8%




- Molecule 11: Cytochrome b559 subunit beta

Chain F:  71% 29%



- Molecule 11: Cytochrome b559 subunit beta

Chain f:  71% 29%





- Molecule 12: Photosystem II reaction center protein H





- Molecule 12: Photosystem II reaction center protein H




- Molecule 13: Photosystem II reaction center protein I




- Molecule 13: Photosystem II reaction center protein I




- Molecule 14: Photosystem II reaction center protein J




- Molecule 14: Photosystem II reaction center protein J





- Molecule 15: Photosystem II reaction center protein K











• Molecule 15: Photosystem II reaction center protein K






• Molecule 16: Photosystem II reaction center protein O




• Molecule 16: Photosystem II reaction center protein O







• Molecule 17: Photosystem II reaction center protein Q




• Molecule 17: Photosystem II reaction center protein Q




• Molecule 18: Photosystem II reaction center protein R




• Molecule 18: Photosystem II reaction center protein R






• Molecule 19: CCPH-S





• Molecule 19: CCPII-S






• Molecule 20: Photosystem II reaction center protein T



• Molecule 20: Photosystem II reaction center protein T




• Molecule 21: Photosystem II reaction center protein U





• Molecule 21: Photosystem II reaction center protein U







• Molecule 22: Photosystem II cytochrome c550



• Molecule 22: Photosystem II cytochrome c550



• Molecule 23: Photosystem II reaction center X protein




• Molecule 23: Photosystem II reaction center X protein








- Molecule 24: Photosystem II reaction center protein Ycf12




- Molecule 24: Photosystem II reaction center protein Ycf12




- Molecule 25: Photosystem II reaction center protein Z




- Molecule 25: Photosystem II reaction center protein Z




- Molecule 26: Photosystem II CP47 reaction center protein




- Molecule 26: Photosystem II CP47 reaction center protein




- Molecule 27: Photosystem II CP43 reaction center protein




• Molecule 27: Photosystem II CP43 reaction center protein



• Molecule 28: Photosystem II reaction center protein G



• Molecule 28: Photosystem II reaction center protein G



• Molecule 29: Photosystem II reaction center protein L




• Molecule 29: Photosystem II reaction center protein L




• Molecule 30: Photosystem II reaction center protein W





- Molecule 30: Photosystem II reaction center protein W



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	305400	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.307	Depositor
Minimum map value	-0.333	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.030	Depositor
Recommended contour level	0.253	Depositor
Map size (Å)	532.48, 532.48, 532.48	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.04, 1.04, 1.04	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: II3, LHG, KC2, 8CT, BCT, DGD, IHT, OEX, PHO, FE2, II0, CL, LMG, PL9, HEM, SQD, CLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	M	0.30	0/268	0.48	0/367
1	m	0.30	0/268	0.47	0/367
2	1	0.25	0/1507	0.46	0/2043
2	7	0.25	0/1507	0.46	0/2043
3	2	0.26	0/1399	0.43	0/1893
3	8	0.26	0/1399	0.43	0/1893
4	3	0.26	0/1404	0.44	0/1895
4	9	0.26	0/1404	0.44	0/1895
5	0	0.25	0/1339	0.46	0/1814
5	4	0.25	0/1339	0.46	0/1814
6	5	0.26	0/1510	0.45	0/2046
6	p	0.25	0/1510	0.45	0/2046
7	6	0.25	0/1380	0.44	0/1870
7	P	0.25	0/1380	0.45	0/1870
8	A	0.30	0/2702	0.46	0/3688
8	a	0.30	0/2702	0.46	0/3688
9	D	0.30	0/2806	0.46	0/3823
9	d	0.29	0/2806	0.47	0/3823
10	E	0.27	0/647	0.47	0/882
10	e	0.27	0/647	0.49	0/882
11	F	0.27	0/255	0.45	0/344
11	f	0.28	0/255	0.44	0/344
12	H	0.28	0/527	0.48	0/717
12	h	0.28	0/527	0.48	0/717
13	I	0.30	0/294	0.49	0/397
13	i	0.30	0/294	0.48	0/397
14	J	0.24	0/220	0.42	0/301
14	j	0.24	0/220	0.42	0/301
15	K	0.31	0/308	0.44	0/421
15	k	0.32	0/308	0.44	0/421
16	O	0.24	0/1774	0.48	0/2385
16	o	0.25	0/1774	0.48	0/2385

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
19	S	0.26	0/1603	0.47	0/2180
19	s	0.26	0/1603	0.47	0/2180
20	T	0.31	0/267	0.44	0/359
20	t	0.32	0/267	0.44	0/359
21	U	0.25	0/758	0.46	0/1031
21	u	0.25	0/758	0.47	0/1031
22	V	0.23	0/1016	0.45	0/1377
22	v	0.23	0/1016	0.47	0/1377
23	X	0.26	0/296	0.45	0/402
23	x	0.26	0/296	0.46	0/402
24	Y	0.25	0/271	0.45	0/367
24	y	0.25	0/271	0.44	0/367
25	Z	0.27	0/467	0.40	0/638
25	z	0.25	0/467	0.37	0/638
26	B	0.29	0/4093	0.47	0/5569
26	b	0.29	0/4093	0.47	0/5569
27	C	0.30	0/3619	0.47	0/4937
27	c	0.30	0/3619	0.46	0/4937
29	L	0.30	0/320	0.40	0/434
29	l	0.30	0/320	0.40	0/434
30	W	0.28	0/374	0.48	0/509
30	w	0.29	0/374	0.48	0/509
All	All	0.28	0/62848	0.46	0/85378

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	M	34/115 (30%)	32 (94%)	2 (6%)	0	100	100
1	m	34/115 (30%)	32 (94%)	2 (6%)	0	100	100
2	1	192/235 (82%)	183 (95%)	9 (5%)	0	100	100
2	7	192/235 (82%)	186 (97%)	6 (3%)	0	100	100
3	2	171/217 (79%)	168 (98%)	3 (2%)	0	100	100
3	8	171/217 (79%)	169 (99%)	2 (1%)	0	100	100
4	3	176/222 (79%)	173 (98%)	2 (1%)	1 (1%)	25	40
4	9	176/222 (79%)	173 (98%)	3 (2%)	0	100	100
5	0	170/226 (75%)	167 (98%)	2 (1%)	1 (1%)	25	40
5	4	170/226 (75%)	167 (98%)	2 (1%)	1 (1%)	25	40
6	5	185/218 (85%)	182 (98%)	3 (2%)	0	100	100
6	p	185/218 (85%)	181 (98%)	4 (2%)	0	100	100
7	6	171/220 (78%)	171 (100%)	0	0	100	100
7	P	171/220 (78%)	171 (100%)	0	0	100	100
8	A	332/360 (92%)	326 (98%)	6 (2%)	0	100	100
8	a	332/360 (92%)	328 (99%)	4 (1%)	0	100	100
9	D	340/351 (97%)	335 (98%)	5 (2%)	0	100	100
9	d	340/351 (97%)	337 (99%)	3 (1%)	0	100	100
10	E	75/84 (89%)	75 (100%)	0	0	100	100
10	e	75/84 (89%)	75 (100%)	0	0	100	100
11	F	28/42 (67%)	28 (100%)	0	0	100	100
11	f	28/42 (67%)	28 (100%)	0	0	100	100
12	H	63/67 (94%)	60 (95%)	3 (5%)	0	100	100
12	h	63/67 (94%)	60 (95%)	3 (5%)	0	100	100
13	I	33/38 (87%)	33 (100%)	0	0	100	100
13	i	33/38 (87%)	33 (100%)	0	0	100	100
14	J	26/39 (67%)	26 (100%)	0	0	100	100
14	j	26/39 (67%)	26 (100%)	0	0	100	100
15	K	35/45 (78%)	34 (97%)	1 (3%)	0	100	100
15	k	35/45 (78%)	34 (97%)	1 (3%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
16	O	225/330 (68%)	212 (94%)	13 (6%)	0	100	100
16	o	225/330 (68%)	213 (95%)	12 (5%)	0	100	100
19	S	201/285 (70%)	183 (91%)	18 (9%)	0	100	100
19	s	201/285 (70%)	183 (91%)	18 (9%)	0	100	100
20	T	30/32 (94%)	29 (97%)	1 (3%)	0	100	100
20	t	30/32 (94%)	29 (97%)	1 (3%)	0	100	100
21	U	91/150 (61%)	84 (92%)	7 (8%)	0	100	100
21	u	91/150 (61%)	82 (90%)	9 (10%)	0	100	100
22	V	129/163 (79%)	125 (97%)	4 (3%)	0	100	100
22	v	129/163 (79%)	125 (97%)	4 (3%)	0	100	100
23	X	37/39 (95%)	36 (97%)	1 (3%)	0	100	100
23	x	37/39 (95%)	36 (97%)	1 (3%)	0	100	100
24	Y	32/34 (94%)	32 (100%)	0	0	100	100
24	y	32/34 (94%)	32 (100%)	0	0	100	100
25	Z	59/62 (95%)	56 (95%)	3 (5%)	0	100	100
25	z	59/62 (95%)	57 (97%)	2 (3%)	0	100	100
26	B	502/509 (99%)	496 (99%)	6 (1%)	0	100	100
26	b	502/509 (99%)	497 (99%)	5 (1%)	0	100	100
27	C	449/461 (97%)	443 (99%)	6 (1%)	0	100	100
27	c	449/461 (97%)	442 (98%)	7 (2%)	0	100	100
29	L	36/38 (95%)	34 (94%)	2 (6%)	0	100	100
29	l	36/38 (95%)	34 (94%)	2 (6%)	0	100	100
30	W	43/114 (38%)	43 (100%)	0	0	100	100
30	w	43/114 (38%)	43 (100%)	0	0	100	100
All	All	7730/9392 (82%)	7539 (98%)	188 (2%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	3	212	ILE
5	4	126	ILE
5	0	126	ILE



### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	M	28/84 (33%)	28 (100%)	0	100	100
1	m	28/84 (33%)	28 (100%)	0	100	100
2	1	149/179 (83%)	149 (100%)	0	100	100
2	7	149/179 (83%)	149 (100%)	0	100	100
3	2	139/167 (83%)	139 (100%)	0	100	100
3	8	139/167 (83%)	139 (100%)	0	100	100
4	3	143/175 (82%)	142 (99%)	1 (1%)	84	93
4	9	143/175 (82%)	142 (99%)	1 (1%)	84	93
5	0	136/169 (80%)	136 (100%)	0	100	100
5	4	136/169 (80%)	136 (100%)	0	100	100
6	5	157/175 (90%)	156 (99%)	1 (1%)	86	94
6	p	157/175 (90%)	156 (99%)	1 (1%)	86	94
7	6	141/174 (81%)	141 (100%)	0	100	100
7	P	141/174 (81%)	141 (100%)	0	100	100
8	A	271/289 (94%)	271 (100%)	0	100	100
8	a	271/289 (94%)	271 (100%)	0	100	100
9	D	274/281 (98%)	274 (100%)	0	100	100
9	d	274/281 (98%)	274 (100%)	0	100	100
10	E	68/73 (93%)	68 (100%)	0	100	100
10	e	68/73 (93%)	68 (100%)	0	100	100
11	F	25/37 (68%)	25 (100%)	0	100	100
11	f	25/37 (68%)	25 (100%)	0	100	100
12	H	56/58 (97%)	56 (100%)	0	100	100
12	h	56/58 (97%)	56 (100%)	0	100	100
13	I	33/36 (92%)	33 (100%)	0	100	100
13	i	33/36 (92%)	33 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	J	22/29 (76%)	22 (100%)	0	100	100
14	j	22/29 (76%)	22 (100%)	0	100	100
15	K	30/36 (83%)	30 (100%)	0	100	100
15	k	30/36 (83%)	30 (100%)	0	100	100
16	O	189/258 (73%)	189 (100%)	0	100	100
16	o	189/258 (73%)	189 (100%)	0	100	100
19	S	159/219 (73%)	159 (100%)	0	100	100
19	s	159/219 (73%)	159 (100%)	0	100	100
20	T	27/27 (100%)	27 (100%)	0	100	100
20	t	27/27 (100%)	27 (100%)	0	100	100
21	U	80/115 (70%)	80 (100%)	0	100	100
21	u	80/115 (70%)	79 (99%)	1 (1%)	69	86
22	V	112/141 (79%)	112 (100%)	0	100	100
22	v	112/141 (79%)	112 (100%)	0	100	100
23	X	34/34 (100%)	34 (100%)	0	100	100
23	x	34/34 (100%)	34 (100%)	0	100	100
24	Y	29/29 (100%)	29 (100%)	0	100	100
24	y	29/29 (100%)	29 (100%)	0	100	100
25	Z	50/51 (98%)	48 (96%)	2 (4%)	31	53
25	z	50/51 (98%)	50 (100%)	0	100	100
26	B	401/404 (99%)	401 (100%)	0	100	100
26	b	401/404 (99%)	401 (100%)	0	100	100
27	C	356/366 (97%)	355 (100%)	1 (0%)	92	97
27	c	356/366 (97%)	355 (100%)	1 (0%)	92	97
29	L	35/35 (100%)	35 (100%)	0	100	100
29	l	35/35 (100%)	35 (100%)	0	100	100
30	W	40/85 (47%)	40 (100%)	0	100	100
30	w	40/85 (47%)	40 (100%)	0	100	100
All	All	6368/7452 (86%)	6359 (100%)	9 (0%)	93	97

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	3	181	ARG
6	5	179	ARG
25	Z	27	LEU
25	Z	59	SER
27	c	243	LYS
21	u	127	LEU
4	9	181	ARG
27	C	243	LYS
6	p	179	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (52) such sidechains are listed below:

Mol	Chain	Res	Type
2	1	182	ASN
3	2	209	GLN
4	3	104	GLN
5	4	53	GLN
5	4	208	HIS
6	5	202	GLN
7	6	144	ASN
7	6	201	GLN
7	6	212	GLN
8	A	215	HIS
8	A	234	ASN
8	A	335	ASN
9	D	185	GLN
9	D	321	ASN
10	E	62	GLN
11	F	21	HIS
16	O	324	GLN
21	U	76	ASN
21	U	145	ASN
25	Z	58	ASN
26	b	216	HIS
26	b	425	GLN
27	c	62	HIS
27	c	299	GLN
27	c	310	GLN
27	c	406	ASN
9	d	185	GLN
9	d	321	ASN
10	e	62	GLN
16	o	324	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
21	u	76	ASN
21	u	145	ASN
5	0	53	GLN
5	0	208	HIS
2	7	182	ASN
3	8	209	GLN
4	9	104	GLN
27	C	41	HIS
27	C	62	HIS
27	C	299	GLN
7	P	131	GLN
7	P	144	ASN
7	P	201	GLN
7	P	212	GLN
8	a	215	HIS
6	p	202	GLN
26	B	216	HIS
26	B	425	GLN
30	w	102	ASN
30	w	111	GLN
30	W	102	ASN
30	W	111	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 376 ligands modelled in this entry, 4 are monoatomic - leaving 372 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
47	HEM	E	101	-	41,50,50	1.51	3 (7%)	45,82,82	1.36	7 (15%)
32	CLA	c	501	-	65,73,73	1.44	6 (9%)	76,113,113	1.42	8 (10%)
32	CLA	B	602	-	47,55,73	1.71	6 (12%)	54,91,113	1.53	8 (14%)
44	BCT	A	611	46	2,3,3	1.16	0	2,3,3	4.53	2 (100%)
39	SQD	B	601	-	47,48,54	1.58	7 (14%)	56,59,65	1.50	6 (10%)
32	CLA	C	507	-	65,73,73	1.45	6 (9%)	76,113,113	1.39	6 (7%)
32	CLA	b	607	-	65,73,73	1.45	7 (10%)	76,113,113	1.43	8 (10%)
38	LHG	A	613	-	48,48,48	0.64	1 (2%)	51,54,54	1.26	6 (11%)
32	CLA	4	606	-	45,53,73	1.81	5 (11%)	52,89,113	1.50	6 (11%)
37	LMG	g	101	-	28,28,55	0.98	0	36,36,63	1.27	5 (13%)
36	IHT	2	616	-	40,42,42	1.99	2 (5%)	53,58,58	1.96	14 (26%)
32	CLA	b	610	-	65,73,73	1.47	6 (9%)	76,113,113	1.38	8 (10%)
34	II0	P	614	-	39,43,43	2.70	4 (10%)	50,60,60	1.70	11 (22%)
32	CLA	B	609	-	65,73,73	1.45	7 (10%)	76,113,113	1.42	8 (10%)
32	CLA	5	310	-	41,49,73	1.85	5 (12%)	47,84,113	1.63	8 (17%)
32	CLA	P	606	7	45,53,73	1.80	5 (11%)	52,89,113	1.51	7 (13%)
32	CLA	P	611	-	45,53,73	1.78	5 (11%)	52,89,113	1.58	7 (13%)
32	CLA	c	508	-	65,73,73	1.44	7 (10%)	76,113,113	1.43	8 (10%)
39	SQD	a	409	-	53,54,54	1.51	6 (11%)	62,65,65	1.40	8 (12%)
32	CLA	A	602	-	65,73,73	1.43	6 (9%)	76,113,113	1.43	6 (7%)
32	CLA	B	612	-	64,72,73	1.47	7 (10%)	74,111,113	1.41	8 (10%)
32	CLA	P	601	7	42,50,73	1.82	6 (14%)	48,85,113	1.56	6 (12%)
34	II0	2	613	-	39,43,43	2.70	4 (10%)	50,60,60	1.72	10 (20%)
34	II0	0	616	-	39,43,43	2.71	4 (10%)	50,60,60	1.74	11 (22%)
38	LHG	D	410	-	31,31,48	0.76	1 (3%)	34,37,54	1.27	3 (8%)
32	CLA	C	501	-	65,73,73	1.45	6 (9%)	76,113,113	1.42	8 (10%)
31	8CT	6	615	-	40,41,41	4.73	24 (60%)	50,56,56	2.59	18 (36%)
33	KC2	6	609	-	48,53,53	1.86	9 (18%)	54,89,89	2.11	13 (24%)
32	CLA	3	604	4	55,63,73	1.61	7 (12%)	64,101,113	1.44	9 (14%)
38	LHG	2	618	32	21,21,48	0.76	0	23,26,54	1.26	2 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
38	LHG	B	619	-	38,38,48	0.68	1 (2%)	41,44,54	1.28	4 (9%)
31	8CT	B	622	-	40,41,41	4.64	23 (57%)	50,56,56	2.96	18 (36%)
35	II3	P	613	-	40,43,43	1.95	2 (5%)	47,60,60	1.65	9 (19%)
32	CLA	9	608	-	41,49,73	1.83	6 (14%)	47,84,113	1.65	7 (14%)
32	CLA	b	602	-	47,55,73	1.71	6 (12%)	54,91,113	1.52	7 (12%)
39	SQD	b	601	-	47,48,54	1.58	7 (14%)	56,59,65	1.50	6 (10%)
32	CLA	3	608	-	41,49,73	1.81	6 (14%)	47,84,113	1.65	7 (14%)
38	LHG	a	402	-	42,42,48	0.67	1 (2%)	45,48,54	1.23	4 (8%)
34	II0	p	316	-	39,43,43	2.70	4 (10%)	50,60,60	1.66	9 (18%)
32	CLA	B	607	-	65,73,73	1.45	7 (10%)	76,113,113	1.43	8 (10%)
32	CLA	p	306	-	60,68,73	1.55	6 (10%)	70,107,113	1.38	6 (8%)
32	CLA	9	603	-	50,58,73	1.66	6 (12%)	58,95,113	1.57	8 (13%)
38	LHG	a	403	-	48,48,48	0.64	1 (2%)	51,54,54	1.26	6 (11%)
32	CLA	9	601	4	42,50,73	1.81	6 (14%)	48,85,113	1.63	7 (14%)
32	CLA	2	609	38	41,49,73	1.84	6 (14%)	47,84,113	1.62	8 (17%)
32	CLA	5	306	-	60,68,73	1.56	6 (10%)	70,107,113	1.40	6 (8%)
32	CLA	S	302	-	45,53,73	1.79	5 (11%)	52,89,113	1.56	8 (15%)
41	PHO	a	407	-	51,69,69	1.02	4 (7%)	47,99,99	1.18	6 (12%)
35	II3	7	615	-	40,43,43	1.95	2 (5%)	47,60,60	1.60	8 (17%)
36	IHT	4	614	-	40,42,42	1.95	2 (5%)	53,58,58	1.83	12 (22%)
32	CLA	3	601	4	42,50,73	1.82	6 (14%)	48,85,113	1.61	6 (12%)
32	CLA	5	303	6	59,67,73	1.57	6 (10%)	68,105,113	1.43	9 (13%)
45	DGD	c	515	-	57,57,67	0.95	2 (3%)	71,71,81	1.41	8 (11%)
32	CLA	8	601	3	42,50,73	1.81	6 (14%)	48,85,113	1.57	7 (14%)
33	KC2	p	311	-	48,53,53	1.87	10 (20%)	54,89,89	2.15	14 (25%)
32	CLA	b	613	-	65,73,73	1.44	7 (10%)	76,113,113	1.45	7 (9%)
34	II0	7	614	-	39,43,43	2.70	4 (10%)	50,60,60	1.71	9 (18%)
34	II0	P	612	-	39,43,43	2.65	4 (10%)	50,60,60	1.74	13 (26%)
34	II0	4	619	-	39,43,43	2.70	4 (10%)	50,60,60	1.71	12 (24%)
32	CLA	4	609	-	41,49,73	1.85	5 (12%)	47,84,113	1.63	7 (14%)
32	CLA	0	601	5	42,50,73	1.84	5 (11%)	48,85,113	1.58	7 (14%)
31	8CT	b	622	-	40,41,41	4.66	23 (57%)	50,56,56	2.44	15 (30%)
32	CLA	B	611	-	65,73,73	1.47	6 (9%)	76,113,113	1.38	9 (11%)
34	II0	0	615	-	39,43,43	2.66	4 (10%)	50,60,60	1.72	13 (26%)
32	CLA	6	608	-	41,49,73	1.85	5 (12%)	47,84,113	1.62	7 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
39	SQD	5	318	-	34,35,54	1.75	7 (20%)	43,46,65	1.59	6 (13%)
32	CLA	B	603	-	61,69,73	1.50	6 (9%)	67,106,113	1.37	7 (10%)
34	II0	8	619	-	39,43,43	2.73	4 (10%)	50,60,60	1.66	9 (18%)
32	CLA	C	512	-	57,65,73	1.55	7 (12%)	65,102,113	1.48	7 (10%)
32	CLA	9	605	-	46,54,73	1.74	6 (13%)	53,90,113	1.52	7 (13%)
37	LMG	l	101	-	40,40,55	0.88	1 (2%)	48,48,63	1.28	6 (12%)
39	SQD	b	620	-	53,54,54	1.53	7 (13%)	62,65,65	1.40	6 (9%)
32	CLA	7	613	-	45,53,73	1.80	5 (11%)	52,89,113	1.58	6 (11%)
38	LHG	S	301	-	36,36,48	0.71	1 (2%)	39,42,54	1.24	4 (10%)
32	CLA	A	605	-	60,68,73	1.51	6 (10%)	70,107,113	1.44	9 (12%)
32	CLA	B	610	-	65,73,73	1.47	6 (9%)	76,113,113	1.38	8 (10%)
34	II0	7	619	-	39,43,43	2.66	4 (10%)	50,60,60	1.66	11 (22%)
33	KC2	6	605	7	48,53,53	1.90	10 (20%)	54,89,89	2.02	12 (22%)
34	II0	2	614	-	39,43,43	2.69	4 (10%)	50,60,60	1.71	11 (22%)
32	CLA	b	604	-	64,72,73	1.46	7 (10%)	74,111,113	1.39	8 (10%)
32	CLA	P	604	-	55,63,73	1.62	5 (9%)	64,101,113	1.44	7 (10%)
32	CLA	P	610	-	45,53,73	1.80	6 (13%)	52,89,113	1.59	7 (13%)
32	CLA	0	604	-	55,63,73	1.64	6 (10%)	64,101,113	1.47	10 (15%)
33	KC2	4	610	5	48,53,53	1.87	9 (18%)	54,89,89	2.13	13 (24%)
32	CLA	P	603	-	50,58,73	1.68	6 (12%)	58,95,113	1.55	7 (12%)
34	II0	4	616	-	39,43,43	2.72	4 (10%)	50,60,60	1.72	11 (22%)
32	CLA	6	603	-	50,58,73	1.68	6 (12%)	58,95,113	1.55	7 (12%)
32	CLA	4	605	-	50,58,73	1.69	6 (12%)	58,95,113	1.52	8 (13%)
32	CLA	1	608	2	60,68,73	1.54	6 (10%)	70,107,113	1.39	7 (10%)
32	CLA	p	309	6	60,68,73	1.54	5 (8%)	70,107,113	1.40	7 (10%)
32	CLA	3	607	4	60,68,73	1.53	6 (10%)	70,107,113	1.42	6 (8%)
45	DGD	h	101	-	63,63,67	0.88	2 (3%)	77,77,81	1.37	8 (10%)
32	CLA	4	608	5	60,68,73	1.54	5 (8%)	70,107,113	1.40	7 (10%)
38	LHG	d	405	-	46,47,48	0.62	1 (2%)	45,51,54	1.20	5 (11%)
45	DGD	C	515	-	57,57,67	0.95	2 (3%)	71,71,81	1.41	8 (11%)
32	CLA	2	604	-	55,63,73	1.59	6 (10%)	64,101,113	1.51	8 (12%)
32	CLA	c	502	-	64,72,73	1.48	8 (12%)	74,111,113	1.39	7 (9%)
37	LMG	G	102	-	28,28,55	0.98	0	36,36,63	1.28	5 (13%)
34	II0	p	301	-	39,43,43	2.70	4 (10%)	50,60,60	1.71	13 (26%)
32	CLA	5	312	-	45,53,73	1.79	6 (13%)	52,89,113	1.58	6 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
38	LHG	s	301	-	36,36,48	0.71	1 (2%)	39,42,54	1.24	4 (10%)
32	CLA	b	611	-	65,73,73	1.47	7 (10%)	76,113,113	1.38	8 (10%)
32	CLA	c	511	27	65,73,73	1.47	7 (10%)	76,113,113	1.39	6 (7%)
32	CLA	1	613	-	45,53,73	1.81	5 (11%)	52,89,113	1.56	6 (11%)
32	CLA	P	607	7	60,68,73	1.54	5 (8%)	70,107,113	1.41	6 (8%)
31	8CT	d	408	-	40,41,41	4.70	23 (57%)	50,56,56	2.44	16 (32%)
32	CLA	2	608	3	60,68,73	1.53	6 (10%)	70,107,113	1.41	7 (10%)
32	CLA	7	608	2	60,68,73	1.54	6 (10%)	70,107,113	1.38	6 (8%)
32	CLA	a	405	-	65,73,73	1.44	7 (10%)	76,113,113	1.43	6 (7%)
47	HEM	f	101	11	41,50,50	1.53	4 (9%)	45,82,82	1.33	5 (11%)
32	CLA	c	505	-	65,73,73	1.43	6 (9%)	76,113,113	1.42	7 (9%)
32	CLA	B	606	-	65,73,73	1.47	6 (9%)	76,113,113	1.37	7 (9%)
32	CLA	9	610	4	45,53,73	1.78	6 (13%)	52,89,113	1.59	7 (13%)
34	II0	3	614	-	39,43,43	2.70	4 (10%)	50,60,60	1.66	13 (26%)
32	CLA	C	510	-	65,73,73	1.47	7 (10%)	76,113,113	1.38	8 (10%)
34	II0	3	612	-	39,43,43	2.68	4 (10%)	50,60,60	1.69	11 (22%)
40	OEX	A	601	8	0,15,15	-	-	-	-	-
37	LMG	A	607	-	48,48,55	0.77	1 (2%)	56,56,63	1.33	5 (8%)
32	CLA	s	302	-	45,53,73	1.79	5 (11%)	52,89,113	1.55	7 (13%)
32	CLA	G	101	-	45,53,73	1.81	7 (15%)	52,89,113	1.54	6 (11%)
32	CLA	3	602	4	59,67,73	1.53	6 (10%)	68,105,113	1.45	9 (13%)
37	LMG	B	618	-	51,51,55	0.73	1 (1%)	59,59,63	1.35	6 (10%)
32	CLA	4	603	-	50,58,73	1.69	6 (12%)	58,95,113	1.53	7 (12%)
32	CLA	2	612	-	45,53,73	1.78	5 (11%)	52,89,113	1.55	8 (15%)
32	CLA	2	601	3	42,50,73	1.83	6 (14%)	48,85,113	1.57	6 (12%)
32	CLA	7	602	2	59,67,73	1.54	5 (8%)	68,105,113	1.44	9 (13%)
32	CLA	4	602	5	59,67,73	1.55	6 (10%)	68,105,113	1.43	8 (11%)
34	II0	1	617	-	39,43,43	2.74	4 (10%)	50,60,60	1.75	10 (20%)
32	CLA	9	607	4	60,68,73	1.52	6 (10%)	70,107,113	1.43	6 (8%)
32	CLA	b	614	-	65,73,73	1.45	7 (10%)	76,113,113	1.38	8 (10%)
34	II0	2	615	-	39,43,43	2.70	5 (12%)	50,60,60	1.81	12 (24%)
32	CLA	1	607	-	45,53,73	1.77	6 (13%)	52,89,113	1.52	6 (11%)
32	CLA	d	409	-	59,67,73	1.49	7 (11%)	68,105,113	1.51	8 (11%)
43	PL9	a	412	-	13,13,55	1.69	2 (15%)	17,17,69	1.65	4 (23%)
32	CLA	p	304	-	50,58,73	1.68	6 (12%)	58,95,113	1.51	8 (13%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
36	IHT	5	317	-	40,42,42	1.96	2 (5%)	53,58,58	1.80	13 (24%)
32	CLA	8	602	3	59,67,73	1.55	7 (11%)	68,105,113	1.43	9 (13%)
32	CLA	C	502	-	64,72,73	1.48	8 (12%)	74,111,113	1.39	7 (9%)
37	LMG	P	616	-	28,28,55	0.99	0	36,36,63	1.26	5 (13%)
32	CLA	3	610	4	45,53,73	1.78	6 (13%)	52,89,113	1.58	7 (13%)
32	CLA	c	504	-	64,72,73	1.46	6 (9%)	74,111,113	1.44	6 (8%)
31	8CT	P	615	-	40,41,41	4.74	24 (60%)	50,56,56	2.60	18 (36%)
32	CLA	B	613	-	65,73,73	1.43	7 (10%)	76,113,113	1.44	7 (9%)
32	CLA	6	606	7	45,53,73	1.80	5 (11%)	52,89,113	1.51	7 (13%)
32	CLA	5	305	-	55,63,73	1.62	5 (9%)	64,101,113	1.47	8 (12%)
32	CLA	1	612	-	45,53,73	1.81	5 (11%)	52,89,113	1.53	7 (13%)
32	CLA	0	609	-	41,49,73	1.86	5 (12%)	47,84,113	1.63	7 (14%)
33	KC2	8	610	-	48,53,53	1.88	10 (20%)	54,89,89	2.14	13 (24%)
32	CLA	g	102	-	45,53,73	1.81	7 (15%)	52,89,113	1.52	6 (11%)
32	CLA	0	605	-	50,58,73	1.69	5 (10%)	58,95,113	1.52	8 (13%)
37	LMG	D	407	-	46,46,55	0.79	1 (2%)	54,54,63	1.34	5 (9%)
32	CLA	9	609	-	60,68,73	1.54	6 (10%)	70,107,113	1.39	7 (10%)
32	CLA	b	606	-	65,73,73	1.47	6 (9%)	76,113,113	1.37	7 (9%)
38	LHG	D	406	-	46,47,48	0.63	1 (2%)	45,51,54	1.20	5 (11%)
32	CLA	8	606	-	45,53,73	1.80	6 (13%)	52,89,113	1.54	6 (11%)
32	CLA	C	504	-	64,72,73	1.46	6 (9%)	74,111,113	1.44	7 (9%)
37	LMG	D	411	-	40,40,55	0.82	0	48,48,63	1.24	6 (12%)
32	CLA	4	613	5	45,53,73	1.80	5 (11%)	52,89,113	1.54	7 (13%)
32	CLA	c	509	-	65,73,73	1.44	7 (10%)	76,113,113	1.44	8 (10%)
37	LMG	b	618	-	51,51,55	0.73	1 (1%)	59,59,63	1.35	6 (10%)
32	CLA	0	602	5	59,67,73	1.55	6 (10%)	68,105,113	1.43	9 (13%)
32	CLA	c	512	-	57,65,73	1.55	6 (10%)	65,102,113	1.49	6 (9%)
33	KC2	P	609	-	48,53,53	1.86	10 (20%)	54,89,89	2.11	14 (25%)
32	CLA	b	617	-	65,73,73	1.45	7 (10%)	76,113,113	1.41	7 (9%)
39	SQD	A	606	-	53,54,54	1.51	6 (11%)	62,65,65	1.40	8 (12%)
32	CLA	A	603	-	49,57,73	1.65	8 (16%)	55,93,113	1.58	8 (14%)
32	CLA	5	302	6	42,50,73	1.84	6 (14%)	48,85,113	1.58	6 (12%)
32	CLA	2	607	3	45,53,73	1.78	6 (13%)	52,89,113	1.53	8 (15%)
31	8CT	Z	101	-	40,41,41	4.63	23 (57%)	50,56,56	2.61	21 (42%)
45	DGD	C	514	-	56,56,67	0.97	2 (3%)	70,70,81	1.47	10 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
32	CLA	a	406	-	49,57,73	1.64	10 (20%)	55,93,113	1.60	8 (14%)
43	PL9	D	405	-	55,55,55	1.27	5 (9%)	68,69,69	1.53	11 (16%)
32	CLA	C	511	27	65,73,73	1.47	7 (10%)	76,113,113	1.40	6 (7%)
34	II0	5	316	-	39,43,43	2.72	4 (10%)	50,60,60	1.68	8 (16%)
34	II0	5	315	-	39,43,43	2.71	4 (10%)	50,60,60	1.69	11 (22%)
32	CLA	7	604	2	55,63,73	1.62	5 (9%)	64,101,113	1.48	7 (10%)
34	II0	1	614	-	39,43,43	2.69	4 (10%)	50,60,60	1.67	10 (20%)
37	LMG	8	617	-	36,36,55	0.85	0	44,44,63	1.24	5 (11%)
36	IHT	8	616	-	40,42,42	1.98	2 (5%)	53,58,58	1.94	14 (26%)
33	KC2	0	610	5	48,53,53	1.87	10 (20%)	54,89,89	2.13	13 (24%)
32	CLA	C	505	-	65,73,73	1.43	6 (9%)	76,113,113	1.42	7 (9%)
32	CLA	6	602	7	59,67,73	1.54	6 (10%)	68,105,113	1.43	9 (13%)
32	CLA	0	607	5	45,53,73	1.79	6 (13%)	52,89,113	1.52	7 (13%)
32	CLA	p	303	6	59,67,73	1.57	6 (10%)	68,105,113	1.43	9 (13%)
32	CLA	1	604	2	55,63,73	1.61	6 (10%)	64,101,113	1.49	7 (10%)
32	CLA	a	408	-	60,68,73	1.50	6 (10%)	70,107,113	1.44	9 (12%)
34	II0	7	617	-	39,43,43	2.73	4 (10%)	50,60,60	1.73	11 (22%)
37	LMG	4	618	-	36,36,55	0.87	1 (2%)	44,44,63	1.26	5 (11%)
34	II0	5	301	-	39,43,43	2.68	4 (10%)	50,60,60	1.75	11 (22%)
45	DGD	H	101	-	63,63,67	0.88	2 (3%)	77,77,81	1.37	8 (10%)
32	CLA	B	617	-	65,73,73	1.45	7 (10%)	76,113,113	1.41	7 (9%)
32	CLA	b	603	-	61,69,73	1.49	6 (9%)	67,106,113	1.36	7 (10%)
38	LHG	A	612	-	42,42,48	0.67	1 (2%)	45,48,54	1.23	4 (8%)
32	CLA	0	603	-	50,58,73	1.68	6 (12%)	58,95,113	1.54	7 (12%)
32	CLA	3	609	-	60,68,73	1.54	6 (10%)	70,107,113	1.39	7 (10%)
32	CLA	c	503	-	65,73,73	1.45	7 (10%)	76,113,113	1.45	8 (10%)
32	CLA	b	616	-	65,73,73	1.46	7 (10%)	76,113,113	1.38	7 (9%)
32	CLA	D	404	-	60,68,73	1.50	6 (10%)	70,107,113	1.50	10 (14%)
34	II0	8	615	-	39,43,43	2.70	4 (10%)	50,60,60	1.83	10 (20%)
45	DGD	A	614	-	54,54,67	1.05	4 (7%)	67,67,81	1.48	10 (14%)
32	CLA	9	611	-	45,53,73	1.77	5 (11%)	52,89,113	1.56	7 (13%)
32	CLA	B	614	-	65,73,73	1.44	6 (9%)	76,113,113	1.38	8 (10%)
47	HEM	V	201	-	41,50,50	1.47	3 (7%)	45,82,82	1.35	7 (15%)
32	CLA	3	603	-	50,58,73	1.67	6 (12%)	58,95,113	1.57	8 (13%)
38	LHG	b	619	-	38,38,48	0.68	1 (2%)	41,44,54	1.28	4 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
32	CLA	1	611	-	45,53,73	1.79	5 (11%)	52,89,113	1.58	6 (11%)
32	CLA	0	613	5	45,53,73	1.80	5 (11%)	52,89,113	1.54	7 (13%)
32	CLA	8	605	3	60,68,73	1.56	6 (10%)	70,107,113	1.39	8 (11%)
32	CLA	7	612	-	45,53,73	1.80	5 (11%)	52,89,113	1.53	7 (13%)
34	IIO	3	613	-	39,43,43	2.71	4 (10%)	50,60,60	1.71	9 (18%)
32	CLA	7	603	-	50,58,73	1.69	6 (12%)	58,95,113	1.58	8 (13%)
34	IIO	9	614	-	39,43,43	2.69	4 (10%)	50,60,60	1.65	13 (26%)
32	CLA	4	601	5	42,50,73	1.84	5 (11%)	48,85,113	1.57	7 (14%)
32	CLA	c	510	-	65,73,73	1.45	7 (10%)	76,113,113	1.39	8 (10%)
32	CLA	5	304	-	50,58,73	1.71	6 (12%)	58,95,113	1.52	8 (13%)
36	IHT	0	618	-	40,42,42	1.96	3 (7%)	53,58,58	1.94	15 (28%)
31	8CT	C	518	-	40,41,41	4.72	23 (57%)	50,56,56	2.81	16 (32%)
38	LHG	l	102	-	48,48,48	0.63	1 (2%)	51,54,54	1.28	6 (11%)
32	CLA	8	611	-	45,53,73	1.78	5 (11%)	52,89,113	1.59	7 (13%)
32	CLA	b	608	-	41,49,73	1.79	6 (14%)	47,84,113	1.70	7 (14%)
31	8CT	D	409	-	40,41,41	4.70	24 (60%)	50,56,56	2.43	16 (32%)
32	CLA	b	605	-	61,69,73	1.50	7 (11%)	71,108,113	1.49	9 (12%)
34	IIO	7	616	-	39,43,43	2.73	4 (10%)	50,60,60	1.72	10 (20%)
31	8CT	B	624	-	40,41,41	4.67	24 (60%)	50,56,56	2.78	16 (32%)
37	LMG	L	102	-	40,40,55	0.88	1 (2%)	48,48,63	1.28	6 (12%)
32	CLA	3	611	-	45,53,73	1.77	5 (11%)	52,89,113	1.56	7 (13%)
32	CLA	C	503	-	65,73,73	1.45	6 (9%)	76,113,113	1.44	9 (11%)
32	CLA	C	509	-	65,73,73	1.43	7 (10%)	76,113,113	1.44	9 (11%)
32	CLA	p	302	6	42,50,73	1.83	6 (14%)	48,85,113	1.58	7 (14%)
45	DGD	a	414	-	54,54,67	1.05	4 (7%)	67,67,81	1.47	10 (14%)
45	DGD	C	516	-	56,56,67	0.93	2 (3%)	70,70,81	1.41	7 (10%)
32	CLA	s	303	19	65,73,73	1.49	6 (9%)	76,113,113	1.35	7 (9%)
32	CLA	c	506	-	45,53,73	1.77	7 (15%)	52,89,113	1.64	8 (15%)
32	CLA	d	402	-	57,65,73	1.62	8 (14%)	70,103,113	1.50	9 (12%)
38	LHG	d	411	-	31,31,48	0.75	1 (3%)	34,37,54	1.27	3 (8%)
32	CLA	0	612	-	45,53,73	1.81	5 (11%)	52,89,113	1.61	7 (13%)
32	CLA	3	605	-	46,54,73	1.74	6 (13%)	53,90,113	1.51	7 (13%)
38	LHG	b	621	-	38,38,48	0.68	1 (2%)	41,44,54	1.27	4 (9%)
32	CLA	7	605	-	50,58,73	1.70	6 (12%)	58,95,113	1.50	9 (15%)
33	KC2	2	610	-	48,53,53	1.88	10 (20%)	54,89,89	2.15	13 (24%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
34	II0	8	613	-	39,43,43	2.69	4 (10%)	50,60,60	1.75	11 (22%)
37	LMG	0	619	-	36,36,55	0.87	1 (2%)	44,44,63	1.26	5 (11%)
34	II0	0	620	-	39,43,43	2.70	4 (10%)	50,60,60	1.71	13 (26%)
34	II0	5	319	-	39,43,43	2.72	4 (10%)	50,60,60	1.75	13 (26%)
32	CLA	9	604	4	55,63,73	1.61	6 (10%)	64,101,113	1.45	9 (14%)
32	CLA	0	611	-	45,53,73	1.81	5 (11%)	52,89,113	1.56	7 (13%)
34	II0	4	615	-	39,43,43	2.68	4 (10%)	50,60,60	1.71	11 (22%)
32	CLA	1	606	-	45,53,73	1.76	6 (13%)	52,89,113	1.57	6 (11%)
37	LMG	d	401	-	40,40,55	0.81	0	48,48,63	1.24	6 (12%)
41	PHO	A	604	-	51,69,69	1.02	4 (7%)	47,99,99	1.19	6 (12%)
32	CLA	p	308	6	45,53,73	1.79	6 (13%)	52,89,113	1.58	7 (13%)
31	8CT	k	101	-	40,41,41	4.64	23 (57%)	50,56,56	2.62	21 (42%)
32	CLA	p	313	-	45,53,73	1.80	5 (11%)	52,89,113	1.55	7 (13%)
40	OEX	a	404	8	0,15,15	-	-	-	-	-
32	CLA	b	615	-	64,72,73	1.45	7 (10%)	74,111,113	1.39	7 (9%)
32	CLA	7	611	-	45,53,73	1.79	5 (11%)	52,89,113	1.59	6 (11%)
33	KC2	5	311	-	48,53,53	1.87	10 (20%)	54,89,89	2.14	14 (25%)
35	II3	1	615	-	40,43,43	1.96	2 (5%)	47,60,60	1.58	6 (12%)
32	CLA	6	611	-	45,53,73	1.79	5 (11%)	52,89,113	1.57	7 (13%)
32	CLA	6	607	7	60,68,73	1.54	6 (10%)	70,107,113	1.41	6 (8%)
32	CLA	D	403	-	57,65,73	1.63	8 (14%)	70,103,113	1.49	9 (12%)
32	CLA	8	609	38	41,49,73	1.84	6 (14%)	47,84,113	1.63	7 (14%)
36	IHT	p	317	-	40,42,42	1.96	2 (5%)	53,58,58	1.83	13 (24%)
31	8CT	a	413	-	40,41,41	4.63	23 (57%)	50,56,56	2.92	19 (38%)
32	CLA	6	601	7	42,50,73	1.84	6 (14%)	48,85,113	1.56	6 (12%)
41	PHO	d	410	-	51,69,69	0.99	4 (7%)	47,99,99	1.17	6 (12%)
31	8CT	h	102	-	40,41,41	4.70	24 (60%)	50,56,56	2.78	16 (32%)
32	CLA	B	615	-	64,72,73	1.45	6 (9%)	74,111,113	1.40	8 (10%)
31	8CT	M	201	-	40,41,41	4.64	23 (57%)	50,56,56	2.96	18 (36%)
33	KC2	1	610	-	48,53,53	1.88	10 (20%)	54,89,89	2.13	13 (24%)
41	PHO	D	402	-	51,69,69	1.00	4 (7%)	47,99,99	1.17	6 (12%)
31	8CT	b	623	-	40,41,41	4.67	24 (60%)	50,56,56	2.79	16 (32%)
36	IHT	1	618	-	40,42,42	1.97	2 (5%)	53,58,58	1.92	12 (22%)
39	SQD	p	318	-	34,35,54	1.76	7 (20%)	43,46,65	1.59	6 (13%)
37	LMG	C	517	-	46,46,55	0.77	1 (2%)	54,54,63	1.31	6 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
32	CLA	2	603	-	50,58,73	1.68	6 (12%)	58,95,113	1.54	8 (13%)
37	LMG	d	406	-	46,46,55	0.79	1 (2%)	54,54,63	1.34	5 (9%)
38	LHG	B	621	-	38,38,48	0.69	1 (2%)	41,44,54	1.27	4 (9%)
31	8CT	3	615	-	40,41,41	4.69	24 (60%)	50,56,56	2.76	19 (38%)
32	CLA	B	604	-	64,72,73	1.46	6 (9%)	74,111,113	1.38	8 (10%)
31	8CT	z	101	-	40,41,41	4.62	23 (57%)	50,56,56	2.65	22 (44%)
32	CLA	C	508	-	65,73,73	1.45	7 (10%)	76,113,113	1.44	8 (10%)
32	CLA	5	313	-	45,53,73	1.81	5 (11%)	52,89,113	1.55	7 (13%)
34	II0	2	619	-	39,43,43	2.72	4 (10%)	50,60,60	1.68	7 (14%)
36	IHT	4	617	-	40,42,42	1.99	3 (7%)	53,58,58	1.97	15 (28%)
32	CLA	c	513	-	49,57,73	1.66	7 (14%)	55,93,113	1.58	8 (14%)
32	CLA	B	608	-	41,49,73	1.79	6 (14%)	47,84,113	1.70	7 (14%)
32	CLA	8	607	3	45,53,73	1.76	6 (13%)	52,89,113	1.56	7 (13%)
34	II0	p	314	-	39,43,43	2.70	4 (10%)	50,60,60	1.81	13 (26%)
32	CLA	1	601	-	42,50,73	1.84	5 (11%)	48,85,113	1.56	7 (14%)
32	CLA	4	611	-	45,53,73	1.80	5 (11%)	52,89,113	1.56	7 (13%)
31	8CT	K	102	-	40,41,41	4.64	23 (57%)	50,56,56	2.63	21 (42%)
45	DGD	c	514	-	56,56,67	0.97	2 (3%)	70,70,81	1.48	10 (14%)
32	CLA	6	610	-	45,53,73	1.80	6 (13%)	52,89,113	1.58	6 (11%)
35	II3	6	613	-	40,43,43	1.95	2 (5%)	47,60,60	1.67	9 (19%)
34	II0	1	619	-	39,43,43	2.65	4 (10%)	50,60,60	1.67	11 (22%)
32	CLA	1	609	-	41,49,73	1.84	5 (12%)	47,84,113	1.64	8 (17%)
34	II0	6	614	-	39,43,43	2.72	5 (12%)	50,60,60	1.69	10 (20%)
34	II0	5	314	-	39,43,43	2.70	4 (10%)	50,60,60	1.80	14 (28%)
34	II0	9	613	-	39,43,43	2.70	4 (10%)	50,60,60	1.71	10 (20%)
32	CLA	7	606	-	45,53,73	1.75	6 (13%)	52,89,113	1.64	6 (11%)
32	CLA	S	303	19	65,73,73	1.49	6 (9%)	76,113,113	1.34	7 (9%)
32	CLA	7	607	-	45,53,73	1.78	6 (13%)	52,89,113	1.51	6 (11%)
32	CLA	2	611	-	45,53,73	1.77	5 (11%)	52,89,113	1.59	7 (13%)
32	CLA	p	307	-	45,53,73	1.80	6 (13%)	52,89,113	1.54	6 (11%)
32	CLA	p	312	-	45,53,73	1.79	6 (13%)	52,89,113	1.58	6 (11%)
32	CLA	6	604	-	55,63,73	1.63	6 (10%)	64,101,113	1.45	8 (12%)
32	CLA	4	612	-	45,53,73	1.80	5 (11%)	52,89,113	1.61	7 (13%)
32	CLA	D	401	-	59,67,73	1.50	6 (10%)	68,105,113	1.53	9 (13%)
32	CLA	P	608	-	41,49,73	1.83	5 (12%)	47,84,113	1.61	7 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
34	II0	8	614	-	39,43,43	2.69	4 (10%)	50,60,60	1.70	12 (24%)
32	CLA	5	307	-	45,53,73	1.78	5 (11%)	52,89,113	1.55	6 (11%)
32	CLA	4	607	5	45,53,73	1.79	6 (13%)	52,89,113	1.53	7 (13%)
32	CLA	2	605	3	60,68,73	1.56	6 (10%)	70,107,113	1.41	8 (11%)
31	8CT	B	623	-	40,41,41	4.67	23 (57%)	50,56,56	2.44	15 (30%)
32	CLA	0	606	-	45,53,73	1.81	6 (13%)	52,89,113	1.52	6 (11%)
31	8CT	c	518	-	40,41,41	4.73	23 (57%)	50,56,56	2.80	16 (32%)
38	LHG	L	101	-	48,48,48	0.63	1 (2%)	51,54,54	1.28	6 (11%)
37	LMG	a	410	-	48,48,55	0.77	1 (2%)	56,56,63	1.33	5 (8%)
32	CLA	8	603	-	50,58,73	1.66	6 (12%)	58,95,113	1.54	8 (13%)
32	CLA	3	606	-	45,53,73	1.79	7 (15%)	52,89,113	1.49	6 (11%)
32	CLA	P	602	7	59,67,73	1.55	6 (10%)	68,105,113	1.44	9 (13%)
33	KC2	7	610	-	48,53,53	1.87	10 (20%)	54,89,89	2.12	14 (25%)
34	II0	6	612	-	39,43,43	2.67	4 (10%)	50,60,60	1.78	12 (24%)
32	CLA	8	604	-	55,63,73	1.59	6 (10%)	64,101,113	1.51	7 (10%)
32	CLA	C	513	-	49,57,73	1.66	7 (14%)	55,93,113	1.57	8 (14%)
32	CLA	9	606	-	45,53,73	1.79	6 (13%)	52,89,113	1.51	6 (11%)
34	II0	p	315	-	39,43,43	2.72	4 (10%)	50,60,60	1.70	12 (24%)
34	II0	1	616	-	39,43,43	2.73	4 (10%)	50,60,60	1.70	9 (18%)
32	CLA	2	606	-	45,53,73	1.80	6 (13%)	52,89,113	1.55	6 (11%)
32	CLA	2	602	3	59,67,73	1.55	6 (10%)	68,105,113	1.43	9 (13%)
33	KC2	P	605	-	48,53,53	1.89	9 (18%)	54,89,89	2.01	13 (24%)
32	CLA	1	605	-	50,58,73	1.70	5 (10%)	58,95,113	1.50	9 (15%)
36	IHT	7	618	-	40,42,42	1.98	2 (5%)	53,58,58	1.93	13 (24%)
37	LMG	6	616	-	28,28,55	0.98	1 (3%)	36,36,63	1.26	5 (13%)
32	CLA	8	608	3	60,68,73	1.54	6 (10%)	70,107,113	1.40	8 (11%)
44	BCT	a	401	46	2,3,3	1.16	0	2,3,3	4.51	2 (100%)
47	HEM	v	201	-	41,50,50	1.47	3 (7%)	45,82,82	1.36	7 (15%)
32	CLA	7	601	-	42,50,73	1.84	5 (11%)	48,85,113	1.56	7 (14%)
32	CLA	5	308	6	45,53,73	1.77	6 (13%)	52,89,113	1.57	7 (13%)
32	CLA	4	604	-	55,63,73	1.64	5 (9%)	64,101,113	1.48	10 (15%)
31	8CT	A	610	-	40,41,41	4.62	23 (57%)	50,56,56	2.63	21 (42%)
32	CLA	p	310	-	41,49,73	1.85	5 (12%)	47,84,113	1.62	8 (17%)
32	CLA	9	602	4	59,67,73	1.53	6 (10%)	68,105,113	1.45	9 (13%)
32	CLA	p	305	-	55,63,73	1.62	5 (9%)	64,101,113	1.47	9 (14%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
43	PL9	d	404	-	55,55,55	1.27	5 (9%)	68,69,69	1.54	11 (16%)
32	CLA	B	605	-	61,69,73	1.50	6 (9%)	71,108,113	1.48	9 (12%)
31	8CT	K	101	-	40,41,41	4.68	24 (60%)	50,56,56	2.79	15 (30%)
34	II0	9	612	-	39,43,43	2.69	4 (10%)	50,60,60	1.67	11 (22%)
32	CLA	d	403	-	60,68,73	1.49	6 (10%)	70,107,113	1.49	9 (12%)
37	LMG	c	517	-	46,46,55	0.77	1 (2%)	54,54,63	1.31	6 (11%)
37	LMG	2	617	-	36,36,55	0.86	0	44,44,63	1.25	5 (11%)
39	SQD	B	620	-	53,54,54	1.53	7 (13%)	62,65,65	1.40	6 (9%)
43	PL9	A	609	-	13,13,55	1.68	2 (15%)	17,17,69	1.66	4 (23%)
45	DGD	c	516	-	56,56,67	0.93	2 (3%)	70,70,81	1.41	7 (10%)
32	CLA	c	507	-	65,73,73	1.45	6 (9%)	76,113,113	1.39	6 (7%)
32	CLA	B	616	-	65,73,73	1.45	6 (9%)	76,113,113	1.38	7 (9%)
38	LHG	8	618	32	21,21,48	0.76	0	23,26,54	1.26	2 (8%)
31	8CT	9	615	-	40,41,41	4.69	24 (60%)	50,56,56	2.77	20 (40%)
31	8CT	H	102	-	40,41,41	4.70	24 (60%)	50,56,56	2.76	16 (32%)
32	CLA	5	309	-	60,68,73	1.54	5 (8%)	70,107,113	1.41	7 (10%)
32	CLA	7	609	-	41,49,73	1.85	5 (12%)	47,84,113	1.65	8 (17%)
32	CLA	C	506	-	45,53,73	1.75	7 (15%)	52,89,113	1.63	7 (13%)
32	CLA	b	609	-	65,73,73	1.45	6 (9%)	76,113,113	1.43	8 (10%)
34	II0	0	617	-	39,43,43	2.69	4 (10%)	50,60,60	1.77	11 (22%)
32	CLA	0	608	5	60,68,73	1.54	5 (8%)	70,107,113	1.40	7 (10%)
32	CLA	1	603	-	50,58,73	1.69	6 (12%)	58,95,113	1.52	7 (12%)
32	CLA	1	602	2	59,67,73	1.55	6 (10%)	68,105,113	1.44	8 (11%)
32	CLA	b	612	-	64,72,73	1.46	7 (10%)	74,111,113	1.40	7 (9%)
36	IHT	0	614	-	40,42,42	1.93	2 (5%)	53,58,58	1.82	12 (22%)
32	CLA	8	612	-	45,53,73	1.78	5 (11%)	52,89,113	1.55	7 (13%)
31	8CT	k	102	-	40,41,41	4.68	24 (60%)	50,56,56	2.79	16 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	HEM	E	101	-	-	3/12/54/54	-
32	CLA	c	501	-	1/1/15/20	19/37/115/115	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	CLA	B	602	-	1/1/11/20	6/16/94/115	-
39	SQD	B	601	-	-	23/43/63/69	0/1/1/1
32	CLA	C	507	-	1/1/15/20	14/37/115/115	-
32	CLA	b	607	-	1/1/15/20	9/37/115/115	-
38	LHG	A	613	-	-	25/53/53/53	-
32	CLA	4	606	-	1/1/11/20	5/13/91/115	-
37	LMG	g	101	-	-	9/23/43/70	0/1/1/1
36	IHT	2	616	-	-	1/25/65/65	0/2/2/2
32	CLA	b	610	-	1/1/15/20	8/37/115/115	-
34	II0	P	614	-	-	2/21/67/67	0/2/2/2
32	CLA	B	609	-	1/1/15/20	9/37/115/115	-
32	CLA	5	310	-	1/1/10/20	3/8/86/115	-
32	CLA	P	606	7	1/1/11/20	3/13/91/115	-
32	CLA	P	611	-	1/1/11/20	7/13/91/115	-
32	CLA	c	508	-	1/1/15/20	9/37/115/115	-
39	SQD	a	409	-	-	26/49/69/69	0/1/1/1
32	CLA	A	602	-	1/1/15/20	7/37/115/115	-
32	CLA	B	612	-	1/1/14/20	15/35/113/115	-
32	CLA	P	601	7	1/1/10/20	0/10/88/115	-
34	II0	2	613	-	-	1/21/67/67	0/2/2/2
34	II0	0	616	-	-	4/21/67/67	0/2/2/2
38	LHG	D	410	-	-	18/36/36/53	-
32	CLA	C	501	-	1/1/15/20	18/37/115/115	-
31	8CT	6	615	-	-	5/29/63/63	0/2/2/2
33	KC2	6	609	-	-	11/15/71/71	-
32	CLA	3	604	4	1/1/13/20	6/25/103/115	-
38	LHG	2	618	32	-	12/24/24/53	-
38	LHG	B	619	-	-	19/43/43/53	-
31	8CT	B	622	-	-	16/29/63/63	0/2/2/2
35	II3	P	613	-	-	3/25/67/67	0/2/2/2
32	CLA	9	608	-	1/1/10/20	1/8/86/115	-
32	CLA	b	602	-	1/1/11/20	6/16/94/115	-
39	SQD	b	601	-	-	23/43/63/69	0/1/1/1
32	CLA	3	608	-	1/1/10/20	1/8/86/115	-
38	LHG	a	402	-	-	10/47/47/53	-

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
34	II0	p	316	-	-	3/21/67/67	0/2/2/2
32	CLA	B	607	-	1/1/15/20	9/37/115/115	-
32	CLA	p	306	-	1/1/14/20	14/31/109/115	-
32	CLA	9	603	-	1/1/12/20	6/19/97/115	-
38	LHG	a	403	-	-	26/53/53/53	-
32	CLA	9	601	4	1/1/10/20	3/10/88/115	-
32	CLA	2	609	38	1/1/10/20	2/8/86/115	-
32	CLA	5	306	-	1/1/14/20	15/31/109/115	-
32	CLA	S	302	-	1/1/11/20	6/13/91/115	-
41	PHO	a	407	-	-	8/37/103/103	0/5/6/6
35	II3	7	615	-	-	2/25/67/67	0/2/2/2
36	IHT	4	614	-	-	5/25/65/65	0/2/2/2
32	CLA	3	601	4	1/1/10/20	3/10/88/115	-
32	CLA	5	303	6	1/1/13/20	11/30/108/115	-
45	DGD	c	515	-	-	18/45/85/95	0/2/2/2
32	CLA	8	601	3	1/1/10/20	3/10/88/115	-
33	KC2	p	311	-	-	10/15/71/71	-
32	CLA	b	613	-	1/1/15/20	16/37/115/115	-
34	II0	7	614	-	-	1/21/67/67	0/2/2/2
34	II0	P	612	-	-	0/21/67/67	0/2/2/2
34	II0	4	619	-	-	2/21/67/67	0/2/2/2
32	CLA	4	609	-	1/1/10/20	2/8/86/115	-
32	CLA	0	601	5	1/1/10/20	4/10/88/115	-
31	8CT	b	622	-	-	8/29/63/63	0/2/2/2
32	CLA	B	611	-	1/1/15/20	8/37/115/115	-
34	II0	0	615	-	-	1/21/67/67	0/2/2/2
32	CLA	6	608	-	1/1/10/20	2/8/86/115	-
39	SQD	5	318	-	-	19/30/50/69	0/1/1/1
32	CLA	B	603	-	1/1/12/20	12/27/107/115	-
34	II0	8	619	-	-	1/21/67/67	0/2/2/2
32	CLA	C	512	-	1/1/12/20	11/27/105/115	-
32	CLA	9	605	-	1/1/11/20	6/15/93/115	-
37	LMG	l	101	-	-	17/35/55/70	0/1/1/1
39	SQD	b	620	-	-	24/49/69/69	0/1/1/1
32	CLA	7	613	-	1/1/11/20	7/13/91/115	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	LHG	S	301	-	-	21/41/41/53	-
32	CLA	A	605	-	1/1/14/20	3/31/109/115	-
32	CLA	B	610	-	1/1/15/20	8/37/115/115	-
34	II0	7	619	-	-	2/21/67/67	0/2/2/2
33	KC2	6	605	7	-	10/15/71/71	-
34	II0	2	614	-	-	0/21/67/67	0/2/2/2
32	CLA	b	604	-	1/1/14/20	10/35/113/115	-
32	CLA	P	604	-	1/1/13/20	5/25/103/115	-
32	CLA	P	610	-	1/1/11/20	6/13/91/115	-
32	CLA	0	604	-	1/1/13/20	9/25/103/115	-
33	KC2	4	610	5	-	11/15/71/71	-
32	CLA	P	603	-	1/1/12/20	3/19/97/115	-
34	II0	4	616	-	-	4/21/67/67	0/2/2/2
32	CLA	6	603	-	1/1/12/20	3/19/97/115	-
32	CLA	4	605	-	1/1/12/20	7/19/97/115	-
32	CLA	1	608	2	1/1/14/20	10/31/109/115	-
32	CLA	p	309	6	1/1/14/20	10/31/109/115	-
32	CLA	3	607	4	1/1/14/20	8/31/109/115	-
45	DGD	h	101	-	-	20/51/91/95	0/2/2/2
32	CLA	4	608	5	1/1/14/20	8/31/109/115	-
38	LHG	d	405	-	-	17/47/51/53	-
45	DGD	C	515	-	-	18/45/85/95	0/2/2/2
32	CLA	2	604	-	1/1/13/20	3/25/103/115	-
32	CLA	c	502	-	1/1/14/20	16/35/113/115	-
37	LMG	G	102	-	-	9/23/43/70	0/1/1/1
34	II0	p	301	-	-	2/21/67/67	0/2/2/2
32	CLA	5	312	-	1/1/11/20	7/13/91/115	-
38	LHG	s	301	-	-	21/41/41/53	-
32	CLA	b	611	-	1/1/15/20	8/37/115/115	-
32	CLA	c	511	27	1/1/15/20	8/37/115/115	-
32	CLA	1	613	-	1/1/11/20	7/13/91/115	-
32	CLA	P	607	7	1/1/14/20	7/31/109/115	-
31	8CT	d	408	-	-	13/29/63/63	0/2/2/2
32	CLA	2	608	3	1/1/14/20	10/31/109/115	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	CLA	7	608	2	1/1/14/20	10/31/109/115	-
32	CLA	a	405	-	1/1/15/20	7/37/115/115	-
47	HEM	f	101	11	-	3/12/54/54	-
32	CLA	c	505	-	1/1/15/20	13/37/115/115	-
32	CLA	B	606	-	1/1/15/20	13/37/115/115	-
32	CLA	9	610	4	1/1/11/20	7/13/91/115	-
34	II0	3	614	-	-	3/21/67/67	0/2/2/2
32	CLA	C	510	-	1/1/15/20	8/37/115/115	-
34	II0	3	612	-	-	1/21/67/67	0/2/2/2
37	LMG	A	607	-	-	16/43/63/70	0/1/1/1
32	CLA	s	302	-	1/1/11/20	5/13/91/115	-
32	CLA	G	101	-	1/1/11/20	6/13/91/115	-
32	CLA	3	602	4	1/1/13/20	13/30/108/115	-
37	LMG	B	618	-	-	18/46/66/70	0/1/1/1
32	CLA	4	603	-	1/1/12/20	6/19/97/115	-
32	CLA	2	612	-	1/1/11/20	6/13/91/115	-
32	CLA	2	601	3	1/1/10/20	3/10/88/115	-
32	CLA	7	602	2	1/1/13/20	12/30/108/115	-
32	CLA	4	602	5	1/1/13/20	11/30/108/115	-
34	II0	1	617	-	-	3/21/67/67	0/2/2/2
32	CLA	9	607	4	1/1/14/20	8/31/109/115	-
32	CLA	b	614	-	1/1/15/20	14/37/115/115	-
34	II0	2	615	-	-	3/21/67/67	0/2/2/2
32	CLA	1	607	-	1/1/11/20	7/13/91/115	-
32	CLA	d	409	-	1/1/13/20	5/30/108/115	-
43	PL9	a	412	-	-	1/5/18/73	0/1/1/1
32	CLA	p	304	-	1/1/12/20	10/19/97/115	-
36	IHT	5	317	-	-	1/25/65/65	0/2/2/2
32	CLA	8	602	3	1/1/13/20	12/30/108/115	-
32	CLA	C	502	-	1/1/14/20	16/35/113/115	-
37	LMG	P	616	-	-	9/23/43/70	0/1/1/1
32	CLA	3	610	4	1/1/11/20	7/13/91/115	-
32	CLA	c	504	-	1/1/14/20	13/35/113/115	-
31	8CT	P	615	-	-	5/29/63/63	0/2/2/2
32	CLA	B	613	-	1/1/15/20	16/37/115/115	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	CLA	6	606	7	1/1/11/20	3/13/91/115	-
32	CLA	5	305	-	1/1/13/20	9/25/103/115	-
32	CLA	1	612	-	1/1/11/20	5/13/91/115	-
32	CLA	0	609	-	1/1/10/20	2/8/86/115	-
33	KC2	8	610	-	-	11/15/71/71	-
32	CLA	g	102	-	1/1/11/20	7/13/91/115	-
32	CLA	0	605	-	1/1/12/20	7/19/97/115	-
37	LMG	D	407	-	-	17/41/61/70	0/1/1/1
32	CLA	9	609	-	1/1/14/20	6/31/109/115	-
32	CLA	b	606	-	1/1/15/20	13/37/115/115	-
38	LHG	D	406	-	-	18/47/51/53	-
32	CLA	8	606	-	1/1/11/20	2/13/91/115	-
32	CLA	C	504	-	1/1/14/20	13/35/113/115	-
37	LMG	D	411	-	-	26/35/55/70	0/1/1/1
32	CLA	4	613	5	1/1/11/20	6/13/91/115	-
32	CLA	c	509	-	1/1/15/20	8/37/115/115	-
37	LMG	b	618	-	-	17/46/66/70	0/1/1/1
32	CLA	0	602	5	1/1/13/20	11/30/108/115	-
32	CLA	c	512	-	1/1/12/20	11/27/105/115	-
33	KC2	P	609	-	-	11/15/71/71	-
32	CLA	b	617	-	1/1/15/20	14/37/115/115	-
39	SQD	A	606	-	-	26/49/69/69	0/1/1/1
32	CLA	A	603	-	1/1/11/20	4/18/96/115	-
32	CLA	5	302	6	1/1/10/20	4/10/88/115	-
32	CLA	2	607	3	1/1/11/20	2/13/91/115	-
31	8CT	Z	101	-	-	12/29/63/63	0/2/2/2
45	DGD	C	514	-	-	18/44/84/95	0/2/2/2
32	CLA	a	406	-	1/1/11/20	4/18/96/115	-
43	PL9	D	405	-	-	3/53/73/73	0/1/1/1
32	CLA	C	511	27	1/1/15/20	9/37/115/115	-
34	II0	5	316	-	-	3/21/67/67	0/2/2/2
34	II0	5	315	-	-	3/21/67/67	0/2/2/2
32	CLA	7	604	2	1/1/13/20	6/25/103/115	-
34	II0	1	614	-	-	0/21/67/67	0/2/2/2

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
37	LMG	8	617	-	-	10/31/51/70	0/1/1/1
36	IHT	8	616	-	-	0/25/65/65	0/2/2/2
33	KC2	0	610	5	-	12/15/71/71	-
32	CLA	C	505	-	1/1/15/20	13/37/115/115	-
32	CLA	6	602	7	1/1/13/20	15/30/108/115	-
32	CLA	0	607	5	1/1/11/20	0/13/91/115	-
32	CLA	p	303	6	1/1/13/20	12/30/108/115	-
32	CLA	1	604	2	1/1/13/20	6/25/103/115	-
32	CLA	a	408	-	1/1/14/20	3/31/109/115	-
34	II0	7	617	-	-	4/21/67/67	0/2/2/2
37	LMG	4	618	-	-	11/31/51/70	0/1/1/1
34	II0	5	301	-	-	3/21/67/67	0/2/2/2
45	DGD	H	101	-	-	20/51/91/95	0/2/2/2
32	CLA	B	617	-	1/1/15/20	14/37/115/115	-
32	CLA	b	603	-	1/1/12/20	13/27/107/115	-
38	LHG	A	612	-	-	10/47/47/53	-
32	CLA	0	603	-	1/1/12/20	6/19/97/115	-
32	CLA	3	609	-	1/1/14/20	6/31/109/115	-
32	CLA	c	503	-	1/1/15/20	15/37/115/115	-
32	CLA	b	616	-	1/1/15/20	5/37/115/115	-
32	CLA	D	404	-	1/1/14/20	10/31/109/115	-
34	II0	8	615	-	-	2/21/67/67	0/2/2/2
45	DGD	A	614	-	-	15/43/79/95	0/2/2/2
32	CLA	9	611	-	1/1/11/20	4/13/91/115	-
32	CLA	B	614	-	1/1/15/20	14/37/115/115	-
47	HEM	V	201	-	-	1/12/54/54	-
32	CLA	3	603	-	1/1/12/20	6/19/97/115	-
38	LHG	b	619	-	-	19/43/43/53	-
32	CLA	1	611	-	1/1/11/20	6/13/91/115	-
32	CLA	0	613	5	1/1/11/20	6/13/91/115	-
32	CLA	8	605	3	1/1/14/20	11/31/109/115	-
32	CLA	7	612	-	1/1/11/20	6/13/91/115	-
34	II0	3	613	-	-	0/21/67/67	0/2/2/2
32	CLA	7	603	-	1/1/12/20	8/19/97/115	-
34	II0	9	614	-	-	3/21/67/67	0/2/2/2

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	CLA	4	601	5	1/1/10/20	4/10/88/115	-
32	CLA	c	510	-	1/1/15/20	8/37/115/115	-
32	CLA	5	304	-	1/1/12/20	10/19/97/115	-
36	IHT	0	618	-	-	5/25/65/65	0/2/2/2
31	8CT	C	518	-	-	10/29/63/63	0/2/2/2
38	LHG	l	102	-	-	21/53/53/53	-
32	CLA	8	611	-	1/1/11/20	7/13/91/115	-
32	CLA	b	608	-	1/1/10/20	3/8/86/115	-
31	8CT	D	409	-	-	13/29/63/63	0/2/2/2
32	CLA	b	605	-	1/1/14/20	11/33/111/115	-
34	IIO	7	616	-	-	3/21/67/67	0/2/2/2
31	8CT	B	624	-	-	7/29/63/63	0/2/2/2
37	LMG	L	102	-	-	18/35/55/70	0/1/1/1
32	CLA	3	611	-	1/1/11/20	4/13/91/115	-
32	CLA	C	503	-	1/1/15/20	16/37/115/115	-
32	CLA	C	509	-	1/1/15/20	8/37/115/115	-
32	CLA	p	302	6	1/1/10/20	5/10/88/115	-
45	DGD	a	414	-	-	14/43/79/95	0/2/2/2
45	DGD	C	516	-	-	19/44/84/95	0/2/2/2
32	CLA	s	303	19	1/1/15/20	15/37/115/115	-
32	CLA	c	506	-	1/1/11/20	5/13/91/115	-
32	CLA	d	402	-	1/1/13/20	9/28/104/115	-
38	LHG	d	411	-	-	18/36/36/53	-
32	CLA	0	612	-	1/1/11/20	5/13/91/115	-
32	CLA	3	605	-	1/1/11/20	6/15/93/115	-
38	LHG	b	621	-	-	14/43/43/53	-
32	CLA	7	605	-	1/1/12/20	7/19/97/115	-
33	KC2	2	610	-	-	11/15/71/71	-
34	IIO	8	613	-	-	0/21/67/67	0/2/2/2
37	LMG	0	619	-	-	11/31/51/70	0/1/1/1
34	IIO	0	620	-	-	1/21/67/67	0/2/2/2
34	IIO	5	319	-	-	2/21/67/67	0/2/2/2
32	CLA	9	604	4	1/1/13/20	5/25/103/115	-
32	CLA	0	611	-	1/1/11/20	7/13/91/115	-
34	IIO	4	615	-	-	0/21/67/67	0/2/2/2

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	CLA	1	606	-	1/1/11/20	9/13/91/115	-
37	LMG	d	401	-	-	26/35/55/70	0/1/1/1
41	PHO	A	604	-	-	8/37/103/103	0/5/6/6
32	CLA	p	308	6	1/1/11/20	5/13/91/115	-
31	8CT	k	101	-	-	6/29/63/63	0/2/2/2
32	CLA	p	313	-	1/1/11/20	6/13/91/115	-
32	CLA	b	615	-	1/1/14/20	15/35/113/115	-
32	CLA	7	611	-	1/1/11/20	6/13/91/115	-
33	KC2	5	311	-	-	9/15/71/71	-
35	II3	1	615	-	-	2/25/67/67	0/2/2/2
32	CLA	6	611	-	1/1/11/20	5/13/91/115	-
32	CLA	6	607	7	1/1/14/20	7/31/109/115	-
32	CLA	D	403	-	1/1/13/20	9/28/104/115	-
32	CLA	8	609	38	1/1/10/20	2/8/86/115	-
36	IHT	p	317	-	-	0/25/65/65	0/2/2/2
31	8CT	a	413	-	-	7/29/63/63	0/2/2/2
32	CLA	6	601	7	1/1/10/20	0/10/88/115	-
41	PHO	d	410	-	-	8/37/103/103	0/5/6/6
31	8CT	h	102	-	-	9/29/63/63	0/2/2/2
32	CLA	B	615	-	1/1/14/20	15/35/113/115	-
31	8CT	M	201	-	-	16/29/63/63	0/2/2/2
33	KC2	1	610	-	-	11/15/71/71	-
41	PHO	D	402	-	-	8/37/103/103	0/5/6/6
31	8CT	b	623	-	-	7/29/63/63	0/2/2/2
36	IHT	1	618	-	-	4/25/65/65	0/2/2/2
39	SQD	p	318	-	-	18/30/50/69	0/1/1/1
37	LMG	C	517	-	-	25/41/61/70	0/1/1/1
32	CLA	2	603	-	1/1/12/20	5/19/97/115	-
37	LMG	d	406	-	-	17/41/61/70	0/1/1/1
38	LHG	B	621	-	-	14/43/43/53	-
31	8CT	3	615	-	-	10/29/63/63	0/2/2/2
32	CLA	B	604	-	1/1/14/20	10/35/113/115	-
31	8CT	z	101	-	-	13/29/63/63	0/2/2/2
32	CLA	C	508	-	1/1/15/20	9/37/115/115	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	CLA	5	313	-	1/1/11/20	7/13/91/115	-
34	II0	2	619	-	-	2/21/67/67	0/2/2/2
36	IHT	4	617	-	-	6/25/65/65	0/2/2/2
32	CLA	c	513	-	1/1/11/20	11/18/96/115	-
32	CLA	B	608	-	1/1/10/20	3/8/86/115	-
32	CLA	8	607	3	1/1/11/20	2/13/91/115	-
34	II0	p	314	-	-	0/21/67/67	0/2/2/2
32	CLA	1	601	-	1/1/10/20	2/10/88/115	-
32	CLA	4	611	-	1/1/11/20	7/13/91/115	-
31	8CT	K	102	-	-	7/29/63/63	0/2/2/2
45	DGD	c	514	-	-	18/44/84/95	0/2/2/2
32	CLA	6	610	-	1/1/11/20	6/13/91/115	-
35	II3	6	613	-	-	1/25/67/67	0/2/2/2
34	II0	1	619	-	-	2/21/67/67	0/2/2/2
32	CLA	1	609	-	1/1/10/20	3/8/86/115	-
34	II0	6	614	-	-	3/21/67/67	0/2/2/2
34	II0	5	314	-	-	2/21/67/67	0/2/2/2
34	II0	9	613	-	-	1/21/67/67	0/2/2/2
32	CLA	7	606	-	1/1/11/20	9/13/91/115	-
32	CLA	S	303	19	1/1/15/20	15/37/115/115	-
32	CLA	7	607	-	1/1/11/20	7/13/91/115	-
32	CLA	2	611	-	1/1/11/20	7/13/91/115	-
32	CLA	p	307	-	1/1/11/20	2/13/91/115	-
32	CLA	p	312	-	1/1/11/20	7/13/91/115	-
32	CLA	6	604	-	1/1/13/20	5/25/103/115	-
32	CLA	4	612	-	1/1/11/20	6/13/91/115	-
32	CLA	D	401	-	1/1/13/20	5/30/108/115	-
32	CLA	P	608	-	1/1/10/20	2/8/86/115	-
34	II0	8	614	-	-	0/21/67/67	0/2/2/2
32	CLA	5	307	-	1/1/11/20	3/13/91/115	-
32	CLA	4	607	5	1/1/11/20	2/13/91/115	-
32	CLA	2	605	3	1/1/14/20	11/31/109/115	-
31	8CT	B	623	-	-	8/29/63/63	0/2/2/2
32	CLA	0	606	-	1/1/11/20	5/13/91/115	-
31	8CT	c	518	-	-	10/29/63/63	0/2/2/2

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	LHG	L	101	-	-	20/53/53/53	-
37	LMG	a	410	-	-	16/43/63/70	0/1/1/1
32	CLA	8	603	-	1/1/12/20	5/19/97/115	-
32	CLA	3	606	-	1/1/11/20	1/13/91/115	-
32	CLA	P	602	7	1/1/13/20	14/30/108/115	-
33	KC2	7	610	-	-	12/15/71/71	-
34	II0	6	612	-	-	1/21/67/67	0/2/2/2
32	CLA	8	604	-	1/1/13/20	3/25/103/115	-
32	CLA	C	513	-	1/1/11/20	12/18/96/115	-
32	CLA	9	606	-	1/1/11/20	1/13/91/115	-
34	II0	p	315	-	-	4/21/67/67	0/2/2/2
34	II0	1	616	-	-	4/21/67/67	0/2/2/2
32	CLA	2	606	-	1/1/11/20	3/13/91/115	-
32	CLA	2	602	3	1/1/13/20	11/30/108/115	-
33	KC2	P	605	-	-	10/15/71/71	-
32	CLA	1	605	-	1/1/12/20	7/19/97/115	-
36	IHT	7	618	-	-	2/25/65/65	0/2/2/2
37	LMG	6	616	-	-	9/23/43/70	0/1/1/1
32	CLA	8	608	3	1/1/14/20	10/31/109/115	-
47	HEM	v	201	-	-	1/12/54/54	-
32	CLA	7	601	-	1/1/10/20	3/10/88/115	-
32	CLA	5	308	6	1/1/11/20	5/13/91/115	-
32	CLA	4	604	-	1/1/13/20	9/25/103/115	-
31	8CT	A	610	-	-	5/29/63/63	0/2/2/2
32	CLA	p	310	-	1/1/10/20	3/8/86/115	-
32	CLA	9	602	4	1/1/13/20	13/30/108/115	-
32	CLA	p	305	-	1/1/13/20	9/25/103/115	-
43	PL9	d	404	-	-	3/53/73/73	0/1/1/1
32	CLA	B	605	-	1/1/14/20	11/33/111/115	-
31	8CT	K	101	-	-	13/29/63/63	0/2/2/2
34	II0	9	612	-	-	3/21/67/67	0/2/2/2
32	CLA	d	403	-	1/1/14/20	10/31/109/115	-
37	LMG	c	517	-	-	25/41/61/70	0/1/1/1
37	LMG	2	617	-	-	10/31/51/70	0/1/1/1
39	SQD	B	620	-	-	24/49/69/69	0/1/1/1

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
43	PL9	A	609	-	-	1/5/18/73	0/1/1/1
45	DGD	c	516	-	-	19/44/84/95	0/2/2/2
32	CLA	c	507	-	1/1/15/20	14/37/115/115	-
32	CLA	B	616	-	1/1/15/20	6/37/115/115	-
38	LHG	8	618	32	-	11/24/24/53	-
31	8CT	9	615	-	-	10/29/63/63	0/2/2/2
31	8CT	H	102	-	-	9/29/63/63	0/2/2/2
32	CLA	5	309	-	1/1/14/20	10/31/109/115	-
32	CLA	7	609	-	1/1/10/20	3/8/86/115	-
32	CLA	C	506	-	1/1/11/20	5/13/91/115	-
32	CLA	b	609	-	1/1/15/20	9/37/115/115	-
34	II0	0	617	-	-	2/21/67/67	0/2/2/2
32	CLA	0	608	5	1/1/14/20	8/31/109/115	-
32	CLA	1	603	-	1/1/12/20	5/19/97/115	-
32	CLA	1	602	2	1/1/13/20	12/30/108/115	-
32	CLA	b	612	-	1/1/14/20	15/35/113/115	-
36	IHT	0	614	-	-	5/25/65/65	0/2/2/2
32	CLA	8	612	-	1/1/11/20	6/13/91/115	-
31	8CT	k	102	-	-	13/29/63/63	0/2/2/2

All (2275) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	d	408	8CT	C02-C03	14.49	1.59	1.34
31	D	409	8CT	C02-C03	14.46	1.59	1.34
31	b	622	8CT	C02-C03	14.40	1.59	1.34
31	h	102	8CT	C02-C03	14.40	1.59	1.34
31	H	102	8CT	C02-C03	14.39	1.59	1.34
31	K	102	8CT	C02-C03	14.35	1.59	1.34
31	B	623	8CT	C02-C03	14.35	1.59	1.34
31	k	101	8CT	C02-C03	14.34	1.59	1.34
31	a	413	8CT	C02-C03	14.32	1.59	1.34
31	B	624	8CT	C02-C03	14.27	1.59	1.34
31	b	623	8CT	C02-C03	14.26	1.59	1.34
31	Z	101	8CT	C02-C03	14.25	1.59	1.34
31	A	610	8CT	C02-C03	14.24	1.59	1.34
31	z	101	8CT	C02-C03	14.21	1.59	1.34
31	P	615	8CT	C02-C03	14.20	1.59	1.34

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	6	615	8CT	C02-C03	14.20	1.59	1.34
31	K	101	8CT	C02-C03	14.19	1.59	1.34
31	k	102	8CT	C02-C03	14.17	1.59	1.34
31	B	622	8CT	C02-C03	14.11	1.58	1.34
31	c	518	8CT	C02-C03	14.10	1.58	1.34
31	C	518	8CT	C02-C03	14.10	1.58	1.34
31	3	615	8CT	C02-C03	14.09	1.58	1.34
31	M	201	8CT	C02-C03	14.07	1.58	1.34
31	9	615	8CT	C02-C03	14.06	1.58	1.34
31	6	615	8CT	C32-C31	13.93	1.60	1.32
31	P	615	8CT	C32-C31	13.90	1.60	1.32
31	3	615	8CT	C32-C31	13.84	1.59	1.32
31	9	615	8CT	C32-C31	13.81	1.59	1.32
31	B	623	8CT	C32-C31	13.81	1.59	1.32
31	b	622	8CT	C32-C31	13.78	1.59	1.32
31	d	408	8CT	C32-C31	13.78	1.59	1.32
31	D	409	8CT	C32-C31	13.77	1.59	1.32
31	k	101	8CT	C32-C31	13.77	1.59	1.32
31	c	518	8CT	C32-C31	13.76	1.59	1.32
31	K	102	8CT	C32-C31	13.74	1.59	1.32
31	A	610	8CT	C32-C31	13.73	1.59	1.32
31	C	518	8CT	C32-C31	13.72	1.59	1.32
31	h	102	8CT	C32-C31	13.68	1.59	1.32
31	H	102	8CT	C32-C31	13.66	1.59	1.32
31	Z	101	8CT	C32-C31	13.65	1.59	1.32
31	k	102	8CT	C32-C31	13.62	1.59	1.32
31	M	201	8CT	C32-C31	13.61	1.59	1.32
31	B	624	8CT	C32-C31	13.61	1.59	1.32
31	K	101	8CT	C32-C31	13.61	1.59	1.32
31	b	623	8CT	C32-C31	13.60	1.59	1.32
31	a	413	8CT	C32-C31	13.60	1.59	1.32
31	B	622	8CT	C32-C31	13.59	1.59	1.32
31	z	101	8CT	C32-C31	13.57	1.59	1.32
34	1	617	II0	C24-C26	-8.75	1.25	1.42
36	2	616	IHT	C24-C26	-8.74	1.25	1.42
34	p	315	II0	C24-C26	-8.74	1.25	1.42
34	7	617	II0	C24-C26	-8.73	1.25	1.42
34	5	316	II0	C24-C26	-8.70	1.25	1.42
34	5	315	II0	C24-C26	-8.69	1.25	1.42
34	8	619	II0	C24-C26	-8.67	1.25	1.42
34	3	614	II0	C24-C26	-8.67	1.25	1.42
34	0	616	II0	C24-C26	-8.66	1.25	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	4	616	II0	C24-C26	-8.66	1.25	1.42
34	1	617	II0	C23-C25	-8.66	1.25	1.42
36	5	317	IHT	C24-C26	-8.65	1.25	1.42
34	7	616	II0	C23-C25	-8.65	1.25	1.42
34	1	616	II0	C24-C26	-8.65	1.25	1.42
36	7	618	IHT	C24-C26	-8.65	1.25	1.42
34	7	617	II0	C23-C25	-8.65	1.25	1.42
34	7	616	II0	C24-C26	-8.65	1.25	1.42
34	2	619	II0	C23-C25	-8.64	1.25	1.42
34	9	614	II0	C24-C26	-8.63	1.25	1.42
34	2	614	II0	C24-C26	-8.63	1.25	1.42
34	1	616	II0	C23-C25	-8.63	1.25	1.42
36	p	317	IHT	C24-C26	-8.63	1.25	1.42
34	3	613	II0	C23-C25	-8.63	1.25	1.42
34	6	614	II0	C24-C26	-8.63	1.25	1.42
34	2	613	II0	C23-C25	-8.62	1.26	1.42
34	5	319	II0	C24-C26	-8.62	1.26	1.42
34	3	613	II0	C24-C26	-8.62	1.26	1.42
36	8	616	IHT	C24-C26	-8.61	1.26	1.42
34	5	319	II0	C23-C25	-8.61	1.26	1.42
34	7	614	II0	C24-C26	-8.61	1.26	1.42
34	5	316	II0	C23-C25	-8.60	1.26	1.42
34	1	614	II0	C24-C26	-8.60	1.26	1.42
36	1	618	IHT	C24-C26	-8.60	1.26	1.42
34	0	620	II0	C24-C26	-8.60	1.26	1.42
34	2	615	II0	C24-C26	-8.60	1.26	1.42
34	8	614	II0	C24-C26	-8.60	1.26	1.42
34	P	614	II0	C24-C26	-8.60	1.26	1.42
34	2	613	II0	C24-C26	-8.59	1.26	1.42
34	9	613	II0	C24-C26	-8.59	1.26	1.42
36	4	617	IHT	C24-C26	-8.59	1.26	1.42
34	5	301	II0	C24-C26	-8.58	1.26	1.42
34	2	619	II0	C24-C26	-8.58	1.26	1.42
34	p	314	II0	C23-C25	-8.58	1.26	1.42
35	7	615	II3	C27-C28	-8.58	1.26	1.42
34	0	617	II0	C24-C26	-8.58	1.26	1.42
34	8	613	II0	C23-C25	-8.58	1.26	1.42
36	0	618	IHT	C24-C26	-8.58	1.26	1.42
34	7	614	II0	C23-C25	-8.58	1.26	1.42
34	5	314	II0	C23-C25	-8.57	1.26	1.42
34	3	612	II0	C23-C25	-8.57	1.26	1.42
34	9	612	II0	C23-C25	-8.57	1.26	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	8	615	II0	C23-C25	-8.57	1.26	1.42
34	P	614	II0	C23-C25	-8.57	1.26	1.42
34	p	315	II0	C23-C25	-8.57	1.26	1.42
34	p	316	II0	C24-C26	-8.57	1.26	1.42
34	5	314	II0	C24-C26	-8.56	1.26	1.42
34	6	612	II0	C23-C25	-8.56	1.26	1.42
34	4	616	II0	C23-C25	-8.56	1.26	1.42
34	4	615	II0	C24-C26	-8.56	1.26	1.42
34	4	619	II0	C23-C25	-8.56	1.26	1.42
34	4	619	II0	C24-C26	-8.56	1.26	1.42
34	9	613	II0	C23-C25	-8.55	1.26	1.42
34	p	301	II0	C23-C25	-8.55	1.26	1.42
35	6	613	II3	C27-C28	-8.55	1.26	1.42
34	0	617	II0	C23-C25	-8.55	1.26	1.42
34	5	315	II0	C23-C25	-8.55	1.26	1.42
35	1	615	II3	C27-C28	-8.55	1.26	1.42
34	p	314	II0	C24-C26	-8.55	1.26	1.42
34	p	301	II0	C24-C26	-8.55	1.26	1.42
34	8	619	II0	C23-C25	-8.55	1.26	1.42
34	1	614	II0	C23-C25	-8.54	1.26	1.42
34	6	614	II0	C23-C25	-8.54	1.26	1.42
34	p	316	II0	C23-C25	-8.54	1.26	1.42
34	0	616	II0	C23-C25	-8.53	1.26	1.42
34	8	615	II0	C24-C26	-8.53	1.26	1.42
34	3	614	II0	C23-C25	-8.52	1.26	1.42
34	0	615	II0	C24-C26	-8.52	1.26	1.42
34	8	613	II0	C24-C26	-8.51	1.26	1.42
34	9	614	II0	C23-C25	-8.50	1.26	1.42
36	4	614	IHT	C24-C26	-8.50	1.26	1.42
34	3	612	II0	C24-C26	-8.50	1.26	1.42
34	7	619	II0	C24-C26	-8.50	1.26	1.42
34	1	619	II0	C24-C26	-8.49	1.26	1.42
34	9	612	II0	C24-C26	-8.49	1.26	1.42
34	0	620	II0	C23-C25	-8.49	1.26	1.42
35	P	613	II3	C27-C28	-8.49	1.26	1.42
34	P	612	II0	C23-C25	-8.48	1.26	1.42
36	0	614	IHT	C24-C26	-8.48	1.26	1.42
34	2	615	II0	C23-C25	-8.47	1.26	1.42
34	5	301	II0	C23-C25	-8.46	1.26	1.42
34	4	615	II0	C23-C25	-8.45	1.26	1.42
34	0	615	II0	C23-C25	-8.44	1.26	1.42
34	7	619	II0	C23-C25	-8.43	1.26	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	6	612	II0	C24-C26	-8.43	1.26	1.42
34	2	614	II0	C23-C25	-8.43	1.26	1.42
34	8	614	II0	C23-C25	-8.41	1.26	1.42
34	P	612	II0	C24-C26	-8.39	1.26	1.42
34	1	619	II0	C23-C25	-8.37	1.26	1.42
31	9	615	8CT	C34-C35	-8.07	1.37	1.54
31	k	101	8CT	C34-C35	-8.07	1.37	1.54
31	d	408	8CT	C34-C35	-8.06	1.37	1.54
31	a	413	8CT	C34-C35	-8.05	1.37	1.54
31	D	409	8CT	C34-C35	-8.05	1.37	1.54
31	K	102	8CT	C34-C35	-8.05	1.37	1.54
31	3	615	8CT	C34-C35	-8.03	1.37	1.54
31	P	615	8CT	C34-C35	-8.03	1.37	1.54
31	6	615	8CT	C34-C35	-8.00	1.37	1.54
31	A	610	8CT	C34-C35	-7.97	1.37	1.54
31	B	623	8CT	C34-C35	-7.97	1.37	1.54
34	7	616	II0	C22-C10	-7.96	1.25	1.42
31	C	518	8CT	C34-C35	-7.92	1.37	1.54
34	8	619	II0	C22-C10	-7.92	1.25	1.42
31	b	622	8CT	C34-C35	-7.91	1.37	1.54
31	c	518	8CT	C34-C35	-7.90	1.37	1.54
34	1	617	II0	C21-C09	-7.90	1.25	1.42
31	Z	101	8CT	C34-C35	-7.89	1.37	1.54
34	p	315	II0	C22-C10	-7.89	1.25	1.42
36	2	616	IHT	C21-C11	-7.88	1.25	1.42
36	7	618	IHT	C21-C11	-7.88	1.25	1.42
34	2	619	II0	C22-C10	-7.88	1.25	1.42
34	1	616	II0	C21-C09	-7.87	1.25	1.42
34	5	319	II0	C22-C10	-7.86	1.25	1.42
34	1	617	II0	C22-C10	-7.85	1.26	1.42
34	7	617	II0	C21-C09	-7.85	1.26	1.42
34	7	617	II0	C22-C10	-7.85	1.26	1.42
34	p	301	II0	C22-C10	-7.85	1.26	1.42
36	1	618	IHT	C21-C11	-7.84	1.26	1.42
34	1	616	II0	C22-C10	-7.84	1.26	1.42
34	5	301	II0	C22-C10	-7.84	1.26	1.42
34	3	613	II0	C22-C10	-7.83	1.26	1.42
34	4	619	II0	C22-C10	-7.83	1.26	1.42
31	H	102	8CT	C34-C35	-7.83	1.38	1.54
34	9	614	II0	C22-C10	-7.83	1.26	1.42
34	8	619	II0	C21-C09	-7.83	1.26	1.42
34	4	616	II0	C22-C10	-7.83	1.26	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	5	316	II0	C22-C10	-7.83	1.26	1.42
36	8	616	IHT	C21-C11	-7.82	1.26	1.42
34	8	614	II0	C22-C10	-7.82	1.26	1.42
34	7	616	II0	C21-C09	-7.82	1.26	1.42
31	z	101	8CT	C34-C35	-7.81	1.38	1.54
31	h	102	8CT	C34-C35	-7.81	1.38	1.54
34	2	614	II0	C22-C10	-7.81	1.26	1.42
34	5	314	II0	C21-C09	-7.81	1.26	1.42
34	7	614	II0	C22-C10	-7.81	1.26	1.42
34	5	316	II0	C21-C09	-7.81	1.26	1.42
34	0	617	II0	C22-C10	-7.81	1.26	1.42
34	0	620	II0	C22-C10	-7.81	1.26	1.42
34	p	316	II0	C22-C10	-7.80	1.26	1.42
34	3	614	II0	C22-C10	-7.80	1.26	1.42
36	p	317	IHT	C21-C11	-7.80	1.26	1.42
34	0	616	II0	C22-C10	-7.79	1.26	1.42
36	4	617	IHT	C21-C11	-7.79	1.26	1.42
34	9	613	II0	C22-C10	-7.78	1.26	1.42
34	8	613	II0	C21-C09	-7.77	1.26	1.42
34	5	315	II0	C22-C10	-7.77	1.26	1.42
34	0	620	II0	C21-C09	-7.77	1.26	1.42
34	5	314	II0	C22-C10	-7.77	1.26	1.42
34	1	614	II0	C22-C10	-7.77	1.26	1.42
34	3	612	II0	C21-C09	-7.76	1.26	1.42
34	8	615	II0	C21-C09	-7.76	1.26	1.42
34	p	314	II0	C21-C09	-7.76	1.26	1.42
34	7	614	II0	C21-C09	-7.76	1.26	1.42
36	5	317	IHT	C21-C11	-7.76	1.26	1.42
34	p	315	II0	C21-C09	-7.76	1.26	1.42
34	9	613	II0	C21-C09	-7.76	1.26	1.42
31	B	624	8CT	C34-C35	-7.76	1.38	1.54
35	6	613	II3	C23-C16	-7.76	1.26	1.42
34	P	614	II0	C22-C10	-7.75	1.26	1.42
34	2	619	II0	C21-C09	-7.75	1.26	1.42
34	3	613	II0	C21-C09	-7.75	1.26	1.42
34	2	615	II0	C22-C10	-7.75	1.26	1.42
31	K	101	8CT	C34-C35	-7.75	1.38	1.54
34	1	614	II0	C21-C09	-7.75	1.26	1.42
34	6	614	II0	C21-C09	-7.74	1.26	1.42
34	2	613	II0	C22-C10	-7.74	1.26	1.42
34	4	616	II0	C21-C09	-7.74	1.26	1.42
34	0	616	II0	C21-C09	-7.74	1.26	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	6	614	II0	C22-C10	-7.74	1.26	1.42
34	4	615	II0	C21-C09	-7.74	1.26	1.42
34	5	319	II0	C21-C09	-7.74	1.26	1.42
34	4	615	II0	C22-C10	-7.74	1.26	1.42
34	p	316	II0	C21-C09	-7.74	1.26	1.42
34	5	315	II0	C21-C09	-7.74	1.26	1.42
31	k	102	8CT	C34-C35	-7.73	1.38	1.54
34	2	613	II0	C21-C09	-7.73	1.26	1.42
34	8	614	II0	C21-C09	-7.73	1.26	1.42
34	3	612	II0	C22-C10	-7.73	1.26	1.42
34	8	613	II0	C22-C10	-7.73	1.26	1.42
34	P	614	II0	C21-C09	-7.73	1.26	1.42
34	p	301	II0	C21-C09	-7.73	1.26	1.42
34	9	612	II0	C22-C10	-7.73	1.26	1.42
34	9	612	II0	C21-C09	-7.72	1.26	1.42
35	P	613	II3	C23-C16	-7.72	1.26	1.42
34	8	615	II0	C22-C10	-7.71	1.26	1.42
34	6	612	II0	C21-C09	-7.71	1.26	1.42
36	0	618	IHT	C21-C11	-7.71	1.26	1.42
31	b	623	8CT	C34-C35	-7.71	1.38	1.54
35	1	615	II3	C23-C16	-7.71	1.26	1.42
35	7	615	II3	C23-C16	-7.71	1.26	1.42
34	3	614	II0	C21-C09	-7.71	1.26	1.42
34	2	615	II0	C21-C09	-7.70	1.26	1.42
34	0	617	II0	C21-C09	-7.70	1.26	1.42
34	p	314	II0	C22-C10	-7.70	1.26	1.42
34	0	615	II0	C22-C10	-7.70	1.26	1.42
34	P	612	II0	C21-C09	-7.70	1.26	1.42
36	4	614	IHT	C21-C11	-7.70	1.26	1.42
31	B	622	8CT	C34-C35	-7.70	1.38	1.54
34	4	619	II0	C21-C09	-7.69	1.26	1.42
34	6	612	II0	C22-C10	-7.68	1.26	1.42
32	8	606	CLA	C4B-NB	7.68	1.42	1.35
34	2	614	II0	C21-C09	-7.68	1.26	1.42
34	7	619	II0	C22-C10	-7.67	1.26	1.42
34	9	614	II0	C21-C09	-7.67	1.26	1.42
31	M	201	8CT	C34-C35	-7.67	1.38	1.54
32	4	606	CLA	C4B-NB	7.66	1.42	1.35
36	0	614	IHT	C21-C11	-7.66	1.26	1.42
34	0	615	II0	C21-C09	-7.66	1.26	1.42
32	0	612	CLA	C4B-NB	7.65	1.42	1.35
32	0	606	CLA	C4B-NB	7.65	1.42	1.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	1	619	II0	C22-C10	-7.64	1.26	1.42
34	P	612	II0	C22-C10	-7.64	1.26	1.42
32	2	606	CLA	C4B-NB	7.64	1.42	1.35
34	5	301	II0	C21-C09	-7.64	1.26	1.42
32	1	613	CLA	C4B-NB	7.64	1.42	1.35
34	7	619	II0	C21-C09	-7.61	1.26	1.42
34	1	619	II0	C21-C09	-7.59	1.26	1.42
32	6	601	CLA	C4B-NB	7.59	1.42	1.35
32	7	601	CLA	C4B-NB	7.58	1.42	1.35
32	0	604	CLA	C4B-NB	7.58	1.42	1.35
32	0	609	CLA	C4B-NB	7.56	1.42	1.35
32	1	601	CLA	C4B-NB	7.56	1.41	1.35
32	4	601	CLA	C4B-NB	7.55	1.41	1.35
32	P	610	CLA	C4B-NB	7.55	1.41	1.35
32	0	611	CLA	C4B-NB	7.55	1.41	1.35
32	4	604	CLA	C4B-NB	7.54	1.41	1.35
32	4	612	CLA	C4B-NB	7.54	1.41	1.35
32	7	613	CLA	C4B-NB	7.54	1.41	1.35
32	5	313	CLA	C4B-NB	7.54	1.41	1.35
32	7	612	CLA	C4B-NB	7.53	1.41	1.35
32	2	601	CLA	C4B-NB	7.53	1.41	1.35
32	5	310	CLA	C4B-NB	7.52	1.41	1.35
32	P	606	CLA	C4B-NB	7.51	1.41	1.35
32	0	613	CLA	C4B-NB	7.51	1.41	1.35
32	7	605	CLA	C4B-NB	7.51	1.41	1.35
32	p	313	CLA	C4B-NB	7.51	1.41	1.35
32	g	102	CLA	C4B-NB	7.51	1.41	1.35
32	4	611	CLA	C4B-NB	7.51	1.41	1.35
32	p	312	CLA	C4B-NB	7.51	1.41	1.35
32	6	604	CLA	C4B-NB	7.50	1.41	1.35
32	3	606	CLA	C4B-NB	7.50	1.41	1.35
32	4	609	CLA	C4B-NB	7.50	1.41	1.35
32	5	312	CLA	C4B-NB	7.49	1.41	1.35
32	1	612	CLA	C4B-NB	7.49	1.41	1.35
32	0	607	CLA	C4B-NB	7.49	1.41	1.35
32	P	604	CLA	C4B-NB	7.49	1.41	1.35
32	7	611	CLA	C4B-NB	7.48	1.41	1.35
32	0	601	CLA	C4B-NB	7.48	1.41	1.35
32	5	302	CLA	C4B-NB	7.47	1.41	1.35
32	6	610	CLA	C4B-NB	7.47	1.41	1.35
32	p	310	CLA	C4B-NB	7.47	1.41	1.35
32	G	101	CLA	C4B-NB	7.47	1.41	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	6	606	CLA	C4B-NB	7.47	1.41	1.35
32	5	306	CLA	C4B-NB	7.47	1.41	1.35
32	1	605	CLA	C4B-NB	7.47	1.41	1.35
32	2	605	CLA	C4B-NB	7.47	1.41	1.35
32	7	609	CLA	C4B-NB	7.47	1.41	1.35
32	5	304	CLA	C4B-NB	7.46	1.41	1.35
32	4	613	CLA	C4B-NB	7.46	1.41	1.35
32	4	605	CLA	C4B-NB	7.45	1.41	1.35
32	9	606	CLA	C4B-NB	7.45	1.41	1.35
32	0	605	CLA	C4B-NB	7.45	1.41	1.35
32	1	611	CLA	C4B-NB	7.45	1.41	1.35
32	6	608	CLA	C4B-NB	7.45	1.41	1.35
32	7	603	CLA	C4B-NB	7.45	1.41	1.35
32	5	305	CLA	C4B-NB	7.44	1.41	1.35
32	p	305	CLA	C4B-NB	7.43	1.41	1.35
32	p	307	CLA	C4B-NB	7.42	1.41	1.35
32	p	302	CLA	C4B-NB	7.41	1.41	1.35
32	4	607	CLA	C4B-NB	7.41	1.41	1.35
32	1	609	CLA	C4B-NB	7.41	1.41	1.35
32	p	306	CLA	C4B-NB	7.41	1.41	1.35
32	p	303	CLA	C4B-NB	7.41	1.41	1.35
32	8	611	CLA	C4B-NB	7.40	1.41	1.35
32	3	601	CLA	C4B-NB	7.40	1.41	1.35
32	s	303	CLA	C4B-NB	7.40	1.41	1.35
32	S	303	CLA	C4B-NB	7.40	1.41	1.35
32	8	605	CLA	C4B-NB	7.39	1.41	1.35
32	p	308	CLA	C4B-NB	7.39	1.41	1.35
32	P	601	CLA	C4B-NB	7.39	1.41	1.35
32	1	608	CLA	C4B-NB	7.38	1.41	1.35
32	6	607	CLA	C4B-NB	7.38	1.41	1.35
32	P	607	CLA	C4B-NB	7.38	1.41	1.35
32	7	604	CLA	C4B-NB	7.38	1.41	1.35
32	2	612	CLA	C4B-NB	7.38	1.41	1.35
32	0	603	CLA	C4B-NB	7.38	1.41	1.35
32	8	612	CLA	C4B-NB	7.38	1.41	1.35
32	1	603	CLA	C4B-NB	7.38	1.41	1.35
32	7	607	CLA	C4B-NB	7.38	1.41	1.35
32	7	608	CLA	C4B-NB	7.37	1.41	1.35
32	s	302	CLA	C4B-NB	7.37	1.41	1.35
32	5	309	CLA	C4B-NB	7.37	1.41	1.35
32	8	601	CLA	C4B-NB	7.37	1.41	1.35
32	8	609	CLA	C4B-NB	7.37	1.41	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	6	611	CLA	C4B-NB	7.36	1.41	1.35
32	5	303	CLA	C4B-NB	7.36	1.41	1.35
32	9	601	CLA	C4B-NB	7.36	1.41	1.35
32	4	603	CLA	C4B-NB	7.36	1.41	1.35
32	6	603	CLA	C4B-NB	7.35	1.41	1.35
32	P	603	CLA	C4B-NB	7.35	1.41	1.35
32	4	608	CLA	C4B-NB	7.34	1.41	1.35
32	S	302	CLA	C4B-NB	7.34	1.41	1.35
32	2	607	CLA	C4B-NB	7.34	1.41	1.35
32	2	611	CLA	C4B-NB	7.33	1.41	1.35
32	2	609	CLA	C4B-NB	7.33	1.41	1.35
32	9	611	CLA	C4B-NB	7.33	1.41	1.35
32	9	605	CLA	C4B-NB	7.33	1.41	1.35
32	5	308	CLA	C4B-NB	7.32	1.41	1.35
32	0	608	CLA	C4B-NB	7.32	1.41	1.35
32	p	309	CLA	C4B-NB	7.32	1.41	1.35
32	1	607	CLA	C4B-NB	7.32	1.41	1.35
32	P	608	CLA	C4B-NB	7.31	1.41	1.35
32	0	602	CLA	C4B-NB	7.31	1.41	1.35
32	9	608	CLA	C4B-NB	7.31	1.41	1.35
32	3	609	CLA	C4B-NB	7.30	1.41	1.35
32	1	602	CLA	C4B-NB	7.29	1.41	1.35
32	3	603	CLA	C4B-NB	7.29	1.41	1.35
32	3	610	CLA	C4B-NB	7.29	1.41	1.35
32	9	610	CLA	C4B-NB	7.29	1.41	1.35
32	1	604	CLA	C4B-NB	7.29	1.41	1.35
32	9	609	CLA	C4B-NB	7.28	1.41	1.35
32	5	307	CLA	C4B-NB	7.28	1.41	1.35
32	3	605	CLA	C4B-NB	7.28	1.41	1.35
32	3	604	CLA	C4B-NB	7.27	1.41	1.35
32	2	603	CLA	C4B-NB	7.27	1.41	1.35
32	p	304	CLA	C4B-NB	7.27	1.41	1.35
32	P	611	CLA	C4B-NB	7.27	1.41	1.35
32	2	604	CLA	C4B-NB	7.26	1.41	1.35
32	4	602	CLA	C4B-NB	7.26	1.41	1.35
32	7	602	CLA	C4B-NB	7.26	1.41	1.35
32	3	611	CLA	C4B-NB	7.26	1.41	1.35
32	c	511	CLA	C4B-NB	7.25	1.41	1.35
32	9	604	CLA	C4B-NB	7.25	1.41	1.35
32	3	607	CLA	C4B-NB	7.24	1.41	1.35
32	8	608	CLA	C4B-NB	7.24	1.41	1.35
32	C	511	CLA	C4B-NB	7.23	1.41	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	D	403	CLA	C4B-NB	7.23	1.41	1.35
32	3	608	CLA	C4B-NB	7.22	1.41	1.35
32	8	602	CLA	C4B-NB	7.22	1.41	1.35
32	d	402	CLA	C4B-NB	7.22	1.41	1.35
32	8	604	CLA	C4B-NB	7.20	1.41	1.35
32	2	602	CLA	C4B-NB	7.20	1.41	1.35
32	b	611	CLA	C4B-NB	7.20	1.41	1.35
32	B	611	CLA	C4B-NB	7.20	1.41	1.35
32	b	606	CLA	C4B-NB	7.19	1.41	1.35
32	7	606	CLA	C4B-NB	7.17	1.41	1.35
32	b	602	CLA	C4B-NB	7.17	1.41	1.35
32	P	602	CLA	C4B-NB	7.17	1.41	1.35
32	1	606	CLA	C4B-NB	7.16	1.41	1.35
32	C	512	CLA	C4B-NB	7.16	1.41	1.35
32	c	506	CLA	C4B-NB	7.16	1.41	1.35
32	9	603	CLA	C4B-NB	7.15	1.41	1.35
32	8	603	CLA	C4B-NB	7.14	1.41	1.35
32	c	513	CLA	C4B-NB	7.14	1.41	1.35
32	8	607	CLA	C4B-NB	7.14	1.41	1.35
32	2	608	CLA	C4B-NB	7.14	1.41	1.35
32	9	607	CLA	C4B-NB	7.14	1.41	1.35
32	C	513	CLA	C4B-NB	7.13	1.41	1.35
32	B	602	CLA	C4B-NB	7.13	1.41	1.35
32	B	603	CLA	C4B-NB	7.13	1.41	1.35
32	C	508	CLA	C4B-NB	7.12	1.41	1.35
32	c	512	CLA	C4B-NB	7.12	1.41	1.35
32	6	602	CLA	C4B-NB	7.11	1.41	1.35
32	b	610	CLA	C4B-NB	7.11	1.41	1.35
32	B	612	CLA	C4B-NB	7.11	1.41	1.35
32	C	510	CLA	C4B-NB	7.11	1.41	1.35
32	c	504	CLA	C4B-NB	7.10	1.41	1.35
32	3	602	CLA	C4B-NB	7.10	1.41	1.35
32	B	607	CLA	C4B-NB	7.09	1.41	1.35
32	B	610	CLA	C4B-NB	7.09	1.41	1.35
32	C	504	CLA	C4B-NB	7.09	1.41	1.35
32	B	606	CLA	C4B-NB	7.08	1.41	1.35
32	c	508	CLA	C4B-NB	7.08	1.41	1.35
32	9	602	CLA	C4B-NB	7.07	1.41	1.35
32	B	605	CLA	C4B-NB	7.07	1.41	1.35
32	c	503	CLA	C4B-NB	7.06	1.41	1.35
32	b	612	CLA	C4B-NB	7.06	1.41	1.35
32	b	603	CLA	C4B-NB	7.06	1.41	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	B	609	CLA	C4B-NB	7.06	1.41	1.35
32	c	505	CLA	C4B-NB	7.05	1.41	1.35
32	C	503	CLA	C4B-NB	7.04	1.41	1.35
32	C	501	CLA	C4B-NB	7.04	1.41	1.35
32	b	608	CLA	C4B-NB	7.04	1.41	1.35
32	B	608	CLA	C4B-NB	7.04	1.41	1.35
32	C	506	CLA	C4B-NB	7.03	1.41	1.35
32	D	404	CLA	C4B-NB	7.03	1.41	1.35
32	b	607	CLA	C4B-NB	7.03	1.41	1.35
32	b	605	CLA	C4B-NB	7.01	1.41	1.35
32	c	501	CLA	C4B-NB	7.00	1.41	1.35
32	b	609	CLA	C4B-NB	7.00	1.41	1.35
32	b	616	CLA	C4B-NB	6.98	1.41	1.35
32	B	616	CLA	C4B-NB	6.98	1.41	1.35
32	c	502	CLA	C4B-NB	6.98	1.41	1.35
32	A	605	CLA	C4B-NB	6.97	1.41	1.35
32	c	507	CLA	C4B-NB	6.97	1.41	1.35
32	C	507	CLA	C4B-NB	6.97	1.41	1.35
32	C	502	CLA	C4B-NB	6.97	1.41	1.35
32	b	614	CLA	C4B-NB	6.96	1.41	1.35
32	B	614	CLA	C4B-NB	6.96	1.41	1.35
32	C	505	CLA	C4B-NB	6.96	1.41	1.35
32	B	617	CLA	C4B-NB	6.96	1.41	1.35
32	b	617	CLA	C4B-NB	6.95	1.41	1.35
32	c	510	CLA	C4B-NB	6.95	1.41	1.35
32	a	408	CLA	C4B-NB	6.94	1.41	1.35
32	b	604	CLA	C4B-NB	6.94	1.41	1.35
32	c	509	CLA	C4B-NB	6.94	1.41	1.35
32	b	613	CLA	C4B-NB	6.93	1.41	1.35
32	B	615	CLA	C4B-NB	6.93	1.41	1.35
32	B	604	CLA	C4B-NB	6.93	1.41	1.35
32	b	615	CLA	C4B-NB	6.91	1.41	1.35
32	B	613	CLA	C4B-NB	6.90	1.41	1.35
32	d	403	CLA	C4B-NB	6.90	1.41	1.35
32	a	405	CLA	C4B-NB	6.89	1.41	1.35
32	D	401	CLA	C4B-NB	6.86	1.41	1.35
33	6	605	KC2	C4D-CHA	-6.85	1.36	1.45
33	P	605	KC2	C4D-CHA	-6.83	1.36	1.45
32	A	602	CLA	C4B-NB	6.83	1.41	1.35
32	C	509	CLA	C4B-NB	6.82	1.41	1.35
33	8	610	KC2	C4D-CHA	-6.80	1.36	1.45
33	2	610	KC2	C4D-CHA	-6.77	1.36	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
33	7	610	KC2	C4D-CHA	-6.77	1.36	1.45
32	d	409	CLA	C4B-NB	6.74	1.41	1.35
33	1	610	KC2	C4D-CHA	-6.74	1.36	1.45
33	0	610	KC2	C4D-CHA	-6.73	1.36	1.45
33	4	610	KC2	C4D-CHA	-6.71	1.36	1.45
31	H	102	8CT	C05-C06	-6.70	1.36	1.52
32	A	603	CLA	C4B-NB	6.68	1.41	1.35
31	h	102	8CT	C05-C06	-6.67	1.36	1.52
33	6	609	KC2	C4D-CHA	-6.66	1.36	1.45
33	P	609	KC2	C4D-CHA	-6.64	1.36	1.45
31	z	101	8CT	C05-C06	-6.58	1.36	1.52
33	p	311	KC2	C4D-CHA	-6.58	1.36	1.45
31	Z	101	8CT	C05-C06	-6.57	1.36	1.52
33	5	311	KC2	C4D-CHA	-6.56	1.36	1.45
31	k	101	8CT	C05-C06	-6.56	1.36	1.52
31	a	413	8CT	C05-C06	-6.54	1.36	1.52
31	d	408	8CT	C05-C06	-6.53	1.36	1.52
31	K	102	8CT	C05-C06	-6.53	1.36	1.52
31	D	409	8CT	C05-C06	-6.52	1.36	1.52
31	b	622	8CT	C05-C06	-6.52	1.36	1.52
31	b	623	8CT	C05-C06	-6.52	1.36	1.52
31	B	624	8CT	C05-C06	-6.52	1.36	1.52
31	B	623	8CT	C05-C06	-6.51	1.36	1.52
32	a	406	CLA	C4B-NB	6.50	1.41	1.35
31	M	201	8CT	C05-C06	-6.49	1.36	1.52
31	B	622	8CT	C05-C06	-6.48	1.36	1.52
31	K	101	8CT	C05-C06	-6.47	1.36	1.52
31	c	518	8CT	C05-C06	-6.47	1.36	1.52
31	P	615	8CT	C15-C16	6.46	1.59	1.45
31	c	518	8CT	C15-C16	6.46	1.59	1.45
31	6	615	8CT	C15-C16	6.46	1.59	1.45
31	C	518	8CT	C05-C06	-6.45	1.36	1.52
31	k	102	8CT	C05-C06	-6.45	1.36	1.52
31	C	518	8CT	C15-C16	6.44	1.59	1.45
31	P	615	8CT	C05-C06	-6.40	1.36	1.52
31	P	615	8CT	C28-C26	6.38	1.59	1.45
31	B	624	8CT	C15-C16	6.37	1.59	1.45
31	6	615	8CT	C28-C26	6.37	1.59	1.45
31	A	610	8CT	C05-C06	-6.37	1.36	1.52
31	b	623	8CT	C15-C16	6.37	1.59	1.45
31	9	615	8CT	C15-C16	6.36	1.59	1.45
31	6	615	8CT	C05-C06	-6.36	1.36	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	3	615	8CT	C15-C16	6.36	1.59	1.45
31	c	518	8CT	C28-C26	6.34	1.59	1.45
31	H	102	8CT	C15-C16	6.34	1.59	1.45
31	a	413	8CT	C15-C16	6.34	1.59	1.45
31	3	615	8CT	C05-C06	-6.33	1.36	1.52
31	9	615	8CT	C05-C06	-6.33	1.36	1.52
31	9	615	8CT	C28-C26	6.33	1.59	1.45
31	D	409	8CT	C15-C16	6.31	1.59	1.45
31	d	408	8CT	C15-C16	6.31	1.59	1.45
31	C	518	8CT	C28-C26	6.29	1.59	1.45
31	K	101	8CT	C28-C26	6.28	1.59	1.45
31	h	102	8CT	C15-C16	6.28	1.59	1.45
31	k	102	8CT	C28-C26	6.27	1.59	1.45
31	d	408	8CT	C28-C26	6.26	1.59	1.45
31	D	409	8CT	C28-C26	6.26	1.59	1.45
31	3	615	8CT	C28-C26	6.26	1.59	1.45
31	B	623	8CT	C15-C16	6.26	1.59	1.45
31	M	201	8CT	C15-C16	6.26	1.59	1.45
31	B	622	8CT	C15-C16	6.24	1.59	1.45
31	k	102	8CT	C15-C16	6.24	1.59	1.45
31	K	101	8CT	C15-C16	6.23	1.59	1.45
31	h	102	8CT	C28-C26	6.22	1.59	1.45
31	b	622	8CT	C15-C16	6.22	1.59	1.45
31	H	102	8CT	C28-C26	6.22	1.59	1.45
31	B	624	8CT	C28-C26	6.22	1.59	1.45
31	b	623	8CT	C28-C26	6.19	1.59	1.45
31	b	622	8CT	C28-C26	6.17	1.59	1.45
31	K	102	8CT	C15-C16	6.16	1.59	1.45
31	B	623	8CT	C28-C26	6.15	1.59	1.45
31	k	101	8CT	C15-C16	6.14	1.59	1.45
31	B	622	8CT	C28-C26	6.12	1.59	1.45
31	z	101	8CT	C28-C26	6.10	1.59	1.45
31	A	610	8CT	C15-C16	6.07	1.59	1.45
31	Z	101	8CT	C28-C26	6.07	1.59	1.45
31	M	201	8CT	C28-C26	6.05	1.58	1.45
31	z	101	8CT	C15-C16	6.05	1.58	1.45
31	Z	101	8CT	C15-C16	6.00	1.58	1.45
31	K	102	8CT	C28-C26	5.99	1.58	1.45
31	k	101	8CT	C28-C26	5.99	1.58	1.45
31	A	610	8CT	C28-C26	5.99	1.58	1.45
31	c	518	8CT	C23-C21	5.94	1.58	1.45
31	P	615	8CT	C23-C21	5.92	1.58	1.45

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	K	101	8CT	C23-C21	5.92	1.58	1.45
31	C	518	8CT	C23-C21	5.91	1.58	1.45
31	k	102	8CT	C23-C21	5.89	1.58	1.45
31	6	615	8CT	C23-C21	5.88	1.58	1.45
31	9	615	8CT	C23-C21	5.86	1.58	1.45
31	3	615	8CT	C23-C21	5.86	1.58	1.45
31	a	413	8CT	C28-C26	5.84	1.58	1.45
31	h	102	8CT	C23-C21	5.82	1.58	1.45
31	b	623	8CT	C23-C21	5.81	1.58	1.45
31	B	624	8CT	C23-C21	5.81	1.58	1.45
31	H	102	8CT	C23-C21	5.81	1.58	1.45
31	c	518	8CT	C34-C33	5.81	1.66	1.52
31	C	518	8CT	C34-C33	5.80	1.66	1.52
31	D	409	8CT	C23-C21	5.80	1.58	1.45
31	d	408	8CT	C23-C21	5.78	1.58	1.45
31	a	413	8CT	C34-C33	5.73	1.66	1.52
31	B	622	8CT	C23-C21	5.72	1.58	1.45
31	M	201	8CT	C34-C33	5.70	1.66	1.52
31	B	622	8CT	C34-C33	5.69	1.66	1.52
31	M	201	8CT	C23-C21	5.69	1.58	1.45
31	A	610	8CT	C04-C03	-5.69	1.46	1.53
31	B	623	8CT	C23-C21	5.69	1.58	1.45
31	b	623	8CT	C04-C03	-5.67	1.46	1.53
31	B	624	8CT	C04-C03	-5.67	1.46	1.53
31	b	622	8CT	C23-C21	5.66	1.58	1.45
31	k	101	8CT	C04-C03	-5.62	1.46	1.53
31	K	102	8CT	C04-C03	-5.61	1.46	1.53
31	C	518	8CT	C04-C03	-5.58	1.46	1.53
31	Z	101	8CT	C23-C21	5.57	1.57	1.45
31	z	101	8CT	C23-C21	5.56	1.57	1.45
31	B	622	8CT	C04-C03	-5.56	1.46	1.53
31	c	518	8CT	C04-C03	-5.54	1.46	1.53
33	6	605	KC2	CHD-C4C	5.54	1.49	1.35
33	P	605	KC2	CHD-C4C	5.53	1.49	1.35
31	A	610	8CT	C23-C21	5.53	1.57	1.45
31	3	615	8CT	C04-C03	-5.53	1.46	1.53
31	9	615	8CT	C04-C03	-5.52	1.46	1.53
31	k	101	8CT	C23-C21	5.52	1.57	1.45
31	a	413	8CT	C23-C21	5.52	1.57	1.45
31	K	102	8CT	C23-C21	5.51	1.57	1.45
31	M	201	8CT	C04-C03	-5.50	1.46	1.53
33	0	610	KC2	CHD-C4C	5.49	1.49	1.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
33	2	610	KC2	CHD-C4C	5.49	1.49	1.35
33	1	610	KC2	CHD-C4C	5.49	1.49	1.35
31	K	101	8CT	C34-C33	5.49	1.65	1.52
33	4	610	KC2	CHD-C4C	5.48	1.49	1.35
31	B	623	8CT	C34-C33	5.48	1.65	1.52
31	k	102	8CT	C34-C33	5.47	1.65	1.52
33	p	311	KC2	CHD-C4C	5.47	1.49	1.35
33	8	610	KC2	CHD-C4C	5.47	1.49	1.35
33	6	609	KC2	CHD-C4C	5.46	1.49	1.35
31	b	622	8CT	C34-C33	5.46	1.65	1.52
31	H	102	8CT	C04-C03	-5.45	1.46	1.53
31	h	102	8CT	C04-C03	-5.45	1.46	1.53
33	P	609	KC2	CHD-C4C	5.44	1.48	1.35
33	7	610	KC2	CHD-C4C	5.44	1.48	1.35
33	5	311	KC2	CHD-C4C	5.43	1.48	1.35
31	B	624	8CT	C34-C33	5.43	1.65	1.52
31	b	623	8CT	C34-C33	5.42	1.65	1.52
31	A	610	8CT	C34-C33	5.39	1.65	1.52
31	b	622	8CT	C04-C03	-5.37	1.46	1.53
31	B	623	8CT	C04-C03	-5.36	1.46	1.53
31	k	102	8CT	C04-C03	-5.33	1.46	1.53
31	d	408	8CT	C34-C33	5.32	1.65	1.52
31	D	409	8CT	C34-C33	5.32	1.65	1.52
31	K	102	8CT	C34-C33	5.30	1.65	1.52
31	a	413	8CT	C04-C03	-5.29	1.46	1.53
31	k	101	8CT	C34-C33	5.27	1.65	1.52
31	P	615	8CT	C04-C03	-5.26	1.46	1.53
31	K	101	8CT	C04-C03	-5.25	1.46	1.53
31	6	615	8CT	C34-C33	5.25	1.64	1.52
31	h	102	8CT	C34-C33	5.24	1.64	1.52
31	z	101	8CT	C34-C33	5.23	1.64	1.52
31	P	615	8CT	C34-C33	5.23	1.64	1.52
31	6	615	8CT	C04-C03	-5.22	1.46	1.53
31	H	102	8CT	C34-C33	5.22	1.64	1.52
31	3	615	8CT	C34-C33	5.20	1.64	1.52
31	Z	101	8CT	C04-C03	-5.20	1.46	1.53
31	Z	101	8CT	C34-C33	5.19	1.64	1.52
31	K	101	8CT	C05-C04	5.19	1.66	1.54
31	9	615	8CT	C34-C33	5.18	1.64	1.52
31	P	615	8CT	C05-C04	5.17	1.66	1.54
31	k	102	8CT	C05-C04	5.14	1.66	1.54
31	D	409	8CT	C05-C04	5.13	1.66	1.54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	6	615	8CT	C05-C04	5.13	1.66	1.54
31	d	408	8CT	C05-C04	5.12	1.65	1.54
31	z	101	8CT	C04-C03	-5.12	1.46	1.53
31	z	101	8CT	C05-C04	5.09	1.65	1.54
31	Z	101	8CT	C05-C04	5.07	1.65	1.54
31	3	615	8CT	C05-C04	5.06	1.65	1.54
31	a	413	8CT	C05-C04	5.06	1.65	1.54
31	9	615	8CT	C05-C04	5.06	1.65	1.54
31	c	518	8CT	C05-C04	5.05	1.65	1.54
31	D	409	8CT	C04-C03	-5.04	1.46	1.53
31	d	408	8CT	C04-C03	-5.03	1.46	1.53
31	C	518	8CT	C05-C04	5.03	1.65	1.54
31	H	102	8CT	C05-C04	5.03	1.65	1.54
31	h	102	8CT	C05-C04	5.00	1.65	1.54
31	B	622	8CT	C05-C04	4.96	1.65	1.54
31	B	623	8CT	C05-C04	4.96	1.65	1.54
31	B	624	8CT	C05-C04	4.95	1.65	1.54
31	M	201	8CT	C05-C04	4.95	1.65	1.54
31	b	622	8CT	C05-C04	4.94	1.65	1.54
31	b	623	8CT	C05-C04	4.94	1.65	1.54
31	A	610	8CT	C05-C04	4.90	1.65	1.54
31	K	102	8CT	C05-C04	4.87	1.65	1.54
31	k	101	8CT	C05-C04	4.86	1.65	1.54
47	f	101	HEM	C3C-C2C	-4.80	1.33	1.40
39	B	620	SQD	O48-C23	4.68	1.47	1.33
31	3	615	8CT	C06-C07	4.68	1.67	1.52
31	9	615	8CT	C06-C07	4.68	1.67	1.52
39	b	620	SQD	O48-C23	4.67	1.47	1.33
31	A	610	8CT	C06-C07	4.67	1.67	1.52
47	E	101	HEM	C3C-C2C	-4.67	1.33	1.40
31	c	518	8CT	C06-C07	4.65	1.67	1.52
31	C	518	8CT	C06-C07	4.65	1.67	1.52
39	B	601	SQD	O48-C23	4.64	1.46	1.33
39	p	318	SQD	O48-C23	4.64	1.46	1.33
31	P	615	8CT	C06-C07	4.64	1.67	1.52
39	5	318	SQD	O48-C23	4.63	1.46	1.33
39	b	601	SQD	O48-C23	4.62	1.46	1.33
31	6	615	8CT	C06-C07	4.62	1.67	1.52
31	K	101	8CT	C06-C07	4.59	1.66	1.52
31	B	624	8CT	C06-C07	4.58	1.66	1.52
31	b	623	8CT	C06-C07	4.58	1.66	1.52
31	B	622	8CT	C06-C07	4.57	1.66	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	k	102	8CT	C06-C07	4.57	1.66	1.52
39	a	409	SQD	O48-C23	4.57	1.46	1.33
31	6	615	8CT	C19-C20	4.56	1.57	1.43
31	P	615	8CT	C19-C20	4.56	1.57	1.43
31	B	623	8CT	C06-C07	4.56	1.66	1.52
31	M	201	8CT	C06-C07	4.55	1.66	1.52
39	A	606	SQD	O48-C23	4.55	1.46	1.33
31	c	518	8CT	C19-C20	4.54	1.57	1.43
31	C	518	8CT	C19-C20	4.54	1.57	1.43
31	K	102	8CT	C06-C07	4.54	1.66	1.52
31	b	622	8CT	C06-C07	4.54	1.66	1.52
31	k	101	8CT	C06-C07	4.52	1.66	1.52
31	d	408	8CT	C06-C07	4.49	1.66	1.52
31	b	623	8CT	C19-C20	4.48	1.57	1.43
31	D	409	8CT	C06-C07	4.47	1.66	1.52
31	H	102	8CT	C06-C07	4.47	1.66	1.52
31	Z	101	8CT	C06-C07	4.47	1.66	1.52
31	k	102	8CT	C19-C20	4.47	1.57	1.43
31	z	101	8CT	C06-C07	4.47	1.66	1.52
31	9	615	8CT	C19-C20	4.46	1.57	1.43
31	B	624	8CT	C19-C20	4.46	1.57	1.43
31	H	102	8CT	C19-C20	4.46	1.57	1.43
31	K	101	8CT	C19-C20	4.45	1.57	1.43
31	3	615	8CT	C19-C20	4.45	1.57	1.43
31	h	102	8CT	C06-C07	4.44	1.66	1.52
31	h	102	8CT	C19-C20	4.44	1.57	1.43
31	a	413	8CT	C06-C07	4.44	1.66	1.52
31	D	409	8CT	C19-C20	4.42	1.57	1.43
31	d	408	8CT	C19-C20	4.41	1.57	1.43
31	b	622	8CT	C19-C20	4.36	1.56	1.43
31	B	623	8CT	C19-C20	4.36	1.56	1.43
31	M	201	8CT	C19-C20	4.35	1.56	1.43
31	B	622	8CT	C19-C20	4.35	1.56	1.43
31	a	413	8CT	C19-C20	4.32	1.56	1.43
33	6	605	KC2	MG-NB	-4.30	1.97	2.05
31	k	101	8CT	C19-C20	4.27	1.56	1.43
31	A	610	8CT	C19-C20	4.27	1.56	1.43
31	K	102	8CT	C19-C20	4.26	1.56	1.43
31	z	101	8CT	C19-C20	4.26	1.56	1.43
33	P	605	KC2	CHC-C1C	4.24	1.48	1.39
31	Z	101	8CT	C19-C20	4.23	1.56	1.43
31	C	518	8CT	C24-C25	4.23	1.56	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
33	P	605	KC2	MG-NB	-4.22	1.97	2.05
33	6	605	KC2	CHC-C1C	4.22	1.48	1.39
33	6	605	KC2	CHC-C4B	4.21	1.46	1.38
31	P	615	8CT	C24-C25	4.21	1.56	1.43
33	p	311	KC2	CHC-C1C	4.21	1.48	1.39
31	c	518	8CT	C24-C25	4.21	1.56	1.43
31	6	615	8CT	C24-C25	4.19	1.56	1.43
33	2	610	KC2	MG-NB	-4.18	1.97	2.05
33	P	605	KC2	CHC-C4B	4.17	1.46	1.38
33	0	610	KC2	CHC-C1C	4.17	1.48	1.39
31	9	615	8CT	C24-C25	4.17	1.56	1.43
33	P	609	KC2	CHC-C1C	4.16	1.48	1.39
31	3	615	8CT	C24-C25	4.16	1.56	1.43
31	k	102	8CT	C24-C25	4.16	1.56	1.43
33	6	609	KC2	CHC-C1C	4.16	1.48	1.39
33	5	311	KC2	CHC-C1C	4.16	1.48	1.39
33	8	610	KC2	MG-NB	-4.15	1.97	2.05
31	K	101	8CT	C24-C25	4.15	1.56	1.43
33	1	610	KC2	CHC-C1C	4.14	1.48	1.39
33	7	610	KC2	CHC-C1C	4.13	1.48	1.39
33	4	610	KC2	CHC-C1C	4.13	1.48	1.39
31	h	102	8CT	C24-C25	4.12	1.56	1.43
33	2	610	KC2	CHC-C1C	4.12	1.48	1.39
31	H	102	8CT	C24-C25	4.12	1.56	1.43
31	D	409	8CT	C24-C25	4.11	1.56	1.43
31	b	623	8CT	C24-C25	4.10	1.56	1.43
31	B	624	8CT	C24-C25	4.10	1.56	1.43
33	P	609	KC2	CHC-C4B	4.10	1.46	1.38
31	d	408	8CT	C24-C25	4.09	1.56	1.43
33	5	311	KC2	CHC-C4B	4.09	1.46	1.38
33	4	610	KC2	MG-NB	-4.08	1.97	2.05
33	p	311	KC2	CHC-C4B	4.08	1.46	1.38
33	8	610	KC2	CHC-C1C	4.08	1.48	1.39
33	0	610	KC2	MG-NB	-4.07	1.97	2.05
31	B	622	8CT	C24-C25	4.07	1.56	1.43
33	6	609	KC2	CHC-C4B	4.06	1.46	1.38
33	7	610	KC2	MG-NB	-4.06	1.97	2.05
33	1	610	KC2	CHC-C4B	4.06	1.46	1.38
33	1	610	KC2	MG-NB	-4.06	1.97	2.05
33	0	610	KC2	CHC-C4B	4.06	1.46	1.38
33	6	609	KC2	MG-NB	-4.05	1.97	2.05
33	P	609	KC2	MG-NB	-4.05	1.97	2.05

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
33	p	311	KC2	MG-NB	-4.05	1.97	2.05
31	B	623	8CT	C24-C25	4.04	1.56	1.43
31	b	622	8CT	C24-C25	4.04	1.56	1.43
31	M	201	8CT	C24-C25	4.04	1.56	1.43
33	4	610	KC2	CHC-C4B	4.04	1.46	1.38
33	5	311	KC2	MG-NB	-4.04	1.97	2.05
33	8	610	KC2	CHC-C4B	4.02	1.46	1.38
33	7	610	KC2	CHC-C4B	4.02	1.46	1.38
33	2	610	KC2	CHC-C4B	4.00	1.46	1.38
31	Z	101	8CT	C24-C25	4.00	1.55	1.43
43	a	412	PL9	C7-C3	-3.99	1.47	1.51
31	z	101	8CT	C24-C25	3.99	1.55	1.43
32	0	612	CLA	C1D-ND	3.97	1.42	1.37
43	A	609	PL9	C7-C3	-3.97	1.47	1.51
32	4	612	CLA	C1D-ND	3.97	1.42	1.37
31	K	102	8CT	C24-C25	3.93	1.55	1.43
32	1	613	CLA	C1D-ND	3.93	1.42	1.37
32	p	313	CLA	C1D-ND	3.92	1.42	1.37
32	7	613	CLA	C1D-ND	3.91	1.42	1.37
32	0	609	CLA	C1D-ND	3.91	1.42	1.37
32	5	313	CLA	C1D-ND	3.91	1.42	1.37
31	k	101	8CT	C24-C25	3.91	1.55	1.43
32	7	604	CLA	C1D-ND	3.91	1.42	1.37
32	4	613	CLA	C1D-ND	3.91	1.42	1.37
32	0	611	CLA	C1D-ND	3.90	1.42	1.37
32	4	609	CLA	C1D-ND	3.90	1.42	1.37
32	4	604	CLA	C1D-ND	3.89	1.42	1.37
32	4	611	CLA	C1D-ND	3.89	1.42	1.37
31	A	610	8CT	C24-C25	3.89	1.55	1.43
32	0	606	CLA	C1D-ND	3.89	1.42	1.37
32	7	603	CLA	C1D-ND	3.88	1.42	1.37
32	6	611	CLA	C1D-ND	3.88	1.42	1.37
32	1	604	CLA	C1D-ND	3.88	1.42	1.37
32	p	302	CLA	C1D-ND	3.88	1.42	1.37
32	5	305	CLA	C1D-ND	3.87	1.42	1.37
31	P	615	8CT	C14-C13	3.87	1.55	1.43
32	6	608	CLA	C1D-ND	3.87	1.42	1.37
47	V	201	HEM	C3C-CAC	3.86	1.55	1.47
31	c	518	8CT	C14-C13	3.86	1.55	1.43
31	C	518	8CT	C14-C13	3.86	1.55	1.43
32	0	613	CLA	C1D-ND	3.86	1.42	1.37
31	a	413	8CT	C24-C25	3.86	1.55	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	0	601	CLA	C1D-ND	3.86	1.42	1.37
31	6	615	8CT	C11-C12	3.86	1.54	1.45
32	6	604	CLA	C1D-ND	3.86	1.42	1.37
32	p	307	CLA	C1D-ND	3.86	1.42	1.37
32	7	611	CLA	C1D-ND	3.85	1.42	1.37
32	4	603	CLA	C1D-ND	3.85	1.42	1.37
32	7	601	CLA	C1D-ND	3.85	1.42	1.37
32	2	611	CLA	C1D-ND	3.85	1.42	1.37
32	1	611	CLA	C1D-ND	3.85	1.42	1.37
32	4	606	CLA	C1D-ND	3.85	1.42	1.37
32	5	304	CLA	C1D-ND	3.85	1.42	1.37
47	v	201	HEM	C3C-CAC	3.85	1.55	1.47
32	P	610	CLA	C1D-ND	3.85	1.42	1.37
32	5	302	CLA	C1D-ND	3.84	1.42	1.37
32	1	612	CLA	C1D-ND	3.84	1.42	1.37
31	6	615	8CT	C14-C13	3.84	1.55	1.43
32	1	601	CLA	C1D-ND	3.84	1.42	1.37
32	6	606	CLA	C1D-ND	3.84	1.42	1.37
32	5	306	CLA	C1D-ND	3.84	1.42	1.37
32	P	611	CLA	C1D-ND	3.83	1.42	1.37
32	S	302	CLA	C1D-ND	3.83	1.42	1.37
32	1	609	CLA	C1D-ND	3.83	1.42	1.37
32	P	606	CLA	C1D-ND	3.83	1.42	1.37
32	1	603	CLA	C1D-ND	3.83	1.42	1.37
32	P	604	CLA	C1D-ND	3.83	1.42	1.37
32	p	310	CLA	C1D-ND	3.83	1.42	1.37
32	5	310	CLA	C1D-ND	3.82	1.42	1.37
32	0	604	CLA	C1D-ND	3.82	1.42	1.37
31	c	518	8CT	C30-C29	3.82	1.55	1.50
31	C	518	8CT	C30-C29	3.82	1.55	1.50
32	0	605	CLA	C1D-ND	3.82	1.42	1.37
32	P	601	CLA	C1D-ND	3.82	1.42	1.37
32	P	602	CLA	C1D-ND	3.82	1.42	1.37
32	2	601	CLA	C1D-ND	3.82	1.42	1.37
32	p	305	CLA	C1D-ND	3.82	1.42	1.37
32	5	307	CLA	C1D-ND	3.82	1.42	1.37
32	7	609	CLA	C1D-ND	3.82	1.42	1.37
32	s	302	CLA	C1D-ND	3.82	1.42	1.37
32	4	601	CLA	C1D-ND	3.82	1.42	1.37
32	4	605	CLA	C1D-ND	3.81	1.42	1.37
31	P	615	8CT	C11-C12	3.81	1.54	1.45
32	1	607	CLA	C1D-ND	3.81	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	8	606	CLA	C1D-ND	3.81	1.42	1.37
32	P	608	CLA	C1D-ND	3.81	1.42	1.37
31	b	623	8CT	C14-C13	3.81	1.55	1.43
32	g	102	CLA	C1D-ND	3.81	1.42	1.37
43	A	609	PL9	C3-C4	-3.80	1.43	1.49
32	p	304	CLA	C1D-ND	3.80	1.42	1.37
43	a	412	PL9	C3-C4	-3.80	1.43	1.49
31	3	615	8CT	C14-C13	3.80	1.55	1.43
32	p	306	CLA	C1D-ND	3.80	1.42	1.37
32	6	610	CLA	C1D-ND	3.80	1.42	1.37
32	6	601	CLA	C1D-ND	3.80	1.42	1.37
32	G	101	CLA	C1D-ND	3.79	1.42	1.37
31	B	624	8CT	C14-C13	3.79	1.55	1.43
32	P	607	CLA	C1D-ND	3.79	1.42	1.37
32	8	601	CLA	C1D-ND	3.79	1.42	1.37
32	8	611	CLA	C1D-ND	3.78	1.42	1.37
32	2	605	CLA	C1D-ND	3.78	1.42	1.37
32	0	603	CLA	C1D-ND	3.78	1.42	1.37
32	7	605	CLA	C1D-ND	3.78	1.42	1.37
32	2	604	CLA	C1D-ND	3.78	1.42	1.37
32	p	308	CLA	C1D-ND	3.78	1.42	1.37
32	2	607	CLA	C1D-ND	3.78	1.42	1.37
32	6	603	CLA	C1D-ND	3.77	1.42	1.37
32	2	606	CLA	C1D-ND	3.77	1.42	1.37
32	3	605	CLA	C1D-ND	3.77	1.42	1.37
32	7	612	CLA	C1D-ND	3.77	1.42	1.37
32	7	607	CLA	C1D-ND	3.77	1.42	1.37
32	P	603	CLA	C1D-ND	3.77	1.42	1.37
32	9	604	CLA	C1D-ND	3.77	1.42	1.37
32	8	609	CLA	C1D-ND	3.77	1.42	1.37
32	S	303	CLA	C1D-ND	3.76	1.42	1.37
32	s	303	CLA	C1D-ND	3.76	1.42	1.37
32	4	602	CLA	C1D-ND	3.76	1.42	1.37
32	8	612	CLA	C1D-ND	3.76	1.42	1.37
31	D	409	8CT	C14-C13	3.76	1.55	1.43
31	d	408	8CT	C14-C13	3.76	1.55	1.43
32	2	609	CLA	C1D-ND	3.76	1.42	1.37
32	2	603	CLA	C1D-ND	3.76	1.42	1.37
32	b	605	CLA	C1D-ND	3.76	1.42	1.37
31	H	102	8CT	C14-C13	3.76	1.55	1.43
32	6	602	CLA	C1D-ND	3.76	1.42	1.37
31	K	101	8CT	C14-C13	3.75	1.55	1.43

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	0	608	CLA	C1D-ND	3.75	1.42	1.37
32	8	604	CLA	C1D-ND	3.75	1.42	1.37
32	2	612	CLA	C1D-ND	3.75	1.42	1.37
47	v	201	HEM	C3C-C2C	-3.75	1.35	1.40
32	9	601	CLA	C1D-ND	3.75	1.42	1.37
32	b	616	CLA	C1D-ND	3.75	1.42	1.37
31	9	615	8CT	C14-C13	3.75	1.55	1.43
32	5	303	CLA	C1D-ND	3.75	1.42	1.37
31	k	102	8CT	C14-C13	3.75	1.55	1.43
32	4	607	CLA	C1D-ND	3.74	1.42	1.37
32	2	602	CLA	C1D-ND	3.74	1.42	1.37
32	1	605	CLA	C1D-ND	3.74	1.42	1.37
32	0	602	CLA	C1D-ND	3.74	1.42	1.37
32	6	607	CLA	C1D-ND	3.74	1.42	1.37
32	0	607	CLA	C1D-ND	3.74	1.42	1.37
31	h	102	8CT	C14-C13	3.74	1.55	1.43
32	8	603	CLA	C1D-ND	3.74	1.42	1.37
32	9	606	CLA	C1D-ND	3.73	1.42	1.37
31	a	413	8CT	C14-C13	3.73	1.55	1.43
32	8	605	CLA	C1D-ND	3.73	1.42	1.37
32	9	608	CLA	C1D-ND	3.73	1.42	1.37
31	b	623	8CT	C11-C12	3.73	1.54	1.45
32	p	312	CLA	C1D-ND	3.73	1.42	1.37
32	p	303	CLA	C1D-ND	3.73	1.42	1.37
32	5	308	CLA	C1D-ND	3.73	1.42	1.37
32	9	605	CLA	C1D-ND	3.73	1.42	1.37
32	1	606	CLA	C1D-ND	3.73	1.42	1.37
32	4	608	CLA	C1D-ND	3.72	1.42	1.37
32	7	606	CLA	C1D-ND	3.72	1.42	1.37
32	p	309	CLA	C1D-ND	3.72	1.42	1.37
31	b	622	8CT	C14-C13	3.72	1.55	1.43
31	B	623	8CT	C14-C13	3.72	1.55	1.43
32	8	607	CLA	C1D-ND	3.71	1.42	1.37
31	9	615	8CT	C11-C12	3.71	1.53	1.45
32	5	309	CLA	C1D-ND	3.71	1.42	1.37
31	D	409	8CT	C11-C12	3.71	1.53	1.45
32	3	611	CLA	C1D-ND	3.71	1.42	1.37
31	d	408	8CT	C11-C12	3.71	1.53	1.45
31	B	624	8CT	C11-C12	3.71	1.53	1.45
47	V	201	HEM	C3C-C2C	-3.70	1.35	1.40
32	3	606	CLA	C1D-ND	3.70	1.42	1.37
32	3	610	CLA	C1D-ND	3.70	1.42	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	H	102	8CT	C30-C29	3.70	1.55	1.50
32	B	605	CLA	C1D-ND	3.70	1.42	1.37
32	9	611	CLA	C1D-ND	3.70	1.42	1.37
32	B	616	CLA	C1D-ND	3.70	1.42	1.37
31	h	102	8CT	C30-C29	3.70	1.55	1.50
32	9	603	CLA	C1D-ND	3.70	1.42	1.37
32	3	601	CLA	C1D-ND	3.69	1.42	1.37
32	8	608	CLA	C1D-ND	3.69	1.42	1.37
32	8	602	CLA	C1D-ND	3.69	1.42	1.37
32	1	608	CLA	C1D-ND	3.68	1.42	1.37
32	1	602	CLA	C1D-ND	3.68	1.42	1.37
31	H	102	8CT	C28-C29	3.68	1.41	1.32
31	K	102	8CT	C14-C13	3.68	1.54	1.43
32	7	608	CLA	C1D-ND	3.68	1.42	1.37
32	9	607	CLA	C1D-ND	3.68	1.42	1.37
31	M	201	8CT	C14-C13	3.67	1.54	1.43
32	3	604	CLA	C1D-ND	3.67	1.42	1.37
32	7	602	CLA	C1D-ND	3.67	1.42	1.37
43	d	404	PL9	C7-C3	-3.67	1.47	1.51
31	k	101	8CT	C14-C13	3.67	1.54	1.43
43	D	405	PL9	C7-C3	-3.67	1.47	1.51
31	B	622	8CT	C14-C13	3.67	1.54	1.43
32	5	312	CLA	C1D-ND	3.67	1.42	1.37
32	c	503	CLA	C1D-ND	3.67	1.42	1.37
31	k	102	8CT	C11-C12	3.67	1.53	1.45
32	3	609	CLA	C1D-ND	3.67	1.42	1.37
32	3	603	CLA	C1D-ND	3.67	1.42	1.37
31	3	615	8CT	C11-C12	3.66	1.53	1.45
31	H	102	8CT	C11-C12	3.66	1.53	1.45
32	3	608	CLA	C1D-ND	3.66	1.42	1.37
32	b	602	CLA	C1D-ND	3.65	1.42	1.37
31	6	615	8CT	C28-C29	3.65	1.40	1.32
32	2	608	CLA	C1D-ND	3.65	1.42	1.37
31	K	101	8CT	C11-C12	3.65	1.53	1.45
32	9	609	CLA	C1D-ND	3.65	1.42	1.37
31	h	102	8CT	C28-C29	3.65	1.40	1.32
32	9	610	CLA	C1D-ND	3.64	1.42	1.37
31	d	408	8CT	C28-C29	3.64	1.40	1.32
32	3	607	CLA	C1D-ND	3.63	1.42	1.37
32	C	504	CLA	C1D-ND	3.63	1.42	1.37
32	B	602	CLA	C1D-ND	3.63	1.42	1.37
32	9	602	CLA	C1D-ND	3.63	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	A	610	8CT	C14-C13	3.63	1.54	1.43
32	C	502	CLA	C1D-ND	3.63	1.42	1.37
32	c	504	CLA	C1D-ND	3.62	1.42	1.37
32	B	610	CLA	C1D-ND	3.62	1.42	1.37
31	c	518	8CT	C11-C12	3.62	1.53	1.45
31	C	518	8CT	C11-C12	3.62	1.53	1.45
31	b	622	8CT	C11-C12	3.62	1.53	1.45
31	h	102	8CT	C11-C12	3.62	1.53	1.45
47	E	101	HEM	C3C-CAC	3.62	1.55	1.47
31	P	615	8CT	C28-C29	3.62	1.40	1.32
47	f	101	HEM	C3C-CAC	3.61	1.55	1.47
32	C	501	CLA	C1D-ND	3.61	1.42	1.37
31	B	622	8CT	C30-C29	3.61	1.55	1.50
32	3	602	CLA	C1D-ND	3.61	1.42	1.37
32	C	503	CLA	C1D-ND	3.60	1.42	1.37
32	b	607	CLA	C1D-ND	3.60	1.42	1.37
32	c	502	CLA	C1D-ND	3.60	1.42	1.37
31	D	409	8CT	C28-C29	3.60	1.40	1.32
31	B	623	8CT	C11-C12	3.60	1.53	1.45
31	K	101	8CT	C28-C29	3.59	1.40	1.32
32	d	402	CLA	CAB-C3B	-3.59	1.44	1.51
32	b	611	CLA	C1D-ND	3.59	1.42	1.37
31	c	518	8CT	C28-C29	3.59	1.40	1.32
31	C	518	8CT	C28-C29	3.59	1.40	1.32
32	b	610	CLA	C1D-ND	3.59	1.42	1.37
32	D	403	CLA	CAB-C3B	-3.58	1.44	1.51
32	c	501	CLA	C1D-ND	3.58	1.42	1.37
32	c	513	CLA	C1D-ND	3.57	1.42	1.37
32	A	603	CLA	C4D-ND	-3.57	1.32	1.37
32	B	603	CLA	C1D-ND	3.57	1.42	1.37
32	B	607	CLA	C1D-ND	3.57	1.42	1.37
32	B	606	CLA	C1D-ND	3.57	1.42	1.37
32	C	509	CLA	C1D-ND	3.56	1.42	1.37
31	P	615	8CT	C35-C30	3.56	1.66	1.56
32	b	617	CLA	C1D-ND	3.56	1.42	1.37
32	B	617	CLA	C1D-ND	3.56	1.42	1.37
32	C	507	CLA	C1D-ND	3.56	1.42	1.37
31	k	101	8CT	C11-C12	3.56	1.53	1.45
32	b	603	CLA	C1D-ND	3.56	1.42	1.37
31	M	201	8CT	C30-C29	3.55	1.55	1.50
32	c	506	CLA	C1D-ND	3.55	1.42	1.37
31	z	101	8CT	C14-C13	3.55	1.54	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	k	102	8CT	C28-C29	3.55	1.40	1.32
32	C	510	CLA	C1D-ND	3.54	1.42	1.37
32	d	403	CLA	C1D-ND	3.54	1.42	1.37
32	D	401	CLA	C1D-ND	3.54	1.42	1.37
32	C	513	CLA	C1D-ND	3.54	1.42	1.37
39	B	601	SQD	O47-C45	-3.54	1.37	1.46
32	b	604	CLA	C1D-ND	3.54	1.42	1.37
31	a	413	8CT	C11-C12	3.54	1.53	1.45
32	D	404	CLA	C1D-ND	3.54	1.42	1.37
32	c	511	CLA	C1D-ND	3.54	1.42	1.37
31	3	615	8CT	C28-C29	3.54	1.40	1.32
31	M	201	8CT	C28-C29	3.54	1.40	1.32
32	b	614	CLA	C1D-ND	3.54	1.42	1.37
31	Z	101	8CT	C14-C13	3.53	1.54	1.43
31	k	102	8CT	C30-C29	3.53	1.55	1.50
32	C	512	CLA	C1D-ND	3.53	1.42	1.37
31	9	615	8CT	C28-C29	3.53	1.40	1.32
43	d	404	PL9	C3-C4	-3.53	1.43	1.49
31	Z	101	8CT	C28-C29	3.53	1.40	1.32
32	d	409	CLA	C1D-ND	3.53	1.42	1.37
31	z	101	8CT	C28-C29	3.53	1.40	1.32
31	Z	101	8CT	C35-C30	3.52	1.66	1.56
31	K	102	8CT	C11-C12	3.52	1.53	1.45
32	c	509	CLA	C1D-ND	3.51	1.42	1.37
32	B	604	CLA	C1D-ND	3.51	1.42	1.37
39	b	601	SQD	O47-C45	-3.51	1.37	1.46
43	D	405	PL9	C3-C4	-3.51	1.43	1.49
32	D	403	CLA	C1D-ND	3.51	1.42	1.37
31	H	102	8CT	C35-C30	3.51	1.66	1.56
31	B	622	8CT	C28-C29	3.51	1.40	1.32
32	C	511	CLA	C1D-ND	3.50	1.42	1.37
32	a	406	CLA	C1D-ND	3.50	1.42	1.37
32	C	506	CLA	C1D-ND	3.50	1.42	1.37
31	z	101	8CT	C35-C30	3.50	1.66	1.56
32	c	510	CLA	C1D-ND	3.50	1.42	1.37
32	b	608	CLA	C1D-ND	3.50	1.42	1.37
32	B	611	CLA	C1D-ND	3.50	1.42	1.37
31	A	610	8CT	C11-C12	3.50	1.53	1.45
31	M	201	8CT	C11-C12	3.50	1.53	1.45
31	6	615	8CT	C35-C30	3.50	1.66	1.56
31	K	101	8CT	C30-C29	3.50	1.55	1.50
32	A	605	CLA	C1D-ND	3.49	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	c	507	CLA	C1D-ND	3.49	1.42	1.37
32	B	614	CLA	C1D-ND	3.49	1.42	1.37
32	B	612	CLA	C1D-ND	3.49	1.42	1.37
31	b	623	8CT	C28-C29	3.49	1.40	1.32
32	a	408	CLA	C1D-ND	3.49	1.42	1.37
32	a	405	CLA	C1D-ND	3.49	1.42	1.37
31	B	624	8CT	C28-C29	3.49	1.40	1.32
32	b	609	CLA	C1D-ND	3.49	1.42	1.37
32	b	606	CLA	C1D-ND	3.49	1.42	1.37
32	b	615	CLA	C1D-ND	3.49	1.42	1.37
32	C	508	CLA	C1D-ND	3.48	1.42	1.37
31	h	102	8CT	C35-C30	3.48	1.66	1.56
32	A	602	CLA	C1D-ND	3.48	1.42	1.37
32	d	402	CLA	C1D-ND	3.48	1.42	1.37
31	9	615	8CT	C35-C30	3.48	1.66	1.56
31	B	622	8CT	C11-C12	3.48	1.53	1.45
32	B	608	CLA	C1D-ND	3.48	1.42	1.37
32	c	512	CLA	C1D-ND	3.48	1.42	1.37
31	B	623	8CT	C28-C29	3.47	1.40	1.32
31	b	622	8CT	C28-C29	3.46	1.40	1.32
39	b	620	SQD	O47-C45	-3.46	1.37	1.46
31	z	101	8CT	C11-C12	3.46	1.53	1.45
39	B	620	SQD	O47-C45	-3.46	1.37	1.46
32	c	508	CLA	C1D-ND	3.45	1.42	1.37
31	Z	101	8CT	C11-C12	3.45	1.53	1.45
31	P	615	8CT	C30-C29	3.45	1.55	1.50
31	Z	101	8CT	C30-C29	3.45	1.55	1.50
39	p	318	SQD	O5-C1	3.44	1.50	1.41
31	3	615	8CT	C35-C30	3.44	1.65	1.56
31	B	622	8CT	C35-C30	3.44	1.65	1.56
32	b	612	CLA	C1D-ND	3.43	1.42	1.37
39	a	409	SQD	O47-C45	-3.43	1.38	1.46
32	C	505	CLA	C1D-ND	3.43	1.42	1.37
32	A	603	CLA	C1D-ND	3.42	1.42	1.37
39	A	606	SQD	O47-C45	-3.42	1.38	1.46
32	B	609	CLA	C1D-ND	3.42	1.42	1.37
31	3	615	8CT	C30-C29	3.42	1.55	1.50
39	5	318	SQD	O5-C1	3.42	1.50	1.41
32	c	505	CLA	C1D-ND	3.41	1.42	1.37
31	6	615	8CT	C30-C29	3.41	1.55	1.50
31	9	615	8CT	C30-C29	3.41	1.55	1.50
31	z	101	8CT	C30-C29	3.41	1.55	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	c	518	8CT	C35-C30	3.40	1.65	1.56
31	C	518	8CT	C35-C30	3.40	1.65	1.56
31	M	201	8CT	C35-C30	3.40	1.65	1.56
32	B	615	CLA	C1D-ND	3.39	1.42	1.37
39	p	318	SQD	O47-C7	3.39	1.43	1.34
32	a	406	CLA	C4D-ND	-3.38	1.33	1.37
39	5	318	SQD	O47-C7	3.37	1.43	1.34
31	d	408	8CT	C01-C02	3.36	1.56	1.50
31	D	409	8CT	C01-C02	3.36	1.56	1.50
31	k	102	8CT	C35-C30	3.36	1.65	1.56
31	d	408	8CT	C30-C29	3.35	1.55	1.50
39	A	606	SQD	O47-C7	3.33	1.43	1.34
31	D	409	8CT	C35-C30	3.32	1.65	1.56
31	D	409	8CT	C30-C29	3.32	1.55	1.50
31	K	101	8CT	C35-C30	3.32	1.65	1.56
31	6	615	8CT	C01-C02	3.32	1.56	1.50
31	k	101	8CT	C35-C30	3.31	1.65	1.56
39	b	620	SQD	O5-C1	3.31	1.50	1.41
39	B	601	SQD	O5-C1	3.31	1.50	1.41
39	b	601	SQD	O5-C1	3.31	1.50	1.41
31	b	622	8CT	C01-C02	3.31	1.56	1.50
31	B	623	8CT	C01-C02	3.31	1.56	1.50
32	b	613	CLA	C1D-ND	3.30	1.41	1.37
31	d	408	8CT	C35-C30	3.30	1.65	1.56
31	K	102	8CT	C35-C30	3.30	1.65	1.56
31	P	615	8CT	C01-C02	3.30	1.56	1.50
31	k	101	8CT	C28-C29	3.30	1.40	1.32
31	a	413	8CT	C01-C02	3.30	1.56	1.50
31	a	413	8CT	C28-C29	3.30	1.40	1.32
31	A	610	8CT	C28-C29	3.30	1.40	1.32
32	b	613	CLA	C4D-ND	-3.29	1.33	1.37
31	K	102	8CT	C28-C29	3.29	1.40	1.32
32	B	613	CLA	C1D-ND	3.29	1.41	1.37
31	3	615	8CT	C01-C02	3.29	1.56	1.50
31	9	615	8CT	C01-C02	3.28	1.56	1.50
39	b	601	SQD	O47-C7	3.28	1.43	1.34
32	B	606	CLA	C4D-ND	-3.28	1.33	1.37
31	k	102	8CT	C01-C02	3.27	1.56	1.50
39	a	409	SQD	O47-C7	3.27	1.43	1.34
31	z	101	8CT	C01-C02	3.27	1.56	1.50
39	B	601	SQD	O47-C7	3.26	1.43	1.34
31	Z	101	8CT	C01-C02	3.26	1.56	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	B	620	SQD	O5-C1	3.26	1.50	1.41
31	k	101	8CT	C01-C02	3.26	1.56	1.50
31	K	101	8CT	C01-C02	3.26	1.56	1.50
31	C	518	8CT	C01-C02	3.26	1.56	1.50
32	b	612	CLA	C4D-ND	-3.25	1.33	1.37
31	A	610	8CT	C01-C02	3.25	1.56	1.50
31	K	102	8CT	C01-C02	3.25	1.56	1.50
31	c	518	8CT	C01-C02	3.24	1.56	1.50
32	b	615	CLA	C4D-ND	-3.24	1.33	1.37
39	A	606	SQD	O5-C1	3.24	1.50	1.41
32	c	502	CLA	C4D-ND	-3.23	1.33	1.37
39	a	409	SQD	O5-C1	3.23	1.50	1.41
32	c	506	CLA	C4D-ND	-3.23	1.33	1.37
32	C	506	CLA	C4D-ND	-3.23	1.33	1.37
32	C	502	CLA	C4D-ND	-3.23	1.33	1.37
32	A	605	CLA	C4D-ND	-3.23	1.33	1.37
32	B	613	CLA	C4D-ND	-3.23	1.33	1.37
39	B	620	SQD	O47-C7	3.22	1.43	1.34
31	A	610	8CT	C35-C30	3.22	1.65	1.56
32	B	612	CLA	C4D-ND	-3.22	1.33	1.37
31	M	201	8CT	C01-C02	3.22	1.56	1.50
39	b	620	SQD	O47-C7	3.21	1.43	1.34
32	D	401	CLA	C4D-ND	-3.21	1.33	1.37
39	p	318	SQD	O47-C45	-3.21	1.38	1.46
32	b	606	CLA	C4D-ND	-3.20	1.33	1.37
32	b	617	CLA	C4D-ND	-3.20	1.33	1.37
32	B	617	CLA	C4D-ND	-3.20	1.33	1.37
31	B	622	8CT	C01-C02	3.20	1.56	1.50
32	C	508	CLA	C4D-ND	-3.19	1.33	1.37
39	5	318	SQD	O47-C45	-3.19	1.38	1.46
31	b	623	8CT	C01-C02	3.19	1.56	1.50
31	B	624	8CT	C01-C02	3.19	1.56	1.50
32	b	614	CLA	C4D-ND	-3.19	1.33	1.37
32	5	303	CLA	CHC-C1C	3.19	1.43	1.35
32	4	613	CLA	CHC-C1C	3.18	1.43	1.35
32	b	609	CLA	C4D-ND	-3.18	1.33	1.37
32	B	609	CLA	C4D-ND	-3.18	1.33	1.37
32	P	602	CLA	CHC-C1C	3.18	1.43	1.35
32	D	403	CLA	C4D-ND	-3.18	1.33	1.37
31	6	615	8CT	C18-C17	3.18	1.53	1.43
32	1	612	CLA	CHC-C1C	3.18	1.43	1.35
32	C	509	CLA	C4D-ND	-3.18	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	P	615	8CT	C18-C17	3.18	1.53	1.43
32	a	408	CLA	C4D-ND	-3.18	1.33	1.37
32	8	602	CLA	CHC-C1C	3.17	1.43	1.35
32	0	613	CLA	CHC-C1C	3.17	1.43	1.35
32	7	609	CLA	CHC-C1C	3.17	1.43	1.35
32	6	603	CLA	CHC-C1C	3.17	1.43	1.35
32	p	303	CLA	CHC-C1C	3.17	1.43	1.35
32	7	601	CLA	CHC-C1C	3.17	1.43	1.35
31	C	518	8CT	C18-C17	3.17	1.53	1.43
32	3	609	CLA	CHC-C1C	3.17	1.43	1.35
31	H	102	8CT	C01-C02	3.17	1.56	1.50
32	b	611	CLA	C4D-ND	-3.16	1.33	1.37
32	p	309	CLA	CHC-C1C	3.16	1.43	1.35
32	B	611	CLA	C4D-ND	-3.16	1.33	1.37
31	b	623	8CT	C35-C30	3.16	1.65	1.56
32	c	512	CLA	C4D-ND	-3.16	1.33	1.37
32	1	601	CLA	CHC-C1C	3.16	1.43	1.35
32	4	601	CLA	CHC-C1C	3.16	1.43	1.35
32	7	612	CLA	CHC-C1C	3.16	1.43	1.35
32	5	312	CLA	CHC-C1C	3.16	1.43	1.35
32	B	615	CLA	C4D-ND	-3.16	1.33	1.37
32	c	507	CLA	C4D-ND	-3.16	1.33	1.37
32	C	507	CLA	C4D-ND	-3.16	1.33	1.37
32	0	609	CLA	CHC-C1C	3.15	1.43	1.35
32	6	602	CLA	CHC-C1C	3.15	1.43	1.35
31	c	518	8CT	C18-C17	3.15	1.53	1.43
32	c	508	CLA	C4D-ND	-3.15	1.33	1.37
32	C	501	CLA	C4D-ND	-3.15	1.33	1.37
32	9	609	CLA	CHC-C1C	3.15	1.43	1.35
32	4	605	CLA	CHC-C1C	3.15	1.43	1.35
32	P	603	CLA	CHC-C1C	3.15	1.43	1.35
32	d	402	CLA	C4D-ND	-3.15	1.33	1.37
32	0	601	CLA	CHC-C1C	3.15	1.43	1.35
32	1	608	CLA	CHC-C1C	3.15	1.43	1.35
32	2	607	CLA	CHC-C1C	3.15	1.43	1.35
32	3	602	CLA	C4D-ND	-3.15	1.33	1.37
31	B	624	8CT	C35-C30	3.15	1.65	1.56
32	0	606	CLA	CHC-C1C	3.15	1.43	1.35
32	8	611	CLA	CHC-C1C	3.15	1.43	1.35
32	4	606	CLA	CHC-C1C	3.15	1.43	1.35
32	p	304	CLA	CHC-C1C	3.15	1.43	1.35
32	8	612	CLA	CHC-C1C	3.14	1.43	1.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	d	409	CLA	C4D-ND	-3.14	1.33	1.37
32	2	602	CLA	CHC-C1C	3.14	1.43	1.35
32	4	603	CLA	CHC-C1C	3.14	1.43	1.35
32	d	402	CLA	CHC-C1C	3.14	1.43	1.35
32	P	610	CLA	CHC-C1C	3.14	1.43	1.35
32	D	404	CLA	C4D-ND	-3.14	1.33	1.37
32	d	403	CLA	C4D-ND	-3.14	1.33	1.37
32	p	307	CLA	CHC-C1C	3.14	1.43	1.35
32	0	608	CLA	CHC-C1C	3.14	1.43	1.35
32	0	607	CLA	CHC-C1C	3.14	1.43	1.35
32	7	607	CLA	CHC-C1C	3.14	1.43	1.35
32	C	510	CLA	C4D-ND	-3.14	1.33	1.37
32	B	616	CLA	C4D-ND	-3.14	1.33	1.37
32	4	607	CLA	CHC-C1C	3.14	1.43	1.35
32	S	302	CLA	CHC-C1C	3.14	1.43	1.35
32	P	608	CLA	CHC-C1C	3.14	1.43	1.35
32	b	610	CLA	C4D-ND	-3.14	1.33	1.37
32	B	610	CLA	C4D-ND	-3.14	1.33	1.37
32	4	604	CLA	CHC-C1C	3.14	1.43	1.35
32	b	603	CLA	C4D-ND	-3.13	1.33	1.37
32	B	603	CLA	C4D-ND	-3.13	1.33	1.37
32	0	605	CLA	CHC-C1C	3.13	1.43	1.35
32	c	501	CLA	C4D-ND	-3.13	1.33	1.37
32	D	403	CLA	CHC-C1C	3.13	1.43	1.35
32	3	602	CLA	CHC-C1C	3.13	1.43	1.35
32	5	304	CLA	CHC-C1C	3.13	1.43	1.35
32	6	610	CLA	CHC-C1C	3.13	1.43	1.35
32	p	308	CLA	CHC-C1C	3.13	1.43	1.35
32	B	602	CLA	CHC-C1C	3.13	1.43	1.35
32	B	614	CLA	C4D-ND	-3.13	1.33	1.37
32	8	607	CLA	CHC-C1C	3.13	1.43	1.35
32	9	602	CLA	CHC-C1C	3.13	1.43	1.35
32	1	606	CLA	CHC-C1C	3.13	1.43	1.35
32	9	605	CLA	CHC-C1C	3.13	1.43	1.35
32	2	611	CLA	CHC-C1C	3.13	1.43	1.35
32	p	312	CLA	CHC-C1C	3.13	1.43	1.35
32	3	603	CLA	CHC-C1C	3.13	1.43	1.35
32	3	605	CLA	CHC-C1C	3.13	1.43	1.35
32	5	309	CLA	CHC-C1C	3.13	1.43	1.35
32	5	308	CLA	CHC-C1C	3.13	1.43	1.35
32	6	601	CLA	CHC-C1C	3.13	1.43	1.35
32	P	601	CLA	CHC-C1C	3.13	1.43	1.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	5	310	CLA	CHC-C1C	3.13	1.43	1.35
32	5	302	CLA	CHC-C1C	3.13	1.43	1.35
32	9	604	CLA	CHC-C1C	3.13	1.43	1.35
32	5	307	CLA	CHC-C1C	3.12	1.43	1.35
32	b	604	CLA	C4D-ND	-3.12	1.33	1.37
32	1	603	CLA	CHC-C1C	3.12	1.43	1.35
32	P	606	CLA	CHC-C1C	3.12	1.43	1.35
32	4	609	CLA	CHC-C1C	3.12	1.43	1.35
32	p	302	CLA	CHC-C1C	3.12	1.43	1.35
32	C	511	CLA	C4D-ND	-3.12	1.33	1.37
32	a	405	CLA	C4D-ND	-3.12	1.33	1.37
32	1	609	CLA	CHC-C1C	3.12	1.43	1.35
31	b	623	8CT	C18-C17	3.12	1.53	1.43
32	1	607	CLA	CHC-C1C	3.12	1.43	1.35
32	3	604	CLA	CHC-C1C	3.12	1.43	1.35
32	p	313	CLA	CHC-C1C	3.12	1.43	1.35
32	s	302	CLA	CHC-C1C	3.12	1.43	1.35
32	A	602	CLA	C4D-ND	-3.12	1.33	1.37
32	b	608	CLA	C4D-ND	-3.12	1.33	1.37
32	2	612	CLA	CHC-C1C	3.12	1.43	1.35
31	K	101	8CT	C18-C17	3.12	1.53	1.43
32	0	612	CLA	CHC-C1C	3.12	1.43	1.35
32	p	306	CLA	CHC-C1C	3.12	1.43	1.35
32	d	403	CLA	CHC-C1C	3.12	1.43	1.35
32	7	603	CLA	CHC-C1C	3.12	1.43	1.35
32	5	313	CLA	CHC-C1C	3.12	1.43	1.35
32	8	602	CLA	C4D-ND	-3.12	1.33	1.37
32	8	609	CLA	CHC-C1C	3.12	1.43	1.35
32	6	606	CLA	CHC-C1C	3.12	1.43	1.35
32	c	513	CLA	CHC-C1C	3.12	1.43	1.35
32	5	305	CLA	CHC-C1C	3.11	1.42	1.35
31	h	102	8CT	C01-C02	3.11	1.56	1.50
32	6	608	CLA	CHC-C1C	3.11	1.42	1.35
32	c	511	CLA	C4D-ND	-3.11	1.33	1.37
32	p	305	CLA	CHC-C1C	3.11	1.42	1.35
32	p	310	CLA	CHC-C1C	3.11	1.42	1.35
32	5	306	CLA	CHC-C1C	3.11	1.42	1.35
32	7	608	CLA	CHC-C1C	3.11	1.42	1.35
32	0	602	CLA	CHC-C1C	3.11	1.42	1.35
32	7	606	CLA	CHC-C1C	3.11	1.42	1.35
32	9	606	CLA	CHC-C1C	3.11	1.42	1.35
32	S	303	CLA	CHC-C1C	3.11	1.42	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	s	303	CLA	CHC-C1C	3.11	1.42	1.35
31	3	615	8CT	C18-C17	3.10	1.53	1.43
32	C	513	CLA	CHC-C1C	3.10	1.42	1.35
32	9	610	CLA	CHC-C1C	3.10	1.42	1.35
32	4	612	CLA	CHC-C1C	3.10	1.42	1.35
32	6	611	CLA	CHC-C1C	3.10	1.42	1.35
32	8	601	CLA	CHC-C1C	3.10	1.42	1.35
32	9	601	CLA	CHC-C1C	3.10	1.42	1.35
32	0	603	CLA	CHC-C1C	3.10	1.42	1.35
31	B	624	8CT	C18-C17	3.10	1.53	1.43
32	0	611	CLA	CHC-C1C	3.10	1.42	1.35
32	6	604	CLA	CHC-C1C	3.10	1.42	1.35
32	B	602	CLA	C4D-ND	-3.10	1.33	1.37
32	2	603	CLA	CHC-C1C	3.10	1.42	1.35
32	9	603	CLA	CHC-C1C	3.10	1.42	1.35
32	3	610	CLA	CHC-C1C	3.10	1.42	1.35
32	a	408	CLA	CHC-C1C	3.10	1.42	1.35
32	2	609	CLA	CHC-C1C	3.10	1.42	1.35
32	3	611	CLA	CHC-C1C	3.10	1.42	1.35
32	8	604	CLA	CHC-C1C	3.10	1.42	1.35
32	B	608	CLA	C4D-ND	-3.10	1.33	1.37
32	c	504	CLA	C4D-ND	-3.10	1.33	1.37
32	P	604	CLA	CHC-C1C	3.10	1.42	1.35
32	b	611	CLA	CHC-C1C	3.10	1.42	1.35
32	B	611	CLA	CHC-C1C	3.10	1.42	1.35
32	0	604	CLA	CHC-C1C	3.10	1.42	1.35
32	2	604	CLA	CHC-C1C	3.09	1.42	1.35
32	3	601	CLA	CHC-C1C	3.09	1.42	1.35
32	9	604	CLA	C4D-ND	-3.09	1.33	1.37
32	2	608	CLA	CHC-C1C	3.09	1.42	1.35
32	2	602	CLA	C4D-ND	-3.09	1.33	1.37
32	9	602	CLA	C4D-ND	-3.09	1.33	1.37
32	b	602	CLA	CHC-C1C	3.09	1.42	1.35
32	C	512	CLA	C4D-ND	-3.09	1.33	1.37
32	P	611	CLA	CHC-C1C	3.09	1.42	1.35
32	3	604	CLA	C4D-ND	-3.09	1.33	1.37
32	6	607	CLA	CHC-C1C	3.09	1.42	1.35
32	4	602	CLA	CHC-C1C	3.09	1.42	1.35
32	8	608	CLA	CHC-C1C	3.09	1.42	1.35
32	9	611	CLA	CHC-C1C	3.09	1.42	1.35
32	7	604	CLA	CHC-C1C	3.09	1.42	1.35
32	D	404	CLA	CHC-C1C	3.09	1.42	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	1	604	CLA	CHC-C1C	3.09	1.42	1.35
32	7	611	CLA	CHC-C1C	3.09	1.42	1.35
32	c	510	CLA	C4D-ND	-3.09	1.33	1.37
32	c	504	CLA	CHC-C1C	3.09	1.42	1.35
32	P	607	CLA	CHC-C1C	3.09	1.42	1.35
32	B	603	CLA	CHC-C1C	3.09	1.42	1.35
32	4	608	CLA	CHC-C1C	3.09	1.42	1.35
31	h	102	8CT	C18-C17	3.08	1.53	1.43
31	k	102	8CT	C18-C17	3.08	1.53	1.43
32	4	611	CLA	CHC-C1C	3.08	1.42	1.35
32	2	605	CLA	CHC-C1C	3.08	1.42	1.35
32	9	608	CLA	CHC-C1C	3.08	1.42	1.35
31	9	615	8CT	C18-C17	3.08	1.53	1.43
32	c	509	CLA	CHC-C1C	3.08	1.42	1.35
31	H	102	8CT	C18-C17	3.08	1.53	1.43
32	1	613	CLA	CHC-C1C	3.08	1.42	1.35
32	3	606	CLA	CHC-C1C	3.08	1.42	1.35
32	B	604	CLA	C4D-ND	-3.08	1.33	1.37
32	7	602	CLA	CHC-C1C	3.08	1.42	1.35
32	c	509	CLA	C4D-ND	-3.07	1.33	1.37
32	A	605	CLA	CHC-C1C	3.07	1.42	1.35
32	C	509	CLA	CHC-C1C	3.07	1.42	1.35
39	B	601	SQD	C24-C23	3.07	1.59	1.50
32	C	513	CLA	C4D-ND	-3.07	1.33	1.37
32	8	605	CLA	CHC-C1C	3.07	1.42	1.35
32	B	607	CLA	C4D-ND	-3.07	1.33	1.37
32	9	607	CLA	CHC-C1C	3.07	1.42	1.35
32	B	612	CLA	CHC-C1C	3.07	1.42	1.35
32	C	507	CLA	CHC-C1C	3.07	1.42	1.35
32	p	309	CLA	C4D-ND	-3.07	1.33	1.37
32	7	613	CLA	CHC-C1C	3.07	1.42	1.35
32	1	602	CLA	CHC-C1C	3.06	1.42	1.35
32	2	601	CLA	CHC-C1C	3.06	1.42	1.35
47	V	201	HEM	CAB-C3B	3.06	1.55	1.47
32	b	603	CLA	CHC-C1C	3.06	1.42	1.35
32	c	505	CLA	C4D-ND	-3.06	1.33	1.37
32	C	505	CLA	C4D-ND	-3.06	1.33	1.37
32	3	607	CLA	CHC-C1C	3.06	1.42	1.35
32	2	608	CLA	C4D-ND	-3.06	1.33	1.37
32	1	602	CLA	C4D-ND	-3.06	1.33	1.37
32	8	603	CLA	CHC-C1C	3.06	1.42	1.35
47	v	201	HEM	CAB-C3B	3.06	1.55	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	b	607	CLA	CHC-C1C	3.05	1.42	1.35
32	C	504	CLA	CHC-C1C	3.05	1.42	1.35
32	7	605	CLA	CHC-C1C	3.05	1.42	1.35
32	B	609	CLA	CHC-C1C	3.05	1.42	1.35
32	B	615	CLA	CHC-C1C	3.05	1.42	1.35
32	c	511	CLA	CHC-C1C	3.05	1.42	1.35
32	1	611	CLA	CHC-C1C	3.05	1.42	1.35
32	g	102	CLA	CHC-C1C	3.05	1.42	1.35
39	b	601	SQD	C24-C23	3.05	1.59	1.50
32	b	616	CLA	C4D-ND	-3.05	1.33	1.37
32	C	504	CLA	C4D-ND	-3.05	1.33	1.37
31	B	623	8CT	C35-C30	3.05	1.64	1.56
32	8	608	CLA	C4D-ND	-3.05	1.33	1.37
32	9	609	CLA	C4D-ND	-3.05	1.33	1.37
32	c	506	CLA	CHC-C1C	3.05	1.42	1.35
32	c	507	CLA	CHC-C1C	3.04	1.42	1.35
32	3	608	CLA	CHC-C1C	3.04	1.42	1.35
32	b	614	CLA	CHC-C1C	3.04	1.42	1.35
32	B	614	CLA	CHC-C1C	3.04	1.42	1.35
32	B	607	CLA	CHC-C1C	3.04	1.42	1.35
31	D	409	8CT	C18-C17	3.04	1.52	1.43
31	d	408	8CT	C18-C17	3.04	1.52	1.43
31	a	413	8CT	C35-C30	3.04	1.64	1.56
32	8	606	CLA	CHC-C1C	3.04	1.42	1.35
32	b	615	CLA	CHC-C1C	3.04	1.42	1.35
32	C	511	CLA	CHC-C1C	3.04	1.42	1.35
31	a	413	8CT	C18-C17	3.04	1.52	1.43
31	P	615	8CT	C10-C03	3.04	1.55	1.45
32	3	607	CLA	C4D-ND	-3.04	1.33	1.37
32	C	503	CLA	CHC-C1C	3.04	1.42	1.35
32	b	612	CLA	CHC-C1C	3.03	1.42	1.35
32	c	510	CLA	CHC-C1C	3.03	1.42	1.35
32	C	508	CLA	CHC-C1C	3.03	1.42	1.35
32	7	608	CLA	C4D-ND	-3.03	1.33	1.37
32	c	503	CLA	CHC-C1C	3.03	1.42	1.35
32	c	505	CLA	CHC-C1C	3.03	1.42	1.35
32	b	607	CLA	C4D-ND	-3.03	1.33	1.37
32	c	508	CLA	CHC-C1C	3.03	1.42	1.35
31	b	622	8CT	C18-C17	3.03	1.52	1.43
32	1	605	CLA	CHC-C1C	3.03	1.42	1.35
32	5	304	CLA	C4D-ND	-3.03	1.33	1.37
31	b	622	8CT	C35-C30	3.03	1.64	1.56

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	G	101	CLA	CHC-C1C	3.03	1.42	1.35
32	8	604	CLA	C4D-ND	-3.03	1.33	1.37
32	2	606	CLA	CHC-C1C	3.03	1.42	1.35
32	b	608	CLA	CHC-C1C	3.03	1.42	1.35
32	3	609	CLA	C4D-ND	-3.03	1.33	1.37
32	b	613	CLA	CHC-C1C	3.03	1.42	1.35
32	B	613	CLA	CHC-C1C	3.03	1.42	1.35
31	6	615	8CT	C10-C03	3.02	1.55	1.45
32	c	513	CLA	C4D-ND	-3.02	1.33	1.37
32	C	505	CLA	CHC-C1C	3.02	1.42	1.35
32	s	302	CLA	C4D-ND	-3.02	1.33	1.37
32	7	602	CLA	C4D-ND	-3.02	1.33	1.37
32	B	606	CLA	CHC-C1C	3.02	1.42	1.35
32	5	309	CLA	C4D-ND	-3.02	1.33	1.37
31	B	623	8CT	C18-C17	3.02	1.52	1.43
32	b	606	CLA	CHC-C1C	3.02	1.42	1.35
31	M	201	8CT	C18-C17	3.02	1.52	1.43
32	b	602	CLA	C4D-ND	-3.02	1.33	1.37
32	C	512	CLA	CHC-C1C	3.01	1.42	1.35
32	A	602	CLA	CHC-C1C	3.01	1.42	1.35
32	C	501	CLA	CHC-C1C	3.01	1.42	1.35
32	C	506	CLA	CHC-C1C	3.01	1.42	1.35
32	b	609	CLA	CHC-C1C	3.01	1.42	1.35
32	P	602	CLA	C4D-ND	-3.01	1.33	1.37
32	6	602	CLA	C4D-ND	-3.01	1.33	1.37
32	S	303	CLA	C4D-ND	-3.01	1.33	1.37
32	0	608	CLA	C4D-ND	-3.01	1.33	1.37
32	3	603	CLA	C4D-ND	-3.01	1.33	1.37
32	c	512	CLA	CHC-C1C	3.01	1.42	1.35
32	a	405	CLA	CHC-C1C	3.01	1.42	1.35
32	D	401	CLA	CHC-C1C	3.01	1.42	1.35
32	b	616	CLA	CHC-C1C	3.01	1.42	1.35
32	2	604	CLA	C4D-ND	-3.01	1.33	1.37
32	2	607	CLA	C4D-ND	-3.01	1.33	1.37
32	5	303	CLA	C4D-ND	-3.01	1.33	1.37
32	S	302	CLA	C4D-ND	-3.01	1.33	1.37
32	2	609	CLA	C4D-ND	-3.00	1.33	1.37
32	8	609	CLA	C4D-ND	-3.00	1.33	1.37
32	3	610	CLA	C4D-ND	-3.00	1.33	1.37
32	b	604	CLA	CHC-C1C	3.00	1.42	1.35
32	B	617	CLA	CHC-C1C	3.00	1.42	1.35
32	3	606	CLA	C4D-ND	-3.00	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	C	510	CLA	CHC-C1C	3.00	1.42	1.35
32	C	503	CLA	C4D-ND	-3.00	1.33	1.37
32	p	304	CLA	C4D-ND	-3.00	1.33	1.37
32	3	611	CLA	C4D-ND	-3.00	1.33	1.37
32	7	604	CLA	C4D-ND	-3.00	1.33	1.37
32	c	501	CLA	CHC-C1C	3.00	1.42	1.35
32	1	603	CLA	C4D-ND	-3.00	1.33	1.37
32	b	610	CLA	CHC-C1C	2.99	1.42	1.35
32	d	409	CLA	CHC-C1C	2.99	1.42	1.35
32	B	608	CLA	CHC-C1C	2.99	1.42	1.35
32	B	610	CLA	CHC-C1C	2.99	1.42	1.35
31	B	622	8CT	C18-C17	2.99	1.52	1.43
32	1	604	CLA	C4D-ND	-2.99	1.33	1.37
32	P	603	CLA	C4D-ND	-2.98	1.33	1.37
47	f	101	HEM	CAB-C3B	2.98	1.55	1.47
32	b	617	CLA	CHC-C1C	2.98	1.42	1.35
32	C	502	CLA	CHC-C1C	2.98	1.42	1.35
31	B	624	8CT	C10-C03	2.98	1.55	1.45
32	3	608	CLA	C4D-ND	-2.98	1.33	1.37
32	9	608	CLA	C4D-ND	-2.98	1.33	1.37
32	B	604	CLA	CHC-C1C	2.97	1.42	1.35
32	9	610	CLA	C4D-ND	-2.97	1.33	1.37
32	3	601	CLA	C4D-ND	-2.97	1.33	1.37
32	c	503	CLA	C4D-ND	-2.97	1.33	1.37
32	9	611	CLA	C4D-ND	-2.97	1.33	1.37
32	4	604	CLA	C4D-ND	-2.97	1.33	1.37
32	9	606	CLA	C4D-ND	-2.97	1.33	1.37
32	B	616	CLA	CHC-C1C	2.96	1.42	1.35
39	B	620	SQD	C24-C23	2.96	1.59	1.50
32	6	603	CLA	C4D-ND	-2.96	1.33	1.37
31	D	409	8CT	C10-C03	2.96	1.55	1.45
39	a	409	SQD	C24-C23	2.96	1.59	1.50
32	9	601	CLA	C4D-ND	-2.96	1.33	1.37
32	1	605	CLA	C4D-ND	-2.96	1.33	1.37
32	7	603	CLA	C4D-ND	-2.96	1.33	1.37
31	k	102	8CT	C10-C03	2.96	1.55	1.45
32	9	603	CLA	C4D-ND	-2.96	1.33	1.37
32	2	612	CLA	C4D-ND	-2.96	1.33	1.37
32	2	606	CLA	C4D-ND	-2.96	1.33	1.37
32	s	303	CLA	C4D-ND	-2.96	1.33	1.37
47	E	101	HEM	CAB-C3B	2.96	1.55	1.47
31	b	623	8CT	C10-C03	2.96	1.55	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	5	313	CLA	C4D-ND	-2.96	1.33	1.37
32	2	601	CLA	C4D-ND	-2.95	1.33	1.37
32	p	303	CLA	C4D-ND	-2.95	1.33	1.37
32	1	606	CLA	C4D-ND	-2.95	1.33	1.37
32	8	606	CLA	C4D-ND	-2.95	1.33	1.37
32	1	612	CLA	C4D-ND	-2.95	1.33	1.37
32	0	603	CLA	C4D-ND	-2.95	1.33	1.37
32	0	604	CLA	C4D-ND	-2.95	1.33	1.37
32	6	607	CLA	C4D-ND	-2.95	1.33	1.37
39	A	606	SQD	C24-C23	2.95	1.59	1.50
39	b	620	SQD	C24-C23	2.95	1.59	1.50
31	3	615	8CT	C10-C03	2.95	1.55	1.45
31	d	408	8CT	C10-C03	2.95	1.55	1.45
32	8	605	CLA	C4D-ND	-2.95	1.33	1.37
32	p	307	CLA	C4D-ND	-2.95	1.33	1.37
32	4	608	CLA	C4D-ND	-2.94	1.33	1.37
32	b	605	CLA	C4D-ND	-2.94	1.33	1.37
32	0	602	CLA	C4D-ND	-2.94	1.33	1.37
32	P	606	CLA	C4D-ND	-2.94	1.33	1.37
31	9	615	8CT	C10-C03	2.94	1.55	1.45
31	K	102	8CT	C18-C17	2.94	1.52	1.43
31	B	623	8CT	C10-C03	2.94	1.55	1.45
32	9	607	CLA	C4D-ND	-2.94	1.33	1.37
31	b	622	8CT	C10-C03	2.94	1.55	1.45
31	k	101	8CT	C18-C17	2.94	1.52	1.43
32	a	406	CLA	CHC-C1C	2.93	1.42	1.35
32	6	606	CLA	C4D-ND	-2.93	1.33	1.37
32	8	601	CLA	C4D-ND	-2.93	1.33	1.37
32	2	605	CLA	C4D-ND	-2.93	1.33	1.37
32	c	502	CLA	CHC-C1C	2.93	1.42	1.35
32	4	602	CLA	C4D-ND	-2.93	1.33	1.37
32	6	604	CLA	C4D-ND	-2.93	1.33	1.37
32	P	607	CLA	C4D-ND	-2.93	1.33	1.37
32	7	606	CLA	C4D-ND	-2.93	1.33	1.37
31	c	518	8CT	C10-C03	2.93	1.55	1.45
31	C	518	8CT	C10-C03	2.93	1.55	1.45
31	K	101	8CT	C10-C03	2.93	1.55	1.45
32	8	607	CLA	C4D-ND	-2.92	1.33	1.37
32	1	608	CLA	C4D-ND	-2.92	1.33	1.37
32	2	603	CLA	C4D-ND	-2.92	1.33	1.37
32	8	603	CLA	C4D-ND	-2.92	1.33	1.37
32	7	605	CLA	C4D-ND	-2.92	1.33	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	Z	101	8CT	C07-C02	-2.92	1.45	1.51
32	8	612	CLA	C4D-ND	-2.92	1.33	1.37
32	P	601	CLA	C4D-ND	-2.92	1.33	1.37
32	8	611	CLA	C4D-ND	-2.92	1.33	1.37
31	H	102	8CT	C10-C03	2.91	1.55	1.45
31	h	102	8CT	C10-C03	2.91	1.55	1.45
32	1	609	CLA	C4D-ND	-2.91	1.33	1.37
32	5	312	CLA	C4D-ND	-2.91	1.33	1.37
32	p	308	CLA	C4D-ND	-2.91	1.33	1.37
31	A	610	8CT	C18-C17	2.91	1.52	1.43
32	6	610	CLA	C4D-ND	-2.91	1.33	1.37
32	4	603	CLA	C4D-ND	-2.91	1.33	1.37
32	A	603	CLA	CHC-C1C	2.91	1.42	1.35
31	z	101	8CT	C07-C02	-2.91	1.45	1.51
32	p	312	CLA	C4D-ND	-2.91	1.33	1.37
32	1	601	CLA	C4D-ND	-2.91	1.33	1.37
32	4	611	CLA	C4D-ND	-2.91	1.33	1.37
32	B	605	CLA	C4D-ND	-2.91	1.33	1.37
31	k	101	8CT	C10-C03	2.90	1.55	1.45
32	5	302	CLA	C4D-ND	-2.90	1.33	1.37
32	6	608	CLA	C4D-ND	-2.90	1.33	1.37
41	a	407	PHO	CAC-C3C	-2.90	1.47	1.52
32	g	102	CLA	C4D-ND	-2.90	1.33	1.37
31	z	101	8CT	C18-C17	2.90	1.52	1.43
32	6	601	CLA	C4D-ND	-2.90	1.33	1.37
31	Z	101	8CT	C18-C17	2.90	1.52	1.43
32	p	306	CLA	C4D-ND	-2.89	1.33	1.37
32	2	611	CLA	C4D-ND	-2.89	1.33	1.37
32	0	611	CLA	C4D-ND	-2.89	1.33	1.37
32	7	601	CLA	C4D-ND	-2.89	1.33	1.37
32	5	307	CLA	C4D-ND	-2.89	1.33	1.37
32	P	608	CLA	C4D-ND	-2.89	1.33	1.37
32	P	611	CLA	C4D-ND	-2.89	1.33	1.37
32	b	605	CLA	CHC-C1C	2.89	1.42	1.35
32	B	605	CLA	CHC-C1C	2.89	1.42	1.35
31	a	413	8CT	C10-C03	2.88	1.55	1.45
32	0	601	CLA	C4D-ND	-2.88	1.33	1.37
32	P	604	CLA	C4D-ND	-2.88	1.33	1.37
32	p	305	CLA	C4D-ND	-2.88	1.33	1.37
31	K	102	8CT	C10-C03	2.88	1.55	1.45
32	7	612	CLA	C4D-ND	-2.88	1.33	1.37
32	p	302	CLA	C4D-ND	-2.88	1.33	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	G	101	CLA	C4D-ND	-2.88	1.33	1.37
32	7	607	CLA	C4D-ND	-2.88	1.33	1.37
32	P	610	CLA	C4D-ND	-2.88	1.33	1.37
31	z	101	8CT	C10-C03	2.88	1.55	1.45
41	A	604	PHO	CAC-C3C	-2.88	1.47	1.52
32	p	313	CLA	C4D-ND	-2.88	1.33	1.37
31	Z	101	8CT	C10-C03	2.87	1.55	1.45
31	A	610	8CT	C10-C03	2.87	1.55	1.45
32	p	310	CLA	C4D-ND	-2.87	1.33	1.37
32	4	613	CLA	C4D-ND	-2.87	1.33	1.37
32	7	609	CLA	C4D-ND	-2.87	1.33	1.37
32	1	607	CLA	C4D-ND	-2.87	1.33	1.37
31	b	623	8CT	C30-C29	2.86	1.54	1.50
32	5	308	CLA	C4D-ND	-2.86	1.33	1.37
31	B	624	8CT	C30-C29	2.86	1.54	1.50
32	4	607	CLA	C4D-ND	-2.86	1.33	1.37
32	9	605	CLA	C4D-ND	-2.86	1.33	1.37
32	3	605	CLA	C4D-ND	-2.86	1.33	1.37
31	M	201	8CT	C10-C03	2.86	1.55	1.45
31	K	102	8CT	C30-C29	2.85	1.54	1.50
32	5	305	CLA	C4D-ND	-2.85	1.33	1.37
32	5	306	CLA	C4D-ND	-2.85	1.33	1.37
32	5	310	CLA	C4D-ND	-2.85	1.33	1.37
32	6	611	CLA	C4D-ND	-2.85	1.33	1.37
32	0	605	CLA	C4D-ND	-2.85	1.33	1.37
31	M	201	8CT	C07-C02	-2.84	1.45	1.51
31	B	622	8CT	C07-C02	-2.84	1.45	1.51
32	0	613	CLA	C4D-ND	-2.84	1.33	1.37
31	b	622	8CT	C30-C29	2.84	1.54	1.50
31	B	622	8CT	C10-C03	2.83	1.55	1.45
32	4	601	CLA	C4D-ND	-2.83	1.33	1.37
32	0	609	CLA	C4D-ND	-2.83	1.33	1.37
32	0	607	CLA	C4D-ND	-2.82	1.33	1.37
32	4	609	CLA	C4D-ND	-2.82	1.33	1.37
31	B	623	8CT	C30-C29	2.82	1.54	1.50
32	4	605	CLA	C4D-ND	-2.82	1.33	1.37
43	d	404	PL9	C6-C1	-2.82	1.43	1.48
32	7	611	CLA	C4D-ND	-2.81	1.33	1.37
32	G	101	CLA	CMB-C2B	-2.81	1.45	1.51
32	0	606	CLA	C4D-ND	-2.81	1.33	1.37
33	7	610	KC2	CBA-CGA	-2.81	1.42	1.48
33	P	605	KC2	CBA-CGA	-2.79	1.42	1.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	D	405	PL9	C6-C1	-2.79	1.43	1.48
32	1	613	CLA	C4D-ND	-2.79	1.33	1.37
31	a	413	8CT	C07-C02	-2.78	1.45	1.51
32	4	612	CLA	C4D-ND	-2.78	1.33	1.37
32	7	613	CLA	C4D-ND	-2.78	1.33	1.37
32	g	102	CLA	CMB-C2B	-2.78	1.45	1.51
33	5	311	KC2	CBA-CGA	-2.78	1.42	1.48
32	4	606	CLA	C4D-ND	-2.77	1.33	1.37
31	k	101	8CT	C30-C29	2.77	1.54	1.50
33	1	610	KC2	CBA-CGA	-2.77	1.42	1.48
33	6	605	KC2	CBA-CGA	-2.77	1.42	1.48
32	1	611	CLA	C4D-ND	-2.77	1.33	1.37
32	0	612	CLA	C4D-ND	-2.77	1.33	1.37
31	c	518	8CT	C07-C02	-2.76	1.45	1.51
31	H	102	8CT	C07-C02	-2.76	1.45	1.51
31	K	101	8CT	C07-C02	-2.75	1.45	1.51
31	d	408	8CT	C07-C02	-2.75	1.45	1.51
33	4	610	KC2	CBA-CGA	-2.75	1.42	1.48
31	k	102	8CT	C07-C02	-2.74	1.45	1.51
33	0	610	KC2	CBA-CGA	-2.74	1.42	1.48
33	8	610	KC2	CBA-CGA	-2.74	1.42	1.48
31	A	610	8CT	C30-C29	2.74	1.54	1.50
33	p	311	KC2	CBA-CGA	-2.74	1.42	1.48
31	C	518	8CT	C07-C02	-2.74	1.45	1.51
31	P	615	8CT	C07-C02	-2.73	1.45	1.51
31	h	102	8CT	C07-C02	-2.73	1.45	1.51
33	2	610	KC2	CBA-CGA	-2.73	1.42	1.48
31	A	610	8CT	C07-C02	-2.73	1.45	1.51
31	D	409	8CT	C07-C02	-2.72	1.45	1.51
32	C	502	CLA	CMB-C2B	-2.71	1.46	1.51
32	b	604	CLA	CMB-C2B	-2.71	1.46	1.51
31	6	615	8CT	C07-C02	-2.71	1.45	1.51
33	6	609	KC2	CBA-CGA	-2.70	1.42	1.48
32	C	506	CLA	CMB-C2B	-2.69	1.46	1.51
32	B	604	CLA	CMB-C2B	-2.68	1.46	1.51
32	b	609	CLA	CMB-C2B	-2.67	1.46	1.51
32	B	609	CLA	CMB-C2B	-2.67	1.46	1.51
33	P	609	KC2	CBA-CGA	-2.67	1.42	1.48
31	a	413	8CT	C30-C29	2.67	1.54	1.50
32	c	502	CLA	CMB-C2B	-2.67	1.46	1.51
31	K	102	8CT	C07-C02	-2.67	1.45	1.51
31	B	623	8CT	C07-C02	-2.66	1.45	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	a	406	CLA	CMB-C2B	-2.66	1.46	1.51
31	b	622	8CT	C07-C02	-2.66	1.45	1.51
45	C	514	DGD	O1G-C1G	-2.66	1.39	1.45
32	A	603	CLA	CMB-C2B	-2.65	1.46	1.51
32	c	506	CLA	CMB-C2B	-2.65	1.46	1.51
45	c	514	DGD	O1G-C1G	-2.65	1.39	1.45
41	d	410	PHO	CAC-C3C	-2.65	1.47	1.52
31	k	101	8CT	C07-C02	-2.64	1.45	1.51
31	B	624	8CT	C07-C02	-2.64	1.45	1.51
33	6	605	KC2	C4B-NB	-2.64	1.34	1.37
31	3	615	8CT	C07-C02	-2.63	1.45	1.51
32	8	605	CLA	CMB-C2B	-2.63	1.46	1.51
32	B	605	CLA	CMB-C2B	-2.63	1.46	1.51
41	D	402	PHO	CAC-C3C	-2.62	1.47	1.52
32	b	610	CLA	CMB-C2B	-2.62	1.46	1.51
31	b	623	8CT	C07-C02	-2.61	1.45	1.51
32	2	605	CLA	CMB-C2B	-2.61	1.46	1.51
32	b	605	CLA	CMB-C2B	-2.60	1.46	1.51
31	9	615	8CT	C07-C02	-2.58	1.45	1.51
33	8	610	KC2	C4B-NB	-2.58	1.34	1.37
32	c	508	CLA	CMB-C2B	-2.56	1.46	1.51
33	P	605	KC2	C4B-NB	-2.56	1.34	1.37
32	B	608	CLA	CMB-C2B	-2.56	1.46	1.51
32	c	511	CLA	CMB-C2B	-2.55	1.46	1.51
45	A	614	DGD	O2G-C2G	-2.55	1.40	1.46
32	7	605	CLA	CMB-C2B	-2.55	1.46	1.51
32	b	608	CLA	CMB-C2B	-2.54	1.46	1.51
32	D	403	CLA	CMB-C2B	-2.54	1.46	1.51
32	d	402	CLA	CMB-C2B	-2.54	1.46	1.51
32	C	512	CLA	CMB-C2B	-2.54	1.46	1.51
32	b	612	CLA	CMB-C2B	-2.54	1.46	1.51
32	c	512	CLA	CMB-C2B	-2.54	1.46	1.51
32	1	605	CLA	CMB-C2B	-2.54	1.46	1.51
45	a	414	DGD	O2G-C2G	-2.53	1.40	1.46
32	c	510	CLA	CMB-C2B	-2.53	1.46	1.51
32	b	603	CLA	CMB-C2B	-2.53	1.46	1.51
32	B	610	CLA	CMB-C2B	-2.53	1.46	1.51
45	c	514	DGD	O2G-C2G	-2.52	1.40	1.46
32	9	609	CLA	CMB-C2B	-2.52	1.46	1.51
32	B	611	CLA	CMB-C2B	-2.52	1.46	1.51
32	b	617	CLA	CMB-C2B	-2.52	1.46	1.51
32	C	508	CLA	CMB-C2B	-2.52	1.46	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	b	614	CLA	CMB-C2B	-2.52	1.46	1.51
33	0	610	KC2	C4B-NB	-2.52	1.34	1.37
32	C	510	CLA	CMB-C2B	-2.52	1.46	1.51
33	1	610	KC2	C4B-NB	-2.51	1.34	1.37
32	b	615	CLA	CMB-C2B	-2.51	1.46	1.51
32	B	615	CLA	CMB-C2B	-2.51	1.46	1.51
32	b	616	CLA	CMB-C2B	-2.51	1.46	1.51
32	3	606	CLA	CMB-C2B	-2.51	1.46	1.51
32	2	608	CLA	CMB-C2B	-2.51	1.46	1.51
32	B	614	CLA	CMB-C2B	-2.51	1.46	1.51
33	2	610	KC2	C4B-NB	-2.51	1.34	1.37
32	9	606	CLA	CMB-C2B	-2.50	1.46	1.51
32	C	503	CLA	CMB-C2B	-2.50	1.46	1.51
32	5	307	CLA	CMB-C2B	-2.50	1.46	1.51
32	C	511	CLA	CMB-C2B	-2.50	1.46	1.51
32	B	617	CLA	CMB-C2B	-2.50	1.46	1.51
32	b	606	CLA	CMB-C2B	-2.50	1.46	1.51
32	B	606	CLA	CMB-C2B	-2.50	1.46	1.51
32	b	602	CLA	CMB-C2B	-2.50	1.46	1.51
32	B	602	CLA	CMB-C2B	-2.50	1.46	1.51
32	8	608	CLA	CMB-C2B	-2.49	1.46	1.51
32	p	307	CLA	CMB-C2B	-2.49	1.46	1.51
45	C	514	DGD	O2G-C2G	-2.49	1.40	1.46
32	9	607	CLA	CMB-C2B	-2.49	1.46	1.51
32	B	612	CLA	CMB-C2B	-2.49	1.46	1.51
32	a	405	CLA	CMB-C2B	-2.49	1.46	1.51
32	c	507	CLA	CMB-C2B	-2.49	1.46	1.51
32	C	507	CLA	CMB-C2B	-2.49	1.46	1.51
32	5	303	CLA	CMB-C2B	-2.49	1.46	1.51
32	8	606	CLA	CMB-C2B	-2.49	1.46	1.51
32	C	505	CLA	CMB-C2B	-2.49	1.46	1.51
32	A	605	CLA	CMB-C2B	-2.49	1.46	1.51
33	7	610	KC2	C4B-NB	-2.49	1.34	1.37
32	c	509	CLA	CMB-C2B	-2.48	1.46	1.51
32	9	610	CLA	CMB-C2B	-2.48	1.46	1.51
32	B	603	CLA	CMB-C2B	-2.48	1.46	1.51
32	b	611	CLA	CMB-C2B	-2.48	1.46	1.51
32	B	607	CLA	CMB-C2B	-2.48	1.46	1.51
32	3	604	CLA	CMB-C2B	-2.48	1.46	1.51
32	5	306	CLA	CMB-C2B	-2.48	1.46	1.51
32	p	305	CLA	CMB-C2B	-2.48	1.46	1.51
32	D	401	CLA	CMB-C2B	-2.48	1.46	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	p	306	CLA	CMB-C2B	-2.48	1.46	1.51
32	B	616	CLA	CMB-C2B	-2.48	1.46	1.51
32	d	409	CLA	CMB-C2B	-2.47	1.46	1.51
32	4	604	CLA	CMB-C2B	-2.47	1.46	1.51
32	s	302	CLA	CMB-C2B	-2.47	1.46	1.51
32	3	601	CLA	CMB-C2B	-2.47	1.46	1.51
32	P	603	CLA	CMB-C2B	-2.47	1.46	1.51
32	C	501	CLA	CMB-C2B	-2.47	1.46	1.51
32	p	312	CLA	CMB-C2B	-2.47	1.46	1.51
32	9	603	CLA	CMB-C2B	-2.47	1.46	1.51
32	B	613	CLA	CMB-C2B	-2.47	1.46	1.51
32	s	303	CLA	CMB-C2B	-2.47	1.46	1.51
32	2	601	CLA	CMB-C2B	-2.47	1.46	1.51
32	c	503	CLA	CMB-C2B	-2.47	1.46	1.51
32	3	603	CLA	CMB-C2B	-2.47	1.46	1.51
38	D	406	LHG	O7-C5	-2.46	1.40	1.46
32	C	509	CLA	CMB-C2B	-2.46	1.46	1.51
32	9	604	CLA	CMB-C2B	-2.46	1.46	1.51
38	d	405	LHG	O7-C5	-2.46	1.40	1.46
32	c	513	CLA	CMB-C2B	-2.46	1.46	1.51
32	5	305	CLA	CMB-C2B	-2.46	1.46	1.51
32	a	408	CLA	CMB-C2B	-2.46	1.46	1.51
32	S	302	CLA	CMB-C2B	-2.46	1.46	1.51
32	b	607	CLA	CMB-C2B	-2.46	1.46	1.51
32	3	609	CLA	CMB-C2B	-2.46	1.46	1.51
32	3	602	CLA	CMB-C2B	-2.46	1.46	1.51
32	3	608	CLA	CMB-C2B	-2.46	1.46	1.51
32	8	607	CLA	CMB-C2B	-2.46	1.46	1.51
32	p	310	CLA	CMB-C2B	-2.46	1.46	1.51
32	p	303	CLA	CMB-C2B	-2.46	1.46	1.51
32	7	608	CLA	CMB-C2B	-2.46	1.46	1.51
32	6	603	CLA	CMB-C2B	-2.45	1.46	1.51
32	3	607	CLA	CMB-C2B	-2.45	1.46	1.51
32	0	606	CLA	CMB-C2B	-2.45	1.46	1.51
32	C	513	CLA	CMB-C2B	-2.45	1.46	1.51
32	1	609	CLA	CMB-C2B	-2.45	1.46	1.51
32	2	609	CLA	CMB-C2B	-2.45	1.46	1.51
32	3	610	CLA	CMB-C2B	-2.45	1.46	1.51
32	0	604	CLA	CMB-C2B	-2.45	1.46	1.51
32	9	608	CLA	CMB-C2B	-2.45	1.46	1.51
32	6	610	CLA	CMB-C2B	-2.45	1.46	1.51
32	c	505	CLA	CMB-C2B	-2.45	1.46	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	2	612	CLA	CMB-C2B	-2.45	1.46	1.51
32	7	602	CLA	CMB-C2B	-2.45	1.46	1.51
33	p	311	KC2	C4B-NB	-2.45	1.34	1.37
32	A	602	CLA	CMB-C2B	-2.45	1.46	1.51
32	P	611	CLA	CMB-C2B	-2.44	1.46	1.51
32	2	607	CLA	CMB-C2B	-2.44	1.46	1.51
32	5	312	CLA	CMB-C2B	-2.44	1.46	1.51
32	P	610	CLA	CMB-C2B	-2.44	1.46	1.51
32	p	304	CLA	CMB-C2B	-2.44	1.46	1.51
32	6	608	CLA	CMB-C2B	-2.44	1.46	1.51
32	c	501	CLA	CMB-C2B	-2.44	1.46	1.51
32	7	607	CLA	CMB-C2B	-2.44	1.46	1.51
32	2	602	CLA	CMB-C2B	-2.44	1.46	1.51
32	2	603	CLA	CMB-C2B	-2.44	1.46	1.51
32	0	603	CLA	CMB-C2B	-2.44	1.46	1.51
32	9	602	CLA	CMB-C2B	-2.44	1.46	1.51
32	p	302	CLA	CMB-C2B	-2.44	1.46	1.51
38	l	102	LHG	O7-C5	-2.44	1.40	1.46
32	S	303	CLA	CMB-C2B	-2.44	1.46	1.51
32	b	613	CLA	CMB-C2B	-2.44	1.46	1.51
32	2	606	CLA	CMB-C2B	-2.44	1.46	1.51
32	4	602	CLA	CMB-C2B	-2.44	1.46	1.51
32	0	602	CLA	CMB-C2B	-2.44	1.46	1.51
32	3	611	CLA	CMB-C2B	-2.43	1.46	1.51
32	4	612	CLA	CMB-C2B	-2.43	1.46	1.51
32	1	604	CLA	CMB-C2B	-2.43	1.46	1.51
32	1	606	CLA	CMB-C2B	-2.43	1.46	1.51
32	0	605	CLA	CMB-C2B	-2.43	1.46	1.51
32	8	601	CLA	CMB-C2B	-2.43	1.46	1.51
32	7	601	CLA	CMB-C2B	-2.43	1.46	1.51
32	P	608	CLA	CMB-C2B	-2.43	1.46	1.51
32	P	607	CLA	CMB-C2B	-2.43	1.46	1.51
33	6	609	KC2	C4B-NB	-2.43	1.34	1.37
32	1	607	CLA	CMB-C2B	-2.43	1.46	1.51
32	4	607	CLA	CMB-C2B	-2.43	1.46	1.51
32	0	612	CLA	CMB-C2B	-2.43	1.46	1.51
32	4	601	CLA	CMB-C2B	-2.43	1.46	1.51
32	1	601	CLA	CMB-C2B	-2.43	1.46	1.51
32	5	304	CLA	CMB-C2B	-2.43	1.46	1.51
32	9	605	CLA	CMB-C2B	-2.43	1.46	1.51
32	5	302	CLA	CMB-C2B	-2.43	1.46	1.51
32	p	313	CLA	CMB-C2B	-2.43	1.46	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	1	613	CLA	CMB-C2B	-2.42	1.46	1.51
33	5	311	KC2	C4B-NB	-2.42	1.34	1.37
43	D	405	PL9	C53-C6	-2.42	1.45	1.50
32	9	611	CLA	CMB-C2B	-2.42	1.46	1.51
38	L	101	LHG	O7-C5	-2.42	1.40	1.46
32	4	605	CLA	CMB-C2B	-2.42	1.46	1.51
32	8	612	CLA	CMB-C2B	-2.42	1.46	1.51
32	4	603	CLA	CMB-C2B	-2.42	1.46	1.51
32	7	609	CLA	CMB-C2B	-2.42	1.46	1.51
32	4	606	CLA	CMB-C2B	-2.42	1.46	1.51
32	C	504	CLA	CMB-C2B	-2.42	1.46	1.51
32	1	602	CLA	CMB-C2B	-2.42	1.46	1.51
32	3	605	CLA	CMB-C2B	-2.42	1.46	1.51
32	7	612	CLA	CMB-C2B	-2.42	1.46	1.51
32	0	613	CLA	CMB-C2B	-2.42	1.46	1.51
32	p	309	CLA	CMB-C2B	-2.42	1.46	1.51
32	4	608	CLA	CMB-C2B	-2.42	1.46	1.51
32	6	602	CLA	CMB-C2B	-2.41	1.46	1.51
32	0	607	CLA	CMB-C2B	-2.41	1.46	1.51
32	8	603	CLA	CMB-C2B	-2.41	1.46	1.51
32	8	604	CLA	CMB-C2B	-2.41	1.46	1.51
32	1	608	CLA	CMB-C2B	-2.41	1.46	1.51
31	C	518	8CT	C25-C26	2.41	1.39	1.35
32	6	611	CLA	CMB-C2B	-2.41	1.46	1.51
32	0	601	CLA	CMB-C2B	-2.41	1.46	1.51
32	9	601	CLA	CMB-C2B	-2.41	1.46	1.51
32	1	603	CLA	CMB-C2B	-2.41	1.46	1.51
32	5	313	CLA	CMB-C2B	-2.41	1.46	1.51
32	8	609	CLA	CMB-C2B	-2.41	1.46	1.51
32	8	611	CLA	CMB-C2B	-2.41	1.46	1.51
33	4	610	KC2	C4B-NB	-2.41	1.34	1.37
32	1	612	CLA	CMB-C2B	-2.41	1.46	1.51
32	5	310	CLA	CMB-C2B	-2.41	1.46	1.51
32	7	604	CLA	CMB-C2B	-2.41	1.46	1.51
32	4	611	CLA	CMB-C2B	-2.41	1.46	1.51
32	5	308	CLA	CMB-C2B	-2.41	1.46	1.51
32	0	608	CLA	CMB-C2B	-2.41	1.46	1.51
32	7	611	CLA	CMB-C2B	-2.41	1.46	1.51
32	0	611	CLA	CMB-C2B	-2.41	1.46	1.51
32	4	609	CLA	CMB-C2B	-2.41	1.46	1.51
33	P	609	KC2	C4B-NB	-2.41	1.34	1.37
32	4	613	CLA	CMB-C2B	-2.40	1.46	1.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	6	607	CLA	CMB-C2B	-2.40	1.46	1.51
32	p	308	CLA	CMB-C2B	-2.40	1.46	1.51
32	P	602	CLA	CMB-C2B	-2.40	1.46	1.51
32	c	504	CLA	CMB-C2B	-2.40	1.46	1.51
32	D	404	CLA	CMB-C2B	-2.40	1.46	1.51
32	d	403	CLA	CMB-C2B	-2.40	1.46	1.51
32	8	602	CLA	CMB-C2B	-2.40	1.46	1.51
43	d	404	PL9	C53-C6	-2.40	1.45	1.50
32	2	604	CLA	CMB-C2B	-2.40	1.46	1.51
32	P	601	CLA	CMB-C2B	-2.40	1.46	1.51
45	a	414	DGD	C2E-C1E	2.39	1.56	1.51
32	6	601	CLA	CMB-C2B	-2.39	1.46	1.51
32	5	309	CLA	CMB-C2B	-2.39	1.46	1.51
32	0	609	CLA	CMB-C2B	-2.39	1.46	1.51
32	P	606	CLA	CMB-C2B	-2.39	1.46	1.51
32	2	611	CLA	CMB-C2B	-2.39	1.46	1.51
32	7	603	CLA	CMB-C2B	-2.38	1.46	1.51
32	6	604	CLA	CMB-C2B	-2.38	1.46	1.51
32	7	613	CLA	CMB-C2B	-2.38	1.46	1.51
32	P	604	CLA	CMB-C2B	-2.37	1.46	1.51
32	1	611	CLA	CMB-C2B	-2.37	1.46	1.51
45	A	614	DGD	C2E-C1E	2.37	1.56	1.51
31	c	518	8CT	C25-C26	2.37	1.38	1.35
45	c	515	DGD	O2G-C2G	-2.37	1.40	1.46
31	z	101	8CT	C33-C32	-2.37	1.43	1.50
31	Z	101	8CT	C33-C32	-2.36	1.43	1.50
32	b	613	CLA	CMD-C2D	-2.36	1.45	1.50
31	h	102	8CT	C33-C32	-2.35	1.44	1.50
32	D	403	CLA	CMD-C2D	-2.35	1.45	1.50
32	d	402	CLA	CMD-C2D	-2.35	1.45	1.50
45	C	515	DGD	O2G-C2G	-2.34	1.40	1.46
37	L	102	LMG	O7-C8	-2.34	1.40	1.46
31	H	102	8CT	C33-C32	-2.33	1.44	1.50
32	7	606	CLA	CMB-C2B	-2.33	1.46	1.51
45	a	414	DGD	O1G-C1G	-2.33	1.39	1.45
32	B	613	CLA	CMD-C2D	-2.33	1.45	1.50
38	A	612	LHG	O7-C5	-2.33	1.40	1.46
32	6	606	CLA	CMB-C2B	-2.32	1.46	1.51
37	l	101	LMG	O7-C8	-2.31	1.40	1.46
31	9	615	8CT	C33-C32	-2.31	1.44	1.50
38	a	402	LHG	O7-C5	-2.30	1.40	1.46
32	C	505	CLA	CMD-C2D	-2.29	1.45	1.50

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	P	615	8CT	C33-C32	-2.29	1.44	1.50
31	3	615	8CT	C33-C32	-2.29	1.44	1.50
45	A	614	DGD	O1G-C1G	-2.29	1.39	1.45
32	c	505	CLA	CMD-C2D	-2.29	1.46	1.50
38	A	613	LHG	O7-C5	-2.28	1.40	1.46
31	P	615	8CT	C25-C26	2.28	1.38	1.35
45	H	101	DGD	O1G-C1G	-2.28	1.40	1.45
45	h	101	DGD	O1G-C1G	-2.28	1.40	1.45
32	a	405	CLA	CMD-C2D	-2.27	1.46	1.50
37	A	607	LMG	O7-C8	-2.27	1.40	1.46
31	6	615	8CT	C33-C32	-2.27	1.44	1.50
45	A	614	DGD	C3E-C4E	2.27	1.55	1.52
45	c	516	DGD	O2G-C2G	-2.27	1.40	1.46
32	b	604	CLA	CMD-C2D	-2.27	1.46	1.50
32	B	604	CLA	CMD-C2D	-2.27	1.46	1.50
45	a	414	DGD	C3E-C4E	2.27	1.55	1.52
38	a	403	LHG	O7-C5	-2.26	1.40	1.46
45	c	516	DGD	O1G-C1G	-2.26	1.40	1.45
45	C	516	DGD	O1G-C1G	-2.25	1.40	1.45
31	6	615	8CT	C25-C26	2.25	1.38	1.35
31	K	101	8CT	C25-C26	2.25	1.38	1.35
43	d	404	PL9	C52-C5	-2.25	1.46	1.50
31	B	624	8CT	C33-C32	-2.25	1.44	1.50
45	C	516	DGD	O2G-C2G	-2.25	1.41	1.46
37	a	410	LMG	O7-C8	-2.25	1.41	1.46
32	b	608	CLA	CMD-C2D	-2.25	1.46	1.50
31	k	101	8CT	C33-C32	-2.25	1.44	1.50
32	c	510	CLA	CMD-C2D	-2.24	1.46	1.50
31	k	102	8CT	C25-C26	2.24	1.38	1.35
32	B	617	CLA	CMC-C2C	-2.24	1.46	1.50
33	p	311	KC2	C4A-C3A	-2.23	1.40	1.44
39	5	318	SQD	C24-C23	2.23	1.59	1.51
31	K	102	8CT	C33-C32	-2.23	1.44	1.50
43	D	405	PL9	C52-C5	-2.23	1.46	1.50
39	p	318	SQD	C24-C23	2.23	1.59	1.51
31	b	623	8CT	C33-C32	-2.23	1.44	1.50
32	A	603	CLA	CMD-C2D	-2.23	1.46	1.50
31	A	610	8CT	C33-C32	-2.22	1.44	1.50
39	B	601	SQD	O9-S	2.22	1.51	1.45
33	5	311	KC2	C4A-C3A	-2.22	1.40	1.44
31	k	102	8CT	C33-C32	-2.22	1.44	1.50
32	B	608	CLA	CMD-C2D	-2.21	1.46	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	A	602	CLA	CMD-C2D	-2.21	1.46	1.50
32	a	406	CLA	CMD-C2D	-2.21	1.46	1.50
39	B	620	SQD	O9-S	2.21	1.51	1.45
32	b	610	CLA	CMD-C2D	-2.21	1.46	1.50
45	c	515	DGD	O1G-C1G	-2.21	1.40	1.45
38	D	410	LHG	O7-C5	-2.20	1.41	1.46
45	C	515	DGD	O1G-C1G	-2.20	1.40	1.45
33	6	605	KC2	C1D-CHD	2.20	1.47	1.41
39	b	601	SQD	O9-S	2.20	1.51	1.45
41	a	407	PHO	CMC-C2C	-2.20	1.46	1.51
32	b	617	CLA	CMC-C2C	-2.20	1.46	1.50
32	C	502	CLA	CMC-C2C	-2.20	1.46	1.50
39	b	620	SQD	O9-S	2.19	1.51	1.45
33	0	610	KC2	C1D-CHD	2.19	1.47	1.41
32	C	510	CLA	CMD-C2D	-2.19	1.46	1.50
32	c	502	CLA	CMC-C2C	-2.19	1.46	1.50
33	P	605	KC2	C1D-CHD	2.19	1.47	1.41
31	K	101	8CT	C33-C32	-2.19	1.44	1.50
32	C	511	CLA	CMD-C2D	-2.19	1.46	1.50
41	d	410	PHO	CMC-C2C	-2.18	1.46	1.51
38	d	411	LHG	O7-C5	-2.18	1.41	1.46
32	B	605	CLA	CMD-C2D	-2.18	1.46	1.50
33	P	609	KC2	C1D-CHD	2.18	1.47	1.41
34	2	615	II0	C13-C09	-2.18	1.32	1.34
41	A	604	PHO	CMC-C2C	-2.18	1.46	1.51
31	D	409	8CT	C33-C32	-2.17	1.44	1.50
32	c	511	CLA	CMD-C2D	-2.17	1.46	1.50
31	d	408	8CT	C33-C32	-2.17	1.44	1.50
37	D	407	LMG	O7-C8	-2.17	1.41	1.46
41	A	604	PHO	CMD-C2D	-2.17	1.46	1.51
32	B	610	CLA	CMD-C2D	-2.16	1.46	1.50
33	4	610	KC2	C1D-CHD	2.16	1.47	1.41
41	D	402	PHO	CMC-C2C	-2.16	1.46	1.51
33	6	609	KC2	C1D-CHD	2.15	1.47	1.41
33	1	610	KC2	C4A-C3A	-2.15	1.40	1.44
32	c	508	CLA	CMD-C2D	-2.15	1.46	1.50
33	p	311	KC2	C1D-CHD	2.15	1.47	1.41
41	D	402	PHO	CMD-C2D	-2.15	1.46	1.51
33	5	311	KC2	C1D-CHD	2.15	1.47	1.41
37	B	618	LMG	O7-C8	-2.15	1.41	1.46
39	5	318	SQD	O9-S	2.15	1.51	1.45
32	c	509	CLA	CMD-C2D	-2.15	1.46	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
41	a	407	PHO	CMD-C2D	-2.14	1.46	1.51
33	2	610	KC2	C4A-C3A	-2.14	1.40	1.44
32	b	613	CLA	CMC-C2C	-2.14	1.46	1.50
32	B	613	CLA	CMC-C2C	-2.14	1.46	1.50
32	b	612	CLA	CMD-C2D	-2.14	1.46	1.50
37	b	618	LMG	O7-C8	-2.14	1.41	1.46
32	a	406	CLA	MG-ND	-2.14	2.01	2.05
37	d	406	LMG	O7-C8	-2.14	1.41	1.46
39	b	601	SQD	O7-S	2.14	1.51	1.45
33	8	610	KC2	C4A-C3A	-2.14	1.40	1.44
32	b	606	CLA	CMD-C2D	-2.13	1.46	1.50
32	C	512	CLA	CMD-C2D	-2.13	1.46	1.50
32	B	606	CLA	CMD-C2D	-2.13	1.46	1.50
32	B	612	CLA	CMD-C2D	-2.13	1.46	1.50
31	h	102	8CT	C25-C26	2.13	1.38	1.35
32	c	502	CLA	CMD-C2D	-2.13	1.46	1.50
41	d	410	PHO	CMD-C2D	-2.13	1.46	1.51
32	B	602	CLA	CMD-C2D	-2.13	1.46	1.50
32	b	605	CLA	CMD-C2D	-2.13	1.46	1.50
31	b	622	8CT	C33-C32	-2.13	1.44	1.50
32	C	508	CLA	CMC-C2C	-2.13	1.46	1.50
41	A	604	PHO	CMB-C2B	-2.13	1.46	1.51
33	7	610	KC2	C1D-CHD	2.12	1.46	1.41
32	b	607	CLA	CMD-C2D	-2.12	1.46	1.50
32	2	605	CLA	CMD-C2D	-2.12	1.46	1.50
32	6	610	CLA	CMD-C2D	-2.12	1.46	1.50
39	p	318	SQD	O9-S	2.12	1.51	1.45
32	D	401	CLA	CMD-C2D	-2.12	1.46	1.50
32	b	609	CLA	CMD-C2D	-2.12	1.46	1.50
33	1	610	KC2	C1D-CHD	2.12	1.46	1.41
31	a	413	8CT	C33-C32	-2.12	1.44	1.50
32	C	501	CLA	CMD-C2D	-2.12	1.46	1.50
32	C	508	CLA	CMD-C2D	-2.12	1.46	1.50
32	b	615	CLA	CMD-C2D	-2.11	1.46	1.50
32	b	616	CLA	CMD-C2D	-2.11	1.46	1.50
32	c	512	CLA	CMD-C2D	-2.11	1.46	1.50
31	3	615	8CT	C25-C26	2.11	1.38	1.35
31	B	624	8CT	C25-C26	2.11	1.38	1.35
39	B	601	SQD	O7-S	2.11	1.51	1.45
41	a	407	PHO	CMB-C2B	-2.11	1.46	1.51
32	d	409	CLA	CMD-C2D	-2.11	1.46	1.50
32	3	601	CLA	CMD-C2D	-2.11	1.46	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	C	506	CLA	CMC-C2C	-2.11	1.46	1.50
32	B	609	CLA	CMD-C2D	-2.11	1.46	1.50
33	8	610	KC2	C1D-CHD	2.10	1.46	1.41
32	B	607	CLA	CMD-C2D	-2.10	1.46	1.50
33	7	610	KC2	C1C-C2C	-2.10	1.40	1.44
31	H	102	8CT	C25-C26	2.10	1.38	1.35
38	B	619	LHG	O7-C5	-2.10	1.41	1.46
32	b	611	CLA	CMD-C2D	-2.10	1.46	1.50
32	c	501	CLA	CMD-C2D	-2.10	1.46	1.50
32	B	611	CLA	CMD-C2D	-2.10	1.46	1.50
32	A	605	CLA	CMD-C2D	-2.10	1.46	1.50
32	b	607	CLA	CMC-C2C	-2.10	1.46	1.50
32	B	607	CLA	CMC-C2C	-2.10	1.46	1.50
32	B	615	CLA	CMD-C2D	-2.09	1.46	1.50
31	B	623	8CT	C33-C32	-2.09	1.44	1.50
32	G	101	CLA	C3B-C2B	-2.09	1.37	1.40
39	b	620	SQD	O7-S	2.09	1.51	1.45
32	C	509	CLA	CMD-C2D	-2.09	1.46	1.50
32	c	504	CLA	CMD-C2D	-2.09	1.46	1.50
38	b	619	LHG	O7-C5	-2.09	1.41	1.46
33	1	610	KC2	C1C-C2C	-2.09	1.40	1.44
32	9	605	CLA	CMD-C2D	-2.09	1.46	1.50
32	3	606	CLA	CMD-C2D	-2.09	1.46	1.50
32	C	502	CLA	CMD-C2D	-2.09	1.46	1.50
39	5	318	SQD	O7-S	2.09	1.51	1.45
31	9	615	8CT	C25-C26	2.09	1.38	1.35
39	B	620	SQD	O7-S	2.09	1.51	1.45
32	c	503	CLA	CMD-C2D	-2.09	1.46	1.50
32	c	507	CLA	CMD-C2D	-2.09	1.46	1.50
32	C	503	CLA	CMD-C2D	-2.09	1.46	1.50
32	g	102	CLA	C3B-C2B	-2.09	1.37	1.40
38	B	621	LHG	P-O6	2.09	1.67	1.59
32	c	506	CLA	CMD-C2D	-2.08	1.46	1.50
33	2	610	KC2	C1D-CHD	2.08	1.46	1.41
32	C	504	CLA	CMD-C2D	-2.08	1.46	1.50
32	c	502	CLA	C3B-C2B	-2.08	1.37	1.40
31	b	623	8CT	C25-C26	2.08	1.38	1.35
32	D	404	CLA	CMD-C2D	-2.08	1.46	1.50
32	B	616	CLA	CMD-C2D	-2.08	1.46	1.50
32	9	606	CLA	CMD-C2D	-2.08	1.46	1.50
32	C	513	CLA	CMD-C2D	-2.08	1.46	1.50
32	C	507	CLA	CMD-C2D	-2.08	1.46	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	d	402	CLA	CMC-C2C	-2.07	1.46	1.50
33	7	610	KC2	C4A-C3A	-2.07	1.40	1.44
39	A	606	SQD	O9-S	2.07	1.51	1.45
32	c	506	CLA	CMC-C2C	-2.07	1.46	1.50
32	a	408	CLA	CMD-C2D	-2.07	1.46	1.50
32	P	610	CLA	CMD-C2D	-2.07	1.46	1.50
32	b	602	CLA	CMD-C2D	-2.07	1.46	1.50
32	3	604	CLA	CMD-C2D	-2.07	1.46	1.50
32	c	508	CLA	CMC-C2C	-2.07	1.46	1.50
32	B	612	CLA	CMC-C2C	-2.07	1.46	1.50
33	2	610	KC2	C1C-C2C	-2.07	1.40	1.44
39	p	318	SQD	O7-S	2.07	1.51	1.45
32	D	403	CLA	CMC-C2C	-2.07	1.46	1.50
32	S	303	CLA	CMD-C2D	-2.07	1.46	1.50
32	b	614	CLA	CMD-C2D	-2.07	1.46	1.50
32	b	603	CLA	CMD-C2D	-2.07	1.46	1.50
32	B	603	CLA	CMD-C2D	-2.07	1.46	1.50
32	2	604	CLA	CMD-C2D	-2.06	1.46	1.50
38	b	621	LHG	P-O6	2.06	1.67	1.59
32	9	601	CLA	CMD-C2D	-2.06	1.46	1.50
37	C	517	LMG	O7-C8	-2.06	1.41	1.46
32	7	607	CLA	CMD-C2D	-2.06	1.46	1.50
37	0	619	LMG	O7-C8	-2.06	1.41	1.46
32	5	306	CLA	CMD-C2D	-2.06	1.46	1.50
32	2	609	CLA	CMD-C2D	-2.06	1.46	1.50
32	9	602	CLA	CMD-C2D	-2.06	1.46	1.50
41	D	402	PHO	CMB-C2B	-2.06	1.46	1.51
32	8	607	CLA	CMD-C2D	-2.06	1.46	1.50
32	3	607	CLA	CMD-C2D	-2.06	1.46	1.50
32	d	403	CLA	CMD-C2D	-2.06	1.46	1.50
32	8	605	CLA	CMD-C2D	-2.06	1.46	1.50
33	P	609	KC2	C1C-C2C	-2.06	1.40	1.44
32	b	617	CLA	CMD-C2D	-2.06	1.46	1.50
32	B	617	CLA	CMD-C2D	-2.06	1.46	1.50
31	M	201	8CT	C33-C32	-2.06	1.44	1.50
31	B	622	8CT	C33-C32	-2.06	1.44	1.50
32	5	304	CLA	CMD-C2D	-2.06	1.46	1.50
32	7	603	CLA	CMD-C2D	-2.06	1.46	1.50
32	8	604	CLA	CMD-C2D	-2.06	1.46	1.50
32	1	607	CLA	CMD-C2D	-2.05	1.46	1.50
32	a	406	CLA	C3B-CAB	-2.05	1.43	1.47
32	B	614	CLA	CMD-C2D	-2.05	1.46	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	p	312	CLA	CMD-C2D	-2.05	1.46	1.50
45	H	101	DGD	O2G-C2G	-2.05	1.41	1.46
45	h	101	DGD	O2G-C2G	-2.05	1.41	1.46
38	S	301	LHG	O7-C5	-2.05	1.41	1.46
32	c	513	CLA	CMD-C2D	-2.05	1.46	1.50
32	C	502	CLA	C3B-C2B	-2.05	1.37	1.40
32	3	602	CLA	CMD-C2D	-2.05	1.46	1.50
32	0	603	CLA	CMD-C2D	-2.05	1.46	1.50
32	a	406	CLA	CMC-C2C	-2.05	1.46	1.50
38	s	301	LHG	O7-C5	-2.05	1.41	1.46
32	b	611	CLA	C3B-C2B	-2.05	1.37	1.40
32	9	603	CLA	CMD-C2D	-2.05	1.46	1.50
32	2	603	CLA	CMD-C2D	-2.05	1.46	1.50
32	8	608	CLA	CMD-C2D	-2.05	1.46	1.50
33	8	610	KC2	C1C-C2C	-2.05	1.40	1.44
37	c	517	LMG	O7-C8	-2.05	1.41	1.46
32	A	603	CLA	C3B-C2B	-2.05	1.37	1.40
39	a	409	SQD	O9-S	2.04	1.51	1.45
33	P	609	KC2	C4A-C3A	-2.04	1.40	1.44
32	g	102	CLA	CMD-C2D	-2.04	1.46	1.50
32	9	609	CLA	CMD-C2D	-2.04	1.46	1.50
32	C	506	CLA	CMD-C2D	-2.04	1.46	1.50
32	p	308	CLA	CMD-C2D	-2.04	1.46	1.50
32	3	610	CLA	CMD-C2D	-2.04	1.46	1.50
32	9	608	CLA	CMD-C2D	-2.04	1.46	1.50
32	6	604	CLA	CMD-C2D	-2.04	1.46	1.50
31	D	409	8CT	C25-C26	2.04	1.38	1.35
32	7	606	CLA	CMD-C2D	-2.04	1.46	1.50
32	8	603	CLA	CMD-C2D	-2.04	1.46	1.50
32	3	603	CLA	CMD-C2D	-2.04	1.46	1.50
32	4	605	CLA	CMD-C2D	-2.04	1.46	1.50
32	P	603	CLA	CMD-C2D	-2.04	1.46	1.50
32	3	609	CLA	CMD-C2D	-2.04	1.46	1.50
32	9	607	CLA	CMD-C2D	-2.04	1.46	1.50
34	6	614	II0	C14-C10	-2.04	1.32	1.34
32	5	312	CLA	CMD-C2D	-2.04	1.46	1.50
32	b	615	CLA	CMC-C2C	-2.04	1.46	1.50
32	3	608	CLA	CMD-C2D	-2.04	1.46	1.50
32	5	308	CLA	CMD-C2D	-2.04	1.46	1.50
32	b	605	CLA	CMC-C2C	-2.04	1.46	1.50
32	2	606	CLA	CMD-C2D	-2.04	1.46	1.50
32	p	307	CLA	CMD-C2D	-2.04	1.46	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	s	303	CLA	CMD-C2D	-2.04	1.46	1.50
32	4	602	CLA	CMD-C2D	-2.03	1.46	1.50
32	0	607	CLA	CMD-C2D	-2.03	1.46	1.50
32	C	511	CLA	CMC-C2C	-2.03	1.46	1.50
32	c	513	CLA	CMC-C2C	-2.03	1.46	1.50
32	1	606	CLA	CMD-C2D	-2.03	1.46	1.50
32	3	605	CLA	CMD-C2D	-2.03	1.46	1.50
32	c	509	CLA	CMC-C2C	-2.03	1.46	1.50
37	4	618	LMG	O7-C8	-2.03	1.41	1.46
32	p	306	CLA	CMD-C2D	-2.03	1.46	1.50
32	8	601	CLA	CMD-C2D	-2.03	1.46	1.50
32	9	604	CLA	CMD-C2D	-2.03	1.46	1.50
33	6	605	KC2	C1C-C2C	-2.03	1.40	1.44
32	a	406	CLA	C3B-C2B	-2.03	1.37	1.40
32	p	303	CLA	CMD-C2D	-2.03	1.46	1.50
36	0	618	IHT	C02-C07	-2.03	1.51	1.53
41	d	410	PHO	CMB-C2B	-2.03	1.46	1.51
32	4	607	CLA	CMD-C2D	-2.03	1.46	1.50
33	p	311	KC2	C1C-C2C	-2.03	1.40	1.44
32	2	607	CLA	CMD-C2D	-2.03	1.46	1.50
32	b	612	CLA	CMC-C2C	-2.03	1.46	1.50
33	6	609	KC2	C1C-C2C	-2.03	1.40	1.44
32	6	607	CLA	CMD-C2D	-2.03	1.46	1.50
32	2	608	CLA	CMD-C2D	-2.02	1.46	1.50
32	b	616	CLA	CMC-C2C	-2.02	1.46	1.50
32	8	609	CLA	CMD-C2D	-2.02	1.46	1.50
32	2	602	CLA	CMD-C2D	-2.02	1.46	1.50
32	2	601	CLA	CMD-C2D	-2.02	1.46	1.50
32	a	405	CLA	CMC-C2C	-2.02	1.46	1.50
33	4	610	KC2	C1C-C2C	-2.02	1.40	1.44
33	P	605	KC2	C1C-C2C	-2.02	1.40	1.44
36	4	617	IHT	C02-C07	-2.02	1.51	1.53
32	b	604	CLA	CMC-C2C	-2.02	1.46	1.50
32	B	609	CLA	CMC-C2C	-2.02	1.46	1.50
33	0	610	KC2	C1C-C2C	-2.02	1.40	1.44
33	0	610	KC2	C4A-C3A	-2.02	1.40	1.44
32	A	603	CLA	CMC-C2C	-2.02	1.46	1.50
33	5	311	KC2	C1C-C2C	-2.02	1.40	1.44
32	4	603	CLA	CMD-C2D	-2.01	1.46	1.50
32	3	606	CLA	C3B-C2B	-2.01	1.37	1.40
32	C	510	CLA	CMC-C2C	-2.01	1.46	1.50
32	G	101	CLA	CMD-C2D	-2.01	1.46	1.50

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
47	f	101	HEM	CMB-C2B	2.01	1.55	1.50
32	1	608	CLA	CMD-C2D	-2.01	1.46	1.50
32	7	608	CLA	CMD-C2D	-2.01	1.46	1.50
32	P	602	CLA	CMD-C2D	-2.01	1.46	1.50
32	8	602	CLA	CMD-C2D	-2.01	1.46	1.50
32	P	601	CLA	CMD-C2D	-2.01	1.46	1.50
32	3	604	CLA	CMC-C2C	-2.01	1.46	1.50
32	0	604	CLA	CMD-C2D	-2.01	1.46	1.50
32	8	602	CLA	CMC-C2C	-2.01	1.46	1.50
32	8	606	CLA	CMD-C2D	-2.01	1.46	1.50
32	6	601	CLA	CMD-C2D	-2.01	1.46	1.50
32	C	512	CLA	CMC-C2C	-2.01	1.46	1.50
32	5	303	CLA	CMD-C2D	-2.01	1.46	1.50
32	1	602	CLA	CMD-C2D	-2.01	1.46	1.50
32	1	604	CLA	CMD-C2D	-2.01	1.46	1.50
33	6	605	KC2	C4A-C3A	-2.01	1.40	1.44
32	7	605	CLA	CMD-C2D	-2.01	1.46	1.50
32	p	302	CLA	CMD-C2D	-2.01	1.46	1.50
32	5	302	CLA	CMD-C2D	-2.01	1.46	1.50
32	b	614	CLA	CMC-C2C	-2.01	1.46	1.50
32	p	304	CLA	CMD-C2D	-2.01	1.46	1.50
32	c	503	CLA	CMC-C2C	-2.01	1.46	1.50
32	C	509	CLA	CMC-C2C	-2.01	1.46	1.50
32	9	610	CLA	CMD-C2D	-2.01	1.46	1.50
32	c	510	CLA	CMC-C2C	-2.00	1.46	1.50
32	c	511	CLA	CMC-C2C	-2.00	1.46	1.50
37	6	616	LMG	O7-C8	-2.00	1.41	1.46
32	C	513	CLA	CMC-C2C	-2.00	1.46	1.50
32	6	602	CLA	CMD-C2D	-2.00	1.46	1.50
32	d	409	CLA	CMC-C2C	-2.00	1.46	1.50
32	0	606	CLA	CMD-C2D	-2.00	1.46	1.50
32	6	603	CLA	CMD-C2D	-2.00	1.46	1.50
32	0	602	CLA	CMD-C2D	-2.00	1.46	1.50
32	1	603	CLA	CMD-C2D	-2.00	1.46	1.50

All (3146) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	k	102	8CT	C33-C32-C31	-11.05	114.25	124.85
31	B	622	8CT	C33-C32-C31	-11.04	114.27	124.85
31	M	201	8CT	C33-C32-C31	-11.02	114.28	124.85
31	a	413	8CT	C33-C32-C31	-11.01	114.30	124.85

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	K	101	8CT	C33-C32-C31	-10.98	114.32	124.85
31	B	624	8CT	C33-C32-C31	-10.97	114.33	124.85
31	b	623	8CT	C33-C32-C31	-10.96	114.34	124.85
31	A	610	8CT	C33-C32-C31	-10.28	115.00	124.85
31	z	101	8CT	C33-C32-C31	-10.25	115.02	124.85
31	C	518	8CT	C33-C32-C31	-10.16	115.11	124.85
31	c	518	8CT	C33-C32-C31	-10.11	115.16	124.85
31	h	102	8CT	C33-C32-C31	-9.92	115.34	124.85
31	Z	101	8CT	C33-C32-C31	-9.87	115.38	124.85
31	H	102	8CT	C33-C32-C31	-9.79	115.47	124.85
31	k	101	8CT	C33-C32-C31	-9.36	115.88	124.85
31	K	102	8CT	C33-C32-C31	-9.35	115.88	124.85
31	B	623	8CT	C33-C32-C31	-8.86	116.36	124.85
31	b	622	8CT	C33-C32-C31	-8.85	116.37	124.85
31	P	615	8CT	C33-C32-C31	-8.26	116.93	124.85
31	9	615	8CT	C33-C32-C31	-8.22	116.97	124.85
31	3	615	8CT	C33-C32-C31	-8.19	117.00	124.85
31	d	408	8CT	C33-C32-C31	-8.16	117.02	124.85
31	D	409	8CT	C33-C32-C31	-8.13	117.06	124.85
31	6	615	8CT	C33-C32-C31	-7.98	117.20	124.85
33	0	610	KC2	CHB-C1B-NB	7.31	131.18	124.45
33	p	311	KC2	CHB-C1B-NB	7.30	131.16	124.45
33	4	610	KC2	CHB-C1B-NB	7.28	131.15	124.45
31	a	413	8CT	C30-C31-C32	-7.28	112.51	121.47
33	7	610	KC2	CHB-C1B-NB	7.26	131.13	124.45
31	c	518	8CT	C30-C31-C32	-7.26	112.54	121.47
33	5	311	KC2	CHB-C1B-NB	7.25	131.12	124.45
33	1	610	KC2	CHB-C1B-NB	7.21	131.08	124.45
32	b	605	CLA	C4A-NA-C1A	7.21	109.95	106.71
31	C	518	8CT	C30-C31-C32	-7.20	112.61	121.47
33	P	609	KC2	CHB-C1B-NB	7.19	131.06	124.45
33	6	609	KC2	CHB-C1B-NB	7.19	131.06	124.45
33	8	610	KC2	CHB-C1B-NB	7.18	131.05	124.45
33	2	610	KC2	CHB-C1B-NB	7.17	131.04	124.45
32	B	605	CLA	C4A-NA-C1A	7.09	109.89	106.71
31	a	413	8CT	C14-C13-C12	-7.06	117.24	127.31
32	C	503	CLA	C4A-NA-C1A	7.04	109.87	106.71
32	c	503	CLA	C4A-NA-C1A	7.03	109.87	106.71
31	M	201	8CT	C30-C31-C32	-7.00	112.86	121.47
32	C	502	CLA	C4A-NA-C1A	6.98	109.84	106.71
31	B	622	8CT	C30-C31-C32	-6.97	112.89	121.47
32	c	502	CLA	C4A-NA-C1A	6.96	109.84	106.71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	b	613	CLA	C4A-NA-C1A	6.94	109.83	106.71
32	7	611	CLA	C4A-NA-C1A	6.90	109.81	106.71
32	b	617	CLA	C4A-NA-C1A	6.88	109.80	106.71
32	B	613	CLA	C4A-NA-C1A	6.88	109.80	106.71
32	B	617	CLA	C4A-NA-C1A	6.86	109.79	106.71
32	5	306	CLA	C4A-NA-C1A	6.83	109.78	106.71
33	P	605	KC2	CHB-C1B-NB	6.83	130.73	124.45
31	3	615	8CT	C04-C03-C02	-6.83	113.00	122.61
32	C	511	CLA	C4A-NA-C1A	6.83	109.78	106.71
32	1	604	CLA	C4A-NA-C1A	6.82	109.77	106.71
32	D	401	CLA	C4A-NA-C1A	6.82	109.77	106.71
32	7	604	CLA	C4A-NA-C1A	6.82	109.77	106.71
32	4	612	CLA	C4A-NA-C1A	6.82	109.77	106.71
32	b	606	CLA	C4A-NA-C1A	6.82	109.77	106.71
33	6	605	KC2	CHB-C1B-NB	6.82	130.72	124.45
32	c	513	CLA	C4A-NA-C1A	6.80	109.76	106.71
31	9	615	8CT	C04-C03-C02	-6.80	113.03	122.61
32	c	507	CLA	C4A-NA-C1A	6.78	109.75	106.71
32	P	611	CLA	C4A-NA-C1A	6.78	109.75	106.71
32	B	606	CLA	C4A-NA-C1A	6.78	109.75	106.71
32	0	612	CLA	C4A-NA-C1A	6.77	109.75	106.71
32	1	611	CLA	C4A-NA-C1A	6.77	109.75	106.71
32	c	501	CLA	C4A-NA-C1A	6.77	109.75	106.71
32	C	513	CLA	C4A-NA-C1A	6.77	109.75	106.71
32	7	613	CLA	C4A-NA-C1A	6.76	109.75	106.71
32	c	511	CLA	C4A-NA-C1A	6.76	109.74	106.71
32	9	607	CLA	C4A-NA-C1A	6.74	109.74	106.71
32	9	610	CLA	C4A-NA-C1A	6.74	109.74	106.71
32	D	404	CLA	C4A-NA-C1A	6.74	109.73	106.71
32	C	507	CLA	C4A-NA-C1A	6.74	109.73	106.71
33	2	610	KC2	CHC-C4B-NB	6.73	130.64	124.45
32	c	512	CLA	C4A-NA-C1A	6.72	109.73	106.71
32	C	509	CLA	C4A-NA-C1A	6.72	109.73	106.71
32	2	604	CLA	C4A-NA-C1A	6.71	109.72	106.71
32	9	601	CLA	C4A-NA-C1A	6.71	109.72	106.71
32	c	509	CLA	C4A-NA-C1A	6.70	109.72	106.71
32	p	312	CLA	C4A-NA-C1A	6.70	109.72	106.71
32	5	312	CLA	C4A-NA-C1A	6.70	109.72	106.71
32	6	611	CLA	C4A-NA-C1A	6.70	109.72	106.71
32	2	611	CLA	C4A-NA-C1A	6.69	109.72	106.71
32	8	611	CLA	C4A-NA-C1A	6.69	109.72	106.71
33	8	610	KC2	CHC-C4B-NB	6.69	130.60	124.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	d	403	CLA	C4A-NA-C1A	6.69	109.71	106.71
32	C	501	CLA	C4A-NA-C1A	6.68	109.71	106.71
32	6	610	CLA	C4A-NA-C1A	6.68	109.71	106.71
32	8	604	CLA	C4A-NA-C1A	6.68	109.71	106.71
32	P	610	CLA	C4A-NA-C1A	6.68	109.71	106.71
32	B	608	CLA	C4A-NA-C1A	6.68	109.71	106.71
32	B	616	CLA	C4A-NA-C1A	6.67	109.71	106.71
32	C	512	CLA	C4A-NA-C1A	6.67	109.70	106.71
32	p	306	CLA	C4A-NA-C1A	6.67	109.70	106.71
31	9	615	8CT	C18-C17-C16	-6.66	117.80	127.31
32	c	508	CLA	C4A-NA-C1A	6.66	109.70	106.71
32	C	508	CLA	C4A-NA-C1A	6.65	109.69	106.71
32	b	607	CLA	C4A-NA-C1A	6.64	109.69	106.71
32	2	605	CLA	C4A-NA-C1A	6.64	109.69	106.71
32	b	608	CLA	C4A-NA-C1A	6.64	109.69	106.71
32	P	607	CLA	C4A-NA-C1A	6.64	109.69	106.71
32	5	305	CLA	C4A-NA-C1A	6.63	109.69	106.71
32	b	616	CLA	C4A-NA-C1A	6.62	109.68	106.71
32	3	610	CLA	C4A-NA-C1A	6.62	109.68	106.71
31	3	615	8CT	C18-C17-C16	-6.62	117.86	127.31
32	2	608	CLA	C4A-NA-C1A	6.61	109.68	106.71
32	3	607	CLA	C4A-NA-C1A	6.60	109.67	106.71
32	d	409	CLA	C4A-NA-C1A	6.60	109.67	106.71
32	p	305	CLA	C4A-NA-C1A	6.60	109.67	106.71
32	7	606	CLA	C4A-NA-C1A	6.59	109.67	106.71
32	P	603	CLA	C4A-NA-C1A	6.59	109.67	106.71
32	a	405	CLA	C4A-NA-C1A	6.59	109.67	106.71
32	3	601	CLA	C4A-NA-C1A	6.58	109.67	106.71
32	3	608	CLA	C4A-NA-C1A	6.58	109.67	106.71
32	B	607	CLA	C4A-NA-C1A	6.58	109.66	106.71
32	C	505	CLA	C4A-NA-C1A	6.58	109.66	106.71
32	4	611	CLA	C4A-NA-C1A	6.58	109.66	106.71
32	6	607	CLA	C4A-NA-C1A	6.57	109.66	106.71
32	2	603	CLA	C4A-NA-C1A	6.57	109.66	106.71
32	A	602	CLA	C4A-NA-C1A	6.57	109.66	106.71
32	8	608	CLA	C4A-NA-C1A	6.57	109.66	106.71
32	4	605	CLA	C4A-NA-C1A	6.56	109.66	106.71
32	6	604	CLA	C4A-NA-C1A	6.56	109.66	106.71
32	5	309	CLA	C4A-NA-C1A	6.56	109.65	106.71
32	1	613	CLA	C4A-NA-C1A	6.55	109.65	106.71
32	9	608	CLA	C4A-NA-C1A	6.54	109.65	106.71
32	B	610	CLA	C4A-NA-C1A	6.54	109.65	106.71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	c	506	CLA	C4A-NA-C1A	6.53	109.64	106.71
32	c	505	CLA	C4A-NA-C1A	6.52	109.64	106.71
32	3	603	CLA	C4A-NA-C1A	6.52	109.64	106.71
32	b	610	CLA	C4A-NA-C1A	6.51	109.63	106.71
32	0	611	CLA	C4A-NA-C1A	6.51	109.63	106.71
32	8	603	CLA	C4A-NA-C1A	6.50	109.63	106.71
32	C	504	CLA	C4A-NA-C1A	6.50	109.63	106.71
32	s	303	CLA	C4A-NA-C1A	6.49	109.62	106.71
32	3	611	CLA	C4A-NA-C1A	6.49	109.62	106.71
32	b	604	CLA	C4A-NA-C1A	6.49	109.62	106.71
32	G	101	CLA	C4A-NA-C1A	6.49	109.62	106.71
32	S	303	CLA	C4A-NA-C1A	6.48	109.62	106.71
33	0	610	KC2	CHC-C4B-NB	6.48	130.41	124.45
32	0	602	CLA	C4A-NA-C1A	6.48	109.62	106.71
32	0	605	CLA	C4A-NA-C1A	6.48	109.62	106.71
32	b	612	CLA	C4A-NA-C1A	6.48	109.62	106.71
32	c	504	CLA	C4A-NA-C1A	6.48	109.62	106.71
32	4	602	CLA	C4A-NA-C1A	6.47	109.62	106.71
32	p	309	CLA	C4A-NA-C1A	6.47	109.62	106.71
32	9	611	CLA	C4A-NA-C1A	6.47	109.61	106.71
32	5	304	CLA	C4A-NA-C1A	6.47	109.61	106.71
32	4	609	CLA	C4A-NA-C1A	6.46	109.61	106.71
32	7	609	CLA	C4A-NA-C1A	6.46	109.61	106.71
32	9	604	CLA	C4A-NA-C1A	6.46	109.61	106.71
32	p	302	CLA	C4A-NA-C1A	6.46	109.61	106.71
32	6	601	CLA	C4A-NA-C1A	6.45	109.61	106.71
32	1	606	CLA	C4A-NA-C1A	6.45	109.61	106.71
32	9	605	CLA	C4A-NA-C1A	6.45	109.61	106.71
32	5	302	CLA	C4A-NA-C1A	6.45	109.60	106.71
32	5	313	CLA	C4A-NA-C1A	6.45	109.60	106.71
32	8	612	CLA	C4A-NA-C1A	6.45	109.60	106.71
32	C	506	CLA	C4A-NA-C1A	6.45	109.60	106.71
32	9	603	CLA	C4A-NA-C1A	6.44	109.60	106.71
32	B	612	CLA	C4A-NA-C1A	6.44	109.60	106.71
32	4	604	CLA	C4A-NA-C1A	6.44	109.60	106.71
32	c	510	CLA	C4A-NA-C1A	6.44	109.60	106.71
32	0	601	CLA	C4A-NA-C1A	6.44	109.60	106.71
32	B	615	CLA	C4A-NA-C1A	6.44	109.60	106.71
32	6	608	CLA	C4A-NA-C1A	6.44	109.60	106.71
33	1	610	KC2	CHC-C4B-NB	6.44	130.37	124.45
33	4	610	KC2	CHC-C4B-NB	6.43	130.37	124.45
32	b	615	CLA	C4A-NA-C1A	6.43	109.60	106.71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	7	602	CLA	C4A-NA-C1A	6.43	109.59	106.71
32	5	310	CLA	C4A-NA-C1A	6.42	109.59	106.71
32	0	609	CLA	C4A-NA-C1A	6.42	109.59	106.71
32	3	604	CLA	C4A-NA-C1A	6.42	109.59	106.71
33	P	609	KC2	CHC-C4B-NB	6.42	130.35	124.45
33	6	609	KC2	CHC-C4B-NB	6.42	130.35	124.45
32	P	604	CLA	C4A-NA-C1A	6.41	109.59	106.71
32	p	313	CLA	C4A-NA-C1A	6.41	109.59	106.71
32	B	602	CLA	C4A-NA-C1A	6.41	109.59	106.71
33	7	610	KC2	CHC-C4B-NB	6.41	130.35	124.45
32	8	605	CLA	C4A-NA-C1A	6.41	109.59	106.71
32	P	601	CLA	C4A-NA-C1A	6.41	109.59	106.71
32	7	612	CLA	C4A-NA-C1A	6.41	109.59	106.71
32	8	609	CLA	C4A-NA-C1A	6.40	109.58	106.71
32	7	603	CLA	C4A-NA-C1A	6.40	109.58	106.71
32	9	609	CLA	C4A-NA-C1A	6.39	109.58	106.71
32	p	310	CLA	C4A-NA-C1A	6.39	109.58	106.71
31	M	201	8CT	C14-C13-C12	-6.39	118.19	127.31
32	4	608	CLA	C4A-NA-C1A	6.38	109.58	106.71
32	C	510	CLA	C4A-NA-C1A	6.38	109.58	106.71
32	2	612	CLA	C4A-NA-C1A	6.38	109.57	106.71
32	0	608	CLA	C4A-NA-C1A	6.38	109.57	106.71
32	B	604	CLA	C4A-NA-C1A	6.38	109.57	106.71
32	6	603	CLA	C4A-NA-C1A	6.37	109.57	106.71
32	b	614	CLA	C4A-NA-C1A	6.37	109.57	106.71
32	4	601	CLA	C4A-NA-C1A	6.37	109.57	106.71
32	3	609	CLA	C4A-NA-C1A	6.36	109.57	106.71
32	7	601	CLA	C4A-NA-C1A	6.36	109.56	106.71
31	B	622	8CT	C14-C13-C12	-6.36	118.24	127.31
32	1	602	CLA	C4A-NA-C1A	6.35	109.56	106.71
32	g	102	CLA	C4A-NA-C1A	6.35	109.56	106.71
32	a	408	CLA	C4A-NA-C1A	6.35	109.56	106.71
32	b	609	CLA	C4A-NA-C1A	6.35	109.56	106.71
32	0	604	CLA	C4A-NA-C1A	6.35	109.56	106.71
32	4	613	CLA	C4A-NA-C1A	6.34	109.56	106.71
32	5	303	CLA	C4A-NA-C1A	6.34	109.56	106.71
32	5	307	CLA	C4A-NA-C1A	6.34	109.56	106.71
32	P	608	CLA	C4A-NA-C1A	6.34	109.56	106.71
32	3	605	CLA	C4A-NA-C1A	6.34	109.56	106.71
32	8	601	CLA	C4A-NA-C1A	6.33	109.55	106.71
32	p	303	CLA	C4A-NA-C1A	6.33	109.55	106.71
32	7	605	CLA	C4A-NA-C1A	6.33	109.55	106.71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	2	601	CLA	C4A-NA-C1A	6.33	109.55	106.71
32	3	602	CLA	C4A-NA-C1A	6.32	109.55	106.71
32	p	307	CLA	C4A-NA-C1A	6.32	109.55	106.71
32	1	609	CLA	C4A-NA-C1A	6.32	109.55	106.71
32	1	601	CLA	C4A-NA-C1A	6.32	109.55	106.71
32	2	606	CLA	C4A-NA-C1A	6.31	109.55	106.71
32	1	612	CLA	C4A-NA-C1A	6.31	109.54	106.71
32	1	605	CLA	C4A-NA-C1A	6.31	109.54	106.71
32	b	602	CLA	C4A-NA-C1A	6.31	109.54	106.71
33	p	311	KC2	CHC-C4B-NB	6.30	130.24	124.45
32	8	602	CLA	C4A-NA-C1A	6.30	109.54	106.71
32	8	607	CLA	C4A-NA-C1A	6.30	109.54	106.71
32	2	609	CLA	C4A-NA-C1A	6.29	109.54	106.71
32	b	603	CLA	C4A-NA-C1A	6.29	109.53	106.71
32	B	603	CLA	C4A-NA-C1A	6.29	109.53	106.71
32	B	614	CLA	C4A-NA-C1A	6.29	109.53	106.71
32	0	613	CLA	C4A-NA-C1A	6.29	109.53	106.71
32	s	302	CLA	C4A-NA-C1A	6.29	109.53	106.71
31	K	101	8CT	C30-C31-C32	-6.28	113.74	121.47
32	5	308	CLA	C4A-NA-C1A	6.27	109.53	106.71
32	1	603	CLA	C4A-NA-C1A	6.27	109.52	106.71
32	1	608	CLA	C4A-NA-C1A	6.26	109.52	106.71
32	2	602	CLA	C4A-NA-C1A	6.26	109.52	106.71
32	p	304	CLA	C4A-NA-C1A	6.25	109.52	106.71
32	0	603	CLA	C4A-NA-C1A	6.25	109.51	106.71
32	8	606	CLA	C4A-NA-C1A	6.24	109.51	106.71
32	P	602	CLA	C4A-NA-C1A	6.24	109.51	106.71
32	d	402	CLA	C4A-NA-C1A	6.24	109.51	106.71
32	S	302	CLA	C4A-NA-C1A	6.23	109.51	106.71
32	p	308	CLA	C4A-NA-C1A	6.23	109.51	106.71
33	5	311	KC2	CHC-C4B-NB	6.23	130.18	124.45
32	B	609	CLA	C4A-NA-C1A	6.23	109.50	106.71
32	7	608	CLA	C4A-NA-C1A	6.22	109.50	106.71
32	9	602	CLA	C4A-NA-C1A	6.22	109.50	106.71
32	B	611	CLA	C4A-NA-C1A	6.20	109.49	106.71
32	b	611	CLA	C4A-NA-C1A	6.20	109.49	106.71
33	P	605	KC2	CHC-C4B-NB	6.20	130.15	124.45
32	6	602	CLA	C4A-NA-C1A	6.20	109.49	106.71
32	a	406	CLA	C4A-NA-C1A	6.19	109.49	106.71
32	A	605	CLA	C4A-NA-C1A	6.18	109.48	106.71
32	9	606	CLA	C4A-NA-C1A	6.18	109.48	106.71
32	4	603	CLA	C4A-NA-C1A	6.17	109.48	106.71

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	4	607	CLA	C4A-NA-C1A	6.15	109.47	106.71
32	1	607	CLA	C4A-NA-C1A	6.15	109.47	106.71
31	k	102	8CT	C30-C31-C32	-6.14	113.91	121.47
32	D	403	CLA	C4A-NA-C1A	6.14	109.47	106.71
32	2	607	CLA	C4A-NA-C1A	6.13	109.46	106.71
32	A	603	CLA	C4A-NA-C1A	6.13	109.46	106.71
33	6	605	KC2	CHC-C4B-NB	6.10	130.06	124.45
32	0	606	CLA	C4A-NA-C1A	6.09	109.45	106.71
31	H	102	8CT	C10-C11-C12	-6.08	117.05	126.23
31	h	102	8CT	C10-C11-C12	-6.06	117.08	126.23
32	6	606	CLA	C4A-NA-C1A	6.04	109.42	106.71
32	7	607	CLA	C4A-NA-C1A	6.03	109.42	106.71
31	P	615	8CT	C14-C13-C12	-6.03	118.71	127.31
31	d	408	8CT	C24-C25-C26	-6.02	118.72	127.31
32	4	606	CLA	C4A-NA-C1A	6.00	109.40	106.71
31	D	409	8CT	C24-C25-C26	-6.00	118.75	127.31
32	P	606	CLA	C4A-NA-C1A	6.00	109.40	106.71
32	0	607	CLA	C4A-NA-C1A	5.98	109.40	106.71
32	3	606	CLA	C4A-NA-C1A	5.98	109.39	106.71
31	6	615	8CT	C14-C13-C12	-5.98	118.78	127.31
31	c	518	8CT	C04-C03-C02	-5.91	114.29	122.61
31	C	518	8CT	C04-C03-C02	-5.91	114.30	122.61
31	k	102	8CT	C10-C11-C12	-5.83	117.42	126.23
31	K	101	8CT	C10-C11-C12	-5.75	117.54	126.23
31	H	102	8CT	C19-C20-C21	-5.71	119.16	127.31
31	h	102	8CT	C19-C20-C21	-5.68	119.21	127.31
31	b	623	8CT	C14-C13-C12	-5.65	119.24	127.31
31	6	615	8CT	C18-C17-C16	-5.62	119.29	127.31
31	B	624	8CT	C14-C13-C12	-5.61	119.31	127.31
31	P	615	8CT	C18-C17-C16	-5.61	119.31	127.31
44	A	611	BCT	O2-C-O1	5.60	134.06	119.55
44	a	401	BCT	O2-C-O1	5.57	133.99	119.55
34	p	314	II0	C41-C39-C35	-5.56	119.38	127.31
31	h	102	8CT	C30-C31-C32	-5.52	114.68	121.47
34	6	612	II0	C41-C39-C35	-5.48	119.48	127.31
31	A	610	8CT	C07-C02-C03	-5.46	114.81	122.73
31	b	622	8CT	C01-C02-C03	-5.45	118.41	124.53
36	4	617	IHT	C41-C38-C35	-5.43	119.56	127.31
31	B	623	8CT	C01-C02-C03	-5.41	118.45	124.53
36	4	617	IHT	C40-C37-C33	-5.41	119.59	127.31
31	H	102	8CT	C30-C31-C32	-5.39	114.83	121.47
31	H	102	8CT	C14-C13-C12	-5.37	119.65	127.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	2	616	IHT	C41-C38-C35	-5.36	119.66	127.31
31	h	102	8CT	C14-C13-C12	-5.35	119.67	127.31
34	5	314	II0	C41-C39-C35	-5.35	119.67	127.31
31	K	102	8CT	C14-C13-C12	-5.35	119.68	127.31
34	P	612	II0	C41-C39-C35	-5.29	119.76	127.31
31	h	102	8CT	C01-C02-C03	-5.26	118.62	124.53
31	H	102	8CT	C01-C02-C03	-5.25	118.63	124.53
36	p	317	IHT	C41-C38-C35	-5.25	119.82	127.31
31	B	623	8CT	C19-C20-C21	-5.24	119.83	127.31
34	3	613	II0	C42-C40-C36	-5.24	119.83	127.31
31	9	615	8CT	C07-C02-C03	-5.23	115.14	122.73
31	3	615	8CT	C07-C02-C03	-5.22	115.16	122.73
31	b	622	8CT	C19-C20-C21	-5.21	119.87	127.31
36	8	616	IHT	C41-C38-C35	-5.20	119.89	127.31
31	M	201	8CT	C18-C17-C16	-5.20	119.89	127.31
31	c	518	8CT	C14-C13-C12	-5.19	119.91	127.31
31	B	622	8CT	C18-C17-C16	-5.18	119.91	127.31
31	C	518	8CT	C14-C13-C12	-5.16	119.94	127.31
34	4	615	II0	C42-C40-C36	-5.15	119.96	127.31
36	0	618	IHT	C41-C38-C35	-5.13	119.98	127.31
31	k	101	8CT	C14-C13-C12	-5.10	120.03	127.31
34	9	613	II0	C42-C40-C36	-5.10	120.04	127.31
31	K	101	8CT	C18-C17-C16	-5.10	120.04	127.31
31	a	413	8CT	C18-C17-C16	-5.09	120.04	127.31
36	5	317	IHT	C41-C38-C35	-5.09	120.04	127.31
34	0	615	II0	C42-C40-C36	-5.09	120.05	127.31
36	0	618	IHT	C40-C37-C33	-5.08	120.06	127.31
31	k	102	8CT	C18-C17-C16	-5.07	120.07	127.31
43	D	405	PL9	C7-C3-C4	5.06	120.99	116.88
31	d	408	8CT	C18-C17-C16	-5.05	120.10	127.31
43	d	404	PL9	C7-C3-C4	5.05	120.98	116.88
33	p	311	KC2	O2D-CGD-CBD	5.05	120.24	111.27
33	5	311	KC2	O2D-CGD-CBD	5.04	120.22	111.27
31	k	101	8CT	C01-C02-C03	-5.02	118.89	124.53
31	D	409	8CT	C18-C17-C16	-5.01	120.15	127.31
34	p	316	II0	C42-C40-C36	-5.00	120.17	127.31
31	K	102	8CT	C01-C02-C03	-5.00	118.91	124.53
35	6	613	II3	C39-C36-C33	-4.98	120.21	127.31
34	2	614	II0	C42-C40-C36	-4.97	120.21	127.31
36	0	614	IHT	C41-C38-C35	-4.97	120.22	127.31
33	6	605	KC2	O2D-CGD-CBD	4.96	120.08	111.27
35	P	613	II3	C39-C36-C33	-4.95	120.24	127.31

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	a	413	8CT	C19-C20-C21	-4.93	120.27	127.31
36	7	618	IHT	C41-C38-C35	-4.91	120.30	127.31
34	8	615	II0	C42-C40-C36	-4.91	120.31	127.31
36	4	614	IHT	C41-C38-C35	-4.90	120.31	127.31
34	2	615	II0	C42-C40-C36	-4.90	120.32	127.31
31	B	622	8CT	C24-C25-C26	-4.89	120.33	127.31
34	8	614	II0	C42-C40-C36	-4.89	120.34	127.31
34	0	616	II0	C41-C39-C35	-4.88	120.35	127.31
31	M	201	8CT	C24-C25-C26	-4.85	120.38	127.31
31	3	615	8CT	C01-C02-C03	-4.85	119.08	124.53
31	3	615	8CT	C14-C13-C12	-4.85	120.39	127.31
31	9	615	8CT	C14-C13-C12	-4.84	120.41	127.31
36	1	618	IHT	C18-C22-C23	-4.83	118.94	126.23
36	1	618	IHT	C30-C27-C23	-4.83	120.42	127.31
31	9	615	8CT	C01-C02-C03	-4.83	119.11	124.53
31	6	615	8CT	C04-C03-C02	-4.81	115.83	122.61
31	B	624	8CT	C18-C17-C16	-4.81	120.45	127.31
31	z	101	8CT	C30-C31-C32	-4.81	115.55	121.47
34	4	616	II0	C41-C39-C35	-4.81	120.45	127.31
31	b	623	8CT	C18-C17-C16	-4.80	120.46	127.31
31	K	102	8CT	C18-C17-C16	-4.79	120.47	127.31
31	9	615	8CT	C24-C25-C26	-4.79	120.48	127.31
31	D	409	8CT	C10-C11-C12	-4.76	119.04	126.23
34	7	614	II0	C41-C39-C35	-4.76	120.52	127.31
31	M	201	8CT	C01-C02-C03	-4.75	119.19	124.53
31	3	615	8CT	C24-C25-C26	-4.75	120.53	127.31
31	P	615	8CT	C04-C03-C02	-4.75	115.92	122.61
31	k	101	8CT	C18-C17-C16	-4.75	120.54	127.31
31	B	622	8CT	C01-C02-C03	-4.75	119.20	124.53
34	5	316	II0	C42-C40-C36	-4.74	120.54	127.31
34	1	617	II0	C42-C40-C36	-4.74	120.55	127.31
34	0	617	II0	C42-C40-C36	-4.73	120.57	127.31
31	d	408	8CT	C10-C11-C12	-4.71	119.12	126.23
33	P	605	KC2	O2D-CGD-CBD	4.71	119.63	111.27
34	7	617	II0	C42-C40-C36	-4.69	120.62	127.31
34	5	319	II0	C41-C39-C35	-4.68	120.64	127.31
31	b	623	8CT	C01-C02-C03	-4.65	119.31	124.53
31	B	624	8CT	C30-C31-C32	-4.65	115.75	121.47
33	7	610	KC2	O2D-CGD-CBD	4.64	119.51	111.27
31	b	623	8CT	C30-C31-C32	-4.64	115.76	121.47
34	1	614	II0	C41-C39-C35	-4.63	120.70	127.31
36	7	618	IHT	C30-C27-C23	-4.63	120.70	127.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	M	201	8CT	C10-C11-C12	-4.63	119.24	126.23
31	B	624	8CT	C01-C02-C03	-4.62	119.34	124.53
33	4	610	KC2	O2D-CGD-CBD	4.62	119.47	111.27
33	1	610	KC2	O2D-CGD-CBD	4.61	119.47	111.27
36	7	618	IHT	C18-C22-C23	-4.61	119.27	126.23
33	0	610	KC2	O2D-CGD-CBD	4.61	119.46	111.27
34	8	615	II0	C03-C09-C13	-4.61	116.13	122.63
34	5	301	II0	C42-C40-C36	-4.57	120.78	127.31
36	1	618	IHT	C41-C38-C35	-4.57	120.78	127.31
34	p	315	II0	C41-C39-C35	-4.57	120.79	127.31
31	B	622	8CT	C10-C11-C12	-4.57	119.33	126.23
34	5	315	II0	C41-C39-C35	-4.56	120.80	127.31
39	b	601	SQD	O47-C7-C8	4.55	121.31	111.50
31	B	624	8CT	C24-C25-C26	-4.55	120.81	127.31
45	C	514	DGD	O3G-C3G-C2G	-4.55	99.93	110.90
34	2	615	II0	C03-C09-C13	-4.55	116.22	122.63
39	B	601	SQD	O47-C7-C8	4.54	121.29	111.50
45	c	514	DGD	O3G-C3G-C2G	-4.54	99.95	110.90
31	6	615	8CT	C07-C02-C03	-4.53	116.16	122.73
34	7	616	II0	C42-C40-C36	-4.53	120.85	127.31
31	b	623	8CT	C24-C25-C26	-4.53	120.85	127.31
31	P	615	8CT	C07-C02-C03	-4.52	116.17	122.73
34	1	616	II0	C42-C40-C36	-4.50	120.89	127.31
31	A	610	8CT	C04-C03-C02	-4.50	116.28	122.61
31	B	624	8CT	C19-C20-C21	-4.50	120.89	127.31
31	b	623	8CT	C19-C20-C21	-4.50	120.89	127.31
31	c	518	8CT	C07-C02-C03	-4.49	116.22	122.73
31	A	610	8CT	C18-C17-C16	-4.48	120.92	127.31
31	C	518	8CT	C07-C02-C03	-4.46	116.25	122.73
36	0	618	IHT	C19-C10-C07	-4.45	119.53	124.53
33	6	609	KC2	O2D-CGD-CBD	4.44	119.15	111.27
45	A	614	DGD	O3G-C3G-C2G	-4.43	100.21	110.90
31	Z	101	8CT	C30-C31-C32	-4.42	116.03	121.47
31	k	101	8CT	C19-C18-C17	-4.41	114.43	123.47
34	p	301	II0	C41-C39-C35	-4.41	121.02	127.31
36	2	616	IHT	C18-C22-C23	-4.41	119.58	126.23
32	c	505	CLA	CMB-C2B-C1B	-4.41	121.69	128.46
36	2	616	IHT	C19-C10-C07	-4.40	119.58	124.53
33	P	609	KC2	O2D-CGD-CBD	4.40	119.09	111.27
36	2	616	IHT	C30-C27-C23	-4.40	121.03	127.31
32	b	609	CLA	CMB-C2B-C1B	-4.40	121.70	128.46
32	C	505	CLA	CMB-C2B-C1B	-4.39	121.71	128.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	6	614	II0	C42-C40-C36	-4.38	121.06	127.31
45	c	516	DGD	O3G-C3G-C2G	-4.38	100.34	110.90
34	3	612	II0	C41-C39-C35	-4.38	121.06	127.31
32	B	609	CLA	CMB-C2B-C1B	-4.38	121.74	128.46
45	C	516	DGD	O3G-C3G-C2G	-4.37	100.36	110.90
36	4	617	IHT	C19-C10-C07	-4.37	119.62	124.53
34	p	301	II0	C42-C40-C36	-4.37	121.08	127.31
34	8	613	II0	C41-C39-C35	-4.37	121.08	127.31
34	0	620	II0	C42-C40-C36	-4.36	121.09	127.31
36	8	616	IHT	C19-C10-C07	-4.36	119.63	124.53
34	2	613	II0	C41-C39-C35	-4.35	121.11	127.31
36	8	616	IHT	C18-C22-C23	-4.34	119.68	126.23
32	D	401	CLA	CMB-C2B-C1B	-4.34	121.79	128.46
45	a	414	DGD	O3G-C3G-C2G	-4.33	100.45	110.90
32	7	606	CLA	CMB-C2B-C1B	-4.33	121.81	128.46
36	8	616	IHT	C30-C27-C23	-4.32	121.14	127.31
34	0	617	II0	C41-C39-C35	-4.32	121.14	127.31
31	K	101	8CT	C24-C25-C26	-4.32	121.15	127.31
34	P	614	II0	C42-C40-C36	-4.32	121.15	127.31
32	d	409	CLA	CMB-C2B-C1B	-4.31	121.83	128.46
31	K	102	8CT	C19-C18-C17	-4.31	114.64	123.47
45	C	515	DGD	O3G-C3G-C2G	-4.31	100.50	110.90
31	k	101	8CT	C10-C11-C12	-4.31	119.72	126.23
45	c	515	DGD	O3G-C3G-C2G	-4.30	100.51	110.90
34	9	612	II0	C41-C39-C35	-4.30	121.18	127.31
36	4	614	IHT	C19-C10-C07	-4.29	119.71	124.53
32	d	403	CLA	CMB-C2B-C1B	-4.29	121.88	128.46
31	A	610	8CT	C19-C20-C21	-4.28	121.20	127.31
34	4	619	II0	C42-C40-C36	-4.28	121.20	127.31
32	D	404	CLA	CMB-C2B-C1B	-4.28	121.88	128.46
32	C	508	CLA	CMB-C2B-C1B	-4.28	121.89	128.46
31	A	610	8CT	C01-C02-C03	-4.28	119.73	124.53
31	H	102	8CT	C24-C25-C26	-4.27	121.22	127.31
32	c	509	CLA	CMB-C2B-C1B	-4.27	121.91	128.46
34	2	619	II0	C41-C39-C35	-4.27	121.22	127.31
32	7	603	CLA	CMB-C2B-C1B	-4.26	121.92	128.46
32	C	509	CLA	CMB-C2B-C1B	-4.25	121.92	128.46
31	6	615	8CT	C01-C02-C03	-4.25	119.75	124.53
31	h	102	8CT	C24-C25-C26	-4.25	121.25	127.31
31	B	622	8CT	C19-C20-C21	-4.24	121.25	127.31
32	c	508	CLA	CMB-C2B-C1B	-4.24	121.95	128.46
34	5	319	II0	C42-C40-C36	-4.24	121.26	127.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	P	615	8CT	C01-C02-C03	-4.24	119.77	124.53
32	c	504	CLA	CMB-C2B-C1B	-4.23	121.97	128.46
31	k	102	8CT	C24-C25-C26	-4.22	121.29	127.31
38	B	619	LHG	O4-P-O5	4.22	133.10	112.24
38	L	101	LHG	O4-P-O5	4.22	133.10	112.24
38	l	102	LHG	O4-P-O5	4.22	133.09	112.24
38	D	410	LHG	O4-P-O5	4.21	133.06	112.24
38	d	411	LHG	O4-P-O5	4.21	133.06	112.24
39	b	601	SQD	O9-S-C6	4.21	111.94	106.94
38	b	619	LHG	O4-P-O5	4.21	133.04	112.24
31	K	102	8CT	C10-C11-C12	-4.21	119.88	126.23
34	1	616	II0	C41-C39-C35	-4.21	121.31	127.31
38	B	621	LHG	O4-P-O5	4.21	133.04	112.24
38	8	618	LHG	O4-P-O5	4.20	133.00	112.24
38	a	403	LHG	O4-P-O5	4.20	132.99	112.24
31	M	201	8CT	C19-C20-C21	-4.20	121.32	127.31
36	0	618	IHT	C18-C22-C23	-4.19	119.90	126.23
32	b	613	CLA	CMB-C2B-C1B	-4.19	122.02	128.46
39	B	601	SQD	O9-S-C6	4.19	111.92	106.94
38	b	621	LHG	O4-P-O5	4.19	132.97	112.24
38	S	301	LHG	O4-P-O5	4.19	132.94	112.24
38	2	618	LHG	O4-P-O5	4.19	132.93	112.24
34	9	614	II0	C42-C40-C36	-4.18	121.34	127.31
38	A	613	LHG	O4-P-O5	4.18	132.90	112.24
32	B	613	CLA	CMB-C2B-C1B	-4.18	122.04	128.46
38	s	301	LHG	O4-P-O5	4.17	132.86	112.24
31	M	201	8CT	C07-C02-C03	-4.16	116.69	122.73
38	a	402	LHG	O4-P-O5	4.16	132.81	112.24
38	A	612	LHG	O4-P-O5	4.16	132.81	112.24
31	6	615	8CT	C24-C25-C26	-4.16	121.38	127.31
32	A	602	CLA	CMB-C2B-C1B	-4.15	122.08	128.46
32	C	504	CLA	CMB-C2B-C1B	-4.15	122.08	128.46
32	c	506	CLA	CMB-C2B-C1B	-4.15	122.09	128.46
34	1	619	II0	C41-C39-C35	-4.15	121.39	127.31
32	a	405	CLA	CMB-C2B-C1B	-4.15	122.09	128.46
31	B	622	8CT	C07-C02-C03	-4.14	116.71	122.73
39	p	318	SQD	O7-S-C6	4.14	111.86	106.94
34	5	301	II0	C41-C39-C35	-4.14	121.40	127.31
34	3	614	II0	C42-C40-C36	-4.14	121.40	127.31
34	8	619	II0	C41-C39-C35	-4.13	121.42	127.31
31	b	623	8CT	C10-C11-C12	-4.13	120.00	126.23
32	B	614	CLA	CMB-C2B-C1B	-4.12	122.13	128.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	Z	101	8CT	C19-C20-C21	-4.12	121.44	127.31
39	5	318	SQD	O7-S-C6	4.12	111.83	106.94
34	7	616	II0	C41-C39-C35	-4.11	121.44	127.31
36	4	617	IHT	C18-C22-C23	-4.11	120.02	126.23
32	8	604	CLA	CMB-C2B-C1B	-4.11	122.15	128.46
32	C	506	CLA	CMB-C2B-C1B	-4.11	122.15	128.46
31	P	615	8CT	C24-C25-C26	-4.10	121.45	127.31
32	b	614	CLA	CMB-C2B-C1B	-4.10	122.17	128.46
32	2	604	CLA	CMB-C2B-C1B	-4.10	122.17	128.46
31	z	101	8CT	C19-C20-C21	-4.10	121.47	127.31
34	8	619	II0	C42-C40-C36	-4.09	121.47	127.31
34	1	619	II0	C42-C40-C36	-4.09	121.47	127.31
34	2	613	II0	C42-C40-C36	-4.09	121.47	127.31
31	B	624	8CT	C10-C11-C12	-4.09	120.06	126.23
31	B	623	8CT	C14-C13-C12	-4.08	121.49	127.31
31	b	622	8CT	C14-C13-C12	-4.07	121.50	127.31
31	c	518	8CT	C19-C20-C21	-4.07	121.50	127.31
31	d	408	8CT	C01-C02-C03	-4.05	119.98	124.53
31	C	518	8CT	C19-C20-C21	-4.05	121.53	127.31
31	6	615	8CT	C19-C20-C21	-4.05	121.54	127.31
31	z	101	8CT	C24-C25-C26	-4.04	121.54	127.31
36	0	614	IHT	C19-C10-C07	-4.03	120.00	124.53
34	8	613	II0	C42-C40-C36	-4.03	121.56	127.31
31	D	409	8CT	C01-C02-C03	-4.03	120.00	124.53
39	p	318	SQD	O47-C7-C8	4.03	120.18	111.50
33	6	605	KC2	C4B-CHC-C1C	-4.02	117.39	126.06
33	P	605	KC2	C4B-CHC-C1C	-4.01	117.41	126.06
32	b	607	CLA	CMB-C2B-C1B	-4.00	122.31	128.46
31	B	624	8CT	C07-C02-C03	-4.00	116.92	122.73
31	P	615	8CT	C19-C20-C21	-4.00	121.60	127.31
32	c	513	CLA	CMB-C2B-C1B	-4.00	122.32	128.46
31	b	623	8CT	C04-C03-C02	-4.00	116.98	122.61
31	a	413	8CT	C01-C02-C03	-3.99	120.05	124.53
31	b	623	8CT	C07-C02-C03	-3.99	116.94	122.73
34	2	619	II0	C42-C40-C36	-3.98	121.62	127.31
39	B	620	SQD	O47-C7-C8	3.98	120.08	111.50
32	B	607	CLA	CMB-C2B-C1B	-3.98	122.34	128.46
39	5	318	SQD	O47-C7-C8	3.98	120.07	111.50
31	B	624	8CT	C04-C03-C02	-3.97	117.02	122.61
36	4	614	IHT	C18-C22-C23	-3.97	120.24	126.23
34	7	619	II0	C41-C39-C35	-3.96	121.66	127.31
39	b	620	SQD	O47-C7-C8	3.96	120.03	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	5	314	II0	C42-C40-C36	-3.96	121.66	127.31
31	K	101	8CT	C01-C02-C03	-3.96	120.08	124.53
31	c	518	8CT	C18-C17-C16	-3.95	121.67	127.31
31	Z	101	8CT	C24-C25-C26	-3.95	121.67	127.31
34	7	614	II0	C42-C40-C36	-3.94	121.69	127.31
31	c	518	8CT	C01-C02-C03	-3.94	120.11	124.53
36	0	614	IHT	C40-C37-C33	-3.94	121.69	127.31
31	Z	101	8CT	C01-C02-C03	-3.94	120.11	124.53
31	C	518	8CT	C18-C17-C16	-3.94	121.69	127.31
34	7	616	II0	C20-C14-C10	-3.93	119.01	124.35
34	p	314	II0	C42-C40-C36	-3.93	121.70	127.31
32	0	603	CLA	CMB-C2B-C1B	-3.93	122.43	128.46
33	2	610	KC2	C4B-CHC-C1C	-3.92	117.59	126.06
31	k	102	8CT	C01-C02-C03	-3.92	120.12	124.53
35	7	615	II3	C39-C36-C33	-3.92	121.72	127.31
31	z	101	8CT	C18-C17-C16	-3.91	121.73	127.31
34	p	315	II0	C42-C40-C36	-3.91	121.73	127.31
31	C	518	8CT	C01-C02-C03	-3.91	120.14	124.53
32	b	608	CLA	CMB-C2B-C1B	-3.90	122.47	128.46
32	C	513	CLA	CMB-C2B-C1B	-3.90	122.47	128.46
33	8	610	KC2	C4B-CHC-C1C	-3.89	117.66	126.06
34	5	319	II0	C20-C14-C10	-3.89	119.07	124.35
36	0	614	IHT	C18-C22-C23	-3.89	120.36	126.23
34	7	619	II0	C42-C40-C36	-3.89	121.77	127.31
32	B	608	CLA	CMB-C2B-C1B	-3.88	122.50	128.46
36	p	317	IHT	C18-C22-C23	-3.88	120.38	126.23
32	B	612	CLA	CMB-C2B-C1B	-3.87	122.51	128.46
36	2	616	IHT	C40-C37-C33	-3.87	121.78	127.31
36	4	614	IHT	C40-C37-C33	-3.87	121.78	127.31
33	1	610	KC2	C4B-CHC-C1C	-3.87	117.71	126.06
31	k	102	8CT	C19-C20-C21	-3.86	121.80	127.31
36	7	618	IHT	C40-C37-C33	-3.86	121.80	127.31
31	A	610	8CT	C30-C31-C32	-3.86	116.72	121.47
33	7	610	KC2	C4B-CHC-C1C	-3.86	117.74	126.06
32	b	612	CLA	CMB-C2B-C1B	-3.85	122.55	128.46
32	3	603	CLA	CMB-C2B-C1B	-3.84	122.56	128.46
33	P	609	KC2	C4B-CHC-C1C	-3.84	117.77	126.06
32	C	511	CLA	CMB-C2B-C1B	-3.84	122.56	128.46
31	K	101	8CT	C19-C20-C21	-3.84	121.84	127.31
32	c	501	CLA	CMB-C2B-C1B	-3.84	122.57	128.46
33	0	610	KC2	C4B-CHC-C1C	-3.83	117.79	126.06
31	K	102	8CT	C35-C30-C29	-3.83	107.86	112.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	6	603	CLA	CMB-C2B-C1B	-3.83	122.57	128.46
31	Z	101	8CT	C18-C17-C16	-3.83	121.84	127.31
32	C	501	CLA	CMB-C2B-C1B	-3.83	122.58	128.46
33	6	609	KC2	C4B-CHC-C1C	-3.83	117.80	126.06
35	1	615	II3	C39-C36-C33	-3.82	121.86	127.31
33	5	311	KC2	C4B-CHC-C1C	-3.82	117.82	126.06
33	p	311	KC2	C4B-CHC-C1C	-3.82	117.83	126.06
34	p	301	II0	C20-C14-C10	-3.81	119.17	124.35
33	4	610	KC2	C4B-CHC-C1C	-3.81	117.84	126.06
39	a	409	SQD	O9-S-C6	3.80	111.46	106.94
45	H	101	DGD	O3G-C3G-C2G	-3.80	101.73	110.90
32	A	605	CLA	CMB-C2B-C1B	-3.80	122.63	128.46
34	8	615	II0	C19-C13-C11	3.80	121.39	114.36
32	9	603	CLA	CMB-C2B-C1B	-3.80	122.63	128.46
32	P	603	CLA	CMB-C2B-C1B	-3.79	122.64	128.46
34	1	616	II0	C20-C14-C10	-3.79	119.20	124.35
45	h	101	DGD	O3G-C3G-C2G	-3.79	101.76	110.90
31	k	101	8CT	C35-C30-C29	-3.79	107.91	112.70
32	4	603	CLA	CMB-C2B-C1B	-3.79	122.64	128.46
36	1	618	IHT	C40-C37-C33	-3.78	121.91	127.31
32	B	615	CLA	CMB-C2B-C1B	-3.78	122.66	128.46
32	B	603	CLA	CMB-C2B-C1B	-3.77	122.67	128.46
31	k	102	8CT	C07-C02-C03	-3.77	117.25	122.73
39	A	606	SQD	O9-S-C6	3.77	111.42	106.94
31	K	101	8CT	C07-C02-C03	-3.77	117.26	122.73
32	3	602	CLA	CMB-C2B-C1B	-3.77	122.67	128.46
32	c	511	CLA	CMB-C2B-C1B	-3.77	122.67	128.46
31	Z	101	8CT	C11-C10-C03	-3.77	116.63	127.20
36	8	616	IHT	C40-C37-C33	-3.76	121.94	127.31
34	7	617	II0	C41-C39-C35	-3.76	121.95	127.31
34	1	617	II0	C41-C39-C35	-3.76	121.95	127.31
34	2	615	II0	C20-C14-C10	-3.75	119.25	124.35
32	b	615	CLA	CMB-C2B-C1B	-3.75	122.70	128.46
32	9	602	CLA	CMB-C2B-C1B	-3.75	122.70	128.46
33	2	610	KC2	O2D-CGD-CBD	3.75	117.92	111.27
31	z	101	8CT	C11-C10-C03	-3.74	116.69	127.20
32	a	408	CLA	CMB-C2B-C1B	-3.74	122.71	128.46
35	1	615	II3	C22-C18-C16	-3.74	119.27	124.35
34	8	615	II0	C20-C14-C10	-3.74	119.27	124.35
33	8	610	KC2	O2D-CGD-CBD	3.74	117.91	111.27
32	5	308	CLA	CMB-C2B-C1B	-3.74	122.72	128.46
32	b	603	CLA	CMB-C2B-C1B	-3.73	122.72	128.46

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	p	308	CLA	CMB-C2B-C1B	-3.73	122.73	128.46
34	2	619	II0	C20-C14-C10	-3.73	119.28	124.35
39	B	601	SQD	O7-S-C6	3.73	111.37	106.94
31	b	623	8CT	C35-C30-C29	-3.72	107.99	112.70
39	5	318	SQD	O9-S-O7	-3.72	101.08	113.95
32	B	604	CLA	CMB-C2B-C1B	-3.72	122.75	128.46
39	b	601	SQD	O7-S-C6	3.72	111.36	106.94
32	8	611	CLA	CMB-C2B-C1B	-3.71	122.75	128.46
32	b	604	CLA	CMB-C2B-C1B	-3.71	122.76	128.46
31	z	101	8CT	C35-C30-C29	-3.71	108.02	112.70
39	p	318	SQD	O9-S-O7	-3.71	101.13	113.95
36	5	317	IHT	C18-C22-C23	-3.70	120.64	126.23
32	2	611	CLA	CMB-C2B-C1B	-3.70	122.78	128.46
39	B	620	SQD	O7-S-C6	3.70	111.33	106.94
39	b	620	SQD	O9-S-O7	-3.70	101.16	113.95
36	4	617	IHT	C30-C27-C23	-3.70	122.04	127.31
31	k	102	8CT	C18-C19-C20	-3.69	115.91	123.47
31	C	518	8CT	C11-C10-C03	-3.69	116.83	127.20
39	B	620	SQD	O9-S-O7	-3.69	101.17	113.95
31	c	518	8CT	C11-C10-C03	-3.69	116.84	127.20
39	b	620	SQD	O7-S-C6	3.68	111.32	106.94
32	C	503	CLA	O2D-CGD-O1D	-3.68	116.64	123.84
31	b	622	8CT	C18-C17-C16	-3.68	122.06	127.31
36	0	618	IHT	C30-C27-C23	-3.68	122.06	127.31
31	3	615	8CT	C19-C20-C21	-3.67	122.07	127.31
31	K	101	8CT	C18-C19-C20	-3.67	115.96	123.47
32	c	512	CLA	CMB-C2B-C1B	-3.67	122.83	128.46
34	6	612	II0	C20-C14-C10	-3.67	119.37	124.35
36	2	616	IHT	C20-C15-C11	-3.67	119.37	124.35
36	1	618	IHT	C19-C10-C07	-3.66	120.41	124.53
31	B	624	8CT	C35-C30-C29	-3.66	108.07	112.70
32	c	503	CLA	O2D-CGD-O1D	-3.66	116.69	123.84
31	9	615	8CT	C19-C20-C21	-3.66	122.09	127.31
34	8	619	II0	C20-C14-C10	-3.66	119.38	124.35
39	B	620	SQD	O9-S-C6	3.66	111.28	106.94
32	C	512	CLA	CMB-C2B-C1B	-3.66	122.84	128.46
31	z	101	8CT	C01-C02-C03	-3.66	120.42	124.53
31	B	623	8CT	C18-C17-C16	-3.66	122.09	127.31
31	d	408	8CT	C19-C20-C21	-3.65	122.09	127.31
32	d	403	CLA	CMB-C2B-C3B	3.65	131.51	124.68
34	5	315	II0	C42-C40-C36	-3.65	122.11	127.31
31	a	413	8CT	C01-C02-C07	3.64	120.62	113.62

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	D	409	8CT	C19-C20-C21	-3.64	122.11	127.31
32	7	606	CLA	CMB-C2B-C3B	3.64	131.48	124.68
34	1	614	II0	C42-C40-C36	-3.64	122.12	127.31
32	7	602	CLA	CMB-C2B-C1B	-3.64	122.88	128.46
34	9	612	II0	C42-C40-C36	-3.63	122.12	127.31
34	0	617	II0	C19-C13-C09	-3.63	119.41	124.35
36	5	317	IHT	C40-C37-C33	-3.63	122.13	127.31
34	5	316	II0	C41-C39-C35	-3.63	122.13	127.31
34	p	314	II0	C20-C14-C10	-3.63	119.42	124.35
32	1	604	CLA	CMB-C2B-C1B	-3.62	122.89	128.46
32	D	404	CLA	CMB-C2B-C3B	3.62	131.46	124.68
32	1	602	CLA	CMB-C2B-C1B	-3.62	122.90	128.46
36	p	317	IHT	C19-C10-C07	-3.62	120.47	124.53
32	D	401	CLA	CMB-C2B-C3B	3.62	131.44	124.68
32	C	505	CLA	CMB-C2B-C3B	3.62	131.44	124.68
34	3	612	II0	C42-C40-C36	-3.62	122.15	127.31
32	C	507	CLA	CMB-C2B-C1B	-3.61	122.91	128.46
33	2	610	KC2	C3D-CAD-CBD	-3.61	102.85	107.61
39	a	409	SQD	O47-C7-C8	3.61	119.28	111.50
34	2	615	II0	C19-C13-C11	3.61	121.04	114.36
31	h	102	8CT	C07-C02-C03	-3.60	117.50	122.73
39	A	606	SQD	O47-C7-C8	3.60	119.27	111.50
33	P	609	KC2	C3D-CAD-CBD	-3.60	102.86	107.61
32	S	302	CLA	CMB-C2B-C1B	-3.60	122.93	128.46
33	8	610	KC2	C3D-CAD-CBD	-3.60	102.86	107.61
39	b	620	SQD	O9-S-C6	3.60	111.22	106.94
33	6	609	KC2	C3D-CAD-CBD	-3.60	102.86	107.61
32	c	505	CLA	CMB-C2B-C3B	3.60	131.41	124.68
31	b	622	8CT	C24-C25-C26	-3.60	122.17	127.31
39	b	601	SQD	O9-S-O7	-3.60	101.50	113.95
31	B	623	8CT	C24-C25-C26	-3.60	122.18	127.31
31	9	615	8CT	C11-C10-C03	-3.59	117.11	127.20
32	A	603	CLA	CMB-C2B-C1B	-3.59	122.95	128.46
39	B	601	SQD	O9-S-O7	-3.59	101.53	113.95
31	3	615	8CT	C11-C10-C03	-3.59	117.13	127.20
32	s	302	CLA	CMB-C2B-C1B	-3.59	122.95	128.46
31	H	102	8CT	C07-C02-C03	-3.58	117.53	122.73
32	b	613	CLA	CMB-C2B-C3B	3.58	131.38	124.68
32	c	509	CLA	CMB-C2B-C3B	3.58	131.38	124.68
34	0	615	II0	C19-C13-C09	-3.58	119.48	124.35
32	d	409	CLA	CMB-C2B-C3B	3.58	131.37	124.68
36	5	317	IHT	C19-C10-C07	-3.58	120.51	124.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	9	607	CLA	CMB-C2B-C1B	-3.58	122.97	128.46
32	c	503	CLA	CMB-C2B-C1B	-3.57	122.97	128.46
32	b	611	CLA	CMB-C2B-C1B	-3.57	122.97	128.46
39	A	606	SQD	O9-S-O7	-3.57	101.59	113.95
34	0	620	II0	C41-C39-C35	-3.57	122.22	127.31
32	B	613	CLA	CMB-C2B-C3B	3.57	131.35	124.68
32	b	605	CLA	CMB-C2B-C1B	-3.57	122.98	128.46
32	c	507	CLA	CMB-C2B-C1B	-3.57	122.98	128.46
32	C	503	CLA	CMB-C2B-C1B	-3.57	122.98	128.46
32	a	406	CLA	CMB-C2B-C1B	-3.56	122.99	128.46
32	3	607	CLA	CMB-C2B-C1B	-3.56	122.99	128.46
39	a	409	SQD	O9-S-O7	-3.56	101.63	113.95
32	7	604	CLA	CMB-C2B-C1B	-3.56	122.99	128.46
34	8	613	II0	C19-C13-C09	-3.56	119.52	124.35
31	k	101	8CT	C07-C02-C03	-3.56	117.57	122.73
32	a	406	CLA	O2D-CGD-O1D	-3.56	116.89	123.84
32	2	602	CLA	CMB-C2B-C1B	-3.55	123.00	128.46
32	P	607	CLA	CMB-C2B-C1B	-3.55	123.00	128.46
32	7	603	CLA	CMB-C2B-C3B	3.55	131.33	124.68
32	c	504	CLA	CMB-C2B-C3B	3.55	131.33	124.68
32	C	509	CLA	CMB-C2B-C3B	3.55	131.32	124.68
34	P	614	II0	C19-C13-C09	-3.55	119.53	124.35
31	k	101	8CT	C25-C24-C23	-3.55	112.14	123.22
34	1	617	II0	C20-C14-C10	-3.55	119.53	124.35
34	8	613	II0	C20-C14-C10	-3.55	119.53	124.35
32	6	607	CLA	CMB-C2B-C1B	-3.55	123.01	128.46
32	8	602	CLA	CMB-C2B-C1B	-3.55	123.01	128.46
34	P	614	II0	C41-C39-C35	-3.55	122.25	127.31
35	7	615	II3	C41-C40-C38	-3.54	122.26	127.31
34	2	614	II0	C20-C14-C10	-3.54	119.54	124.35
35	7	615	II3	C22-C18-C16	-3.54	119.54	124.35
32	b	606	CLA	CMB-C2B-C1B	-3.54	123.03	128.46
32	B	605	CLA	CMB-C2B-C1B	-3.54	123.03	128.46
32	B	611	CLA	CMB-C2B-C1B	-3.53	123.03	128.46
31	K	102	8CT	C07-C02-C03	-3.53	117.60	122.73
32	2	606	CLA	CMB-C2B-C1B	-3.53	123.04	128.46
36	p	317	IHT	C40-C37-C33	-3.53	122.27	127.31
34	0	616	II0	C20-C14-C10	-3.53	119.56	124.35
32	b	609	CLA	CMB-C2B-C3B	3.52	131.27	124.68
32	d	402	CLA	CMB-C2B-C1B	-3.52	123.05	128.46
35	1	615	II3	C41-C40-C38	-3.52	122.29	127.31
32	p	309	CLA	CMB-C2B-C1B	-3.52	123.06	128.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	B	606	CLA	CMB-C2B-C1B	-3.52	123.06	128.46
32	5	309	CLA	CMB-C2B-C1B	-3.52	123.06	128.46
31	K	102	8CT	C25-C24-C23	-3.51	112.25	123.22
32	4	608	CLA	CMB-C2B-C1B	-3.51	123.07	128.46
32	8	606	CLA	CMB-C2B-C1B	-3.51	123.07	128.46
36	0	614	IHT	C30-C27-C23	-3.51	122.30	127.31
34	P	614	II0	C20-C14-C12	3.51	120.86	114.36
32	0	608	CLA	CMB-C2B-C1B	-3.51	123.07	128.46
32	1	606	CLA	CMB-C2B-C1B	-3.50	123.08	128.46
32	B	609	CLA	CMB-C2B-C3B	3.50	131.23	124.68
33	5	311	KC2	CHB-C1B-C2B	-3.50	118.14	125.48
32	D	403	CLA	CAB-C3B-C4B	-3.50	123.09	128.46
31	A	610	8CT	C10-C11-C12	-3.50	120.95	126.23
32	C	504	CLA	CMB-C2B-C3B	3.50	131.22	124.68
34	4	619	II0	C41-C39-C35	-3.50	122.32	127.31
33	2	610	KC2	CHC-C4B-C3B	-3.49	119.28	125.26
32	6	602	CLA	CMB-C2B-C1B	-3.49	123.09	128.46
32	P	602	CLA	CMB-C2B-C1B	-3.49	123.09	128.46
34	9	612	II0	C19-C13-C09	-3.49	119.61	124.35
31	z	101	8CT	C01-C02-C07	3.49	120.32	113.62
32	a	405	CLA	CMB-C2B-C3B	3.49	131.21	124.68
45	c	516	DGD	O6D-C1D-O3G	-3.49	101.72	109.97
36	4	614	IHT	C30-C27-C23	-3.48	122.34	127.31
34	7	619	II0	C20-C14-C10	-3.48	119.61	124.35
32	C	508	CLA	CMB-C2B-C3B	3.48	131.19	124.68
34	9	612	II0	C20-C14-C10	-3.48	119.62	124.35
35	P	613	II3	C22-C18-C16	-3.48	119.62	124.35
32	A	602	CLA	CMB-C2B-C3B	3.48	131.19	124.68
33	p	311	KC2	CHB-C1B-C2B	-3.48	118.18	125.48
34	4	616	II0	C42-C40-C36	-3.48	122.34	127.31
32	D	403	CLA	CMB-C2B-C1B	-3.48	123.11	128.46
34	3	612	II0	C20-C14-C10	-3.48	119.62	124.35
45	C	516	DGD	O6D-C1D-O3G	-3.48	101.74	109.97
33	8	610	KC2	CHC-C4B-C3B	-3.48	119.31	125.26
32	0	602	CLA	CMB-C2B-C1B	-3.48	123.12	128.46
35	6	613	II3	C22-C18-C16	-3.47	119.63	124.35
31	d	408	8CT	C01-C02-C07	3.47	120.29	113.62
31	D	409	8CT	C01-C02-C07	3.47	120.29	113.62
32	8	603	CLA	CMB-C2B-C1B	-3.47	123.13	128.46
32	B	610	CLA	CMB-C2B-C1B	-3.47	123.13	128.46
32	1	603	CLA	CMB-C2B-C1B	-3.47	123.13	128.46
36	8	616	IHT	C20-C15-C11	-3.47	119.63	124.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	d	402	CLA	CAB-C3B-C4B	-3.47	123.13	128.46
32	b	610	CLA	CMB-C2B-C1B	-3.47	123.14	128.46
32	2	603	CLA	CMB-C2B-C1B	-3.46	123.14	128.46
32	5	312	CLA	CMB-C2B-C1B	-3.46	123.14	128.46
32	4	602	CLA	CMB-C2B-C1B	-3.46	123.15	128.46
32	A	603	CLA	O2D-CGD-O1D	-3.45	117.08	123.84
32	p	312	CLA	CMB-C2B-C1B	-3.45	123.16	128.46
31	a	413	8CT	C10-C11-C12	-3.45	121.02	126.23
34	8	614	II0	C20-C14-C10	-3.45	119.66	124.35
32	5	313	CLA	CMB-C2B-C1B	-3.45	123.16	128.46
34	4	619	II0	C19-C13-C09	-3.45	119.67	124.35
34	3	613	II0	C19-C13-C09	-3.45	119.67	124.35
32	8	605	CLA	CMB-C2B-C1B	-3.45	123.17	128.46
32	p	303	CLA	CMB-C2B-C1B	-3.45	123.17	128.46
34	0	617	II0	C20-C14-C10	-3.44	119.67	124.35
32	3	601	CLA	CMB-C2B-C1B	-3.44	123.18	128.46
32	3	611	CLA	CMB-C2B-C1B	-3.44	123.18	128.46
32	c	508	CLA	CMB-C2B-C3B	3.44	131.11	124.68
32	9	601	CLA	CMB-C2B-C1B	-3.44	123.18	128.46
31	d	408	8CT	C14-C13-C12	-3.43	122.41	127.31
31	6	615	8CT	C10-C11-C12	-3.43	121.05	126.23
32	p	313	CLA	CMB-C2B-C1B	-3.43	123.19	128.46
34	2	613	II0	C19-C13-C09	-3.43	119.69	124.35
34	1	619	II0	C20-C14-C10	-3.43	119.69	124.35
34	9	614	II0	C19-C13-C09	-3.43	119.69	124.35
32	9	611	CLA	CMB-C2B-C1B	-3.43	123.20	128.46
31	b	622	8CT	C10-C11-C12	-3.43	121.06	126.23
31	D	409	8CT	C14-C13-C12	-3.42	122.42	127.31
32	7	613	CLA	CMB-C2B-C1B	-3.42	123.20	128.46
32	2	605	CLA	CMB-C2B-C1B	-3.42	123.20	128.46
45	C	515	DGD	O6D-C1D-O3G	-3.42	101.87	109.97
39	5	318	SQD	O48-C23-C24	3.42	120.35	111.38
32	0	611	CLA	CMB-C2B-C1B	-3.42	123.21	128.46
34	3	612	II0	C19-C13-C09	-3.42	119.70	124.35
31	k	102	8CT	C01-C02-C07	3.42	120.19	113.62
45	c	514	DGD	O6D-C1D-O3G	-3.42	101.88	109.97
34	2	619	II0	C19-C13-C09	-3.42	119.70	124.35
32	0	604	CLA	CMB-C2B-C1B	-3.42	123.21	128.46
39	p	318	SQD	O48-C23-C24	3.42	120.34	111.38
32	3	608	CLA	CMB-C2B-C1B	-3.42	123.21	128.46
32	B	614	CLA	CMB-C2B-C3B	3.42	131.07	124.68
39	A	606	SQD	O7-S-C6	3.41	111.00	106.94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	4	605	CLA	CMB-C2B-C1B	-3.41	123.22	128.46
39	a	409	SQD	O7-S-C6	3.41	111.00	106.94
32	0	605	CLA	CMB-C2B-C1B	-3.41	123.22	128.46
32	1	613	CLA	CMB-C2B-C1B	-3.41	123.22	128.46
32	8	604	CLA	CMB-C2B-C3B	3.41	131.06	124.68
32	5	305	CLA	CMB-C2B-C1B	-3.41	123.22	128.46
32	c	510	CLA	CMB-C2B-C1B	-3.41	123.22	128.46
32	3	610	CLA	CMB-C2B-C1B	-3.41	123.22	128.46
31	B	623	8CT	C10-C11-C12	-3.41	121.08	126.23
31	K	101	8CT	C01-C02-C07	3.41	120.16	113.62
32	8	612	CLA	CMB-C2B-C1B	-3.41	123.23	128.46
31	K	102	8CT	C30-C31-C32	-3.41	117.28	121.47
32	b	614	CLA	CMB-C2B-C3B	3.41	131.05	124.68
32	9	606	CLA	CMB-C2B-C1B	-3.40	123.23	128.46
32	5	303	CLA	CMB-C2B-C1B	-3.40	123.23	128.46
45	C	514	DGD	O6D-C1D-O3G	-3.40	101.91	109.97
33	1	610	KC2	CHB-C1B-C2B	-3.40	118.34	125.48
32	7	608	CLA	CMB-C2B-C1B	-3.40	123.23	128.46
32	B	617	CLA	CMB-C2B-C1B	-3.40	123.23	128.46
32	2	604	CLA	CMB-C2B-C3B	3.40	131.04	124.68
36	5	317	IHT	C20-C15-C11	-3.40	119.73	124.35
32	1	608	CLA	CMB-C2B-C1B	-3.40	123.23	128.46
32	9	610	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
34	7	617	II0	C20-C14-C10	-3.40	119.73	124.35
32	4	611	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
32	6	601	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
32	8	607	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
32	p	305	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
32	8	608	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
32	4	604	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
33	7	610	KC2	CHB-C1B-C2B	-3.40	118.36	125.48
32	B	602	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
32	b	602	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
32	8	601	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
32	C	510	CLA	CMB-C2B-C1B	-3.40	123.24	128.46
32	5	307	CLA	CMB-C2B-C1B	-3.39	123.25	128.46
31	C	518	8CT	C24-C25-C26	-3.39	122.47	127.31
32	7	609	CLA	CMB-C2B-C1B	-3.39	123.25	128.46
34	p	314	II0	C19-C13-C09	-3.39	119.74	124.35
45	c	515	DGD	O6D-C1D-O3G	-3.39	101.94	109.97
41	d	410	PHO	CMB-C2B-C3B	3.39	131.03	124.68
31	c	518	8CT	C24-C25-C26	-3.39	122.47	127.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	2	608	CLA	CMB-C2B-C1B	-3.39	123.25	128.46
32	7	611	CLA	CMB-C2B-C1B	-3.39	123.25	128.46
32	P	601	CLA	CMB-C2B-C1B	-3.39	123.25	128.46
32	b	617	CLA	CMB-C2B-C1B	-3.39	123.26	128.46
34	6	612	II0	C19-C13-C09	-3.39	119.75	124.35
32	3	606	CLA	CMB-C2B-C1B	-3.39	123.26	128.46
32	2	601	CLA	CMB-C2B-C1B	-3.39	123.26	128.46
32	9	605	CLA	CMB-C2B-C1B	-3.38	123.26	128.46
34	9	613	II0	C19-C13-C09	-3.38	119.75	124.35
32	1	611	CLA	CMB-C2B-C1B	-3.38	123.27	128.46
34	5	314	II0	C19-C13-C09	-3.38	119.75	124.35
32	1	607	CLA	CMB-C2B-C1B	-3.38	123.27	128.46
41	D	402	PHO	CMB-C2B-C3B	3.38	131.00	124.68
32	p	307	CLA	CMB-C2B-C1B	-3.38	123.27	128.46
36	0	618	IHT	C20-C15-C11	-3.38	119.76	124.35
32	1	609	CLA	CMB-C2B-C1B	-3.38	123.27	128.46
32	9	608	CLA	CMB-C2B-C1B	-3.38	123.28	128.46
33	1	610	KC2	CHC-C4B-C3B	-3.37	119.49	125.26
32	2	607	CLA	CMB-C2B-C1B	-3.37	123.28	128.46
32	2	612	CLA	CMB-C2B-C1B	-3.37	123.28	128.46
33	0	610	KC2	CHC-C4B-C3B	-3.37	119.50	125.26
31	Z	101	8CT	C01-C02-C07	3.37	120.09	113.62
32	0	609	CLA	CMB-C2B-C1B	-3.37	123.29	128.46
34	9	613	II0	C20-C14-C10	-3.37	119.77	124.35
34	6	612	II0	C42-C40-C36	-3.37	122.50	127.31
32	3	609	CLA	CMB-C2B-C1B	-3.37	123.29	128.46
31	P	615	8CT	C01-C02-C07	3.36	120.08	113.62
32	1	601	CLA	CMB-C2B-C1B	-3.36	123.30	128.46
34	6	614	II0	C19-C13-C09	-3.36	119.78	124.35
34	5	301	II0	C20-C14-C10	-3.36	119.78	124.35
34	P	612	II0	C20-C14-C10	-3.36	119.78	124.35
32	8	609	CLA	CMB-C2B-C1B	-3.36	123.30	128.46
33	0	610	KC2	CHB-C1B-C2B	-3.36	118.43	125.48
36	4	614	IHT	C20-C15-C11	-3.36	119.78	124.35
33	4	610	KC2	CHB-C1B-C2B	-3.36	118.44	125.48
32	5	302	CLA	CMB-C2B-C1B	-3.36	123.30	128.46
36	7	618	IHT	C19-C10-C07	-3.36	120.76	124.53
32	9	609	CLA	CMB-C2B-C1B	-3.36	123.31	128.46
33	4	610	KC2	C3D-CAD-CBD	-3.36	103.19	107.61
32	P	604	CLA	CMB-C2B-C1B	-3.35	123.31	128.46
32	1	605	CLA	CMB-C2B-C1B	-3.35	123.31	128.46
31	6	615	8CT	C01-C02-C07	3.35	120.06	113.62

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	4	609	CLA	CMB-C2B-C1B	-3.35	123.31	128.46
32	6	604	CLA	CMB-C2B-C1B	-3.35	123.31	128.46
32	0	613	CLA	CMB-C2B-C1B	-3.35	123.32	128.46
34	5	301	II0	C19-C13-C09	-3.35	119.80	124.35
32	7	601	CLA	CMB-C2B-C1B	-3.35	123.32	128.46
32	3	605	CLA	CMB-C2B-C1B	-3.34	123.32	128.46
32	c	513	CLA	CMB-C2B-C3B	3.34	130.94	124.68
32	7	607	CLA	CMB-C2B-C1B	-3.34	123.32	128.46
31	P	615	8CT	C10-C11-C12	-3.34	121.18	126.23
33	0	610	KC2	C3D-CAD-CBD	-3.34	103.20	107.61
34	3	614	II0	C19-C13-C09	-3.34	119.81	124.35
34	p	315	II0	C19-C13-C09	-3.34	119.81	124.35
31	Z	101	8CT	C07-C02-C03	-3.34	117.89	122.73
33	P	609	KC2	CHB-C1B-C2B	-3.34	118.48	125.48
34	5	315	II0	C19-C13-C09	-3.33	119.82	124.35
31	c	518	8CT	C01-C02-C07	3.33	120.02	113.62
32	6	608	CLA	CMB-C2B-C1B	-3.33	123.34	128.46
32	7	605	CLA	CMB-C2B-C1B	-3.33	123.34	128.46
33	6	609	KC2	CHB-C1B-C2B	-3.33	118.50	125.48
32	p	302	CLA	CMB-C2B-C1B	-3.33	123.35	128.46
32	0	606	CLA	CMB-C2B-C1B	-3.33	123.35	128.46
31	K	101	8CT	C04-C03-C02	-3.33	117.93	122.61
32	1	612	CLA	CMB-C2B-C1B	-3.32	123.35	128.46
32	p	310	CLA	CMB-C2B-C1B	-3.32	123.35	128.46
33	7	610	KC2	CHC-C4B-C3B	-3.32	119.57	125.26
32	4	606	CLA	CMB-C2B-C1B	-3.32	123.36	128.46
32	2	609	CLA	CMB-C2B-C1B	-3.32	123.36	128.46
32	5	306	CLA	CMB-C2B-C1B	-3.32	123.36	128.46
33	2	610	KC2	CHB-C1B-C2B	-3.32	118.51	125.48
34	8	619	II0	C19-C13-C09	-3.32	119.84	124.35
32	4	613	CLA	CMB-C2B-C1B	-3.32	123.36	128.46
32	P	611	CLA	CMB-C2B-C1B	-3.32	123.36	128.46
31	Z	101	8CT	C35-C30-C29	-3.32	108.51	112.70
34	1	614	II0	C20-C14-C10	-3.32	119.84	124.35
32	B	607	CLA	CMB-C2B-C3B	3.32	130.89	124.68
32	b	607	CLA	CMB-C2B-C3B	3.32	130.88	124.68
32	5	310	CLA	CMB-C2B-C1B	-3.32	123.37	128.46
31	k	102	8CT	C04-C03-C02	-3.32	117.94	122.61
32	g	102	CLA	CMB-C2B-C1B	-3.32	123.37	128.46
31	z	101	8CT	C07-C02-C03	-3.32	117.92	122.73
32	G	101	CLA	CMB-C2B-C1B	-3.31	123.37	128.46
33	8	610	KC2	CHB-C1B-C2B	-3.31	118.53	125.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	0	612	CLA	CMB-C2B-C1B	-3.31	123.37	128.46
34	1	616	II0	C19-C13-C09	-3.31	119.85	124.35
33	4	610	KC2	CHC-C4B-C3B	-3.31	119.60	125.26
31	C	518	8CT	C01-C02-C07	3.31	119.97	113.62
32	6	611	CLA	CMB-C2B-C1B	-3.31	123.38	128.46
32	0	601	CLA	CMB-C2B-C1B	-3.31	123.38	128.46
36	0	614	IHT	C20-C15-C11	-3.31	119.86	124.35
32	4	601	CLA	CMB-C2B-C1B	-3.31	123.38	128.46
43	d	404	PL9	C7-C3-C2	-3.30	118.95	123.30
32	c	506	CLA	CMB-C2B-C3B	3.30	130.86	124.68
34	5	314	II0	C20-C14-C10	-3.30	119.86	124.35
43	A	609	PL9	C7-C3-C2	-3.30	118.96	123.30
32	P	610	CLA	CMB-C2B-C1B	-3.30	123.39	128.46
34	0	616	II0	C42-C40-C36	-3.30	122.60	127.31
32	7	612	CLA	CMB-C2B-C1B	-3.30	123.40	128.46
32	p	306	CLA	CMB-C2B-C1B	-3.30	123.40	128.46
31	k	101	8CT	C30-C31-C32	-3.30	117.41	121.47
32	C	506	CLA	CMB-C2B-C3B	3.29	130.84	124.68
33	6	609	KC2	CHC-C4B-C3B	-3.29	119.62	125.26
43	a	412	PL9	C7-C3-C2	-3.29	118.97	123.30
32	P	608	CLA	CMB-C2B-C1B	-3.29	123.40	128.46
31	B	623	8CT	C07-C02-C03	-3.29	117.95	122.73
34	5	319	II0	C03-C09-C13	-3.29	118.00	122.63
32	4	607	CLA	CMB-C2B-C1B	-3.28	123.42	128.46
43	D	405	PL9	C7-C3-C2	-3.28	118.98	123.30
33	P	609	KC2	CHC-C4B-C3B	-3.28	119.65	125.26
32	0	612	CLA	O2D-CGD-O1D	-3.28	117.43	123.84
34	7	619	II0	C19-C13-C09	-3.28	119.89	124.35
32	6	610	CLA	CMB-C2B-C1B	-3.28	123.43	128.46
32	p	304	CLA	CMB-C2B-C1B	-3.27	123.43	128.46
31	b	622	8CT	C07-C02-C03	-3.27	117.98	122.73
34	8	614	II0	C41-C39-C35	-3.27	122.64	127.31
32	A	605	CLA	CMB-C2B-C3B	3.27	130.80	124.68
32	6	606	CLA	CMB-C2B-C1B	-3.27	123.44	128.46
32	0	607	CLA	CMB-C2B-C1B	-3.27	123.44	128.46
32	5	304	CLA	CMB-C2B-C1B	-3.27	123.44	128.46
32	4	612	CLA	CMB-C2B-C1B	-3.27	123.44	128.46
34	7	614	II0	C19-C13-C09	-3.26	119.92	124.35
36	p	317	IHT	C20-C15-C11	-3.26	119.92	124.35
32	b	603	CLA	CMB-C2B-C3B	3.26	130.78	124.68
34	0	620	II0	C19-C13-C09	-3.26	119.92	124.35
34	4	619	II0	C20-C14-C10	-3.26	119.92	124.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	2	614	II0	C41-C39-C35	-3.26	122.66	127.31
32	4	612	CLA	O2D-CGD-O1D	-3.26	117.47	123.84
32	s	303	CLA	CMB-C2B-C1B	-3.25	123.46	128.46
34	8	615	II0	C32-C34-C36	-3.25	117.28	126.42
32	D	404	CLA	O2D-CGD-O1D	-3.25	117.48	123.84
34	8	614	II0	C19-C13-C09	-3.25	119.93	124.35
32	d	403	CLA	O2D-CGD-O1D	-3.25	117.48	123.84
45	a	414	DGD	O6D-C1D-O3G	-3.25	102.27	109.97
32	P	606	CLA	CMB-C2B-C1B	-3.25	123.47	128.46
32	9	604	CLA	CMB-C2B-C1B	-3.25	123.47	128.46
32	C	501	CLA	CMB-C2B-C3B	3.25	130.76	124.68
32	c	501	CLA	CMB-C2B-C3B	3.25	130.75	124.68
31	Z	101	8CT	C13-C14-C15	-3.25	113.09	123.22
34	0	616	II0	C19-C13-C11	3.24	120.36	114.36
34	7	616	II0	C19-C13-C09	-3.24	119.94	124.35
32	B	603	CLA	CMB-C2B-C3B	3.24	130.74	124.68
45	A	614	DGD	O6D-C1D-O3G	-3.24	102.30	109.97
32	C	513	CLA	CMB-C2B-C3B	3.24	130.73	124.68
34	0	616	II0	C41-C42-C40	-3.24	116.84	123.47
32	S	303	CLA	CMB-C2B-C1B	-3.24	123.49	128.46
32	b	604	CLA	O2D-CGD-O1D	-3.24	117.51	123.84
34	5	316	II0	C19-C13-C09	-3.24	119.95	124.35
34	4	616	II0	C19-C13-C11	3.23	120.35	114.36
32	B	604	CLA	O2D-CGD-O1D	-3.23	117.52	123.84
32	3	604	CLA	CMB-C2B-C1B	-3.23	123.50	128.46
33	p	311	KC2	C1A-NA-C4A	-3.23	105.25	106.71
31	B	623	8CT	C30-C31-C32	-3.23	117.50	121.47
32	0	603	CLA	CMB-C2B-C3B	3.23	130.71	124.68
34	P	612	II0	C19-C13-C09	-3.22	119.97	124.35
31	a	413	8CT	C05-C04-C03	3.22	115.44	110.48
35	P	613	II3	C05-C06-C10	-3.22	108.07	111.74
34	3	613	II0	C20-C14-C10	-3.22	119.97	124.35
32	a	408	CLA	O2D-CGD-O1D	-3.22	117.54	123.84
33	p	311	KC2	CHC-C4B-C3B	-3.22	119.75	125.26
32	c	502	CLA	CMB-C2B-C1B	-3.22	123.52	128.46
32	D	403	CLA	O2D-CGD-O1D	-3.21	117.55	123.84
32	C	502	CLA	CMB-C2B-C1B	-3.21	123.52	128.46
33	5	311	KC2	C1A-NA-C4A	-3.21	105.26	106.71
32	B	616	CLA	CMB-C2B-C1B	-3.21	123.53	128.46
32	d	402	CLA	O2D-CGD-O1D	-3.21	117.57	123.84
34	2	615	II0	C32-C34-C36	-3.21	117.41	126.42
31	M	201	8CT	C01-C02-C07	3.20	119.77	113.62

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	4	616	II0	C20-C14-C10	-3.20	120.00	124.35
34	7	617	II0	C19-C13-C11	3.20	120.29	114.36
33	5	311	KC2	CHC-C4B-C3B	-3.20	119.78	125.26
32	b	608	CLA	CMB-C2B-C3B	3.20	130.66	124.68
34	8	615	II0	C41-C39-C35	-3.20	122.74	127.31
32	A	605	CLA	O2D-CGD-O1D	-3.20	117.58	123.84
32	a	408	CLA	CMB-C2B-C3B	3.20	130.66	124.68
32	3	602	CLA	CMB-C2B-C3B	3.20	130.66	124.68
34	4	616	II0	C41-C42-C40	-3.20	116.92	123.47
34	1	617	II0	C19-C13-C11	3.20	120.28	114.36
31	b	622	8CT	C30-C31-C32	-3.19	117.54	121.47
32	9	602	CLA	CMB-C2B-C3B	3.19	130.65	124.68
32	b	616	CLA	CMB-C2B-C1B	-3.18	123.58	128.46
39	5	318	SQD	O9-S-C6	3.18	110.72	106.94
32	B	608	CLA	CMB-C2B-C3B	3.18	130.63	124.68
33	0	610	KC2	C1A-NA-C4A	-3.18	105.28	106.71
31	z	101	8CT	C05-C04-C03	3.18	115.37	110.48
32	6	603	CLA	CMB-C2B-C3B	3.18	130.62	124.68
32	b	612	CLA	CMB-C2B-C3B	3.18	130.62	124.68
34	4	615	II0	C19-C13-C09	-3.18	120.03	124.35
31	9	615	8CT	C35-C30-C31	3.18	117.11	111.42
32	C	508	CLA	O2D-CGD-O1D	-3.17	117.63	123.84
34	0	620	II0	C19-C13-C11	3.17	120.23	114.36
31	h	102	8CT	C05-C04-C03	3.17	115.36	110.48
35	6	613	II3	C05-C06-C10	-3.17	108.13	111.74
31	B	622	8CT	C01-C02-C07	3.17	119.71	113.62
32	B	612	CLA	CMB-C2B-C3B	3.17	130.61	124.68
34	0	615	II0	C20-C14-C10	-3.17	120.05	124.35
34	2	614	II0	C19-C13-C09	-3.17	120.05	124.35
31	z	101	8CT	C13-C14-C15	-3.16	113.34	123.22
32	3	603	CLA	CMB-C2B-C3B	3.16	130.60	124.68
32	B	615	CLA	CMB-C2B-C3B	3.16	130.59	124.68
36	7	618	IHT	C06-C09-C10	-3.16	108.43	114.08
34	6	614	II0	C20-C14-C12	3.16	120.21	114.36
31	3	615	8CT	C35-C30-C31	3.15	117.07	111.42
34	2	615	II0	C41-C39-C35	-3.15	122.81	127.31
32	c	508	CLA	O2D-CGD-O1D	-3.15	117.67	123.84
39	b	620	SQD	O8-S-C6	3.15	110.76	105.74
34	7	614	II0	C20-C14-C10	-3.15	120.07	124.35
32	9	603	CLA	CMB-C2B-C3B	3.15	130.57	124.68
31	K	102	8CT	C04-C03-C02	-3.15	118.18	122.61
33	4	610	KC2	C1A-NA-C4A	-3.15	105.29	106.71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	d	408	8CT	C05-C04-C03	3.15	115.33	110.48
34	6	614	II0	C41-C39-C35	-3.15	122.82	127.31
31	H	102	8CT	C05-C04-C03	3.15	115.33	110.48
31	M	201	8CT	C04-C03-C02	-3.14	118.18	122.61
31	B	622	8CT	C04-C03-C02	-3.14	118.18	122.61
32	p	308	CLA	CMB-C2B-C3B	3.14	130.56	124.68
32	b	615	CLA	CMB-C2B-C3B	3.14	130.55	124.68
45	a	414	DGD	O5D-C6D-C5D	-3.14	103.24	109.05
36	1	618	IHT	C20-C15-C11	-3.14	120.08	124.35
39	B	620	SQD	O8-S-C6	3.14	110.74	105.74
34	1	619	II0	C19-C13-C09	-3.13	120.09	124.35
34	p	316	II0	C19-C13-C09	-3.13	120.09	124.35
32	b	607	CLA	O2D-CGD-O1D	-3.13	117.72	123.84
32	P	603	CLA	CMB-C2B-C3B	3.13	130.53	124.68
31	k	101	8CT	C04-C03-C02	-3.13	118.21	122.61
34	5	319	II0	C19-C13-C11	3.13	120.15	114.36
33	8	610	KC2	O1D-CGD-CBD	-3.12	118.09	124.48
44	A	611	BCT	O3-C-O1	-3.12	111.44	119.55
32	D	401	CLA	O2D-CGD-O1D	-3.12	117.73	123.84
32	B	607	CLA	O2D-CGD-O1D	-3.12	117.74	123.84
32	b	613	CLA	O2D-CGD-O1D	-3.12	117.74	123.84
34	p	301	II0	C19-C13-C11	3.12	120.13	114.36
31	D	409	8CT	C05-C04-C03	3.11	115.28	110.48
33	2	610	KC2	O1D-CGD-CBD	-3.11	118.11	124.48
36	7	618	IHT	C20-C15-C11	-3.11	120.12	124.35
32	B	613	CLA	O2D-CGD-O1D	-3.11	117.76	123.84
32	C	511	CLA	CMB-C2B-C3B	3.11	130.49	124.68
36	4	617	IHT	C20-C15-C11	-3.11	120.13	124.35
32	5	308	CLA	CMB-C2B-C3B	3.11	130.49	124.68
32	C	507	CLA	CMB-C2B-C3B	3.10	130.49	124.68
44	a	401	BCT	O3-C-O1	-3.10	111.50	119.55
32	C	505	CLA	O2D-CGD-O1D	-3.10	117.78	123.84
32	8	611	CLA	CMB-C2B-C3B	3.10	130.48	124.68
34	2	613	II0	C20-C14-C10	-3.10	120.14	124.35
31	a	413	8CT	C11-C10-C03	-3.09	118.51	127.20
32	b	615	CLA	O2D-CGD-O1D	-3.09	117.79	123.84
34	9	613	II0	C06-C08-C12	-3.09	106.07	110.30
31	Z	101	8CT	C05-C04-C03	3.09	115.24	110.48
32	c	507	CLA	CMB-C2B-C3B	3.09	130.46	124.68
34	P	612	II0	C42-C40-C36	-3.09	122.90	127.31
34	5	316	II0	C20-C14-C12	3.09	120.08	114.36
32	4	603	CLA	CMB-C2B-C3B	3.09	130.46	124.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	H	102	8CT	C18-C17-C16	-3.08	122.91	127.31
31	A	610	8CT	C14-C13-C12	-3.08	122.91	127.31
32	d	409	CLA	O2D-CGD-O1D	-3.08	117.81	123.84
32	2	611	CLA	CMB-C2B-C3B	3.08	130.44	124.68
36	p	317	IHT	C30-C27-C23	-3.07	122.92	127.31
32	9	604	CLA	O2D-CGD-O1D	-3.07	117.83	123.84
32	c	505	CLA	O2D-CGD-O1D	-3.07	117.83	123.84
32	c	501	CLA	O2D-CGD-O1D	-3.07	117.84	123.84
34	p	315	II0	C20-C14-C10	-3.07	120.18	124.35
31	h	102	8CT	C18-C17-C16	-3.06	122.94	127.31
34	8	613	II0	C06-C08-C12	-3.06	106.11	110.30
32	c	511	CLA	O2D-CGD-O1D	-3.06	117.85	123.84
32	C	501	CLA	O2D-CGD-O1D	-3.06	117.85	123.84
34	6	612	II0	C06-C08-C12	-3.06	106.11	110.30
32	c	511	CLA	CMB-C2B-C3B	3.06	130.41	124.68
32	0	604	CLA	O2D-CGD-O1D	-3.06	117.86	123.84
34	3	613	II0	C06-C08-C12	-3.06	106.12	110.30
34	3	614	II0	C20-C14-C10	-3.06	120.19	124.35
34	5	315	II0	C20-C14-C10	-3.06	120.19	124.35
34	p	316	II0	C20-C14-C12	3.06	120.02	114.36
32	3	609	CLA	O2D-CGD-O1D	-3.06	117.86	123.84
32	9	602	CLA	O2D-CGD-O1D	-3.05	117.87	123.84
33	P	609	KC2	C1A-NA-C4A	-3.05	105.33	106.71
34	1	614	II0	C19-C13-C09	-3.05	120.20	124.35
34	7	617	II0	C19-C13-C09	-3.05	120.20	124.35
34	7	616	II0	C19-C13-C11	3.05	120.01	114.36
32	3	604	CLA	O2D-CGD-O1D	-3.05	117.87	123.84
32	b	616	CLA	O2D-CGD-O1D	-3.05	117.87	123.84
32	C	511	CLA	O2D-CGD-O1D	-3.05	117.87	123.84
45	A	614	DGD	O5D-C6D-C5D	-3.05	103.40	109.05
43	A	609	PL9	O2-C1-C2	-3.05	117.05	121.41
45	h	101	DGD	O6D-C1D-O3G	-3.05	102.75	109.97
34	p	316	II0	C41-C39-C35	-3.05	122.96	127.31
32	B	615	CLA	O2D-CGD-O1D	-3.05	117.88	123.84
32	9	609	CLA	O2D-CGD-O1D	-3.05	117.88	123.84
32	b	609	CLA	O2D-CGD-O1D	-3.05	117.88	123.84
32	9	603	CLA	O2D-CGD-O1D	-3.04	117.89	123.84
34	4	619	II0	C19-C13-C11	3.04	119.99	114.36
31	3	615	8CT	C01-C02-C07	3.04	119.46	113.62
32	3	602	CLA	O2D-CGD-O1D	-3.04	117.89	123.84
32	B	612	CLA	O2D-CGD-O1D	-3.04	117.89	123.84
32	B	616	CLA	O2D-CGD-O1D	-3.04	117.90	123.84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	6	609	KC2	C1A-NA-C4A	-3.04	105.34	106.71
32	3	603	CLA	O2D-CGD-O1D	-3.04	117.90	123.84
32	c	512	CLA	CMB-C2B-C3B	3.04	130.36	124.68
34	p	316	II0	C20-C14-C10	-3.04	120.22	124.35
32	c	512	CLA	O2D-CGD-O1D	-3.03	117.91	123.84
32	4	604	CLA	O2D-CGD-O1D	-3.03	117.91	123.84
34	2	614	II0	C06-C08-C12	-3.03	106.15	110.30
34	1	617	II0	C19-C13-C09	-3.03	120.23	124.35
39	p	318	SQD	O9-S-C6	3.03	110.54	106.94
43	a	412	PL9	O2-C1-C2	-3.03	117.07	121.41
32	C	512	CLA	O2D-CGD-O1D	-3.03	117.92	123.84
32	b	605	CLA	O2D-CGD-O1D	-3.03	117.92	123.84
41	A	604	PHO	O2D-CGD-O1D	-3.03	117.92	123.84
45	H	101	DGD	O6D-C1D-O3G	-3.03	102.80	109.97
32	c	509	CLA	O2D-CGD-O1D	-3.03	117.92	123.84
34	4	615	II0	C41-C39-C35	-3.03	122.99	127.31
32	7	602	CLA	CMB-C2B-C3B	3.03	130.34	124.68
32	C	512	CLA	CMB-C2B-C3B	3.02	130.34	124.68
32	1	602	CLA	CMB-C2B-C3B	3.02	130.32	124.68
36	1	618	IHT	C06-C09-C10	-3.02	108.69	114.08
31	Z	101	8CT	C35-C30-C31	3.01	116.82	111.42
32	B	605	CLA	O2D-CGD-O1D	-3.01	117.94	123.84
32	B	609	CLA	O2D-CGD-O1D	-3.01	117.94	123.84
32	1	604	CLA	CMB-C2B-C3B	3.01	130.32	124.68
33	P	605	KC2	CHC-C4B-C3B	-3.01	120.11	125.26
32	1	606	CLA	CMB-C2B-C3B	3.01	130.31	124.68
31	P	615	8CT	C35-C30-C31	3.01	116.81	111.42
34	1	616	II0	C19-C13-C11	3.01	119.93	114.36
32	b	612	CLA	O2D-CGD-O1D	-3.01	117.96	123.84
32	B	611	CLA	O2D-CGD-O1D	-3.01	117.96	123.84
32	C	509	CLA	O2D-CGD-O1D	-3.01	117.96	123.84
31	A	610	8CT	C11-C10-C03	-3.00	118.76	127.20
31	9	615	8CT	C01-C02-C07	3.00	119.39	113.62
34	9	614	II0	C41-C39-C35	-3.00	123.03	127.31
34	4	615	II0	C20-C14-C10	-3.00	120.28	124.35
41	a	407	PHO	O2D-CGD-O1D	-2.99	117.98	123.84
32	2	602	CLA	CMB-C2B-C3B	2.99	130.28	124.68
33	6	605	KC2	CHB-C1B-C2B	-2.99	119.20	125.48
32	b	611	CLA	O2D-CGD-O1D	-2.99	117.99	123.84
32	a	406	CLA	CMB-C2B-C3B	2.99	130.27	124.68
32	C	510	CLA	O2D-CGD-O1D	-2.99	117.99	123.84
32	c	510	CLA	O2D-CGD-O1D	-2.99	118.00	123.84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	P	605	KC2	CHB-C1B-C2B	-2.99	119.21	125.48
34	0	615	II0	C41-C39-C35	-2.99	123.05	127.31
32	b	614	CLA	O2D-CGD-O1D	-2.99	118.00	123.84
32	8	607	CLA	O2D-CGD-O1D	-2.98	118.01	123.84
34	2	613	II0	C06-C08-C12	-2.98	106.22	110.30
32	A	603	CLA	CMB-C2B-C3B	2.98	130.25	124.68
32	b	604	CLA	CMB-C2B-C3B	2.98	130.25	124.68
31	z	101	8CT	C35-C30-C31	2.98	116.75	111.42
32	6	602	CLA	CMB-C2B-C3B	2.98	130.25	124.68
32	9	607	CLA	CMB-C2B-C3B	2.98	130.25	124.68
32	C	504	CLA	O2D-CGD-O1D	-2.97	118.02	123.84
32	B	608	CLA	O2D-CGD-O1D	-2.97	118.02	123.84
32	B	604	CLA	CMB-C2B-C3B	2.97	130.24	124.68
32	0	608	CLA	CMB-C2B-C3B	2.97	130.24	124.68
32	C	507	CLA	O2D-CGD-O1D	-2.97	118.03	123.84
32	c	507	CLA	O2D-CGD-O1D	-2.97	118.04	123.84
31	B	623	8CT	C11-C10-C03	-2.97	118.87	127.20
33	1	610	KC2	C1A-NA-C4A	-2.96	105.37	106.71
32	8	602	CLA	CMB-C2B-C3B	2.96	130.22	124.68
33	6	605	KC2	CHC-C4B-C3B	-2.96	120.19	125.26
32	P	607	CLA	CMB-C2B-C3B	2.96	130.22	124.68
32	7	604	CLA	CMB-C2B-C3B	2.96	130.22	124.68
32	6	607	CLA	CMB-C2B-C3B	2.96	130.22	124.68
37	A	607	LMG	O6-C1-O1	-2.96	102.97	109.97
32	4	608	CLA	CMB-C2B-C3B	2.96	130.21	124.68
32	c	504	CLA	O2D-CGD-O1D	-2.96	118.05	123.84
34	8	614	II0	C06-C08-C12	-2.96	106.25	110.30
32	b	608	CLA	O2D-CGD-O1D	-2.96	118.06	123.84
32	B	614	CLA	O2D-CGD-O1D	-2.96	118.06	123.84
32	3	607	CLA	CMB-C2B-C3B	2.96	130.21	124.68
31	b	622	8CT	C11-C10-C03	-2.96	118.90	127.20
32	C	503	CLA	CMB-C2B-C3B	2.96	130.21	124.68
34	3	613	II0	C42-C41-C39	-2.95	117.42	123.47
32	P	602	CLA	O2D-CGD-O1D	-2.95	118.06	123.84
43	d	404	PL9	C7-C8-C9	-2.95	121.88	126.79
32	c	503	CLA	CMB-C2B-C3B	2.95	130.20	124.68
32	P	602	CLA	CMB-C2B-C3B	2.95	130.20	124.68
32	8	603	CLA	O2D-CGD-O1D	-2.95	118.08	123.84
34	P	614	II0	C20-C14-C10	-2.95	120.34	124.35
32	6	602	CLA	O2D-CGD-O1D	-2.95	118.08	123.84
37	a	410	LMG	O6-C1-O1	-2.94	103.01	109.97
43	D	405	PL9	C7-C8-C9	-2.94	121.89	126.79

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	p	317	IHT	C20-C15-C12	2.94	119.81	114.36
34	9	614	II0	C20-C14-C10	-2.94	120.35	124.35
32	b	610	CLA	CMB-C2B-C3B	2.94	130.17	124.68
32	p	309	CLA	CMB-C2B-C3B	2.94	130.17	124.68
34	5	316	II0	C20-C14-C10	-2.94	120.36	124.35
32	5	309	CLA	CMB-C2B-C3B	2.93	130.17	124.68
32	c	513	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
36	5	317	IHT	C30-C27-C23	-2.93	123.13	127.31
41	d	410	PHO	O1D-CGD-CBD	2.93	129.62	124.74
34	P	612	II0	C06-C08-C12	-2.93	106.29	110.30
32	7	602	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
32	2	603	CLA	O2D-CGD-O1D	-2.92	118.12	123.84
32	1	608	CLA	O2D-CGD-O1D	-2.92	118.12	123.84
32	S	303	CLA	O2D-CGD-O1D	-2.92	118.12	123.84
32	7	608	CLA	O2D-CGD-O1D	-2.92	118.12	123.84
32	4	605	CLA	O2D-CGD-O1D	-2.92	118.13	123.84
32	5	309	CLA	O2D-CGD-O1D	-2.92	118.13	123.84
31	k	101	8CT	C13-C14-C15	-2.92	114.11	123.22
32	B	610	CLA	CMB-C2B-C3B	2.92	130.14	124.68
32	B	606	CLA	CMB-C2B-C3B	2.92	130.14	124.68
41	D	402	PHO	O1D-CGD-CBD	2.92	129.60	124.74
32	1	602	CLA	O2D-CGD-O1D	-2.92	118.14	123.84
32	8	602	CLA	O2D-CGD-O1D	-2.92	118.14	123.84
32	2	602	CLA	O2D-CGD-O1D	-2.91	118.14	123.84
36	5	317	IHT	C20-C15-C12	2.91	119.75	114.36
32	C	513	CLA	O2D-CGD-O1D	-2.91	118.14	123.84
32	p	303	CLA	O2D-CGD-O1D	-2.91	118.14	123.84
32	b	611	CLA	CMB-C2B-C3B	2.91	130.12	124.68
32	s	303	CLA	O2D-CGD-O1D	-2.91	118.15	123.84
35	7	615	II3	C05-C06-C10	-2.91	108.43	111.74
32	B	606	CLA	O2D-CGD-O1D	-2.91	118.16	123.84
32	5	302	CLA	O2D-CGD-O1D	-2.90	118.16	123.84
32	7	603	CLA	O2D-CGD-O1D	-2.90	118.16	123.84
32	2	604	CLA	O2D-CGD-O1D	-2.90	118.16	123.84
32	b	606	CLA	O2D-CGD-O1D	-2.90	118.16	123.84
32	3	611	CLA	CMB-C2B-C3B	2.90	130.11	124.68
32	1	604	CLA	O2D-CGD-O1D	-2.90	118.16	123.84
32	S	302	CLA	CMB-C2B-C3B	2.90	130.10	124.68
32	b	606	CLA	CMB-C2B-C3B	2.90	130.10	124.68
32	s	302	CLA	CMB-C2B-C3B	2.90	130.10	124.68
34	0	616	II0	C19-C13-C09	-2.90	120.41	124.35
34	3	612	II0	C05-C07-C11	-2.90	106.34	110.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	6	610	CLA	O2D-CGD-O1D	-2.89	118.18	123.84
34	9	613	II0	C42-C41-C39	-2.89	117.54	123.47
31	6	615	8CT	C35-C30-C31	2.89	116.60	111.42
32	b	617	CLA	O2D-CGD-O1D	-2.89	118.18	123.84
32	4	603	CLA	O2D-CGD-O1D	-2.89	118.18	123.84
32	p	303	CLA	CMB-C2B-C3B	2.89	130.09	124.68
32	B	611	CLA	CMB-C2B-C3B	2.89	130.09	124.68
32	B	602	CLA	O2D-CGD-O1D	-2.89	118.18	123.84
33	2	610	KC2	C1A-NA-C4A	-2.89	105.41	106.71
32	5	303	CLA	O2D-CGD-O1D	-2.89	118.19	123.84
32	4	608	CLA	O2D-CGD-O1D	-2.89	118.19	123.84
32	7	604	CLA	O2D-CGD-O1D	-2.89	118.19	123.84
32	0	605	CLA	O2D-CGD-O1D	-2.89	118.19	123.84
32	b	605	CLA	CMB-C2B-C3B	2.89	130.08	124.68
32	2	603	CLA	CMB-C2B-C3B	2.89	130.08	124.68
32	p	309	CLA	O2D-CGD-O1D	-2.88	118.20	123.84
32	8	603	CLA	CMB-C2B-C3B	2.88	130.07	124.68
34	p	301	II0	C03-C09-C13	-2.88	118.56	122.63
32	C	510	CLA	CMB-C2B-C3B	2.88	130.07	124.68
32	0	601	CLA	O2D-CGD-O1D	-2.88	118.20	123.84
32	B	605	CLA	CMB-C2B-C3B	2.88	130.07	124.68
31	B	623	8CT	C35-C30-C29	-2.88	109.06	112.70
32	B	617	CLA	O2D-CGD-O1D	-2.88	118.21	123.84
31	6	615	8CT	C11-C10-C03	-2.88	119.12	127.20
32	b	602	CLA	O2D-CGD-O1D	-2.88	118.22	123.84
32	8	604	CLA	O2D-CGD-O1D	-2.88	118.22	123.84
32	c	510	CLA	CMB-C2B-C3B	2.87	130.06	124.68
32	P	610	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
32	9	611	CLA	CMB-C2B-C3B	2.87	130.06	124.68
32	9	607	CLA	O2D-CGD-O1D	-2.87	118.22	123.84
32	1	613	CLA	CMB-C2B-C3B	2.87	130.05	124.68
32	8	612	CLA	CMB-C2B-C3B	2.87	130.05	124.68
34	5	316	II0	C19-C13-C11	2.87	119.67	114.36
32	B	617	CLA	CMB-C2B-C3B	2.87	130.05	124.68
34	9	612	II0	C06-C08-C12	-2.87	106.38	110.30
32	4	602	CLA	CMB-C2B-C3B	2.87	130.04	124.68
32	8	608	CLA	O2D-CGD-O1D	-2.87	118.23	123.84
35	7	615	II3	C29-C26-C24	-2.87	123.22	127.31
32	5	303	CLA	CMB-C2B-C3B	2.87	130.04	124.68
32	5	312	CLA	CMB-C2B-C3B	2.87	130.04	124.68
34	3	612	II0	C06-C08-C12	-2.87	106.38	110.30
32	p	302	CLA	O2D-CGD-O1D	-2.87	118.23	123.84

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	4	601	CLA	O2D-CGD-O1D	-2.87	118.24	123.84
34	3	614	II0	C41-C39-C35	-2.86	123.22	127.31
32	7	613	CLA	CMB-C2B-C3B	2.86	130.04	124.68
32	p	313	CLA	CMB-C2B-C3B	2.86	130.04	124.68
32	2	609	CLA	O2D-CGD-O1D	-2.86	118.24	123.84
32	7	609	CLA	O2D-CGD-O1D	-2.86	118.24	123.84
31	P	615	8CT	C11-C10-C03	-2.86	119.16	127.20
32	6	603	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
32	0	608	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
32	8	609	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
32	p	312	CLA	CMB-C2B-C3B	2.86	130.03	124.68
32	4	609	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
32	5	313	CLA	CMB-C2B-C3B	2.86	130.03	124.68
43	d	404	PL9	C40-C39-C41	2.86	120.08	115.27
31	M	201	8CT	C11-C10-C03	-2.86	119.17	127.20
31	K	102	8CT	C13-C14-C15	-2.86	114.30	123.22
31	B	622	8CT	C11-C10-C03	-2.86	119.17	127.20
32	0	602	CLA	CMB-C2B-C3B	2.86	130.03	124.68
32	P	603	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
32	3	607	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
43	D	405	PL9	C40-C39-C41	2.86	120.08	115.27
32	b	617	CLA	CMB-C2B-C3B	2.86	130.02	124.68
32	p	305	CLA	O2D-CGD-O1D	-2.86	118.25	123.84
47	f	101	HEM	C4B-CHC-C1C	2.86	126.33	122.56
32	0	606	CLA	O2D-CGD-O1D	-2.86	118.26	123.84
35	P	613	II3	C39-C41-C40	-2.85	117.63	123.47
32	P	606	CLA	C1B-CHB-C4A	-2.85	124.46	130.12
32	2	608	CLA	O2D-CGD-O1D	-2.85	118.26	123.84
32	6	606	CLA	C1B-CHB-C4A	-2.85	124.46	130.12
32	1	603	CLA	CMB-C2B-C3B	2.85	130.02	124.68
32	2	612	CLA	CMB-C2B-C3B	2.85	130.01	124.68
32	4	605	CLA	CMB-C2B-C3B	2.85	130.01	124.68
32	1	609	CLA	O2D-CGD-O1D	-2.85	118.26	123.84
34	0	620	II0	C20-C14-C10	-2.85	120.48	124.35
32	0	605	CLA	CMB-C2B-C3B	2.85	130.01	124.68
31	b	622	8CT	C35-C30-C29	-2.85	109.10	112.70
32	P	606	CLA	CMB-C2B-C3B	2.85	130.01	124.68
41	A	604	PHO	CMB-C2B-C3B	2.85	130.01	124.68
32	7	605	CLA	O2D-CGD-O1D	-2.85	118.27	123.84
32	8	607	CLA	CMB-C2B-C3B	2.85	130.00	124.68
32	p	305	CLA	CMB-C2B-C3B	2.85	130.00	124.68
35	6	613	II3	C39-C41-C40	-2.85	117.65	123.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	7	601	CLA	O2D-CGD-O1D	-2.84	118.28	123.84
32	7	608	CLA	CMB-C2B-C3B	2.84	130.00	124.68
32	c	503	CLA	O2D-CGD-CBD	2.84	116.32	111.27
41	a	407	PHO	CMB-C2B-C3B	2.84	130.00	124.68
32	3	601	CLA	CMB-C2B-C3B	2.84	130.00	124.68
32	p	310	CLA	O2D-CGD-O1D	-2.84	118.28	123.84
32	6	606	CLA	CMB-C2B-C3B	2.84	129.99	124.68
32	a	406	CLA	O2D-CGD-CBD	2.84	116.31	111.27
32	5	305	CLA	O2D-CGD-O1D	-2.84	118.28	123.84
32	6	606	CLA	O2D-CGD-O1D	-2.84	118.29	123.84
32	2	608	CLA	CMB-C2B-C3B	2.84	129.99	124.68
32	4	604	CLA	CMB-C2B-C3B	2.84	129.99	124.68
34	2	613	II0	C05-C07-C11	-2.84	106.42	110.30
36	4	617	IHT	C20-C15-C12	2.84	119.61	114.36
32	p	304	CLA	C1-C2-C3	-2.84	122.16	126.75
32	0	611	CLA	CMB-C2B-C3B	2.84	129.99	124.68
32	0	603	CLA	O2D-CGD-O1D	-2.84	118.29	123.84
32	1	608	CLA	CMB-C2B-C3B	2.84	129.98	124.68
32	P	611	CLA	CMB-C2B-C3B	2.83	129.98	124.68
32	1	603	CLA	O2D-CGD-O1D	-2.83	118.30	123.84
32	0	604	CLA	CMB-C2B-C3B	2.83	129.98	124.68
33	8	610	KC2	C1A-NA-C4A	-2.83	105.43	106.71
37	D	411	LMG	O6-C1-O1	-2.83	103.27	109.97
32	9	605	CLA	CMB-C2B-C3B	2.83	129.97	124.68
36	1	618	IHT	C20-C15-C12	2.83	119.59	114.36
32	9	601	CLA	O2D-CGD-O1D	-2.83	118.31	123.84
32	5	304	CLA	C1-C2-C3	-2.83	122.18	126.75
32	4	606	CLA	O2D-CGD-O1D	-2.83	118.31	123.84
32	C	506	CLA	O2D-CGD-O1D	-2.83	118.31	123.84
47	v	201	HEM	C4D-ND-C1D	2.83	107.99	105.07
32	1	601	CLA	O2D-CGD-O1D	-2.83	118.31	123.84
34	9	612	II0	C05-C07-C11	-2.83	106.44	110.30
32	2	607	CLA	CMB-C2B-C3B	2.83	129.97	124.68
37	d	401	LMG	O6-C1-O1	-2.83	103.28	109.97
34	4	616	II0	C19-C13-C09	-2.82	120.51	124.35
32	5	310	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
32	9	610	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
34	8	613	II0	C05-C07-C11	-2.82	106.44	110.30
34	p	316	II0	C19-C13-C11	2.82	119.59	114.36
32	8	601	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
32	P	601	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
32	5	305	CLA	CMB-C2B-C3B	2.82	129.96	124.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	9	610	CLA	CMB-C2B-C3B	2.82	129.96	124.68
45	a	414	DGD	CDB-CCB-CBB	-2.82	100.10	114.42
32	1	605	CLA	O2D-CGD-O1D	-2.82	118.32	123.84
32	p	304	CLA	O2D-CGD-O1D	-2.82	118.33	123.84
32	3	608	CLA	CMB-C2B-C3B	2.82	129.95	124.68
32	5	313	CLA	O2D-CGD-O1D	-2.82	118.33	123.84
32	0	609	CLA	O2D-CGD-O1D	-2.82	118.33	123.84
32	7	613	CLA	O2D-CGD-O1D	-2.82	118.33	123.84
32	1	607	CLA	CMB-C2B-C3B	2.82	129.95	124.68
32	9	601	CLA	CMB-C2B-C3B	2.81	129.94	124.68
32	c	506	CLA	O2D-CGD-O1D	-2.81	118.34	123.84
32	P	607	CLA	O2D-CGD-O1D	-2.81	118.34	123.84
32	b	602	CLA	CMB-C2B-C3B	2.81	129.94	124.68
32	B	602	CLA	CMB-C2B-C3B	2.81	129.94	124.68
31	b	622	8CT	C04-C03-C02	-2.81	118.65	122.61
32	0	602	CLA	O2D-CGD-O1D	-2.81	118.34	123.84
32	6	611	CLA	CMB-C2B-C3B	2.81	129.94	124.68
32	p	307	CLA	CMB-C2B-C3B	2.81	129.94	124.68
32	0	613	CLA	O2D-CGD-O1D	-2.81	118.34	123.84
39	A	606	SQD	O8-S-C6	2.81	110.22	105.74
32	6	608	CLA	O2D-CGD-O1D	-2.81	118.34	123.84
36	7	618	IHT	C20-C15-C12	2.81	119.56	114.36
32	3	610	CLA	CMB-C2B-C3B	2.81	129.94	124.68
34	6	614	IIO	C20-C14-C10	-2.81	120.53	124.35
32	9	605	CLA	O2D-CGD-O1D	-2.81	118.34	123.84
37	G	102	LMG	O6-C1-O1	-2.81	103.32	109.97
32	3	605	CLA	CMB-C2B-C3B	2.81	129.93	124.68
32	3	605	CLA	O2D-CGD-O1D	-2.81	118.35	123.84
32	p	306	CLA	O2D-CGD-O1D	-2.81	118.35	123.84
32	0	613	CLA	CMB-C2B-C3B	2.81	129.93	124.68
32	4	611	CLA	CMB-C2B-C3B	2.81	129.93	124.68
32	7	611	CLA	CMB-C2B-C3B	2.81	129.93	124.68
32	A	602	CLA	O2D-CGD-O1D	-2.81	118.35	123.84
39	a	409	SQD	O8-S-C6	2.81	110.21	105.74
32	8	608	CLA	CMB-C2B-C3B	2.81	129.93	124.68
45	c	514	DGD	CDB-CCB-CBB	-2.80	100.19	114.42
32	8	601	CLA	CMB-C2B-C3B	2.80	129.93	124.68
32	2	601	CLA	O2D-CGD-O1D	-2.80	118.36	123.84
41	D	402	PHO	O2D-CGD-O1D	-2.80	118.36	123.84
41	d	410	PHO	O2D-CGD-O1D	-2.80	118.36	123.84
32	1	601	CLA	CMB-C2B-C3B	2.80	129.92	124.68
32	p	313	CLA	O2D-CGD-O1D	-2.80	118.36	123.84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	2	612	CLA	O2D-CGD-O1D	-2.80	118.36	123.84
39	p	318	SQD	O8-S-C6	2.80	110.20	105.74
37	0	619	LMG	O6-C1-O1	-2.80	103.34	109.97
45	C	514	DGD	CDB-CCB-CBB	-2.80	100.21	114.42
41	A	604	PHO	O1D-CGD-CBD	2.80	129.40	124.74
32	P	604	CLA	O2D-CGD-O1D	-2.80	118.37	123.84
32	7	607	CLA	CMB-C2B-C3B	2.80	129.91	124.68
31	h	102	8CT	C35-C30-C29	-2.80	109.16	112.70
31	M	201	8CT	C35-C30-C29	2.80	116.24	112.70
32	4	602	CLA	O2D-CGD-O1D	-2.80	118.37	123.84
32	6	607	CLA	O2D-CGD-O1D	-2.80	118.37	123.84
32	9	608	CLA	CMB-C2B-C3B	2.80	129.91	124.68
32	P	608	CLA	O2D-CGD-O1D	-2.80	118.37	123.84
32	1	613	CLA	O2D-CGD-O1D	-2.79	118.37	123.84
45	A	614	DGD	CDB-CCB-CBB	-2.79	100.24	114.42
36	2	616	IHT	C19-C10-C09	2.79	118.98	113.62
32	5	307	CLA	CMB-C2B-C3B	2.79	129.91	124.68
34	5	314	II0	C05-C07-C11	-2.79	106.48	110.30
32	1	611	CLA	CMB-C2B-C3B	2.79	129.90	124.68
32	2	601	CLA	CMB-C2B-C3B	2.79	129.90	124.68
31	B	622	8CT	C35-C30-C29	2.79	116.23	112.70
32	P	606	CLA	O2D-CGD-O1D	-2.79	118.38	123.84
32	6	601	CLA	O2D-CGD-O1D	-2.79	118.38	123.84
32	4	611	CLA	O2D-CGD-O1D	-2.79	118.38	123.84
32	5	312	CLA	O2D-CGD-O1D	-2.79	118.38	123.84
34	6	612	II0	C05-C07-C11	-2.79	106.49	110.30
39	A	606	SQD	O48-C23-C24	2.79	120.66	111.91
32	2	607	CLA	O2D-CGD-O1D	-2.79	118.39	123.84
32	p	312	CLA	O2D-CGD-O1D	-2.79	118.39	123.84
32	5	306	CLA	O2D-CGD-O1D	-2.79	118.39	123.84
32	7	609	CLA	CMB-C2B-C3B	2.79	129.89	124.68
32	5	307	CLA	O2D-CGD-O1D	-2.79	118.39	123.84
33	5	311	KC2	CBD-CHA-C1A	2.78	134.07	128.88
32	1	612	CLA	CMB-C2B-C3B	2.78	129.88	124.68
32	3	601	CLA	O2D-CGD-O1D	-2.78	118.40	123.84
47	V	201	HEM	C4D-ND-C1D	2.78	107.94	105.07
34	2	619	II0	C19-C13-C11	2.78	119.51	114.36
31	B	623	8CT	C04-C03-C02	-2.78	118.70	122.61
32	2	611	CLA	O2D-CGD-O1D	-2.78	118.41	123.84
32	3	610	CLA	O2D-CGD-O1D	-2.78	118.41	123.84
45	C	515	DGD	CDB-CCB-CBB	-2.78	100.32	114.42
37	4	618	LMG	O6-C1-O1	-2.78	103.40	109.97

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
45	c	515	DGD	CDB-CCB-CBB	-2.78	100.33	114.42
45	c	515	DGD	O5D-C6D-C5D	-2.78	103.91	109.05
45	C	515	DGD	O5D-C6D-C5D	-2.78	103.91	109.05
34	p	316	II0	C32-C34-C36	-2.78	118.62	126.42
32	G	101	CLA	O2D-CGD-O1D	-2.78	118.41	123.84
32	7	612	CLA	CMB-C2B-C3B	2.78	129.87	124.68
32	a	405	CLA	O2D-CGD-O1D	-2.78	118.41	123.84
33	6	605	KC2	CBD-CHA-C1A	2.77	134.06	128.88
32	2	609	CLA	CMB-C2B-C3B	2.77	129.87	124.68
36	8	616	IHT	C19-C10-C09	2.77	118.94	113.62
32	1	609	CLA	CMB-C2B-C3B	2.77	129.87	124.68
32	4	613	CLA	CMB-C2B-C3B	2.77	129.87	124.68
32	6	604	CLA	O2D-CGD-O1D	-2.77	118.42	123.84
32	1	612	CLA	O2D-CGD-O1D	-2.77	118.42	123.84
32	p	308	CLA	O2D-CGD-O1D	-2.77	118.42	123.84
31	K	101	8CT	C14-C13-C12	-2.77	123.36	127.31
31	K	102	8CT	C24-C25-C26	-2.77	123.36	127.31
32	g	102	CLA	O2D-CGD-O1D	-2.77	118.42	123.84
36	p	317	IHT	C31-C34-C35	-2.77	118.63	126.42
32	7	601	CLA	CMB-C2B-C3B	2.77	129.86	124.68
34	p	314	II0	C06-C08-C12	-2.77	106.51	110.30
32	8	611	CLA	O2D-CGD-O1D	-2.77	118.42	123.84
32	0	607	CLA	C1B-CHB-C4A	-2.77	124.63	130.12
32	4	613	CLA	O2D-CGD-O1D	-2.77	118.42	123.84
32	c	502	CLA	O2D-CGD-O1D	-2.77	118.43	123.84
32	8	609	CLA	CMB-C2B-C3B	2.77	129.86	124.68
32	d	402	CLA	CMB-C2B-C3B	2.77	130.11	124.69
47	E	101	HEM	C4B-CHC-C1C	2.77	126.21	122.56
33	7	610	KC2	C1A-NA-C4A	-2.77	105.46	106.71
32	6	604	CLA	CMB-C2B-C3B	2.77	129.85	124.68
32	5	304	CLA	O2D-CGD-O1D	-2.77	118.43	123.84
35	1	615	II3	C13-C14-C17	2.77	114.09	110.30
39	a	409	SQD	O48-C23-C24	2.77	120.59	111.91
41	A	604	PHO	C1-C2-C3	-2.76	121.26	126.04
32	0	607	CLA	CMB-C2B-C3B	2.76	129.85	124.68
32	0	611	CLA	O2D-CGD-O1D	-2.76	118.43	123.84
32	8	612	CLA	O2D-CGD-O1D	-2.76	118.43	123.84
32	P	604	CLA	CMB-C2B-C3B	2.76	129.85	124.68
34	4	616	II0	C20-C14-C12	2.76	119.47	114.36
32	p	310	CLA	CMB-C2B-C3B	2.76	129.84	124.68
32	P	601	CLA	CMB-C2B-C3B	2.76	129.84	124.68
32	1	607	CLA	O2D-CGD-O1D	-2.76	118.44	123.84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	0	606	CLA	CMB-C2B-C3B	2.76	129.84	124.68
41	a	407	PHO	C1-C2-C3	-2.76	121.27	126.04
32	p	307	CLA	O2D-CGD-O1D	-2.76	118.45	123.84
32	4	607	CLA	CMB-C2B-C3B	2.76	129.83	124.68
34	5	315	II0	C20-C14-C12	2.76	119.46	114.36
39	5	318	SQD	O8-S-C6	2.75	110.13	105.74
32	0	612	CLA	CMB-C2B-C3B	2.75	129.83	124.68
35	1	615	II3	C05-C06-C10	-2.75	108.61	111.74
32	4	607	CLA	C1B-CHB-C4A	-2.75	124.66	130.12
32	7	606	CLA	O2D-CGD-O1D	-2.75	118.45	123.84
34	0	616	II0	C20-C14-C12	2.75	119.45	114.36
32	6	601	CLA	CMB-C2B-C3B	2.75	129.83	124.68
32	4	612	CLA	CMB-C2B-C3B	2.75	129.82	124.68
32	0	609	CLA	CMB-C2B-C3B	2.75	129.82	124.68
32	p	304	CLA	CMB-C2B-C3B	2.75	129.82	124.68
32	6	608	CLA	CMB-C2B-C3B	2.75	129.82	124.68
32	3	608	CLA	O2D-CGD-O1D	-2.75	118.47	123.84
32	2	605	CLA	O2D-CGD-O1D	-2.75	118.47	123.84
32	7	611	CLA	O2D-CGD-O1D	-2.75	118.47	123.84
32	9	611	CLA	O2D-CGD-O1D	-2.75	118.47	123.84
41	a	407	PHO	O1D-CGD-CBD	2.75	129.31	124.74
32	2	606	CLA	O2D-CGD-O1D	-2.75	118.47	123.84
34	9	614	II0	C05-C07-C11	-2.74	106.55	110.30
32	P	608	CLA	CMB-C2B-C3B	2.74	129.81	124.68
32	C	502	CLA	O2D-CGD-O1D	-2.74	118.48	123.84
32	6	611	CLA	O2D-CGD-O1D	-2.74	118.48	123.84
34	p	314	II0	C05-C07-C11	-2.74	106.55	110.30
32	7	605	CLA	CMB-C2B-C3B	2.74	129.81	124.68
32	7	607	CLA	O2D-CGD-O1D	-2.74	118.48	123.84
33	p	311	KC2	CBD-CHA-C1A	2.74	133.99	128.88
32	8	606	CLA	O2D-CGD-O1D	-2.74	118.48	123.84
39	B	620	SQD	O48-C23-C24	2.74	120.50	111.91
32	7	612	CLA	O2D-CGD-O1D	-2.74	118.48	123.84
32	8	606	CLA	CMB-C2B-C3B	2.74	129.80	124.68
32	4	607	CLA	O2D-CGD-O1D	-2.74	118.49	123.84
32	p	302	CLA	CMB-C2B-C3B	2.74	129.80	124.68
32	1	611	CLA	O2D-CGD-O1D	-2.74	118.49	123.84
32	3	608	CLA	CAA-C2A-C3A	-2.74	109.72	116.10
32	9	608	CLA	O2D-CGD-O1D	-2.74	118.49	123.84
32	D	403	CLA	CMB-C2B-C3B	2.73	130.04	124.69
31	H	102	8CT	C35-C30-C29	-2.73	109.24	112.70
32	9	609	CLA	CMB-C2B-C3B	2.73	129.79	124.68

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	5	310	CLA	CMB-C2B-C3B	2.73	129.79	124.68
32	8	605	CLA	O2D-CGD-O1D	-2.73	118.50	123.84
39	b	620	SQD	O48-C23-C24	2.73	120.48	111.91
32	P	611	CLA	O2D-CGD-O1D	-2.73	118.50	123.84
34	2	619	II0	C20-C14-C12	2.73	119.41	114.36
32	B	616	CLA	CMB-C2B-C3B	2.73	129.78	124.68
32	5	302	CLA	CMB-C2B-C3B	2.73	129.78	124.68
34	3	614	II0	C05-C07-C11	-2.73	106.57	110.30
35	6	613	II3	C22-C18-C17	2.73	119.41	114.36
32	3	611	CLA	O2D-CGD-O1D	-2.73	118.51	123.84
32	5	308	CLA	O2D-CGD-O1D	-2.73	118.51	123.84
32	2	606	CLA	CMB-C2B-C3B	2.73	129.78	124.68
32	4	606	CLA	CMB-C2B-C3B	2.72	129.78	124.68
32	5	304	CLA	CMB-C2B-C3B	2.72	129.77	124.68
32	9	608	CLA	CAA-C2A-C3A	-2.72	109.75	116.10
32	3	609	CLA	CMB-C2B-C3B	2.72	129.77	124.68
32	4	601	CLA	CMB-C2B-C3B	2.72	129.77	124.68
34	P	614	II0	C05-C07-C11	-2.72	106.58	110.30
32	P	610	CLA	CMB-C2B-C3B	2.72	129.76	124.68
32	1	606	CLA	O2D-CGD-O1D	-2.72	118.52	123.84
32	4	609	CLA	CMB-C2B-C3B	2.72	129.76	124.68
39	b	601	SQD	O48-C23-C24	2.72	120.43	111.91
33	8	610	KC2	O2D-CGD-O1D	-2.72	118.53	123.84
32	0	601	CLA	CMB-C2B-C3B	2.72	129.76	124.68
45	h	101	DGD	CDB-CCB-CBB	-2.72	100.63	114.42
34	6	614	II0	C05-C07-C11	-2.72	106.59	110.30
45	H	101	DGD	CDB-CCB-CBB	-2.72	100.64	114.42
32	6	610	CLA	CMB-C2B-C3B	2.71	129.76	124.68
34	7	619	II0	C05-C07-C11	-2.71	106.59	110.30
32	1	603	CLA	C1-C2-C3	-2.71	122.36	126.75
34	5	301	II0	C05-C07-C11	-2.71	106.59	110.30
32	1	605	CLA	CMB-C2B-C3B	2.71	129.75	124.68
32	0	607	CLA	O2D-CGD-O1D	-2.71	118.54	123.84
33	2	610	KC2	O2D-CGD-O1D	-2.71	118.54	123.84
32	5	306	CLA	CMB-C2B-C3B	2.71	129.75	124.68
32	8	605	CLA	CMB-C2B-C3B	2.71	129.75	124.68
32	b	616	CLA	CMB-C2B-C3B	2.71	129.74	124.68
31	A	610	8CT	C24-C25-C26	-2.71	123.45	127.31
31	k	102	8CT	C35-C30-C29	-2.71	109.28	112.70
35	P	613	II3	C22-C18-C17	2.70	119.36	114.36
33	P	605	KC2	CBD-CHA-C1A	2.70	133.92	128.88
32	3	606	CLA	O2D-CGD-O1D	-2.70	118.55	123.84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	2	617	LMG	O6-C1-O1	-2.70	103.57	109.97
39	B	601	SQD	O48-C23-C24	2.70	120.39	111.91
34	0	616	II0	C03-C09-C13	-2.70	118.82	122.63
36	4	617	IHT	C19-C10-C09	2.70	118.80	113.62
32	B	610	CLA	O2D-CGD-O1D	-2.70	118.56	123.84
32	2	605	CLA	CMB-C2B-C3B	2.70	129.73	124.68
32	b	610	CLA	O2D-CGD-O1D	-2.70	118.56	123.84
32	p	306	CLA	CMB-C2B-C3B	2.70	129.72	124.68
33	p	311	KC2	C3D-CAD-CBD	-2.69	104.06	107.61
32	9	604	CLA	CMB-C2B-C3B	2.69	129.71	124.68
34	4	616	II0	C03-C09-C13	-2.69	118.83	122.63
32	3	604	CLA	CMB-C2B-C3B	2.69	129.71	124.68
36	8	616	IHT	C05-C08-C12	-2.69	106.62	110.30
36	0	614	IHT	C05-C08-C12	-2.69	106.62	110.30
34	8	619	II0	C19-C13-C11	2.69	119.33	114.36
43	d	404	PL9	C22-C23-C24	-2.68	121.20	127.66
37	8	617	LMG	O6-C1-O1	-2.68	103.62	109.97
32	9	606	CLA	O2D-CGD-O1D	-2.68	118.59	123.84
47	E	101	HEM	C4D-ND-C1D	2.68	107.84	105.07
31	k	101	8CT	C24-C25-C26	-2.68	123.48	127.31
38	A	612	LHG	O8-C23-C24	2.68	120.33	111.91
37	d	406	LMG	C1-C2-C3	-2.68	104.41	110.00
38	L	101	LHG	O8-C23-C24	2.68	120.32	111.91
43	D	405	PL9	C22-C23-C24	-2.68	121.21	127.66
34	1	619	II0	C05-C07-C11	-2.68	106.64	110.30
31	k	102	8CT	C14-C13-C12	-2.68	123.49	127.31
32	c	506	CLA	C1B-CHB-C4A	-2.68	124.82	130.12
37	g	101	LMG	O6-C1-O1	-2.67	103.64	109.97
38	l	102	LHG	O8-C23-C24	2.67	120.29	111.91
32	C	503	CLA	O2D-CGD-CBD	2.67	116.01	111.27
34	1	617	II0	C42-C41-C39	-2.67	118.01	123.47
32	c	507	CLA	CHB-C4A-NA	2.67	128.20	124.51
33	1	610	KC2	CBD-CHA-C1A	2.67	133.86	128.88
32	9	606	CLA	C1B-CHB-C4A	-2.67	124.83	130.12
34	6	614	II0	C04-C10-C14	-2.67	118.87	122.63
32	C	506	CLA	C1B-CHB-C4A	-2.66	124.84	130.12
31	P	615	8CT	C40-C12-C13	-2.66	119.19	122.92
37	D	407	LMG	C1-C2-C3	-2.66	104.45	110.00
34	1	619	II0	C20-C14-C12	2.66	119.28	114.36
37	6	616	LMG	O6-C1-O1	-2.66	103.67	109.97
38	d	405	LHG	O8-C23-C24	2.66	120.26	111.91
38	a	402	LHG	O8-C23-C24	2.66	120.25	111.91

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	D	406	LHG	O8-C23-C24	2.66	120.25	111.91
33	P	605	KC2	C3D-CAD-CBD	-2.66	104.11	107.61
32	d	409	CLA	CHB-C4A-NA	2.66	128.19	124.51
32	0	604	CLA	C1B-CHB-C4A	-2.66	124.86	130.12
36	7	618	IHT	C19-C10-C09	2.65	118.72	113.62
36	4	614	IHT	C05-C08-C12	-2.65	106.67	110.30
32	4	604	CLA	C1B-CHB-C4A	-2.65	124.86	130.12
37	P	616	LMG	O6-C1-O1	-2.65	103.70	109.97
32	C	507	CLA	CHB-C4A-NA	2.65	128.17	124.51
38	B	619	LHG	O8-C23-C24	2.65	120.22	111.91
32	D	401	CLA	CHB-C4A-NA	2.65	128.17	124.51
33	1	610	KC2	O1D-CGD-CBD	-2.65	119.07	124.48
34	1	614	II0	C06-C08-C12	-2.65	106.68	110.30
34	0	615	II0	C06-C08-C12	-2.65	106.68	110.30
36	0	618	IHT	C19-C10-C09	2.64	118.69	113.62
38	b	619	LHG	O8-C23-C24	2.64	120.19	111.91
34	7	619	II0	C20-C14-C12	2.64	119.25	114.36
33	1	610	KC2	C3D-CAD-CBD	-2.64	104.13	107.61
31	a	413	8CT	C27-C26-C28	2.64	122.23	118.08
32	s	303	CLA	CMB-C2B-C3B	2.64	129.61	124.68
31	6	615	8CT	C40-C12-C13	-2.64	119.23	122.92
33	7	610	KC2	C3D-CAD-CBD	-2.64	104.13	107.61
32	7	611	CLA	CHB-C4A-NA	2.64	128.16	124.51
47	v	201	HEM	C1B-NB-C4B	2.63	107.79	105.07
31	a	413	8CT	C14-C15-C16	-2.63	119.02	126.42
33	7	610	KC2	CBD-CHA-C1A	2.63	133.79	128.88
32	9	606	CLA	CMB-C2B-C3B	2.63	129.60	124.68
32	P	610	CLA	CHB-C4A-NA	2.63	128.14	124.51
34	P	612	II0	C05-C07-C11	-2.63	106.71	110.30
36	1	618	IHT	C19-C10-C09	2.63	118.66	113.62
32	b	607	CLA	CHB-C4A-NA	2.63	128.14	124.51
31	C	518	8CT	C35-C30-C29	2.62	116.02	112.70
33	4	610	KC2	CHD-C4C-NC	2.62	128.19	124.20
32	3	606	CLA	C1B-CHB-C4A	-2.62	124.92	130.12
32	D	403	CLA	CAB-C3B-C2B	2.62	129.83	124.69
38	b	621	LHG	O8-C23-C24	2.62	120.14	111.91
33	5	311	KC2	C3D-CAD-CBD	-2.62	104.15	107.61
32	b	605	CLA	CHB-C4A-NA	2.62	128.14	124.51
31	K	102	8CT	C11-C10-C03	-2.62	119.84	127.20
32	S	303	CLA	CMB-C2B-C3B	2.62	129.58	124.68
34	P	614	II0	C04-C10-C14	-2.62	118.94	122.63
34	p	315	II0	C20-C14-C12	2.62	119.20	114.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	7	617	II0	C06-C08-C12	-2.62	106.72	110.30
32	S	302	CLA	O2D-CGD-O1D	-2.62	118.72	123.84
34	0	617	II0	C31-C33-C35	-2.61	119.07	126.42
31	3	615	8CT	C18-C19-C20	-2.61	118.12	123.47
34	p	301	II0	C32-C30-C26	-2.61	118.99	126.58
31	k	101	8CT	C22-C21-C23	2.61	122.19	118.08
33	7	610	KC2	O1D-CGD-CBD	-2.61	119.14	124.48
31	Z	101	8CT	C19-C18-C17	-2.61	118.12	123.47
38	B	621	LHG	O8-C23-C24	2.61	120.10	111.91
47	f	101	HEM	C4D-ND-C1D	2.61	107.77	105.07
32	4	602	CLA	CHB-C4A-NA	2.60	128.11	124.51
32	0	602	CLA	CHB-C4A-NA	2.60	128.11	124.51
32	d	402	CLA	CAB-C3B-C2B	2.60	129.79	124.69
38	B	619	LHG	C11-C10-C9	-2.60	101.21	114.42
33	0	610	KC2	CHD-C4C-NC	2.60	128.15	124.20
32	b	603	CLA	C1B-CHB-C4A	-2.60	124.96	130.12
32	6	607	CLA	CHB-C4A-NA	2.60	128.11	124.51
32	A	603	CLA	O2D-CGD-CBD	2.60	115.89	111.27
31	D	409	8CT	C27-C26-C25	-2.60	119.28	122.92
32	4	612	CLA	CHB-C4A-NA	2.60	128.11	124.51
34	5	301	II0	C31-C29-C25	-2.60	119.03	126.58
47	V	201	HEM	C1B-NB-C4B	2.60	107.76	105.07
32	2	608	CLA	CHB-C4A-NA	2.60	128.11	124.51
32	P	611	CLA	CHB-C4A-NA	2.60	128.11	124.51
32	a	408	CLA	CHB-C4A-NA	2.60	128.11	124.51
38	b	619	LHG	C11-C10-C9	-2.60	101.23	114.42
31	3	615	8CT	C39-C16-C17	-2.60	119.28	122.92
34	5	315	II0	C05-C07-C11	-2.60	106.75	110.30
32	B	603	CLA	C1B-CHB-C4A	-2.60	124.97	130.12
32	1	611	CLA	CHB-C4A-NA	2.60	128.10	124.51
32	6	610	CLA	CHB-C4A-NA	2.60	128.10	124.51
31	9	615	8CT	C18-C19-C20	-2.60	118.16	123.47
33	6	605	KC2	C3D-CAD-CBD	-2.60	104.19	107.61
32	c	510	CLA	C1-C2-C3	-2.60	121.55	126.04
38	a	403	LHG	O8-C23-C24	2.59	120.05	111.91
32	3	606	CLA	CMB-C2B-C3B	2.59	129.53	124.68
32	9	603	CLA	C1-C2-C3	-2.59	122.56	126.75
34	1	617	II0	C06-C08-C12	-2.59	106.76	110.30
32	0	612	CLA	CHB-C4A-NA	2.59	128.10	124.51
38	A	613	LHG	O8-C23-C24	2.59	120.04	111.91
31	c	518	8CT	C35-C30-C29	2.59	115.97	112.70
32	B	607	CLA	CHB-C4A-NA	2.59	128.09	124.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	9	615	8CT	C13-C14-C15	-2.59	115.14	123.22
33	P	609	KC2	CHD-C4C-NC	2.59	128.13	124.20
37	L	102	LMG	O6-C1-O1	-2.59	103.84	109.97
31	3	615	8CT	C13-C14-C15	-2.59	115.14	123.22
34	0	617	II0	C05-C07-C11	-2.59	106.76	110.30
38	d	411	LHG	O8-C23-C24	2.58	120.02	111.91
34	0	615	II0	C05-C07-C11	-2.58	106.77	110.30
35	7	615	II3	C13-C14-C17	2.58	113.84	110.30
32	8	608	CLA	CHB-C4A-NA	2.58	128.09	124.51
34	0	617	II0	C06-C08-C12	-2.58	106.77	110.30
34	4	616	II0	C31-C33-C35	-2.58	119.16	126.42
32	P	607	CLA	CHB-C4A-NA	2.58	128.08	124.51
33	5	311	KC2	CHD-C4C-NC	2.58	128.12	124.20
32	3	603	CLA	C1-C2-C3	-2.58	122.58	126.75
38	D	410	LHG	O8-C23-C24	2.58	120.01	111.91
31	9	615	8CT	C39-C16-C17	-2.58	119.31	122.92
33	p	311	KC2	CHD-C4C-NC	2.58	128.12	124.20
31	A	610	8CT	C25-C24-C23	-2.58	115.17	123.22
31	d	408	8CT	C27-C26-C25	-2.58	119.31	122.92
37	l	101	LMG	O6-C1-O1	-2.58	103.87	109.97
34	7	617	II0	C42-C41-C39	-2.58	118.20	123.47
31	K	102	8CT	C22-C21-C23	2.58	122.14	118.08
31	K	102	8CT	C19-C20-C21	-2.58	123.64	127.31
34	0	616	II0	C31-C33-C35	-2.57	119.18	126.42
32	B	616	CLA	CHB-C4A-NA	2.57	128.07	124.51
34	5	314	II0	C06-C08-C12	-2.57	106.78	110.30
31	k	101	8CT	C11-C10-C03	-2.57	119.98	127.20
34	1	614	II0	C20-C14-C12	2.57	119.12	114.36
33	6	609	KC2	CHD-C4C-NC	2.57	128.10	124.20
31	a	413	8CT	C25-C24-C23	-2.57	115.19	123.22
32	1	604	CLA	CHB-C4A-NA	2.57	128.07	124.51
32	b	616	CLA	CHB-C4A-NA	2.57	128.06	124.51
32	p	303	CLA	CHB-C4A-NA	2.57	128.06	124.51
32	7	603	CLA	C1-C2-C3	-2.56	122.60	126.75
32	B	605	CLA	CHB-C4A-NA	2.56	128.06	124.51
34	7	614	II0	C06-C08-C12	-2.56	106.80	110.30
36	0	618	IHT	C20-C15-C12	2.56	119.10	114.36
32	2	612	CLA	C1B-CHB-C4A	-2.56	125.05	130.12
32	5	303	CLA	CHB-C4A-NA	2.56	128.05	124.51
36	2	616	IHT	C05-C08-C12	-2.56	106.80	110.30
33	8	610	KC2	CHD-C4C-NC	2.56	128.08	124.20
34	5	301	II0	C31-C33-C35	-2.56	119.24	126.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	5	309	CLA	CHB-C4A-NA	2.55	128.04	124.51
35	1	615	II3	C29-C26-C24	-2.55	123.67	127.31
32	9	610	CLA	CHB-C4A-NA	2.55	128.04	124.51
32	6	611	CLA	CHB-C4A-NA	2.55	128.04	124.51
37	D	407	LMG	O6-C1-O1	-2.55	103.94	109.97
38	s	301	LHG	C11-C10-C9	-2.55	101.49	114.42
32	8	611	CLA	CHB-C4A-NA	2.55	128.03	124.51
32	s	302	CLA	O2D-CGD-O1D	-2.55	118.86	123.84
32	C	510	CLA	C1-C2-C3	-2.55	121.64	126.04
32	c	503	CLA	CHB-C4A-NA	2.55	128.03	124.51
32	7	602	CLA	CHB-C4A-NA	2.55	128.03	124.51
32	a	406	CLA	C1B-CHB-C4A	-2.55	125.07	130.12
32	p	305	CLA	CHB-C4A-NA	2.54	128.03	124.51
32	9	607	CLA	CHB-C4A-NA	2.54	128.03	124.51
32	C	503	CLA	CHB-C4A-NA	2.54	128.03	124.51
32	p	303	CLA	C1B-CHB-C4A	-2.54	125.08	130.12
32	D	404	CLA	CHB-C4A-NA	2.54	128.03	124.51
32	d	403	CLA	CHB-C4A-NA	2.54	128.03	124.51
31	B	623	8CT	C01-C02-C07	2.54	118.50	113.62
32	1	609	CLA	CAA-C2A-C3A	-2.54	110.17	116.10
31	A	610	8CT	C13-C14-C15	-2.54	115.28	123.22
32	c	502	CLA	CMB-C2B-C3B	2.54	129.43	124.68
34	5	319	II0	C32-C30-C26	-2.54	119.20	126.58
32	2	611	CLA	CHB-C4A-NA	2.54	128.03	124.51
34	0	620	II0	C17-C04-C10	-2.54	106.43	110.47
32	0	608	CLA	CHB-C4A-NA	2.54	128.02	124.51
32	8	603	CLA	C1-C2-C3	-2.54	122.64	126.75
31	Z	101	8CT	C25-C24-C23	-2.54	115.29	123.22
37	d	406	LMG	O6-C1-O1	-2.54	103.96	109.97
32	2	602	CLA	CHB-C4A-NA	2.54	128.02	124.51
32	P	602	CLA	CHB-C4A-NA	2.54	128.02	124.51
32	4	608	CLA	CHB-C4A-NA	2.54	128.02	124.51
32	2	607	CLA	C1B-CHB-C4A	-2.54	125.09	130.12
32	1	602	CLA	CHB-C4A-NA	2.54	128.02	124.51
32	B	617	CLA	CHB-C4A-NA	2.54	128.02	124.51
33	P	605	KC2	CHD-C4C-NC	2.54	128.05	124.20
32	b	617	CLA	CHB-C4A-NA	2.54	128.02	124.51
37	C	517	LMG	O6-C1-O1	-2.54	103.97	109.97
38	S	301	LHG	C11-C10-C9	-2.54	101.55	114.42
34	0	615	II0	C20-C14-C12	2.53	119.05	114.36
32	g	102	CLA	CMB-C2B-C3B	2.53	129.42	124.68
32	6	602	CLA	CHB-C4A-NA	2.53	128.02	124.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	C	502	CLA	CMB-C2B-C3B	2.53	129.42	124.68
32	5	305	CLA	CHB-C4A-NA	2.53	128.01	124.51
32	5	303	CLA	C1B-CHB-C4A	-2.53	125.10	130.12
31	b	622	8CT	C01-C02-C07	2.53	118.48	113.62
32	c	509	CLA	CHB-C4A-NA	2.53	128.01	124.51
32	7	604	CLA	CHB-C4A-NA	2.53	128.01	124.51
32	8	612	CLA	C1B-CHB-C4A	-2.53	125.10	130.12
32	G	101	CLA	CMB-C2B-C3B	2.53	129.41	124.68
37	b	618	LMG	O6-C1-O1	-2.53	103.98	109.97
32	c	501	CLA	CHB-C4A-NA	2.53	128.01	124.51
34	0	617	II0	C20-C14-C12	2.53	119.04	114.36
37	a	410	LMG	C40-C39-C38	-2.53	101.58	114.42
32	2	603	CLA	C1-C2-C3	-2.53	122.66	126.75
34	p	315	II0	C05-C07-C11	-2.53	106.84	110.30
37	A	607	LMG	C40-C39-C38	-2.53	101.59	114.42
38	S	301	LHG	O8-C23-C24	2.53	119.84	111.91
37	c	517	LMG	O6-C1-O1	-2.53	103.99	109.97
32	2	606	CLA	C1B-CHB-C4A	-2.53	125.11	130.12
32	9	603	CLA	CHB-C4A-NA	2.53	128.00	124.51
32	9	601	CLA	CHB-C4A-NA	2.53	128.00	124.51
34	4	615	II0	C42-C41-C39	-2.52	118.30	123.47
31	z	101	8CT	C19-C18-C17	-2.52	118.30	123.47
32	1	605	CLA	C1B-CHB-C4A	-2.52	125.12	130.12
32	A	605	CLA	CHB-C4A-NA	2.52	128.00	124.51
34	4	619	II0	C20-C14-C12	2.52	119.03	114.36
34	4	615	II0	C06-C08-C12	-2.52	106.85	110.30
32	G	101	CLA	C1B-CHB-C4A	-2.52	125.12	130.12
32	C	509	CLA	CHB-C4A-NA	2.52	128.00	124.51
32	8	603	CLA	CHB-C4A-NA	2.52	128.00	124.51
32	p	313	CLA	C1B-CHB-C4A	-2.52	125.13	130.12
34	4	615	II0	C20-C14-C12	2.52	119.02	114.36
32	B	602	CLA	CHB-C4A-NA	2.52	127.99	124.51
45	h	101	DGD	C1D-C2D-C3D	-2.52	104.75	110.00
32	B	605	CLA	C1-C2-C3	-2.52	121.69	126.04
32	3	605	CLA	C1B-CHB-C4A	-2.52	125.13	130.12
33	2	610	KC2	CHD-C4C-NC	2.52	128.02	124.20
32	3	607	CLA	CHB-C4A-NA	2.52	127.99	124.51
32	3	610	CLA	CHB-C4A-NA	2.51	127.99	124.51
32	a	405	CLA	CHB-C4A-NA	2.51	127.99	124.51
32	8	606	CLA	C1B-CHB-C4A	-2.51	125.14	130.12
32	8	602	CLA	CHB-C4A-NA	2.51	127.99	124.51
32	C	501	CLA	CHB-C4A-NA	2.51	127.99	124.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	s	301	LHG	O8-C23-C24	2.51	119.79	111.91
32	g	102	CLA	C1B-CHB-C4A	-2.51	125.14	130.12
32	6	603	CLA	CHB-C4A-NA	2.51	127.99	124.51
32	p	309	CLA	CHB-C4A-NA	2.51	127.99	124.51
32	3	602	CLA	CHB-C4A-NA	2.51	127.98	124.51
38	D	406	LHG	C11-C10-C9	-2.51	101.68	114.42
32	A	602	CLA	CHB-C4A-NA	2.51	127.98	124.51
32	c	513	CLA	CHB-C4A-NA	2.51	127.98	124.51
32	1	606	CLA	CHB-C4A-NA	2.51	127.98	124.51
32	P	603	CLA	CHB-C4A-NA	2.51	127.98	124.51
31	k	101	8CT	C19-C20-C21	-2.51	123.73	127.31
38	d	405	LHG	C11-C10-C9	-2.51	101.69	114.42
32	2	604	CLA	CHB-C4A-NA	2.51	127.98	124.51
37	B	618	LMG	O6-C1-O1	-2.51	104.03	109.97
34	7	616	II0	C20-C14-C12	2.51	119.00	114.36
32	7	612	CLA	C1B-CHB-C4A	-2.51	125.15	130.12
32	6	602	CLA	C1B-CHB-C4A	-2.51	125.15	130.12
32	5	313	CLA	C1B-CHB-C4A	-2.51	125.15	130.12
32	7	605	CLA	C1B-CHB-C4A	-2.51	125.15	130.12
34	p	316	II0	C42-C41-C39	-2.50	118.34	123.47
32	3	603	CLA	CHB-C4A-NA	2.50	127.97	124.51
45	H	101	DGD	C1D-C2D-C3D	-2.50	104.78	110.00
32	7	609	CLA	CAA-C2A-C3A	-2.50	110.26	116.10
31	Z	101	8CT	C40-C12-C11	2.50	122.02	118.08
38	L	101	LHG	C11-C10-C9	-2.50	101.72	114.42
34	5	301	II0	C06-C08-C12	-2.50	106.88	110.30
31	9	615	8CT	C10-C03-C02	-2.50	115.40	121.46
38	l	102	LHG	C11-C10-C9	-2.50	101.73	114.42
34	p	301	II0	C32-C34-C36	-2.50	119.39	126.42
31	3	615	8CT	C10-C03-C02	-2.50	115.41	121.46
32	2	603	CLA	CHB-C4A-NA	2.50	127.97	124.51
32	A	603	CLA	C1B-CHB-C4A	-2.50	125.17	130.12
38	8	618	LHG	O8-C23-C24	2.50	119.75	111.91
33	6	605	KC2	O1D-CGD-CBD	-2.50	119.37	124.48
32	0	606	CLA	C1B-CHB-C4A	-2.50	125.17	130.12
32	P	602	CLA	C1B-CHB-C4A	-2.50	125.17	130.12
38	2	618	LHG	O8-C23-C24	2.50	119.74	111.91
34	4	616	II0	C31-C29-C25	-2.50	119.34	126.58
32	3	601	CLA	CHB-C4A-NA	2.49	127.96	124.51
31	K	101	8CT	C35-C30-C29	-2.49	109.55	112.70
31	9	615	8CT	C35-C30-C29	-2.49	109.55	112.70
32	8	604	CLA	CHB-C4A-NA	2.49	127.96	124.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	B	618	LMG	C40-C39-C38	-2.49	101.76	114.42
32	9	605	CLA	C1B-CHB-C4A	-2.49	125.18	130.12
31	d	408	8CT	C14-C15-C16	-2.49	119.41	126.42
32	C	513	CLA	CHB-C4A-NA	2.49	127.96	124.51
31	D	409	8CT	C14-C15-C16	-2.49	119.42	126.42
32	4	613	CLA	CHB-C4A-NA	2.49	127.96	124.51
45	H	101	DGD	C3G-C2G-C1G	-2.49	105.90	111.79
32	7	607	CLA	C1B-CHB-C4A	-2.49	125.19	130.12
32	7	608	CLA	CHB-C4A-NA	2.49	127.95	124.51
32	4	603	CLA	C1-C2-C3	-2.49	122.72	126.75
32	0	603	CLA	C1-C2-C3	-2.49	122.72	126.75
32	1	612	CLA	C1B-CHB-C4A	-2.49	125.19	130.12
45	a	414	DGD	C3G-C2G-C1G	-2.49	105.90	111.79
32	c	512	CLA	CHB-C4A-NA	2.49	127.95	124.51
31	A	610	8CT	C01-C02-C07	2.49	118.39	113.62
32	D	403	CLA	C1B-CHB-C4A	-2.49	125.19	130.12
32	2	605	CLA	CHB-C4A-NA	2.49	127.95	124.51
34	4	619	II0	C06-C08-C12	-2.49	106.90	110.30
34	8	619	II0	C20-C14-C12	2.49	118.96	114.36
32	d	402	CLA	C1B-CHB-C4A	-2.49	125.19	130.12
32	0	605	CLA	CHB-C4A-NA	2.49	127.95	124.51
32	p	312	CLA	CHB-C4A-NA	2.49	127.95	124.51
34	p	301	II0	C19-C13-C09	-2.49	120.97	124.35
32	7	606	CLA	CHB-C4A-NA	2.48	127.95	124.51
31	3	615	8CT	C35-C30-C29	-2.48	109.56	112.70
34	5	301	II0	C20-C14-C12	2.48	118.96	114.36
32	6	603	CLA	C1-C2-C3	-2.48	122.73	126.75
32	b	602	CLA	CHB-C4A-NA	2.48	127.95	124.51
31	a	413	8CT	C07-C02-C03	-2.48	119.13	122.73
32	4	605	CLA	CHB-C4A-NA	2.48	127.94	124.51
32	b	610	CLA	CHB-C4A-NA	2.48	127.94	124.51
45	A	614	DGD	C3G-C2G-C1G	-2.48	105.92	111.79
32	4	606	CLA	C1B-CHB-C4A	-2.48	125.20	130.12
34	7	614	II0	C19-C13-C11	2.48	118.95	114.36
32	b	604	CLA	C1B-CHB-C4A	-2.48	125.21	130.12
34	5	319	II0	C31-C29-C25	-2.48	119.38	126.58
37	b	618	LMG	C38-C37-C36	-2.48	101.84	114.42
32	7	609	CLA	CHB-C4A-NA	2.48	127.94	124.51
32	b	610	CLA	C1B-CHB-C4A	-2.48	125.21	130.12
32	B	610	CLA	C1B-CHB-C4A	-2.48	125.21	130.12
32	p	308	CLA	CHB-C4A-NA	2.48	127.94	124.51
45	h	101	DGD	C3G-C2G-C1G	-2.48	105.93	111.79

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	C	504	CLA	CHB-C4A-NA	2.48	127.94	124.51
31	a	413	8CT	C28-C26-C25	-2.48	115.14	118.94
33	6	605	KC2	CHD-C4C-NC	2.48	127.96	124.20
32	c	504	CLA	CHB-C4A-NA	2.48	127.94	124.51
32	C	508	CLA	CHB-C4A-NA	2.48	127.94	124.51
45	c	514	DGD	C3G-C2G-C1G	-2.47	105.94	111.79
32	b	613	CLA	CHB-C4A-NA	2.47	127.93	124.51
32	B	604	CLA	C1B-CHB-C4A	-2.47	125.22	130.12
32	1	608	CLA	CHB-C4A-NA	2.47	127.93	124.51
32	7	613	CLA	CHB-C4A-NA	2.47	127.93	124.51
32	C	511	CLA	CHB-C4A-NA	2.47	127.93	124.51
32	9	611	CLA	CHB-C4A-NA	2.47	127.93	124.51
37	b	618	LMG	C40-C39-C38	-2.47	101.88	114.42
34	0	616	II0	C31-C29-C25	-2.47	119.40	126.58
32	5	307	CLA	CHB-C4A-NA	2.47	127.93	124.51
32	B	615	CLA	CHB-C4A-NA	2.47	127.93	124.51
32	b	605	CLA	C1-C2-C3	-2.47	121.77	126.04
32	4	605	CLA	C1B-CHB-C4A	-2.47	125.22	130.12
33	1	610	KC2	CHD-C4C-NC	2.47	127.95	124.20
32	3	611	CLA	CHB-C4A-NA	2.47	127.93	124.51
32	9	602	CLA	CHB-C4A-NA	2.47	127.93	124.51
34	9	614	II0	C31-C29-C25	-2.47	119.41	126.58
32	C	512	CLA	CHB-C4A-NA	2.47	127.93	124.51
33	5	311	KC2	CHB-C4A-C3A	-2.47	121.12	124.98
32	5	312	CLA	CHB-C4A-NA	2.47	127.92	124.51
37	B	618	LMG	C38-C37-C36	-2.47	101.90	114.42
34	7	614	II0	C05-C07-C11	-2.47	106.93	110.30
32	0	605	CLA	C1B-CHB-C4A	-2.47	125.23	130.12
38	a	403	LHG	C20-C19-C18	-2.47	101.91	114.42
38	a	402	LHG	C11-C10-C9	-2.46	101.91	114.42
36	4	617	IHT	C41-C40-C37	-2.46	118.43	123.47
32	1	607	CLA	C1B-CHB-C4A	-2.46	125.24	130.12
32	0	601	CLA	CHB-C4A-NA	2.46	127.92	124.51
38	A	613	LHG	C20-C19-C18	-2.46	101.92	114.42
32	c	508	CLA	CHB-C4A-NA	2.46	127.92	124.51
32	B	613	CLA	CHB-C4A-NA	2.46	127.92	124.51
32	d	409	CLA	C1B-CHB-C4A	-2.46	125.24	130.12
34	P	614	II0	C31-C29-C25	-2.46	119.43	126.58
31	9	615	8CT	C10-C11-C12	-2.46	122.52	126.23
31	z	101	8CT	C25-C24-C23	-2.46	115.54	123.22
45	C	514	DGD	C3G-C2G-C1G	-2.46	105.97	111.79
32	c	511	CLA	CHB-C4A-NA	2.46	127.91	124.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	7	610	KC2	CHD-C4C-NC	2.46	127.93	124.20
36	2	616	IHT	C20-C15-C12	2.46	118.91	114.36
31	B	622	8CT	C40-C12-C13	-2.46	119.48	122.92
32	B	615	CLA	C1B-CHB-C4A	-2.46	125.25	130.12
34	0	617	II0	C31-C29-C25	-2.46	119.44	126.58
33	0	610	KC2	O1D-CGD-CBD	-2.46	119.46	124.48
32	8	607	CLA	C1B-CHB-C4A	-2.46	125.25	130.12
32	6	604	CLA	CHB-C4A-NA	2.46	127.91	124.51
38	B	621	LHG	C11-C10-C9	-2.45	101.97	114.42
32	0	612	CLA	O2D-CGD-CBD	2.45	115.63	111.27
32	b	608	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
34	0	620	II0	C08-C12-C14	-2.45	106.97	111.85
32	b	615	CLA	C1B-CHB-C4A	-2.45	125.26	130.12
47	v	201	HEM	C4B-CHC-C1C	2.45	125.79	122.56
32	1	609	CLA	CHB-C4A-NA	2.45	127.90	124.51
32	8	605	CLA	CHB-C4A-NA	2.45	127.90	124.51
38	A	612	LHG	C11-C10-C9	-2.45	101.99	114.42
37	0	619	LMG	O1-C7-C8	-2.45	104.99	110.90
38	b	621	LHG	C11-C10-C9	-2.45	102.00	114.42
32	4	609	CLA	CAA-C2A-C3A	-2.45	110.39	116.10
32	0	609	CLA	CAA-C2A-C3A	-2.45	110.39	116.10
31	3	615	8CT	C10-C11-C12	-2.45	122.54	126.23
43	d	404	PL9	C27-C28-C29	-2.45	121.77	127.66
32	1	613	CLA	CHB-C4A-NA	2.44	127.89	124.51
32	B	610	CLA	CHB-C4A-NA	2.44	127.89	124.51
43	D	405	PL9	C27-C28-C29	-2.44	121.78	127.66
32	4	608	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
32	B	609	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
31	z	101	8CT	C40-C12-C11	2.44	121.92	118.08
32	P	603	CLA	C1-C2-C3	-2.44	122.80	126.75
32	a	408	CLA	C1B-CHB-C4A	-2.44	125.28	130.12
32	4	601	CLA	CHB-C4A-NA	2.44	127.89	124.51
32	b	615	CLA	CHB-C4A-NA	2.44	127.89	124.51
45	C	516	DGD	C3G-C2G-C1G	-2.44	106.02	111.79
33	4	610	KC2	O1D-CGD-CBD	-2.44	119.49	124.48
32	3	608	CLA	CHB-C4A-NA	2.44	127.89	124.51
32	5	304	CLA	CHB-C4A-NA	2.44	127.89	124.51
32	p	304	CLA	CHB-C4A-NA	2.44	127.89	124.51
45	c	516	DGD	C3G-C2G-C1G	-2.44	106.02	111.79
32	b	604	CLA	CHB-C4A-NA	2.44	127.88	124.51
36	5	317	IHT	C31-C34-C35	-2.44	119.57	126.42
32	5	306	CLA	CHB-C4A-NA	2.44	127.88	124.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	p	314	II0	C20-C14-C12	2.44	118.87	114.36
32	4	612	CLA	O2D-CGD-CBD	2.44	115.60	111.27
32	7	603	CLA	CHB-C4A-NA	2.44	127.88	124.51
34	3	614	II0	C06-C08-C12	-2.43	106.97	110.30
32	s	303	CLA	CHB-C4A-NA	2.43	127.88	124.51
32	0	613	CLA	CHB-C4A-NA	2.43	127.88	124.51
37	4	618	LMG	O1-C7-C8	-2.43	105.03	110.90
32	2	605	CLA	C1B-CHB-C4A	-2.43	125.30	130.12
39	b	601	SQD	O8-S-C6	2.43	109.62	105.74
31	Z	101	8CT	C18-C19-C20	-2.43	118.49	123.47
31	M	201	8CT	C40-C12-C13	-2.43	119.52	122.92
32	D	401	CLA	C1B-CHB-C4A	-2.43	125.30	130.12
32	5	308	CLA	CHB-C4A-NA	2.43	127.87	124.51
32	B	612	CLA	CHB-C4A-NA	2.43	127.87	124.51
32	4	609	CLA	CHB-C4A-NA	2.43	127.87	124.51
32	B	604	CLA	CHB-C4A-NA	2.43	127.87	124.51
32	5	310	CLA	CAA-C2A-C3A	-2.43	110.43	116.10
32	9	608	CLA	CHB-C4A-NA	2.43	127.87	124.51
32	b	609	CLA	C1B-CHB-C4A	-2.43	125.31	130.12
32	B	608	CLA	C1B-CHB-C4A	-2.43	125.31	130.12
32	p	307	CLA	CHB-C4A-NA	2.43	127.87	124.51
31	6	615	8CT	C14-C15-C16	-2.43	119.60	126.42
33	6	605	KC2	C1B-CHB-C4A	-2.43	120.82	126.06
33	p	311	KC2	CHB-C4A-C3A	-2.43	121.19	124.98
39	B	601	SQD	O8-S-C6	2.43	109.61	105.74
32	1	603	CLA	CHB-C4A-NA	2.43	127.87	124.51
47	E	101	HEM	C1B-NB-C4B	2.43	107.58	105.07
32	0	608	CLA	C1B-CHB-C4A	-2.42	125.31	130.12
34	1	619	II0	C31-C29-C25	-2.42	119.54	126.58
36	2	616	IHT	C41-C40-C37	-2.42	118.51	123.47
32	p	302	CLA	CHB-C4A-NA	2.42	127.86	124.51
32	4	611	CLA	C1B-CHB-C4A	-2.42	125.32	130.12
32	C	508	CLA	C1B-CHB-C4A	-2.42	125.32	130.12
39	A	606	SQD	O5-C5-C4	2.42	114.09	109.69
39	a	409	SQD	O5-C5-C4	2.42	114.09	109.69
32	5	302	CLA	CHB-C4A-NA	2.42	127.86	124.51
32	a	406	CLA	CHB-C4A-NA	2.42	127.86	124.51
34	7	619	II0	C31-C29-C25	-2.42	119.55	126.58
32	S	303	CLA	CHB-C4A-NA	2.42	127.86	124.51
32	9	605	CLA	CHB-C4A-NA	2.42	127.86	124.51
32	3	611	CLA	C1B-CHB-C4A	-2.42	125.33	130.12
32	9	604	CLA	CHB-C4A-NA	2.42	127.86	124.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	3	613	II0	C19-C13-C11	2.42	118.84	114.36
34	p	314	II0	C41-C42-C40	-2.42	118.52	123.47
32	p	306	CLA	CHB-C4A-NA	2.42	127.86	124.51
32	B	613	CLA	C1B-CHB-C4A	-2.42	125.33	130.12
32	2	602	CLA	C1B-CHB-C4A	-2.42	125.33	130.12
34	0	620	II0	C06-C08-C12	-2.42	107.00	110.30
32	4	602	CLA	C1B-CHB-C4A	-2.41	125.33	130.12
32	8	601	CLA	CHB-C4A-NA	2.41	127.85	124.51
32	p	310	CLA	CAA-C2A-C3A	-2.41	110.47	116.10
34	4	615	II0	C05-C07-C11	-2.41	107.00	110.30
32	b	613	CLA	C1B-CHB-C4A	-2.41	125.34	130.12
32	5	310	CLA	CHB-C4A-NA	2.41	127.85	124.51
38	l	102	LHG	C20-C19-C18	-2.41	102.18	114.42
32	6	604	CLA	C1B-CHB-C4A	-2.41	125.34	130.12
31	B	624	8CT	C40-C12-C13	-2.41	119.55	122.92
32	0	609	CLA	CHB-C4A-NA	2.41	127.84	124.51
32	8	602	CLA	C1B-CHB-C4A	-2.41	125.34	130.12
32	C	510	CLA	C1B-CHB-C4A	-2.41	125.34	130.12
38	L	101	LHG	C20-C19-C18	-2.41	102.19	114.42
32	2	609	CLA	CHB-C4A-NA	2.41	127.84	124.51
32	b	612	CLA	CHB-C4A-NA	2.41	127.84	124.51
31	6	615	8CT	C39-C16-C17	-2.41	119.55	122.92
33	2	610	KC2	CBD-CHA-C1A	2.41	133.37	128.88
32	b	603	CLA	CHB-C4A-NA	2.41	127.84	124.51
32	B	603	CLA	CHB-C4A-NA	2.41	127.84	124.51
32	A	605	CLA	C1B-CHB-C4A	-2.41	125.35	130.12
32	8	605	CLA	C1B-CHB-C4A	-2.41	125.35	130.12
47	V	201	HEM	C4B-CHC-C1C	2.41	125.73	122.56
34	5	314	II0	C20-C14-C12	2.41	118.81	114.36
32	P	604	CLA	CHB-C4A-NA	2.41	127.84	124.51
36	p	317	IHT	C41-C40-C37	-2.40	118.55	123.47
31	K	102	8CT	C35-C30-C31	2.40	115.72	111.42
38	d	411	LHG	C11-C10-C9	-2.40	102.22	114.42
38	D	406	LHG	C20-C19-C18	-2.40	102.22	114.42
31	Z	101	8CT	C39-C16-C15	2.40	121.86	118.08
32	0	602	CLA	C1B-CHB-C4A	-2.40	125.36	130.12
34	8	614	II0	C05-C07-C11	-2.40	107.02	110.30
45	C	516	DGD	O5D-C6D-C5D	-2.40	104.60	109.05
34	2	614	II0	C05-C07-C11	-2.40	107.02	110.30
32	9	611	CLA	C1B-CHB-C4A	-2.40	125.36	130.12
34	1	614	II0	C05-C07-C11	-2.40	107.02	110.30
32	3	604	CLA	C1B-CHB-C4A	-2.40	125.36	130.12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	D	410	LHG	C11-C10-C9	-2.40	102.24	114.42
32	3	604	CLA	CHB-C4A-NA	2.40	127.83	124.51
32	p	313	CLA	CHB-C4A-NA	2.40	127.83	124.51
32	6	607	CLA	C1B-CHB-C4A	-2.40	125.36	130.12
37	A	607	LMG	C38-C37-C36	-2.40	102.25	114.42
32	b	607	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
38	d	405	LHG	C20-C19-C18	-2.40	102.25	114.42
32	9	604	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
32	B	606	CLA	CHB-C4A-NA	2.40	127.83	124.51
32	c	510	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
36	0	614	IHT	C20-C15-C12	2.40	118.80	114.36
34	4	615	II0	C08-C12-C14	-2.40	107.08	111.85
32	c	508	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
38	a	403	LHG	C11-C10-C9	-2.40	102.26	114.42
32	b	606	CLA	CHB-C4A-NA	2.40	127.83	124.51
31	b	623	8CT	C14-C15-C16	-2.40	119.68	126.42
32	3	605	CLA	CHB-C4A-NA	2.40	127.83	124.51
32	p	305	CLA	C1B-CHB-C4A	-2.40	125.37	130.12
38	A	613	LHG	C11-C10-C9	-2.40	102.27	114.42
32	P	601	CLA	CHB-C4A-NA	2.39	127.82	124.51
36	0	618	IHT	C05-C08-C12	-2.39	107.03	110.30
37	a	410	LMG	C38-C37-C36	-2.39	102.27	114.42
32	0	611	CLA	CHB-C4A-NA	2.39	127.82	124.51
47	V	201	HEM	C4C-CHD-C1D	2.39	125.72	122.56
31	b	623	8CT	C11-C10-C03	-2.39	120.48	127.20
32	d	402	CLA	CHB-C4A-NA	2.39	127.82	124.51
32	2	608	CLA	C1B-CHB-C4A	-2.39	125.38	130.12
32	B	607	CLA	C1B-CHB-C4A	-2.39	125.38	130.12
32	b	609	CLA	CHB-C4A-NA	2.39	127.82	124.51
31	M	201	8CT	C14-C15-C16	-2.39	119.70	126.42
36	5	317	IHT	C31-C29-C26	-2.39	119.64	126.58
34	3	612	II0	C19-C13-C11	2.39	118.78	114.36
31	k	101	8CT	C35-C30-C31	2.39	115.69	111.42
33	8	610	KC2	CBD-CHA-C1A	2.39	133.33	128.88
32	c	506	CLA	CHB-C4A-NA	2.39	127.81	124.51
32	c	510	CLA	CHB-C4A-NA	2.39	127.81	124.51
33	P	609	KC2	O1D-CGD-CBD	-2.39	119.60	124.48
34	6	614	II0	C31-C33-C35	-2.39	119.71	126.42
34	3	614	II0	C31-C29-C25	-2.39	119.65	126.58
31	b	623	8CT	C40-C12-C13	-2.39	119.58	122.92
32	b	602	CLA	C1B-CHB-C4A	-2.39	125.39	130.12
32	p	306	CLA	C1B-CHB-C4A	-2.39	125.39	130.12

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	6	612	II0	C19-C13-C11	2.38	118.77	114.36
32	A	603	CLA	CHB-C4A-NA	2.38	127.81	124.51
32	p	310	CLA	CHB-C4A-NA	2.38	127.81	124.51
32	C	504	CLA	C1B-CHB-C4A	-2.38	125.40	130.12
32	b	608	CLA	CHB-C4A-NA	2.38	127.81	124.51
32	7	613	CLA	C1B-CHB-C4A	-2.38	125.40	130.12
34	7	614	II0	C20-C14-C12	2.38	118.77	114.36
47	E	101	HEM	C4C-CHD-C1D	2.38	125.70	122.56
31	P	615	8CT	C39-C16-C17	-2.38	119.59	122.92
31	B	622	8CT	C14-C15-C16	-2.38	119.72	126.42
32	7	601	CLA	CHB-C4A-NA	2.38	127.81	124.51
32	7	603	CLA	C1B-CHB-C4A	-2.38	125.40	130.12
32	8	609	CLA	CAA-C2A-C3A	-2.38	110.54	116.10
35	6	613	II3	C41-C40-C38	-2.38	123.91	127.31
34	P	612	II0	C31-C33-C35	-2.38	119.73	126.42
32	5	313	CLA	CHB-C4A-NA	2.38	127.81	124.51
31	A	610	8CT	C19-C18-C17	-2.38	118.60	123.47
31	B	624	8CT	C11-C10-C03	-2.38	120.52	127.20
34	8	615	II0	C19-C13-C09	-2.38	121.11	124.35
32	4	611	CLA	CHB-C4A-NA	2.38	127.80	124.51
32	8	608	CLA	C1B-CHB-C4A	-2.38	125.40	130.12
32	2	609	CLA	CAA-C2A-C3A	-2.38	110.55	116.10
36	p	317	IHT	C31-C29-C26	-2.38	119.67	126.58
32	1	613	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
32	c	504	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
33	6	609	KC2	O1D-CGD-CBD	-2.38	119.62	124.48
32	5	305	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
36	4	614	IHT	C20-C15-C12	2.38	118.76	114.36
32	1	604	CLA	C1B-CHB-C4A	-2.38	125.41	130.12
32	3	608	CLA	C1B-CHB-C4A	-2.37	125.41	130.12
32	c	507	CLA	C1B-CHB-C4A	-2.37	125.41	130.12
32	9	608	CLA	C1B-CHB-C4A	-2.37	125.41	130.12
34	0	620	II0	C20-C14-C12	2.37	118.75	114.36
32	9	609	CLA	CHB-C4A-NA	2.37	127.80	124.51
32	4	612	CLA	C1B-CHB-C4A	-2.37	125.42	130.12
34	5	319	II0	C31-C33-C35	-2.37	119.75	126.42
32	2	612	CLA	CHB-C4A-NA	2.37	127.79	124.51
34	p	314	II0	C37-C35-C39	-2.37	119.60	122.92
32	0	603	CLA	CHB-C4A-NA	2.37	127.79	124.51
34	p	315	II0	C19-C13-C11	2.37	118.75	114.36
32	3	609	CLA	CHB-C4A-NA	2.37	127.79	124.51
32	5	306	CLA	C1B-CHB-C4A	-2.37	125.42	130.12

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	D	403	CLA	CHB-C4A-NA	2.37	127.79	124.51
32	2	604	CLA	C1B-CHB-C4A	-2.37	125.42	130.12
32	1	601	CLA	CHB-C4A-NA	2.37	127.79	124.51
32	8	607	CLA	CHB-C4A-NA	2.37	127.79	124.51
34	5	315	II0	C32-C30-C26	-2.37	119.70	126.58
32	6	608	CLA	CHB-C4A-NA	2.37	127.79	124.51
37	c	517	LMG	C40-C39-C38	-2.37	102.40	114.42
32	C	507	CLA	C1B-CHB-C4A	-2.37	125.43	130.12
31	P	615	8CT	C14-C15-C16	-2.37	119.76	126.42
32	7	602	CLA	C1B-CHB-C4A	-2.37	125.43	130.12
32	P	604	CLA	C1B-CHB-C4A	-2.37	125.43	130.12
34	4	619	II0	C42-C41-C39	-2.37	118.62	123.47
32	6	601	CLA	CHB-C4A-NA	2.37	127.78	124.51
31	B	624	8CT	C14-C15-C16	-2.37	119.77	126.42
34	6	612	II0	C31-C33-C35	-2.37	119.77	126.42
32	B	609	CLA	CHB-C4A-NA	2.37	127.78	124.51
32	1	603	CLA	C1B-CHB-C4A	-2.36	125.43	130.12
31	k	101	8CT	C27-C26-C28	2.36	121.80	118.08
32	8	612	CLA	CHB-C4A-NA	2.36	127.78	124.51
37	C	517	LMG	C40-C39-C38	-2.36	102.42	114.42
31	A	610	8CT	C35-C30-C29	-2.36	109.71	112.70
32	0	611	CLA	C1B-CHB-C4A	-2.36	125.43	130.12
32	B	602	CLA	C1B-CHB-C4A	-2.36	125.43	130.12
32	2	601	CLA	CHB-C4A-NA	2.36	127.78	124.51
32	6	603	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
34	P	614	II0	C19-C13-C11	2.36	118.73	114.36
45	c	516	DGD	O5D-C6D-C5D	-2.36	104.67	109.05
34	9	614	II0	C20-C14-C12	2.36	118.73	114.36
32	8	609	CLA	CHB-C4A-NA	2.36	127.78	124.51
31	D	409	8CT	C35-C30-C31	2.36	115.65	111.42
32	3	602	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
32	P	607	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
32	b	606	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
32	7	604	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
32	1	602	CLA	C1B-CHB-C4A	-2.36	125.44	130.12
31	d	408	8CT	C35-C30-C31	2.36	115.64	111.42
32	1	612	CLA	CHB-C4A-NA	2.36	127.77	124.51
33	5	311	KC2	O1D-CGD-CBD	-2.36	119.66	124.48
31	z	101	8CT	C18-C19-C20	-2.36	118.64	123.47
45	c	514	DGD	O5D-C6D-C5D	-2.36	104.68	109.05
32	C	502	CLA	CHB-C4A-NA	2.36	127.77	124.51
36	0	618	IHT	C31-C34-C35	-2.36	119.80	126.42

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	2	606	CLA	CHB-C4A-NA	2.36	127.77	124.51
32	B	611	CLA	CHB-C4A-NA	2.36	127.77	124.51
34	4	616	II0	C06-C08-C12	2.36	113.53	110.30
34	3	614	II0	C20-C14-C12	2.35	118.72	114.36
32	2	609	CLA	C1B-CHB-C4A	-2.35	125.45	130.12
45	C	514	DGD	O5D-C6D-C5D	-2.35	104.69	109.05
32	7	601	CLA	C1B-CHB-C4A	-2.35	125.45	130.12
32	b	608	CLA	CAA-C2A-C3A	-2.35	110.61	116.10
32	S	302	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
32	8	604	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
32	C	510	CLA	CHB-C4A-NA	2.35	127.77	124.51
32	P	608	CLA	CHB-C4A-NA	2.35	127.77	124.51
32	7	608	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
32	9	602	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
47	v	201	HEM	C4C-CHD-C1D	2.35	125.66	122.56
34	5	319	II0	C32-C34-C36	-2.35	119.81	126.42
32	1	601	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
43	d	404	PL9	C20-C19-C21	2.35	119.23	115.27
32	1	607	CLA	CHB-C4A-NA	2.35	127.76	124.51
32	C	506	CLA	CHB-C4A-NA	2.35	127.76	124.51
43	D	405	PL9	C20-C19-C21	2.35	119.22	115.27
32	B	606	CLA	C1B-CHB-C4A	-2.35	125.46	130.12
31	M	201	8CT	C19-C18-C17	-2.35	118.66	123.47
32	3	602	CLA	C1-C2-C3	-2.35	121.98	126.04
32	b	611	CLA	CHB-C4A-NA	2.35	127.76	124.51
37	P	616	LMG	O1-C7-C8	-2.35	105.23	110.90
34	9	614	II0	C08-C12-C14	-2.35	107.18	111.85
47	V	201	HEM	CMC-C2C-C3C	2.35	129.07	124.68
32	B	608	CLA	CHB-C4A-NA	2.35	127.76	124.51
31	B	622	8CT	C19-C18-C17	-2.35	118.67	123.47
34	5	316	II0	C42-C41-C39	-2.35	118.67	123.47
32	B	611	CLA	C1B-CHB-C4A	-2.35	125.47	130.12
32	4	604	CLA	CHB-C4A-NA	2.35	127.76	124.51
33	p	311	KC2	O1D-CGD-CBD	-2.35	119.69	124.48
34	5	315	II0	C41-C42-C40	-2.35	118.67	123.47
32	P	602	CLA	C1-C2-C3	-2.35	121.99	126.04
32	B	608	CLA	CAA-C2A-C3A	-2.34	110.63	116.10
32	7	612	CLA	CHB-C4A-NA	2.34	127.75	124.51
32	b	617	CLA	C1B-CHB-C4A	-2.34	125.47	130.12
32	C	503	CLA	C1-C2-C3	-2.34	121.99	126.04
32	4	603	CLA	CHB-C4A-NA	2.34	127.75	124.51
34	4	619	II0	C08-C12-C14	-2.34	107.19	111.85

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	5	317	IHT	C06-C09-C10	-2.34	109.89	114.08
32	s	302	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
37	G	102	LMG	O1-C7-C8	-2.34	105.25	110.90
32	P	610	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
32	C	505	CLA	CHB-C4A-NA	2.34	127.75	124.51
32	b	614	CLA	CHB-C4A-NA	2.34	127.75	124.51
31	D	409	8CT	C11-C10-C03	-2.34	120.63	127.20
32	p	309	CLA	C1B-CHB-C4A	-2.34	125.48	130.12
34	0	616	II0	C06-C08-C12	2.34	113.50	110.30
32	6	610	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
32	3	609	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
34	5	314	II0	C31-C33-C35	-2.34	119.85	126.42
32	1	606	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
32	1	608	CLA	C1B-CHB-C4A	-2.34	125.49	130.12
31	a	413	8CT	C40-C12-C13	-2.34	119.65	122.92
34	4	615	II0	C19-C13-C11	2.34	118.68	114.36
34	0	615	II0	C19-C13-C11	2.34	118.68	114.36
32	B	617	CLA	C1B-CHB-C4A	-2.33	125.49	130.12
32	0	604	CLA	CHB-C4A-NA	2.33	127.74	124.51
45	c	514	DGD	C1D-C2D-C3D	-2.33	105.14	110.00
32	0	612	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
34	3	613	II0	C20-C14-C12	2.33	118.68	114.36
32	b	612	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
32	8	606	CLA	CHB-C4A-NA	2.33	127.73	124.51
32	b	611	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
32	9	609	CLA	C1B-CHB-C4A	-2.33	125.50	130.12
32	7	605	CLA	C1-C2-C3	-2.33	122.98	126.75
32	5	309	CLA	C1B-CHB-C4A	-2.33	125.51	130.12
34	9	613	II0	C19-C13-C11	2.33	118.67	114.36
47	v	201	HEM	CMC-C2C-C3C	2.33	129.03	124.68
32	B	614	CLA	CHB-C4A-NA	2.33	127.73	124.51
33	p	311	KC2	C1A-C2A-C3A	-2.33	105.27	107.11
32	c	503	CLA	C1-C2-C3	-2.33	122.02	126.04
36	8	616	IHT	C31-C29-C26	-2.33	119.83	126.58
34	5	315	II0	C19-C13-C11	2.33	118.66	114.36
37	G	102	LMG	O3-C3-C2	-2.32	104.97	110.35
32	9	603	CLA	C1B-CHB-C4A	-2.32	125.51	130.12
34	0	620	II0	C42-C41-C39	-2.32	118.71	123.47
47	f	101	HEM	C1B-NB-C4B	2.32	107.47	105.07
32	c	502	CLA	CHB-C4A-NA	2.32	127.72	124.51
32	0	601	CLA	C1B-CHB-C4A	-2.32	125.52	130.12
37	l	101	LMG	O3-C3-C2	-2.32	104.98	110.35

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	P	603	CLA	C1B-CHB-C4A	-2.32	125.52	130.12
32	P	608	CLA	C1B-CHB-C4A	-2.32	125.52	130.12
31	d	408	8CT	C11-C10-C03	-2.32	120.68	127.20
34	p	315	II0	C08-C12-C14	-2.32	107.23	111.85
36	p	317	IHT	C06-C09-C10	-2.32	109.93	114.08
32	9	602	CLA	C1-C2-C3	-2.32	122.03	126.04
37	C	517	LMG	C38-C37-C36	-2.32	102.64	114.42
34	p	301	II0	C31-C29-C25	-2.32	119.84	126.58
32	7	607	CLA	CHB-C4A-NA	2.32	127.72	124.51
31	K	102	8CT	C27-C26-C28	2.32	121.73	118.08
32	c	505	CLA	CHB-C4A-NA	2.32	127.72	124.51
32	9	610	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
32	B	612	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
32	C	502	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
33	7	610	KC2	C1B-CHB-C4A	-2.32	121.06	126.06
36	0	618	IHT	C31-C29-C26	-2.32	119.86	126.58
32	P	611	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
45	C	514	DGD	C1D-C2D-C3D	-2.32	105.17	110.00
32	3	610	CLA	C1B-CHB-C4A	-2.32	125.53	130.12
32	c	502	CLA	O2A-CGA-O1A	-2.31	117.75	123.59
33	P	605	KC2	C1B-CHB-C4A	-2.31	121.06	126.06
37	4	618	LMG	O1-C1-C2	-2.31	104.69	108.30
36	0	618	IHT	C39-C35-C38	-2.31	119.68	122.92
32	a	405	CLA	C1B-CHB-C4A	-2.31	125.53	130.12
37	c	517	LMG	C38-C37-C36	-2.31	102.68	114.42
37	L	102	LMG	O3-C3-C2	-2.31	105.00	110.35
34	0	615	II0	C42-C41-C39	-2.31	118.74	123.47
32	6	608	CLA	C1B-CHB-C4A	-2.31	125.54	130.12
37	g	101	LMG	O3-C3-C2	-2.31	105.00	110.35
34	5	314	II0	C41-C42-C40	-2.31	118.74	123.47
32	8	609	CLA	C1B-CHB-C4A	-2.31	125.54	130.12
37	6	616	LMG	O1-C7-C8	-2.31	105.32	110.90
32	4	601	CLA	C1B-CHB-C4A	-2.31	125.54	130.12
38	D	406	LHG	C18-C17-C16	-2.31	102.70	114.42
38	d	405	LHG	C18-C17-C16	-2.31	102.70	114.42
33	4	610	KC2	CBD-CHA-C1A	2.31	133.19	128.88
34	2	613	II0	C19-C13-C11	2.31	118.63	114.36
36	4	617	IHT	C31-C34-C35	-2.31	119.93	126.42
34	5	314	II0	C19-C13-C11	2.31	118.63	114.36
34	p	314	II0	C19-C13-C11	2.31	118.63	114.36
32	5	312	CLA	C1B-CHB-C4A	-2.31	125.55	130.12
34	9	613	II0	C20-C14-C12	2.31	118.63	114.36

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	6	605	KC2	O2D-CGD-O1D	-2.31	119.33	123.84
34	8	613	II0	C19-C13-C11	2.31	118.63	114.36
34	6	614	II0	C31-C29-C25	-2.31	119.89	126.58
36	8	616	IHT	C20-C15-C12	2.30	118.62	114.36
31	H	102	8CT	C35-C30-C31	2.30	115.55	111.42
34	0	615	II0	C08-C12-C14	-2.30	107.26	111.85
32	6	608	CLA	CAA-C2A-C3A	-2.30	110.72	116.10
33	5	311	KC2	C1A-C2A-C3A	-2.30	105.29	107.11
34	1	614	II0	C19-C13-C11	2.30	118.62	114.36
36	p	317	IHT	C19-C10-C09	2.30	118.04	113.62
37	6	616	LMG	O3-C3-C2	-2.30	105.03	110.35
32	8	601	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
32	P	601	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
32	5	303	CLA	C1-C2-C3	-2.30	122.06	126.04
32	2	607	CLA	CHB-C4A-NA	2.30	127.69	124.51
31	B	624	8CT	C01-C02-C07	2.30	118.03	113.62
32	p	312	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
32	d	403	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
32	c	512	CLA	C1B-CHB-C4A	-2.30	125.56	130.12
34	5	315	II0	C08-C12-C14	-2.30	107.28	111.85
31	A	610	8CT	C27-C26-C28	2.30	121.70	118.08
31	b	623	8CT	C01-C02-C07	2.30	118.03	113.62
32	1	605	CLA	C1-C2-C3	-2.30	123.04	126.75
37	P	616	LMG	O3-C3-C2	-2.30	105.04	110.35
32	6	602	CLA	C1-C2-C3	-2.30	122.07	126.04
33	1	610	KC2	C1B-CHB-C4A	-2.30	121.11	126.06
32	p	303	CLA	C1-C2-C3	-2.29	122.08	126.04
36	8	616	IHT	C41-C40-C37	-2.29	118.78	123.47
32	c	502	CLA	C1B-CHB-C4A	-2.29	125.57	130.12
32	9	607	CLA	C1B-CHB-C4A	-2.29	125.57	130.12
32	s	302	CLA	CHB-C4A-NA	2.29	127.68	124.51
33	7	610	KC2	O2D-CGD-O1D	-2.29	119.36	123.84
32	b	612	CLA	O2A-CGA-O1A	-2.29	117.81	123.59
32	0	604	CLA	O2A-CGA-O1A	-2.29	117.81	123.59
34	P	612	II0	C37-C35-C39	-2.29	119.71	122.92
32	5	310	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
32	6	611	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
32	b	614	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
32	B	614	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
32	5	307	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
32	0	613	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
32	p	302	CLA	C1B-CHB-C4A	-2.29	125.58	130.12

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	B	612	CLA	O2A-CGA-O1A	-2.29	117.81	123.59
37	b	618	LMG	C1-C2-C3	-2.29	105.23	110.00
32	C	512	CLA	C1B-CHB-C4A	-2.29	125.58	130.12
32	4	607	CLA	CHB-C4A-NA	2.29	127.68	124.51
32	A	602	CLA	C1B-CHB-C4A	-2.29	125.59	130.12
34	P	614	II0	C31-C33-C35	-2.29	119.99	126.42
32	P	608	CLA	CAA-C2A-C3A	-2.29	110.76	116.10
32	3	607	CLA	C1B-CHB-C4A	-2.29	125.59	130.12
36	5	317	IHT	C41-C40-C37	-2.29	118.79	123.47
32	7	609	CLA	C1B-CHB-C4A	-2.29	125.59	130.12
34	8	613	II0	C20-C14-C12	2.28	118.59	114.36
32	3	603	CLA	C1B-CHB-C4A	-2.28	125.59	130.12
32	C	501	CLA	C1B-CHB-C4A	-2.28	125.59	130.12
32	7	605	CLA	CHB-C4A-NA	2.28	127.67	124.51
37	0	619	LMG	O1-C1-C2	-2.28	104.74	108.30
32	4	613	CLA	C1B-CHB-C4A	-2.28	125.60	130.12
32	7	606	CLA	C1B-CHB-C4A	-2.28	125.60	130.12
32	p	304	CLA	C1B-CHB-C4A	-2.28	125.60	130.12
37	d	406	LMG	O3-C3-C2	-2.28	105.08	110.35
32	c	501	CLA	C1B-CHB-C4A	-2.28	125.61	130.12
32	D	404	CLA	C1B-CHB-C4A	-2.28	125.61	130.12
32	p	310	CLA	C1B-CHB-C4A	-2.28	125.61	130.12
34	8	614	II0	C19-C13-C11	2.28	118.57	114.36
32	p	308	CLA	C1B-CHB-C4A	-2.27	125.61	130.12
32	C	502	CLA	O2A-CGA-O1A	-2.27	117.86	123.59
38	A	613	LHG	C27-C26-C25	-2.27	102.89	114.42
32	S	302	CLA	CHB-C4A-NA	2.27	127.66	124.51
31	h	102	8CT	C35-C30-C31	2.27	115.49	111.42
37	P	616	LMG	O2-C2-C1	-2.27	104.53	110.05
32	3	601	CLA	C1B-CHB-C4A	-2.27	125.62	130.12
32	9	606	CLA	CHB-C4A-NA	2.27	127.65	124.51
32	6	601	CLA	C1B-CHB-C4A	-2.27	125.62	130.12
32	5	302	CLA	C1B-CHB-C4A	-2.27	125.62	130.12
36	2	616	IHT	C22-C18-C07	-2.27	120.83	127.20
32	2	601	CLA	C1B-CHB-C4A	-2.27	125.62	130.12
32	a	406	CLA	CHD-C1D-ND	-2.27	122.37	124.45
34	2	615	II0	C19-C13-C09	-2.27	121.27	124.35
35	6	613	II3	C30-C28-C27	2.27	121.33	116.84
32	1	609	CLA	C1B-CHB-C4A	-2.27	125.62	130.12
32	8	611	CLA	C1B-CHB-C4A	-2.27	125.63	130.12
38	a	403	LHG	C27-C26-C25	-2.27	102.92	114.42
32	9	601	CLA	C1B-CHB-C4A	-2.27	125.63	130.12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	1	610	KC2	O2D-CGD-O1D	-2.27	119.41	123.84
32	C	505	CLA	C1B-CHB-C4A	-2.27	125.63	130.12
32	p	307	CLA	C1B-CHB-C4A	-2.27	125.63	130.12
34	5	314	II0	C37-C35-C39	-2.27	119.75	122.92
36	4	617	IHT	C36-C33-C37	-2.27	119.75	122.92
32	b	617	CLA	C1-C2-C3	-2.26	122.13	126.04
32	1	605	CLA	CHB-C4A-NA	2.26	127.64	124.51
31	k	102	8CT	C11-C10-C03	-2.26	120.84	127.20
32	8	603	CLA	C1B-CHB-C4A	-2.26	125.63	130.12
37	L	102	LMG	O2-C2-C1	-2.26	104.55	110.05
31	B	623	8CT	C13-C14-C15	-2.26	116.15	123.22
34	p	314	II0	C31-C33-C35	-2.26	120.06	126.42
32	4	604	CLA	O2A-CGA-O1A	-2.26	117.89	123.59
34	0	615	II0	C38-C36-C40	-2.26	119.76	122.92
34	p	301	II0	C20-C14-C12	2.26	118.54	114.36
33	0	610	KC2	CBD-CHA-C1A	2.26	133.10	128.88
31	M	201	8CT	C24-C23-C21	-2.26	120.07	126.42
37	B	618	LMG	C1-C2-C3	-2.26	105.29	110.00
33	p	311	KC2	C1B-CHB-C4A	-2.26	121.19	126.06
31	K	101	8CT	C11-C10-C03	-2.26	120.86	127.20
32	0	607	CLA	CHB-C4A-NA	2.26	127.63	124.51
37	A	607	LMG	O3-C3-C2	-2.26	105.13	110.35
36	8	616	IHT	C22-C18-C07	-2.26	120.86	127.20
34	9	614	II0	C31-C33-C35	-2.26	120.08	126.42
37	g	101	LMG	O1-C7-C8	-2.26	105.45	110.90
34	9	612	II0	C19-C13-C11	2.26	118.53	114.36
37	G	102	LMG	O1-C1-C2	-2.26	104.78	108.30
34	6	612	II0	C37-C35-C39	-2.26	119.76	122.92
37	8	617	LMG	O3-C3-C2	-2.25	105.14	110.35
36	7	618	IHT	C41-C40-C37	-2.25	118.86	123.47
32	5	304	CLA	C1B-CHB-C4A	-2.25	125.65	130.12
32	C	509	CLA	C1B-CHB-C4A	-2.25	125.65	130.12
45	c	515	DGD	C3G-C2G-C1G	-2.25	106.46	111.79
31	k	101	8CT	C01-C02-C07	2.25	117.94	113.62
32	b	616	CLA	C1B-CHB-C4A	-2.25	125.65	130.12
34	8	614	II0	C42-C41-C39	-2.25	118.86	123.47
34	2	614	II0	C20-C14-C12	2.25	118.53	114.36
34	7	619	II0	C19-C13-C11	2.25	118.53	114.36
34	0	620	II0	C03-C09-C13	-2.25	119.45	122.63
32	c	505	CLA	C1B-CHB-C4A	-2.25	125.66	130.12
32	b	607	CLA	O2A-CGA-O1A	-2.25	117.91	123.59
32	2	611	CLA	C1B-CHB-C4A	-2.25	125.66	130.12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
45	c	515	DGD	O3E-C3E-C2E	-2.25	105.15	110.35
32	c	506	CLA	CHD-C1D-ND	-2.25	122.39	124.45
32	4	603	CLA	C1B-CHB-C4A	-2.25	125.66	130.12
38	D	406	LHG	C27-C26-C25	-2.25	103.01	114.42
38	d	405	LHG	C27-C26-C25	-2.25	103.01	114.42
37	D	407	LMG	O3-C3-C2	-2.25	105.15	110.35
36	0	618	IHT	C36-C33-C37	-2.25	119.78	122.92
37	l	101	LMG	O2-C2-C1	-2.25	104.59	110.05
34	9	614	II0	C06-C08-C12	-2.25	107.23	110.30
37	0	619	LMG	O3-C3-C2	-2.25	105.16	110.35
32	2	603	CLA	C1B-CHB-C4A	-2.25	125.67	130.12
34	9	612	II0	C31-C29-C25	-2.25	120.06	126.58
41	A	604	PHO	CMC-C2C-C3C	2.25	129.18	124.94
34	p	315	II0	C41-C42-C40	-2.25	118.87	123.47
36	1	618	IHT	C41-C40-C37	-2.25	118.88	123.47
32	B	617	CLA	C1-C2-C3	-2.24	122.16	126.04
37	a	410	LMG	O3-C3-C2	-2.24	105.16	110.35
35	6	613	II3	C26-C29-C32	-2.24	116.21	123.22
31	K	102	8CT	C01-C02-C07	2.24	117.93	113.62
32	G	101	CLA	CHB-C4A-NA	2.24	127.61	124.51
31	z	101	8CT	C14-C13-C12	-2.24	124.11	127.31
32	C	513	CLA	C1B-CHB-C4A	-2.24	125.67	130.12
33	5	311	KC2	C1B-CHB-C4A	-2.24	121.22	126.06
45	C	515	DGD	C3G-C2G-C1G	-2.24	106.49	111.79
32	c	513	CLA	C1B-CHB-C4A	-2.24	125.68	130.12
31	3	615	8CT	C27-C26-C25	-2.24	119.78	122.92
37	4	618	LMG	O3-C3-C2	-2.24	105.17	110.35
37	g	101	LMG	O2-C2-C1	-2.24	104.60	110.05
32	c	509	CLA	C1B-CHB-C4A	-2.24	125.68	130.12
32	A	605	CLA	CHD-C1D-ND	-2.24	122.39	124.45
36	0	614	IHT	C31-C34-C35	-2.24	120.12	126.42
33	2	610	KC2	C1B-CHB-C4A	-2.24	121.22	126.06
32	s	303	CLA	C1B-CHB-C4A	-2.24	125.68	130.12
37	6	616	LMG	O2-C2-C1	-2.24	104.61	110.05
34	5	314	II0	C32-C34-C36	-2.24	120.12	126.42
36	8	616	IHT	C31-C34-C35	-2.24	120.13	126.42
43	D	405	PL9	O1-C4-C3	-2.24	118.26	120.72
34	p	315	II0	C32-C30-C26	-2.24	120.08	126.58
34	1	616	II0	C31-C33-C35	-2.24	120.13	126.42
31	b	622	8CT	C19-C18-C17	-2.24	118.89	123.47
32	d	403	CLA	O2D-CGD-CBD	2.24	115.24	111.27
32	5	308	CLA	C1B-CHB-C4A	-2.24	125.69	130.12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
41	a	407	PHO	CMC-C2C-C3C	2.24	129.16	124.94
32	0	603	CLA	C1B-CHB-C4A	-2.24	125.69	130.12
36	4	617	IHT	C03-C11-C15	-2.23	119.48	122.63
35	P	613	II3	C41-C40-C38	-2.23	124.12	127.31
37	G	102	LMG	O2-C2-C1	-2.23	104.62	110.05
34	1	617	II0	C31-C33-C35	-2.23	120.14	126.42
32	2	602	CLA	C1-C2-C3	-2.23	122.18	126.04
37	c	517	LMG	O3-C3-C2	-2.23	105.18	110.35
34	2	614	II0	C32-C34-C36	-2.23	120.14	126.42
34	7	616	II0	C42-C41-C39	-2.23	118.90	123.47
31	B	622	8CT	C24-C23-C21	-2.23	120.14	126.42
33	P	605	KC2	O1D-CGD-CBD	-2.23	119.92	124.48
45	C	515	DGD	O3E-C3E-C2E	-2.23	105.19	110.35
34	3	612	II0	C32-C30-C26	-2.23	120.10	126.58
32	B	616	CLA	C1B-CHB-C4A	-2.23	125.70	130.12
34	2	614	II0	C19-C13-C11	2.23	118.49	114.36
32	8	602	CLA	C1-C2-C3	-2.23	122.18	126.04
41	A	604	PHO	O2A-CGA-O1A	-2.23	117.96	123.59
32	B	607	CLA	O2A-CGA-O1A	-2.23	117.96	123.59
34	1	617	II0	C20-C14-C12	2.23	118.48	114.36
32	S	303	CLA	C1B-CHB-C4A	-2.23	125.70	130.12
31	Z	101	8CT	C14-C13-C12	-2.23	124.13	127.31
34	3	614	II0	C08-C12-C14	-2.23	107.42	111.85
31	z	101	8CT	C39-C16-C15	2.23	121.59	118.08
34	3	614	II0	C42-C41-C39	-2.23	118.91	123.47
31	D	409	8CT	C07-C02-C03	-2.23	119.50	122.73
31	C	518	8CT	C37-C35-C34	-2.23	104.45	109.03
31	B	623	8CT	C19-C18-C17	-2.23	118.91	123.47
32	4	609	CLA	C1B-CHB-C4A	-2.22	125.71	130.12
32	0	609	CLA	C1B-CHB-C4A	-2.22	125.71	130.12
31	b	622	8CT	C13-C14-C15	-2.22	116.27	123.22
34	4	619	II0	C03-C09-C13	-2.22	119.49	122.63
37	2	617	LMG	O3-C3-C2	-2.22	105.21	110.35
36	5	317	IHT	C19-C10-C09	2.22	117.89	113.62
36	4	617	IHT	C22-C18-C07	-2.22	120.96	127.20
32	P	602	CLA	O2A-CGA-O1A	-2.22	117.98	123.59
41	a	407	PHO	O2A-CGA-O1A	-2.22	117.98	123.59
32	5	303	CLA	O2A-CGA-O1A	-2.22	117.98	123.59
31	c	518	8CT	C37-C35-C34	-2.22	104.46	109.03
32	p	303	CLA	O2A-CGA-O1A	-2.22	117.99	123.59
37	C	517	LMG	O3-C3-C2	-2.22	105.22	110.35
32	a	408	CLA	CHD-C1D-ND	-2.22	122.42	124.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	g	101	LMG	O1-C1-C2	-2.22	104.84	108.30
32	b	605	CLA	C1B-CHB-C4A	-2.22	125.73	130.12
32	C	506	CLA	CHD-C1D-ND	-2.22	122.42	124.45
32	g	102	CLA	CHB-C4A-NA	2.22	127.58	124.51
34	5	319	II0	C19-C13-C09	-2.22	121.34	124.35
32	c	509	CLA	O2A-CGA-O1A	-2.21	118.01	123.59
34	3	612	II0	C31-C29-C25	-2.21	120.16	126.58
32	D	403	CLA	O2A-CGA-O1A	-2.21	118.01	123.59
33	0	610	KC2	C1B-CHB-C4A	-2.21	121.29	126.06
33	4	610	KC2	C1B-CHB-C4A	-2.21	121.29	126.06
34	P	612	II0	C31-C29-C25	-2.21	120.16	126.58
37	d	401	LMG	O1-C7-C8	-2.21	105.57	110.90
35	P	613	II3	C26-C29-C32	-2.21	116.33	123.22
31	a	413	8CT	C39-C16-C17	-2.21	119.83	122.92
32	B	610	CLA	O2A-CGA-O1A	-2.21	118.02	123.59
32	B	605	CLA	C1B-CHB-C4A	-2.21	125.74	130.12
31	d	408	8CT	C07-C02-C03	-2.21	119.53	122.73
34	8	614	II0	C32-C34-C36	-2.21	120.22	126.42
34	1	616	II0	C20-C14-C12	2.21	118.44	114.36
33	8	610	KC2	C1B-CHB-C4A	-2.21	121.30	126.06
36	0	614	IHT	C39-C35-C38	-2.21	119.83	122.92
33	6	609	KC2	C1B-CHB-C4A	-2.21	121.30	126.06
32	7	611	CLA	C1B-CHB-C4A	-2.21	125.75	130.12
34	2	614	II0	C42-C41-C39	-2.21	118.96	123.47
34	1	619	II0	C19-C13-C11	2.21	118.44	114.36
31	9	615	8CT	C27-C26-C25	-2.20	119.83	122.92
34	9	612	II0	C32-C30-C26	-2.20	120.18	126.58
34	2	619	II0	C32-C30-C26	-2.20	120.18	126.58
31	C	518	8CT	C10-C11-C12	-2.20	122.91	126.23
33	P	609	KC2	C1B-CHB-C4A	-2.20	121.31	126.06
47	f	101	HEM	CBA-CAA-C2A	-2.20	108.86	112.62
32	B	609	CLA	O2A-CGA-O1A	-2.20	118.03	123.59
38	L	101	LHG	C27-C26-C25	-2.20	103.24	114.42
37	0	619	LMG	O2-C2-C1	-2.20	104.70	110.05
32	6	602	CLA	O2A-CGA-O1A	-2.20	118.04	123.59
31	c	518	8CT	C10-C11-C12	-2.20	122.91	126.23
47	V	201	HEM	CAD-CBD-CGD	-2.20	108.87	113.60
37	D	411	LMG	O1-C7-C8	-2.20	105.59	110.90
37	2	617	LMG	O2-C2-C1	-2.20	104.70	110.05
38	S	301	LHG	C27-C26-C25	-2.20	103.26	114.42
38	s	301	LHG	C27-C26-C25	-2.20	103.26	114.42
45	H	101	DGD	CAB-C9B-C8B	-2.20	103.27	114.42

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	b	609	CLA	O2A-CGA-O1A	-2.20	118.05	123.59
36	4	614	IHT	C31-C34-C35	-2.20	120.24	126.42
37	D	411	LMG	O3-C3-C2	-2.20	105.27	110.35
36	7	618	IHT	C05-C08-C12	2.20	113.31	110.30
43	d	404	PL9	O1-C4-C3	-2.20	118.30	120.72
32	d	402	CLA	O2A-CGA-O1A	-2.20	118.05	123.59
31	A	610	8CT	C35-C30-C31	2.20	115.35	111.42
32	d	409	CLA	CHD-C1D-ND	-2.20	122.44	124.45
32	D	404	CLA	O2D-CGD-CBD	2.20	115.17	111.27
45	h	101	DGD	CAB-C9B-C8B	-2.20	103.28	114.42
37	D	407	LMG	O1-C7-C8	-2.20	105.60	110.90
32	8	612	CLA	CHD-C1D-ND	-2.19	122.44	124.45
31	D	409	8CT	C25-C24-C23	-2.19	116.37	123.22
37	L	102	LMG	O1-C7-C8	-2.19	105.61	110.90
37	8	617	LMG	O2-C2-C1	-2.19	104.72	110.05
32	4	605	CLA	C1-C2-C3	-2.19	123.21	126.75
32	b	610	CLA	O2A-CGA-O1A	-2.19	118.06	123.59
38	l	102	LHG	C27-C26-C25	-2.19	103.31	114.42
37	4	618	LMG	O2-C2-C1	-2.19	104.73	110.05
34	6	612	II0	C20-C14-C12	2.19	118.41	114.36
37	l	101	LMG	O1-C7-C8	-2.19	105.62	110.90
31	P	615	8CT	C18-C19-C20	-2.19	118.99	123.47
36	4	614	IHT	C31-C29-C26	-2.19	120.23	126.58
31	6	615	8CT	C35-C30-C29	-2.19	109.94	112.70
45	c	514	DGD	CBB-CAB-C9B	-2.19	103.32	114.42
34	7	616	II0	C31-C33-C35	-2.19	120.27	126.42
31	P	615	8CT	C35-C30-C29	-2.19	109.94	112.70
32	1	611	CLA	C1B-CHB-C4A	-2.19	125.79	130.12
32	c	511	CLA	C1B-CHB-C4A	-2.19	125.79	130.12
34	7	619	II0	C06-C08-C12	-2.18	107.31	110.30
32	C	511	CLA	C1B-CHB-C4A	-2.18	125.79	130.12
34	9	613	II0	C41-C39-C35	-2.18	124.19	127.31
45	C	514	DGD	CBB-CAB-C9B	-2.18	103.34	114.42
43	a	412	PL9	C2-C3-C4	2.18	120.31	118.64
32	b	613	CLA	O2A-CGA-O1A	-2.18	118.08	123.59
34	5	319	II0	C20-C14-C12	2.18	118.40	114.36
32	C	509	CLA	O2A-CGA-O1A	-2.18	118.09	123.59
34	6	614	II0	C42-C41-C39	-2.18	119.01	123.47
31	A	610	8CT	C18-C19-C20	-2.18	119.01	123.47
32	3	606	CLA	CHB-C4A-NA	2.18	127.53	124.51
34	0	620	II0	C31-C29-C25	-2.18	120.25	126.58
32	1	602	CLA	O2A-CGA-O1A	-2.18	118.09	123.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	8	614	II0	C20-C14-C12	2.18	118.39	114.36
31	H	102	8CT	C22-C21-C20	-2.18	119.87	122.92
31	P	615	8CT	C04-C03-C10	2.18	121.94	115.78
31	h	102	8CT	C22-C21-C20	-2.18	119.87	122.92
34	8	619	II0	C32-C30-C26	-2.18	120.26	126.58
37	d	401	LMG	O3-C3-C2	-2.18	105.31	110.35
36	4	617	IHT	C39-C35-C38	-2.18	119.87	122.92
31	6	615	8CT	C18-C19-C20	-2.18	119.01	123.47
33	0	610	KC2	O2D-CGD-O1D	-2.18	119.58	123.84
34	p	315	II0	C29-C31-C33	-2.18	116.43	123.22
32	C	501	CLA	CHD-C1D-ND	-2.18	122.45	124.45
34	7	617	II0	C03-C09-C13	-2.17	119.56	122.63
34	4	619	II0	C32-C30-C26	-2.17	120.27	126.58
34	1	617	II0	C03-C09-C13	-2.17	119.56	122.63
34	P	612	II0	C41-C42-C40	-2.17	119.02	123.47
34	9	613	II0	C05-C07-C11	-2.17	107.33	110.30
32	0	606	CLA	CHB-C4A-NA	2.17	127.52	124.51
47	v	201	HEM	C3B-C2B-C1B	2.17	108.10	106.49
32	7	602	CLA	O2A-CGA-O1A	-2.17	118.11	123.59
34	6	612	II0	C31-C29-C25	-2.17	120.27	126.58
32	B	604	CLA	O2D-CGD-CBD	2.17	115.12	111.27
47	v	201	HEM	CAD-CBD-CGD	-2.17	108.93	113.60
31	k	102	8CT	C14-C15-C16	-2.17	120.32	126.42
37	b	618	LMG	O3-C3-C2	-2.17	105.33	110.35
31	K	101	8CT	C14-C15-C16	-2.17	120.32	126.42
32	p	305	CLA	O2A-CGA-O1A	-2.17	118.12	123.59
32	a	408	CLA	O2D-CGD-CBD	2.17	115.12	111.27
32	0	605	CLA	C1-C2-C3	-2.17	123.24	126.75
37	B	618	LMG	O3-C3-C2	-2.17	105.34	110.35
32	5	305	CLA	O2A-CGA-O1A	-2.17	118.12	123.59
31	d	408	8CT	C25-C24-C23	-2.17	116.45	123.22
32	A	605	CLA	O2D-CGD-CBD	2.17	115.12	111.27
37	d	406	LMG	O1-C7-C8	-2.17	105.67	110.90
45	c	516	DGD	CBB-CAB-C9B	-2.17	103.43	114.42
32	p	313	CLA	CHD-C1D-ND	-2.17	122.46	124.45
45	C	516	DGD	CBB-CAB-C9B	-2.16	103.44	114.42
36	2	616	IHT	C31-C34-C35	-2.16	120.34	126.42
38	b	619	LHG	C27-C26-C25	-2.16	103.44	114.42
31	a	413	8CT	C18-C19-C20	-2.16	119.04	123.47
32	c	501	CLA	CHD-C1D-ND	-2.16	122.47	124.45
31	Z	101	8CT	C22-C21-C23	2.16	121.48	118.08
31	d	408	8CT	C04-C03-C02	-2.16	119.57	122.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	0	614	IHT	C31-C29-C26	-2.16	120.31	126.58
33	4	610	KC2	O2D-CGD-O1D	-2.16	119.62	123.84
37	b	618	LMG	O2-C2-C1	-2.16	104.80	110.05
34	5	301	II0	C19-C13-C11	2.16	118.36	114.36
32	b	611	CLA	O2A-CGA-O1A	-2.16	118.14	123.59
31	6	615	8CT	C04-C03-C10	2.16	121.88	115.78
31	B	622	8CT	C04-C03-C10	2.16	121.88	115.78
38	B	619	LHG	C27-C26-C25	-2.16	103.47	114.42
32	b	609	CLA	CHD-C1D-ND	-2.16	122.47	124.45
34	3	614	II0	C31-C33-C35	-2.16	120.36	126.42
35	7	615	II3	C22-C18-C17	2.16	118.35	114.36
34	2	615	II0	C42-C41-C39	-2.16	119.06	123.47
45	c	514	DGD	C5B-C4B-C3B	-2.16	103.48	114.42
45	C	514	DGD	C5B-C4B-C3B	-2.16	103.48	114.42
32	B	613	CLA	O2A-CGA-O1A	-2.15	118.16	123.59
31	h	102	8CT	C40-C12-C13	-2.15	119.91	122.92
32	C	503	CLA	C1B-CHB-C4A	-2.15	125.85	130.12
36	4	614	IHT	C39-C35-C38	-2.15	119.91	122.92
37	B	618	LMG	O2-C2-C1	-2.15	104.82	110.05
34	0	620	II0	C32-C30-C26	-2.15	120.33	126.58
45	C	516	DGD	CAB-C9B-C8B	-2.15	103.50	114.42
32	6	606	CLA	CHD-C1D-ND	-2.15	122.48	124.45
32	b	604	CLA	O2D-CGD-CBD	2.15	115.09	111.27
34	0	617	II0	C19-C13-C11	2.15	118.34	114.36
32	2	612	CLA	CHD-C1D-ND	-2.15	122.48	124.45
36	0	618	IHT	C22-C18-C07	-2.15	121.17	127.20
34	4	615	II0	C38-C36-C40	-2.15	119.91	122.92
45	a	414	DGD	CBB-CAB-C9B	-2.15	103.51	114.42
31	M	201	8CT	C04-C03-C10	2.15	121.86	115.78
32	c	503	CLA	C1B-CHB-C4A	-2.15	125.86	130.12
32	b	616	CLA	O2A-CGA-O1A	-2.15	118.17	123.59
32	8	602	CLA	O2A-CGA-O1A	-2.15	118.17	123.59
45	c	516	DGD	CAB-C9B-C8B	-2.15	103.53	114.42
32	4	602	CLA	C1-C2-C3	-2.15	122.33	126.04
32	3	603	CLA	O2A-CGA-O1A	-2.15	118.17	123.59
34	P	612	II0	C19-C13-C11	2.15	118.33	114.36
41	d	410	PHO	CMC-C2C-C3C	2.14	128.99	124.94
31	H	102	8CT	C40-C12-C13	-2.14	119.92	122.92
34	3	613	II0	C05-C07-C11	-2.14	107.37	110.30
32	3	602	CLA	O2A-CGA-O1A	-2.14	118.18	123.59
34	5	314	II0	C31-C29-C25	-2.14	120.36	126.58
37	a	410	LMG	O2-C2-C1	-2.14	104.84	110.05

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	A	609	PL9	C2-C3-C4	2.14	120.28	118.64
34	5	315	II0	C29-C31-C33	-2.14	116.53	123.22
37	P	616	LMG	O1-C1-C2	-2.14	104.96	108.30
34	1	619	II0	C37-C35-C39	-2.14	119.92	122.92
31	k	101	8CT	C23-C21-C20	-2.14	115.66	118.94
32	5	303	CLA	CHD-C1D-ND	-2.14	122.49	124.45
34	3	614	II0	C19-C13-C11	2.14	118.32	114.36
32	B	611	CLA	O2A-CGA-O1A	-2.14	118.19	123.59
37	A	607	LMG	O2-C2-C1	-2.14	104.85	110.05
32	A	603	CLA	CHD-C1D-ND	-2.14	122.49	124.45
32	D	401	CLA	CHD-C1D-ND	-2.14	122.49	124.45
32	0	608	CLA	CHD-C1D-ND	-2.14	122.49	124.45
31	D	409	8CT	C04-C03-C02	-2.14	119.60	122.61
34	8	613	II0	C31-C29-C25	-2.14	120.37	126.58
41	D	402	PHO	CMC-C2C-C3C	2.14	128.97	124.94
32	p	303	CLA	CHD-C1D-ND	-2.14	122.49	124.45
32	4	606	CLA	CHB-C4A-NA	2.14	127.47	124.51
37	D	411	LMG	O7-C10-O9	-2.14	118.54	123.70
45	A	614	DGD	CBB-CAB-C9B	-2.14	103.58	114.42
38	L	101	LHG	C18-C17-C16	-2.14	103.58	114.42
32	9	602	CLA	O2A-CGA-O1A	-2.13	118.21	123.59
45	A	614	DGD	O2D-C2D-C1D	-2.13	104.86	110.05
32	3	604	CLA	O2A-CGA-O1A	-2.13	118.21	123.59
36	4	617	IHT	C05-C08-C12	2.13	113.22	110.30
45	H	101	DGD	CBB-CAB-C9B	-2.13	103.61	114.42
45	h	101	DGD	CBB-CAB-C9B	-2.13	103.61	114.42
45	c	514	DGD	O3E-C3E-C2E	-2.13	105.43	110.35
32	2	602	CLA	O2A-CGA-O1A	-2.13	118.22	123.59
32	0	602	CLA	C1-C2-C3	-2.13	122.36	126.04
34	9	612	II0	C20-C14-C12	2.13	118.30	114.36
41	D	402	PHO	C1-C2-C3	-2.13	122.36	126.04
37	c	517	LMG	C1-C2-C3	-2.13	105.56	110.00
38	l	102	LHG	C18-C17-C16	-2.13	103.62	114.42
31	c	518	8CT	C34-C33-C32	2.13	115.54	112.00
32	B	614	CLA	CHD-C1D-ND	-2.13	122.50	124.45
31	C	518	8CT	C34-C33-C32	2.13	115.53	112.00
36	0	618	IHT	C41-C40-C37	-2.13	119.12	123.47
38	A	612	LHG	C27-C26-C25	-2.13	103.64	114.42
32	0	602	CLA	O2A-CGA-O1A	-2.12	118.23	123.59
32	B	603	CLA	CHD-C1D-ND	-2.12	122.50	124.45
34	p	301	II0	C31-C33-C35	-2.12	120.45	126.42
45	c	515	DGD	CBB-CAB-C9B	-2.12	103.64	114.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	a	402	LHG	C27-C26-C25	-2.12	103.65	114.42
41	d	410	PHO	C1-C2-C3	-2.12	122.37	126.04
43	A	609	PL9	C7-C3-C4	2.12	120.76	118.08
32	9	603	CLA	O2A-CGA-O1A	-2.12	118.24	123.59
37	2	617	LMG	O1-C7-C8	-2.12	105.78	110.90
32	4	608	CLA	CHD-C1D-ND	-2.12	122.51	124.45
32	P	606	CLA	CHD-C1D-ND	-2.12	122.51	124.45
37	D	411	LMG	O2-C2-C1	-2.12	104.90	110.05
34	3	613	II0	C41-C39-C35	-2.12	124.28	127.31
32	4	602	CLA	O2A-CGA-O1A	-2.12	118.25	123.59
34	6	612	II0	C41-C42-C40	-2.12	119.14	123.47
37	8	617	LMG	O1-C7-C8	-2.12	105.79	110.90
37	C	517	LMG	C1-C2-C3	-2.12	105.58	110.00
45	A	614	DGD	CAB-C9B-C8B	-2.12	103.67	114.42
32	5	313	CLA	CHD-C1D-ND	-2.12	122.51	124.45
32	B	616	CLA	O2A-CGA-O1A	-2.12	118.25	123.59
45	C	514	DGD	O3E-C3E-C2E	-2.12	105.45	110.35
31	C	518	8CT	C40-C12-C13	-2.12	119.96	122.92
32	9	602	CLA	CHD-C1D-ND	-2.12	122.51	124.45
31	A	610	8CT	C22-C21-C23	2.12	121.41	118.08
34	7	617	II0	C20-C14-C12	2.12	118.28	114.36
32	2	605	CLA	O2A-CGA-O1A	-2.12	118.25	123.59
34	7	617	II0	C31-C33-C35	-2.11	120.48	126.42
33	P	605	KC2	O2D-CGD-O1D	-2.11	119.70	123.84
45	a	414	DGD	CAB-C9B-C8B	-2.11	103.69	114.42
37	d	401	LMG	O7-C10-O9	-2.11	118.59	123.70
34	2	615	II0	C20-C14-C12	2.11	118.27	114.36
37	c	517	LMG	O2-C2-C1	-2.11	104.92	110.05
32	b	611	CLA	CHD-C1D-ND	-2.11	122.51	124.45
32	7	605	CLA	CHD-C1D-ND	-2.11	122.51	124.45
45	A	614	DGD	C5B-C4B-C3B	-2.11	103.70	114.42
32	6	604	CLA	O2A-CGA-O1A	-2.11	118.26	123.59
32	P	604	CLA	O2A-CGA-O1A	-2.11	118.26	123.59
34	8	614	II0	C38-C36-C40	-2.11	119.97	122.92
32	P	602	CLA	CHD-C1D-ND	-2.11	122.52	124.45
45	C	515	DGD	CBB-CAB-C9B	-2.11	103.72	114.42
34	3	612	II0	C20-C14-C12	2.11	118.26	114.36
32	b	603	CLA	O2A-CGA-O1A	-2.11	118.27	123.59
32	8	605	CLA	O2A-CGA-O1A	-2.11	118.27	123.59
34	P	612	II0	C32-C30-C26	-2.11	120.46	126.58
47	E	101	HEM	CBA-CAA-C2A	-2.11	109.02	112.62
34	8	615	II0	C42-C41-C39	-2.11	119.16	123.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	4	604	CLA	C1-C2-C3	-2.11	122.40	126.04
32	b	605	CLA	O2A-CGA-O1A	-2.10	118.28	123.59
32	d	403	CLA	CHD-C1D-ND	-2.10	122.52	124.45
31	b	623	8CT	C39-C16-C17	-2.10	119.98	122.92
31	B	624	8CT	C39-C16-C17	-2.10	119.98	122.92
31	K	102	8CT	C40-C12-C13	-2.10	119.98	122.92
38	a	403	LHG	C18-C17-C16	-2.10	103.75	114.42
32	B	610	CLA	C1-C2-C3	-2.10	122.41	126.04
43	d	404	PL9	C31-C32-C33	-2.10	104.97	111.88
38	A	613	LHG	C18-C17-C16	-2.10	103.76	114.42
34	2	613	II0	C31-C29-C25	-2.10	120.48	126.58
34	9	614	II0	C18-C04-C10	-2.10	107.13	110.47
45	a	414	DGD	O2D-C2D-C1D	-2.10	104.95	110.05
47	f	101	HEM	CAD-CBD-CGD	-2.10	109.09	113.60
34	8	619	II0	C31-C29-C25	-2.10	120.49	126.58
32	9	604	CLA	O2D-CGD-CBD	2.10	115.00	111.27
32	b	614	CLA	CHD-C1D-ND	-2.10	122.53	124.45
32	0	607	CLA	CHD-C1D-ND	-2.10	122.53	124.45
32	B	605	CLA	O2A-CGA-O1A	-2.10	118.30	123.59
32	4	611	CLA	CHD-C1D-ND	-2.10	122.53	124.45
45	a	414	DGD	C5B-C4B-C3B	-2.10	103.79	114.42
34	7	616	II0	C30-C32-C34	-2.10	116.68	123.22
32	6	606	CLA	CHB-C4A-NA	2.09	127.41	124.51
32	C	505	CLA	O2D-CGD-CBD	2.09	114.99	111.27
36	2	616	IHT	C39-C35-C38	-2.09	119.99	122.92
32	P	606	CLA	CHB-C4A-NA	2.09	127.41	124.51
43	d	404	PL9	O2-C1-C2	-2.09	116.99	121.78
37	l	101	LMG	C1-O6-C5	-2.09	109.58	113.69
32	B	609	CLA	CHD-C1D-ND	-2.09	122.53	124.45
32	9	604	CLA	O2A-CGA-O1A	-2.09	118.31	123.59
37	C	517	LMG	O2-C2-C1	-2.09	104.97	110.05
32	3	604	CLA	O2D-CGD-CBD	2.09	114.98	111.27
32	1	612	CLA	CHD-C1D-ND	-2.09	122.53	124.45
32	D	404	CLA	CHD-C1D-ND	-2.09	122.53	124.45
43	a	412	PL9	C7-C3-C4	2.09	120.72	118.08
34	1	619	II0	C06-C08-C12	-2.09	107.45	110.30
43	D	405	PL9	C31-C32-C33	-2.09	105.02	111.88
35	P	613	II3	C30-C28-C27	2.09	120.97	116.84
34	1	616	II0	C31-C29-C25	-2.09	120.52	126.58
37	d	401	LMG	O2-C2-C1	-2.09	104.98	110.05
31	A	610	8CT	C40-C12-C11	2.08	121.36	118.08
32	7	612	CLA	CHD-C1D-ND	-2.08	122.54	124.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
47	E	101	HEM	CAD-CBD-CGD	-2.08	109.12	113.60
36	p	317	IHT	C39-C35-C38	-2.08	120.00	122.92
31	z	101	8CT	C22-C21-C23	2.08	121.36	118.08
34	8	619	II0	C05-C07-C11	-2.08	107.45	110.30
32	c	505	CLA	O2D-CGD-CBD	2.08	114.97	111.27
32	b	610	CLA	C1-C2-C3	-2.08	122.44	126.04
32	B	603	CLA	O2A-CGA-O1A	-2.08	118.34	123.59
33	P	605	KC2	CAA-CBA-CGA	-2.08	116.56	127.26
36	2	616	IHT	C31-C29-C26	-2.08	120.54	126.58
32	6	602	CLA	CHD-C1D-ND	-2.08	122.54	124.45
32	9	611	CLA	CHD-C1D-ND	-2.08	122.54	124.45
43	d	404	PL9	O2-C1-C6	2.08	124.19	120.59
34	P	614	II0	C42-C41-C39	-2.08	119.21	123.47
32	5	309	CLA	CHD-C1D-ND	-2.08	122.54	124.45
34	9	614	II0	C19-C13-C11	2.08	118.21	114.36
32	b	607	CLA	O2D-CGD-CBD	2.08	114.96	111.27
32	1	608	CLA	CHD-C1D-ND	-2.08	122.54	124.45
34	5	319	II0	C04-C06-C08	-2.08	108.95	113.64
43	D	405	PL9	O2-C1-C6	2.08	124.19	120.59
37	L	102	LMG	C1-O6-C5	-2.08	109.61	113.69
39	A	606	SQD	C46-C45-C44	-2.08	106.88	111.79
34	2	613	II0	C41-C42-C40	-2.08	119.22	123.47
39	a	409	SQD	C46-C45-C44	-2.08	106.88	111.79
34	p	314	II0	C32-C34-C36	-2.08	120.58	126.42
32	s	303	CLA	O2A-CGA-O1A	-2.08	118.35	123.59
35	7	615	II3	C39-C41-C40	-2.08	119.22	123.47
32	C	509	CLA	C1-C2-C3	-2.08	122.45	126.04
32	7	602	CLA	CHD-C1D-ND	-2.08	122.55	124.45
32	S	303	CLA	O2A-CGA-O1A	-2.07	118.36	123.59
32	S	302	CLA	CHD-C1D-ND	-2.07	122.55	124.45
34	5	316	II0	C32-C34-C36	-2.07	120.59	126.42
31	c	518	8CT	C40-C12-C13	-2.07	120.02	122.92
32	4	605	CLA	CHD-C1D-ND	-2.07	122.55	124.45
32	B	611	CLA	CHD-C1D-ND	-2.07	122.55	124.45
32	c	513	CLA	O2A-CGA-O1A	-2.07	118.36	123.59
32	B	606	CLA	CHD-C1D-ND	-2.07	122.55	124.45
37	d	406	LMG	O2-C2-C1	-2.07	105.02	110.05
32	c	513	CLA	CHD-C1D-ND	-2.07	122.55	124.45
34	5	319	II0	C37-C35-C39	-2.07	120.03	122.92
32	1	605	CLA	O2A-CGA-O1A	-2.07	118.38	123.59
45	c	516	DGD	C5B-C4B-C3B	-2.07	103.93	114.42
34	2	613	II0	C20-C14-C12	2.07	118.18	114.36

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	P	612	II0	C20-C14-C12	2.07	118.18	114.36
32	2	602	CLA	CHD-C1D-ND	-2.07	122.56	124.45
43	D	405	PL9	O2-C1-C2	-2.07	117.05	121.78
45	C	516	DGD	C5B-C4B-C3B	-2.07	103.94	114.42
32	1	604	CLA	O2A-CGA-O1A	-2.07	118.38	123.59
32	b	604	CLA	O2A-CGA-O1A	-2.07	118.38	123.59
32	4	604	CLA	CHD-C1D-ND	-2.07	122.56	124.45
32	C	510	CLA	CHD-C1D-ND	-2.07	122.56	124.45
32	B	615	CLA	CHD-C1D-ND	-2.07	122.56	124.45
37	D	407	LMG	O2-C2-C1	-2.06	105.03	110.05
32	6	611	CLA	CHD-C1D-ND	-2.06	122.56	124.45
32	c	510	CLA	CHD-C1D-ND	-2.06	122.56	124.45
31	K	102	8CT	C23-C21-C20	-2.06	115.78	118.94
32	C	513	CLA	O2A-CGA-O1A	-2.06	118.39	123.59
32	b	603	CLA	CHD-C1D-ND	-2.06	122.56	124.45
32	7	609	CLA	CHD-C1D-ND	-2.06	122.56	124.45
32	1	602	CLA	C1-C2-C3	-2.06	122.48	126.04
32	7	604	CLA	O2A-CGA-O1A	-2.06	118.39	123.59
37	l	101	LMG	O7-C10-O9	-2.06	118.72	123.70
45	c	514	DGD	CAB-C9B-C8B	-2.06	103.96	114.42
34	8	613	II0	C31-C33-C35	-2.06	120.63	126.42
32	B	612	CLA	CHD-C1D-ND	-2.06	122.56	124.45
36	7	618	IHT	C39-C35-C38	-2.06	120.04	122.92
32	8	605	CLA	CHD-C1D-ND	-2.06	122.56	124.45
36	1	618	IHT	C25-C23-C27	-2.06	120.04	122.92
32	2	605	CLA	CHD-C1D-ND	-2.06	122.56	124.45
32	c	509	CLA	C1-C2-C3	-2.06	122.48	126.04
32	d	409	CLA	C1-C2-C3	-2.06	122.48	126.04
34	1	614	II0	C15-C03-C09	-2.06	107.20	110.47
38	b	621	LHG	C27-C26-C25	-2.06	103.98	114.42
37	6	616	LMG	O1-C1-C2	-2.06	105.09	108.30
45	A	614	DGD	O6E-C1E-O5D	-2.06	104.91	109.40
38	B	621	LHG	C27-C26-C25	-2.06	103.98	114.42
32	B	607	CLA	O2D-CGD-CBD	2.06	114.92	111.27
34	2	614	II0	C38-C36-C40	-2.06	120.04	122.92
32	3	605	CLA	CHD-C1D-ND	-2.06	122.56	124.45
32	a	408	CLA	O2A-CGA-O1A	-2.06	118.40	123.59
32	B	604	CLA	O2A-CGA-O1A	-2.06	118.40	123.59
45	C	514	DGD	CAB-C9B-C8B	-2.06	103.99	114.42
32	p	310	CLA	CHD-C1D-ND	-2.06	122.56	124.45
33	P	609	KC2	CBD-CHA-C1A	2.06	132.71	128.88
32	D	401	CLA	C1-C2-C3	-2.05	122.49	126.04

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	p	314	II0	C32-C30-C26	-2.05	120.62	126.58
32	3	611	CLA	CHD-C1D-ND	-2.05	122.57	124.45
32	C	508	CLA	CHD-C1D-ND	-2.05	122.57	124.45
34	2	615	II0	C07-C11-C13	-2.05	107.77	111.85
47	E	101	HEM	C3D-C4D-ND	-2.05	107.88	110.17
34	0	617	II0	C42-C41-C39	-2.05	119.27	123.47
34	9	614	II0	C42-C41-C39	-2.05	119.27	123.47
32	b	615	CLA	CHD-C1D-ND	-2.05	122.57	124.45
37	L	102	LMG	O7-C10-O9	-2.05	118.75	123.70
36	7	618	IHT	C03-C11-C15	-2.05	119.74	122.63
33	6	609	KC2	O2D-CGD-O1D	-2.05	119.83	123.84
32	D	404	CLA	C1-C2-C3	-2.05	122.50	126.04
32	d	403	CLA	C1-C2-C3	-2.05	122.50	126.04
32	3	609	CLA	CHD-C1D-ND	-2.05	122.57	124.45
32	B	605	CLA	O2D-CGD-CBD	2.05	114.91	111.27
45	h	101	DGD	O3E-C3E-C2E	-2.05	105.61	110.35
34	2	615	II0	C31-C29-C25	-2.05	120.64	126.58
31	k	101	8CT	C40-C12-C13	-2.05	120.06	122.92
32	0	604	CLA	O2D-CGD-CBD	2.05	114.91	111.27
34	3	612	II0	C31-C33-C35	-2.05	120.67	126.42
34	1	619	II0	C07-C11-C13	-2.05	107.78	111.85
32	0	611	CLA	CHD-C1D-ND	-2.05	122.57	124.45
34	7	619	II0	C37-C35-C39	-2.05	120.06	122.92
34	3	614	II0	C18-C04-C10	-2.05	107.22	110.47
32	1	609	CLA	CHD-C1D-ND	-2.05	122.57	124.45
32	b	606	CLA	CHD-C1D-ND	-2.05	122.57	124.45
34	5	314	II0	C32-C30-C26	-2.05	120.64	126.58
34	9	613	II0	C38-C36-C40	-2.05	120.06	122.92
36	8	616	IHT	C39-C35-C38	-2.05	120.06	122.92
34	7	616	II0	C31-C29-C25	-2.04	120.65	126.58
32	b	605	CLA	O2D-CGD-CBD	2.04	114.90	111.27
32	A	605	CLA	O2A-CGA-O1A	-2.04	118.44	123.59
34	1	616	II0	C42-C41-C39	-2.04	119.29	123.47
32	p	309	CLA	CHD-C1D-ND	-2.04	122.58	124.45
34	2	615	II0	C04-C06-C08	-2.04	109.03	113.64
36	4	614	IHT	C08-C12-C15	-2.04	107.79	111.85
32	1	605	CLA	CHD-C1D-ND	-2.04	122.58	124.45
32	2	604	CLA	CHD-C1D-ND	-2.04	122.58	124.45
32	p	305	CLA	C1-C2-C3	-2.04	122.52	126.04
34	p	315	II0	C18-C04-C10	-2.04	107.23	110.47
32	3	602	CLA	CHD-C1D-ND	-2.04	122.58	124.45
32	c	508	CLA	CHD-C1D-ND	-2.04	122.58	124.45

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	8	608	CLA	CHD-C1D-ND	-2.04	122.58	124.45
32	C	508	CLA	O2D-CGD-CBD	2.04	114.89	111.27
35	P	613	II3	C35-C33-C36	-2.04	120.07	122.92
32	5	304	CLA	O2A-CGA-O1A	-2.04	118.45	123.59
32	8	604	CLA	CHD-C1D-ND	-2.04	122.58	124.45
45	a	414	DGD	O6E-C1E-O5D	-2.04	104.95	109.40
32	C	501	CLA	O2A-CGA-O1A	-2.04	118.45	123.59
45	H	101	DGD	O3E-C3E-C2E	-2.04	105.64	110.35
31	3	615	8CT	C40-C12-C13	-2.04	120.07	122.92
32	5	310	CLA	CHD-C1D-ND	-2.04	122.58	124.45
32	0	604	CLA	CHD-C1D-ND	-2.04	122.58	124.45
32	p	305	CLA	CHD-C1D-ND	-2.04	122.58	124.45
32	c	501	CLA	O2A-CGA-O1A	-2.04	118.45	123.59
32	0	613	CLA	CHD-C1D-ND	-2.04	122.58	124.45
32	c	508	CLA	O2D-CGD-CBD	2.04	114.89	111.27
32	5	308	CLA	CHD-C1D-ND	-2.03	122.58	124.45
32	7	601	CLA	CHD-C1D-ND	-2.03	122.58	124.45
32	9	610	CLA	CHD-C1D-ND	-2.03	122.58	124.45
31	9	615	8CT	C30-C31-C32	-2.03	118.96	121.47
32	2	603	CLA	O2A-CGA-O1A	-2.03	118.46	123.59
32	C	513	CLA	CHD-C1D-ND	-2.03	122.59	124.45
31	Z	101	8CT	C38-C31-C32	-2.03	115.10	122.33
32	0	604	CLA	C1-C2-C3	-2.03	122.53	126.04
32	4	604	CLA	O2D-CGD-CBD	2.03	114.88	111.27
47	V	201	HEM	C3B-C2B-C1B	2.03	107.99	106.49
31	h	102	8CT	C01-C02-C07	2.03	117.52	113.62
32	4	613	CLA	CHD-C1D-ND	-2.03	122.59	124.45
32	0	605	CLA	CHD-C1D-ND	-2.03	122.59	124.45
32	2	608	CLA	CHD-C1D-ND	-2.03	122.59	124.45
32	3	610	CLA	CHD-C1D-ND	-2.03	122.59	124.45
34	p	301	II0	C04-C06-C08	-2.03	109.07	113.64
34	0	615	II0	C32-C34-C36	-2.03	120.73	126.42
34	p	301	II0	C37-C35-C39	-2.03	120.09	122.92
31	z	101	8CT	C10-C11-C12	-2.02	123.18	126.23
45	C	515	DGD	CAB-C9B-C8B	-2.02	104.15	114.42
32	c	506	CLA	O2A-CGA-O1A	-2.02	118.25	123.30
32	P	610	CLA	CHD-C1D-ND	-2.02	122.59	124.45
32	B	614	CLA	O2A-CGA-O1A	-2.02	118.48	123.59
32	p	302	CLA	CHD-C1D-ND	-2.02	122.59	124.45
33	6	609	KC2	CBD-CHA-C1A	2.02	132.65	128.88
31	H	102	8CT	C01-C02-C07	2.02	117.50	113.62
34	8	614	II0	C32-C30-C26	-2.02	120.71	126.58

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	7	605	CLA	O2A-CGA-O1A	-2.02	118.49	123.59
36	1	618	IHT	C39-C35-C38	-2.02	120.09	122.92
32	8	603	CLA	O2A-CGA-O1A	-2.02	118.49	123.59
32	p	304	CLA	O2A-CGA-O1A	-2.02	118.49	123.59
32	B	615	CLA	C1-C2-C3	-2.02	122.55	126.04
34	1	614	II0	C31-C33-C35	-2.02	120.74	126.42
32	5	305	CLA	CHD-C1D-ND	-2.02	122.60	124.45
32	0	602	CLA	CHD-C1D-ND	-2.02	122.60	124.45
34	p	316	II0	C38-C36-C40	-2.02	120.09	122.92
32	2	607	CLA	O2A-CGA-O1A	-2.02	118.27	123.30
31	9	615	8CT	C40-C12-C13	-2.02	120.09	122.92
45	c	515	DGD	CAB-C9B-C8B	-2.02	104.18	114.42
32	1	601	CLA	CHD-C1D-ND	-2.02	122.60	124.45
32	4	607	CLA	CHD-C1D-ND	-2.02	122.60	124.45
32	P	611	CLA	CHD-C1D-ND	-2.02	122.60	124.45
31	a	413	8CT	C04-C03-C02	-2.02	119.77	122.61
32	7	602	CLA	C1-C2-C3	-2.02	122.55	126.04
31	H	102	8CT	C38-C31-C32	-2.02	115.16	122.33
41	D	402	PHO	O2A-CGA-O1A	-2.02	118.50	123.59
32	2	607	CLA	CHD-C1D-ND	-2.02	122.60	124.45
32	8	601	CLA	CHD-C1D-ND	-2.02	122.60	124.45
34	0	615	II0	C32-C30-C26	-2.01	120.73	126.58
32	b	602	CLA	O2A-CGA-O1A	-2.01	118.51	123.59
32	D	404	CLA	O2A-CGA-O1A	-2.01	118.51	123.59
32	b	614	CLA	O2A-CGA-O1A	-2.01	118.51	123.59
34	8	613	II0	C37-C35-C39	-2.01	120.10	122.92
41	d	410	PHO	O2A-CGA-O1A	-2.01	118.51	123.59
32	9	604	CLA	CHD-C1D-ND	-2.01	122.61	124.45
32	C	503	CLA	O2A-CGA-O1A	-2.01	118.52	123.59
35	6	613	II3	C35-C33-C36	-2.01	120.11	122.92
32	2	609	CLA	CHD-C1D-ND	-2.01	122.61	124.45
32	3	604	CLA	CHD-C1D-ND	-2.01	122.61	124.45
32	9	605	CLA	CHD-C1D-ND	-2.01	122.61	124.45
34	8	615	II0	C20-C14-C12	2.01	118.08	114.36
32	4	601	CLA	CHD-C1D-ND	-2.01	122.61	124.45
32	8	602	CLA	CHD-C1D-ND	-2.01	122.61	124.45
32	B	602	CLA	CHD-C1D-ND	-2.01	122.61	124.45
31	z	101	8CT	C38-C31-C32	-2.01	115.18	122.33
37	d	401	LMG	O8-C28-O10	-2.01	118.52	123.59
32	B	611	CLA	C1-C2-C3	-2.01	122.57	126.04
36	5	317	IHT	C39-C35-C38	-2.01	120.11	122.92
32	C	504	CLA	CHD-C1D-ND	-2.01	122.61	124.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	7	614	II0	C07-C11-C13	-2.01	107.86	111.85
34	4	619	II0	C31-C29-C25	-2.01	120.75	126.58
32	s	302	CLA	O2A-CGA-O1A	-2.01	118.30	123.30
32	8	607	CLA	CHD-C1D-ND	-2.01	122.61	124.45
32	C	509	CLA	CHD-C1D-ND	-2.01	122.61	124.45
37	D	411	LMG	O8-C28-O10	-2.01	118.53	123.59
32	2	612	CLA	O2A-CGA-O1A	-2.01	118.30	123.30
34	9	612	II0	C31-C33-C35	-2.00	120.78	126.42
37	8	617	LMG	O7-C10-O9	-2.00	118.86	123.70
34	7	619	II0	C07-C11-C13	-2.00	107.86	111.85
31	k	102	8CT	C25-C24-C23	-2.00	116.96	123.22
32	S	302	CLA	O2A-CGA-O1A	-2.00	118.30	123.30
32	8	608	CLA	O2A-CGA-O1A	-2.00	118.54	123.59
31	h	102	8CT	C38-C31-C32	-2.00	115.20	122.33
32	B	602	CLA	O2A-CGA-O1A	-2.00	118.54	123.59
32	D	401	CLA	O2D-CGD-CBD	2.00	114.83	111.27
37	2	617	LMG	O7-C10-O9	-2.00	118.86	123.70
33	P	609	KC2	C1A-C2A-C3A	-2.00	105.53	107.11
36	0	614	IHT	C36-C33-C37	-2.00	120.12	122.92
33	P	609	KC2	O2D-CGD-O1D	-2.00	119.92	123.84
33	7	610	KC2	CHB-C4A-C3A	-2.00	121.85	124.98
34	8	615	II0	C07-C11-C13	-2.00	107.87	111.85
32	7	603	CLA	O2A-CGA-O1A	-2.00	118.54	123.59
32	C	512	CLA	O2A-CGA-O1A	-2.00	118.54	123.59
32	9	601	CLA	O2D-CGD-CBD	2.00	114.82	111.27
34	7	617	II0	C32-C30-C26	-2.00	120.77	126.58
32	8	611	CLA	O2A-CGA-O1A	-2.00	118.31	123.30
32	6	604	CLA	C1-C2-C3	-2.00	122.58	126.04
32	2	611	CLA	O2A-CGA-O1A	-2.00	118.31	123.30
34	5	301	II0	C38-C36-C40	-2.00	120.12	122.92
32	2	604	CLA	O2A-CGA-O1A	-2.00	118.54	123.59
32	0	601	CLA	CHD-C1D-ND	-2.00	122.62	124.45
32	p	308	CLA	CHD-C1D-ND	-2.00	122.62	124.45
32	9	609	CLA	O2D-CGD-CBD	2.00	114.82	111.27

All (208) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
32	1	601	CLA	ND
32	1	602	CLA	ND
32	1	603	CLA	ND
32	1	604	CLA	ND

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atom</b>
32	1	605	CLA	ND
32	1	606	CLA	ND
32	1	607	CLA	ND
32	1	608	CLA	ND
32	1	609	CLA	ND
32	1	611	CLA	ND
32	1	612	CLA	ND
32	1	613	CLA	ND
32	2	601	CLA	ND
32	2	602	CLA	ND
32	2	603	CLA	ND
32	2	604	CLA	ND
32	2	605	CLA	ND
32	2	606	CLA	ND
32	2	607	CLA	ND
32	2	608	CLA	ND
32	2	609	CLA	ND
32	2	611	CLA	ND
32	2	612	CLA	ND
32	3	601	CLA	ND
32	3	602	CLA	ND
32	3	603	CLA	ND
32	3	604	CLA	ND
32	3	605	CLA	ND
32	3	606	CLA	ND
32	3	607	CLA	ND
32	3	608	CLA	ND
32	3	609	CLA	ND
32	3	610	CLA	ND
32	3	611	CLA	ND
32	4	601	CLA	ND
32	4	602	CLA	ND
32	4	603	CLA	ND
32	4	604	CLA	ND
32	4	605	CLA	ND
32	4	606	CLA	ND
32	4	607	CLA	ND
32	4	608	CLA	ND
32	4	609	CLA	ND
32	4	611	CLA	ND
32	4	612	CLA	ND
32	4	613	CLA	ND

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atom</b>
32	5	302	CLA	ND
32	5	303	CLA	ND
32	5	304	CLA	ND
32	5	305	CLA	ND
32	5	306	CLA	ND
32	5	307	CLA	ND
32	5	308	CLA	ND
32	5	309	CLA	ND
32	5	310	CLA	ND
32	5	312	CLA	ND
32	5	313	CLA	ND
32	6	601	CLA	ND
32	6	602	CLA	ND
32	6	603	CLA	ND
32	6	604	CLA	ND
32	6	606	CLA	ND
32	6	607	CLA	ND
32	6	608	CLA	ND
32	6	610	CLA	ND
32	6	611	CLA	ND
32	A	602	CLA	ND
32	A	603	CLA	ND
32	A	605	CLA	ND
32	D	401	CLA	ND
32	D	403	CLA	ND
32	D	404	CLA	ND
32	S	302	CLA	ND
32	S	303	CLA	ND
32	b	602	CLA	ND
32	b	603	CLA	ND
32	b	604	CLA	ND
32	b	605	CLA	ND
32	b	606	CLA	ND
32	b	607	CLA	ND
32	b	608	CLA	ND
32	b	609	CLA	ND
32	b	610	CLA	ND
32	b	611	CLA	ND
32	b	612	CLA	ND
32	b	613	CLA	ND
32	b	614	CLA	ND
32	b	615	CLA	ND

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atom</b>
32	b	616	CLA	ND
32	b	617	CLA	ND
32	c	501	CLA	ND
32	c	502	CLA	ND
32	c	503	CLA	ND
32	c	504	CLA	ND
32	c	505	CLA	ND
32	c	506	CLA	ND
32	c	507	CLA	ND
32	c	508	CLA	ND
32	c	509	CLA	ND
32	c	510	CLA	ND
32	c	511	CLA	ND
32	c	512	CLA	ND
32	c	513	CLA	ND
32	d	402	CLA	ND
32	d	403	CLA	ND
32	d	409	CLA	ND
32	g	102	CLA	ND
32	0	601	CLA	ND
32	0	602	CLA	ND
32	0	603	CLA	ND
32	0	604	CLA	ND
32	0	605	CLA	ND
32	0	606	CLA	ND
32	0	607	CLA	ND
32	0	608	CLA	ND
32	0	609	CLA	ND
32	0	611	CLA	ND
32	0	612	CLA	ND
32	0	613	CLA	ND
32	7	601	CLA	ND
32	7	602	CLA	ND
32	7	603	CLA	ND
32	7	604	CLA	ND
32	7	605	CLA	ND
32	7	606	CLA	ND
32	7	607	CLA	ND
32	7	608	CLA	ND
32	7	609	CLA	ND
32	7	611	CLA	ND
32	7	612	CLA	ND

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atom</b>
32	7	613	CLA	ND
32	8	601	CLA	ND
32	8	602	CLA	ND
32	8	603	CLA	ND
32	8	604	CLA	ND
32	8	605	CLA	ND
32	8	606	CLA	ND
32	8	607	CLA	ND
32	8	608	CLA	ND
32	8	609	CLA	ND
32	8	611	CLA	ND
32	8	612	CLA	ND
32	9	601	CLA	ND
32	9	602	CLA	ND
32	9	603	CLA	ND
32	9	604	CLA	ND
32	9	605	CLA	ND
32	9	606	CLA	ND
32	9	607	CLA	ND
32	9	608	CLA	ND
32	9	609	CLA	ND
32	9	610	CLA	ND
32	9	611	CLA	ND
32	C	501	CLA	ND
32	C	502	CLA	ND
32	C	503	CLA	ND
32	C	504	CLA	ND
32	C	505	CLA	ND
32	C	506	CLA	ND
32	C	507	CLA	ND
32	C	508	CLA	ND
32	C	509	CLA	ND
32	C	510	CLA	ND
32	C	511	CLA	ND
32	C	512	CLA	ND
32	C	513	CLA	ND
32	G	101	CLA	ND
32	P	601	CLA	ND
32	P	602	CLA	ND
32	P	603	CLA	ND
32	P	604	CLA	ND
32	P	606	CLA	ND

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atom
32	P	607	CLA	ND
32	P	608	CLA	ND
32	P	610	CLA	ND
32	P	611	CLA	ND
32	a	405	CLA	ND
32	a	406	CLA	ND
32	a	408	CLA	ND
32	p	302	CLA	ND
32	p	303	CLA	ND
32	p	304	CLA	ND
32	p	305	CLA	ND
32	p	306	CLA	ND
32	p	307	CLA	ND
32	p	308	CLA	ND
32	p	309	CLA	ND
32	p	310	CLA	ND
32	p	312	CLA	ND
32	p	313	CLA	ND
32	s	302	CLA	ND
32	s	303	CLA	ND
32	B	602	CLA	ND
32	B	603	CLA	ND
32	B	604	CLA	ND
32	B	605	CLA	ND
32	B	606	CLA	ND
32	B	607	CLA	ND
32	B	608	CLA	ND
32	B	609	CLA	ND
32	B	610	CLA	ND
32	B	611	CLA	ND
32	B	612	CLA	ND
32	B	613	CLA	ND
32	B	614	CLA	ND
32	B	615	CLA	ND
32	B	616	CLA	ND
32	B	617	CLA	ND

All (3102) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
31	M	201	8CT	C16-C17-C18-C19
31	M	201	8CT	C20-C21-C23-C24

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atoms</b>
31	M	201	8CT	C22-C21-C23-C24
31	M	201	8CT	C28-C29-C30-C35
31	3	615	8CT	C12-C13-C14-C15
31	3	615	8CT	C20-C21-C23-C24
31	3	615	8CT	C22-C21-C23-C24
31	D	409	8CT	C02-C03-C10-C11
31	D	409	8CT	C04-C03-C10-C11
31	D	409	8CT	C12-C13-C14-C15
31	D	409	8CT	C14-C15-C16-C17
31	D	409	8CT	C14-C15-C16-C39
31	D	409	8CT	C25-C26-C28-C29
31	D	409	8CT	C27-C26-C28-C29
31	D	409	8CT	C28-C29-C30-C31
31	D	409	8CT	C28-C29-C30-C35
31	H	102	8CT	C10-C11-C12-C13
31	H	102	8CT	C10-C11-C12-C40
31	H	102	8CT	C14-C15-C16-C17
31	H	102	8CT	C14-C15-C16-C39
31	K	101	8CT	C14-C15-C16-C17
31	K	101	8CT	C14-C15-C16-C39
31	K	101	8CT	C18-C19-C20-C21
31	K	102	8CT	C14-C15-C16-C17
31	K	102	8CT	C14-C15-C16-C39
31	K	102	8CT	C16-C17-C18-C19
31	Z	101	8CT	C10-C11-C12-C13
31	Z	101	8CT	C10-C11-C12-C40
31	Z	101	8CT	C14-C15-C16-C17
31	Z	101	8CT	C14-C15-C16-C39
31	Z	101	8CT	C20-C21-C23-C24
31	Z	101	8CT	C22-C21-C23-C24
31	b	622	8CT	C04-C03-C10-C11
31	b	622	8CT	C28-C29-C30-C35
31	b	623	8CT	C25-C26-C28-C29
31	b	623	8CT	C27-C26-C28-C29
31	c	518	8CT	C28-C29-C30-C35
31	d	408	8CT	C02-C03-C10-C11
31	d	408	8CT	C04-C03-C10-C11
31	d	408	8CT	C12-C13-C14-C15
31	d	408	8CT	C14-C15-C16-C17
31	d	408	8CT	C14-C15-C16-C39
31	d	408	8CT	C25-C26-C28-C29
31	d	408	8CT	C27-C26-C28-C29

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
31	d	408	8CT	C28-C29-C30-C31
31	d	408	8CT	C28-C29-C30-C35
31	k	101	8CT	C14-C15-C16-C17
31	k	101	8CT	C14-C15-C16-C39
31	k	101	8CT	C16-C17-C18-C19
31	k	102	8CT	C14-C15-C16-C17
31	k	102	8CT	C14-C15-C16-C39
31	k	102	8CT	C18-C19-C20-C21
31	z	101	8CT	C10-C11-C12-C13
31	z	101	8CT	C10-C11-C12-C40
31	z	101	8CT	C14-C15-C16-C17
31	z	101	8CT	C14-C15-C16-C39
31	z	101	8CT	C20-C21-C23-C24
31	z	101	8CT	C22-C21-C23-C24
31	9	615	8CT	C12-C13-C14-C15
31	9	615	8CT	C20-C21-C23-C24
31	9	615	8CT	C22-C21-C23-C24
31	C	518	8CT	C28-C29-C30-C35
31	a	413	8CT	C10-C11-C12-C13
31	a	413	8CT	C10-C11-C12-C40
31	h	102	8CT	C10-C11-C12-C13
31	h	102	8CT	C10-C11-C12-C40
31	h	102	8CT	C14-C15-C16-C17
31	h	102	8CT	C14-C15-C16-C39
31	B	622	8CT	C16-C17-C18-C19
31	B	622	8CT	C20-C21-C23-C24
31	B	622	8CT	C22-C21-C23-C24
31	B	622	8CT	C28-C29-C30-C35
31	B	623	8CT	C04-C03-C10-C11
31	B	623	8CT	C28-C29-C30-C35
31	B	624	8CT	C25-C26-C28-C29
31	B	624	8CT	C27-C26-C28-C29
32	1	602	CLA	C1A-C2A-CAA-CBA
32	1	602	CLA	C3A-C2A-CAA-CBA
32	1	603	CLA	C1A-C2A-CAA-CBA
32	1	603	CLA	C3A-C2A-CAA-CBA
32	1	605	CLA	C1A-C2A-CAA-CBA
32	1	605	CLA	C3A-C2A-CAA-CBA
32	1	605	CLA	CBD-CGD-O2D-CED
32	1	606	CLA	C1A-C2A-CAA-CBA
32	1	606	CLA	C3A-C2A-CAA-CBA
32	1	607	CLA	C1A-C2A-CAA-CBA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	1	607	CLA	C3A-C2A-CAA-CBA
32	1	611	CLA	CBD-CGD-O2D-CED
32	1	612	CLA	CBD-CGD-O2D-CED
32	1	613	CLA	CBD-CGD-O2D-CED
32	2	602	CLA	C1A-C2A-CAA-CBA
32	2	602	CLA	C3A-C2A-CAA-CBA
32	2	603	CLA	C1A-C2A-CAA-CBA
32	2	603	CLA	C3A-C2A-CAA-CBA
32	2	605	CLA	CHA-CBD-CGD-O1D
32	2	611	CLA	C1A-C2A-CAA-CBA
32	2	611	CLA	C3A-C2A-CAA-CBA
32	2	611	CLA	CHA-CBD-CGD-O1D
32	2	611	CLA	CHA-CBD-CGD-O2D
32	2	612	CLA	CBD-CGD-O2D-CED
32	3	601	CLA	CBD-CGD-O2D-CED
32	3	601	CLA	O1D-CGD-O2D-CED
32	3	602	CLA	C1A-C2A-CAA-CBA
32	3	602	CLA	C3A-C2A-CAA-CBA
32	3	604	CLA	CHA-CBD-CGD-O1D
32	3	604	CLA	CHA-CBD-CGD-O2D
32	3	605	CLA	C3A-C2A-CAA-CBA
32	3	607	CLA	CBD-CGD-O2D-CED
32	3	610	CLA	CHA-CBD-CGD-O1D
32	3	610	CLA	CHA-CBD-CGD-O2D
32	4	602	CLA	C1A-C2A-CAA-CBA
32	4	602	CLA	C3A-C2A-CAA-CBA
32	4	602	CLA	CHA-CBD-CGD-O1D
32	4	603	CLA	C1A-C2A-CAA-CBA
32	4	603	CLA	C3A-C2A-CAA-CBA
32	4	605	CLA	CBD-CGD-O2D-CED
32	4	611	CLA	CHA-CBD-CGD-O1D
32	4	611	CLA	CHA-CBD-CGD-O2D
32	4	611	CLA	CBD-CGD-O2D-CED
32	4	612	CLA	CBD-CGD-O2D-CED
32	4	613	CLA	C2A-CAA-CBA-CGA
32	4	613	CLA	CBD-CGD-O2D-CED
32	5	303	CLA	C1A-C2A-CAA-CBA
32	5	303	CLA	C3A-C2A-CAA-CBA
32	5	305	CLA	CHA-CBD-CGD-O1D
32	5	305	CLA	CHA-CBD-CGD-O2D
32	5	306	CLA	C1A-C2A-CAA-CBA
32	5	306	CLA	C3A-C2A-CAA-CBA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	5	306	CLA	CHA-CBD-CGD-O1D
32	5	306	CLA	CHA-CBD-CGD-O2D
32	5	308	CLA	C1A-C2A-CAA-CBA
32	5	308	CLA	C3A-C2A-CAA-CBA
32	5	312	CLA	C1A-C2A-CAA-CBA
32	5	312	CLA	C3A-C2A-CAA-CBA
32	5	312	CLA	CHA-CBD-CGD-O1D
32	5	312	CLA	CHA-CBD-CGD-O2D
32	6	602	CLA	C1A-C2A-CAA-CBA
32	6	602	CLA	C3A-C2A-CAA-CBA
32	6	610	CLA	CHA-CBD-CGD-O1D
32	6	610	CLA	CHA-CBD-CGD-O2D
32	A	602	CLA	C1A-C2A-CAA-CBA
32	A	602	CLA	C3A-C2A-CAA-CBA
32	A	605	CLA	C1A-C2A-CAA-CBA
32	A	605	CLA	C3A-C2A-CAA-CBA
32	D	401	CLA	CHA-CBD-CGD-O1D
32	D	401	CLA	CHA-CBD-CGD-O2D
32	D	404	CLA	C2-C3-C5-C6
32	D	404	CLA	C4-C3-C5-C6
32	S	302	CLA	C3A-C2A-CAA-CBA
32	S	302	CLA	CBD-CGD-O2D-CED
32	b	602	CLA	CHA-CBD-CGD-O1D
32	b	602	CLA	CHA-CBD-CGD-O2D
32	b	602	CLA	CAD-CBD-CGD-O1D
32	b	603	CLA	C1A-C2A-CAA-CBA
32	b	603	CLA	C2A-CAA-CBA-CGA
32	b	604	CLA	C2-C3-C5-C6
32	b	604	CLA	C4-C3-C5-C6
32	b	613	CLA	C1A-C2A-CAA-CBA
32	b	614	CLA	CBD-CGD-O2D-CED
32	b	614	CLA	C14-C13-C15-C16
32	b	615	CLA	CHA-CBD-CGD-O1D
32	b	615	CLA	CHA-CBD-CGD-O2D
32	b	615	CLA	CAD-CBD-CGD-O1D
32	c	504	CLA	C2-C3-C5-C6
32	c	504	CLA	C4-C3-C5-C6
32	c	513	CLA	C1A-C2A-CAA-CBA
32	c	513	CLA	C3A-C2A-CAA-CBA
32	d	403	CLA	C2-C3-C5-C6
32	d	403	CLA	C4-C3-C5-C6
32	d	409	CLA	CHA-CBD-CGD-O1D

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	d	409	CLA	CHA-CBD-CGD-O2D
32	g	102	CLA	C1A-C2A-CAA-CBA
32	g	102	CLA	CHA-CBD-CGD-O1D
32	g	102	CLA	CHA-CBD-CGD-O2D
32	0	602	CLA	C1A-C2A-CAA-CBA
32	0	602	CLA	C3A-C2A-CAA-CBA
32	0	603	CLA	C1A-C2A-CAA-CBA
32	0	603	CLA	C3A-C2A-CAA-CBA
32	0	605	CLA	CBD-CGD-O2D-CED
32	0	611	CLA	CHA-CBD-CGD-O1D
32	0	611	CLA	CHA-CBD-CGD-O2D
32	0	611	CLA	CBD-CGD-O2D-CED
32	0	612	CLA	CBD-CGD-O2D-CED
32	7	602	CLA	C1A-C2A-CAA-CBA
32	7	602	CLA	C3A-C2A-CAA-CBA
32	7	603	CLA	C1A-C2A-CAA-CBA
32	7	603	CLA	C3A-C2A-CAA-CBA
32	7	605	CLA	C1A-C2A-CAA-CBA
32	7	605	CLA	C3A-C2A-CAA-CBA
32	7	606	CLA	C1A-C2A-CAA-CBA
32	7	606	CLA	C3A-C2A-CAA-CBA
32	7	607	CLA	C1A-C2A-CAA-CBA
32	7	607	CLA	C3A-C2A-CAA-CBA
32	7	611	CLA	CBD-CGD-O2D-CED
32	7	612	CLA	CBD-CGD-O2D-CED
32	7	613	CLA	CBD-CGD-O2D-CED
32	8	602	CLA	C1A-C2A-CAA-CBA
32	8	602	CLA	C3A-C2A-CAA-CBA
32	8	603	CLA	C1A-C2A-CAA-CBA
32	8	603	CLA	C3A-C2A-CAA-CBA
32	8	605	CLA	CHA-CBD-CGD-O1D
32	8	611	CLA	C1A-C2A-CAA-CBA
32	8	611	CLA	C3A-C2A-CAA-CBA
32	8	611	CLA	CHA-CBD-CGD-O1D
32	8	611	CLA	CHA-CBD-CGD-O2D
32	8	612	CLA	CBD-CGD-O2D-CED
32	9	601	CLA	CBD-CGD-O2D-CED
32	9	602	CLA	C1A-C2A-CAA-CBA
32	9	602	CLA	C3A-C2A-CAA-CBA
32	9	604	CLA	CHA-CBD-CGD-O1D
32	9	604	CLA	CHA-CBD-CGD-O2D
32	9	605	CLA	C3A-C2A-CAA-CBA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	9	607	CLA	CBD-CGD-O2D-CED
32	9	610	CLA	CHA-CBD-CGD-O1D
32	9	610	CLA	CHA-CBD-CGD-O2D
32	C	504	CLA	C2-C3-C5-C6
32	C	504	CLA	C4-C3-C5-C6
32	C	513	CLA	C1A-C2A-CAA-CBA
32	C	513	CLA	C3A-C2A-CAA-CBA
32	G	101	CLA	C1A-C2A-CAA-CBA
32	G	101	CLA	CHA-CBD-CGD-O1D
32	G	101	CLA	CHA-CBD-CGD-O2D
32	P	602	CLA	C1A-C2A-CAA-CBA
32	P	602	CLA	C3A-C2A-CAA-CBA
32	P	610	CLA	CHA-CBD-CGD-O1D
32	P	610	CLA	CHA-CBD-CGD-O2D
32	a	405	CLA	C1A-C2A-CAA-CBA
32	a	405	CLA	C3A-C2A-CAA-CBA
32	a	408	CLA	C1A-C2A-CAA-CBA
32	a	408	CLA	C3A-C2A-CAA-CBA
32	p	303	CLA	C1A-C2A-CAA-CBA
32	p	303	CLA	C3A-C2A-CAA-CBA
32	p	305	CLA	CHA-CBD-CGD-O1D
32	p	305	CLA	CHA-CBD-CGD-O2D
32	p	306	CLA	C1A-C2A-CAA-CBA
32	p	306	CLA	C3A-C2A-CAA-CBA
32	p	306	CLA	CHA-CBD-CGD-O1D
32	p	306	CLA	CHA-CBD-CGD-O2D
32	p	308	CLA	C1A-C2A-CAA-CBA
32	p	308	CLA	C3A-C2A-CAA-CBA
32	p	312	CLA	C1A-C2A-CAA-CBA
32	p	312	CLA	C3A-C2A-CAA-CBA
32	p	312	CLA	CHA-CBD-CGD-O1D
32	p	312	CLA	CHA-CBD-CGD-O2D
32	p	312	CLA	CBD-CGD-O2D-CED
32	s	302	CLA	C3A-C2A-CAA-CBA
32	s	302	CLA	CBD-CGD-O2D-CED
32	B	602	CLA	CHA-CBD-CGD-O1D
32	B	602	CLA	CHA-CBD-CGD-O2D
32	B	602	CLA	CAD-CBD-CGD-O1D
32	B	603	CLA	C1A-C2A-CAA-CBA
32	B	603	CLA	C2A-CAA-CBA-CGA
32	B	604	CLA	C2-C3-C5-C6
32	B	604	CLA	C4-C3-C5-C6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	B	613	CLA	C1A-C2A-CAA-CBA
32	B	614	CLA	CBD-CGD-O2D-CED
32	B	614	CLA	C14-C13-C15-C16
32	B	615	CLA	CHA-CBD-CGD-O1D
32	B	615	CLA	CHA-CBD-CGD-O2D
32	B	615	CLA	CAD-CBD-CGD-O1D
33	1	610	KC2	C1A-C2A-CAA-CBA
33	1	610	KC2	C2B-C3B-CAB-CBB
33	1	610	KC2	C4B-C3B-CAB-CBB
33	1	610	KC2	CAA-CBA-CGA-O1A
33	1	610	KC2	CBD-CGD-O2D-CED
33	2	610	KC2	C1A-C2A-CAA-CBA
33	2	610	KC2	C3A-C2A-CAA-CBA
33	2	610	KC2	C2B-C3B-CAB-CBB
33	2	610	KC2	C4B-C3B-CAB-CBB
33	4	610	KC2	C1A-C2A-CAA-CBA
33	4	610	KC2	C3A-C2A-CAA-CBA
33	4	610	KC2	C2B-C3B-CAB-CBB
33	4	610	KC2	C4B-C3B-CAB-CBB
33	4	610	KC2	C2C-C3C-CAC-CBC
33	4	610	KC2	C4C-C3C-CAC-CBC
33	4	610	KC2	C2A-CAA-CBA-CGA
33	4	610	KC2	CAA-CBA-CGA-O2A
33	5	311	KC2	C2B-C3B-CAB-CBB
33	5	311	KC2	C4B-C3B-CAB-CBB
33	5	311	KC2	C2C-C3C-CAC-CBC
33	5	311	KC2	C4C-C3C-CAC-CBC
33	6	605	KC2	C1A-C2A-CAA-CBA
33	6	605	KC2	C3A-C2A-CAA-CBA
33	6	605	KC2	C2B-C3B-CAB-CBB
33	6	605	KC2	C4B-C3B-CAB-CBB
33	6	605	KC2	C2C-C3C-CAC-CBC
33	6	605	KC2	C4C-C3C-CAC-CBC
33	6	605	KC2	CBD-CGD-O2D-CED
33	6	609	KC2	C1A-C2A-CAA-CBA
33	6	609	KC2	C3A-C2A-CAA-CBA
33	6	609	KC2	C2B-C3B-CAB-CBB
33	6	609	KC2	C4B-C3B-CAB-CBB
33	6	609	KC2	C2C-C3C-CAC-CBC
33	6	609	KC2	C4C-C3C-CAC-CBC
33	6	609	KC2	C2A-CAA-CBA-CGA
33	0	610	KC2	C1A-C2A-CAA-CBA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
33	0	610	KC2	C3A-C2A-CAA-CBA
33	0	610	KC2	C2B-C3B-CAB-CBB
33	0	610	KC2	C4B-C3B-CAB-CBB
33	0	610	KC2	C2C-C3C-CAC-CBC
33	0	610	KC2	C4C-C3C-CAC-CBC
33	0	610	KC2	C2A-CAA-CBA-CGA
33	0	610	KC2	CAA-CBA-CGA-O2A
33	7	610	KC2	C1A-C2A-CAA-CBA
33	7	610	KC2	C2B-C3B-CAB-CBB
33	7	610	KC2	C4B-C3B-CAB-CBB
33	7	610	KC2	CAA-CBA-CGA-O1A
33	7	610	KC2	CBD-CGD-O2D-CED
33	8	610	KC2	C1A-C2A-CAA-CBA
33	8	610	KC2	C3A-C2A-CAA-CBA
33	8	610	KC2	C2B-C3B-CAB-CBB
33	8	610	KC2	C4B-C3B-CAB-CBB
33	P	605	KC2	C1A-C2A-CAA-CBA
33	P	605	KC2	C2B-C3B-CAB-CBB
33	P	605	KC2	C4B-C3B-CAB-CBB
33	P	605	KC2	C2C-C3C-CAC-CBC
33	P	605	KC2	C4C-C3C-CAC-CBC
33	P	605	KC2	CBD-CGD-O2D-CED
33	P	609	KC2	C1A-C2A-CAA-CBA
33	P	609	KC2	C3A-C2A-CAA-CBA
33	P	609	KC2	C2B-C3B-CAB-CBB
33	P	609	KC2	C4B-C3B-CAB-CBB
33	P	609	KC2	C2C-C3C-CAC-CBC
33	P	609	KC2	C4C-C3C-CAC-CBC
33	P	609	KC2	C2A-CAA-CBA-CGA
33	p	311	KC2	C2B-C3B-CAB-CBB
33	p	311	KC2	C4B-C3B-CAB-CBB
33	p	311	KC2	C2C-C3C-CAC-CBC
33	p	311	KC2	C4C-C3C-CAC-CBC
34	1	616	II0	C31-C33-C35-C37
34	1	616	II0	C31-C33-C35-C39
34	1	617	II0	C31-C33-C35-C37
34	1	617	II0	C31-C33-C35-C39
34	2	613	II0	C10-C22-C24-C26
34	2	615	II0	C32-C34-C36-C38
34	2	615	II0	C32-C34-C36-C40
34	3	614	II0	C31-C33-C35-C37
34	3	614	II0	C31-C33-C35-C39

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
34	5	301	II0	C31-C33-C35-C37
34	5	301	II0	C31-C33-C35-C39
34	5	315	II0	C09-C21-C23-C25
34	6	614	II0	C31-C33-C35-C37
34	6	614	II0	C31-C33-C35-C39
34	0	617	II0	C31-C33-C35-C37
34	0	617	II0	C31-C33-C35-C39
34	7	616	II0	C31-C33-C35-C37
34	7	616	II0	C31-C33-C35-C39
34	7	617	II0	C31-C33-C35-C37
34	7	617	II0	C31-C33-C35-C39
34	8	615	II0	C32-C34-C36-C38
34	8	615	II0	C32-C34-C36-C40
34	9	614	II0	C31-C33-C35-C37
34	9	614	II0	C31-C33-C35-C39
34	P	614	II0	C31-C33-C35-C37
34	P	614	II0	C31-C33-C35-C39
34	p	315	II0	C09-C21-C23-C25
34	p	315	II0	C10-C22-C24-C26
34	p	316	II0	C32-C34-C36-C38
34	p	316	II0	C32-C34-C36-C40
35	1	615	II3	C03-C04-C12-C21
35	1	615	II3	C07-C04-C12-C21
35	P	613	II3	C12-C21-C24-C25
35	P	613	II3	C12-C21-C24-C26
36	2	616	IHT	C11-C21-C24-C26
36	4	614	IHT	C02-C07-C18-C22
36	4	614	IHT	C30-C32-C33-C36
36	4	614	IHT	C30-C32-C33-C37
36	4	617	IHT	C30-C32-C33-C36
36	4	617	IHT	C30-C32-C33-C37
36	0	614	IHT	C30-C32-C33-C36
36	0	614	IHT	C30-C32-C33-C37
36	0	618	IHT	C30-C32-C33-C36
36	0	618	IHT	C30-C32-C33-C37
37	D	411	LMG	C2-C1-O1-C7
37	D	411	LMG	O6-C1-O1-C7
37	d	401	LMG	C2-C1-O1-C7
37	d	401	LMG	O6-C1-O1-C7
37	l	101	LMG	O7-C8-C9-O8
37	l	101	LMG	C11-C10-O7-C8
37	L	102	LMG	O7-C8-C9-O8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
37	L	102	LMG	C11-C10-O7-C8
37	P	616	LMG	C11-C10-O7-C8
38	2	618	LHG	O1-C1-C2-C3
38	2	618	LHG	O2-C2-C3-O3
38	A	613	LHG	C8-C7-O7-C5
38	D	410	LHG	C3-O3-P-O4
38	D	410	LHG	C3-O3-P-O5
38	D	410	LHG	C3-O3-P-O6
38	S	301	LHG	C3-O3-P-O4
38	S	301	LHG	O9-C7-O7-C5
38	S	301	LHG	C8-C7-O7-C5
38	b	619	LHG	C4-O6-P-O5
38	b	619	LHG	O6-C4-C5-O7
38	b	619	LHG	O9-C7-O7-C5
38	d	411	LHG	C3-O3-P-O4
38	d	411	LHG	C3-O3-P-O5
38	d	411	LHG	C3-O3-P-O6
38	l	102	LHG	C3-O3-P-O5
38	8	618	LHG	O1-C1-C2-C3
38	8	618	LHG	O2-C2-C3-O3
38	L	101	LHG	C3-O3-P-O5
38	a	403	LHG	C8-C7-O7-C5
38	s	301	LHG	C3-O3-P-O4
38	s	301	LHG	O9-C7-O7-C5
38	s	301	LHG	C8-C7-O7-C5
38	B	619	LHG	C4-O6-P-O5
38	B	619	LHG	O6-C4-C5-O7
38	B	619	LHG	O9-C7-O7-C5
39	5	318	SQD	O5-C1-O6-C44
39	5	318	SQD	C8-C7-O47-C45
39	5	318	SQD	C5-C6-S-O7
39	5	318	SQD	C5-C6-S-O8
39	5	318	SQD	C5-C6-S-O9
39	A	606	SQD	C45-C44-O6-C1
39	b	601	SQD	O6-C44-C45-O47
39	b	601	SQD	O49-C7-O47-C45
39	b	601	SQD	C8-C7-O47-C45
39	b	601	SQD	O10-C23-O48-C46
39	b	601	SQD	C24-C23-O48-C46
39	b	601	SQD	O5-C5-C6-S
39	b	620	SQD	C8-C7-O47-C45
39	b	620	SQD	O5-C5-C6-S

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
39	a	409	SQD	C45-C44-O6-C1
39	p	318	SQD	O5-C1-O6-C44
39	p	318	SQD	C8-C7-O47-C45
39	p	318	SQD	C5-C6-S-O7
39	p	318	SQD	C5-C6-S-O8
39	p	318	SQD	C5-C6-S-O9
39	B	601	SQD	O6-C44-C45-O47
39	B	601	SQD	O49-C7-O47-C45
39	B	601	SQD	C8-C7-O47-C45
39	B	601	SQD	O10-C23-O48-C46
39	B	601	SQD	C24-C23-O48-C46
39	B	601	SQD	O5-C5-C6-S
39	B	620	SQD	C8-C7-O47-C45
39	B	620	SQD	O5-C5-C6-S
45	c	516	DGD	C2D-C1D-O3G-C3G
45	c	516	DGD	O6D-C1D-O3G-C3G
45	C	516	DGD	C2D-C1D-O3G-C3G
45	C	516	DGD	O6D-C1D-O3G-C3G
32	1	611	CLA	O1D-CGD-O2D-CED
32	1	613	CLA	O1D-CGD-O2D-CED
32	3	607	CLA	O1D-CGD-O2D-CED
32	4	611	CLA	O1D-CGD-O2D-CED
32	A	602	CLA	O1D-CGD-O2D-CED
32	0	611	CLA	O1D-CGD-O2D-CED
32	7	611	CLA	O1D-CGD-O2D-CED
32	7	613	CLA	O1D-CGD-O2D-CED
32	9	601	CLA	O1D-CGD-O2D-CED
32	9	607	CLA	O1D-CGD-O2D-CED
32	a	405	CLA	O1D-CGD-O2D-CED
33	P	605	KC2	O1D-CGD-O2D-CED
32	1	601	CLA	O1D-CGD-O2D-CED
32	4	605	CLA	O1D-CGD-O2D-CED
32	S	302	CLA	O1D-CGD-O2D-CED
32	0	605	CLA	O1D-CGD-O2D-CED
32	7	601	CLA	O1D-CGD-O2D-CED
32	s	302	CLA	O1D-CGD-O2D-CED
33	1	610	KC2	O1D-CGD-O2D-CED
33	7	610	KC2	O1D-CGD-O2D-CED
32	1	601	CLA	CBD-CGD-O2D-CED
32	1	602	CLA	CBD-CGD-O2D-CED
32	1	604	CLA	CBD-CGD-O2D-CED
32	2	609	CLA	CBD-CGD-O2D-CED

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	2	611	CLA	CBD-CGD-O2D-CED
32	4	608	CLA	CBD-CGD-O2D-CED
32	5	306	CLA	CBD-CGD-O2D-CED
32	5	310	CLA	CBD-CGD-O2D-CED
32	5	312	CLA	CBD-CGD-O2D-CED
32	6	610	CLA	CBD-CGD-O2D-CED
32	6	611	CLA	CBD-CGD-O2D-CED
32	A	602	CLA	CBD-CGD-O2D-CED
32	b	606	CLA	CBD-CGD-O2D-CED
32	b	608	CLA	CBD-CGD-O2D-CED
32	b	611	CLA	CBD-CGD-O2D-CED
32	b	613	CLA	CBD-CGD-O2D-CED
32	c	506	CLA	CBD-CGD-O2D-CED
32	0	608	CLA	CBD-CGD-O2D-CED
32	0	613	CLA	CBD-CGD-O2D-CED
32	7	601	CLA	CBD-CGD-O2D-CED
32	7	602	CLA	CBD-CGD-O2D-CED
32	7	604	CLA	CBD-CGD-O2D-CED
32	7	605	CLA	CBD-CGD-O2D-CED
32	7	608	CLA	CBD-CGD-O2D-CED
32	8	609	CLA	CBD-CGD-O2D-CED
32	8	611	CLA	CBD-CGD-O2D-CED
32	C	501	CLA	CBD-CGD-O2D-CED
32	C	506	CLA	CBD-CGD-O2D-CED
32	P	610	CLA	CBD-CGD-O2D-CED
32	a	405	CLA	CBD-CGD-O2D-CED
32	p	306	CLA	CBD-CGD-O2D-CED
32	p	310	CLA	CBD-CGD-O2D-CED
32	B	606	CLA	CBD-CGD-O2D-CED
32	B	608	CLA	CBD-CGD-O2D-CED
32	B	611	CLA	CBD-CGD-O2D-CED
32	B	613	CLA	CBD-CGD-O2D-CED
33	2	610	KC2	CBD-CGD-O2D-CED
33	8	610	KC2	CBD-CGD-O2D-CED
39	b	620	SQD	O10-C23-O48-C46
39	B	620	SQD	O10-C23-O48-C46
32	2	611	CLA	O1D-CGD-O2D-CED
32	7	605	CLA	O1D-CGD-O2D-CED
32	8	611	CLA	O1D-CGD-O2D-CED
32	1	602	CLA	O1D-CGD-O2D-CED
32	1	605	CLA	O1D-CGD-O2D-CED
32	4	612	CLA	O1D-CGD-O2D-CED

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	b	614	CLA	O1D-CGD-O2D-CED
32	7	602	CLA	O1D-CGD-O2D-CED
32	B	614	CLA	O1D-CGD-O2D-CED
33	6	605	KC2	O1D-CGD-O2D-CED
39	b	620	SQD	C24-C23-O48-C46
39	B	620	SQD	C24-C23-O48-C46
32	1	608	CLA	CBD-CGD-O2D-CED
32	2	608	CLA	CBD-CGD-O2D-CED
32	4	601	CLA	CBD-CGD-O2D-CED
32	5	303	CLA	CBD-CGD-O2D-CED
32	5	309	CLA	CBD-CGD-O2D-CED
32	6	602	CLA	CBD-CGD-O2D-CED
32	6	606	CLA	CBD-CGD-O2D-CED
32	b	605	CLA	CBD-CGD-O2D-CED
32	c	501	CLA	CBD-CGD-O2D-CED
32	0	601	CLA	CBD-CGD-O2D-CED
32	7	606	CLA	CBD-CGD-O2D-CED
32	8	602	CLA	CBD-CGD-O2D-CED
32	8	608	CLA	CBD-CGD-O2D-CED
32	P	602	CLA	CBD-CGD-O2D-CED
32	P	606	CLA	CBD-CGD-O2D-CED
32	P	611	CLA	CBD-CGD-O2D-CED
32	p	309	CLA	CBD-CGD-O2D-CED
32	B	605	CLA	CBD-CGD-O2D-CED
32	A	602	CLA	O1A-CGA-O2A-C1
32	a	405	CLA	O1A-CGA-O2A-C1
37	D	411	LMG	O10-C28-O8-C9
37	d	401	LMG	O10-C28-O8-C9
38	A	613	LHG	O10-C23-O8-C6
38	a	403	LHG	O10-C23-O8-C6
39	5	318	SQD	O10-C23-O48-C46
39	p	318	SQD	O10-C23-O48-C46
41	A	604	PHO	O1A-CGA-O2A-C1
41	a	407	PHO	O1A-CGA-O2A-C1
32	2	612	CLA	O1D-CGD-O2D-CED
32	8	612	CLA	O1D-CGD-O2D-CED
33	6	609	KC2	CAA-CBA-CGA-O2A
33	P	609	KC2	CAA-CBA-CGA-O2A
32	1	612	CLA	O1D-CGD-O2D-CED
32	4	613	CLA	O1D-CGD-O2D-CED
32	0	612	CLA	O1D-CGD-O2D-CED
32	7	612	CLA	O1D-CGD-O2D-CED

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	p	312	CLA	O1D-CGD-O2D-CED
32	2	602	CLA	CBD-CGD-O2D-CED
32	5	302	CLA	CBD-CGD-O2D-CED
32	p	302	CLA	CBD-CGD-O2D-CED
32	p	303	CLA	CBD-CGD-O2D-CED
37	6	616	LMG	O9-C10-O7-C8
37	l	101	LMG	O9-C10-O7-C8
37	L	102	LMG	O9-C10-O7-C8
37	P	616	LMG	O9-C10-O7-C8
38	A	613	LHG	O9-C7-O7-C5
38	b	621	LHG	O9-C7-O7-C5
38	a	403	LHG	O9-C7-O7-C5
38	B	621	LHG	O9-C7-O7-C5
39	5	318	SQD	O49-C7-O47-C45
39	b	620	SQD	O49-C7-O47-C45
39	p	318	SQD	O49-C7-O47-C45
39	B	620	SQD	O49-C7-O47-C45
32	3	609	CLA	C3-C5-C6-C7
32	b	607	CLA	C3-C5-C6-C7
32	b	612	CLA	C3-C5-C6-C7
32	c	503	CLA	C3-C5-C6-C7
32	0	602	CLA	C3-C5-C6-C7
32	9	609	CLA	C3-C5-C6-C7
32	C	503	CLA	C3-C5-C6-C7
32	B	607	CLA	C3-C5-C6-C7
32	B	612	CLA	C3-C5-C6-C7
41	A	604	PHO	C3-C5-C6-C7
41	a	407	PHO	C3-C5-C6-C7
32	C	503	CLA	CBA-CGA-O2A-C1
37	D	411	LMG	C29-C28-O8-C9
37	d	401	LMG	C29-C28-O8-C9
41	A	604	PHO	CBA-CGA-O2A-C1
41	a	407	PHO	CBA-CGA-O2A-C1
37	6	616	LMG	C11-C10-O7-C8
37	D	411	LMG	C11-C10-O7-C8
37	d	401	LMG	C11-C10-O7-C8
38	b	619	LHG	C8-C7-O7-C5
38	B	619	LHG	C8-C7-O7-C5
32	4	604	CLA	CBD-CGD-O2D-CED
32	p	313	CLA	CBD-CGD-O2D-CED
33	1	610	KC2	CAA-CBA-CGA-O2A
33	4	610	KC2	CAA-CBA-CGA-O1A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
33	6	609	KC2	CAA-CBA-CGA-O1A
33	0	610	KC2	CAA-CBA-CGA-O1A
33	7	610	KC2	CAA-CBA-CGA-O2A
33	P	609	KC2	CAA-CBA-CGA-O1A
32	4	602	CLA	C4-C3-C5-C6
32	b	612	CLA	C4-C3-C5-C6
32	B	612	CLA	C4-C3-C5-C6
32	b	612	CLA	C2-C3-C5-C6
32	B	612	CLA	C2-C3-C5-C6
32	3	603	CLA	CBD-CGD-O2D-CED
32	5	304	CLA	CBD-CGD-O2D-CED
32	5	313	CLA	CBD-CGD-O2D-CED
32	b	610	CLA	CBD-CGD-O2D-CED
32	0	604	CLA	CBD-CGD-O2D-CED
32	9	603	CLA	CBD-CGD-O2D-CED
32	9	610	CLA	CBD-CGD-O2D-CED
32	p	304	CLA	CBD-CGD-O2D-CED
32	S	303	CLA	C2A-CAA-CBA-CGA
32	b	607	CLA	C2A-CAA-CBA-CGA
32	b	611	CLA	C2A-CAA-CBA-CGA
32	s	303	CLA	C2A-CAA-CBA-CGA
32	B	607	CLA	C2A-CAA-CBA-CGA
32	B	611	CLA	C2A-CAA-CBA-CGA
32	B	612	CLA	C2A-CAA-CBA-CGA
32	5	312	CLA	O1D-CGD-O2D-CED
32	S	303	CLA	C3-C5-C6-C7
32	b	605	CLA	C3-C5-C6-C7
32	s	303	CLA	C3-C5-C6-C7
32	B	605	CLA	C3-C5-C6-C7
32	A	602	CLA	CBA-CGA-O2A-C1
32	c	503	CLA	CBA-CGA-O2A-C1
32	a	405	CLA	CBA-CGA-O2A-C1
37	l	101	LMG	C29-C28-O8-C9
37	L	102	LMG	C29-C28-O8-C9
38	A	613	LHG	C24-C23-O8-C6
38	a	403	LHG	C24-C23-O8-C6
39	5	318	SQD	C24-C23-O48-C46
39	p	318	SQD	C24-C23-O48-C46
45	c	515	DGD	C2A-C1A-O1G-C1G
45	C	515	DGD	C2A-C1A-O1G-C1G
32	p	306	CLA	O1D-CGD-O2D-CED
32	3	610	CLA	CBD-CGD-O2D-CED

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	8	601	CLA	CBD-CGD-O2D-CED
32	B	610	CLA	CBD-CGD-O2D-CED
41	D	402	PHO	CBD-CGD-O2D-CED
41	d	410	PHO	CBD-CGD-O2D-CED
32	4	608	CLA	O1D-CGD-O2D-CED
32	6	610	CLA	O1D-CGD-O2D-CED
32	b	613	CLA	O1D-CGD-O2D-CED
32	0	608	CLA	O1D-CGD-O2D-CED
32	0	613	CLA	O1D-CGD-O2D-CED
32	C	501	CLA	O1D-CGD-O2D-CED
32	P	610	CLA	O1D-CGD-O2D-CED
32	B	613	CLA	O1D-CGD-O2D-CED
37	D	411	LMG	O9-C10-O7-C8
37	d	401	LMG	O9-C10-O7-C8
32	b	602	CLA	O1A-CGA-O2A-C1
32	B	602	CLA	O1A-CGA-O2A-C1
37	l	101	LMG	O10-C28-O8-C9
32	5	310	CLA	O1D-CGD-O2D-CED
31	M	201	8CT	C12-C13-C14-C15
31	M	201	8CT	C18-C19-C20-C21
31	K	102	8CT	C12-C13-C14-C15
31	Z	101	8CT	C12-C13-C14-C15
31	k	101	8CT	C12-C13-C14-C15
31	z	101	8CT	C12-C13-C14-C15
31	B	622	8CT	C18-C19-C20-C21
34	4	619	II0	C26-C30-C32-C34
34	5	315	II0	C36-C40-C42-C41
34	0	620	II0	C26-C30-C32-C34
34	p	315	II0	C36-C40-C42-C41
36	4	617	IHT	C33-C37-C40-C41
32	1	606	CLA	CBD-CGD-O2D-CED
32	2	601	CLA	CBD-CGD-O2D-CED
32	b	615	CLA	CBD-CGD-O2D-CED
32	c	504	CLA	CBD-CGD-O2D-CED
32	c	508	CLA	CBD-CGD-O2D-CED
32	7	603	CLA	CBD-CGD-O2D-CED
32	C	504	CLA	CBD-CGD-O2D-CED
32	C	508	CLA	CBD-CGD-O2D-CED
32	B	615	CLA	CBD-CGD-O2D-CED
33	6	609	KC2	CBD-CGD-O2D-CED
33	P	609	KC2	CBD-CGD-O2D-CED
32	b	608	CLA	O1D-CGD-O2D-CED

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	7	604	CLA	O1D-CGD-O2D-CED
32	p	310	CLA	O1D-CGD-O2D-CED
32	B	608	CLA	O1D-CGD-O2D-CED
32	4	602	CLA	C3-C5-C6-C7
32	4	604	CLA	C3-C5-C6-C7
32	c	504	CLA	C3-C5-C6-C7
32	0	604	CLA	C3-C5-C6-C7
32	C	504	CLA	C3-C5-C6-C7
32	4	605	CLA	CBA-CGA-O2A-C1
32	c	503	CLA	O1A-CGA-O2A-C1
32	C	503	CLA	O1A-CGA-O2A-C1
37	L	102	LMG	O10-C28-O8-C9
45	c	515	DGD	O1A-C1A-O1G-C1G
45	C	515	DGD	O1A-C1A-O1G-C1G
37	D	411	LMG	O6-C5-C6-O5
37	b	618	LMG	O6-C5-C6-O5
37	d	401	LMG	O6-C5-C6-O5
37	B	618	LMG	O6-C5-C6-O5
32	5	306	CLA	O1D-CGD-O2D-CED
32	b	606	CLA	O1D-CGD-O2D-CED
32	b	611	CLA	O1D-CGD-O2D-CED
32	B	606	CLA	O1D-CGD-O2D-CED
32	B	611	CLA	O1D-CGD-O2D-CED
38	b	621	LHG	C8-C7-O7-C5
38	B	621	LHG	C8-C7-O7-C5
45	A	614	DGD	C2B-C1B-O2G-C2G
45	a	414	DGD	C2B-C1B-O2G-C2G
32	8	607	CLA	CBD-CGD-O2D-CED
32	1	604	CLA	O1D-CGD-O2D-CED
38	a	403	LHG	C28-C29-C30-C31
32	c	506	CLA	O1D-CGD-O2D-CED
32	C	506	CLA	O1D-CGD-O2D-CED
32	1	607	CLA	CBD-CGD-O2D-CED
32	b	602	CLA	CBA-CGA-O2A-C1
32	B	602	CLA	CBA-CGA-O2A-C1
32	2	609	CLA	O1D-CGD-O2D-CED
32	8	609	CLA	O1D-CGD-O2D-CED
37	1	101	LMG	O6-C5-C6-O5
37	L	102	LMG	O6-C5-C6-O5
33	2	610	KC2	CAA-CBA-CGA-O2A
33	8	610	KC2	CAA-CBA-CGA-O2A
33	P	605	KC2	CAA-CBA-CGA-O1A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
38	S	301	LHG	C28-C29-C30-C31
38	s	301	LHG	C28-C29-C30-C31
32	c	512	CLA	CBD-CGD-O2D-CED
32	6	611	CLA	C2A-CAA-CBA-CGA
32	b	612	CLA	C2A-CAA-CBA-CGA
32	P	611	CLA	C2A-CAA-CBA-CGA
37	b	618	LMG	C4-C5-C6-O5
37	6	616	LMG	O6-C1-O1-C7
37	P	616	LMG	O6-C1-O1-C7
32	5	304	CLA	CBA-CGA-O2A-C1
32	b	617	CLA	CBA-CGA-O2A-C1
32	C	512	CLA	CBA-CGA-O2A-C1
32	p	304	CLA	CBA-CGA-O2A-C1
32	B	617	CLA	CBA-CGA-O2A-C1
32	6	611	CLA	O1D-CGD-O2D-CED
37	D	407	LMG	O6-C5-C6-O5
37	d	406	LMG	O6-C5-C6-O5
37	B	618	LMG	C4-C5-C6-O5
32	1	608	CLA	O1D-CGD-O2D-CED
32	7	608	CLA	O1D-CGD-O2D-CED
33	2	610	KC2	O1D-CGD-O2D-CED
33	8	610	KC2	O1D-CGD-O2D-CED
32	4	605	CLA	O1A-CGA-O2A-C1
33	5	311	KC2	CAA-CBA-CGA-O2A
33	p	311	KC2	CAA-CBA-CGA-O2A
32	4	601	CLA	O1D-CGD-O2D-CED
32	0	601	CLA	O1D-CGD-O2D-CED
32	7	606	CLA	O1D-CGD-O2D-CED
32	P	611	CLA	O1D-CGD-O2D-CED
32	7	607	CLA	CBD-CGD-O2D-CED
38	D	406	LHG	C23-C24-C25-C26
38	d	405	LHG	C23-C24-C25-C26
38	2	618	LHG	C1-C2-C3-O3
38	D	406	LHG	C1-C2-C3-O3
38	b	619	LHG	C1-C2-C3-O3
38	d	405	LHG	C1-C2-C3-O3
38	B	619	LHG	C1-C2-C3-O3
32	5	304	CLA	O1A-CGA-O2A-C1
32	b	617	CLA	O1A-CGA-O2A-C1
32	p	304	CLA	O1A-CGA-O2A-C1
32	B	617	CLA	O1A-CGA-O2A-C1
32	2	603	CLA	CBA-CGA-O2A-C1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	S	303	CLA	CBA-CGA-O2A-C1
32	c	512	CLA	CBA-CGA-O2A-C1
32	0	605	CLA	CBA-CGA-O2A-C1
32	8	603	CLA	CBA-CGA-O2A-C1
32	s	303	CLA	CBA-CGA-O2A-C1
41	D	402	PHO	CBA-CGA-O2A-C1
41	d	410	PHO	CBA-CGA-O2A-C1
45	c	516	DGD	C2A-C1A-O1G-C1G
45	C	516	DGD	C2A-C1A-O1G-C1G
32	2	607	CLA	CBD-CGD-O2D-CED
31	K	102	8CT	C18-C19-C20-C21
31	k	101	8CT	C18-C19-C20-C21
31	B	622	8CT	C12-C13-C14-C15
34	4	616	II0	C36-C40-C42-C41
36	0	618	IHT	C33-C37-C40-C41
38	A	613	LHG	C28-C29-C30-C31
33	2	610	KC2	CAA-CBA-CGA-O1A
33	8	610	KC2	CAA-CBA-CGA-O1A
32	b	605	CLA	O1D-CGD-O2D-CED
32	c	501	CLA	O1D-CGD-O2D-CED
37	l	101	LMG	C4-C5-C6-O5
32	b	612	CLA	C5-C6-C7-C8
32	b	613	CLA	C15-C16-C17-C18
32	b	615	CLA	C15-C16-C17-C18
32	C	503	CLA	C8-C10-C11-C12
32	B	612	CLA	C5-C6-C7-C8
32	B	613	CLA	C15-C16-C17-C18
32	B	615	CLA	C15-C16-C17-C18
38	D	406	LHG	O2-C2-C3-O3
38	d	405	LHG	O2-C2-C3-O3
45	c	514	DGD	C1A-C2A-C3A-C4A
37	6	616	LMG	O7-C8-C9-O8
32	b	605	CLA	C4-C3-C5-C6
32	B	605	CLA	C4-C3-C5-C6
37	L	102	LMG	C4-C5-C6-O5
32	b	606	CLA	C6-C7-C8-C9
32	b	606	CLA	C14-C13-C15-C16
32	b	607	CLA	C11-C10-C8-C9
32	c	507	CLA	C11-C12-C13-C14
32	c	509	CLA	C6-C7-C8-C9
32	C	507	CLA	C11-C12-C13-C14
32	C	509	CLA	C6-C7-C8-C9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	B	606	CLA	C6-C7-C8-C9
32	B	606	CLA	C14-C13-C15-C16
32	B	607	CLA	C11-C10-C8-C9
32	B	605	CLA	O1D-CGD-O2D-CED
32	D	404	CLA	C5-C6-C7-C8
32	c	503	CLA	C8-C10-C11-C12
32	4	611	CLA	C2A-CAA-CBA-CGA
32	0	611	CLA	C2A-CAA-CBA-CGA
31	M	201	8CT	C10-C11-C12-C40
31	M	201	8CT	C14-C15-C16-C39
31	A	610	8CT	C10-C11-C12-C40
31	D	409	8CT	C10-C11-C12-C40
31	b	623	8CT	C10-C11-C12-C40
31	c	518	8CT	C27-C26-C28-C29
31	d	408	8CT	C10-C11-C12-C40
31	k	102	8CT	C22-C21-C23-C24
31	C	518	8CT	C27-C26-C28-C29
31	a	413	8CT	C27-C26-C28-C29
31	B	622	8CT	C10-C11-C12-C40
31	B	624	8CT	C10-C11-C12-C40
34	5	319	II0	C32-C34-C36-C38
34	p	301	II0	C32-C34-C36-C38
31	M	201	8CT	C10-C11-C12-C13
31	D	409	8CT	C10-C11-C12-C13
31	K	101	8CT	C10-C11-C12-C13
31	b	623	8CT	C10-C11-C12-C13
31	c	518	8CT	C25-C26-C28-C29
31	d	408	8CT	C10-C11-C12-C13
31	k	102	8CT	C10-C11-C12-C13
31	C	518	8CT	C25-C26-C28-C29
31	B	622	8CT	C10-C11-C12-C13
31	B	624	8CT	C10-C11-C12-C13
37	A	607	LMG	C28-C29-C30-C31
37	a	410	LMG	C28-C29-C30-C31
38	A	612	LHG	C23-C24-C25-C26
38	a	402	LHG	C23-C24-C25-C26
45	C	514	DGD	C1A-C2A-C3A-C4A
32	2	603	CLA	O1A-CGA-O2A-C1
32	0	605	CLA	O1A-CGA-O2A-C1
32	8	603	CLA	O1A-CGA-O2A-C1
32	d	403	CLA	C5-C6-C7-C8
32	7	603	CLA	CBA-CGA-O2A-C1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
47	E	101	HEM	C2A-CAA-CBA-CGA
47	f	101	HEM	C2A-CAA-CBA-CGA
32	6	607	CLA	C8-C10-C11-C12
32	b	617	CLA	C5-C6-C7-C8
32	c	503	CLA	C10-C11-C12-C13
32	C	503	CLA	C10-C11-C12-C13
32	B	617	CLA	C5-C6-C7-C8
38	b	619	LHG	C7-C8-C9-C10
38	B	619	LHG	C7-C8-C9-C10
39	b	620	SQD	C7-C8-C9-C10
39	B	620	SQD	C7-C8-C9-C10
45	A	614	DGD	C1A-C2A-C3A-C4A
32	b	614	CLA	C13-C15-C16-C17
32	P	607	CLA	C8-C10-C11-C12
32	B	614	CLA	C13-C15-C16-C17
32	S	303	CLA	O1A-CGA-O2A-C1
32	s	303	CLA	O1A-CGA-O2A-C1
37	D	411	LMG	C10-C11-C12-C13
37	d	401	LMG	C10-C11-C12-C13
38	2	618	LHG	C23-C24-C25-C26
38	D	406	LHG	C7-C8-C9-C10
38	b	621	LHG	C23-C24-C25-C26
38	d	405	LHG	C7-C8-C9-C10
38	l	102	LHG	C23-C24-C25-C26
38	8	618	LHG	C23-C24-C25-C26
38	L	101	LHG	C23-C24-C25-C26
38	B	621	LHG	C23-C24-C25-C26
45	H	101	DGD	C1A-C2A-C3A-C4A
45	a	414	DGD	C1A-C2A-C3A-C4A
45	h	101	DGD	C1A-C2A-C3A-C4A
32	1	603	CLA	CBA-CGA-O2A-C1
32	2	608	CLA	O1D-CGD-O2D-CED
32	5	309	CLA	O1D-CGD-O2D-CED
32	P	602	CLA	O1D-CGD-O2D-CED
32	p	309	CLA	O1D-CGD-O2D-CED
32	5	305	CLA	C5-C6-C7-C8
32	p	305	CLA	C5-C6-C7-C8
32	8	608	CLA	O1D-CGD-O2D-CED
38	A	612	LHG	C32-C33-C34-C35
32	2	608	CLA	C8-C10-C11-C12
32	8	608	CLA	C8-C10-C11-C12
32	C	508	CLA	C13-C15-C16-C17

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	5	302	CLA	O1D-CGD-O2D-CED
32	b	605	CLA	C11-C10-C8-C7
32	P	602	CLA	C6-C7-C8-C10
32	B	605	CLA	C11-C10-C8-C7
38	a	402	LHG	C32-C33-C34-C35
31	A	610	8CT	C18-C19-C20-C21
31	H	102	8CT	C18-C19-C20-C21
31	b	622	8CT	C18-C19-C20-C21
31	c	518	8CT	C12-C13-C14-C15
31	C	518	8CT	C12-C13-C14-C15
31	h	102	8CT	C18-C19-C20-C21
31	B	623	8CT	C18-C19-C20-C21
36	4	614	IHT	C23-C27-C30-C32
36	4	617	IHT	C23-C27-C30-C32
36	0	614	IHT	C23-C27-C30-C32
36	0	618	IHT	C23-C27-C30-C32
36	0	618	IHT	C35-C38-C41-C40
32	3	611	CLA	CBD-CGD-O2D-CED
32	B	604	CLA	CBD-CGD-O2D-CED
32	0	613	CLA	C2A-CAA-CBA-CGA
32	2	602	CLA	O1D-CGD-O2D-CED
32	5	303	CLA	O1D-CGD-O2D-CED
32	6	602	CLA	O1D-CGD-O2D-CED
32	6	606	CLA	O1D-CGD-O2D-CED
32	8	602	CLA	O1D-CGD-O2D-CED
32	P	606	CLA	O1D-CGD-O2D-CED
32	p	302	CLA	O1D-CGD-O2D-CED
32	1	608	CLA	C8-C10-C11-C12
32	3	604	CLA	C5-C6-C7-C8
32	4	602	CLA	C5-C6-C7-C8
32	5	309	CLA	C8-C10-C11-C12
32	c	508	CLA	C13-C15-C16-C17
32	p	309	CLA	C8-C10-C11-C12
41	D	402	PHO	O1A-CGA-O2A-C1
41	d	410	PHO	O1A-CGA-O2A-C1
32	b	604	CLA	CBD-CGD-O2D-CED
37	c	517	LMG	O6-C1-O1-C7
37	0	619	LMG	O6-C1-O1-C7
37	C	517	LMG	O6-C1-O1-C7
45	c	515	DGD	O6E-C1E-O5D-C6D
45	C	515	DGD	O6E-C1E-O5D-C6D
32	p	303	CLA	O1D-CGD-O2D-CED

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
45	c	515	DGD	O6E-C5E-C6E-O5E
45	C	515	DGD	O6E-C5E-C6E-O5E
38	b	619	LHG	O2-C2-C3-O3
38	B	619	LHG	O2-C2-C3-O3
37	D	411	LMG	C4-C5-C6-O5
37	d	401	LMG	C4-C5-C6-O5
32	S	303	CLA	C13-C15-C16-C17
32	b	606	CLA	C5-C6-C7-C8
32	b	607	CLA	C10-C11-C12-C13
32	b	614	CLA	C15-C16-C17-C18
32	7	608	CLA	C8-C10-C11-C12
32	9	604	CLA	C5-C6-C7-C8
32	P	607	CLA	C10-C11-C12-C13
32	B	606	CLA	C5-C6-C7-C8
32	B	607	CLA	C10-C11-C12-C13
32	B	614	CLA	C8-C10-C11-C12
32	B	614	CLA	C15-C16-C17-C18
32	b	612	CLA	CBA-CGA-O2A-C1
32	c	505	CLA	CBA-CGA-O2A-C1
32	B	612	CLA	CBA-CGA-O2A-C1
32	c	512	CLA	O1A-CGA-O2A-C1
32	7	603	CLA	O1A-CGA-O2A-C1
32	C	512	CLA	O1A-CGA-O2A-C1
32	6	607	CLA	C10-C11-C12-C13
32	c	507	CLA	C10-C11-C12-C13
32	C	507	CLA	C10-C11-C12-C13
32	p	313	CLA	O1D-CGD-O2D-CED
32	C	502	CLA	CBD-CGD-O2D-CED
32	b	611	CLA	C15-C16-C17-C18
32	b	614	CLA	C8-C10-C11-C12
32	0	602	CLA	C5-C6-C7-C8
32	s	303	CLA	C13-C15-C16-C17
32	B	611	CLA	C15-C16-C17-C18
38	2	618	LHG	C4-O6-P-O3
38	S	301	LHG	C3-O3-P-O6
38	b	619	LHG	C3-O3-P-O6
38	b	619	LHG	C4-O6-P-O3
38	l	102	LHG	C3-O3-P-O6
38	8	618	LHG	C4-O6-P-O3
38	L	101	LHG	C3-O3-P-O6
38	s	301	LHG	C3-O3-P-O6
38	B	619	LHG	C3-O3-P-O6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
38	B	619	LHG	C4-O6-P-O3
37	0	619	LMG	C10-C11-C12-C13
38	A	613	LHG	C23-C24-C25-C26
32	A	602	CLA	C3-C5-C6-C7
32	a	405	CLA	C3-C5-C6-C7
37	c	517	LMG	C4-C5-C6-O5
37	C	517	LMG	C4-C5-C6-O5
32	b	615	CLA	CBA-CGA-O2A-C1
32	0	603	CLA	CBA-CGA-O2A-C1
32	C	505	CLA	CBA-CGA-O2A-C1
32	B	615	CLA	CBA-CGA-O2A-C1
32	9	607	CLA	C10-C11-C12-C13
32	1	603	CLA	O1A-CGA-O2A-C1
32	4	604	CLA	O1D-CGD-O2D-CED
38	a	402	LHG	C29-C30-C31-C32
37	4	618	LMG	C10-C11-C12-C13
32	5	313	CLA	O1D-CGD-O2D-CED
38	8	618	LHG	C1-C2-C3-O3
32	0	602	CLA	C4-C3-C5-C6
38	A	612	LHG	C29-C30-C31-C32
41	D	402	PHO	C2A-CAA-CBA-CGA
41	d	410	PHO	C2A-CAA-CBA-CGA
32	1	608	CLA	C11-C12-C13-C14
32	7	608	CLA	C11-C12-C13-C14
32	c	513	CLA	CBA-CGA-O2A-C1
32	7	605	CLA	CBA-CGA-O2A-C1
32	C	513	CLA	CBA-CGA-O2A-C1
32	1	604	CLA	C5-C6-C7-C8
32	c	509	CLA	C10-C11-C12-C13
31	D	409	8CT	C23-C24-C25-C26
31	Z	101	8CT	C18-C19-C20-C21
31	b	623	8CT	C18-C19-C20-C21
31	d	408	8CT	C23-C24-C25-C26
31	z	101	8CT	C18-C19-C20-C21
31	B	624	8CT	C18-C19-C20-C21
34	4	616	II0	C35-C39-C41-C42
34	0	616	II0	C35-C39-C41-C42
34	0	616	II0	C36-C40-C42-C41
34	p	316	II0	C26-C30-C32-C34
38	l	102	LHG	C12-C13-C14-C15
32	9	610	CLA	O1D-CGD-O2D-CED
32	c	507	CLA	C13-C15-C16-C17

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	C	507	CLA	C13-C15-C16-C17
32	b	612	CLA	C13-C15-C16-C17
32	B	612	CLA	C13-C15-C16-C17
37	D	407	LMG	C16-C17-C18-C19
37	D	411	LMG	C12-C13-C14-C15
37	d	401	LMG	C12-C13-C14-C15
37	d	406	LMG	C16-C17-C18-C19
38	A	613	LHG	C17-C18-C19-C20
38	D	406	LHG	C13-C14-C15-C16
38	d	405	LHG	C13-C14-C15-C16
38	L	101	LHG	C12-C13-C14-C15
38	a	403	LHG	C17-C18-C19-C20
38	a	403	LHG	C29-C30-C31-C32
39	A	606	SQD	C31-C32-C33-C34
39	b	601	SQD	C27-C28-C29-C30
39	b	601	SQD	C33-C34-C35-C36
39	a	409	SQD	C31-C32-C33-C34
39	B	620	SQD	C29-C30-C31-C32
45	h	101	DGD	C4A-C5A-C6A-C7A
32	5	304	CLA	O1D-CGD-O2D-CED
32	0	604	CLA	O1D-CGD-O2D-CED
32	p	304	CLA	O1D-CGD-O2D-CED
33	5	311	KC2	C2A-CAA-CBA-CGA
33	p	311	KC2	C2A-CAA-CBA-CGA
32	4	608	CLA	C11-C12-C13-C14
32	0	608	CLA	C11-C12-C13-C14
37	L	102	LMG	C31-C32-C33-C34
38	2	618	LHG	C24-C25-C26-C27
38	8	618	LHG	C24-C25-C26-C27
39	b	620	SQD	C29-C30-C31-C32
39	B	601	SQD	C33-C34-C35-C36
45	A	614	DGD	C6B-C7B-C8B-C9B
45	H	101	DGD	C4A-C5A-C6A-C7A
45	a	414	DGD	C6B-C7B-C8B-C9B
39	5	318	SQD	C44-C45-O47-C7
39	p	318	SQD	C44-C45-O47-C7
32	3	603	CLA	O1D-CGD-O2D-CED
32	3	610	CLA	O1D-CGD-O2D-CED
32	b	610	CLA	O1D-CGD-O2D-CED
32	9	603	CLA	O1D-CGD-O2D-CED
32	B	610	CLA	O1D-CGD-O2D-CED
32	b	610	CLA	C15-C16-C17-C18

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	7	604	CLA	C5-C6-C7-C8
32	c	502	CLA	CBD-CGD-O2D-CED
32	7	609	CLA	CBD-CGD-O2D-CED
32	c	502	CLA	C6-C7-C8-C10
37	d	401	LMG	C35-C36-C37-C38
38	b	619	LHG	C24-C25-C26-C27
41	D	402	PHO	O1D-CGD-O2D-CED
41	d	410	PHO	O1D-CGD-O2D-CED
32	b	612	CLA	O1A-CGA-O2A-C1
32	B	612	CLA	O1A-CGA-O2A-C1
32	C	502	CLA	C6-C7-C8-C10
37	D	407	LMG	C32-C33-C34-C35
37	D	411	LMG	C35-C36-C37-C38
37	d	406	LMG	C32-C33-C34-C35
37	l	101	LMG	C31-C32-C33-C34
38	A	612	LHG	C24-C25-C26-C27
38	S	301	LHG	C24-C25-C26-C27
38	a	402	LHG	C24-C25-C26-C27
38	s	301	LHG	C24-C25-C26-C27
38	B	619	LHG	C24-C25-C26-C27
39	b	620	SQD	C17-C18-C19-C20
39	B	601	SQD	C27-C28-C29-C30
37	A	607	LMG	C31-C32-C33-C34
37	D	407	LMG	C17-C18-C19-C20
37	c	517	LMG	C29-C30-C31-C32
37	C	517	LMG	C29-C30-C31-C32
38	b	621	LHG	C10-C11-C12-C13
38	d	405	LHG	C32-C33-C34-C35
38	B	621	LHG	C10-C11-C12-C13
39	A	606	SQD	C9-C10-C11-C12
39	a	409	SQD	C9-C10-C11-C12
39	B	601	SQD	C29-C30-C31-C32
45	H	101	DGD	C6A-C7A-C8A-C9A
37	b	618	LMG	C28-C29-C30-C31
37	0	619	LMG	C28-C29-C30-C31
37	B	618	LMG	C28-C29-C30-C31
39	A	606	SQD	C23-C24-C25-C26
39	a	409	SQD	C23-C24-C25-C26
32	1	606	CLA	O1D-CGD-O2D-CED
32	2	601	CLA	O1D-CGD-O2D-CED
32	8	601	CLA	O1D-CGD-O2D-CED
37	4	618	LMG	C2-C1-O1-C7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
37	c	517	LMG	C2-C1-O1-C7
37	g	101	LMG	C2-C1-O1-C7
37	0	619	LMG	C2-C1-O1-C7
37	C	517	LMG	C2-C1-O1-C7
39	5	318	SQD	C2-C1-O6-C44
39	p	318	SQD	C2-C1-O6-C44
45	c	515	DGD	C2E-C1E-O5D-C6D
45	C	515	DGD	C2E-C1E-O5D-C6D
37	P	616	LMG	O7-C8-C9-O8
37	D	407	LMG	C15-C16-C17-C18
37	D	411	LMG	C34-C35-C36-C37
37	c	517	LMG	C11-C12-C13-C14
37	d	406	LMG	C17-C18-C19-C20
37	C	517	LMG	C11-C12-C13-C14
37	a	410	LMG	C29-C30-C31-C32
37	a	410	LMG	C31-C32-C33-C34
38	D	406	LHG	C32-C33-C34-C35
39	b	601	SQD	C29-C30-C31-C32
39	b	620	SQD	C10-C11-C12-C13
39	B	601	SQD	C9-C10-C11-C12
39	B	620	SQD	C10-C11-C12-C13
39	B	620	SQD	C17-C18-C19-C20
45	h	101	DGD	C6A-C7A-C8A-C9A
32	5	306	CLA	C8-C10-C11-C12
32	b	612	CLA	C8-C10-C11-C12
32	B	610	CLA	C15-C16-C17-C18
32	B	612	CLA	C8-C10-C11-C12
32	b	615	CLA	O1A-CGA-O2A-C1
32	B	615	CLA	O1A-CGA-O2A-C1
32	3	607	CLA	C11-C12-C13-C15
32	5	309	CLA	C11-C12-C13-C14
32	p	309	CLA	C11-C12-C13-C14
32	c	504	CLA	O1D-CGD-O2D-CED
32	c	508	CLA	O1D-CGD-O2D-CED
32	C	508	CLA	O1D-CGD-O2D-CED
32	B	615	CLA	C4-C3-C5-C6
32	b	615	CLA	C11-C12-C13-C15
32	c	502	CLA	C11-C10-C8-C7
32	C	502	CLA	C11-C10-C8-C7
32	B	615	CLA	C11-C12-C13-C15
37	A	607	LMG	C29-C30-C31-C32
37	d	401	LMG	C34-C35-C36-C37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
37	d	406	LMG	C15-C16-C17-C18
37	l	101	LMG	C12-C13-C14-C15
38	L	101	LHG	C31-C32-C33-C34
39	b	601	SQD	C9-C10-C11-C12
45	a	414	DGD	C3A-C4A-C5A-C6A
32	4	602	CLA	C2-C3-C5-C6
32	6	602	CLA	C6-C7-C8-C9
32	c	507	CLA	C11-C10-C8-C9
32	C	507	CLA	C11-C10-C8-C9
37	A	607	LMG	C15-C16-C17-C18
37	A	607	LMG	C33-C34-C35-C36
37	a	410	LMG	C15-C16-C17-C18
38	A	613	LHG	C29-C30-C31-C32
38	b	619	LHG	C11-C10-C9-C8
38	b	621	LHG	C11-C12-C13-C14
38	a	403	LHG	C32-C33-C34-C35
38	B	619	LHG	C11-C10-C9-C8
38	B	621	LHG	C11-C12-C13-C14
39	b	601	SQD	C32-C33-C34-C35
39	B	601	SQD	C32-C33-C34-C35
45	c	514	DGD	C4B-C5B-C6B-C7B
45	c	514	DGD	C5B-C6B-C7B-C8B
45	c	516	DGD	C6A-C7A-C8A-C9A
45	C	514	DGD	C4B-C5B-C6B-C7B
45	C	514	DGD	C5B-C6B-C7B-C8B
45	C	516	DGD	C6A-C7A-C8A-C9A
32	5	312	CLA	C2A-CAA-CBA-CGA
32	c	507	CLA	C2A-CAA-CBA-CGA
32	C	507	CLA	C2A-CAA-CBA-CGA
32	p	312	CLA	C2A-CAA-CBA-CGA
31	3	615	8CT	C14-C15-C16-C39
31	6	615	8CT	C10-C11-C12-C40
31	K	101	8CT	C27-C26-C28-C29
31	b	622	8CT	C27-C26-C28-C29
31	k	102	8CT	C27-C26-C28-C29
31	9	615	8CT	C14-C15-C16-C39
31	P	615	8CT	C10-C11-C12-C40
31	B	623	8CT	C27-C26-C28-C29
37	2	617	LMG	C14-C15-C16-C17
37	8	617	LMG	C14-C15-C16-C17
37	a	410	LMG	C33-C34-C35-C36
38	l	102	LHG	C31-C32-C33-C34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
45	A	614	DGD	C7B-C8B-C9B-CAB
45	c	516	DGD	C5B-C6B-C7B-C8B
45	C	516	DGD	C5B-C6B-C7B-C8B
38	D	410	LHG	O1-C1-C2-C3
38	d	411	LHG	O1-C1-C2-C3
31	3	615	8CT	C14-C15-C16-C17
31	6	615	8CT	C10-C11-C12-C13
31	K	101	8CT	C25-C26-C28-C29
31	b	622	8CT	C25-C26-C28-C29
31	k	102	8CT	C25-C26-C28-C29
31	9	615	8CT	C14-C15-C16-C17
31	P	615	8CT	C10-C11-C12-C13
31	B	623	8CT	C25-C26-C28-C29
45	C	514	DGD	O6E-C5E-C6E-O5E
32	c	505	CLA	C5-C6-C7-C8
32	C	505	CLA	C5-C6-C7-C8
32	C	509	CLA	C10-C11-C12-C13
37	D	407	LMG	C11-C10-O7-C8
37	d	406	LMG	C11-C10-O7-C8
37	b	618	LMG	C31-C32-C33-C34
37	d	401	LMG	C30-C31-C32-C33
37	B	618	LMG	C31-C32-C33-C34
38	b	621	LHG	C25-C26-C27-C28
38	B	621	LHG	C25-C26-C27-C28
39	b	601	SQD	C10-C11-C12-C13
39	B	601	SQD	C10-C11-C12-C13
45	A	614	DGD	C5B-C6B-C7B-C8B
45	H	101	DGD	C4B-C5B-C6B-C7B
45	h	101	DGD	CAB-CBB-CCB-CDB
39	5	318	SQD	C7-C8-C9-C10
39	b	601	SQD	C23-C24-C25-C26
39	p	318	SQD	C7-C8-C9-C10
32	b	615	CLA	C12-C13-C15-C16
32	B	615	CLA	C12-C13-C15-C16
37	D	411	LMG	C13-C14-C15-C16
37	D	411	LMG	C30-C31-C32-C33
37	D	411	LMG	C31-C32-C33-C34
37	c	517	LMG	C32-C33-C34-C35
37	d	401	LMG	C13-C14-C15-C16
37	d	401	LMG	C31-C32-C33-C34
37	C	517	LMG	C32-C33-C34-C35
38	D	406	LHG	C15-C16-C17-C18

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
38	d	405	LHG	C15-C16-C17-C18
38	L	101	LHG	C34-C35-C36-C37
38	a	402	LHG	C10-C11-C12-C13
38	a	402	LHG	C27-C28-C29-C30
39	b	601	SQD	C11-C10-C9-C8
39	b	620	SQD	C16-C17-C18-C19
39	b	620	SQD	C33-C34-C35-C36
39	B	601	SQD	C11-C10-C9-C8
39	B	620	SQD	C16-C17-C18-C19
39	B	620	SQD	C33-C34-C35-C36
45	H	101	DGD	C3B-C4B-C5B-C6B
45	H	101	DGD	CAB-CBB-CCB-CDB
45	c	515	DGD	C6A-C7A-C8A-C9A
45	C	515	DGD	C6A-C7A-C8A-C9A
45	h	101	DGD	C4B-C5B-C6B-C7B
45	c	514	DGD	O6E-C5E-C6E-O5E
32	2	608	CLA	C11-C12-C13-C15
32	4	608	CLA	C11-C12-C13-C15
32	0	608	CLA	C11-C12-C13-C15
32	8	608	CLA	C11-C12-C13-C15
37	4	618	LMG	O6-C1-O1-C7
37	g	101	LMG	O6-C1-O1-C7
32	1	608	CLA	C10-C11-C12-C13
32	7	608	CLA	C10-C11-C12-C13
32	p	306	CLA	C8-C10-C11-C12
43	D	405	PL9	C34-C36-C37-C38
43	d	404	PL9	C34-C36-C37-C38
37	C	517	LMG	C16-C17-C18-C19
38	A	612	LHG	C10-C11-C12-C13
38	A	612	LHG	C27-C28-C29-C30
45	A	614	DGD	C8B-C9B-CAB-CBB
45	c	514	DGD	C9B-CAB-CBB-CCB
45	C	514	DGD	C9B-CAB-CBB-CCB
45	a	414	DGD	C5B-C6B-C7B-C8B
45	h	101	DGD	C3B-C4B-C5B-C6B
32	1	609	CLA	CBD-CGD-O2D-CED
32	b	607	CLA	CBD-CGD-O2D-CED
32	7	603	CLA	O1D-CGD-O2D-CED
32	C	504	CLA	O1D-CGD-O2D-CED
37	c	517	LMG	C16-C17-C18-C19
38	A	613	LHG	C32-C33-C34-C35
38	S	301	LHG	C27-C28-C29-C30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
38	s	301	LHG	C27-C28-C29-C30
38	D	410	LHG	C7-C8-C9-C10
38	d	411	LHG	C7-C8-C9-C10
39	B	601	SQD	C23-C24-C25-C26
32	6	604	CLA	C5-C6-C7-C8
32	0	603	CLA	O1A-CGA-O2A-C1
32	C	505	CLA	O1A-CGA-O2A-C1
37	c	517	LMG	C30-C31-C32-C33
37	C	517	LMG	C30-C31-C32-C33
37	L	102	LMG	C32-C33-C34-C35
38	D	406	LHG	C14-C15-C16-C17
39	p	318	SQD	C11-C12-C13-C14
32	C	510	CLA	CBA-CGA-O2A-C1
32	p	306	CLA	CBA-CGA-O2A-C1
37	l	101	LMG	C32-C33-C34-C35
37	B	618	LMG	C16-C17-C18-C19
38	d	405	LHG	C14-C15-C16-C17
45	c	514	DGD	C2A-C3A-C4A-C5A
32	b	615	CLA	O1D-CGD-O2D-CED
32	3	603	CLA	C3A-C2A-CAA-CBA
32	5	304	CLA	C3A-C2A-CAA-CBA
32	6	603	CLA	C3A-C2A-CAA-CBA
32	D	403	CLA	C3A-C2A-CAA-CBA
32	b	603	CLA	C3A-C2A-CAA-CBA
32	b	613	CLA	C3A-C2A-CAA-CBA
32	b	617	CLA	C3A-C2A-CAA-CBA
32	d	402	CLA	C3A-C2A-CAA-CBA
32	9	603	CLA	C3A-C2A-CAA-CBA
32	P	603	CLA	C3A-C2A-CAA-CBA
32	p	304	CLA	C3A-C2A-CAA-CBA
32	B	603	CLA	C3A-C2A-CAA-CBA
32	B	613	CLA	C3A-C2A-CAA-CBA
32	B	617	CLA	C3A-C2A-CAA-CBA
37	b	618	LMG	C16-C17-C18-C19
37	b	618	LMG	C35-C36-C37-C38
37	B	618	LMG	C30-C31-C32-C33
37	B	618	LMG	C35-C36-C37-C38
38	d	405	LHG	C27-C28-C29-C30
39	5	318	SQD	C11-C12-C13-C14
39	A	606	SQD	C12-C13-C14-C15
39	b	620	SQD	C9-C10-C11-C12
39	a	409	SQD	C12-C13-C14-C15

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
39	B	620	SQD	C9-C10-C11-C12
39	B	620	SQD	C30-C31-C32-C33
45	C	514	DGD	C2A-C3A-C4A-C5A
32	B	615	CLA	O1D-CGD-O2D-CED
32	c	505	CLA	O1A-CGA-O2A-C1
32	b	616	CLA	C16-C17-C18-C19
32	9	607	CLA	C11-C12-C13-C15
32	B	616	CLA	C16-C17-C18-C19
32	b	612	CLA	C11-C12-C13-C15
37	b	618	LMG	C30-C31-C32-C33
37	c	517	LMG	C31-C32-C33-C34
38	D	406	LHG	C27-C28-C29-C30
39	b	620	SQD	C11-C12-C13-C14
39	b	620	SQD	C30-C31-C32-C33
39	B	620	SQD	C11-C12-C13-C14
45	C	515	DGD	C2B-C3B-C4B-C5B
32	B	612	CLA	C11-C12-C13-C15
37	c	517	LMG	C34-C35-C36-C37
37	C	517	LMG	C31-C32-C33-C34
37	C	517	LMG	C34-C35-C36-C37
39	p	318	SQD	C11-C10-C9-C8
45	c	515	DGD	C3A-C4A-C5A-C6A
45	c	515	DGD	C2B-C3B-C4B-C5B
38	B	619	LHG	C23-C24-C25-C26
37	d	406	LMG	C30-C31-C32-C33
39	A	606	SQD	C15-C16-C17-C18
45	C	515	DGD	C3A-C4A-C5A-C6A
32	5	306	CLA	CBA-CGA-O2A-C1
32	c	510	CLA	CBA-CGA-O2A-C1
37	D	407	LMG	C30-C31-C32-C33
38	s	301	LHG	C11-C10-C9-C8
39	5	318	SQD	C11-C10-C9-C8
39	a	409	SQD	C15-C16-C17-C18
38	2	618	LHG	O1-C1-C2-O2
38	8	618	LHG	O1-C1-C2-O2
32	C	504	CLA	C11-C10-C8-C7
38	B	619	LHG	C9-C10-C11-C12
39	b	601	SQD	C25-C26-C27-C28
45	c	514	DGD	C4A-C5A-C6A-C7A
45	C	514	DGD	C4A-C5A-C6A-C7A
38	D	410	LHG	C23-C24-C25-C26
38	d	411	LHG	C23-C24-C25-C26

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	c	513	CLA	O1A-CGA-O2A-C1
32	7	605	CLA	O1A-CGA-O2A-C1
38	a	403	LHG	C23-C24-C25-C26
38	S	301	LHG	C11-C10-C9-C8
38	A	612	LHG	O2-C2-C3-O3
38	a	402	LHG	O2-C2-C3-O3
32	2	608	CLA	C10-C11-C12-C13
38	b	619	LHG	C9-C10-C11-C12
37	a	410	LMG	O6-C5-C6-O5
32	c	504	CLA	C11-C10-C8-C7
38	a	403	LHG	C11-C10-C9-C8
32	C	513	CLA	O1A-CGA-O2A-C1
38	b	619	LHG	C23-C24-C25-C26
32	8	608	CLA	C10-C11-C12-C13
37	A	607	LMG	O6-C5-C6-O5
37	B	618	LMG	C37-C38-C39-C40
38	A	613	LHG	C11-C10-C9-C8
38	s	301	LHG	C30-C31-C32-C33
33	5	311	KC2	CAA-CBA-CGA-O1A
38	S	301	LHG	C30-C31-C32-C33
38	L	101	LHG	C28-C29-C30-C31
38	L	101	LHG	C7-C8-C9-C10
31	M	201	8CT	C02-C03-C10-C11
31	M	201	8CT	C04-C03-C10-C11
31	3	615	8CT	C04-C03-C10-C11
31	A	610	8CT	C04-C03-C10-C11
31	K	101	8CT	C02-C03-C10-C11
31	K	101	8CT	C04-C03-C10-C11
31	Z	101	8CT	C02-C03-C10-C11
31	k	102	8CT	C02-C03-C10-C11
31	k	102	8CT	C04-C03-C10-C11
31	z	101	8CT	C02-C03-C10-C11
31	9	615	8CT	C04-C03-C10-C11
31	a	413	8CT	C02-C03-C10-C11
31	B	622	8CT	C02-C03-C10-C11
31	B	622	8CT	C04-C03-C10-C11
36	1	618	IHT	C02-C07-C18-C22
36	1	618	IHT	C10-C07-C18-C22
36	4	614	IHT	C10-C07-C18-C22
36	0	614	IHT	C02-C07-C18-C22
36	0	614	IHT	C10-C07-C18-C22
36	7	618	IHT	C02-C07-C18-C22

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
36	7	618	IHT	C10-C07-C18-C22
37	2	617	LMG	C30-C31-C32-C33
38	1	102	LHG	C33-C34-C35-C36
38	L	101	LHG	C33-C34-C35-C36
39	B	601	SQD	C25-C26-C27-C28
45	c	516	DGD	C6B-C7B-C8B-C9B
45	C	516	DGD	C2B-C3B-C4B-C5B
45	C	516	DGD	C6B-C7B-C8B-C9B
32	1	605	CLA	CBA-CGA-O2A-C1
32	2	602	CLA	CBA-CGA-O2A-C1
32	4	603	CLA	CBA-CGA-O2A-C1
32	8	602	CLA	CBA-CGA-O2A-C1
32	3	607	CLA	C10-C11-C12-C13
32	b	613	CLA	C8-C10-C11-C12
32	0	608	CLA	C8-C10-C11-C12
32	7	602	CLA	C5-C6-C7-C8
32	P	604	CLA	C5-C6-C7-C8
32	B	613	CLA	C8-C10-C11-C12
38	1	102	LHG	C24-C25-C26-C27
38	1	102	LHG	C28-C29-C30-C31
45	c	516	DGD	C2B-C3B-C4B-C5B
32	p	306	CLA	O1A-CGA-O2A-C1
38	1	102	LHG	C7-C8-C9-C10
38	S	301	LHG	C25-C26-C27-C28
38	1	102	LHG	C34-C35-C36-C37
45	A	614	DGD	C3A-C4A-C5A-C6A
32	4	608	CLA	C8-C10-C11-C12
32	b	605	CLA	C8-C10-C11-C12
32	B	605	CLA	C8-C10-C11-C12
33	p	311	KC2	CAA-CBA-CGA-O1A
38	L	101	LHG	C24-C25-C26-C27
32	b	615	CLA	C4-C3-C5-C6
43	D	405	PL9	C15-C14-C16-C17
43	d	404	PL9	C15-C14-C16-C17
32	6	602	CLA	C6-C7-C8-C10
32	c	503	CLA	C6-C7-C8-C10
32	C	503	CLA	C6-C7-C8-C10
32	4	603	CLA	O1A-CGA-O2A-C1
32	5	306	CLA	O1A-CGA-O2A-C1
32	c	510	CLA	O1A-CGA-O2A-C1
32	C	510	CLA	O1A-CGA-O2A-C1
37	D	407	LMG	C18-C19-C20-C21

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
37	d	406	LMG	C18-C19-C20-C21
38	s	301	LHG	C25-C26-C27-C28
32	b	609	CLA	C13-C15-C16-C17
32	b	614	CLA	C10-C11-C12-C13
32	b	617	CLA	C10-C11-C12-C13
32	B	609	CLA	C13-C15-C16-C17
32	B	614	CLA	C10-C11-C12-C13
32	B	617	CLA	C10-C11-C12-C13
32	5	309	CLA	C11-C12-C13-C15
32	p	309	CLA	C11-C12-C13-C15
37	c	517	LMG	O9-C10-O7-C8
37	C	517	LMG	O9-C10-O7-C8
39	a	409	SQD	O49-C7-O47-C45
45	A	614	DGD	O1B-C1B-O2G-C2G
32	1	602	CLA	CBA-CGA-O2A-C1
32	3	602	CLA	CBA-CGA-O2A-C1
32	5	303	CLA	CBA-CGA-O2A-C1
32	6	602	CLA	CBA-CGA-O2A-C1
32	D	404	CLA	CBA-CGA-O2A-C1
32	c	502	CLA	CBA-CGA-O2A-C1
32	d	403	CLA	CBA-CGA-O2A-C1
32	9	602	CLA	CBA-CGA-O2A-C1
32	C	502	CLA	CBA-CGA-O2A-C1
32	P	602	CLA	CBA-CGA-O2A-C1
32	p	303	CLA	CBA-CGA-O2A-C1
38	b	621	LHG	C24-C23-O8-C6
38	B	621	LHG	C24-C23-O8-C6
45	c	514	DGD	C7B-C8B-C9B-CAB
32	c	501	CLA	C2A-CAA-CBA-CGA
32	C	501	CLA	C2A-CAA-CBA-CGA
32	B	603	CLA	C5-C6-C7-C8
37	A	607	LMG	C32-C33-C34-C35
37	a	410	LMG	C32-C33-C34-C35
45	c	516	DGD	C5A-C6A-C7A-C8A
45	C	514	DGD	C7B-C8B-C9B-CAB
32	9	611	CLA	CBD-CGD-O2D-CED
32	b	603	CLA	C5-C6-C7-C8
38	l	102	LHG	C30-C31-C32-C33
38	a	403	LHG	C25-C26-C27-C28
38	B	621	LHG	C28-C29-C30-C31
45	C	516	DGD	C5A-C6A-C7A-C8A
37	8	617	LMG	C30-C31-C32-C33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
37	a	410	LMG	C18-C19-C20-C21
37	B	618	LMG	C34-C35-C36-C37
38	b	621	LHG	C28-C29-C30-C31
33	1	610	KC2	C2C-C3C-CAC-CBC
33	2	610	KC2	C2C-C3C-CAC-CBC
33	7	610	KC2	C2C-C3C-CAC-CBC
33	8	610	KC2	C2C-C3C-CAC-CBC
37	A	607	LMG	C18-C19-C20-C21
32	C	513	CLA	CBD-CGD-O2D-CED
32	7	602	CLA	CBA-CGA-O2A-C1
37	b	618	LMG	C34-C35-C36-C37
37	b	618	LMG	C37-C38-C39-C40
38	D	410	LHG	C13-C14-C15-C16
38	L	101	LHG	C30-C31-C32-C33
38	A	612	LHG	C8-C7-O7-C5
38	a	402	LHG	C8-C7-O7-C5
39	A	606	SQD	C8-C7-O47-C45
39	a	409	SQD	C8-C7-O47-C45
38	d	411	LHG	C13-C14-C15-C16
39	a	409	SQD	C10-C11-C12-C13
39	a	409	SQD	C28-C29-C30-C31
33	1	610	KC2	C4C-C3C-CAC-CBC
33	2	610	KC2	C4C-C3C-CAC-CBC
33	7	610	KC2	C4C-C3C-CAC-CBC
33	8	610	KC2	C4C-C3C-CAC-CBC
32	1	602	CLA	C5-C6-C7-C8
37	D	411	LMG	C32-C33-C34-C35
37	c	517	LMG	C38-C39-C40-C41
37	d	401	LMG	C32-C33-C34-C35
39	A	606	SQD	C28-C29-C30-C31
39	A	606	SQD	O49-C7-O47-C45
37	g	101	LMG	C28-C29-C30-C31
37	C	517	LMG	C38-C39-C40-C41
39	A	606	SQD	C10-C11-C12-C13
39	b	601	SQD	C2-C1-O6-C44
39	B	601	SQD	C2-C1-O6-C44
39	5	318	SQD	O47-C45-C46-O48
39	b	601	SQD	O47-C45-C46-O48
39	p	318	SQD	O47-C45-C46-O48
39	B	601	SQD	O47-C45-C46-O48
45	c	516	DGD	C8A-C9A-CAA-CBA
32	0	608	CLA	C5-C6-C7-C8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	C	507	CLA	C15-C16-C17-C18
37	G	102	LMG	C28-C29-C30-C31
32	b	605	CLA	C2-C3-C5-C6
32	0	602	CLA	C2-C3-C5-C6
32	B	605	CLA	C2-C3-C5-C6
32	B	615	CLA	C2-C3-C5-C6
34	5	301	II0	C09-C21-C23-C25
34	6	612	II0	C10-C22-C24-C26
34	6	614	II0	C09-C21-C23-C25
34	0	615	II0	C09-C21-C23-C25
34	7	614	II0	C09-C21-C23-C25
34	7	619	II0	C10-C22-C24-C26
34	9	612	II0	C09-C21-C23-C25
34	9	613	II0	C10-C22-C24-C26
35	6	613	II3	C16-C23-C27-C28
35	7	615	II3	C16-C23-C27-C28
36	4	617	IHT	C11-C21-C24-C26
45	C	516	DGD	C8A-C9A-CAA-CBA
32	S	303	CLA	C6-C7-C8-C9
32	b	605	CLA	C11-C10-C8-C9
32	c	511	CLA	C14-C13-C15-C16
32	C	511	CLA	C14-C13-C15-C16
32	P	602	CLA	C6-C7-C8-C9
32	s	303	CLA	C6-C7-C8-C9
32	B	605	CLA	C11-C10-C8-C9
32	c	512	CLA	O1D-CGD-O2D-CED
32	D	404	CLA	C3-C5-C6-C7
32	d	403	CLA	C3-C5-C6-C7
32	5	313	CLA	C2A-CAA-CBA-CGA
32	A	605	CLA	C2A-CAA-CBA-CGA
32	a	408	CLA	C2A-CAA-CBA-CGA
39	A	606	SQD	C11-C12-C13-C14
39	a	409	SQD	C11-C12-C13-C14
31	K	101	8CT	C10-C11-C12-C40
31	k	102	8CT	C10-C11-C12-C40
31	B	622	8CT	C14-C15-C16-C39
32	1	605	CLA	O1A-CGA-O2A-C1
32	2	602	CLA	O1A-CGA-O2A-C1
32	5	303	CLA	O1A-CGA-O2A-C1
32	6	602	CLA	O1A-CGA-O2A-C1
32	8	602	CLA	O1A-CGA-O2A-C1
45	c	516	DGD	O1A-C1A-O1G-C1G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
45	C	516	DGD	O1A-C1A-O1G-C1G
32	1	612	CLA	C1A-C2A-CAA-CBA
32	2	612	CLA	C1A-C2A-CAA-CBA
32	3	603	CLA	C1A-C2A-CAA-CBA
32	3	605	CLA	C1A-C2A-CAA-CBA
32	3	610	CLA	C1A-C2A-CAA-CBA
32	3	611	CLA	C1A-C2A-CAA-CBA
32	4	612	CLA	C1A-C2A-CAA-CBA
32	5	304	CLA	C1A-C2A-CAA-CBA
32	5	313	CLA	C1A-C2A-CAA-CBA
32	6	603	CLA	C1A-C2A-CAA-CBA
32	A	603	CLA	C1A-C2A-CAA-CBA
32	D	401	CLA	C1A-C2A-CAA-CBA
32	S	302	CLA	C1A-C2A-CAA-CBA
32	b	617	CLA	C1A-C2A-CAA-CBA
32	c	501	CLA	C1A-C2A-CAA-CBA
32	c	503	CLA	C1A-C2A-CAA-CBA
32	d	409	CLA	C1A-C2A-CAA-CBA
32	0	612	CLA	C1A-C2A-CAA-CBA
32	7	612	CLA	C1A-C2A-CAA-CBA
32	8	612	CLA	C1A-C2A-CAA-CBA
32	9	603	CLA	C1A-C2A-CAA-CBA
32	9	605	CLA	C1A-C2A-CAA-CBA
32	9	610	CLA	C1A-C2A-CAA-CBA
32	9	611	CLA	C1A-C2A-CAA-CBA
32	C	501	CLA	C1A-C2A-CAA-CBA
32	P	603	CLA	C1A-C2A-CAA-CBA
32	a	406	CLA	C1A-C2A-CAA-CBA
32	p	304	CLA	C1A-C2A-CAA-CBA
32	p	313	CLA	C1A-C2A-CAA-CBA
32	s	302	CLA	C1A-C2A-CAA-CBA
32	B	617	CLA	C1A-C2A-CAA-CBA
32	2	608	CLA	C11-C12-C13-C14
32	7	608	CLA	C11-C12-C13-C15
32	8	608	CLA	C11-C12-C13-C14
41	A	604	PHO	C16-C17-C18-C20
41	a	407	PHO	C16-C17-C18-C20
45	a	414	DGD	O1B-C1B-O2G-C2G
31	K	101	8CT	C16-C17-C18-C19
31	Z	101	8CT	C23-C24-C25-C26
31	k	102	8CT	C16-C17-C18-C19
32	8	607	CLA	O1D-CGD-O2D-CED

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	4	608	CLA	C5-C6-C7-C8
32	5	309	CLA	C10-C11-C12-C13
32	c	507	CLA	C15-C16-C17-C18
32	c	511	CLA	C15-C16-C17-C18
32	p	309	CLA	C10-C11-C12-C13
38	2	618	LHG	C3-O3-P-O6
38	8	618	LHG	C3-O3-P-O6
37	A	607	LMG	C14-C15-C16-C17
37	a	410	LMG	C14-C15-C16-C17
45	H	101	DGD	C9A-CAA-CBA-CCA
37	C	517	LMG	O6-C5-C6-O5
33	0	610	KC2	CBD-CGD-O2D-CED
32	1	607	CLA	O1D-CGD-O2D-CED
45	h	101	DGD	C9A-CAA-CBA-CCA
32	P	602	CLA	O1A-CGA-O2A-C1
32	b	613	CLA	CBA-CGA-O2A-C1
32	0	602	CLA	CBA-CGA-O2A-C1
32	B	613	CLA	CBA-CGA-O2A-C1
37	c	517	LMG	O6-C5-C6-O5
38	b	619	LHG	O6-C4-C5-C6
38	B	619	LHG	O6-C4-C5-C6
37	c	517	LMG	C37-C38-C39-C40
45	A	614	DGD	C3B-C4B-C5B-C6B
32	1	608	CLA	C11-C12-C13-C15
37	C	517	LMG	C37-C38-C39-C40
38	A	613	LHG	C25-C26-C27-C28
32	B	607	CLA	CBD-CGD-O2D-CED
37	D	407	LMG	C14-C15-C16-C17
37	d	406	LMG	C14-C15-C16-C17
45	c	516	DGD	C4A-C5A-C6A-C7A
45	C	516	DGD	C4A-C5A-C6A-C7A
32	1	602	CLA	O1A-CGA-O2A-C1
32	9	602	CLA	O1A-CGA-O2A-C1
32	p	303	CLA	O1A-CGA-O2A-C1
32	b	616	CLA	C16-C17-C18-C20
32	B	616	CLA	C16-C17-C18-C20
32	0	602	CLA	C11-C12-C13-C14
37	2	617	LMG	O1-C7-C8-C9
37	c	517	LMG	O1-C7-C8-C9
37	g	101	LMG	O1-C7-C8-C9
37	C	517	LMG	O1-C7-C8-C9
37	G	102	LMG	O1-C7-C8-C9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
38	D	410	LHG	C4-C5-C6-O8
38	b	621	LHG	C4-C5-C6-O8
38	d	411	LHG	C4-C5-C6-O8
38	B	621	LHG	C4-C5-C6-O8
39	5	318	SQD	C44-C45-C46-O48
39	A	606	SQD	O6-C44-C45-C46
39	b	601	SQD	O6-C44-C45-C46
39	b	620	SQD	C14-C15-C16-C17
39	a	409	SQD	O6-C44-C45-C46
39	B	601	SQD	O6-C44-C45-C46
45	c	516	DGD	C1G-C2G-C3G-O3G
45	C	516	DGD	C1G-C2G-C3G-O3G
39	B	620	SQD	C14-C15-C16-C17
39	B	620	SQD	C23-C24-C25-C26
32	7	602	CLA	O1A-CGA-O2A-C1
37	D	411	LMG	C8-C7-O1-C1
37	d	401	LMG	C8-C7-O1-C1
32	7	607	CLA	O1D-CGD-O2D-CED
32	b	606	CLA	C8-C10-C11-C12
32	B	606	CLA	C8-C10-C11-C12
32	2	607	CLA	O1D-CGD-O2D-CED
37	2	617	LMG	O6-C5-C6-O5
39	b	620	SQD	C23-C24-C25-C26
32	3	602	CLA	O1A-CGA-O2A-C1
32	D	404	CLA	O1A-CGA-O2A-C1
32	d	403	CLA	O1A-CGA-O2A-C1
32	C	502	CLA	O1A-CGA-O2A-C1
37	c	517	LMG	C13-C14-C15-C16
45	a	414	DGD	C8B-C9B-CAB-CBB
37	d	406	LMG	C4-C5-C6-O5
37	a	410	LMG	C38-C39-C40-C41
37	4	618	LMG	O6-C5-C6-O5
37	8	617	LMG	O6-C5-C6-O5
37	A	607	LMG	C38-C39-C40-C41
37	C	517	LMG	C13-C14-C15-C16
45	a	414	DGD	C7B-C8B-C9B-CAB
37	D	407	LMG	C4-C5-C6-O5
32	c	502	CLA	O1A-CGA-O2A-C1
39	b	601	SQD	C7-C8-C9-C10
39	B	601	SQD	C7-C8-C9-C10
37	g	101	LMG	O6-C5-C6-O5
45	H	101	DGD	O6E-C5E-C6E-O5E

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
37	A	607	LMG	C34-C35-C36-C37
37	a	410	LMG	C34-C35-C36-C37
32	4	602	CLA	C11-C12-C13-C14
37	0	619	LMG	O6-C5-C6-O5
45	c	516	DGD	O6E-C5E-C6E-O5E
45	C	516	DGD	O6E-C5E-C6E-O5E
45	h	101	DGD	O6E-C5E-C6E-O5E
41	A	604	PHO	C4-C3-C5-C6
41	a	407	PHO	C4-C3-C5-C6
32	b	615	CLA	C2-C3-C5-C6
33	2	610	KC2	C2A-CAA-CBA-CGA
33	8	610	KC2	C2A-CAA-CBA-CGA
32	4	602	CLA	CBA-CGA-O2A-C1
32	C	501	CLA	CBA-CGA-O2A-C1
37	2	617	LMG	C29-C28-O8-C9
32	c	513	CLA	CBD-CGD-O2D-CED
32	b	609	CLA	C15-C16-C17-C18
32	B	609	CLA	C15-C16-C17-C18
37	G	102	LMG	O6-C5-C6-O5
32	c	501	CLA	C10-C11-C12-C13
32	C	501	CLA	C10-C11-C12-C13
41	D	402	PHO	C15-C16-C17-C18
45	A	614	DGD	C6A-C7A-C8A-C9A
32	c	504	CLA	C10-C11-C12-C13
32	C	504	CLA	C10-C11-C12-C13
41	d	410	PHO	C15-C16-C17-C18
37	D	411	LMG	C14-C15-C16-C17
37	d	401	LMG	C14-C15-C16-C17
37	B	618	LMG	C17-C18-C19-C20
38	D	406	LHG	C28-C29-C30-C31
38	d	405	LHG	C28-C29-C30-C31
39	b	601	SQD	C24-C25-C26-C27
45	A	614	DGD	CAB-CBB-CCB-CDB
32	c	501	CLA	CBA-CGA-O2A-C1
37	G	102	LMG	C29-C28-O8-C9
45	H	101	DGD	C8B-C9B-CAB-CBB
32	C	504	CLA	C6-C7-C8-C10
37	l	101	LMG	C30-C31-C32-C33
32	3	611	CLA	O1D-CGD-O2D-CED
32	b	613	CLA	O1A-CGA-O2A-C1
32	0	602	CLA	O1A-CGA-O2A-C1
32	B	613	CLA	O1A-CGA-O2A-C1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
37	b	618	LMG	C17-C18-C19-C20
37	L	102	LMG	C12-C13-C14-C15
45	h	101	DGD	C8B-C9B-CAB-CBB
37	b	618	LMG	O7-C8-C9-O8
37	P	616	LMG	O1-C7-C8-O7
37	B	618	LMG	O7-C8-C9-O8
32	c	504	CLA	C6-C7-C8-C10
38	b	619	LHG	C27-C28-C29-C30
38	b	621	LHG	C9-C10-C11-C12
38	B	621	LHG	C9-C10-C11-C12
45	a	414	DGD	C9B-CAB-CBB-CCB
37	d	406	LMG	O9-C10-O7-C8
37	2	617	LMG	C32-C33-C34-C35
32	6	602	CLA	C11-C10-C8-C7
32	S	303	CLA	C6-C7-C8-C10
32	b	604	CLA	C6-C7-C8-C10
32	b	617	CLA	C11-C12-C13-C15
32	c	501	CLA	C6-C7-C8-C10
32	c	502	CLA	C12-C13-C15-C16
32	c	505	CLA	C12-C13-C15-C16
32	c	511	CLA	C12-C13-C15-C16
32	C	501	CLA	C6-C7-C8-C10
32	C	502	CLA	C12-C13-C15-C16
32	C	505	CLA	C12-C13-C15-C16
32	C	511	CLA	C12-C13-C15-C16
32	P	602	CLA	C11-C10-C8-C7
32	s	303	CLA	C6-C7-C8-C10
32	B	604	CLA	C6-C7-C8-C10
32	B	617	CLA	C11-C12-C13-C15
32	b	614	CLA	C3-C5-C6-C7
32	B	614	CLA	C3-C5-C6-C7
38	B	619	LHG	C27-C28-C29-C30
32	2	605	CLA	C6-C7-C8-C9
32	5	306	CLA	C11-C10-C8-C9
32	6	602	CLA	C11-C10-C8-C9
32	S	303	CLA	C11-C12-C13-C14
32	c	505	CLA	C11-C12-C13-C14
32	c	505	CLA	C14-C13-C15-C16
32	c	507	CLA	C14-C13-C15-C16
32	8	605	CLA	C6-C7-C8-C9
32	9	609	CLA	C6-C7-C8-C9
32	C	505	CLA	C11-C12-C13-C14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	C	505	CLA	C14-C13-C15-C16
32	C	507	CLA	C14-C13-C15-C16
32	P	602	CLA	C11-C10-C8-C9
32	s	303	CLA	C11-C12-C13-C14
31	B	623	8CT	C12-C13-C14-C15
32	C	512	CLA	CBD-CGD-O2D-CED
37	B	618	LMG	C39-C40-C41-C42
32	b	609	CLA	CBA-CGA-O2A-C1
32	B	609	CLA	CBA-CGA-O2A-C1
32	p	305	CLA	C2A-CAA-CBA-CGA
32	p	313	CLA	C2A-CAA-CBA-CGA
37	D	411	LMG	C29-C30-C31-C32
45	A	614	DGD	CCB-CDB-CEB-CFB
32	4	602	CLA	O1A-CGA-O2A-C1
37	6	616	LMG	O10-C28-O8-C9
31	3	615	8CT	C10-C11-C12-C40
31	H	102	8CT	C27-C26-C28-C29
31	9	615	8CT	C10-C11-C12-C40
31	h	102	8CT	C27-C26-C28-C29
32	3	607	CLA	C11-C12-C13-C14
37	b	618	LMG	C39-C40-C41-C42
37	d	401	LMG	C29-C30-C31-C32
37	0	619	LMG	C32-C33-C34-C35
37	8	617	LMG	C32-C33-C34-C35
37	G	102	LMG	C29-C30-C31-C32
31	3	615	8CT	C10-C11-C12-C13
31	A	610	8CT	C10-C11-C12-C13
31	H	102	8CT	C25-C26-C28-C29
31	9	615	8CT	C10-C11-C12-C13
31	h	102	8CT	C25-C26-C28-C29
32	1	602	CLA	C3-C5-C6-C7
37	D	407	LMG	O9-C10-O7-C8
32	b	616	CLA	C10-C11-C12-C13
37	g	101	LMG	C29-C30-C31-C32
39	A	606	SQD	C24-C23-O48-C46
39	a	409	SQD	C24-C23-O48-C46
37	4	618	LMG	C32-C33-C34-C35
37	L	102	LMG	C30-C31-C32-C33
45	A	614	DGD	C4A-C5A-C6A-C7A
38	D	406	LHG	O6-C4-C5-C6
38	d	405	LHG	O6-C4-C5-C6
32	B	616	CLA	C10-C11-C12-C13

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	C	502	CLA	O1D-CGD-O2D-CED
39	B	601	SQD	C24-C25-C26-C27
37	L	102	LMG	C14-C15-C16-C17
32	C	504	CLA	CBA-CGA-O2A-C1
45	c	515	DGD	C1B-C2B-C3B-C4B
37	L	102	LMG	C34-C35-C36-C37
32	3	610	CLA	C3A-C2A-CAA-CBA
32	g	102	CLA	C3A-C2A-CAA-CBA
32	9	610	CLA	C3A-C2A-CAA-CBA
32	G	101	CLA	C3A-C2A-CAA-CBA
32	C	504	CLA	C15-C16-C17-C18
37	l	101	LMG	C34-C35-C36-C37
31	b	622	8CT	C12-C13-C14-C15
31	b	622	8CT	C16-C17-C18-C19
31	c	518	8CT	C18-C19-C20-C21
31	z	101	8CT	C16-C17-C18-C19
31	z	101	8CT	C23-C24-C25-C26
31	C	518	8CT	C18-C19-C20-C21
31	B	623	8CT	C16-C17-C18-C19
36	4	617	IHT	C35-C38-C41-C40
39	b	601	SQD	C31-C32-C33-C34
38	s	301	LHG	C23-C24-C25-C26
32	c	504	CLA	CBA-CGA-O2A-C1
32	C	511	CLA	CBA-CGA-O2A-C1
37	8	617	LMG	C29-C28-O8-C9
37	4	618	LMG	O1-C7-C8-C9
37	6	616	LMG	O1-C7-C8-C9
37	6	616	LMG	C7-C8-C9-O8
37	b	618	LMG	C7-C8-C9-O8
37	0	619	LMG	O1-C7-C8-C9
37	8	617	LMG	O1-C7-C8-C9
37	L	102	LMG	C7-C8-C9-O8
37	P	616	LMG	O1-C7-C8-C9
37	P	616	LMG	C7-C8-C9-O8
37	B	618	LMG	C7-C8-C9-O8
38	S	301	LHG	C4-C5-C6-O8
38	l	102	LHG	C4-C5-C6-O8
38	L	101	LHG	C4-C5-C6-O8
38	s	301	LHG	C4-C5-C6-O8
39	b	601	SQD	C44-C45-C46-O48
39	p	318	SQD	C44-C45-C46-O48
39	B	601	SQD	C44-C45-C46-O48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
45	c	516	DGD	O1G-C1G-C2G-C3G
45	C	516	DGD	O1G-C1G-C2G-C3G
38	S	301	LHG	C23-C24-C25-C26
39	B	601	SQD	C31-C32-C33-C34
32	c	502	CLA	O1D-CGD-O2D-CED
38	L	101	LHG	C29-C30-C31-C32
32	c	504	CLA	C15-C16-C17-C18
32	1	602	CLA	C4-C3-C5-C6
32	c	507	CLA	C4-C3-C5-C6
32	7	602	CLA	C4-C3-C5-C6
32	C	507	CLA	C4-C3-C5-C6
32	b	603	CLA	C6-C7-C8-C10
32	B	603	CLA	C6-C7-C8-C10
32	7	609	CLA	O1D-CGD-O2D-CED
32	C	511	CLA	C15-C16-C17-C18
45	C	515	DGD	C4E-C5E-C6E-O5E
38	D	410	LHG	C4-O6-P-O3
38	d	411	LHG	C4-O6-P-O3
45	C	515	DGD	C1B-C2B-C3B-C4B
32	1	609	CLA	O1D-CGD-O2D-CED
32	b	604	CLA	O1D-CGD-O2D-CED
32	B	604	CLA	O1D-CGD-O2D-CED
45	c	515	DGD	C4E-C5E-C6E-O5E
32	8	604	CLA	C2A-CAA-CBA-CGA
32	9	603	CLA	CBA-CGA-O2A-C1
38	s	301	LHG	C26-C27-C28-C29
45	a	414	DGD	C3B-C4B-C5B-C6B
32	b	609	CLA	O1A-CGA-O2A-C1
32	c	501	CLA	O1A-CGA-O2A-C1
32	C	501	CLA	O1A-CGA-O2A-C1
32	B	609	CLA	O1A-CGA-O2A-C1
45	c	514	DGD	O1A-C1A-O1G-C1G
38	S	301	LHG	C26-C27-C28-C29
38	l	102	LHG	C29-C30-C31-C32
37	2	617	LMG	O7-C8-C9-O8
37	8	617	LMG	O7-C8-C9-O8
38	D	410	LHG	O7-C5-C6-O8
38	d	411	LHG	O7-C5-C6-O8
32	c	502	CLA	C8-C10-C11-C12
32	C	502	CLA	C8-C10-C11-C12
41	A	604	PHO	C16-C17-C18-C19
41	a	407	PHO	C16-C17-C18-C19

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
37	A	607	LMG	C36-C37-C38-C39
37	a	410	LMG	C36-C37-C38-C39
32	8	605	CLA	C2-C1-O2A-CGA
45	C	514	DGD	O1A-C1A-O1G-C1G
32	2	605	CLA	C11-C10-C8-C9
32	3	609	CLA	C6-C7-C8-C9
32	b	604	CLA	C6-C7-C8-C9
32	b	609	CLA	C11-C12-C13-C14
32	c	501	CLA	C11-C12-C13-C14
32	c	502	CLA	C11-C12-C13-C14
32	8	605	CLA	C11-C10-C8-C9
32	C	501	CLA	C11-C12-C13-C14
32	C	502	CLA	C11-C12-C13-C14
32	p	306	CLA	C11-C10-C8-C9
32	B	604	CLA	C6-C7-C8-C9
32	B	609	CLA	C11-C12-C13-C14
32	3	603	CLA	CBA-CGA-O2A-C1
32	6	602	CLA	C11-C12-C13-C14
38	d	405	LHG	C30-C31-C32-C33
45	C	514	DGD	C6A-C7A-C8A-C9A
38	D	406	LHG	C30-C31-C32-C33
38	D	410	LHG	C9-C10-C11-C12
38	d	411	LHG	C9-C10-C11-C12
32	2	604	CLA	C2A-CAA-CBA-CGA
32	3	604	CLA	C2A-CAA-CBA-CGA
32	3	605	CLA	C2A-CAA-CBA-CGA
32	5	305	CLA	C2A-CAA-CBA-CGA
32	c	513	CLA	C2A-CAA-CBA-CGA
32	9	604	CLA	C2A-CAA-CBA-CGA
32	9	605	CLA	C2A-CAA-CBA-CGA
32	C	513	CLA	C2A-CAA-CBA-CGA
39	A	606	SQD	C24-C25-C26-C27
45	c	514	DGD	C6A-C7A-C8A-C9A
43	a	412	PL9	C7-C8-C9-C11
39	b	620	SQD	C19-C20-C21-C22
32	9	611	CLA	O1D-CGD-O2D-CED
37	6	616	LMG	C29-C28-O8-C9
31	M	201	8CT	C14-C15-C16-C17
31	a	413	8CT	C25-C26-C28-C29
34	5	319	II0	C32-C34-C36-C40
34	p	301	II0	C32-C34-C36-C40
47	V	201	HEM	C3D-CAD-CBD-CGD

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
47	v	201	HEM	C3D-CAD-CBD-CGD
32	P	602	CLA	C11-C12-C13-C14
39	B	620	SQD	C19-C20-C21-C22
32	b	606	CLA	C13-C15-C16-C17
45	c	514	DGD	C5A-C6A-C7A-C8A
32	9	607	CLA	C11-C12-C13-C14
32	p	305	CLA	C3-C5-C6-C7
37	d	406	LMG	C10-C11-C12-C13
39	a	409	SQD	C24-C25-C26-C27
32	B	606	CLA	C13-C15-C16-C17
37	d	406	LMG	C19-C20-C21-C22
32	b	607	CLA	O1D-CGD-O2D-CED
33	6	605	KC2	CAA-CBA-CGA-O1A
37	D	407	LMG	C19-C20-C21-C22
32	7	602	CLA	C11-C12-C13-C14
39	b	620	SQD	C24-C25-C26-C27
45	H	101	DGD	C7B-C8B-C9B-CAB
45	C	514	DGD	C5A-C6A-C7A-C8A
45	h	101	DGD	C7B-C8B-C9B-CAB
32	2	605	CLA	C6-C7-C8-C10
32	2	605	CLA	C11-C10-C8-C7
32	3	609	CLA	C6-C7-C8-C10
32	5	303	CLA	C11-C10-C8-C7
32	5	306	CLA	C11-C10-C8-C7
32	D	401	CLA	C11-C10-C8-C7
32	S	303	CLA	C11-C12-C13-C15
32	b	609	CLA	C11-C12-C13-C15
32	b	614	CLA	C12-C13-C15-C16
32	c	501	CLA	C11-C12-C13-C15
32	c	502	CLA	C11-C12-C13-C15
32	c	505	CLA	C11-C12-C13-C15
32	c	507	CLA	C6-C7-C8-C10
32	c	507	CLA	C12-C13-C15-C16
32	c	509	CLA	C6-C7-C8-C10
32	d	409	CLA	C11-C10-C8-C7
32	8	605	CLA	C6-C7-C8-C10
32	8	605	CLA	C11-C10-C8-C7
32	9	609	CLA	C6-C7-C8-C10
32	C	501	CLA	C11-C12-C13-C15
32	C	502	CLA	C11-C12-C13-C15
32	C	505	CLA	C11-C12-C13-C15
32	C	507	CLA	C6-C7-C8-C10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	C	507	CLA	C11-C10-C8-C7
32	C	507	CLA	C12-C13-C15-C16
32	C	509	CLA	C6-C7-C8-C10
32	p	303	CLA	C11-C10-C8-C7
32	s	303	CLA	C11-C12-C13-C15
32	B	609	CLA	C11-C12-C13-C15
32	B	614	CLA	C12-C13-C15-C16
41	A	604	PHO	C2-C3-C5-C6
41	a	407	PHO	C2-C3-C5-C6
39	B	620	SQD	C24-C25-C26-C27
31	A	610	8CT	C16-C17-C18-C19
31	K	102	8CT	C23-C24-C25-C26
31	Z	101	8CT	C16-C17-C18-C19
31	k	101	8CT	C23-C24-C25-C26
37	D	407	LMG	C10-C11-C12-C13
38	D	406	LHG	C11-C12-C13-C14
45	H	101	DGD	C1B-C2B-C3B-C4B
45	h	101	DGD	C1B-C2B-C3B-C4B
33	4	610	KC2	CBD-CGD-O2D-CED
32	4	604	CLA	C5-C6-C7-C8
39	a	409	SQD	O10-C23-O48-C46
38	d	405	LHG	C11-C12-C13-C14
32	1	605	CLA	CAD-CBD-CGD-O2D
32	1	609	CLA	CAD-CBD-CGD-O2D
32	3	606	CLA	CAD-CBD-CGD-O2D
32	4	603	CLA	CAD-CBD-CGD-O2D
32	4	606	CLA	CAD-CBD-CGD-O2D
32	4	613	CLA	CAD-CBD-CGD-O2D
32	6	604	CLA	CAD-CBD-CGD-O2D
32	6	606	CLA	CAD-CBD-CGD-O2D
32	b	615	CLA	CAD-CBD-CGD-O2D
32	b	617	CLA	CAD-CBD-CGD-O2D
32	c	503	CLA	CAD-CBD-CGD-O2D
32	c	504	CLA	CAD-CBD-CGD-O2D
32	c	512	CLA	CAD-CBD-CGD-O2D
32	c	513	CLA	CAD-CBD-CGD-O2D
32	0	603	CLA	CAD-CBD-CGD-O2D
32	0	606	CLA	CAD-CBD-CGD-O2D
32	0	613	CLA	CAD-CBD-CGD-O2D
32	7	603	CLA	CAD-CBD-CGD-O2D
32	7	609	CLA	CAD-CBD-CGD-O2D
32	9	606	CLA	CAD-CBD-CGD-O2D

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	C	504	CLA	CAD-CBD-CGD-O2D
32	C	513	CLA	CAD-CBD-CGD-O2D
32	P	603	CLA	CAD-CBD-CGD-O2D
32	P	604	CLA	CAD-CBD-CGD-O2D
32	P	606	CLA	CAD-CBD-CGD-O2D
32	B	615	CLA	CAD-CBD-CGD-O2D
32	B	617	CLA	CAD-CBD-CGD-O2D
37	D	411	LMG	C9-C8-O7-C10
37	d	401	LMG	C9-C8-O7-C10
39	A	606	SQD	C44-C45-O47-C7
39	a	409	SQD	C44-C45-O47-C7
41	A	604	PHO	CAD-CBD-CGD-O2D
41	a	407	PHO	CAD-CBD-CGD-O2D
32	C	513	CLA	O1D-CGD-O2D-CED
45	C	515	DGD	CAB-CBB-CCB-CDB
32	C	505	CLA	C15-C16-C17-C18
39	A	606	SQD	O10-C23-O48-C46
32	B	610	CLA	CBA-CGA-O2A-C1
32	C	503	CLA	C4-C3-C5-C6
37	2	617	LMG	C7-C8-C9-O8
37	c	517	LMG	C7-C8-C9-O8
37	l	101	LMG	C7-C8-C9-O8
37	C	517	LMG	C7-C8-C9-O8
45	c	514	DGD	C1G-C2G-C3G-O3G
45	C	514	DGD	C1G-C2G-C3G-O3G
32	c	504	CLA	O1A-CGA-O2A-C1
32	9	603	CLA	O1A-CGA-O2A-C1
38	D	406	LHG	O6-C4-C5-O7
32	c	513	CLA	O2A-C1-C2-C3
32	C	513	CLA	O2A-C1-C2-C3
38	b	621	LHG	C12-C13-C14-C15
38	B	621	LHG	C12-C13-C14-C15
32	b	610	CLA	CBA-CGA-O2A-C1
32	0	604	CLA	C2A-CAA-CBA-CGA
45	A	614	DGD	C4B-C5B-C6B-C7B
32	0	606	CLA	CBD-CGD-O2D-CED
32	C	504	CLA	O1A-CGA-O2A-C1
37	D	411	LMG	C15-C16-C17-C18
37	d	401	LMG	C15-C16-C17-C18
38	2	618	LHG	O6-C4-C5-C6
38	8	618	LHG	O6-C4-C5-C6
32	2	608	CLA	CHA-CBD-CGD-O1D

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atoms</b>
32	4	602	CLA	CHA-CBD-CGD-O2D
32	4	605	CLA	CHA-CBD-CGD-O1D
32	4	605	CLA	CHA-CBD-CGD-O2D
32	5	304	CLA	CHA-CBD-CGD-O1D
32	5	304	CLA	CHA-CBD-CGD-O2D
32	b	604	CLA	CHA-CBD-CGD-O1D
32	b	605	CLA	CHA-CBD-CGD-O1D
32	b	606	CLA	CHA-CBD-CGD-O1D
32	b	607	CLA	CHA-CBD-CGD-O1D
32	b	607	CLA	CHA-CBD-CGD-O2D
32	b	610	CLA	CHA-CBD-CGD-O1D
32	c	502	CLA	CHA-CBD-CGD-O1D
32	c	502	CLA	CHA-CBD-CGD-O2D
32	c	506	CLA	CHA-CBD-CGD-O1D
32	c	506	CLA	CHA-CBD-CGD-O2D
32	0	602	CLA	CHA-CBD-CGD-O1D
32	0	605	CLA	CHA-CBD-CGD-O1D
32	0	605	CLA	CHA-CBD-CGD-O2D
32	8	608	CLA	CHA-CBD-CGD-O1D
32	C	502	CLA	CHA-CBD-CGD-O1D
32	C	502	CLA	CHA-CBD-CGD-O2D
32	C	503	CLA	CHA-CBD-CGD-O1D
32	C	503	CLA	CHA-CBD-CGD-O2D
32	C	506	CLA	CHA-CBD-CGD-O1D
32	C	506	CLA	CHA-CBD-CGD-O2D
32	C	512	CLA	CHA-CBD-CGD-O1D
32	p	304	CLA	CHA-CBD-CGD-O1D
32	p	304	CLA	CHA-CBD-CGD-O2D
32	B	604	CLA	CHA-CBD-CGD-O1D
32	B	605	CLA	CHA-CBD-CGD-O1D
32	B	606	CLA	CHA-CBD-CGD-O1D
32	B	607	CLA	CHA-CBD-CGD-O1D
32	B	607	CLA	CHA-CBD-CGD-O2D
32	B	610	CLA	CHA-CBD-CGD-O1D
33	1	610	KC2	CHA-CBD-CGD-O2D
33	5	311	KC2	CHA-CBD-CGD-O1D
33	5	311	KC2	CHA-CBD-CGD-O2D
33	6	609	KC2	CHA-CBD-CGD-O1D
33	0	610	KC2	CHA-CBD-CGD-O1D
33	7	610	KC2	CHA-CBD-CGD-O2D
33	P	609	KC2	CHA-CBD-CGD-O1D
33	p	311	KC2	CHA-CBD-CGD-O1D

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
33	p	311	KC2	CHA-CBD-CGD-O2D
32	c	505	CLA	C15-C16-C17-C18
38	a	403	LHG	C10-C11-C12-C13
32	3	603	CLA	O1A-CGA-O2A-C1
37	2	617	LMG	O1-C7-C8-O7
37	6	616	LMG	O1-C7-C8-O7
37	8	617	LMG	O1-C7-C8-O7
37	C	517	LMG	O7-C8-C9-O8
38	S	301	LHG	O7-C5-C6-O8
38	s	301	LHG	O7-C5-C6-O8
37	C	517	LMG	C17-C18-C19-C20
45	c	515	DGD	CAB-CBB-CCB-CDB
32	C	511	CLA	O1A-CGA-O2A-C1
34	1	616	II0	C10-C22-C24-C26
34	1	617	II0	C09-C21-C23-C25
34	1	619	II0	C09-C21-C23-C25
34	1	619	II0	C10-C22-C24-C26
34	2	619	II0	C09-C21-C23-C25
34	3	612	II0	C10-C22-C24-C26
34	3	614	II0	C10-C22-C24-C26
34	4	616	II0	C09-C21-C23-C25
34	4	616	II0	C10-C22-C24-C26
34	4	619	II0	C09-C21-C23-C25
34	5	316	II0	C10-C22-C24-C26
34	0	616	II0	C09-C21-C23-C25
34	0	616	II0	C10-C22-C24-C26
34	7	617	II0	C09-C21-C23-C25
34	7	617	II0	C10-C22-C24-C26
34	7	619	II0	C09-C21-C23-C25
34	9	612	II0	C10-C22-C24-C26
34	9	614	II0	C10-C22-C24-C26
35	P	613	II3	C16-C23-C27-C28
36	1	618	IHT	C11-C21-C24-C26
36	5	317	IHT	C11-C21-C24-C26
37	c	517	LMG	C17-C18-C19-C20
39	a	409	SQD	C30-C31-C32-C33
32	0	604	CLA	C5-C6-C7-C8
39	b	601	SQD	C4-C5-C6-S
39	B	601	SQD	C4-C5-C6-S
32	4	604	CLA	C2A-CAA-CBA-CGA
31	M	201	8CT	C27-C26-C28-C29
31	c	518	8CT	C10-C11-C12-C40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
31	C	518	8CT	C10-C11-C12-C40
31	B	622	8CT	C27-C26-C28-C29
34	5	316	II0	C31-C33-C35-C37
38	s	301	LHG	C31-C32-C33-C34
31	c	518	8CT	C10-C11-C12-C13
31	C	518	8CT	C10-C11-C12-C13
31	B	622	8CT	C14-C15-C16-C17
39	A	606	SQD	C30-C31-C32-C33
32	1	608	CLA	C1A-C2A-CAA-CBA
32	d	402	CLA	C1A-C2A-CAA-CBA
32	7	608	CLA	C1A-C2A-CAA-CBA
32	B	603	CLA	C15-C16-C17-C18
37	C	517	LMG	C11-C10-O7-C8
38	S	301	LHG	C31-C32-C33-C34
32	c	513	CLA	O1D-CGD-O2D-CED
32	C	512	CLA	O1D-CGD-O2D-CED
32	c	503	CLA	C4-C3-C5-C6
32	b	612	CLA	C10-C11-C12-C13
38	d	411	LHG	C10-C11-C12-C13
38	2	618	LHG	C3-O3-P-O4
38	2	618	LHG	C4-O6-P-O5
38	D	410	LHG	C4-O6-P-O4
38	b	619	LHG	C3-O3-P-O5
38	d	411	LHG	C4-O6-P-O4
38	8	618	LHG	C3-O3-P-O4
38	8	618	LHG	C4-O6-P-O5
38	B	619	LHG	C3-O3-P-O5
32	B	612	CLA	C10-C11-C12-C13
37	A	607	LMG	C12-C13-C14-C15
38	a	403	LHG	O6-C4-C5-C6
37	a	410	LMG	C12-C13-C14-C15
38	D	410	LHG	C10-C11-C12-C13
45	H	101	DGD	O2G-C1B-C2B-C3B
45	h	101	DGD	O2G-C1B-C2B-C3B
32	6	604	CLA	C2A-CAA-CBA-CGA
32	C	503	CLA	C2A-CAA-CBA-CGA
32	C	505	CLA	C2A-CAA-CBA-CGA
38	a	403	LHG	C27-C28-C29-C30
38	a	403	LHG	C31-C32-C33-C34
32	5	304	CLA	CAD-CBD-CGD-O1D
32	b	606	CLA	CAD-CBD-CGD-O1D
32	b	610	CLA	CAD-CBD-CGD-O1D

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	c	502	CLA	CAD-CBD-CGD-O1D
32	c	506	CLA	CAD-CBD-CGD-O1D
32	C	502	CLA	CAD-CBD-CGD-O1D
32	C	506	CLA	CAD-CBD-CGD-O1D
32	p	304	CLA	CAD-CBD-CGD-O1D
32	B	606	CLA	CAD-CBD-CGD-O1D
32	B	610	CLA	CAD-CBD-CGD-O1D
45	c	514	DGD	C8B-C9B-CAB-CBB
38	A	613	LHG	C10-C11-C12-C13
45	C	514	DGD	C8B-C9B-CAB-CBB
45	H	101	DGD	C4D-C5D-C6D-O5D
32	3	607	CLA	CBA-CGA-O2A-C1
32	c	511	CLA	CBA-CGA-O2A-C1
32	9	607	CLA	CBA-CGA-O2A-C1
45	a	414	DGD	C4B-C5B-C6B-C7B
32	c	501	CLA	C4-C3-C5-C6
32	C	501	CLA	C4-C3-C5-C6
31	M	201	8CT	C28-C29-C30-C31
31	c	518	8CT	C28-C29-C30-C31
31	C	518	8CT	C28-C29-C30-C31
31	B	622	8CT	C28-C29-C30-C31
32	2	602	CLA	C11-C10-C8-C7
32	3	609	CLA	C11-C10-C8-C7
32	D	403	CLA	C11-C10-C8-C7
32	b	607	CLA	C11-C10-C8-C7
32	b	616	CLA	C12-C13-C15-C16
32	c	505	CLA	C6-C7-C8-C10
32	c	507	CLA	C11-C10-C8-C7
32	c	507	CLA	C11-C12-C13-C15
32	c	508	CLA	C12-C13-C15-C16
32	c	509	CLA	C11-C10-C8-C7
32	d	402	CLA	C11-C10-C8-C7
32	7	601	CLA	C3A-C2A-CAA-CBA
32	8	602	CLA	C11-C10-C8-C7
32	9	609	CLA	C11-C10-C8-C7
32	C	505	CLA	C6-C7-C8-C10
32	C	507	CLA	C11-C12-C13-C15
32	C	508	CLA	C12-C13-C15-C16
32	C	509	CLA	C11-C10-C8-C7
32	p	306	CLA	C11-C10-C8-C7
32	B	607	CLA	C11-C10-C8-C7
32	B	616	CLA	C12-C13-C15-C16

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
38	A	613	LHG	O6-C4-C5-O7
38	d	405	LHG	O6-C4-C5-O7
38	a	403	LHG	O6-C4-C5-O7
32	S	303	CLA	C10-C11-C12-C13
37	P	616	LMG	O10-C28-O8-C9
31	b	623	8CT	C16-C17-C18-C19
45	h	101	DGD	C4D-C5D-C6D-O5D
37	c	517	LMG	C11-C10-O7-C8
37	C	517	LMG	C35-C36-C37-C38
38	a	403	LHG	C24-C25-C26-C27
32	b	610	CLA	O1A-CGA-O2A-C1
32	B	610	CLA	O1A-CGA-O2A-C1
32	c	503	CLA	C2A-CAA-CBA-CGA
32	c	505	CLA	C2A-CAA-CBA-CGA
32	P	604	CLA	C2A-CAA-CBA-CGA
37	c	517	LMG	C35-C36-C37-C38
38	B	621	LHG	C27-C28-C29-C30
37	D	411	LMG	C7-C8-C9-O8
37	D	411	LMG	C33-C34-C35-C36
37	d	401	LMG	C7-C8-C9-O8
37	8	617	LMG	C7-C8-C9-O8
38	A	613	LHG	C4-C5-C6-O8
38	b	621	LHG	C27-C28-C29-C30
38	a	403	LHG	C4-C5-C6-O8
37	4	618	LMG	O1-C7-C8-O7
37	D	411	LMG	O7-C8-C9-O8
37	c	517	LMG	O1-C7-C8-O7
37	c	517	LMG	O7-C8-C9-O8
37	d	401	LMG	O7-C8-C9-O8
37	g	101	LMG	O1-C7-C8-O7
37	0	619	LMG	O1-C7-C8-O7
37	C	517	LMG	O1-C7-C8-O7
37	G	102	LMG	O1-C7-C8-O7
38	A	613	LHG	O7-C5-C6-O8
38	b	621	LHG	O7-C5-C6-O8
38	l	102	LHG	O7-C5-C6-O8
38	L	101	LHG	O7-C5-C6-O8
38	a	403	LHG	O7-C5-C6-O8
38	B	621	LHG	O7-C5-C6-O8
39	A	606	SQD	O6-C44-C45-O47
39	a	409	SQD	O6-C44-C45-O47
45	c	514	DGD	O2G-C2G-C3G-O3G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
45	C	514	DGD	O2G-C2G-C3G-O3G
45	C	516	DGD	O2G-C2G-C3G-O3G
45	c	516	DGD	C2A-C3A-C4A-C5A
45	C	516	DGD	C2A-C3A-C4A-C5A
32	s	303	CLA	C10-C11-C12-C13
37	d	401	LMG	C33-C34-C35-C36
38	l	102	LHG	C15-C16-C17-C18
37	B	618	LMG	C40-C41-C42-C43
32	4	604	CLA	C6-C7-C8-C10
32	b	603	CLA	C15-C16-C17-C18
32	5	305	CLA	C3-C5-C6-C7
32	b	613	CLA	C4-C3-C5-C6
32	B	613	CLA	C4-C3-C5-C6
32	B	607	CLA	O1D-CGD-O2D-CED
37	D	407	LMG	C34-C35-C36-C37
32	c	505	CLA	C13-C15-C16-C17
32	C	505	CLA	C13-C15-C16-C17
32	5	303	CLA	C11-C10-C8-C9
32	D	401	CLA	C11-C10-C8-C9
32	b	617	CLA	C11-C12-C13-C14
32	c	501	CLA	C6-C7-C8-C9
32	c	507	CLA	C6-C7-C8-C9
32	c	510	CLA	C6-C7-C8-C9
32	d	409	CLA	C11-C10-C8-C9
32	C	501	CLA	C6-C7-C8-C9
32	C	502	CLA	C14-C13-C15-C16
32	C	507	CLA	C6-C7-C8-C9
32	C	510	CLA	C6-C7-C8-C9
32	p	303	CLA	C11-C10-C8-C9
32	B	617	CLA	C11-C12-C13-C14
32	3	607	CLA	O1A-CGA-O2A-C1
32	9	607	CLA	O1A-CGA-O2A-C1
37	d	406	LMG	C34-C35-C36-C37
38	L	101	LHG	C15-C16-C17-C18
41	D	402	PHO	C3-C5-C6-C7
32	D	403	CLA	C11-C12-C13-C15
32	d	402	CLA	C11-C12-C13-C15
32	4	606	CLA	CBD-CGD-O2D-CED
32	c	511	CLA	O1A-CGA-O2A-C1
32	C	508	CLA	C15-C16-C17-C18
31	B	624	8CT	C16-C17-C18-C19
34	5	315	HO	C25-C29-C31-C33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
34	5	314	II0	C32-C34-C36-C38
32	2	605	CLA	C8-C10-C11-C12
32	c	508	CLA	C15-C16-C17-C18
32	8	605	CLA	C8-C10-C11-C12
38	a	402	LHG	C28-C29-C30-C31
39	B	620	SQD	C32-C33-C34-C35
45	c	515	DGD	C2A-C3A-C4A-C5A
38	L	101	LHG	C27-C28-C29-C30
39	b	620	SQD	C32-C33-C34-C35
32	5	303	CLA	C11-C12-C13-C14
38	l	102	LHG	C27-C28-C29-C30
45	H	101	DGD	CDA-CEA-CFA-CGA
45	H	101	DGD	C9B-CAB-CBB-CCB
45	h	101	DGD	CDA-CEA-CFA-CGA
38	A	612	LHG	C28-C29-C30-C31
45	C	515	DGD	C2A-C3A-C4A-C5A
32	3	605	CLA	CAA-CBA-CGA-O2A
38	S	301	LHG	C32-C33-C34-C35
38	s	301	LHG	C32-C33-C34-C35
45	H	101	DGD	C6B-C7B-C8B-C9B
43	A	609	PL9	C7-C8-C9-C11
32	A	603	CLA	C1-C2-C3-C4
32	c	513	CLA	C1-C2-C3-C4
32	C	513	CLA	C1-C2-C3-C4
32	a	406	CLA	C1-C2-C3-C4
45	c	514	DGD	C4D-C5D-C6D-O5D
45	C	514	DGD	C4D-C5D-C6D-O5D
32	9	605	CLA	CAA-CBA-CGA-O2A
45	h	101	DGD	C6B-C7B-C8B-C9B
38	A	613	LHG	O6-C4-C5-C6
32	1	604	CLA	C2A-CAA-CBA-CGA
32	3	607	CLA	C2A-CAA-CBA-CGA
32	7	604	CLA	C2A-CAA-CBA-CGA
32	9	607	CLA	C2A-CAA-CBA-CGA
32	2	605	CLA	CBA-CGA-O2A-C1
32	2	605	CLA	C2-C1-O2A-CGA
32	b	611	CLA	C2-C1-O2A-CGA
32	c	504	CLA	C2-C1-O2A-CGA
32	C	504	CLA	C2-C1-O2A-CGA
32	B	611	CLA	C2-C1-O2A-CGA
38	b	619	LHG	C25-C26-C27-C28
38	A	613	LHG	C24-C25-C26-C27

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
39	A	606	SQD	O48-C23-C24-C25
32	C	511	CLA	C3-C5-C6-C7
41	d	410	PHO	C3-C5-C6-C7
38	B	619	LHG	C28-C29-C30-C31
45	c	515	DGD	C6B-C7B-C8B-C9B
38	S	301	LHG	C24-C23-O8-C6
32	2	605	CLA	O1A-CGA-O2A-C1
38	A	613	LHG	C31-C32-C33-C34
39	a	409	SQD	O48-C23-C24-C25
32	c	501	CLA	C16-C17-C18-C20
32	C	501	CLA	C16-C17-C18-C20
38	b	619	LHG	C28-C29-C30-C31
32	0	606	CLA	O1D-CGD-O2D-CED
31	b	623	8CT	C04-C03-C10-C11
31	c	518	8CT	C04-C03-C10-C11
31	C	518	8CT	C04-C03-C10-C11
31	B	624	8CT	C04-C03-C10-C11
32	C	503	CLA	C2-C3-C5-C6
45	C	515	DGD	C7B-C8B-C9B-CAB
45	c	515	DGD	C7B-C8B-C9B-CAB
32	B	606	CLA	C15-C16-C17-C18
32	b	606	CLA	C15-C16-C17-C18
45	h	101	DGD	C9B-CAB-CBB-CCB
45	c	516	DGD	O1G-C1G-C2G-O2G
45	c	516	DGD	O2G-C2G-C3G-O3G
45	C	516	DGD	O1G-C1G-C2G-O2G
37	B	618	LMG	C13-C14-C15-C16
38	A	613	LHG	C3-O3-P-O6
38	S	301	LHG	C4-O6-P-O3
38	a	403	LHG	C3-O3-P-O6
38	s	301	LHG	C4-O6-P-O3
37	b	618	LMG	C13-C14-C15-C16
32	0	604	CLA	C6-C7-C8-C10
38	B	619	LHG	C25-C26-C27-C28
37	L	102	LMG	O1-C7-C8-C9
45	a	414	DGD	C5A-C6A-C7A-C8A
32	b	613	CLA	C6-C7-C8-C10
32	c	510	CLA	C6-C7-C8-C10
32	C	510	CLA	C6-C7-C8-C10
32	s	303	CLA	C12-C13-C15-C16
32	B	613	CLA	C6-C7-C8-C10
45	C	515	DGD	C6B-C7B-C8B-C9B

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	2	602	CLA	C11-C10-C8-C9
32	D	403	CLA	C11-C10-C8-C9
32	c	502	CLA	C14-C13-C15-C16
32	d	402	CLA	C11-C10-C8-C9
32	8	602	CLA	C11-C10-C8-C9
32	9	609	CLA	C11-C10-C8-C9
39	p	318	SQD	O48-C23-C24-C25
31	H	102	8CT	C16-C17-C18-C19
31	P	615	8CT	C18-C19-C20-C21
31	h	102	8CT	C16-C17-C18-C19
34	2	619	II0	C26-C30-C32-C34
34	8	619	II0	C26-C30-C32-C34
32	8	605	CLA	CBA-CGA-O2A-C1
37	D	407	LMG	C33-C34-C35-C36
38	a	403	LHG	C34-C35-C36-C37
32	5	308	CLA	C2A-CAA-CBA-CGA
32	G	101	CLA	C2A-CAA-CBA-CGA
37	d	406	LMG	C33-C34-C35-C36
38	s	301	LHG	C24-C23-O8-C6
32	c	502	CLA	C10-C11-C12-C13
31	k	102	8CT	C20-C21-C23-C24
32	l	602	CLA	C2-C3-C5-C6
32	c	507	CLA	C2-C3-C5-C6
32	C	507	CLA	C2-C3-C5-C6
37	P	616	LMG	C29-C28-O8-C9
32	4	606	CLA	O1D-CGD-O2D-CED
32	8	605	CLA	O1A-CGA-O2A-C1
32	D	404	CLA	CBD-CGD-O2D-CED
32	d	403	CLA	CBD-CGD-O2D-CED
32	g	102	CLA	C2A-CAA-CBA-CGA
32	p	309	CLA	C2A-CAA-CBA-CGA
37	G	102	LMG	O6-C1-O1-C7
31	M	201	8CT	C23-C24-C25-C26
31	a	413	8CT	C18-C19-C20-C21
34	p	315	II0	C25-C29-C31-C33
45	c	514	DGD	O6D-C5D-C6D-O5D
45	C	514	DGD	O6D-C5D-C6D-O5D
32	C	502	CLA	C10-C11-C12-C13
39	A	606	SQD	C34-C35-C36-C37
32	1	606	CLA	C4C-C3C-CAC-CBC
32	3	602	CLA	C4-C3-C5-C6
32	9	602	CLA	C4-C3-C5-C6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
43	D	405	PL9	C13-C14-C16-C17
43	d	404	PL9	C13-C14-C16-C17
45	H	101	DGD	CCB-CDB-CEB-CFB
32	0	611	CLA	CAA-CBA-CGA-O1A
32	1	603	CLA	C2-C1-O2A-CGA
32	5	306	CLA	C2-C1-O2A-CGA
39	a	409	SQD	C34-C35-C36-C37
32	b	615	CLA	C16-C17-C18-C20
32	B	603	CLA	C16-C17-C18-C20
32	B	615	CLA	C16-C17-C18-C20
32	2	608	CLA	C2A-CAA-CBA-CGA
32	3	610	CLA	C2A-CAA-CBA-CGA
32	5	309	CLA	C2A-CAA-CBA-CGA
32	6	602	CLA	C2A-CAA-CBA-CGA
32	b	604	CLA	C2A-CAA-CBA-CGA
32	b	609	CLA	C2A-CAA-CBA-CGA
32	8	608	CLA	C2A-CAA-CBA-CGA
32	9	610	CLA	C2A-CAA-CBA-CGA
32	P	602	CLA	C2A-CAA-CBA-CGA
32	B	604	CLA	C2A-CAA-CBA-CGA
32	B	609	CLA	C2A-CAA-CBA-CGA
37	0	619	LMG	C29-C30-C31-C32
32	5	305	CLA	C3A-C2A-CAA-CBA
32	D	404	CLA	C3A-C2A-CAA-CBA
32	b	612	CLA	C3A-C2A-CAA-CBA
32	c	503	CLA	C3A-C2A-CAA-CBA
32	d	403	CLA	C3A-C2A-CAA-CBA
32	C	503	CLA	C3A-C2A-CAA-CBA
32	p	305	CLA	C3A-C2A-CAA-CBA
32	B	612	CLA	C3A-C2A-CAA-CBA
32	4	611	CLA	CAA-CBA-CGA-O1A
32	b	603	CLA	C16-C17-C18-C20
32	P	607	CLA	C11-C12-C13-C15
39	B	620	SQD	C26-C27-C28-C29
31	B	622	8CT	C23-C24-C25-C26
39	b	620	SQD	C26-C27-C28-C29
38	A	613	LHG	C34-C35-C36-C37
32	c	503	CLA	C2-C3-C5-C6
32	5	306	CLA	C6-C7-C8-C9
32	b	611	CLA	C11-C12-C13-C14
32	b	612	CLA	C6-C7-C8-C9
32	b	617	CLA	C14-C13-C15-C16

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	p	306	CLA	C6-C7-C8-C9
32	B	611	CLA	C11-C12-C13-C14
32	B	612	CLA	C6-C7-C8-C9
32	B	617	CLA	C14-C13-C15-C16
32	6	607	CLA	C11-C12-C13-C15
32	7	613	CLA	CAA-CBA-CGA-O1A
38	A	613	LHG	C7-C8-C9-C10
38	a	403	LHG	C7-C8-C9-C10
38	b	619	LHG	C15-C16-C17-C18
38	a	403	LHG	C9-C10-C11-C12
35	7	615	II3	C03-C04-C12-C21
32	p	303	CLA	C11-C12-C13-C14
37	a	410	LMG	C16-C17-C18-C19
32	1	613	CLA	CAA-CBA-CGA-O1A
37	c	517	LMG	C36-C37-C38-C39
37	C	517	LMG	C36-C37-C38-C39
38	A	613	LHG	C9-C10-C11-C12
37	g	101	LMG	C29-C28-O8-C9
38	B	619	LHG	C15-C16-C17-C18
39	A	606	SQD	C25-C26-C27-C28
31	K	101	8CT	C22-C21-C23-C24
38	A	612	LHG	C12-C13-C14-C15
37	A	607	LMG	C16-C17-C18-C19
38	A	613	LHG	C33-C34-C35-C36
32	2	608	CLA	C1A-C2A-CAA-CBA
32	D	403	CLA	C1A-C2A-CAA-CBA
32	c	502	CLA	C1A-C2A-CAA-CBA
32	8	608	CLA	C1A-C2A-CAA-CBA
32	C	502	CLA	C1A-C2A-CAA-CBA
32	C	503	CLA	C1A-C2A-CAA-CBA
32	S	303	CLA	C12-C13-C15-C16
32	b	606	CLA	C6-C7-C8-C10
32	b	617	CLA	C6-C7-C8-C10
32	c	510	CLA	C11-C10-C8-C7
32	7	602	CLA	C2-C3-C5-C6
32	C	512	CLA	C11-C10-C8-C7
32	B	606	CLA	C6-C7-C8-C10
32	B	617	CLA	C6-C7-C8-C10
32	c	503	CLA	C5-C6-C7-C8
32	C	503	CLA	C5-C6-C7-C8
32	P	610	CLA	CAA-CBA-CGA-O1A
39	5	318	SQD	O48-C23-C24-C25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	P	610	CLA	CAA-CBA-CGA-O2A
32	1	606	CLA	C2C-C3C-CAC-CBC
32	B	617	CLA	C8-C10-C11-C12
38	a	402	LHG	C12-C13-C14-C15
32	2	602	CLA	C2A-CAA-CBA-CGA
32	8	602	CLA	C2A-CAA-CBA-CGA
32	0	611	CLA	CAA-CBA-CGA-O2A
32	C	512	CLA	O2A-C1-C2-C3
32	b	617	CLA	C8-C10-C11-C12
33	1	610	KC2	C3A-C2A-CAA-CBA
33	7	610	KC2	C3A-C2A-CAA-CBA
33	P	605	KC2	C3A-C2A-CAA-CBA
33	p	311	KC2	C3A-C2A-CAA-CBA
39	a	409	SQD	C25-C26-C27-C28
32	c	501	CLA	C15-C16-C17-C18
32	4	611	CLA	CAA-CBA-CGA-O2A
32	6	610	CLA	CAA-CBA-CGA-O2A
32	C	501	CLA	C15-C16-C17-C18
37	c	517	LMG	C28-C29-C30-C31
37	C	517	LMG	C28-C29-C30-C31
38	D	410	LHG	O2-C2-C3-O3
38	d	411	LHG	O2-C2-C3-O3
32	1	602	CLA	C11-C12-C13-C14
32	6	610	CLA	CAA-CBA-CGA-O1A
37	d	406	LMG	C11-C12-C13-C14
32	b	613	CLA	C16-C17-C18-C19
32	B	613	CLA	C16-C17-C18-C19
32	7	606	CLA	C4C-C3C-CAC-CBC
37	D	407	LMG	C11-C12-C13-C14
31	6	615	8CT	C18-C19-C20-C21
31	c	518	8CT	C16-C17-C18-C19
31	C	518	8CT	C16-C17-C18-C19
45	C	516	DGD	CAB-CBB-CCB-CDB
32	3	602	CLA	C11-C12-C13-C14
37	B	618	LMG	C38-C39-C40-C41
45	c	516	DGD	CAB-CBB-CCB-CDB
32	7	602	CLA	C3-C5-C6-C7
32	9	602	CLA	C11-C12-C13-C14
32	5	304	CLA	C2-C1-O2A-CGA
32	D	403	CLA	C2-C1-O2A-CGA
32	d	402	CLA	C2-C1-O2A-CGA
32	7	603	CLA	C2-C1-O2A-CGA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	p	304	CLA	C2-C1-O2A-CGA
32	1	613	CLA	CAA-CBA-CGA-O2A
47	E	101	HEM	CAA-CBA-CGA-O2A
32	8	605	CLA	CAA-CBA-CGA-O2A
32	b	617	CLA	C11-C10-C8-C9
32	B	617	CLA	C11-C10-C8-C9
32	d	403	CLA	O1D-CGD-O2D-CED
32	7	613	CLA	CAA-CBA-CGA-O2A
41	D	402	PHO	C1A-C2A-CAA-CBA
41	d	410	PHO	C1A-C2A-CAA-CBA
32	4	608	CLA	C10-C11-C12-C13
32	0	608	CLA	C10-C11-C12-C13
32	2	611	CLA	C2A-CAA-CBA-CGA
32	p	308	CLA	C2A-CAA-CBA-CGA
37	c	517	LMG	C14-C15-C16-C17
31	6	615	8CT	C04-C03-C10-C11
31	K	102	8CT	C04-C03-C10-C11
31	Z	101	8CT	C04-C03-C10-C11
31	z	101	8CT	C04-C03-C10-C11
31	P	615	8CT	C04-C03-C10-C11
31	a	413	8CT	C04-C03-C10-C11
32	D	404	CLA	O1D-CGD-O2D-CED
32	2	605	CLA	CAA-CBA-CGA-O2A
37	B	618	LMG	O1-C7-C8-C9
32	1	612	CLA	CAA-CBA-CGA-O2A
45	h	101	DGD	CCB-CDB-CEB-CFB
34	7	616	II0	C26-C30-C32-C34
36	1	618	IHT	C26-C29-C31-C34
32	c	511	CLA	C4-C3-C5-C6
32	C	511	CLA	C4-C3-C5-C6
31	M	201	8CT	C25-C26-C28-C29
31	B	622	8CT	C25-C26-C28-C29
32	3	601	CLA	C1A-C2A-CAA-CBA
32	9	601	CLA	C1A-C2A-CAA-CBA
34	5	314	II0	C32-C34-C36-C40
34	5	316	II0	C31-C33-C35-C39
32	p	303	CLA	C8-C10-C11-C12
32	b	613	CLA	C2-C3-C5-C6
32	B	613	CLA	C2-C3-C5-C6
32	c	511	CLA	C3-C5-C6-C7
32	1	611	CLA	CAA-CBA-CGA-O2A
32	7	612	CLA	CAA-CBA-CGA-O2A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
37	a	410	LMG	C37-C38-C39-C40
45	c	514	DGD	CCB-CDB-CEB-CFB
32	c	509	CLA	C13-C15-C16-C17
39	5	318	SQD	C45-C44-O6-C1
37	A	607	LMG	C37-C38-C39-C40
45	C	514	DGD	CCB-CDB-CEB-CFB
37	4	618	LMG	C28-C29-C30-C31
32	7	611	CLA	CAA-CBA-CGA-O2A
37	A	607	LMG	C13-C14-C15-C16
37	L	102	LMG	C29-C30-C31-C32
37	a	410	LMG	C13-C14-C15-C16
32	c	508	CLA	C8-C10-C11-C12
32	C	509	CLA	C13-C15-C16-C17
39	A	606	SQD	C33-C34-C35-C36
32	8	611	CLA	C2A-CAA-CBA-CGA
32	C	508	CLA	C8-C10-C11-C12
32	0	605	CLA	CAA-CBA-CGA-O2A
32	7	611	CLA	CAA-CBA-CGA-O1A
45	c	514	DGD	CBB-CCB-CDB-CEB
32	b	617	CLA	C11-C10-C8-C7
32	c	511	CLA	C2-C3-C5-C6
32	c	512	CLA	C11-C10-C8-C7
32	C	510	CLA	C11-C10-C8-C7
32	B	617	CLA	C11-C10-C8-C7
32	2	612	CLA	CAA-CBA-CGA-O2A
32	8	612	CLA	CAA-CBA-CGA-O2A
38	l	102	LHG	C11-C10-C9-C8
38	D	410	LHG	O1-C1-C2-O2
38	d	411	LHG	O1-C1-C2-O2
37	C	517	LMG	C14-C15-C16-C17
37	L	102	LMG	C35-C36-C37-C38
38	a	403	LHG	C33-C34-C35-C36
45	C	514	DGD	CBB-CCB-CDB-CEB
32	B	603	CLA	C16-C17-C18-C19
38	a	403	LHG	C1-C2-C3-O3
32	4	613	CLA	CAA-CBA-CGA-O2A
32	b	603	CLA	O2A-C1-C2-C3
32	c	512	CLA	O2A-C1-C2-C3
32	B	603	CLA	O2A-C1-C2-C3
32	b	603	CLA	C16-C17-C18-C19
32	b	613	CLA	C16-C17-C18-C20
32	1	611	CLA	CAA-CBA-CGA-O1A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	0	612	CLA	CAA-CBA-CGA-O2A
37	1	101	LMG	C35-C36-C37-C38
38	L	101	LHG	C11-C10-C9-C8
32	7	606	CLA	CAA-CBA-CGA-O2A
32	B	613	CLA	C16-C17-C18-C20
32	B	615	CLA	C16-C17-C18-C19
32	3	609	CLA	C11-C10-C8-C9
32	b	613	CLA	C6-C7-C8-C9
32	b	616	CLA	C14-C13-C15-C16
32	c	505	CLA	C6-C7-C8-C9
32	c	508	CLA	C14-C13-C15-C16
32	c	510	CLA	C11-C10-C8-C9
32	C	505	CLA	C6-C7-C8-C9
32	C	508	CLA	C14-C13-C15-C16
32	C	510	CLA	C11-C10-C8-C9
32	C	512	CLA	C11-C10-C8-C9
32	B	613	CLA	C6-C7-C8-C9
32	B	616	CLA	C14-C13-C15-C16
32	2	612	CLA	CAA-CBA-CGA-O1A
32	8	612	CLA	CAA-CBA-CGA-O1A
32	4	604	CLA	C3A-C2A-CAA-CBA
32	b	609	CLA	C3A-C2A-CAA-CBA
32	0	604	CLA	C3A-C2A-CAA-CBA
32	B	609	CLA	C3A-C2A-CAA-CBA
32	5	305	CLA	CAA-CBA-CGA-O2A
32	d	402	CLA	CAA-CBA-CGA-O2A
39	A	606	SQD	O47-C7-C8-C9
32	C	512	CLA	C2-C3-C5-C6
32	4	606	CLA	CAA-CBA-CGA-O2A
32	4	612	CLA	CAA-CBA-CGA-O2A
32	7	607	CLA	CAA-CBA-CGA-O2A
32	P	611	CLA	CAA-CBA-CGA-O1A
47	E	101	HEM	CAA-CBA-CGA-O1A
32	1	607	CLA	CAD-CBD-CGD-O2D
32	2	601	CLA	CAD-CBD-CGD-O2D
32	2	603	CLA	CAD-CBD-CGD-O2D
32	2	612	CLA	CAD-CBD-CGD-O2D
32	3	608	CLA	CAD-CBD-CGD-O2D
32	5	310	CLA	CAD-CBD-CGD-O2D
32	6	603	CLA	CAD-CBD-CGD-O2D
32	b	602	CLA	CAD-CBD-CGD-O2D
32	b	611	CLA	CAD-CBD-CGD-O2D

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	b	614	CLA	CAD-CBD-CGD-O2D
32	c	509	CLA	CAD-CBD-CGD-O2D
32	7	607	CLA	CAD-CBD-CGD-O2D
32	7	612	CLA	CAD-CBD-CGD-O2D
32	8	601	CLA	CAD-CBD-CGD-O2D
32	8	612	CLA	CAD-CBD-CGD-O2D
32	9	608	CLA	CAD-CBD-CGD-O2D
32	C	509	CLA	CAD-CBD-CGD-O2D
32	C	512	CLA	CAD-CBD-CGD-O2D
32	p	310	CLA	CAD-CBD-CGD-O2D
32	B	602	CLA	CAD-CBD-CGD-O2D
32	B	611	CLA	CAD-CBD-CGD-O2D
32	B	614	CLA	CAD-CBD-CGD-O2D
33	6	605	KC2	CAD-CBD-CGD-O2D
33	P	605	KC2	CAD-CBD-CGD-O2D
32	b	615	CLA	C16-C17-C18-C19
45	c	515	DGD	O1B-C1B-O2G-C2G
45	C	515	DGD	O1B-C1B-O2G-C2G
32	C	510	CLA	CAA-CBA-CGA-O2A
32	p	305	CLA	CAA-CBA-CGA-O2A
39	a	409	SQD	O47-C7-C8-C9
32	7	604	CLA	C3-C5-C6-C7
32	p	308	CLA	CAA-CBA-CGA-O2A
32	C	511	CLA	C2-C3-C5-C6
32	c	501	CLA	CAA-CBA-CGA-O2A
32	C	501	CLA	CAA-CBA-CGA-O2A
45	A	614	DGD	O2G-C1B-C2B-C3B
32	c	512	CLA	C2-C3-C5-C6
37	b	618	LMG	O1-C7-C8-C9
37	l	101	LMG	O1-C7-C8-C9
32	1	607	CLA	CAA-CBA-CGA-O2A
32	4	612	CLA	CAA-CBA-CGA-O1A
32	6	611	CLA	CAA-CBA-CGA-O1A
32	6	611	CLA	CAA-CBA-CGA-O2A
32	0	606	CLA	CAA-CBA-CGA-O2A
32	b	614	CLA	CAA-CBA-CGA-O2A
32	c	510	CLA	CAA-CBA-CGA-O2A
32	B	614	CLA	CAA-CBA-CGA-O2A
45	a	414	DGD	O2G-C1B-C2B-C3B
32	1	607	CLA	CAA-CBA-CGA-O1A
32	0	613	CLA	CAA-CBA-CGA-O2A
32	3	609	CLA	O2A-C1-C2-C3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	D	403	CLA	O2A-C1-C2-C3
32	c	509	CLA	O2A-C1-C2-C3
32	d	402	CLA	O2A-C1-C2-C3
32	9	609	CLA	O2A-C1-C2-C3
32	C	509	CLA	O2A-C1-C2-C3
45	H	101	DGD	CCA-CDA-CEA-CFA
32	1	608	CLA	C2A-CAA-CBA-CGA
32	7	602	CLA	C2A-CAA-CBA-CGA
32	7	608	CLA	C2A-CAA-CBA-CGA
32	p	306	CLA	CAA-CBA-CGA-O2A
32	4	613	CLA	CAA-CBA-CGA-O1A
32	5	308	CLA	CAA-CBA-CGA-O1A
32	5	308	CLA	CAA-CBA-CGA-O2A
32	7	612	CLA	CAA-CBA-CGA-O1A
45	h	101	DGD	CCA-CDA-CEA-CFA
32	1	606	CLA	CHA-CBD-CGD-O1D
32	1	608	CLA	CHA-CBD-CGD-O1D
32	1	608	CLA	CHA-CBD-CGD-O2D
32	1	611	CLA	CHA-CBD-CGD-O1D
32	1	611	CLA	CHA-CBD-CGD-O2D
32	1	613	CLA	CHA-CBD-CGD-O1D
32	1	613	CLA	CHA-CBD-CGD-O2D
32	2	602	CLA	CHA-CBD-CGD-O1D
32	2	602	CLA	CHA-CBD-CGD-O2D
32	2	605	CLA	CHA-CBD-CGD-O2D
32	2	606	CLA	CHA-CBD-CGD-O2D
32	2	608	CLA	CHA-CBD-CGD-O2D
32	3	602	CLA	CHA-CBD-CGD-O1D
32	3	602	CLA	CHA-CBD-CGD-O2D
32	3	605	CLA	CHA-CBD-CGD-O1D
32	3	605	CLA	CHA-CBD-CGD-O2D
32	3	611	CLA	CHA-CBD-CGD-O1D
32	4	601	CLA	CHA-CBD-CGD-O1D
32	4	601	CLA	CHA-CBD-CGD-O2D
32	4	603	CLA	CHA-CBD-CGD-O2D
32	4	608	CLA	CHA-CBD-CGD-O2D
32	4	609	CLA	CHA-CBD-CGD-O1D
32	4	609	CLA	CHA-CBD-CGD-O2D
32	4	612	CLA	CHA-CBD-CGD-O2D
32	5	302	CLA	CHA-CBD-CGD-O1D
32	5	302	CLA	CHA-CBD-CGD-O2D
32	5	303	CLA	CHA-CBD-CGD-O1D

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atoms</b>
32	5	303	CLA	CHA-CBD-CGD-O2D
32	5	307	CLA	CHA-CBD-CGD-O2D
32	5	309	CLA	CHA-CBD-CGD-O1D
32	5	309	CLA	CHA-CBD-CGD-O2D
32	5	313	CLA	CHA-CBD-CGD-O2D
32	6	602	CLA	CHA-CBD-CGD-O1D
32	6	602	CLA	CHA-CBD-CGD-O2D
32	6	607	CLA	CHA-CBD-CGD-O1D
32	6	607	CLA	CHA-CBD-CGD-O2D
32	6	608	CLA	CHA-CBD-CGD-O1D
32	6	608	CLA	CHA-CBD-CGD-O2D
32	A	603	CLA	CHA-CBD-CGD-O1D
32	S	302	CLA	CHA-CBD-CGD-O2D
32	S	303	CLA	CHA-CBD-CGD-O1D
32	S	303	CLA	CHA-CBD-CGD-O2D
32	b	604	CLA	CHA-CBD-CGD-O2D
32	b	605	CLA	CHA-CBD-CGD-O2D
32	b	606	CLA	CHA-CBD-CGD-O2D
32	b	610	CLA	CHA-CBD-CGD-O2D
32	c	501	CLA	CHA-CBD-CGD-O1D
32	c	508	CLA	CHA-CBD-CGD-O1D
32	c	508	CLA	CHA-CBD-CGD-O2D
32	c	512	CLA	CHA-CBD-CGD-O2D
32	0	601	CLA	CHA-CBD-CGD-O1D
32	0	601	CLA	CHA-CBD-CGD-O2D
32	0	602	CLA	CHA-CBD-CGD-O2D
32	0	603	CLA	CHA-CBD-CGD-O2D
32	0	608	CLA	CHA-CBD-CGD-O2D
32	0	609	CLA	CHA-CBD-CGD-O1D
32	0	609	CLA	CHA-CBD-CGD-O2D
32	7	606	CLA	CHA-CBD-CGD-O1D
32	7	608	CLA	CHA-CBD-CGD-O1D
32	7	608	CLA	CHA-CBD-CGD-O2D
32	7	611	CLA	CHA-CBD-CGD-O1D
32	7	611	CLA	CHA-CBD-CGD-O2D
32	7	613	CLA	CHA-CBD-CGD-O1D
32	7	613	CLA	CHA-CBD-CGD-O2D
32	8	602	CLA	CHA-CBD-CGD-O1D
32	8	602	CLA	CHA-CBD-CGD-O2D
32	8	605	CLA	CHA-CBD-CGD-O2D
32	8	608	CLA	CHA-CBD-CGD-O2D
32	9	602	CLA	CHA-CBD-CGD-O1D

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	9	602	CLA	CHA-CBD-CGD-O2D
32	9	605	CLA	CHA-CBD-CGD-O1D
32	9	605	CLA	CHA-CBD-CGD-O2D
32	9	611	CLA	CHA-CBD-CGD-O1D
32	C	508	CLA	CHA-CBD-CGD-O1D
32	C	508	CLA	CHA-CBD-CGD-O2D
32	P	602	CLA	CHA-CBD-CGD-O1D
32	P	602	CLA	CHA-CBD-CGD-O2D
32	P	607	CLA	CHA-CBD-CGD-O1D
32	P	607	CLA	CHA-CBD-CGD-O2D
32	P	608	CLA	CHA-CBD-CGD-O1D
32	P	608	CLA	CHA-CBD-CGD-O2D
32	P	611	CLA	CHA-CBD-CGD-O1D
32	P	611	CLA	CHA-CBD-CGD-O2D
32	a	406	CLA	CHA-CBD-CGD-O1D
32	p	302	CLA	CHA-CBD-CGD-O1D
32	p	302	CLA	CHA-CBD-CGD-O2D
32	p	303	CLA	CHA-CBD-CGD-O1D
32	p	303	CLA	CHA-CBD-CGD-O2D
32	p	309	CLA	CHA-CBD-CGD-O1D
32	p	309	CLA	CHA-CBD-CGD-O2D
32	s	302	CLA	CHA-CBD-CGD-O2D
32	s	303	CLA	CHA-CBD-CGD-O1D
32	s	303	CLA	CHA-CBD-CGD-O2D
32	B	604	CLA	CHA-CBD-CGD-O2D
32	B	605	CLA	CHA-CBD-CGD-O2D
32	B	606	CLA	CHA-CBD-CGD-O2D
32	B	610	CLA	CHA-CBD-CGD-O2D
33	4	610	KC2	CHA-CBD-CGD-O1D
33	0	610	KC2	CHA-CBD-CGD-O2D
33	7	610	KC2	CHA-CBD-CGD-O1D
32	1	612	CLA	CAA-CBA-CGA-O1A
32	0	612	CLA	CAA-CBA-CGA-O1A
32	5	306	CLA	CAA-CBA-CGA-O2A
37	l	101	LMG	C14-C15-C16-C17
39	a	409	SQD	C19-C20-C21-C22
32	4	606	CLA	CAA-CBA-CGA-O1A
32	0	613	CLA	CAA-CBA-CGA-O1A
32	7	607	CLA	CAA-CBA-CGA-O1A
32	p	308	CLA	CAA-CBA-CGA-O1A
47	f	101	HEM	CAA-CBA-CGA-O2A
37	b	618	LMG	C38-C39-C40-C41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	4	604	CLA	CAA-CBA-CGA-O2A
32	S	303	CLA	CAA-CBA-CGA-O2A
32	s	303	CLA	CAA-CBA-CGA-O2A
37	l	101	LMG	O7-C10-C11-C12
39	b	620	SQD	O47-C7-C8-C9
32	7	606	CLA	C2C-C3C-CAC-CBC
39	b	620	SQD	O47-C45-C46-O48
39	B	620	SQD	O47-C45-C46-O48
39	A	606	SQD	C19-C20-C21-C22
39	p	318	SQD	C13-C14-C15-C16
32	0	606	CLA	CAA-CBA-CGA-O1A
37	d	406	LMG	C28-C29-C30-C31
37	G	102	LMG	O8-C28-C29-C30
32	1	606	CLA	CAA-CBA-CGA-O2A
32	5	313	CLA	CAA-CBA-CGA-O2A
37	D	407	LMG	C28-C29-C30-C31
32	6	604	CLA	CAA-CBA-CGA-O2A
32	c	503	CLA	CAA-CBA-CGA-O2A
37	g	101	LMG	O8-C28-C29-C30
39	B	620	SQD	O47-C7-C8-C9
45	C	515	DGD	C5A-C6A-C7A-C8A
32	P	611	CLA	CAA-CBA-CGA-O2A
45	c	515	DGD	C5A-C6A-C7A-C8A
39	a	409	SQD	C33-C34-C35-C36
32	b	606	CLA	C12-C13-C15-C16
32	c	501	CLA	C2-C3-C5-C6
32	9	602	CLA	C11-C10-C8-C7
32	C	501	CLA	C2-C3-C5-C6
32	B	606	CLA	C12-C13-C15-C16
45	H	101	DGD	O6E-C1E-O5D-C6D
45	h	101	DGD	O6E-C1E-O5D-C6D
32	0	604	CLA	CAA-CBA-CGA-O2A
32	C	503	CLA	CAA-CBA-CGA-O2A
32	B	603	CLA	CAA-CBA-CGA-O2A
32	7	606	CLA	CAA-CBA-CGA-O1A
38	d	405	LHG	C16-C17-C18-C19
32	c	509	CLA	C11-C10-C8-C9
32	c	512	CLA	C11-C10-C8-C9
32	C	509	CLA	C11-C10-C8-C9
31	9	615	8CT	C23-C24-C25-C26
34	1	616	II0	C26-C30-C32-C34
39	5	318	SQD	C12-C13-C14-C15

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	4	607	CLA	CAA-CBA-CGA-O2A
32	8	606	CLA	CAA-CBA-CGA-O2A
38	D	410	LHG	C24-C23-O8-C6
32	4	605	CLA	CAA-CBA-CGA-O2A
32	D	403	CLA	CAA-CBA-CGA-O2A
38	D	406	LHG	O8-C23-C24-C25
32	6	607	CLA	C11-C12-C13-C14
32	P	607	CLA	C11-C12-C13-C14
37	4	618	LMG	C29-C30-C31-C32
38	D	406	LHG	C16-C17-C18-C19
37	G	102	LMG	C11-C10-O7-C8
32	3	602	CLA	C2A-CAA-CBA-CGA
32	9	602	CLA	C2A-CAA-CBA-CGA
37	D	411	LMG	O10-C28-C29-C30
32	b	603	CLA	CAA-CBA-CGA-O2A
38	d	405	LHG	O8-C23-C24-C25
37	d	401	LMG	O10-C28-C29-C30
39	p	318	SQD	C12-C13-C14-C15
32	P	604	CLA	CAA-CBA-CGA-O2A
45	H	101	DGD	CBB-CCB-CDB-CEB
32	b	614	CLA	CAA-CBA-CGA-O1A
32	c	501	CLA	CAA-CBA-CGA-O1A
32	B	614	CLA	CAA-CBA-CGA-O1A
38	d	411	LHG	C24-C23-O8-C6
39	A	606	SQD	C17-C18-C19-C20
32	5	305	CLA	C1A-C2A-CAA-CBA
32	5	309	CLA	C1A-C2A-CAA-CBA
32	D	404	CLA	C1A-C2A-CAA-CBA
32	b	609	CLA	C1A-C2A-CAA-CBA
32	b	612	CLA	C1A-C2A-CAA-CBA
32	d	403	CLA	C1A-C2A-CAA-CBA
32	p	305	CLA	C1A-C2A-CAA-CBA
32	p	309	CLA	C1A-C2A-CAA-CBA
32	B	609	CLA	C1A-C2A-CAA-CBA
32	B	612	CLA	C1A-C2A-CAA-CBA
38	A	613	LHG	C1-C2-C3-O3
39	5	318	SQD	C13-C14-C15-C16
39	a	409	SQD	C17-C18-C19-C20
32	C	501	CLA	CAA-CBA-CGA-O1A
38	D	406	LHG	O9-C7-C8-C9
32	p	313	CLA	CAA-CBA-CGA-O2A
38	l	102	LHG	C17-C18-C19-C20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	b	603	CLA	CAA-CBA-CGA-O1A
32	d	402	CLA	CAA-CBA-CGA-O1A
37	b	618	LMG	C12-C13-C14-C15
32	6	607	CLA	C2A-CAA-CBA-CGA
32	P	607	CLA	C2A-CAA-CBA-CGA
38	S	301	LHG	C29-C30-C31-C32
38	s	301	LHG	C29-C30-C31-C32
38	2	618	LHG	O6-C4-C5-O7
32	S	303	CLA	CAA-CBA-CGA-O1A
32	C	510	CLA	CAA-CBA-CGA-O1A
32	B	603	CLA	CAA-CBA-CGA-O1A
38	d	405	LHG	O9-C7-C8-C9
32	2	606	CLA	CAA-CBA-CGA-O2A
32	5	306	CLA	CAA-CBA-CGA-O1A
32	5	307	CLA	CAA-CBA-CGA-O2A
32	p	307	CLA	CAA-CBA-CGA-O2A
38	A	613	LHG	C3-O3-P-O4
38	D	410	LHG	C4-O6-P-O5
38	S	301	LHG	C4-O6-P-O5
38	d	411	LHG	C4-O6-P-O5
38	l	102	LHG	C4-O6-P-O5
38	L	101	LHG	C4-O6-P-O5
38	a	403	LHG	C3-O3-P-O4
38	s	301	LHG	C4-O6-P-O5
37	4	618	LMG	C15-C16-C17-C18
32	D	403	CLA	CAA-CBA-CGA-O1A
39	A	606	SQD	O49-C7-C8-C9
39	a	409	SQD	O49-C7-C8-C9
45	c	516	DGD	O6E-C1E-O5D-C6D
45	C	516	DGD	O6E-C1E-O5D-C6D
45	a	414	DGD	O6D-C1D-O3G-C3G
38	L	101	LHG	C17-C18-C19-C20
47	f	101	HEM	CAA-CBA-CGA-O1A
32	1	604	CLA	C3-C5-C6-C7
32	p	306	CLA	CAA-CBA-CGA-O1A
37	8	617	LMG	O9-C10-C11-C12
37	B	618	LMG	C12-C13-C14-C15
32	b	614	CLA	C5-C6-C7-C8
45	c	515	DGD	C8B-C9B-CAB-CBB
32	5	305	CLA	CAA-CBA-CGA-O1A
32	p	305	CLA	CAA-CBA-CGA-O1A
32	s	303	CLA	CAA-CBA-CGA-O1A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
37	2	617	LMG	O9-C10-C11-C12
32	B	614	CLA	C5-C6-C7-C8
37	0	619	LMG	C15-C16-C17-C18
45	h	101	DGD	CBB-CCB-CDB-CEB
32	1	606	CLA	CAA-CBA-CGA-O1A
32	4	604	CLA	CAA-CBA-CGA-O1A
45	C	515	DGD	C8B-C9B-CAB-CBB
32	5	313	CLA	CAA-CBA-CGA-O1A
32	1	613	CLA	CAD-CBD-CGD-O1D
32	3	602	CLA	CAD-CBD-CGD-O1D
32	6	602	CLA	CAD-CBD-CGD-O1D
32	A	603	CLA	CAD-CBD-CGD-O1D
32	b	604	CLA	CAD-CBD-CGD-O1D
32	b	605	CLA	CAD-CBD-CGD-O1D
32	b	608	CLA	CAD-CBD-CGD-O1D
32	c	501	CLA	CAD-CBD-CGD-O1D
32	7	613	CLA	CAD-CBD-CGD-O1D
32	8	602	CLA	CAD-CBD-CGD-O1D
32	8	603	CLA	CAD-CBD-CGD-O1D
32	9	602	CLA	CAD-CBD-CGD-O1D
32	C	501	CLA	CAD-CBD-CGD-O1D
32	C	511	CLA	CAD-CBD-CGD-O1D
32	a	406	CLA	CAD-CBD-CGD-O1D
32	p	302	CLA	CAD-CBD-CGD-O1D
32	B	604	CLA	CAD-CBD-CGD-O1D
32	B	605	CLA	CAD-CBD-CGD-O1D
32	B	608	CLA	CAD-CBD-CGD-O1D
32	B	616	CLA	CAD-CBD-CGD-O1D
32	b	603	CLA	O1A-CGA-O2A-C1
32	c	510	CLA	CAA-CBA-CGA-O1A
32	0	604	CLA	CAA-CBA-CGA-O1A
32	2	604	CLA	CAA-CBA-CGA-O2A
37	d	401	LMG	O8-C28-C29-C30
32	3	602	CLA	C11-C10-C8-C9
32	9	602	CLA	C11-C10-C8-C9
32	8	606	CLA	CAA-CBA-CGA-O1A
32	B	603	CLA	O1A-CGA-O2A-C1
32	b	614	CLA	C16-C17-C18-C20
32	1	604	CLA	CAA-CBA-CGA-O2A
32	3	604	CLA	CAA-CBA-CGA-O2A
32	b	613	CLA	CAA-CBA-CGA-O2A
32	7	604	CLA	CAA-CBA-CGA-O2A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
32	8	604	CLA	CAA-CBA-CGA-O2A
32	C	513	CLA	CAA-CBA-CGA-O2A
32	B	613	CLA	CAA-CBA-CGA-O2A
37	D	411	LMG	O8-C28-C29-C30
38	l	102	LHG	C26-C27-C28-C29
32	b	612	CLA	C15-C16-C17-C18
32	B	612	CLA	C15-C16-C17-C18
32	4	607	CLA	CAA-CBA-CGA-O1A
32	6	604	CLA	CAA-CBA-CGA-O1A
32	g	102	CLA	O1D-CGD-O2D-CED
32	g	102	CLA	CBD-CGD-O2D-CED
32	1	602	CLA	C2A-CAA-CBA-CGA
32	c	512	CLA	CAA-CBA-CGA-O2A
32	c	513	CLA	CAA-CBA-CGA-O2A
32	9	604	CLA	CAA-CBA-CGA-O2A
37	L	102	LMG	O7-C10-C11-C12
38	b	621	LHG	C24-C25-C26-C27
38	L	101	LHG	C26-C27-C28-C29
38	B	621	LHG	C24-C25-C26-C27
32	B	614	CLA	C16-C17-C18-C20
38	D	410	LHG	C2-C3-O3-P
38	d	411	LHG	C2-C3-O3-P
31	3	615	8CT	C28-C29-C30-C31
31	6	615	8CT	C28-C29-C30-C31
31	H	102	8CT	C28-C29-C30-C31
31	K	101	8CT	C28-C29-C30-C31
31	b	622	8CT	C28-C29-C30-C31
31	k	102	8CT	C28-C29-C30-C31
31	z	101	8CT	C28-C29-C30-C31
31	9	615	8CT	C28-C29-C30-C31
31	P	615	8CT	C28-C29-C30-C31
31	h	102	8CT	C28-C29-C30-C31
31	B	623	8CT	C28-C29-C30-C31
32	3	602	CLA	C2-C3-C5-C6
32	3	602	CLA	C11-C10-C8-C7
32	9	602	CLA	C2-C3-C5-C6
38	l	102	LHG	O6-C4-C5-O7
32	P	604	CLA	CAA-CBA-CGA-O1A
37	4	618	LMG	O10-C28-C29-C30
32	5	307	CLA	CAA-CBA-CGA-O1A
32	S	302	CLA	CAA-CBA-CGA-O2A
32	p	307	CLA	CAA-CBA-CGA-O1A

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
32	p	313	CLA	CAA-CBA-CGA-O1A
31	K	101	8CT	C20-C21-C23-C24
34	2	615	II0	C31-C33-C35-C39
32	c	503	CLA	CAA-CBA-CGA-O1A
38	S	301	LHG	O10-C23-C24-C25
39	b	620	SQD	O49-C7-C8-C9
31	3	615	8CT	C23-C24-C25-C26
31	D	409	8CT	C16-C17-C18-C19
31	d	408	8CT	C16-C17-C18-C19
34	9	612	II0	C26-C30-C32-C34
32	C	512	CLA	CAA-CBA-CGA-O2A
39	b	620	SQD	C31-C32-C33-C34
32	b	603	CLA	C13-C15-C16-C17
32	C	503	CLA	CAA-CBA-CGA-O1A
32	C	513	CLA	CAA-CBA-CGA-O1A
32	B	613	CLA	CAA-CBA-CGA-O1A
45	c	515	DGD	O1B-C1B-C2B-C3B
45	C	515	DGD	O1B-C1B-C2B-C3B
32	2	606	CLA	CAA-CBA-CGA-O1A
39	B	620	SQD	C31-C32-C33-C34
32	c	505	CLA	C10-C11-C12-C13
32	b	611	CLA	CAA-CBA-CGA-O2A
32	7	605	CLA	CAA-CBA-CGA-O2A
32	2	604	CLA	CAA-CBA-CGA-O1A
32	3	604	CLA	CAA-CBA-CGA-O1A
32	b	613	CLA	CAA-CBA-CGA-O1A
37	0	619	LMG	O10-C28-C29-C30
38	s	301	LHG	O10-C23-C24-C25
39	B	620	SQD	O49-C7-C8-C9
32	C	505	CLA	C10-C11-C12-C13
32	G	101	CLA	CBD-CGD-O2D-CED
32	8	604	CLA	CAA-CBA-CGA-O1A
38	D	406	LHG	C12-C13-C14-C15
32	B	611	CLA	CAA-CBA-CGA-O2A



There are no ring outliers.


No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.



Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.































































































































































































































































## Ligand CLA 2 601






## Ligand CLA 7 602































































































































































































































































































































































































































































































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-37414. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


### 6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 229




Y Index: 251




Z Index: 235


### 6.3.2 Raw map



X Index: 229



Y Index: 251




Z Index: 235

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map




X

Y

Z

### 6.4.2 Raw map



X


Y

Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.253. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is  $394 \text{ nm}^3$ ; this corresponds to an approximate mass of 356 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.405 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.405 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.47	-	-
Author-provided FSC curve	2.47	2.80	2.50
Unmasked-calculated*	3.12	3.81	3.21

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.12 differs from the reported value 2.47 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-37414 and PDB model 8WB4. Per-residue inclusion information can be found in section [3](#) on page [43](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.253 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.253).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary





















































The table lists the average atom inclusion at the recommended contour level (0.253) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6870	 0.5390
0	 0.3220	 0.3940
1	 0.5160	 0.4300
2	 0.7030	 0.5030
3	 0.8210	 0.5590
4	 0.3280	 0.3940
5	 0.3860	 0.4010
6	 0.4790	 0.4320
7	 0.5140	 0.4320
8	 0.7060	 0.5030
9	 0.8200	 0.5590
A	 0.9490	 0.6200
B	 0.9280	 0.6140
C	 0.9050	 0.6000
D	 0.9620	 0.6290
E	 0.7590	 0.5330
F	 0.8680	 0.5520
G	 0.4320	 0.5120
H	 0.9650	 0.6130
I	 0.9890	 0.6320
J	 0.2870	 0.4670
K	 0.9140	 0.5930
L	 0.9340	 0.6010
M	 0.9440	 0.6050
O	 0.0060	 0.4920
P	 0.4830	 0.4330
Q	 0.0570	 0.5560
R	 0.4620	 0.4100
S	 0.6270	 0.5060
T	 0.9250	 0.6230
U	 0.0110	 0.4830
V	 0.0170	 0.5160
W	 0.8750	 0.5900
X	 0.8780	 0.5930
Y	 0.6150	 0.4860



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
Z	 0.7650	 0.5140
a	 0.9470	 0.6180
b	 0.9290	 0.6150
c	 0.9040	 0.6010
d	 0.9620	 0.6310
e	 0.7600	 0.5390
f	 0.8430	 0.5560
g	 0.4160	 0.4930
h	 0.9650	 0.6160
i	 0.9890	 0.6260
j	 0.2870	 0.4630
k	 0.9110	 0.5940
l	 0.9340	 0.5980
m	 0.9350	 0.6030
o	 0.0070	 0.4880
p	 0.3940	 0.4020
q	 0.0570	 0.5540
r	 0.4620	 0.4120
s	 0.6270	 0.5080
t	 0.9250	 0.6230
u	 0.0110	 0.4850
v	 0.0160	 0.5190
w	 0.8750	 0.5860
x	 0.8780	 0.5880
y	 0.6110	 0.4880
z	 0.7570	 0.5180