



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 23, 2023 – 03:59 AM JST

PDB ID : 8GN2
Title : Crystal structure of PPBQ-bound photosystem II complex
Authors : Kamada, S.; Nakajima, Y.; Shen, J.-R.
Deposited on : 2022-08-22
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION








The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	344	
1	a	344	
2	B	505	
2	b	505	
3	C	455	
3	c	455	
4	D	342	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	d	342	4% 99%
5	E	83	13% 95%
5	e	83	23% 92% 5%
6	F	44	2% 77% 23%
6	f	44	5% 70% 30%
7	H	63	3% 98%
7	h	63	13% 98%
8	I	38	8% 92% 5%
8	i	38	3% 89% 5% 5%
9	J	40	5% 90% 10%
9	j	40	20% 95%
10	K	37	3% 97%
10	k	37	8% 100%
11	L	37	3% 100%
11	l	37	3% 97%
12	M	36	89% 8%
12	m	36	3% 89% 6% 6%
13	O	244	21% 99%
13	o	244	16% 99%
14	T	32	3% 91% 6%
14	t	32	9% 91% 6%
15	U	104	3% 93% 7%
15	u	104	2% 91% 7%
16	V	137	3% 100%
16	v	137	15% 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
17	Y	30	
17	y	30	
18	X	40	
18	x	40	
19	Z	62	
19	z	62	
20	R	41	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
24	CLA	A	405	X	-	-	-
24	CLA	B	602	X	-	-	-
24	CLA	B	603	X	-	-	-
24	CLA	B	604	X	-	-	-
24	CLA	B	605	X	-	-	-
24	CLA	B	606	X	-	-	-
24	CLA	B	607	X	-	-	-
24	CLA	B	608	X	-	-	-
24	CLA	B	610	X	-	-	-
24	CLA	B	611	X	-	-	-
24	CLA	B	612	X	-	-	-
24	CLA	B	613	X	-	-	-
24	CLA	B	614	X	-	-	-
24	CLA	B	615	X	-	-	-
24	CLA	B	616	X	-	-	-
24	CLA	B	617	X	-	-	-
24	CLA	C	502	X	-	-	-
24	CLA	C	505	X	-	-	-
24	CLA	C	506	X	-	-	-
24	CLA	C	507	X	-	-	-
24	CLA	C	508	X	-	-	-
24	CLA	C	509	X	-	-	-
24	CLA	C	510	X	-	-	-
24	CLA	C	511	X	-	-	-
24	CLA	C	512	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
24	CLA	C	513	X	-	-	-
24	CLA	D	403	X	-	-	-
24	CLA	D	404	X	-	-	-
24	CLA	a	408	X	-	-	-
24	CLA	a	409	X	-	-	-
24	CLA	a	412	X	-	-	-
24	CLA	b	604	X	-	-	-
24	CLA	b	605	X	-	-	-
24	CLA	b	606	X	-	-	-
24	CLA	b	607	X	-	-	-
24	CLA	b	608	X	-	-	-
24	CLA	b	609	X	-	-	-
24	CLA	b	610	X	-	-	-
24	CLA	b	612	X	-	-	-
24	CLA	b	613	X	-	-	-
24	CLA	b	614	X	-	-	-
24	CLA	b	615	X	-	-	-
24	CLA	b	616	X	-	-	-
24	CLA	b	617	X	-	-	-
24	CLA	b	618	X	-	-	-
24	CLA	b	619	X	-	-	-
24	CLA	c	503	X	-	-	-
24	CLA	c	504	X	-	-	-
24	CLA	c	505	X	-	-	-
24	CLA	c	506	X	-	-	-
24	CLA	c	507	X	-	-	-
24	CLA	c	508	X	-	-	-
24	CLA	c	509	X	-	-	-
24	CLA	c	510	X	-	-	-
24	CLA	c	511	X	-	-	-
24	CLA	c	512	X	-	-	-
24	CLA	c	513	X	-	-	-
24	CLA	c	514	X	-	-	-
24	CLA	d	404	X	-	-	-
29	LMT	C	521	-	-	-	X
29	LMT	c	523	-	-	-	X
31	UNL	A	418	-	-	-	X
31	UNL	B	639	-	-	-	X
31	UNL	E	103	-	-	-	X
31	UNL	a	419	-	-	-	X
31	UNL	b	635	-	-	-	X
31	UNL	h	1201	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
31	UNL	h	1207	-	-	-	X
31	UNL	i	103	-	-	-	X
33	PL9	A	422[B]	-	-	-	X
33	PL9	a	425[B]	-	-	-	X
36	HTG	D	413	-	-	-	X
36	HTG	c	525	-	-	-	X

2 Entry composition [i](#)

There are 44 unique types of molecules in this entry. The entry contains 55061 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem II protein D1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	334	2624	1720	431	458	15	0	3	0
1	a	334	2620	1717	431	457	15	0	3	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	279	PRO	ARG	conflict	UNP P51765
a	279	PRO	ARG	conflict	UNP P51765

- Molecule 2 is a protein called Photosystem II CP47 reaction center protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	505	4007	2631	670	693	13	0	9	0
2	b	503	3989	2621	661	694	13	0	10	0

- Molecule 3 is a protein called Photosystem II CP43 reaction center protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	451	3494	2286	585	610	13	0	2	0
3	c	455	3516	2305	587	611	13	0	2	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	19	ASN	-	expression tag	UNP D0VWR7
C	20	SER	-	expression tag	UNP D0VWR7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	21	ILE	-	expression tag	UNP D0VWR7
C	22	PHE	-	expression tag	UNP D0VWR7
c	19	ASN	-	expression tag	UNP D0VWR7
c	20	SER	-	expression tag	UNP D0VWR7
c	21	ILE	-	expression tag	UNP D0VWR7
c	22	PHE	-	expression tag	UNP D0VWR7

- Molecule 4 is a protein called Photosystem II D2 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	342	Total	C	N	O	S	0	2	0
			2731	1812	444	463	12			
4	d	342	Total	C	N	O	S	0	3	0
			2738	1815	447	464	12			

- Molecule 5 is a protein called Cytochrome b559 subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	81	Total	C	N	O		0	0	0
			657	429	106	122				
5	e	79	Total	C	N	O		0	0	0
			639	419	103	117				

- Molecule 6 is a protein called Cytochrome b559 subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	34	Total	C	N	O	S	0	0	0
			274	187	45	41	1			
6	f	31	Total	C	N	O	S	0	0	0
			250	170	42	37	1			

- Molecule 7 is a protein called Photosystem II reaction center protein H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	H	63	Total	C	N	O	S	0	0	0
			498	333	80	83	2			
7	h	63	Total	C	N	O	S	0	0	0
			498	333	80	83	2			

- Molecule 8 is a protein called Photosystem II reaction center protein I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	I	36	Total	C	N	O	S	0	0	0
			285	195	42	47	1			
8	i	36	Total	C	N	O	S	0	0	0
			296	200	46	49	1			

- Molecule 9 is a protein called Photosystem II reaction center protein J.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	J	36	Total	C	N	O	S	0	0	0
			251	171	37	42	1			
9	j	39	Total	C	N	O	S	0	0	0
			271	182	40	48	1			

- Molecule 10 is a protein called Photosystem II reaction center protein K.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	K	37	Total	C	N	O	0	1	0
			293	205	42	46			
10	k	37	Total	C	N	O	0	0	0
			286	198	42	46			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	33	LEU	PHE	conflict	UNP P19054
K	39	TRP	VAL	conflict	UNP P19054
k	33	LEU	PHE	conflict	UNP P19054
k	39	TRP	VAL	conflict	UNP P19054

- Molecule 11 is a protein called Photosystem II reaction center protein L.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	L	37	Total	C	N	O	S	0	1	0
			305	205	48	51	1			
11	l	37	Total	C	N	O	S	0	2	0
			309	209	48	51	1			

- Molecule 12 is a protein called Photosystem II reaction center protein M.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	M	33	Total	C	N	O	S	0	1	0
			265	178	38	48	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	m	34	Total	C	N	O	S	0	3	0
			281	191	39	50	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	8	LEU	PHE	conflict	UNP P12312
m	8	LEU	PHE	conflict	UNP P12312

- Molecule 13 is a protein called Photosystem II manganese-stabilizing polypeptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	O	244	Total	C	N	O	S	0	6	0
			1884	1180	313	386	5			
13	o	243	Total	C	N	O	S	0	5	0
			1871	1172	311	382	6			

- Molecule 14 is a protein called Photosystem II reaction center protein T.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	T	30	Total	C	N	O	S	0	0	0
			256	180	36	38	2			
14	t	30	Total	C	N	O	S	0	0	0
			256	180	36	38	2			

- Molecule 15 is a protein called Photosystem II 12 kDa extrinsic protein.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	U	97	Total	C	N	O	0	1	0
			776	493	130	153			
15	u	97	Total	C	N	O	0	1	0
			780	495	130	155			

- Molecule 16 is a protein called Cytochrome c-550.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	V	137	Total	C	N	O	S	0	2	0
			1063	676	178	205	4			
16	v	137	Total	C	N	O	S	0	1	0
			1060	671	177	208	4			

- Molecule 17 is a protein called Photosystem II reaction center protein Ycf12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	Y	28	Total	C	N	O	S	0	0	0
			198	130	33	32	3			
17	y	28	Total	C	N	O	S	0	0	0
			196	128	33	32	3			

- Molecule 18 is a protein called Photosystem II reaction center protein X.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	X	38	Total	C	N	O		0	0	0
			279	187	45	47				
18	x	37	Total	C	N	O		0	1	0
			273	185	43	45				


- Molecule 19 is a protein called Photosystem II reaction center protein Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	Z	62	Total	C	N	O	S	0	0	0
			461	319	67	73	2			
19	z	60	Total	C	N	O	S	0	0	0
			446	306	69	70	1			

- Molecule 20 is a protein called Photosystem II protein Y.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	R	34	Total	C	N	O		0	0	0
			240	159	42	39				

- Molecule 21 is CA-MN4-O5 CLUSTER (three-letter code: OEX) (formula: CaMn_4O_5).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	Ca	Mn	O		
21	A	1	10	1	4	5	0	0
21	a	1	10	1	4	5	0	0


- Molecule 22 is FE (II) ION (three-letter code: FE2) (formula: Fe) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Fe		
22	A	1	1	1	0	0
22	a	1	1	1	0	0

- Molecule 23 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cl		
23	A	2	2	2	0	0
23	a	2	2	2	0	0

- Molecule 24 is CHLOROPHYLL A (three-letter code: CLA) (formula: C₅₅H₇₂MgN₄O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
24	A	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	A	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	A	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	A	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	C	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	C	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	C	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	C	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	C	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	C	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	C	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	C	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	C	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	C	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	D	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	D	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
24	a	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	a	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	a	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	a	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	b	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	c	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
24	c	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	c	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	c	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	c	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	c	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	c	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	c	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	c	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	c	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	d	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	d	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		

- Molecule 25 is PHEOPHYTIN A (three-letter code: PHO) (formula: C₅₅H₇₄N₄O₅).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
25	A	1	64	55	4	5	0	0
25	D	1	64	55	4	5	0	0
25	a	1	64	55	4	5	0	0
25	d	1	64	55	4	5	0	0

- Molecule 26 is BETA-CAROTENE (three-letter code: BCR) (formula: $C_{40}H_{56}$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
26	A	1	Total C 40 40	0	0
26	B	1	Total C 40 40	0	0
26	B	1	Total C 40 40	0	0
26	B	1	Total C 40 40	0	0
26	B	1	Total C 40 40	0	0
26	C	1	Total C 40 40	0	0
26	C	1	Total C 40 40	0	0
26	D	1	Total C 40 40	0	0
26	K	1	Total C 40 40	0	0
26	T	1	Total C 40 40	0	0
26	Y	1	Total C 40 40	0	0
26	a	1	Total C 40 40	0	0
26	b	1	Total C 40 40	0	0
26	b	1	Total C 40 40	0	0
26	b	1	Total C 40 40	0	0
26	c	1	Total C 40 40	0	0
26	c	1	Total C 40 40	0	0
26	d	1	Total C 40 40	0	0
26	k	1	Total C 40 40	0	0
26	k	1	Total C 40 40	0	0

- Molecule 27 is 1,2-DI-O-ACYL-3-O-[6-DEOXY-6-SULFO-ALPHA-D-GLUCOPYRANOSYL]-SN-GLYCEROL (three-letter code: SQD) (formula: C₄₁H₇₈O₁₂S).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
27	A	1	54	41	12	1	0	0
27	A	1	54	41	12	1	0	0
27	D	1	45	32	12	1	0	0
27	L	1	54	41	12	1	0	0
27	L	1	54	41	12	1	0	0
27	a	1	54	41	12	1	0	0
27	a	1	54	41	12	1	0	0
27	f	1	33	23	9	1	0	0

- Molecule 28 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (three-letter code: LMG) (formula: C₄₅H₈₆O₁₀).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
28	A	1	51	41	10	0	0
28	B	1	51	41	10	0	0
28	C	1	51	41	10	0	0
28	C	1	51	41	10	0	0
28	D	1	51	41	10	0	0
28	a	1	51	41	10	0	0
28	b	1	51	41	10	0	0
28	c	1	51	41	10	0	0
28	c	1	51	41	10	0	0
28	d	1	51	41	10	0	0

- Molecule 29 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula: $C_{24}H_{46}O_{11}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
29	A	1	Total	C	O	0	0
			35	24	11		
29	B	1	Total	C	O	0	0
			35	24	11		
29	B	1	Total	C	O	0	0
			24	18	6		
29	C	1	Total	C	O	0	0
			35	24	11		
29	E	1	Total	C	O	0	0
			24	18	6		
29	J	1	Total	C	O	0	0
			24	18	6		
29	M	1	Total	C	O	0	0
			35	24	11		
29	T	1	Total	C	O	0	0
			24	18	6		
29	Z	1	Total	C	O	0	0
			35	24	11		
29	a	1	Total	C	O	0	0
			35	24	11		
29	b	1	Total	C	O	0	0
			25	19	6		
29	c	1	Total	C	O	0	0
			35	24	11		
29	f	1	Total	C	O	0	0
			35	24	11		
29	m	1	Total	C	O	0	0
			35	24	11		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
29	m	1	Total	C	O	0	0
			35	24	11		
29	m	1	Total	C	O	0	0
			35	24	11		
29	z	1	Total	C	O	0	0
			32	21	11		

- Molecule 30 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
30	A	1	Total	C	O	0	0
			6	3	3		
30	A	1	Total	C	O	0	0
			6	3	3		
30	B	1	Total	C	O	0	0
			6	3	3		
30	B	1	Total	C	O	0	0
			6	3	3		
30	B	1	Total	C	O	0	0
			6	3	3		
30	B	1	Total	C	O	0	0
			6	3	3		
30	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
30	C	1	Total 6	C 3	O 3	0	0
30	C	1	Total 6	C 3	O 3	0	0
30	C	1	Total 6	C 3	O 3	0	0
30	C	1	Total 6	C 3	O 3	0	0
30	C	1	Total 6	C 3	O 3	0	0
30	E	1	Total 6	C 3	O 3	0	0
30	L	1	Total 6	C 3	O 3	0	0
30	M	1	Total 6	C 3	O 3	0	0
30	O	1	Total 6	C 3	O 3	0	0
30	T	1	Total 6	C 3	O 3	0	0
30	T	1	Total 6	C 3	O 3	0	0
30	V	1	Total 6	C 3	O 3	0	0
30	V	1	Total 6	C 3	O 3	0	0
30	V	1	Total 6	C 3	O 3	0	0
30	V	1	Total 6	C 3	O 3	0	0
30	a	1	Total 6	C 3	O 3	0	0
30	a	1	Total 6	C 3	O 3	0	0
30	a	1	Total 6	C 3	O 3	0	0
30	a	1	Total 6	C 3	O 3	0	0
30	b	1	Total 6	C 3	O 3	0	0
30	b	1	Total 6	C 3	O 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
30	b	1	Total 6	C 3	O 3	0	0
30	b	1	Total 6	C 3	O 3	0	0
30	c	1	Total 6	C 3	O 3	0	0
30	c	1	Total 6	C 3	O 3	0	0
30	c	1	Total 6	C 3	O 3	0	0
30	c	1	Total 6	C 3	O 3	0	0
30	d	1	Total 6	C 3	O 3	0	0
30	d	1	Total 6	C 3	O 3	0	0
30	h	1	Total 6	C 3	O 3	0	0
30	k	1	Total 6	C 3	O 3	0	0
30	o	1	Total 6	C 3	O 3	0	0
30	o	1	Total 6	C 3	O 3	0	0
30	u	1	Total 6	C 3	O 3	0	0
30	v	1	Total 6	C 3	O 3	0	0
30	v	1	Total 6	C 3	O 3	0	0
30	v	1	Total 6	C 3	O 3	0	0
30	v	1	Total 6	C 3	O 3	0	0
30	v	1	Total 6	C 3	O 3	0	0

- Molecule 31 is UNKNOWN LIGAND (three-letter code: UNL) (formula:).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
31	A	4	Total C O 74 69 5	0	0
31	B	7	Total C O 99 95 4	0	0
31	C	3	Total C O 73 66 7	0	0
31	D	3	Total C O 68 63 5	0	0
31	E	2	Total C 30 30	0	0
31	H	1	Total C 8 8	0	0
31	I	3	Total C 47 47	0	0
31	J	2	Total C 31 31	0	0
31	T	1	Total C 9 9	0	0
31	Y	1	Total C 12 12	0	0
31	X	1	Total C 16 16	0	0
31	a	4	Total C O 73 68 5	0	0
31	b	5	Total C 70 70	0	0
31	c	4	Total C O 74 67 7	0	0
31	d	2	Total C O 56 51 5	0	0
31	e	1	Total C 15 15	0	0
31	h	3	Total C 39 39	0	0
31	i	3	Total C O 71 66 5	0	0
31	j	2	Total C O 34 32 2	0	0
31	k	1	Total C 16 16	0	0
31	l	1	Total C O 16 14 2	0	0
31	t	1	Total C 8 8	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
31	x	2	Total	C	O	0	0
			30	28	2		

- Molecule 32 is 2-phenylcyclohexa-2,5-diene-1,4-dione (three-letter code: K3C) (formula: $C_{12}H_8O_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
32	A	1	Total	C	O	0	1
			14	12	2		
32	a	1	Total	C	O	0	1
			14	12	2		

- Molecule 33 is 2,3-DIMETHYL-5-(3,7,11,15,19,23,27,31,35-NONAMETHYL-2,6,10,14,18,22,26,30,34-HEXATRIACONTANONAENYL-2,5-CYCLOHEXADIENE-1,4-DIONE-2,3-DIMETHYL-5-SOLANESYL-1,4-BENZOQUINONE (three-letter code: PL9) (formula: $C_{53}H_{80}O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
33	A	1	Total	C	O	0	1
			55	53	2		
33	D	1	Total	C	O	0	0
			55	53	2		
33	a	1	Total	C	O	0	1
			55	53	2		
33	d	1	Total	C	O	0	0
			55	53	2		

- Molecule 34 is BICARBONATE ION (three-letter code: BCT) (formula: CHO_3) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
34	A	1	Total C O 4 1 3	0	0
34	a	1	Total C O 4 1 3	0	0

- Molecule 35 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
35	B	1	Total Ca 1 1	0	0
35	F	1	Total Ca 1 1	0	0
35	O	1	Total Ca 1 1	0	0
35	b	1	Total Ca 1 1	0	0
35	c	1	Total Ca 1 1	0	0
35	f	1	Total Ca 1 1	0	0
35	o	1	Total Ca 1 1	0	0


- Molecule 36 is heptyl 1-thio-beta-D-glucopyranoside (three-letter code: HTG) (formula: C₁₃H₂₆O₅S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
36	B	1	Total	C	O	S	0	1
			38	26	10	2		
36	B	1	Total	C	O	S	0	0
			19	13	5	1		
36	B	1	Total	C	O	S	0	0
			19	13	5	1		
36	B	1	Total	C	O	S	0	0
			19	13	5	1		
36	C	1	Total	C	O	S	0	0
			19	13	5	1		
36	C	1	Total	C	O	S	0	0
			19	13	5	1		
36	D	1	Total	C	O	S	0	0
			19	13	5	1		
36	I	1	Total	C	O	S	0	0
			19	13	5	1		
36	O	1	Total	C	O	S	0	0
			19	13	5	1		
36	U	1	Total	C	S		0	0
			9	8	1			
36	V	1	Total	C	O	S	0	0
			13	7	5	1		
36	b	1	Total	C	O	S	0	0
			19	13	5	1		
36	b	1	Total	C	O	S	0	0
			19	13	5	1		
36	b	1	Total	C	O	S	0	0
			19	13	5	1		
36	b	1	Total	C	O	S	0	0
			19	13	5	1		
36	c	1	Total	C	O	S	0	0
			19	13	5	1		
36	c	1	Total	C	O	S	0	0
			19	13	5	1		
36	d	1	Total	C	O	S	0	0
			19	13	5	1		
36	h	1	Total	C	O	S	0	0
			19	13	5	1		
36	o	1	Total	C	O	S	0	0
			19	13	5	1		
36	u	1	Total	C	O	S	0	0
			14	10	3	1		


- Molecule 37 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (three-letter code:

LHG) (formula: C₃₈H₇₅O₁₀P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
37	B	1	Total	C	O	P	0	0
			49	38	10	1		
37	D	1	Total	C	O	P	0	0
			49	38	10	1		
37	D	1	Total	C	O	P	0	0
			49	38	10	1		
37	D	1	Total	C	O	P	0	0
			46	35	10	1		
37	E	1	Total	C	O	P	0	0
			49	38	10	1		
37	d	1	Total	C	O	P	0	0
			49	38	10	1		
37	d	1	Total	C	O	P	0	0
			49	38	10	1		
37	d	1	Total	C	O	P	0	0
			39	28	10	1		
37	e	1	Total	C	O	P	0	0
			40	29	10	1		
37	l	1	Total	C	O	P	0	0
			49	38	10	1		

- Molecule 38 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C₂H₆OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
38	B	1	Total	C	O	S	0	0
			4	2	1	1		
38	B	1	Total	C	O	S	0	0
			4	2	1	1		
38	B	1	Total	C	O	S	0	0
			4	2	1	1		
38	B	1	Total	C	O	S	0	0
			4	2	1	1		
38	B	1	Total	C	O	S	0	0
			4	2	1	1		
38	C	1	Total	C	O	S	0	0
			4	2	1	1		
38	C	1	Total	C	O	S	0	0
			4	2	1	1		
38	D	1	Total	C	O	S	0	0
			4	2	1	1		
38	E	1	Total	C	O	S	0	0
			4	2	1	1		
38	O	1	Total	C	O	S	0	0
			4	2	1	1		
38	V	1	Total	C	O	S	0	0
			4	2	1	1		
38	Y	1	Total	C	O	S	0	0
			4	2	1	1		
38	a	1	Total	C	O	S	0	0
			4	2	1	1		
38	b	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
38	b	1	Total	C	O	S	0	0
			4	2	1	1		
38	b	1	Total	C	O	S	0	0
			4	2	1	1		
38	c	1	Total	C	O	S	0	0
			4	2	1	1		
38	c	1	Total	C	O	S	0	0
			4	2	1	1		
38	c	1	Total	C	O	S	0	0
			4	2	1	1		
38	c	1	Total	C	O	S	0	0
			4	2	1	1		
38	c	1	Total	C	O	S	0	0
			4	2	1	1		
38	d	1	Total	C	O	S	0	0
			4	2	1	1		
38	d	1	Total	C	O	S	0	0
			4	2	1	1		
38	i	1	Total	C	O	S	0	0
			4	2	1	1		
38	o	1	Total	C	O	S	0	0
			4	2	1	1		
38	o	1	Total	C	O	S	0	0
			4	2	1	1		
38	o	1	Total	C	O	S	0	0
			4	2	1	1		
38	o	1	Total	C	O	S	0	0
			4	2	1	1		
38	o	1	Total	C	O	S	0	0
			4	2	1	1		
38	v	1	Total	C	O	S	0	0
			4	2	1	1		
38	z	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 39 is DIGALACTOSYL DIACYL GLYCEROL (DGDG) (three-letter code: DGD) (formula: C₅₁H₉₆O₁₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
39	C	1	Total	C	O	0	0
			62	47	15		
39	C	1	Total	C	O	0	0
			62	47	15		
39	C	1	Total	C	O	0	0
			62	47	15		
39	D	1	Total	C	O	0	0
			53	42	11		
39	H	1	Total	C	O	0	0
			62	47	15		
39	c	1	Total	C	O	0	0
			62	47	15		
39	c	1	Total	C	O	0	0
			62	47	15		
39	c	1	Total	C	O	0	0
			62	47	15		
39	h	1	Total	C	O	0	0
			62	47	15		

- Molecule 40 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
40	F	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
40	f	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 41 is (3R)-beta,beta-caroten-3-ol (three-letter code: RRX) (formula: C₄₀H₅₆O).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
41	H	1	Total	C	O	0	0
			41	40	1		
41	h	1	Total	C	O	0	0
			41	40	1		

- Molecule 42 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
42	J	1	Total Mg 1 1	0	0
42	j	1	Total Mg 1 1	0	0

- Molecule 43 is HEME C (three-letter code: HEC) (formula: C₃₄H₃₄FeN₄O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
43	V	1	Total C Fe N O 43 34 1 4 4	0	0
43	v	1	Total C Fe N O 43 34 1 4 4	0	0

- Molecule 44 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
44	A	176	Total O 176 176	0	0
44	B	363	Total O 364 364	0	1
44	C	284	Total O 284 284	0	0
44	D	166	Total O 166 166	0	0
44	E	47	Total O 47 47	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
44	F	18	Total O 18 18	0	0
44	H	62	Total O 62 62	0	0
44	I	18	Total O 18 18	0	0
44	J	15	Total O 15 15	0	0
44	K	11	Total O 11 11	0	0
44	L	31	Total O 31 31	0	0
44	M	17	Total O 17 17	0	0
44	O	195	Total O 196 196	0	1
44	T	20	Total O 20 20	0	0
44	U	102	Total O 102 102	0	0
44	V	158	Total O 159 159	0	1
44	Y	9	Total O 9 9	0	0
44	X	16	Total O 16 16	0	0
44	a	164	Total O 164 164	0	0
44	b	323	Total O 325 325	0	2
44	c	273	Total O 275 275	0	2
44	d	157	Total O 157 157	0	0
44	e	29	Total O 29 29	0	0
44	f	11	Total O 11 11	0	0
44	h	45	Total O 45 45	0	0
44	i	10	Total O 10 10	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
44	j	13	Total 13	O 13	0	0
44	k	11	Total 11	O 11	0	0
44	l	15	Total 15	O 15	0	0
44	m	26	Total 26	O 26	0	0
44	o	184	Total 184	O 184	0	0
44	t	18	Total 19	O 19	0	1
44	u	105	Total 106	O 106	0	1
44	v	106	Total 109	O 109	0	3
44	y	12	Total 12	O 12	0	0
44	x	18	Total 18	O 18	0	0
44	z	7	Total 7	O 7	0	0
44	R	2	Total 2	O 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Photosystem II protein D1




- Molecule 1: Photosystem II protein D1




- Molecule 2: Photosystem II CP47 reaction center protein




- Molecule 2: Photosystem II CP47 reaction center protein







- Molecule 3: Photosystem II CP43 reaction center protein




- Molecule 3: Photosystem II CP43 reaction center protein




- Molecule 4: Photosystem II D2 protein




- Molecule 4: Photosystem II D2 protein




- Molecule 5: Cytochrome b559 subunit alpha





- Molecule 5: Cytochrome b559 subunit alpha






- Molecule 6: Cytochrome b559 subunit beta




- Molecule 6: Cytochrome b559 subunit beta





- Molecule 7: Photosystem II reaction center protein H





- Molecule 7: Photosystem II reaction center protein H





- Molecule 8: Photosystem II reaction center protein I




- Molecule 8: Photosystem II reaction center protein I



- Molecule 9: Photosystem II reaction center protein J




- Molecule 9: Photosystem II reaction center protein J



- Molecule 10: Photosystem II reaction center protein K



- Molecule 10: Photosystem II reaction center protein K





- Molecule 11: Photosystem II reaction center protein L




- Molecule 11: Photosystem II reaction center protein L




- Molecule 12: Photosystem II reaction center protein M




- Molecule 12: Photosystem II reaction center protein M




- Molecule 13: Photosystem II manganese-stabilizing polypeptide




- Molecule 13: Photosystem II manganese-stabilizing polypeptide




- Molecule 14: Photosystem II reaction center protein T





- Molecule 14: Photosystem II reaction center protein T




- Molecule 15: Photosystem II 12 kDa extrinsic protein




- Molecule 15: Photosystem II 12 kDa extrinsic protein





- Molecule 16: Cytochrome c-550





- Molecule 16: Cytochrome c-550




- Molecule 17: Photosystem II reaction center protein Ycf12





- Molecule 17: Photosystem II reaction center protein Ycf12




- Molecule 18: Photosystem II reaction center protein X




- Molecule 18: Photosystem II reaction center protein X




- Molecule 19: Photosystem II reaction center protein Z



- Molecule 19: Photosystem II reaction center protein Z



- Molecule 20: Photosystem II protein Y



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	124.02Å 229.58Å 287.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.22 – 1.95 49.22 – 1.95	Depositor EDS
% Data completeness (in resolution range)	98.7 (49.22-1.95) 88.5 (49.22-1.95)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.94 (at 1.95Å)	Xtrriage
Refinement program	REFMAC 5.8.0258, PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.153 , 0.181 0.157 , 0.184	Depositor DCC
R_{free} test set	29246 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	34.0	Xtrriage
Anisotropy	0.640	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 73.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	55061	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LMT, RRX, SQD, HEC, HSK, CL, PL9, DGD, FME, LHG, DMS, HEM, LMG, MG, UNL, PHO, FE2, CA, K3C, BCR, BCT, HTG, OEX, CLA, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/2718	0.54	0/3707
1	a	0.42	0/2713	0.53	0/3700
2	B	0.40	0/4174	0.51	0/5687
2	b	0.38	0/4158	0.52	0/5667
3	C	0.37	0/3613	0.49	0/4919
3	c	0.36	0/3636	0.50	0/4952
4	D	0.44	0/2809	0.54	0/3827
4	d	0.42	0/2819	0.52	0/3840
5	E	0.34	0/676	0.49	0/924
5	e	0.30	0/658	0.45	0/899
6	F	0.35	0/283	0.47	0/386
6	f	0.34	0/257	0.43	0/349
7	H	0.35	0/511	0.50	0/697
7	h	0.31	0/511	0.49	0/697
8	I	0.31	0/282	0.44	0/383
8	i	0.32	0/293	0.48	0/396
9	J	0.33	0/257	0.46	0/349
9	j	0.30	0/277	0.46	0/376
10	K	0.33	0/306	0.46	0/422
10	k	0.32	0/296	0.46	0/408
11	L	0.40	0/315	0.50	0/428
11	l	0.42	0/322	0.50	0/438
12	M	0.38	0/261	0.59	0/357
12	m	0.39	0/283	0.49	0/386
13	O	0.37	0/1933	0.58	0/2623
13	o	0.34	0/1917	0.57	0/2601
14	T	0.44	0/255	0.48	0/346
14	t	0.46	0/255	0.48	0/346
15	U	0.37	0/790	0.54	0/1071
15	u	0.38	0/794	0.53	0/1076
16	V	0.38	0/1090	0.53	0/1481

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	v	0.34	0/1084	0.51	0/1475
17	Y	0.30	0/199	0.44	0/266
17	y	0.27	0/197	0.45	0/264
18	X	0.31	0/282	0.40	0/381
18	x	0.27	0/279	0.39	0/377
19	Z	0.29	0/462	0.42	0/635
19	z	0.29	0/457	0.44	0/626
20	R	0.26	0/246	0.36	0/341
All	All	0.38	0/42668	0.51	0/58103

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/344 (97%)	331 (99%)	3 (1%)	1 (0%)	41	30
1	a	335/344 (97%)	330 (98%)	4 (1%)	1 (0%)	41	30
2	B	512/505 (101%)	506 (99%)	6 (1%)	0	100	100
2	b	511/505 (101%)	505 (99%)	6 (1%)	0	100	100
3	C	451/455 (99%)	443 (98%)	7 (2%)	1 (0%)	47	38
3	c	455/455 (100%)	444 (98%)	10 (2%)	1 (0%)	47	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	D	340/342 (99%)	334 (98%)	6 (2%)	0	100	100
4	d	341/342 (100%)	334 (98%)	7 (2%)	0	100	100
5	E	79/83 (95%)	79 (100%)	0	0	100	100
5	e	77/83 (93%)	77 (100%)	0	0	100	100
6	F	32/44 (73%)	32 (100%)	0	0	100	100
6	f	29/44 (66%)	29 (100%)	0	0	100	100
7	H	61/63 (97%)	58 (95%)	3 (5%)	0	100	100
7	h	61/63 (97%)	58 (95%)	3 (5%)	0	100	100
8	I	34/38 (90%)	33 (97%)	1 (3%)	0	100	100
8	i	34/38 (90%)	33 (97%)	1 (3%)	0	100	100
9	J	34/40 (85%)	33 (97%)	1 (3%)	0	100	100
9	j	37/40 (92%)	37 (100%)	0	0	100	100
10	K	36/37 (97%)	36 (100%)	0	0	100	100
10	k	35/37 (95%)	35 (100%)	0	0	100	100
11	L	36/37 (97%)	36 (100%)	0	0	100	100
11	l	37/37 (100%)	37 (100%)	0	0	100	100
12	M	32/36 (89%)	32 (100%)	0	0	100	100
12	m	35/36 (97%)	35 (100%)	0	0	100	100
13	O	248/244 (102%)	244 (98%)	4 (2%)	0	100	100
13	o	246/244 (101%)	240 (98%)	6 (2%)	0	100	100
14	T	28/32 (88%)	28 (100%)	0	0	100	100
14	t	28/32 (88%)	28 (100%)	0	0	100	100
15	U	96/104 (92%)	93 (97%)	3 (3%)	0	100	100
15	u	96/104 (92%)	93 (97%)	3 (3%)	0	100	100
16	V	137/137 (100%)	135 (98%)	2 (2%)	0	100	100
16	v	136/137 (99%)	133 (98%)	3 (2%)	0	100	100
17	Y	26/30 (87%)	25 (96%)	1 (4%)	0	100	100
17	y	26/30 (87%)	26 (100%)	0	0	100	100
18	X	36/40 (90%)	35 (97%)	1 (3%)	0	100	100
18	x	36/40 (90%)	35 (97%)	1 (3%)	0	100	100
19	Z	60/62 (97%)	59 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	z	58/62 (94%)	56 (97%)	1 (2%)	1 (2%)	9	2
20	R	32/41 (78%)	32 (100%)	0	0	100	100
All	All	5258/5387 (98%)	5169 (98%)	84 (2%)	5 (0%)	51	43

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
19	z	3	ILE
3	C	416	SER
3	c	416	SER
1	a	259	ILE
1	A	259	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/279 (97%)	270 (100%)	0	100	100
1	a	270/279 (97%)	270 (100%)	0	100	100
2	B	406/403 (101%)	403 (99%)	3 (1%)	84	82
2	b	405/403 (100%)	403 (100%)	2 (0%)	88	88
3	C	354/356 (99%)	350 (99%)	4 (1%)	73	71
3	c	353/356 (99%)	348 (99%)	5 (1%)	67	62
4	D	275/276 (100%)	273 (99%)	2 (1%)	84	82
4	d	277/276 (100%)	275 (99%)	2 (1%)	84	82
5	E	71/72 (99%)	69 (97%)	2 (3%)	43	33
5	e	68/72 (94%)	65 (96%)	3 (4%)	28	15
6	F	27/38 (71%)	27 (100%)	0	100	100
6	f	25/38 (66%)	25 (100%)	0	100	100
7	H	53/53 (100%)	52 (98%)	1 (2%)	57	50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	h	53/53 (100%)	52 (98%)	1 (2%)	57	50
8	I	29/34 (85%)	29 (100%)	0	100	100
8	i	32/34 (94%)	31 (97%)	1 (3%)	40	28
9	J	23/28 (82%)	23 (100%)	0	100	100
9	j	25/28 (89%)	24 (96%)	1 (4%)	31	19
10	K	30/30 (100%)	29 (97%)	1 (3%)	38	26
10	k	28/30 (93%)	28 (100%)	0	100	100
11	L	35/35 (100%)	35 (100%)	0	100	100
11	l	36/35 (103%)	35 (97%)	1 (3%)	43	33
12	M	30/32 (94%)	30 (100%)	0	100	100
12	m	32/32 (100%)	30 (94%)	2 (6%)	18	7
13	O	209/207 (101%)	206 (99%)	3 (1%)	67	62
13	o	207/207 (100%)	205 (99%)	2 (1%)	76	74
14	T	25/28 (89%)	25 (100%)	0	100	100
14	t	25/28 (89%)	25 (100%)	0	100	100
15	U	84/89 (94%)	84 (100%)	0	100	100
15	u	85/89 (96%)	83 (98%)	2 (2%)	49	40
16	V	115/117 (98%)	115 (100%)	0	100	100
16	v	115/117 (98%)	115 (100%)	0	100	100
17	Y	18/23 (78%)	17 (94%)	1 (6%)	21	9
17	y	18/23 (78%)	17 (94%)	1 (6%)	21	9
18	X	30/33 (91%)	30 (100%)	0	100	100
18	x	29/33 (88%)	29 (100%)	0	100	100
19	Z	46/51 (90%)	45 (98%)	1 (2%)	52	44
19	z	44/51 (86%)	42 (96%)	2 (4%)	27	15
20	R	19/33 (58%)	18 (95%)	1 (5%)	22	10
All	All	4276/4401 (97%)	4232 (99%)	44 (1%)	76	74

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	86	ILE
2	B	362	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	472	ARG
3	C	255	THR
3	C	289	PHE
3	C	391	ARG
3	C	418	ASN
4	D	90	LEU
4	D	180	ARG
5	E	4	THR
5	E	60	GLN
7	H	49	TYR
10	K	17	ILE
13	O	23	ASP
13	O	59	LYS
13	O	118	LEU
17	Y	42	ARG
19	Z	4	LEU
2	b	362	PHE
2	b	472	ARG
3	c	255	THR
3	c	289	PHE
3	c	391[A]	ARG
3	c	391[B]	ARG
3	c	418	ASN
4	d	90	LEU
4	d	180	ARG
5	e	8	ARG
5	e	17	VAL
5	e	60	GLN
7	h	49	TYR
8	i	36	ASP
9	j	3	SER
11	l	8	GLN
12	m	16[A]	LEU
12	m	16[B]	LEU
13	o	118	LEU
13	o	234	LYS
15	u	8	GLU
15	u	9	LEU
17	y	42	ARG
19	z	4	LEU
19	z	35	ARG
20	R	34	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
11	1	8	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

11 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	FME	i	1	8	8,9,10	0.60	0	7,9,11	1.57	2 (28%)
4	HSK	d	336[B]	-	7,11,12	1.29	1 (14%)	3,14,16	1.40	1 (33%)
8	FME	I	1	8	8,9,10	0.63	0	7,9,11	1.86	4 (57%)
12	FME	M	1	12	8,9,10	0.60	0	7,9,11	1.50	1 (14%)
14	FME	t	1	14	8,9,10	0.60	0	7,9,11	1.50	2 (28%)
4	HSK	D	336[B]	-	7,11,12	1.26	1 (14%)	3,14,16	1.45	1 (33%)
4	HSK	D	336[A]	-	7,10,12	0.87	0	3,12,16	1.15	0
4	HSK	d	336[A]	-	7,10,12	1.06	1 (14%)	3,12,16	1.05	0
14	FME	T	1	14	8,9,10	0.56	0	7,9,11	1.84	3 (42%)
19	FME	Z	1	19	8,9,10	0.64	0	7,9,11	1.63	2 (28%)
12	FME	m	1	12	8,9,10	0.64	0	7,9,11	1.72	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	FME	i	1	8	-	0/7/9/11	-
4	HSK	d	336[B]	-	-	0/5/6/8	0/1/1/1
8	FME	I	1	8	-	2/7/9/11	-
12	FME	M	1	12	-	2/7/9/11	-
14	FME	t	1	14	-	1/7/9/11	-
4	HSK	D	336[B]	-	-	0/5/6/8	0/1/1/1
4	HSK	D	336[A]	-	-	2/5/6/8	0/1/1/1
4	HSK	d	336[A]	-	-	0/5/6/8	0/1/1/1
14	FME	T	1	14	-	2/7/9/11	-
19	FME	Z	1	19	-	3/7/9/11	-
12	FME	m	1	12	-	3/7/9/11	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	d	336[B]	HSK	CE1-ND1	-3.02	1.33	1.36
4	D	336[B]	HSK	CE1-ND1	-2.86	1.33	1.36
4	d	336[A]	HSK	CE1-ND1	-2.27	1.34	1.36

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	m	1	FME	CE-SD-CG	3.48	112.35	100.40
8	I	1	FME	CA-N-CN	-3.41	117.57	122.82
14	T	1	FME	O-C-CA	-2.80	117.43	124.78
12	M	1	FME	CE-SD-CG	2.55	109.15	100.40
14	T	1	FME	CA-N-CN	-2.52	118.95	122.82
14	t	1	FME	O-C-CA	-2.35	118.62	124.78
19	Z	1	FME	CE-SD-CG	2.32	108.36	100.40
4	d	336[B]	HSK	CD2-NE2-CE1	2.31	109.38	105.78
4	D	336[B]	HSK	CD2-NE2-CE1	2.27	109.32	105.78
8	i	1	FME	CE-SD-CG	2.13	107.72	100.40
8	i	1	FME	O-C-CA	-2.10	119.27	124.78
14	t	1	FME	CE-SD-CG	2.06	107.48	100.40
8	I	1	FME	O-C-CA	-2.06	119.38	124.78
14	T	1	FME	CE-SD-CG	2.05	107.44	100.40
19	Z	1	FME	O-C-CA	-2.04	119.42	124.78
8	I	1	FME	CE-SD-CG	2.03	107.36	100.40
8	I	1	FME	O1-CN-N	-2.02	119.95	125.27

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	M	1	FME	O1-CN-N-CA
14	T	1	FME	O1-CN-N-CA
19	Z	1	FME	O1-CN-N-CA
14	t	1	FME	CB-CG-SD-CE
14	T	1	FME	CB-CG-SD-CE
12	M	1	FME	CA-CB-CG-SD
12	m	1	FME	CA-CB-CG-SD
8	I	1	FME	O1-CN-N-CA
12	m	1	FME	O1-CN-N-CA
19	Z	1	FME	CA-CB-CG-SD
4	D	336[A]	HSK	C-CA-CB-CG
19	Z	1	FME	CB-CG-SD-CE
12	m	1	FME	N-CA-CB-CG
4	D	336[A]	HSK	N-CA-CB-CG
8	I	1	FME	CB-CA-N-CN

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 337 ligands modelled in this entry, 15 are monoatomic and 57 are unknown - leaving 265 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
24	CLA	c	507	-	65,73,73	2.64	20 (30%)	76,113,113	2.38	23 (30%)
36	HTG	b	602	-	19,19,19	1.09	2 (10%)	23,24,24	1.25	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
24	CLA	A	405	-	65,73,73	2.49	19 (29%)	76,113,113	2.31	25 (32%)
24	CLA	b	613	44	65,73,73	2.52	20 (30%)	76,113,113	2.36	25 (32%)
30	GOL	B	629	-	5,5,5	1.04	0	5,5,5	0.75	0
30	GOL	V	201	35	5,5,5	0.78	0	5,5,5	1.02	0
36	HTG	d	414	-	19,19,19	1.03	2 (10%)	23,24,24	1.80	4 (17%)
24	CLA	C	504	-	65,73,73	2.50	19 (29%)	76,113,113	2.31	22 (28%)
24	CLA	D	404	-	65,73,73	2.48	18 (27%)	76,113,113	2.41	26 (34%)
29	LMT	C	521	-	36,36,36	0.46	0	47,47,47	1.19	4 (8%)
36	HTG	I	102	-	19,19,19	1.11	2 (10%)	23,24,24	1.89	4 (17%)
28	LMG	c	521	-	51,51,55	0.93	2 (3%)	59,59,63	0.99	4 (6%)
34	BCT	a	407	22	2,3,3	0.64	0	2,3,3	0.68	0
28	LMG	a	415	-	51,51,55	0.94	2 (3%)	59,59,63	1.27	7 (11%)
36	HTG	o	301	-	19,19,19	1.15	1 (5%)	23,24,24	1.19	1 (4%)
32	K3C	A	421[A]	-	15,15,15	0.95	1 (6%)	19,20,20	0.88	1 (5%)
25	PHO	a	411	-	51,69,69	1.79	7 (13%)	47,99,99	1.68	7 (14%)
36	HTG	V	203	-	12,13,19	0.48	0	16,18,24	2.08	4 (25%)
24	CLA	b	606	-	65,73,73	2.50	21 (32%)	76,113,113	2.49	25 (32%)
24	CLA	b	617	-	65,73,73	2.35	20 (30%)	76,113,113	2.58	26 (34%)
26	BCR	B	620	-	41,41,41	0.71	0	56,56,56	1.24	4 (7%)
28	LMG	c	522	-	51,51,55	0.97	2 (3%)	59,59,63	1.24	5 (8%)
28	LMG	C	532	-	51,51,55	0.98	2 (3%)	59,59,63	1.30	4 (6%)
41	RRX	h	1204	-	42,42,42	0.73	0	57,58,58	1.33	7 (12%)
30	GOL	v	1601	-	5,5,5	0.94	0	5,5,5	0.92	0
43	HEC	v	1603	16	32,50,50	2.35	5 (15%)	24,82,82	1.85	4 (16%)
24	CLA	C	509	-	65,73,73	2.48	19 (29%)	76,113,113	2.36	24 (31%)
37	LHG	d	410	-	38,38,48	1.07	2 (5%)	41,44,54	1.08	3 (7%)
24	CLA	B	609	-	65,73,73	2.60	18 (27%)	76,113,113	2.40	26 (34%)
30	GOL	T	101	-	5,5,5	0.96	0	5,5,5	0.81	0
39	DGD	c	518	-	63,63,67	0.80	2 (3%)	77,77,81	1.11	7 (9%)
24	CLA	d	405	-	65,73,73	2.43	21 (32%)	76,113,113	2.42	28 (36%)
24	CLA	c	505	-	65,73,73	2.66	19 (29%)	76,113,113	2.24	24 (31%)
38	DMS	B	643	-	3,3,3	2.67	1 (33%)	3,3,3	0.47	0
30	GOL	V	204	-	5,5,5	1.12	0	5,5,5	0.90	0
38	DMS	C	533	-	3,3,3	2.69	1 (33%)	3,3,3	0.51	0
33	PL9	a	425[B]	-	55,55,55	0.60	2 (3%)	68,69,69	1.86	21 (30%)
38	DMS	o	304	-	3,3,3	2.70	1 (33%)	3,3,3	0.57	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
38	DMS	B	646	-	3,3,3	2.70	1 (33%)	3,3,3	0.59	0
37	LHG	d	409	-	48,48,48	0.86	2 (4%)	51,54,54	0.97	3 (5%)
26	BCR	c	516	-	41,41,41	0.78	0	56,56,56	1.42	5 (8%)
38	DMS	c	536	-	3,3,3	2.65	1 (33%)	3,3,3	0.46	0
38	DMS	o	306	-	3,3,3	2.69	1 (33%)	3,3,3	0.50	0
39	DGD	C	517	-	63,63,67	0.83	2 (3%)	77,77,81	1.05	8 (10%)
30	GOL	b	630	-	5,5,5	1.21	0	5,5,5	0.97	0
38	DMS	a	426	-	3,3,3	2.69	1 (33%)	3,3,3	0.58	0
24	CLA	c	513	3	65,73,73	2.52	16 (24%)	76,113,113	2.46	31 (40%)
38	DMS	c	533	-	3,3,3	2.70	1 (33%)	3,3,3	0.61	0
26	BCR	C	516	-	41,41,41	0.76	0	56,56,56	1.34	7 (12%)
24	CLA	b	605	-	65,73,73	2.51	20 (30%)	76,113,113	2.37	24 (31%)
26	BCR	D	405	-	41,41,41	0.83	1 (2%)	56,56,56	1.75	10 (17%)
26	BCR	B	619	-	41,41,41	0.83	0	56,56,56	1.20	4 (7%)
29	LMT	A	414	-	36,36,36	0.40	0	47,47,47	0.96	2 (4%)
30	GOL	V	205	-	5,5,5	0.86	0	5,5,5	0.99	0
30	GOL	k	304	-	5,5,5	0.87	0	5,5,5	0.91	0
38	DMS	b	637	-	3,3,3	2.69	1 (33%)	3,3,3	0.65	0
24	CLA	c	511	-	65,73,73	2.61	19 (29%)	76,113,113	2.44	27 (35%)
36	HTG	O	302	-	19,19,19	1.09	1 (5%)	23,24,24	0.98	1 (4%)
36	HTG	b	601	-	19,19,19	1.10	2 (10%)	23,24,24	1.52	2 (8%)
36	HTG	C	522	-	19,19,19	0.96	2 (10%)	23,24,24	1.16	1 (4%)
36	HTG	B	623[A]	-	19,19,19	1.02	1 (5%)	23,24,24	1.33	2 (8%)
41	RRX	H	101	-	42,42,42	0.74	0	57,58,58	1.29	6 (10%)
24	CLA	B	611	44	65,73,73	2.54	20 (30%)	76,113,113	2.39	23 (30%)
25	PHO	d	401	-	51,69,69	1.83	9 (17%)	47,99,99	1.83	10 (21%)
24	CLA	c	508	-	65,73,73	2.65	20 (30%)	76,113,113	2.40	30 (39%)
24	CLA	b	619	-	65,73,73	2.47	19 (29%)	76,113,113	2.48	26 (34%)
30	GOL	L	103	-	5,5,5	1.03	0	5,5,5	0.88	0
24	CLA	c	510	-	65,73,73	2.55	20 (30%)	76,113,113	2.49	26 (34%)
39	DGD	C	519	-	63,63,67	0.87	2 (3%)	77,77,81	1.08	4 (5%)
24	CLA	b	604	44	65,73,73	2.52	20 (30%)	76,113,113	2.28	23 (30%)
29	LMT	b	624	-	25,25,36	0.45	0	30,30,47	0.77	0
26	BCR	a	413	-	41,41,41	0.77	0	56,56,56	1.22	4 (7%)
27	SQD	a	414	-	53,54,54	0.94	3 (5%)	62,65,65	1.69	10 (16%)
34	BCT	A	423	22	2,3,3	0.61	0	2,3,3	0.79	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
38	DMS	d	416	-	3,3,3	2.72	1 (33%)	3,3,3	0.61	0
24	CLA	b	607	-	65,73,73	2.64	20 (30%)	76,113,113	2.44	27 (35%)
24	CLA	C	507	-	65,73,73	2.53	20 (30%)	76,113,113	2.52	26 (34%)
24	CLA	a	412	-	65,73,73	2.22	18 (27%)	76,113,113	2.52	29 (38%)
38	DMS	D	416	-	3,3,3	2.70	1 (33%)	3,3,3	0.64	0
43	HEC	V	202	16	32,50,50	2.24	6 (18%)	24,82,82	1.91	7 (29%)
24	CLA	a	409	44	65,73,73	2.42	18 (27%)	76,113,113	2.67	27 (35%)
30	GOL	C	530	-	5,5,5	1.20	0	5,5,5	1.14	1 (20%)
30	GOL	a	416	-	5,5,5	1.00	0	5,5,5	1.12	1 (20%)
29	LMT	z	101	-	32,32,36	0.55	1 (3%)	42,42,47	1.46	4 (9%)
24	CLA	B	612	-	65,73,73	2.40	19 (29%)	76,113,113	2.56	28 (36%)
26	BCR	K	101	-	41,41,41	0.75	0	56,56,56	1.51	11 (19%)
26	BCR	b	622	-	41,41,41	0.70	0	56,56,56	1.36	10 (17%)
38	DMS	o	309	-	3,3,3	2.68	1 (33%)	3,3,3	0.55	0
24	CLA	B	603	-	65,73,73	2.53	19 (29%)	76,113,113	2.47	29 (38%)
24	CLA	a	408	-	65,73,73	2.38	19 (29%)	76,113,113	2.49	26 (34%)
38	DMS	Y	303	-	3,3,3	2.72	1 (33%)	3,3,3	0.64	0
26	BCR	c	517	-	41,41,41	0.76	0	56,56,56	1.40	7 (12%)
30	GOL	d	413	-	5,5,5	0.87	0	5,5,5	0.99	0
39	DGD	H	102	-	63,63,67	0.90	3 (4%)	77,77,81	0.92	5 (6%)
24	CLA	b	608	-	65,73,73	2.26	19 (29%)	76,113,113	2.56	26 (34%)
29	LMT	m	102	-	36,36,36	0.45	0	47,47,47	0.85	0
28	LMG	A	412	-	51,51,55	0.93	2 (3%)	59,59,63	1.16	6 (10%)
24	CLA	C	508	44	65,73,73	2.74	21 (32%)	76,113,113	2.39	24 (31%)
30	GOL	V	206	-	5,5,5	0.98	0	5,5,5	0.96	0
30	GOL	O	303	-	5,5,5	0.83	0	5,5,5	1.05	0
40	HEM	F	101	6,5	41,50,50	1.92	5 (12%)	45,82,82	1.83	10 (22%)
24	CLA	B	606	-	65,73,73	2.38	20 (30%)	76,113,113	2.32	20 (26%)
24	CLA	B	614	-	65,73,73	2.42	18 (27%)	76,113,113	2.47	27 (35%)
24	CLA	B	617	-	65,73,73	2.31	18 (27%)	76,113,113	2.51	25 (32%)
24	CLA	d	404	-	65,73,73	2.31	20 (30%)	76,113,113	2.57	27 (35%)
24	CLA	B	616	-	65,73,73	2.44	19 (29%)	76,113,113	2.57	29 (38%)
30	GOL	b	629	-	5,5,5	0.97	0	5,5,5	0.98	0
38	DMS	B	647	-	3,3,3	2.64	1 (33%)	3,3,3	0.41	0
28	LMG	b	623	-	51,51,55	0.90	2 (3%)	59,59,63	1.06	3 (5%)
24	CLA	C	506	-	65,73,73	2.55	20 (30%)	76,113,113	2.28	21 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
39	DGD	D	407	-	53,53,67	1.01	3 (5%)	60,61,81	1.41	6 (10%)
24	CLA	c	503	-	65,73,73	2.55	20 (30%)	76,113,113	2.67	24 (31%)
30	GOL	A	415	-	5,5,5	0.82	0	5,5,5	1.06	1 (20%)
37	LHG	e	101	-	39,39,48	1.03	2 (5%)	42,45,54	1.06	3 (7%)
25	PHO	D	401	-	51,69,69	1.84	7 (13%)	47,99,99	1.86	8 (17%)
33	PL9	D	406	-	55,55,55	0.71	2 (3%)	68,69,69	1.54	14 (20%)
37	LHG	d	408	-	48,48,48	0.84	2 (4%)	51,54,54	1.07	4 (7%)
40	HEM	f	101	6,5	41,50,50	1.94	7 (17%)	45,82,82	1.71	6 (13%)
39	DGD	h	1205	-	63,63,67	0.92	3 (4%)	77,77,81	0.99	4 (5%)
26	BCR	k	302	-	41,41,41	0.77	1 (2%)	56,56,56	1.56	12 (21%)
27	SQD	A	411	-	53,54,54	0.96	3 (5%)	62,65,65	1.71	12 (19%)
38	DMS	i	104	-	3,3,3	2.65	1 (33%)	3,3,3	0.60	0
24	CLA	C	502	-	65,73,73	2.36	20 (30%)	76,113,113	2.37	21 (27%)
24	CLA	C	505	44	65,73,73	2.38	19 (29%)	76,113,113	2.48	25 (32%)
24	CLA	b	614	-	65,73,73	2.55	20 (30%)	76,113,113	2.38	26 (34%)
30	GOL	h	1206	-	5,5,5	0.95	0	5,5,5	0.90	0
24	CLA	A	406	44	65,73,73	2.26	20 (30%)	76,113,113	2.63	27 (35%)
24	CLA	b	611	-	65,73,73	2.60	20 (30%)	76,113,113	2.35	24 (31%)
39	DGD	C	518	-	63,63,67	0.85	2 (3%)	77,77,81	1.02	5 (6%)
39	DGD	c	519	-	63,63,67	0.87	2 (3%)	77,77,81	0.97	4 (5%)
30	GOL	b	627	-	5,5,5	0.96	0	5,5,5	0.84	0
27	SQD	L	102	-	53,54,54	1.04	3 (5%)	62,65,65	1.63	11 (17%)
21	OEX	A	401	1,44,3	0,15,15	-	-	-	-	-
30	GOL	T	103	-	5,5,5	0.83	0	5,5,5	1.07	0
30	GOL	o	305	-	5,5,5	1.09	0	5,5,5	0.79	0
38	DMS	z	102	-	3,3,3	2.69	1 (33%)	3,3,3	0.58	0
24	CLA	b	610	44	65,73,73	2.46	19 (29%)	76,113,113	2.38	27 (35%)
38	DMS	O	304	-	3,3,3	2.73	1 (33%)	3,3,3	0.57	0
37	LHG	D	410	-	48,48,48	0.86	2 (4%)	51,54,54	0.90	3 (5%)
24	CLA	a	410	44	65,73,73	2.38	20 (30%)	76,113,113	2.49	24 (31%)
26	BCR	b	620	-	41,41,41	0.80	0	56,56,56	1.39	6 (10%)
39	DGD	c	520	-	63,63,67	0.85	3 (4%)	77,77,81	0.96	5 (6%)
26	BCR	A	410	-	41,41,41	0.76	0	56,56,56	1.30	6 (10%)
24	CLA	b	618	-	65,73,73	2.43	20 (30%)	76,113,113	2.34	25 (32%)
30	GOL	c	526	-	5,5,5	1.06	0	5,5,5	0.83	0
30	GOL	B	631	-	5,5,5	1.06	0	5,5,5	0.97	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
30	GOL	v	1605	-	5,5,5	1.09	0	5,5,5	0.81	0
29	LMT	J	102	-	24,24,36	0.50	0	29,29,47	1.19	3 (10%)
36	HTG	B	625	-	19,19,19	1.03	2 (10%)	23,24,24	1.36	1 (4%)
26	BCR	b	621	-	41,41,41	0.77	0	56,56,56	1.17	6 (10%)
38	DMS	b	636	-	3,3,3	2.68	1 (33%)	3,3,3	0.54	0
27	SQD	f	102	-	31,32,54	1.97	4 (12%)	34,36,65	1.44	3 (8%)
24	CLA	C	503	-	65,73,73	2.57	20 (30%)	76,113,113	2.37	24 (31%)
38	DMS	V	207	-	3,3,3	2.66	1 (33%)	3,3,3	0.52	0
38	DMS	c	537	-	3,3,3	2.72	1 (33%)	3,3,3	0.56	0
24	CLA	b	615	-	65,73,73	2.38	19 (29%)	76,113,113	2.54	23 (30%)
26	BCR	B	641	-	41,41,41	0.68	0	56,56,56	1.60	14 (25%)
38	DMS	b	638	-	3,3,3	2.70	1 (33%)	3,3,3	0.55	0
38	DMS	B	645	-	3,3,3	2.68	1 (33%)	3,3,3	0.53	0
36	HTG	b	625	-	19,19,19	0.80	1 (5%)	23,24,24	1.15	2 (8%)
24	CLA	b	609	-	65,73,73	2.59	19 (29%)	76,113,113	2.34	26 (34%)
26	BCR	k	303	-	41,41,41	0.71	0	56,56,56	1.39	6 (10%)
30	GOL	B	630	-	5,5,5	0.58	0	5,5,5	1.04	0
24	CLA	A	407	44	65,73,73	2.34	19 (29%)	76,113,113	2.51	25 (32%)
24	CLA	B	613	-	65,73,73	2.38	18 (27%)	76,113,113	2.59	25 (32%)
30	GOL	b	628	-	5,5,5	0.85	0	5,5,5	0.94	0
24	CLA	c	514	-	65,73,73	2.59	19 (29%)	76,113,113	2.58	28 (36%)
30	GOL	A	416	-	5,5,5	1.00	0	5,5,5	0.90	0
30	GOL	C	527	-	5,5,5	0.83	0	5,5,5	1.06	0
36	HTG	U	201	-	8,8,19	0.37	0	7,7,24	1.01	1 (14%)
29	LMT	B	642	-	24,24,36	0.56	1 (4%)	29,29,47	0.72	0
24	CLA	c	504	-	65,73,73	2.33	19 (29%)	76,113,113	2.48	22 (28%)
26	BCR	B	618	-	41,41,41	0.76	0	56,56,56	1.31	6 (10%)
24	CLA	c	509	44	65,73,73	2.50	19 (29%)	76,113,113	2.53	27 (35%)
26	BCR	C	515	-	41,41,41	0.69	0	56,56,56	1.47	7 (12%)
28	LMG	B	621	-	51,51,55	0.91	2 (3%)	59,59,63	1.05	3 (5%)
38	DMS	v	1608	-	3,3,3	2.69	1 (33%)	3,3,3	0.56	0
26	BCR	T	102	-	41,41,41	0.72	0	56,56,56	1.55	15 (26%)
30	GOL	C	529	-	5,5,5	0.98	0	5,5,5	0.79	0
24	CLA	C	512	3	65,73,73	2.60	19 (29%)	76,113,113	2.39	25 (32%)
24	CLA	c	506	44	65,73,73	2.27	20 (30%)	76,113,113	2.59	27 (35%)
28	LMG	D	412	42	51,51,55	0.84	2 (3%)	59,59,63	0.89	3 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
30	GOL	a	421	-	5,5,5	0.99	0	5,5,5	0.94	0
30	GOL	v	1604	-	5,5,5	0.93	0	5,5,5	0.97	0
30	GOL	C	528	-	5,5,5	0.74	0	5,5,5	1.12	1 (20%)
38	DMS	o	308	-	3,3,3	2.69	1 (33%)	3,3,3	0.48	0
24	CLA	B	602	44	65,73,73	2.55	22 (33%)	76,113,113	2.38	23 (30%)
27	SQD	A	413	-	53,54,54	1.02	3 (5%)	62,65,65	1.30	10 (16%)
38	DMS	c	534	-	3,3,3	2.67	1 (33%)	3,3,3	0.44	0
30	GOL	c	527	-	5,5,5	1.03	0	5,5,5	0.88	0
33	PL9	A	422[B]	-	55,55,55	0.66	2 (3%)	68,69,69	1.72	16 (23%)
30	GOL	C	524	-	5,5,5	0.86	0	5,5,5	1.14	1 (20%)
29	LMT	f	104	-	36,36,36	0.44	0	47,47,47	0.77	0
29	LMT	E	104	-	24,24,36	0.48	0	29,29,47	0.71	0
26	BCR	d	406	-	41,41,41	0.80	0	56,56,56	1.82	13 (23%)
33	PL9	d	407	-	55,55,55	0.68	1 (1%)	68,69,69	1.50	13 (19%)
37	LHG	l	302	-	48,48,48	0.87	2 (4%)	51,54,54	0.85	1 (1%)
29	LMT	m	103	-	36,36,36	0.46	0	47,47,47	0.85	0
30	GOL	v	1607	-	5,5,5	0.83	0	5,5,5	0.95	0
36	HTG	h	1202	-	19,19,19	1.07	2 (10%)	23,24,24	1.81	1 (4%)
37	LHG	B	640	-	48,48,48	0.93	3 (6%)	51,54,54	1.00	3 (5%)
29	LMT	B	622	-	36,36,36	0.40	0	47,47,47	1.17	4 (8%)
21	OEX	a	403	1,44,3	0,15,15	-	-	-	-	-
30	GOL	B	633	-	5,5,5	0.87	0	5,5,5	0.98	0
27	SQD	a	401	-	53,54,54	1.04	3 (5%)	62,65,65	1.26	7 (11%)
30	GOL	c	528	-	5,5,5	0.95	0	5,5,5	0.95	0
36	HTG	B	624	-	19,19,19	1.08	2 (10%)	23,24,24	1.75	2 (8%)
38	DMS	E	106	-	3,3,3	2.67	1 (33%)	3,3,3	0.55	0
24	CLA	A	409	-	65,73,73	2.28	19 (29%)	76,113,113	2.58	27 (35%)
36	HTG	b	626	-	19,19,19	1.06	1 (5%)	23,24,24	1.66	1 (4%)
30	GOL	B	627	-	5,5,5	1.00	0	5,5,5	0.87	0
36	HTG	C	523	-	19,19,19	0.98	2 (10%)	23,24,24	1.69	4 (17%)
38	DMS	d	415	-	3,3,3	2.68	1 (33%)	3,3,3	0.53	0
38	DMS	C	525	-	3,3,3	2.67	1 (33%)	3,3,3	0.54	0
30	GOL	v	1606	-	5,5,5	0.76	0	5,5,5	1.08	0
38	DMS	o	307	-	3,3,3	2.68	1 (33%)	3,3,3	0.53	0
24	CLA	B	604	-	65,73,73	2.42	19 (29%)	76,113,113	2.65	24 (31%)
26	BCR	Y	302	-	41,41,41	0.78	0	56,56,56	1.61	10 (17%)
24	CLA	C	514	-	65,73,73	2.53	19 (29%)	76,113,113	2.45	23 (30%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
30	GOL	o	302	-	5,5,5	1.06	0	5,5,5	0.79	0
30	GOL	u	202	-	5,5,5	0.97	0	5,5,5	0.94	0
36	HTG	u	201	-	10,13,19	1.12	1 (10%)	13,14,24	1.72	1 (7%)
29	LMT	Z	101	-	36,36,36	0.44	0	47,47,47	0.83	1 (2%)
27	SQD	D	408	-	44,45,54	1.10	3 (6%)	53,56,65	1.73	11 (20%)
30	GOL	a	417	-	5,5,5	1.05	0	5,5,5	0.92	0
36	HTG	c	525	-	19,19,19	1.03	2 (10%)	23,24,24	1.48	3 (13%)
25	PHO	A	408	-	51,69,69	1.82	8 (15%)	47,99,99	1.58	9 (19%)
24	CLA	b	616	-	65,73,73	2.58	20 (30%)	76,113,113	2.51	23 (30%)
36	HTG	B	623[B]	-	19,19,19	0.93	1 (5%)	23,24,24	1.47	2 (8%)
38	DMS	c	535	-	3,3,3	2.71	1 (33%)	3,3,3	0.64	0
29	LMT	m	101	-	36,36,36	0.52	1 (2%)	47,47,47	0.85	0
29	LMT	M	101	-	36,36,36	0.40	0	47,47,47	0.90	0
37	LHG	E	101	-	48,48,48	0.97	2 (4%)	51,54,54	1.13	3 (5%)
30	GOL	a	418	-	5,5,5	0.91	0	5,5,5	0.94	0
24	CLA	D	403	-	65,73,73	2.20	20 (30%)	76,113,113	2.73	30 (39%)
30	GOL	c	532	-	5,5,5	0.82	0	5,5,5	1.04	0
24	CLA	B	615	-	65,73,73	2.29	16 (24%)	76,113,113	2.63	27 (35%)
30	GOL	d	402	-	5,5,5	0.91	0	5,5,5	0.96	0
28	LMG	d	411	42	51,51,55	0.91	2 (3%)	59,59,63	0.92	2 (3%)
24	CLA	C	513	-	65,73,73	2.64	18 (27%)	76,113,113	2.48	25 (32%)
24	CLA	c	512	-	65,73,73	2.57	20 (30%)	76,113,113	2.45	25 (32%)
38	DMS	B	644	-	3,3,3	2.68	1 (33%)	3,3,3	0.53	0
32	K3C	a	424[A]	-	15,15,15	0.94	1 (6%)	19,20,20	0.88	1 (5%)
24	CLA	B	608	44	65,73,73	2.27	20 (30%)	76,113,113	2.53	22 (28%)
29	LMT	a	402	-	36,36,36	0.43	0	47,47,47	0.88	1 (2%)
37	LHG	D	409	-	48,48,48	0.86	3 (6%)	51,54,54	1.17	5 (9%)
24	CLA	C	511	-	65,73,73	2.51	21 (32%)	76,113,113	2.47	27 (35%)
30	GOL	B	628	-	5,5,5	1.01	0	5,5,5	0.89	0
30	GOL	M	102	-	5,5,5	0.59	0	5,5,5	1.17	1 (20%)
24	CLA	c	515	-	65,73,73	2.40	20 (30%)	76,113,113	2.32	23 (30%)
28	LMG	C	520	-	51,51,55	0.95	2 (3%)	59,59,63	1.10	4 (6%)
30	GOL	E	105	-	5,5,5	0.89	0	5,5,5	1.01	0
24	CLA	B	607	-	65,73,73	2.40	18 (27%)	76,113,113	2.53	24 (31%)
36	HTG	D	413	-	19,19,19	1.11	2 (10%)	23,24,24	1.09	2 (8%)
36	HTG	c	524	-	19,19,19	0.99	2 (10%)	23,24,24	1.39	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
24	CLA	B	610	-	65,73,73	2.58	19 (29%)	76,113,113	2.38	27 (35%)
29	LMT	c	523	-	36,36,36	0.49	1 (2%)	47,47,47	1.06	4 (8%)
36	HTG	B	626	-	19,19,19	1.02	2 (10%)	23,24,24	1.83	5 (21%)
24	CLA	B	605	-	65,73,73	2.63	19 (29%)	76,113,113	2.52	24 (31%)
24	CLA	b	612	-	65,73,73	2.52	19 (29%)	76,113,113	2.35	23 (30%)
30	GOL	v	1602	35	5,5,5	0.88	0	5,5,5	0.93	0
24	CLA	C	510	-	65,73,73	2.43	20 (30%)	76,113,113	2.38	25 (32%)
29	LMT	T	104	-	24,24,36	0.46	0	29,29,47	1.05	3 (10%)
37	LHG	D	411	-	45,45,48	0.91	2 (4%)	48,51,54	0.99	3 (6%)
27	SQD	L	101	-	53,54,54	1.03	3 (5%)	62,65,65	1.37	9 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	CLA	c	507	-	1/1/15/20	8/37/115/115	-
36	HTG	b	602	-	-	1/10/30/30	0/1/1/1
24	CLA	A	405	-	1/1/15/20	2/37/115/115	-
24	CLA	b	613	44	1/1/15/20	7/37/115/115	-
30	GOL	B	629	-	-	2/4/4/4	-
30	GOL	V	201	35	-	0/4/4/4	-
36	HTG	d	414	-	-	1/10/30/30	0/1/1/1
24	CLA	D	404	-	1/1/15/20	5/37/115/115	-
24	CLA	C	504	-	-	4/37/115/115	-
29	LMT	C	521	-	-	12/21/61/61	0/2/2/2
36	HTG	I	102	-	-	5/10/30/30	0/1/1/1
28	LMG	c	521	-	-	16/46/66/70	0/1/1/1
28	LMG	a	415	-	-	14/46/66/70	0/1/1/1
36	HTG	o	301	-	-	0/10/30/30	0/1/1/1
32	K3C	A	421[A]	-	-	4/4/17/17	0/2/2/2
25	PHO	a	411	-	-	5/37/103/103	0/5/6/6
36	HTG	V	203	-	-	1/4/24/30	0/1/1/1
24	CLA	b	606	-	1/1/15/20	5/37/115/115	-
24	CLA	b	617	-	1/1/15/20	9/37/115/115	-
26	BCR	B	620	-	-	0/29/63/63	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
28	LMG	c	522	-	-	6/46/66/70	0/1/1/1
28	LMG	C	532	-	-	10/46/66/70	0/1/1/1
41	RRX	h	1204	-	-	2/29/65/65	0/2/2/2
30	GOL	v	1601	-	-	0/4/4/4	-
43	HEC	v	1603	16	-	2/10/54/54	-
24	CLA	C	509	-	1/1/15/20	5/37/115/115	-
37	LHG	d	410	-	-	8/43/43/53	-
24	CLA	B	609	-	-	2/37/115/115	-
30	GOL	T	101	-	-	4/4/4/4	-
39	DGD	c	518	-	-	15/51/91/95	0/2/2/2
24	CLA	d	405	-	-	5/37/115/115	-
24	CLA	c	505	-	1/1/15/20	4/37/115/115	-
30	GOL	V	204	-	-	2/4/4/4	-
33	PL9	a	425[B]	-	-	10/53/73/73	0/1/1/1
39	DGD	C	517	-	-	13/51/91/95	0/2/2/2
37	LHG	d	409	-	-	12/53/53/53	-
26	BCR	c	516	-	-	0/29/63/63	0/2/2/2
30	GOL	b	630	-	-	2/4/4/4	-
24	CLA	c	513	3	1/1/15/20	0/37/115/115	-
26	BCR	C	516	-	-	1/29/63/63	0/2/2/2
24	CLA	b	605	-	1/1/15/20	2/37/115/115	-
26	BCR	D	405	-	-	8/29/63/63	0/2/2/2
26	BCR	B	619	-	-	0/29/63/63	0/2/2/2
29	LMT	A	414	-	-	5/21/61/61	0/2/2/2
30	GOL	V	205	-	-	0/4/4/4	-
30	GOL	k	304	-	-	4/4/4/4	-
24	CLA	c	511	-	1/1/15/20	11/37/115/115	-
36	HTG	O	302	-	-	2/10/30/30	0/1/1/1
36	HTG	b	601	-	-	1/10/30/30	0/1/1/1
36	HTG	C	522	-	-	1/10/30/30	0/1/1/1
36	HTG	B	623[A]	-	-	1/10/30/30	0/1/1/1
41	RRX	H	101	-	-	3/29/65/65	0/2/2/2
24	CLA	B	611	44	1/1/15/20	8/37/115/115	-
25	PHO	d	401	-	-	1/37/103/103	0/5/6/6
24	CLA	c	508	-	1/1/15/20	7/37/115/115	-
24	CLA	b	619	-	1/1/15/20	9/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
30	GOL	L	103	-	-	0/4/4/4	-
24	CLA	c	510	-	1/1/15/20	3/37/115/115	-
39	DGD	C	519	-	-	11/51/91/95	0/2/2/2
24	CLA	b	604	44	1/1/15/20	14/37/115/115	-
29	LMT	b	624	-	-	4/17/37/61	0/1/1/2
26	BCR	a	413	-	-	0/29/63/63	0/2/2/2
27	SQD	a	414	-	-	12/49/69/69	0/1/1/1
24	CLA	b	607	-	1/1/15/20	4/37/115/115	-
24	CLA	C	507	-	1/1/15/20	14/37/115/115	-
24	CLA	a	412	-	1/1/15/20	10/37/115/115	-
43	HEC	V	202	16	-	2/10/54/54	-
24	CLA	a	409	44	1/1/15/20	4/37/115/115	-
30	GOL	C	530	-	-	0/4/4/4	-
30	GOL	a	416	-	-	2/4/4/4	-
29	LMT	z	101	-	-	5/15/55/61	0/2/2/2
24	CLA	B	612	-	1/1/15/20	2/37/115/115	-
26	BCR	K	101	-	-	1/29/63/63	0/2/2/2
26	BCR	b	622	-	-	1/29/63/63	0/2/2/2
24	CLA	B	603	-	1/1/15/20	4/37/115/115	-
24	CLA	a	408	-	1/1/15/20	4/37/115/115	-
26	BCR	c	517	-	-	2/29/63/63	0/2/2/2
30	GOL	d	413	-	-	2/4/4/4	-
39	DGD	H	102	-	-	9/51/91/95	0/2/2/2
24	CLA	b	608	-	1/1/15/20	3/37/115/115	-
29	LMT	m	102	-	-	1/21/61/61	0/2/2/2
28	LMG	A	412	-	-	21/46/66/70	0/1/1/1
24	CLA	C	508	44	1/1/15/20	11/37/115/115	-
30	GOL	V	206	-	-	0/4/4/4	-
30	GOL	O	303	-	-	0/4/4/4	-
40	HEM	F	101	6,5	-	2/12/54/54	-
24	CLA	B	606	-	1/1/15/20	4/37/115/115	-
24	CLA	B	614	-	1/1/15/20	3/37/115/115	-
24	CLA	B	617	-	1/1/15/20	11/37/115/115	-
24	CLA	d	404	-	1/1/15/20	1/37/115/115	-
24	CLA	B	616	-	1/1/15/20	6/37/115/115	-
30	GOL	b	629	-	-	1/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
28	LMG	b	623	-	-	19/46/66/70	0/1/1/1
24	CLA	C	506	-	1/1/15/20	2/37/115/115	-
39	DGD	D	407	-	-	17/47/68/95	0/1/1/2
24	CLA	c	503	-	1/1/15/20	4/37/115/115	-
30	GOL	A	415	-	-	0/4/4/4	-
37	LHG	e	101	-	-	23/44/44/53	-
25	PHO	D	401	-	-	1/37/103/103	0/5/6/6
33	PL9	D	406	-	-	5/53/73/73	0/1/1/1
37	LHG	d	408	-	-	6/53/53/53	-
40	HEM	f	101	6,5	-	2/12/54/54	-
39	DGD	h	1205	-	-	8/51/91/95	0/2/2/2
26	BCR	k	302	-	-	6/29/63/63	0/2/2/2
27	SQD	A	411	-	-	9/49/69/69	0/1/1/1
24	CLA	C	502	-	1/1/15/20	3/37/115/115	-
24	CLA	C	505	44	1/1/15/20	7/37/115/115	-
24	CLA	b	614	-	1/1/15/20	5/37/115/115	-
30	GOL	h	1206	-	-	0/4/4/4	-
24	CLA	A	406	44	-	3/37/115/115	-
24	CLA	b	611	-	-	3/37/115/115	-
39	DGD	C	518	-	-	19/51/91/95	0/2/2/2
39	DGD	c	519	-	-	16/51/91/95	0/2/2/2
30	GOL	b	627	-	-	0/4/4/4	-
27	SQD	L	102	-	-	25/49/69/69	0/1/1/1
30	GOL	T	103	-	-	0/4/4/4	-
30	GOL	o	305	-	-	2/4/4/4	-
24	CLA	b	610	44	1/1/15/20	3/37/115/115	-
37	LHG	D	410	-	-	8/53/53/53	-
24	CLA	a	410	44	-	5/37/115/115	-
26	BCR	b	620	-	-	2/29/63/63	0/2/2/2
39	DGD	c	520	-	-	14/51/91/95	0/2/2/2
26	BCR	A	410	-	-	1/29/63/63	0/2/2/2
24	CLA	b	618	-	1/1/15/20	9/37/115/115	-
30	GOL	c	526	-	-	4/4/4/4	-
30	GOL	B	631	-	-	0/4/4/4	-
30	GOL	v	1605	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
29	LMT	J	102	-	-	2/15/35/61	0/1/1/2
36	HTG	B	625	-	-	3/10/30/30	0/1/1/1
26	BCR	b	621	-	-	0/29/63/63	0/2/2/2
27	SQD	f	102	-	-	10/33/33/69	-
24	CLA	C	503	-	-	7/37/115/115	-
24	CLA	b	615	-	1/1/15/20	0/37/115/115	-
26	BCR	B	641	-	-	1/29/63/63	0/2/2/2
36	HTG	b	625	-	-	5/10/30/30	0/1/1/1
24	CLA	b	609	-	1/1/15/20	10/37/115/115	-
26	BCR	k	303	-	-	1/29/63/63	0/2/2/2
30	GOL	B	630	-	-	0/4/4/4	-
24	CLA	A	407	44	-	4/37/115/115	-
24	CLA	B	613	-	1/1/15/20	3/37/115/115	-
30	GOL	b	628	-	-	0/4/4/4	-
24	CLA	c	514	-	1/1/15/20	8/37/115/115	-
30	GOL	A	416	-	-	1/4/4/4	-
30	GOL	C	527	-	-	1/4/4/4	-
36	HTG	U	201	-	-	3/6/6/30	-
29	LMT	B	642	-	-	7/15/35/61	0/1/1/2
24	CLA	c	504	-	1/1/15/20	7/37/115/115	-
26	BCR	B	618	-	-	2/29/63/63	0/2/2/2
24	CLA	c	509	44	1/1/15/20	6/37/115/115	-
26	BCR	C	515	-	-	4/29/63/63	0/2/2/2
28	LMG	B	621	-	-	9/46/66/70	0/1/1/1
26	BCR	T	102	-	-	1/29/63/63	0/2/2/2
30	GOL	C	529	-	-	0/4/4/4	-
24	CLA	C	512	3	1/1/15/20	3/37/115/115	-
24	CLA	c	506	44	1/1/15/20	5/37/115/115	-
28	LMG	D	412	42	-	10/46/66/70	0/1/1/1
30	GOL	a	421	-	-	4/4/4/4	-
30	GOL	v	1604	-	-	0/4/4/4	-
30	GOL	C	528	-	-	0/4/4/4	-
24	CLA	B	602	44	1/1/15/20	15/37/115/115	-
27	SQD	A	413	-	-	11/49/69/69	0/1/1/1
30	GOL	c	527	-	-	0/4/4/4	-
33	PL9	A	422[B]	-	-	13/53/73/73	0/1/1/1
30	GOL	C	524	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
29	LMT	f	104	-	-	7/21/61/61	0/2/2/2
29	LMT	E	104	-	-	6/15/35/61	0/1/1/2
26	BCR	d	406	-	-	8/29/63/63	0/2/2/2
33	PL9	d	407	-	-	6/53/73/73	0/1/1/1
37	LHG	l	302	-	-	13/53/53/53	-
29	LMT	m	103	-	-	2/21/61/61	0/2/2/2
30	GOL	v	1607	-	-	4/4/4/4	-
36	HTG	h	1202	-	-	4/10/30/30	0/1/1/1
37	LHG	B	640	-	-	12/53/53/53	-
29	LMT	B	622	-	-	8/21/61/61	0/2/2/2
30	GOL	B	633	-	-	0/4/4/4	-
27	SQD	a	401	-	-	12/49/69/69	0/1/1/1
30	GOL	c	528	-	-	0/4/4/4	-
36	HTG	B	624	-	-	3/10/30/30	0/1/1/1
24	CLA	A	409	-	-	7/37/115/115	-
36	HTG	b	626	-	-	3/10/30/30	0/1/1/1
30	GOL	B	627	-	-	2/4/4/4	-
36	HTG	C	523	-	-	4/10/30/30	0/1/1/1
30	GOL	v	1606	-	-	2/4/4/4	-
24	CLA	B	604	-	1/1/15/20	2/37/115/115	-
26	BCR	Y	302	-	-	6/29/63/63	0/2/2/2
24	CLA	C	514	-	-	4/37/115/115	-
30	GOL	o	302	-	-	4/4/4/4	-
30	GOL	u	202	-	-	2/4/4/4	-
36	HTG	u	201	-	-	2/12/14/30	-
29	LMT	Z	101	-	-	12/21/61/61	0/2/2/2
27	SQD	D	408	-	-	15/40/60/69	0/1/1/1
30	GOL	a	417	-	-	3/4/4/4	-
36	HTG	c	525	-	-	0/10/30/30	0/1/1/1
25	PHO	A	408	-	-	4/37/103/103	0/5/6/6
24	CLA	b	616	-	1/1/15/20	2/37/115/115	-
36	HTG	B	623[B]	-	-	1/10/30/30	0/1/1/1
29	LMT	m	101	-	-	4/21/61/61	0/2/2/2
29	LMT	M	101	-	-	1/21/61/61	0/2/2/2
37	LHG	E	101	-	-	26/53/53/53	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
30	GOL	a	418	-	-	2/4/4/4	-
24	CLA	D	403	-	1/1/15/20	1/37/115/115	-
30	GOL	c	532	-	-	0/4/4/4	-
24	CLA	B	615	-	1/1/15/20	10/37/115/115	-
30	GOL	d	402	-	-	1/4/4/4	-
28	LMG	d	411	42	-	11/46/66/70	0/1/1/1
24	CLA	C	513	-	1/1/15/20	6/37/115/115	-
24	CLA	c	512	-	1/1/15/20	5/37/115/115	-
32	K3C	a	424[A]	-	-	4/4/17/17	0/2/2/2
24	CLA	B	608	44	1/1/15/20	4/37/115/115	-
29	LMT	a	402	-	-	8/21/61/61	0/2/2/2
37	LHG	D	409	-	-	10/53/53/53	-
24	CLA	C	511	-	1/1/15/20	4/37/115/115	-
30	GOL	B	628	-	-	0/4/4/4	-
30	GOL	M	102	-	-	0/4/4/4	-
24	CLA	c	515	-	-	10/37/115/115	-
28	LMG	C	520	-	-	18/46/66/70	0/1/1/1
30	GOL	E	105	-	-	0/4/4/4	-
24	CLA	B	607	-	1/1/15/20	5/37/115/115	-
36	HTG	D	413	-	-	1/10/30/30	0/1/1/1
36	HTG	c	524	-	-	1/10/30/30	0/1/1/1
24	CLA	B	610	-	1/1/15/20	3/37/115/115	-
29	LMT	c	523	-	-	6/21/61/61	0/2/2/2
36	HTG	B	626	-	-	3/10/30/30	0/1/1/1
24	CLA	B	605	-	1/1/15/20	5/37/115/115	-
24	CLA	b	612	-	1/1/15/20	3/37/115/115	-
30	GOL	v	1602	35	-	2/4/4/4	-
24	CLA	C	510	-	1/1/15/20	4/37/115/115	-
29	LMT	T	104	-	-	8/15/35/61	0/1/1/2
37	LHG	D	411	-	-	11/50/50/53	-
27	SQD	L	101	-	-	24/49/69/69	0/1/1/1

All (1576) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	C	512	CLA	MG-NA	11.28	2.33	2.06
24	c	513	CLA	MG-NA	10.92	2.32	2.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	C	508	CLA	MG-NA	10.63	2.31	2.06
24	B	605	CLA	MG-ND	-10.09	1.85	2.05
24	c	505	CLA	MG-NA	9.46	2.28	2.06
24	c	503	CLA	MG-NA	9.21	2.28	2.06
24	a	409	CLA	MG-ND	-9.18	1.87	2.05
24	c	511	CLA	MG-NA	9.00	2.27	2.06
24	B	607	CLA	MG-NA	8.87	2.27	2.06
24	C	504	CLA	MG-NA	8.80	2.27	2.06
24	b	616	CLA	MG-ND	-8.78	1.88	2.05
24	B	609	CLA	MG-NA	8.75	2.27	2.06
24	c	507	CLA	MG-NA	8.72	2.27	2.06
24	b	618	CLA	MG-NA	8.70	2.26	2.06
24	c	514	CLA	MG-ND	-8.65	1.88	2.05
24	c	508	CLA	MG-ND	-8.60	1.88	2.05
24	B	610	CLA	MG-NA	8.57	2.26	2.06
24	C	513	CLA	MG-ND	-8.49	1.89	2.05
24	b	607	CLA	MG-NA	8.32	2.26	2.06
24	B	616	CLA	MG-NA	8.28	2.25	2.06
24	c	512	CLA	MG-ND	-8.24	1.89	2.05
24	B	612	CLA	MG-NA	8.17	2.25	2.06
24	B	602	CLA	MG-NA	8.12	2.25	2.06
24	b	609	CLA	MG-NA	8.10	2.25	2.06
24	c	507	CLA	MG-ND	-8.09	1.89	2.05
24	c	510	CLA	MG-ND	-8.05	1.89	2.05
24	C	511	CLA	MG-NA	7.93	2.25	2.06
24	b	605	CLA	MG-NC	7.75	2.24	2.06
40	f	101	HEM	C3D-C2D	7.66	1.53	1.36
24	B	613	CLA	MG-NA	7.56	2.24	2.06
24	c	505	CLA	MG-NC	7.56	2.24	2.06
24	b	612	CLA	MG-NA	7.55	2.24	2.06
40	F	101	HEM	C3D-C2D	7.55	1.52	1.36
24	b	614	CLA	MG-NA	7.55	2.24	2.06
24	C	506	CLA	MG-NA	7.54	2.24	2.06
24	c	509	CLA	MG-NA	7.51	2.24	2.06
24	B	605	CLA	MG-NA	7.43	2.23	2.06
24	C	508	CLA	MG-ND	-7.42	1.91	2.05
24	C	506	CLA	MG-ND	-7.41	1.91	2.05
24	b	607	CLA	MG-ND	-7.33	1.91	2.05
27	f	102	SQD	C6-S	-7.31	1.67	1.77
24	B	603	CLA	MG-ND	-7.29	1.91	2.05
24	D	404	CLA	MG-NC	7.28	2.23	2.06
24	C	503	CLA	MG-ND	-7.24	1.91	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	608	CLA	MG-NA	7.20	2.23	2.06
24	c	503	CLA	MG-ND	-7.19	1.91	2.05
24	C	513	CLA	MG-NA	7.17	2.23	2.06
24	B	615	CLA	MG-NA	7.12	2.23	2.06
24	d	405	CLA	MG-NC	7.12	2.23	2.06
24	A	405	CLA	MG-NA	7.11	2.23	2.06
24	b	611	CLA	MG-NA	7.11	2.23	2.06
24	a	410	CLA	MG-NA	7.09	2.23	2.06
24	b	611	CLA	MG-ND	-7.01	1.91	2.05
24	b	604	CLA	MG-NA	7.00	2.22	2.06
24	c	508	CLA	MG-NC	6.96	2.22	2.06
24	C	507	CLA	MG-NA	6.94	2.22	2.06
24	b	619	CLA	MG-NA	6.91	2.22	2.06
24	B	614	CLA	MG-NA	6.90	2.22	2.06
24	B	609	CLA	MG-ND	-6.89	1.92	2.05
24	c	511	CLA	C3B-C2B	6.77	1.49	1.40
24	C	514	CLA	C3B-C2B	6.74	1.49	1.40
24	b	607	CLA	MG-NC	6.73	2.22	2.06
24	c	514	CLA	MG-NA	6.72	2.22	2.06
24	B	611	CLA	MG-NC	6.66	2.22	2.06
24	b	605	CLA	C3B-C2B	6.66	1.49	1.40
24	c	515	CLA	MG-NC	6.64	2.22	2.06
24	B	604	CLA	MG-ND	-6.64	1.92	2.05
24	C	513	CLA	C3B-C2B	6.63	1.49	1.40
24	B	603	CLA	MG-NA	6.61	2.22	2.06
24	C	507	CLA	MG-ND	-6.61	1.92	2.05
24	C	509	CLA	C3B-C2B	6.59	1.49	1.40
24	B	611	CLA	MG-ND	-6.57	1.92	2.05
24	C	509	CLA	MG-NA	6.57	2.21	2.06
24	B	616	CLA	MG-ND	-6.55	1.92	2.05
24	b	613	CLA	MG-NC	6.55	2.21	2.06
24	B	612	CLA	C3B-C2B	6.54	1.49	1.40
24	b	606	CLA	MG-NC	6.54	2.21	2.06
24	C	503	CLA	MG-NC	6.53	2.21	2.06
24	b	616	CLA	MG-NC	6.53	2.21	2.06
24	c	510	CLA	C3B-C2B	6.52	1.49	1.40
24	C	511	CLA	C3B-C2B	6.51	1.49	1.40
24	B	614	CLA	MG-ND	-6.48	1.92	2.05
24	b	614	CLA	C3B-C2B	6.48	1.49	1.40
24	b	618	CLA	C3B-C2B	6.47	1.49	1.40
24	b	609	CLA	MG-NC	6.47	2.21	2.06
24	B	610	CLA	MG-ND	-6.47	1.93	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	610	CLA	C3B-C2B	6.47	1.49	1.40
24	C	505	CLA	C3B-C2B	6.45	1.49	1.40
24	b	619	CLA	C3B-C2B	6.45	1.49	1.40
24	B	617	CLA	C3B-C2B	6.43	1.49	1.40
24	b	610	CLA	MG-NA	6.39	2.21	2.06
25	A	408	PHO	C3B-C2B	6.38	1.49	1.40
24	c	514	CLA	C3B-C2B	6.38	1.49	1.40
24	b	613	CLA	MG-ND	-6.37	1.93	2.05
24	c	508	CLA	C1D-ND	6.34	1.45	1.37
24	b	619	CLA	MG-ND	-6.34	1.93	2.05
25	D	401	PHO	C3B-C2B	6.33	1.49	1.40
24	b	609	CLA	C3B-C2B	6.33	1.49	1.40
24	B	605	CLA	C3B-C2B	6.32	1.49	1.40
24	A	405	CLA	MG-NC	6.29	2.21	2.06
24	A	407	CLA	MG-NC	6.28	2.21	2.06
24	b	606	CLA	C3B-C2B	6.28	1.49	1.40
24	c	509	CLA	MG-NC	6.28	2.21	2.06
24	B	614	CLA	C3B-C2B	6.28	1.49	1.40
24	C	510	CLA	MG-NA	6.26	2.21	2.06
24	B	609	CLA	C3B-C2B	6.25	1.49	1.40
24	A	405	CLA	C3B-C2B	6.25	1.49	1.40
24	b	614	CLA	MG-NC	6.24	2.21	2.06
24	c	510	CLA	MG-NC	6.24	2.21	2.06
24	c	503	CLA	C3B-C2B	6.23	1.49	1.40
24	C	503	CLA	C3B-C2B	6.23	1.49	1.40
24	a	408	CLA	C3B-C2B	6.23	1.49	1.40
43	v	1603	HEC	C2B-C3B	-6.23	1.34	1.40
24	C	512	CLA	C3B-C2B	6.22	1.49	1.40
24	b	616	CLA	C1D-ND	6.19	1.45	1.37
24	D	404	CLA	C3B-C2B	6.19	1.49	1.40
25	d	401	PHO	C3B-C2B	6.17	1.48	1.40
24	C	511	CLA	MG-ND	-6.17	1.93	2.05
24	b	615	CLA	C3B-C2B	6.17	1.48	1.40
24	b	611	CLA	MG-NC	6.17	2.20	2.06
24	B	603	CLA	C3B-C2B	6.16	1.48	1.40
24	b	614	CLA	MG-ND	-6.15	1.93	2.05
24	c	513	CLA	C3B-C2B	6.15	1.48	1.40
24	C	504	CLA	C3B-C2B	6.15	1.48	1.40
24	c	504	CLA	MG-ND	-6.15	1.93	2.05
24	d	405	CLA	C3B-C2B	6.14	1.48	1.40
24	c	506	CLA	C3B-C2B	6.12	1.48	1.40
24	C	514	CLA	MG-NA	6.12	2.20	2.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	615	CLA	MG-NA	6.11	2.20	2.06
24	C	505	CLA	MG-NA	6.11	2.20	2.06
24	c	512	CLA	MG-NC	6.10	2.20	2.06
24	B	611	CLA	MG-NA	6.10	2.20	2.06
24	C	514	CLA	MG-ND	-6.10	1.93	2.05
24	C	514	CLA	MG-NC	6.09	2.20	2.06
24	c	508	CLA	C3B-C2B	6.09	1.48	1.40
24	B	606	CLA	MG-NC	6.09	2.20	2.06
24	B	602	CLA	C3B-C2B	6.08	1.48	1.40
25	a	411	PHO	C3B-C2B	6.08	1.48	1.40
24	C	508	CLA	C3B-C2B	6.07	1.48	1.40
24	B	606	CLA	MG-NA	6.07	2.20	2.06
24	b	612	CLA	MG-NC	6.06	2.20	2.06
24	C	502	CLA	MG-NA	6.05	2.20	2.06
24	a	410	CLA	MG-ND	-6.05	1.93	2.05
24	C	509	CLA	MG-ND	-6.05	1.93	2.05
24	A	409	CLA	C3B-C2B	6.04	1.48	1.40
24	b	612	CLA	C3B-C2B	6.04	1.48	1.40
24	c	512	CLA	C3B-C2B	6.03	1.48	1.40
24	c	511	CLA	C1D-ND	6.01	1.45	1.37
24	c	509	CLA	C3B-C2B	6.01	1.48	1.40
24	B	604	CLA	C3B-C2B	6.00	1.48	1.40
24	C	510	CLA	C3B-C2B	6.00	1.48	1.40
24	c	505	CLA	C1D-ND	5.99	1.45	1.37
24	B	611	CLA	C3B-C2B	5.99	1.48	1.40
24	B	606	CLA	C3B-C2B	5.98	1.48	1.40
24	C	507	CLA	C1D-ND	5.98	1.45	1.37
24	C	508	CLA	C1D-ND	5.98	1.45	1.37
24	b	604	CLA	C3B-C2B	5.97	1.48	1.40
24	C	505	CLA	MG-NC	5.96	2.20	2.06
24	c	515	CLA	C3B-C2B	5.96	1.48	1.40
24	c	504	CLA	C3B-C2B	5.96	1.48	1.40
24	D	403	CLA	C3B-C2B	5.96	1.48	1.40
24	B	613	CLA	C3B-C2B	5.95	1.48	1.40
24	b	611	CLA	C3B-C2B	5.94	1.48	1.40
24	c	505	CLA	C3B-C2B	5.94	1.48	1.40
24	b	616	CLA	C3B-C2B	5.94	1.48	1.40
24	b	607	CLA	C3B-C2B	5.93	1.48	1.40
24	C	510	CLA	MG-NC	5.93	2.20	2.06
24	A	407	CLA	C3B-C2B	5.93	1.48	1.40
24	B	610	CLA	C3B-C2B	5.92	1.48	1.40
24	c	507	CLA	C1D-ND	5.92	1.45	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	613	CLA	C3B-C2B	5.92	1.48	1.40
24	b	612	CLA	C1D-ND	5.91	1.45	1.37
24	b	609	CLA	C1D-ND	5.91	1.45	1.37
24	c	510	CLA	C3C-C2C	5.90	1.49	1.36
24	C	506	CLA	C3B-C2B	5.90	1.48	1.40
24	b	604	CLA	C1D-ND	5.89	1.45	1.37
24	B	611	CLA	C3C-C2C	5.88	1.49	1.36
24	c	512	CLA	C3C-C2C	5.88	1.49	1.36
24	b	604	CLA	C3C-C2C	5.88	1.49	1.36
24	B	607	CLA	C3B-C2B	5.86	1.48	1.40
43	v	1603	HEC	C3C-C2C	-5.86	1.34	1.40
24	C	502	CLA	C3B-C2B	5.85	1.48	1.40
24	B	616	CLA	C3B-C2B	5.85	1.48	1.40
24	b	613	CLA	C3C-C2C	5.84	1.49	1.36
24	B	608	CLA	MG-NA	5.83	2.20	2.06
24	b	617	CLA	C3B-C2B	5.83	1.48	1.40
24	c	510	CLA	C1D-ND	5.83	1.44	1.37
24	C	513	CLA	C3C-C2C	5.82	1.49	1.36
24	C	514	CLA	C1D-ND	5.82	1.44	1.37
24	D	404	CLA	C3C-C2C	5.82	1.49	1.36
24	A	406	CLA	C3B-C2B	5.81	1.48	1.40
24	c	507	CLA	C3B-C2B	5.81	1.48	1.40
24	a	408	CLA	MG-ND	-5.81	1.94	2.05
24	b	606	CLA	MG-ND	-5.80	1.94	2.05
24	c	508	CLA	MG-NA	5.80	2.20	2.06
24	c	511	CLA	MG-NC	5.80	2.20	2.06
24	c	512	CLA	MG-NA	5.80	2.20	2.06
24	B	605	CLA	C1D-ND	5.80	1.44	1.37
24	a	409	CLA	C3C-C2C	5.80	1.49	1.36
24	B	609	CLA	C1D-ND	5.78	1.44	1.37
24	C	504	CLA	C3C-C2C	5.78	1.49	1.36
27	f	102	SQD	O47-C7	5.77	1.46	1.33
24	C	503	CLA	C1D-ND	5.77	1.44	1.37
24	c	514	CLA	C1D-ND	5.76	1.44	1.37
24	b	605	CLA	C3C-C2C	5.76	1.49	1.36
24	b	616	CLA	C3C-C2C	5.76	1.49	1.36
24	C	503	CLA	MG-NA	5.76	2.20	2.06
24	C	510	CLA	C1D-ND	5.76	1.44	1.37
24	b	607	CLA	C1D-ND	5.76	1.44	1.37
24	d	404	CLA	MG-NA	5.75	2.19	2.06
24	B	617	CLA	MG-NA	5.74	2.19	2.06
24	b	610	CLA	MG-NC	5.74	2.19	2.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	B	602	CLA	C3C-C2C	5.74	1.48	1.36
24	B	617	CLA	MG-ND	-5.73	1.94	2.05
24	c	505	CLA	C3C-C2C	5.72	1.48	1.36
24	a	412	CLA	C3C-C2C	5.72	1.48	1.36
24	b	619	CLA	C1D-ND	5.72	1.44	1.37
24	a	409	CLA	C3B-C2B	5.70	1.48	1.40
24	b	611	CLA	C3C-C2C	5.69	1.48	1.36
24	b	604	CLA	MG-NC	5.69	2.19	2.06
24	b	611	CLA	C1D-ND	5.68	1.44	1.37
24	d	405	CLA	C1D-ND	5.68	1.44	1.37
24	B	613	CLA	MG-ND	-5.68	1.94	2.05
24	c	509	CLA	C3C-C2C	5.67	1.48	1.36
24	b	609	CLA	MG-ND	-5.67	1.94	2.05
43	V	202	HEC	C3C-C2C	-5.66	1.34	1.40
24	B	606	CLA	C3C-C2C	5.66	1.48	1.36
24	b	606	CLA	MG-NA	5.66	2.19	2.06
24	C	509	CLA	C3C-C2C	5.66	1.48	1.36
24	b	610	CLA	MG-ND	-5.64	1.94	2.05
24	C	506	CLA	C3C-C2C	5.63	1.48	1.36
24	C	502	CLA	C3C-C2C	5.63	1.48	1.36
24	b	613	CLA	C1D-ND	5.62	1.44	1.37
24	C	508	CLA	C3C-C2C	5.61	1.48	1.36
24	d	404	CLA	C3B-C2B	5.60	1.48	1.40
24	b	606	CLA	C1D-ND	5.60	1.44	1.37
24	b	613	CLA	MG-NA	5.60	2.19	2.06
24	b	610	CLA	C3C-C2C	5.60	1.48	1.36
24	a	410	CLA	C3C-C2C	5.60	1.48	1.36
24	B	604	CLA	MG-NC	5.60	2.19	2.06
24	B	603	CLA	C3C-C2C	5.60	1.48	1.36
24	c	511	CLA	C3C-C2C	5.60	1.48	1.36
24	B	608	CLA	C3B-C2B	5.60	1.48	1.40
24	c	508	CLA	C3C-C2C	5.59	1.48	1.36
24	C	507	CLA	C3C-C2C	5.58	1.48	1.36
24	C	506	CLA	MG-NC	5.58	2.19	2.06
24	C	506	CLA	C1D-ND	5.57	1.44	1.37
24	D	404	CLA	C1D-ND	5.56	1.44	1.37
24	B	602	CLA	CHC-C1C	5.56	1.49	1.35
24	b	617	CLA	CHC-C1C	5.56	1.49	1.35
24	C	505	CLA	C3C-C2C	5.56	1.48	1.36
24	b	606	CLA	C3C-C2C	5.55	1.48	1.36
24	c	507	CLA	C3C-C2C	5.55	1.48	1.36
24	D	404	CLA	CHC-C1C	5.55	1.49	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	C	503	CLA	C3C-C2C	5.53	1.48	1.36
24	B	602	CLA	C1D-ND	5.53	1.44	1.37
24	b	612	CLA	C3C-C2C	5.53	1.48	1.36
24	B	604	CLA	C1D-ND	5.53	1.44	1.37
24	b	608	CLA	C3B-C2B	5.52	1.48	1.40
24	c	512	CLA	C1D-ND	5.52	1.44	1.37
24	D	403	CLA	C3C-C2C	5.52	1.48	1.36
24	C	510	CLA	C3C-C2C	5.52	1.48	1.36
24	A	405	CLA	C3C-C2C	5.51	1.48	1.36
24	b	608	CLA	C3C-C2C	5.51	1.48	1.36
24	A	409	CLA	C3C-C2C	5.51	1.48	1.36
24	a	408	CLA	C3C-C2C	5.50	1.48	1.36
24	c	513	CLA	C3C-C2C	5.50	1.48	1.36
24	B	611	CLA	CHC-C1C	5.50	1.49	1.35
24	B	615	CLA	C3B-C2B	5.50	1.48	1.40
24	b	616	CLA	MG-NA	5.50	2.19	2.06
24	B	609	CLA	C3C-C2C	5.49	1.48	1.36
24	b	605	CLA	C1D-ND	5.49	1.44	1.37
24	C	514	CLA	CHC-C1C	5.49	1.49	1.35
24	B	610	CLA	C1D-ND	5.49	1.44	1.37
24	C	511	CLA	C3C-C2C	5.48	1.48	1.36
24	c	504	CLA	C3C-C2C	5.48	1.48	1.36
24	B	611	CLA	C1D-ND	5.48	1.44	1.37
24	B	610	CLA	MG-NC	5.48	2.19	2.06
24	B	603	CLA	C1D-ND	5.47	1.44	1.37
24	c	509	CLA	C1D-ND	5.47	1.44	1.37
24	D	403	CLA	MG-NA	5.47	2.19	2.06
24	B	604	CLA	C3C-C2C	5.47	1.48	1.36
24	C	513	CLA	CHC-C1C	5.47	1.49	1.35
24	c	515	CLA	C1D-ND	5.47	1.44	1.37
24	c	514	CLA	C3C-C2C	5.46	1.48	1.36
24	c	506	CLA	C3C-C2C	5.46	1.48	1.36
24	b	614	CLA	C1D-ND	5.45	1.44	1.37
24	C	507	CLA	MG-NC	5.45	2.19	2.06
24	a	408	CLA	C1D-ND	5.44	1.44	1.37
24	B	613	CLA	CHC-C1C	5.44	1.48	1.35
24	B	607	CLA	C3C-C2C	5.43	1.48	1.36
24	B	615	CLA	C3C-C2C	5.43	1.48	1.36
24	C	504	CLA	C1D-ND	5.42	1.44	1.37
24	A	406	CLA	C3C-C2C	5.41	1.48	1.36
24	A	407	CLA	MG-ND	-5.41	1.95	2.05
24	C	507	CLA	C3B-C2B	5.41	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	B	604	CLA	CHC-C1C	5.41	1.48	1.35
24	a	410	CLA	CHC-C1C	5.41	1.48	1.35
24	C	513	CLA	MG-NC	5.40	2.19	2.06
24	C	513	CLA	C1D-ND	5.40	1.44	1.37
24	A	407	CLA	C3C-C2C	5.40	1.48	1.36
24	B	616	CLA	C1D-ND	5.39	1.44	1.37
24	b	614	CLA	CHC-C1C	5.39	1.48	1.35
24	c	515	CLA	CHC-C1C	5.39	1.48	1.35
24	C	514	CLA	C3C-C2C	5.38	1.48	1.36
24	b	617	CLA	C3C-C2C	5.38	1.48	1.36
24	c	507	CLA	MG-NC	5.38	2.19	2.06
24	b	605	CLA	CHC-C1C	5.38	1.48	1.35
24	c	506	CLA	MG-NA	5.37	2.19	2.06
24	c	503	CLA	C1D-ND	5.37	1.44	1.37
24	c	513	CLA	CHC-C1C	5.36	1.48	1.35
24	c	515	CLA	C3C-C2C	5.36	1.48	1.36
24	B	603	CLA	CHC-C1C	5.35	1.48	1.35
24	B	613	CLA	C3C-C2C	5.35	1.48	1.36
24	B	608	CLA	C3C-C2C	5.34	1.48	1.36
24	d	405	CLA	C3C-C2C	5.34	1.48	1.36
24	B	605	CLA	MG-NC	5.34	2.19	2.06
24	b	617	CLA	MG-NC	5.34	2.19	2.06
24	d	404	CLA	MG-ND	-5.34	1.95	2.05
24	B	614	CLA	C3C-C2C	5.34	1.48	1.36
24	b	615	CLA	MG-ND	-5.34	1.95	2.05
24	C	503	CLA	CHC-C1C	5.33	1.48	1.35
24	B	612	CLA	MG-ND	-5.33	1.95	2.05
24	C	502	CLA	CHC-C1C	5.32	1.48	1.35
24	b	617	CLA	MG-NA	5.31	2.18	2.06
24	c	508	CLA	CHC-C1C	5.31	1.48	1.35
43	V	202	HEC	C2B-C3B	-5.31	1.35	1.40
24	c	503	CLA	C3C-C2C	5.30	1.48	1.36
24	d	404	CLA	C3C-C2C	5.30	1.48	1.36
24	D	403	CLA	MG-ND	-5.30	1.95	2.05
24	B	610	CLA	C3C-C2C	5.30	1.48	1.36
24	c	514	CLA	MG-NC	5.30	2.18	2.06
24	b	619	CLA	C3C-C2C	5.29	1.48	1.36
24	b	613	CLA	CHC-C1C	5.29	1.48	1.35
24	A	406	CLA	MG-ND	-5.28	1.95	2.05
24	C	505	CLA	CHC-C1C	5.28	1.48	1.35
24	C	502	CLA	MG-NC	5.27	2.18	2.06
24	b	618	CLA	C3C-C2C	5.27	1.47	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	A	408	PHO	C3D-C2D	5.27	1.48	1.39
24	b	604	CLA	CHC-C1C	5.26	1.48	1.35
24	b	611	CLA	CHC-C1C	5.25	1.48	1.35
24	A	405	CLA	C1D-ND	5.25	1.44	1.37
24	c	509	CLA	CHC-C1C	5.25	1.48	1.35
24	B	615	CLA	C1D-ND	5.25	1.44	1.37
24	C	512	CLA	C3C-C2C	5.24	1.47	1.36
24	b	609	CLA	C3C-C2C	5.24	1.47	1.36
24	b	607	CLA	C3C-C2C	5.24	1.47	1.36
24	B	617	CLA	C3C-C2C	5.24	1.47	1.36
24	B	605	CLA	C3C-C2C	5.23	1.47	1.36
24	b	612	CLA	O2D-CGD	5.23	1.46	1.33
24	A	407	CLA	CHC-C1C	5.23	1.48	1.35
24	b	612	CLA	CHC-C1C	5.23	1.48	1.35
24	C	504	CLA	MG-NC	5.23	2.18	2.06
24	b	617	CLA	C1D-ND	5.23	1.44	1.37
24	a	409	CLA	C1D-ND	5.22	1.44	1.37
24	c	504	CLA	CHC-C1C	5.22	1.48	1.35
24	B	607	CLA	C1D-ND	5.22	1.44	1.37
24	B	612	CLA	C1D-ND	5.22	1.44	1.37
24	c	506	CLA	O2D-CGD	5.22	1.45	1.33
24	c	505	CLA	CHC-C1C	5.21	1.48	1.35
24	b	606	CLA	CHC-C1C	5.21	1.48	1.35
24	C	509	CLA	CHC-C1C	5.20	1.48	1.35
24	a	412	CLA	CHC-C1C	5.20	1.48	1.35
24	B	612	CLA	C3C-C2C	5.20	1.47	1.36
24	c	510	CLA	CHC-C1C	5.20	1.48	1.35
43	v	1603	HEC	C3D-C2D	5.20	1.53	1.37
24	b	617	CLA	MG-ND	-5.19	1.95	2.05
25	a	411	PHO	C3D-C2D	5.19	1.48	1.39
24	A	409	CLA	MG-ND	-5.19	1.95	2.05
24	c	503	CLA	CHC-C1C	5.18	1.48	1.35
24	a	412	CLA	C3B-C2B	5.17	1.47	1.40
24	b	608	CLA	CHC-C1C	5.17	1.48	1.35
24	b	614	CLA	C3C-C2C	5.17	1.47	1.36
24	b	609	CLA	CHC-C1C	5.16	1.48	1.35
24	B	614	CLA	CHC-C1C	5.16	1.48	1.35
24	b	610	CLA	CHC-C1C	5.15	1.48	1.35
24	c	511	CLA	CHC-C1C	5.15	1.48	1.35
24	B	612	CLA	CHC-C1C	5.14	1.48	1.35
24	B	610	CLA	O2D-CGD	5.14	1.45	1.33
24	c	514	CLA	CHC-C1C	5.14	1.48	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	a	412	CLA	C1D-ND	5.13	1.44	1.37
24	C	511	CLA	CHC-C1C	5.13	1.48	1.35
24	d	405	CLA	CHC-C1C	5.12	1.48	1.35
43	V	202	HEC	C3D-C2D	5.12	1.52	1.37
24	c	504	CLA	MG-NA	5.12	2.18	2.06
24	b	615	CLA	C3C-C2C	5.12	1.47	1.36
24	B	602	CLA	MG-ND	-5.12	1.95	2.05
24	C	508	CLA	CHC-C1C	5.12	1.48	1.35
24	a	410	CLA	C3B-C2B	5.11	1.47	1.40
24	B	606	CLA	C1D-ND	5.11	1.44	1.37
24	B	606	CLA	CHC-C1C	5.11	1.48	1.35
24	a	408	CLA	MG-NA	5.10	2.18	2.06
24	B	610	CLA	CHC-C1C	5.10	1.48	1.35
24	B	616	CLA	CHC-C1C	5.09	1.48	1.35
24	B	615	CLA	CHC-C1C	5.09	1.48	1.35
24	C	504	CLA	CHC-C1C	5.09	1.48	1.35
24	b	607	CLA	CHC-C1C	5.09	1.48	1.35
24	c	506	CLA	CHC-C1C	5.09	1.48	1.35
24	a	408	CLA	MG-NC	5.09	2.18	2.06
24	c	507	CLA	CHC-C1C	5.09	1.48	1.35
24	C	507	CLA	O2D-CGD	5.08	1.45	1.33
25	D	401	PHO	C3D-C2D	5.08	1.48	1.39
24	b	615	CLA	C1D-ND	5.07	1.44	1.37
24	A	409	CLA	C1D-ND	5.07	1.44	1.37
24	C	511	CLA	C1D-ND	5.06	1.44	1.37
24	C	512	CLA	CHC-C1C	5.05	1.47	1.35
24	B	602	CLA	O2D-CGD	5.05	1.45	1.33
24	b	615	CLA	MG-NC	5.05	2.18	2.06
24	C	512	CLA	C1D-ND	5.05	1.44	1.37
24	a	408	CLA	CHC-C1C	5.05	1.47	1.35
24	b	604	CLA	O2D-CGD	5.05	1.45	1.33
24	b	604	CLA	CHD-C1D	5.05	1.48	1.38
24	b	610	CLA	C1D-ND	5.04	1.44	1.37
24	C	505	CLA	C1D-ND	5.04	1.44	1.37
25	a	411	PHO	O2D-CGD	5.04	1.45	1.33
24	c	507	CLA	CHD-C1D	5.03	1.48	1.38
24	B	609	CLA	O2D-CGD	5.03	1.45	1.33
24	B	617	CLA	CHC-C1C	5.02	1.47	1.35
24	C	506	CLA	CHC-C1C	5.02	1.47	1.35
24	c	515	CLA	CHD-C1D	5.02	1.48	1.38
24	C	510	CLA	CHC-C1C	5.02	1.47	1.35
24	b	615	CLA	CHC-C1C	5.02	1.47	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	605	CLA	O2D-CGD	5.01	1.45	1.33
24	d	405	CLA	MG-ND	-5.01	1.95	2.05
24	b	609	CLA	CHD-C1D	5.00	1.48	1.38
24	b	616	CLA	O2D-CGD	5.00	1.45	1.33
24	c	512	CLA	CHC-C1C	4.99	1.47	1.35
24	D	404	CLA	MG-ND	-4.99	1.95	2.05
24	b	618	CLA	CHC-C1C	4.98	1.47	1.35
25	d	401	PHO	C3D-C2D	4.98	1.48	1.39
24	A	405	CLA	CHC-C1C	4.98	1.47	1.35
24	C	508	CLA	MG-NC	4.98	2.18	2.06
24	a	410	CLA	C1D-ND	4.97	1.43	1.37
24	B	616	CLA	O2D-CGD	4.97	1.45	1.33
24	C	510	CLA	O2D-CGD	4.97	1.45	1.33
24	c	513	CLA	C1D-ND	4.97	1.43	1.37
24	b	618	CLA	C1D-ND	4.96	1.43	1.37
24	b	619	CLA	O2D-CGD	4.96	1.45	1.33
24	B	604	CLA	O2D-CGD	4.95	1.45	1.33
24	c	515	CLA	O2D-CGD	4.95	1.45	1.33
24	d	404	CLA	CHC-C1C	4.95	1.47	1.35
24	b	616	CLA	CHC-C1C	4.95	1.47	1.35
24	B	609	CLA	CHD-C1D	4.95	1.48	1.38
24	C	503	CLA	O2D-CGD	4.94	1.45	1.33
24	b	619	CLA	CHC-C1C	4.94	1.47	1.35
24	b	605	CLA	MG-NA	4.94	2.18	2.06
24	B	607	CLA	O2D-CGD	4.93	1.45	1.33
24	a	409	CLA	CHC-C1C	4.93	1.47	1.35
24	B	603	CLA	O2D-CGD	4.93	1.45	1.33
24	C	510	CLA	CHD-C1D	4.93	1.48	1.38
24	B	607	CLA	CHC-C1C	4.92	1.47	1.35
24	B	616	CLA	C3C-C2C	4.92	1.47	1.36
24	b	613	CLA	O2D-CGD	4.92	1.45	1.33
24	c	504	CLA	C1D-ND	4.92	1.43	1.37
24	b	615	CLA	O2D-CGD	4.91	1.45	1.33
25	d	401	PHO	O2D-CGD	4.91	1.45	1.33
24	D	404	CLA	O2D-CGD	4.91	1.45	1.33
24	a	412	CLA	O2D-CGD	4.91	1.45	1.33
24	B	602	CLA	MG-NC	4.90	2.17	2.06
24	C	502	CLA	C1D-ND	4.90	1.43	1.37
24	b	606	CLA	O2D-CGD	4.89	1.45	1.33
24	B	604	CLA	MG-NA	4.89	2.17	2.06
24	B	609	CLA	CHC-C1C	4.89	1.47	1.35
24	B	608	CLA	O2D-CGD	4.88	1.45	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	A	406	CLA	CHC-C1C	4.88	1.47	1.35
24	D	404	CLA	CHD-C1D	4.88	1.47	1.38
24	C	508	CLA	CHD-C1D	4.87	1.47	1.38
24	A	409	CLA	CHC-C1C	4.87	1.47	1.35
24	B	606	CLA	O2D-CGD	4.87	1.45	1.33
24	A	409	CLA	O2D-CGD	4.86	1.45	1.33
24	A	407	CLA	O2D-CGD	4.86	1.45	1.33
24	B	617	CLA	O2D-CGD	4.86	1.45	1.33
24	b	614	CLA	O2D-CGD	4.85	1.45	1.33
24	c	510	CLA	O2D-CGD	4.85	1.45	1.33
24	B	603	CLA	CHD-C1D	4.84	1.47	1.38
24	B	614	CLA	O2D-CGD	4.83	1.45	1.33
24	B	614	CLA	C1D-ND	4.83	1.43	1.37
24	b	613	CLA	CHD-C1D	4.82	1.47	1.38
24	b	618	CLA	O2D-CGD	4.82	1.45	1.33
24	C	513	CLA	O2D-CGD	4.81	1.44	1.33
24	b	608	CLA	C1D-ND	4.81	1.43	1.37
24	C	509	CLA	O2D-CGD	4.80	1.44	1.33
24	b	617	CLA	O2D-CGD	4.80	1.44	1.33
24	c	508	CLA	CHD-C1D	4.79	1.47	1.38
24	C	503	CLA	CHD-C1D	4.79	1.47	1.38
24	B	617	CLA	C1D-ND	4.79	1.43	1.37
24	B	615	CLA	MG-ND	-4.78	1.96	2.05
24	b	605	CLA	CHD-C1D	4.78	1.47	1.38
24	B	608	CLA	CHC-C1C	4.78	1.47	1.35
25	D	401	PHO	O2D-CGD	4.78	1.44	1.33
24	c	505	CLA	CHD-C1D	4.77	1.47	1.38
24	C	512	CLA	O2D-CGD	4.77	1.44	1.33
24	B	602	CLA	CHD-C1D	4.77	1.47	1.38
24	b	614	CLA	CHD-C1D	4.77	1.47	1.38
24	C	514	CLA	O2D-CGD	4.76	1.44	1.33
24	c	508	CLA	O2D-CGD	4.76	1.44	1.33
24	d	405	CLA	O2D-CGD	4.76	1.44	1.33
24	c	511	CLA	O2D-CGD	4.76	1.44	1.33
24	C	507	CLA	CHC-C1C	4.75	1.47	1.35
24	D	403	CLA	CHC-C1C	4.75	1.47	1.35
24	b	612	CLA	CHD-C1D	4.75	1.47	1.38
24	c	504	CLA	MG-NC	4.75	2.17	2.06
24	c	512	CLA	O2D-CGD	4.74	1.44	1.33
24	B	610	CLA	CHD-C1D	4.74	1.47	1.38
25	A	408	PHO	O2D-CGD	4.74	1.44	1.33
24	A	406	CLA	C1D-ND	4.72	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	d	404	CLA	O2D-CGD	4.72	1.44	1.33
24	b	611	CLA	O2D-CGD	4.72	1.44	1.33
24	c	504	CLA	O2D-CGD	4.72	1.44	1.33
25	d	401	PHO	OBD-CAD	4.72	1.28	1.22
24	c	503	CLA	O2D-CGD	4.70	1.44	1.33
24	C	507	CLA	CHD-C1D	4.70	1.47	1.38
24	c	509	CLA	O2D-CGD	4.69	1.44	1.33
24	c	513	CLA	O2D-CGD	4.69	1.44	1.33
24	C	511	CLA	O2D-CGD	4.69	1.44	1.33
40	f	101	HEM	C3C-C2C	-4.69	1.33	1.40
24	C	509	CLA	C1D-ND	4.68	1.43	1.37
24	a	409	CLA	O2D-CGD	4.68	1.44	1.33
24	A	405	CLA	O2D-CGD	4.68	1.44	1.33
24	b	611	CLA	CHD-C1D	4.68	1.47	1.38
24	A	407	CLA	CHD-C1D	4.67	1.47	1.38
24	A	407	CLA	C1D-ND	4.66	1.43	1.37
24	b	610	CLA	CHD-C1D	4.65	1.47	1.38
24	d	404	CLA	C1D-ND	4.65	1.43	1.37
24	C	506	CLA	O2D-CGD	4.65	1.44	1.33
24	C	508	CLA	O2D-CGD	4.65	1.44	1.33
24	B	613	CLA	C1D-ND	4.65	1.43	1.37
24	B	611	CLA	CHD-C1D	4.64	1.47	1.38
24	b	619	CLA	CHD-C1D	4.63	1.47	1.38
24	B	606	CLA	CHD-C1D	4.63	1.47	1.38
24	C	502	CLA	CHD-C1D	4.63	1.47	1.38
24	A	405	CLA	MG-ND	-4.63	1.96	2.05
24	C	502	CLA	O2D-CGD	4.62	1.44	1.33
28	C	520	LMG	O8-C28	4.62	1.46	1.33
24	d	404	CLA	MG-NC	4.62	2.17	2.06
24	C	512	CLA	MG-ND	-4.62	1.96	2.05
24	c	506	CLA	C1D-ND	4.62	1.43	1.37
24	b	607	CLA	O2D-CGD	4.61	1.44	1.33
24	c	512	CLA	CHD-C1D	4.61	1.47	1.38
24	C	509	CLA	CHD-C1D	4.60	1.47	1.38
24	B	605	CLA	CHC-C1C	4.59	1.46	1.35
24	b	610	CLA	O2D-CGD	4.59	1.44	1.33
38	O	304	DMS	O-S	4.59	1.81	1.50
24	C	504	CLA	O2D-CGD	4.59	1.44	1.33
24	b	607	CLA	CHD-C1D	4.59	1.47	1.38
24	B	615	CLA	O2D-CGD	4.58	1.44	1.33
24	b	608	CLA	O2D-CGD	4.58	1.44	1.33
38	c	537	DMS	O-S	4.57	1.81	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	c	507	CLA	O2D-CGD	4.57	1.44	1.33
24	C	511	CLA	CHD-C1D	4.57	1.47	1.38
38	Y	303	DMS	O-S	4.57	1.81	1.50
24	b	609	CLA	O2D-CGD	4.56	1.44	1.33
24	c	510	CLA	CHD-C1D	4.55	1.47	1.38
24	B	611	CLA	O2D-CGD	4.55	1.44	1.33
24	C	505	CLA	CHD-C1D	4.55	1.47	1.38
24	c	505	CLA	O2D-CGD	4.54	1.44	1.33
38	D	416	DMS	O-S	4.54	1.80	1.50
24	A	406	CLA	MG-NA	4.54	2.17	2.06
24	d	405	CLA	CHD-C1D	4.54	1.47	1.38
24	b	606	CLA	CHD-C1D	4.54	1.47	1.38
38	o	308	DMS	O-S	4.54	1.80	1.50
24	B	608	CLA	C1D-ND	4.54	1.43	1.37
38	d	416	DMS	O-S	4.54	1.80	1.50
38	c	535	DMS	O-S	4.53	1.80	1.50
24	C	506	CLA	CHD-C1D	4.53	1.47	1.38
38	B	646	DMS	O-S	4.53	1.80	1.50
24	C	514	CLA	CHD-C1D	4.53	1.47	1.38
38	b	637	DMS	O-S	4.53	1.80	1.50
24	C	509	CLA	MG-NC	4.52	2.17	2.06
24	A	406	CLA	O2D-CGD	4.52	1.44	1.33
24	a	409	CLA	MG-NA	4.52	2.17	2.06
38	b	638	DMS	O-S	4.52	1.80	1.50
38	o	304	DMS	O-S	4.52	1.80	1.50
38	C	533	DMS	O-S	4.52	1.80	1.50
24	C	505	CLA	O2D-CGD	4.52	1.44	1.33
38	c	533	DMS	O-S	4.52	1.80	1.50
38	z	102	DMS	O-S	4.52	1.80	1.50
24	c	514	CLA	O2D-CGD	4.51	1.44	1.33
24	B	613	CLA	O2D-CGD	4.51	1.44	1.33
38	o	306	DMS	O-S	4.51	1.80	1.50
38	a	426	DMS	O-S	4.51	1.80	1.50
24	A	405	CLA	CHD-C1D	4.51	1.47	1.38
38	v	1608	DMS	O-S	4.50	1.80	1.50
38	B	645	DMS	O-S	4.50	1.80	1.50
38	B	644	DMS	O-S	4.50	1.80	1.50
38	o	307	DMS	O-S	4.50	1.80	1.50
24	B	603	CLA	MG-NC	4.50	2.17	2.06
38	d	415	DMS	O-S	4.50	1.80	1.50
38	b	636	DMS	O-S	4.50	1.80	1.50
28	C	532	LMG	O7-C10	4.50	1.47	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	B	643	DMS	O-S	4.49	1.80	1.50
38	o	309	DMS	O-S	4.49	1.80	1.50
38	c	534	DMS	O-S	4.48	1.80	1.50
38	E	106	DMS	O-S	4.48	1.80	1.50
38	C	525	DMS	O-S	4.47	1.80	1.50
24	B	612	CLA	O2D-CGD	4.47	1.44	1.33
24	C	512	CLA	CHD-C1D	4.47	1.47	1.38
24	B	605	CLA	O2D-CGD	4.46	1.44	1.33
38	V	207	DMS	O-S	4.46	1.80	1.50
24	b	619	CLA	MG-NC	4.46	2.16	2.06
24	c	509	CLA	CHD-C1D	4.45	1.47	1.38
24	C	513	CLA	CHD-C1D	4.45	1.47	1.38
38	c	536	DMS	O-S	4.45	1.80	1.50
39	D	407	DGD	O1G-C1A	4.45	1.46	1.33
24	C	504	CLA	CHD-C1D	4.44	1.47	1.38
24	c	515	CLA	MG-NA	4.44	2.16	2.06
24	A	409	CLA	CHD-C1D	4.44	1.47	1.38
38	i	104	DMS	O-S	4.44	1.80	1.50
24	a	408	CLA	O2D-CGD	4.43	1.44	1.33
38	B	647	DMS	O-S	4.43	1.80	1.50
24	c	510	CLA	MG-NA	4.43	2.16	2.06
24	c	514	CLA	CHD-C1D	4.41	1.46	1.38
24	a	412	CLA	CHD-C1D	4.41	1.46	1.38
24	a	412	CLA	MG-NC	4.40	2.16	2.06
39	D	407	DGD	O2G-C1B	4.40	1.46	1.34
28	a	415	LMG	O8-C28	4.40	1.46	1.33
24	b	618	CLA	CHD-C1D	4.40	1.46	1.38
24	c	511	CLA	CHD-C1D	4.40	1.46	1.38
24	B	607	CLA	CHD-C1D	4.39	1.46	1.38
24	B	610	CLA	OBD-CAD	4.38	1.30	1.22
37	E	101	LHG	O8-C23	4.38	1.46	1.33
24	b	617	CLA	CHD-C1D	4.38	1.46	1.38
36	o	301	HTG	C1'-S1	-4.38	1.75	1.81
24	B	613	CLA	MG-NC	4.37	2.16	2.06
24	a	410	CLA	O2D-CGD	4.36	1.43	1.33
25	D	401	PHO	OBD-CAD	4.36	1.28	1.22
28	c	522	LMG	O7-C10	4.36	1.46	1.34
24	a	410	CLA	O2A-CGA	4.36	1.46	1.33
28	C	532	LMG	O8-C28	4.36	1.46	1.33
24	a	412	CLA	O2A-CGA	4.36	1.46	1.33
24	b	604	CLA	MG-ND	-4.36	1.97	2.05
28	B	621	LMG	O8-C28	4.34	1.46	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	604	CLA	O2A-CGA	4.34	1.46	1.33
24	B	602	CLA	O2A-CGA	4.33	1.46	1.33
27	L	101	SQD	O47-C7	4.33	1.46	1.34
24	B	604	CLA	O2A-CGA	4.33	1.46	1.33
24	B	615	CLA	CHD-C1D	4.32	1.46	1.38
24	b	612	CLA	OBD-CAD	4.32	1.29	1.22
24	d	404	CLA	O2A-CGA	4.32	1.46	1.33
24	c	515	CLA	O2A-CGA	4.32	1.46	1.33
24	B	614	CLA	CHD-C1D	4.31	1.46	1.38
24	B	613	CLA	CHD-C1D	4.31	1.46	1.38
27	a	401	SQD	O47-C7	4.31	1.46	1.34
24	C	509	CLA	O2A-CGA	4.31	1.45	1.33
24	c	514	CLA	O2A-CGA	4.31	1.45	1.33
24	A	409	CLA	MG-NC	4.30	2.16	2.06
27	a	401	SQD	O48-C23	4.30	1.45	1.33
27	A	413	SQD	O48-C23	4.29	1.45	1.33
24	D	404	CLA	OBD-CAD	4.29	1.29	1.22
27	L	102	SQD	O47-C7	4.29	1.46	1.34
24	D	404	CLA	MG-NA	4.29	2.16	2.06
24	c	506	CLA	CHD-C1D	4.28	1.46	1.38
24	C	507	CLA	O2A-CGA	4.28	1.45	1.33
27	A	413	SQD	O47-C7	4.27	1.46	1.34
36	O	302	HTG	C1'-S1	-4.27	1.76	1.81
24	c	506	CLA	MG-ND	-4.27	1.97	2.05
28	b	623	LMG	O8-C28	4.27	1.45	1.33
24	A	406	CLA	O2A-CGA	4.27	1.45	1.33
37	E	101	LHG	O7-C7	4.26	1.46	1.34
27	D	408	SQD	O48-C23	4.26	1.45	1.33
24	B	608	CLA	CHD-C1D	4.26	1.46	1.38
24	B	608	CLA	OBD-CAD	4.26	1.29	1.22
24	c	511	CLA	O2A-CGA	4.26	1.45	1.33
24	B	609	CLA	MG-NC	4.25	2.16	2.06
24	D	403	CLA	O2A-CGA	4.25	1.45	1.33
28	c	522	LMG	O8-C28	4.25	1.45	1.33
24	C	510	CLA	O2A-CGA	4.25	1.45	1.33
24	c	513	CLA	CHD-C1D	4.24	1.46	1.38
24	D	403	CLA	C1D-ND	4.24	1.43	1.37
24	B	617	CLA	CHD-C1D	4.23	1.46	1.38
24	c	504	CLA	CHD-C1D	4.23	1.46	1.38
28	a	415	LMG	O7-C10	4.23	1.46	1.34
24	b	604	CLA	CHD-C4C	4.23	1.48	1.39
24	C	512	CLA	O2A-CGA	4.22	1.45	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	616	CLA	CHD-C1D	4.22	1.46	1.38
24	B	605	CLA	CHD-C1D	4.21	1.46	1.38
27	D	408	SQD	O47-C7	4.21	1.46	1.34
24	C	514	CLA	O2A-CGA	4.21	1.45	1.33
24	b	619	CLA	O2A-CGA	4.21	1.45	1.33
24	D	403	CLA	O2D-CGD	4.21	1.43	1.33
24	b	618	CLA	O2A-CGA	4.21	1.45	1.33
24	c	509	CLA	MG-ND	-4.20	1.97	2.05
37	e	101	LHG	O8-C23	4.20	1.45	1.33
24	A	406	CLA	CHD-C1D	4.20	1.46	1.38
25	A	408	PHO	OBD-CAD	4.20	1.28	1.22
27	L	101	SQD	O48-C23	4.20	1.45	1.33
27	f	102	SQD	O48-C23	4.19	1.45	1.33
37	d	410	LHG	O7-C7	4.19	1.46	1.34
27	L	102	SQD	O48-C23	4.19	1.45	1.33
24	a	410	CLA	CHD-C1D	4.19	1.46	1.38
28	A	412	LMG	O7-C10	4.18	1.46	1.34
24	b	605	CLA	O2A-CGA	4.18	1.45	1.33
28	c	521	LMG	O8-C28	4.18	1.45	1.33
24	c	510	CLA	O2A-CGA	4.17	1.45	1.33
24	B	607	CLA	MG-NC	4.15	2.16	2.06
24	A	409	CLA	O2A-CGA	4.14	1.45	1.33
24	c	509	CLA	O2A-CGA	4.14	1.45	1.33
24	c	505	CLA	MG-ND	-4.14	1.97	2.05
24	c	511	CLA	MG-ND	-4.13	1.97	2.05
24	C	513	CLA	O2A-CGA	4.12	1.45	1.33
24	c	513	CLA	O2A-CGA	4.12	1.45	1.33
24	B	612	CLA	CHD-C1D	4.12	1.46	1.38
24	b	611	CLA	O2A-CGA	4.11	1.45	1.33
24	b	608	CLA	O2A-CGA	4.11	1.45	1.33
24	C	508	CLA	O2A-CGA	4.11	1.45	1.33
24	d	405	CLA	O2A-CGA	4.10	1.45	1.33
24	b	605	CLA	MG-ND	-4.10	1.97	2.05
24	b	616	CLA	O2A-CGA	4.10	1.45	1.33
25	D	401	PHO	CHA-CBD	-4.10	1.47	1.52
28	A	412	LMG	O8-C28	4.09	1.45	1.33
24	b	612	CLA	O2A-CGA	4.08	1.45	1.33
24	a	409	CLA	CHD-C1D	4.07	1.46	1.38
24	C	503	CLA	O2A-CGA	4.07	1.45	1.33
37	d	410	LHG	O8-C23	4.07	1.45	1.33
39	h	1205	DGD	O1G-C1A	4.07	1.45	1.33
24	c	506	CLA	C3D-C2D	4.07	1.50	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	c	520	DGD	O1G-C1A	4.07	1.45	1.33
24	b	615	CLA	OBD-CAD	4.07	1.29	1.22
24	C	502	CLA	O2A-CGA	4.06	1.45	1.33
24	b	608	CLA	CHD-C1D	4.06	1.46	1.38
24	C	509	CLA	C3D-C2D	4.06	1.50	1.39
24	c	503	CLA	CHD-C1D	4.06	1.46	1.38
37	e	101	LHG	O7-C7	4.06	1.45	1.34
24	B	606	CLA	OBD-CAD	4.06	1.29	1.22
24	b	606	CLA	O2A-CGA	4.06	1.45	1.33
24	B	609	CLA	O2A-CGA	4.05	1.45	1.33
24	c	505	CLA	O2A-CGA	4.05	1.45	1.33
24	D	404	CLA	O2A-CGA	4.05	1.45	1.33
39	h	1205	DGD	O2G-C1B	4.05	1.45	1.34
43	v	1603	HEC	CBC-CAC	-4.05	1.34	1.49
39	C	517	DGD	O2G-C1B	4.04	1.45	1.34
24	b	611	CLA	OBD-CAD	4.04	1.29	1.22
28	C	520	LMG	O7-C10	4.04	1.45	1.34
40	F	101	HEM	C3C-C2C	-4.03	1.34	1.40
24	b	604	CLA	C3D-C2D	4.03	1.50	1.39
28	c	521	LMG	O7-C10	4.03	1.45	1.34
24	a	409	CLA	OBD-CAD	4.03	1.29	1.22
39	C	519	DGD	O1G-C1A	4.03	1.45	1.33
24	b	615	CLA	CHD-C1D	4.02	1.46	1.38
24	B	603	CLA	O2A-CGA	4.02	1.45	1.33
24	A	406	CLA	OBD-CAD	4.02	1.29	1.22
24	b	614	CLA	O2A-CGA	4.02	1.45	1.33
39	c	519	DGD	O1G-C1A	4.01	1.45	1.33
27	A	411	SQD	O47-C7	4.01	1.45	1.34
39	H	102	DGD	O1G-C1A	4.01	1.45	1.33
24	B	614	CLA	MG-NC	4.00	2.15	2.06
25	a	411	PHO	OBD-CAD	4.00	1.27	1.22
24	a	408	CLA	CHD-C1D	4.00	1.46	1.38
28	d	411	LMG	O8-C28	4.00	1.45	1.33
24	B	617	CLA	O2A-CGA	4.00	1.45	1.33
24	c	508	CLA	O2A-CGA	4.00	1.45	1.33
24	C	512	CLA	CHD-C4C	3.99	1.48	1.39
24	b	617	CLA	O2A-CGA	3.99	1.45	1.33
37	B	640	LHG	O8-C23	3.98	1.45	1.33
24	B	606	CLA	C3D-C2D	3.98	1.50	1.39
24	B	609	CLA	C3D-C2D	3.97	1.50	1.39
37	D	411	LHG	O7-C7	3.97	1.45	1.34
24	c	513	CLA	OBD-CAD	3.97	1.29	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	a	408	CLA	CHD-C4C	3.96	1.48	1.39
24	C	503	CLA	C3D-C2D	3.96	1.49	1.39
24	c	503	CLA	O2A-CGA	3.96	1.44	1.33
24	B	616	CLA	O2A-CGA	3.95	1.44	1.33
24	c	508	CLA	CHD-C4C	3.94	1.48	1.39
24	B	602	CLA	CHD-C4C	3.94	1.48	1.39
24	C	505	CLA	CHD-C4C	3.94	1.48	1.39
24	d	404	CLA	CHD-C1D	3.94	1.46	1.38
24	C	510	CLA	CHD-C4C	3.94	1.48	1.39
24	b	610	CLA	O2A-CGA	3.94	1.44	1.33
24	c	513	CLA	CHD-C4C	3.94	1.48	1.39
24	B	606	CLA	O2A-CGA	3.94	1.44	1.33
24	c	513	CLA	C3D-C2D	3.93	1.49	1.39
24	d	405	CLA	CHD-C4C	3.93	1.48	1.39
43	V	202	HEC	CBC-CAC	-3.93	1.34	1.49
24	A	405	CLA	CHD-C4C	3.92	1.48	1.39
24	B	614	CLA	C3D-C2D	3.92	1.49	1.39
24	C	505	CLA	O2A-CGA	3.92	1.44	1.33
24	C	503	CLA	OBD-CAD	3.91	1.29	1.22
24	a	412	CLA	C3D-C2D	3.91	1.49	1.39
24	C	510	CLA	C3D-C2D	3.91	1.49	1.39
24	b	618	CLA	OBD-CAD	3.91	1.29	1.22
24	C	502	CLA	C3D-C2D	3.90	1.49	1.39
24	B	616	CLA	CHD-C1D	3.90	1.46	1.38
24	A	405	CLA	C3D-C2D	3.90	1.49	1.39
24	b	609	CLA	CHD-C4C	3.90	1.48	1.39
24	b	615	CLA	O2A-CGA	3.89	1.44	1.33
24	b	612	CLA	CHD-C4C	3.89	1.48	1.39
36	b	626	HTG	C1'-S1	-3.89	1.76	1.81
24	c	515	CLA	C3D-C2D	3.89	1.49	1.39
24	C	502	CLA	CHD-C4C	3.89	1.48	1.39
28	B	621	LMG	O7-C10	3.89	1.45	1.34
24	b	609	CLA	O2A-CGA	3.88	1.44	1.33
36	b	601	HTG	C1'-S1	-3.88	1.76	1.81
37	B	640	LHG	O7-C7	3.88	1.45	1.34
24	B	608	CLA	MG-NC	3.88	2.15	2.06
24	C	502	CLA	OBD-CAD	3.87	1.29	1.22
24	C	513	CLA	C3D-C2D	3.87	1.49	1.39
24	d	405	CLA	MG-NA	3.87	2.15	2.06
24	A	405	CLA	OBD-CAD	3.87	1.29	1.22
24	b	613	CLA	C3D-C2D	3.86	1.49	1.39
24	B	607	CLA	O2A-CGA	3.86	1.44	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	617	CLA	CHD-C4C	3.86	1.48	1.39
24	a	410	CLA	OBD-CAD	3.85	1.29	1.22
27	A	411	SQD	O48-C23	3.85	1.44	1.33
24	c	509	CLA	CHD-C4C	3.85	1.48	1.39
24	c	511	CLA	CHD-C4C	3.85	1.48	1.39
36	B	625	HTG	C1'-S1	-3.85	1.76	1.81
36	I	102	HTG	C1'-S1	-3.85	1.76	1.81
24	C	504	CLA	O2A-CGA	3.84	1.44	1.33
24	B	603	CLA	CHD-C4C	3.84	1.48	1.39
24	c	515	CLA	CHD-C4C	3.84	1.48	1.39
24	b	605	CLA	OBD-CAD	3.84	1.29	1.22
24	c	514	CLA	C3D-C2D	3.84	1.49	1.39
24	B	610	CLA	C3D-C2D	3.83	1.49	1.39
24	B	615	CLA	O2A-CGA	3.83	1.44	1.33
36	b	602	HTG	C1'-S1	-3.83	1.76	1.81
36	B	624	HTG	C1'-S1	-3.83	1.76	1.81
36	h	1202	HTG	C1'-S1	-3.83	1.76	1.81
24	b	605	CLA	C3D-C2D	3.83	1.49	1.39
24	c	511	CLA	C3D-C2D	3.83	1.49	1.39
39	c	519	DGD	O2G-C1B	3.82	1.45	1.34
24	C	509	CLA	CHD-C4C	3.82	1.48	1.39
24	C	512	CLA	C3D-C2D	3.82	1.49	1.39
28	b	623	LMG	O7-C10	3.82	1.45	1.34
39	c	518	DGD	O2G-C1B	3.82	1.45	1.34
24	a	410	CLA	CHD-C4C	3.82	1.48	1.39
24	a	412	CLA	MG-NA	3.82	2.15	2.06
24	C	505	CLA	C3D-C2D	3.82	1.49	1.39
24	C	511	CLA	CHD-C4C	3.82	1.48	1.39
24	C	507	CLA	C3D-C2D	3.82	1.49	1.39
25	A	408	PHO	O2A-CGA	3.82	1.44	1.33
24	b	605	CLA	CHD-C4C	3.82	1.47	1.39
24	b	618	CLA	CHD-C4C	3.82	1.47	1.39
24	c	509	CLA	OBD-CAD	3.81	1.29	1.22
24	B	608	CLA	O2A-CGA	3.81	1.44	1.33
36	B	623[A]	HTG	C1'-S1	-3.81	1.76	1.81
24	C	511	CLA	C3D-C2D	3.81	1.49	1.39
24	a	409	CLA	O2A-CGA	3.81	1.44	1.33
36	D	413	HTG	C1'-S1	-3.81	1.76	1.81
24	a	410	CLA	C3D-C2D	3.81	1.49	1.39
24	b	613	CLA	CHD-C4C	3.81	1.47	1.39
24	B	617	CLA	C3D-C2D	3.81	1.49	1.39
24	C	504	CLA	C3D-C2D	3.81	1.49	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	B	610	CLA	O2A-CGA	3.80	1.44	1.33
24	a	408	CLA	OBD-CAD	3.80	1.29	1.22
24	A	407	CLA	O2A-CGA	3.80	1.44	1.33
24	B	608	CLA	CHD-C4C	3.79	1.47	1.39
24	c	506	CLA	O2A-CGA	3.79	1.44	1.33
24	A	407	CLA	OBD-CAD	3.79	1.29	1.22
24	C	507	CLA	CHD-C4C	3.79	1.47	1.39
37	d	408	LHG	O8-C23	3.79	1.44	1.33
24	B	604	CLA	CHD-C1D	3.79	1.45	1.38
25	d	401	PHO	O2A-CGA	3.79	1.44	1.33
24	B	610	CLA	CHD-C4C	3.79	1.47	1.39
24	D	403	CLA	CHD-C4C	3.78	1.47	1.39
27	a	414	SQD	O48-C23	3.78	1.44	1.33
24	b	608	CLA	CHD-C4C	3.78	1.47	1.39
24	B	606	CLA	CHD-C4C	3.78	1.47	1.39
24	A	405	CLA	O2A-CGA	3.78	1.44	1.33
24	b	614	CLA	C3D-C2D	3.77	1.49	1.39
24	C	514	CLA	CHD-C4C	3.77	1.47	1.39
24	c	507	CLA	CHD-C4C	3.77	1.47	1.39
24	C	504	CLA	CHD-C4C	3.77	1.47	1.39
27	a	414	SQD	O47-C7	3.77	1.44	1.34
24	d	404	CLA	CHD-C4C	3.77	1.47	1.39
24	b	613	CLA	OBD-CAD	3.77	1.29	1.22
25	a	411	PHO	C3C-C2C	3.77	1.48	1.37
25	D	401	PHO	O2A-CGA	3.77	1.44	1.33
24	C	510	CLA	OBD-CAD	3.77	1.29	1.22
24	B	602	CLA	OBD-CAD	3.77	1.29	1.22
24	C	511	CLA	O2A-CGA	3.76	1.44	1.33
39	H	102	DGD	O2G-C1B	3.76	1.44	1.34
24	C	509	CLA	OBD-CAD	3.75	1.28	1.22
24	C	508	CLA	CHD-C4C	3.75	1.47	1.39
37	l	302	LHG	O8-C23	3.75	1.44	1.33
24	A	409	CLA	MG-NA	3.75	2.15	2.06
39	C	518	DGD	O2G-C1B	3.75	1.44	1.34
24	A	406	CLA	CHD-C4C	3.75	1.47	1.39
24	B	608	CLA	C3D-C2D	3.74	1.49	1.39
24	b	609	CLA	C3D-C2D	3.74	1.49	1.39
24	c	509	CLA	C3D-C2D	3.74	1.49	1.39
37	D	410	LHG	O7-C7	3.74	1.44	1.34
24	b	607	CLA	C3D-C2D	3.74	1.49	1.39
24	A	409	CLA	OBD-CAD	3.74	1.28	1.22
24	C	513	CLA	CHD-C4C	3.74	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	618	CLA	MG-NC	3.74	2.15	2.06
24	B	611	CLA	C3D-C2D	3.74	1.49	1.39
43	v	1603	HEC	CBB-CAB	-3.73	1.35	1.49
24	c	507	CLA	OBD-CAD	3.73	1.28	1.22
39	C	519	DGD	O2G-C1B	3.73	1.44	1.34
24	b	609	CLA	OBD-CAD	3.73	1.28	1.22
24	a	408	CLA	O2A-CGA	3.73	1.44	1.33
24	c	505	CLA	C3D-C2D	3.72	1.49	1.39
39	c	520	DGD	O2G-C1B	3.72	1.44	1.34
24	C	504	CLA	OBD-CAD	3.72	1.28	1.22
24	a	412	CLA	CHD-C4C	3.72	1.47	1.39
24	B	614	CLA	O2A-CGA	3.72	1.44	1.33
24	A	409	CLA	C3D-C2D	3.72	1.49	1.39
24	D	403	CLA	CHD-C1D	3.72	1.45	1.38
24	D	404	CLA	CHD-C4C	3.72	1.47	1.39
25	a	411	PHO	O2A-CGA	3.72	1.44	1.33
24	C	511	CLA	OBD-CAD	3.71	1.28	1.22
24	b	610	CLA	C3D-C2D	3.71	1.49	1.39
24	C	503	CLA	CHD-C4C	3.71	1.47	1.39
24	c	510	CLA	C3D-C2D	3.71	1.49	1.39
24	d	405	CLA	OBD-CAD	3.71	1.28	1.22
24	b	618	CLA	C3D-C2D	3.71	1.49	1.39
24	a	409	CLA	C3D-C2D	3.71	1.49	1.39
24	d	405	CLA	C3D-C2D	3.71	1.49	1.39
36	d	414	HTG	C1'-S1	-3.70	1.76	1.81
24	B	607	CLA	C3D-C2D	3.70	1.49	1.39
24	c	503	CLA	OBD-CAD	3.70	1.28	1.22
24	b	615	CLA	C3D-C2D	3.69	1.49	1.39
28	d	411	LMG	O7-C10	3.69	1.44	1.34
24	C	514	CLA	OBD-CAD	3.69	1.28	1.22
37	d	409	LHG	O8-C23	3.69	1.44	1.33
37	D	409	LHG	O8-C23	3.69	1.44	1.33
24	B	616	CLA	OBD-CAD	3.69	1.28	1.22
24	b	608	CLA	OBD-CAD	3.68	1.28	1.22
24	b	607	CLA	CHD-C4C	3.68	1.47	1.39
36	c	525	HTG	C1'-S1	-3.68	1.76	1.81
24	c	504	CLA	OBD-CAD	3.67	1.28	1.22
37	d	409	LHG	O7-C7	3.67	1.44	1.34
24	B	615	CLA	CHD-C4C	3.67	1.47	1.39
24	C	508	CLA	C3D-C2D	3.67	1.49	1.39
24	b	613	CLA	O2A-CGA	3.66	1.44	1.33
24	B	603	CLA	OBD-CAD	3.66	1.28	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	c	506	CLA	CHD-C4C	3.66	1.47	1.39
24	c	504	CLA	O2A-CGA	3.66	1.44	1.33
24	C	506	CLA	O2A-CGA	3.66	1.44	1.33
24	b	607	CLA	O2A-CGA	3.66	1.44	1.33
24	c	512	CLA	CHD-C4C	3.65	1.47	1.39
24	C	505	CLA	OBD-CAD	3.65	1.28	1.22
24	D	404	CLA	C3D-C2D	3.65	1.49	1.39
24	B	609	CLA	CHD-C4C	3.65	1.47	1.39
36	B	626	HTG	C1'-S1	-3.64	1.76	1.81
24	B	617	CLA	MG-NC	3.64	2.14	2.06
24	c	510	CLA	CHD-C4C	3.64	1.47	1.39
25	D	401	PHO	C3C-C2C	3.64	1.48	1.37
24	b	606	CLA	CHD-C4C	3.64	1.47	1.39
24	b	619	CLA	C3D-C2D	3.64	1.49	1.39
24	b	611	CLA	C3D-C2D	3.64	1.49	1.39
39	C	518	DGD	O1G-C1A	3.64	1.44	1.33
24	b	619	CLA	OBD-CAD	3.63	1.28	1.22
24	B	613	CLA	OBD-CAD	3.63	1.28	1.22
37	l	302	LHG	O7-C7	3.63	1.44	1.34
24	B	605	CLA	O2A-CGA	3.63	1.43	1.33
40	f	101	HEM	C3C-CAC	3.62	1.55	1.47
39	C	517	DGD	O1G-C1A	3.62	1.43	1.33
24	B	612	CLA	O2A-CGA	3.62	1.43	1.33
24	C	511	CLA	MG-NC	3.62	2.14	2.06
24	B	613	CLA	O2A-CGA	3.62	1.43	1.33
24	A	407	CLA	CHD-C4C	3.62	1.47	1.39
24	B	602	CLA	C3D-C2D	3.62	1.49	1.39
24	b	612	CLA	C3D-C2D	3.62	1.49	1.39
24	A	406	CLA	MG-NC	3.61	2.14	2.06
24	c	505	CLA	CHD-C4C	3.61	1.47	1.39
24	c	510	CLA	OBD-CAD	3.61	1.28	1.22
24	D	403	CLA	OBD-CAD	3.61	1.28	1.22
37	D	410	LHG	O8-C23	3.61	1.43	1.33
24	b	604	CLA	OBD-CAD	3.61	1.28	1.22
24	c	503	CLA	CHD-C4C	3.60	1.47	1.39
24	B	607	CLA	OBD-CAD	3.60	1.28	1.22
24	B	608	CLA	MG-ND	-3.59	1.98	2.05
24	c	515	CLA	OBD-CAD	3.59	1.28	1.22
37	D	411	LHG	O8-C23	3.59	1.43	1.33
24	A	409	CLA	CHD-C4C	3.59	1.47	1.39
24	C	508	CLA	OBD-CAD	3.59	1.28	1.22
40	F	101	HEM	C3C-CAC	3.58	1.55	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	c	512	CLA	O2A-CGA	3.58	1.43	1.33
24	b	617	CLA	C3D-C2D	3.58	1.48	1.39
24	C	514	CLA	C3D-C2D	3.58	1.48	1.39
24	C	512	CLA	OBD-CAD	3.58	1.28	1.22
24	c	508	CLA	C3D-C2D	3.58	1.48	1.39
28	D	412	LMG	O7-C10	3.57	1.44	1.34
24	c	507	CLA	O2A-CGA	3.57	1.43	1.33
24	A	406	CLA	C3D-C2D	3.57	1.48	1.39
24	B	612	CLA	CHD-C4C	3.57	1.47	1.39
24	B	616	CLA	CHD-C4C	3.57	1.47	1.39
24	b	612	CLA	MG-ND	-3.57	1.98	2.05
24	B	615	CLA	C3D-C2D	3.57	1.48	1.39
24	c	508	CLA	OBD-CAD	3.56	1.28	1.22
24	b	607	CLA	OBD-CAD	3.56	1.28	1.22
24	b	611	CLA	CHD-C4C	3.56	1.47	1.39
24	B	616	CLA	C3D-C2D	3.56	1.48	1.39
24	b	614	CLA	CHD-C4C	3.55	1.47	1.39
24	B	614	CLA	OBD-CAD	3.55	1.28	1.22
24	b	618	CLA	MG-ND	-3.55	1.98	2.05
24	c	514	CLA	CHD-C4C	3.55	1.47	1.39
24	B	615	CLA	OBD-CAD	3.55	1.28	1.22
39	c	518	DGD	O1G-C1A	3.54	1.43	1.33
24	c	511	CLA	OBD-CAD	3.54	1.28	1.22
24	c	504	CLA	CHD-C4C	3.53	1.47	1.39
36	B	623[B]	HTG	C1'-S1	-3.53	1.76	1.81
24	a	412	CLA	OBD-CAD	3.53	1.28	1.22
24	B	612	CLA	MG-NC	3.53	2.14	2.06
24	C	507	CLA	OBD-CAD	3.53	1.28	1.22
24	B	603	CLA	C3D-C2D	3.52	1.48	1.39
24	C	506	CLA	OBD-CAD	3.52	1.28	1.22
24	B	611	CLA	CHD-C4C	3.52	1.47	1.39
24	b	616	CLA	C3D-C2D	3.51	1.48	1.39
24	b	606	CLA	C3D-C2D	3.51	1.48	1.39
24	A	407	CLA	C3D-C2D	3.51	1.48	1.39
24	b	608	CLA	C3D-C2D	3.50	1.48	1.39
24	d	404	CLA	C3D-C2D	3.50	1.48	1.39
24	C	506	CLA	C3D-C2D	3.50	1.48	1.39
24	c	514	CLA	OBD-CAD	3.49	1.28	1.22
24	b	617	CLA	OBD-CAD	3.49	1.28	1.22
24	B	611	CLA	O2A-CGA	3.49	1.43	1.33
24	c	512	CLA	OBD-CAD	3.48	1.28	1.22
24	b	619	CLA	CHD-C4C	3.48	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
36	u	201	HTG	C1'-S1	-3.48	1.77	1.81
24	B	613	CLA	C3D-C2D	3.48	1.48	1.39
24	C	513	CLA	OBD-CAD	3.48	1.28	1.22
24	B	607	CLA	CHD-C4C	3.47	1.47	1.39
24	b	610	CLA	CHD-C4C	3.46	1.47	1.39
24	b	610	CLA	OBD-CAD	3.46	1.28	1.22
24	B	605	CLA	CHD-C4C	3.46	1.47	1.39
28	D	412	LMG	O8-C28	3.46	1.43	1.33
24	b	606	CLA	OBD-CAD	3.45	1.28	1.22
24	b	608	CLA	MG-NC	3.45	2.14	2.06
24	c	512	CLA	C3D-C2D	3.45	1.48	1.39
24	B	617	CLA	CHD-C4C	3.43	1.47	1.39
24	c	504	CLA	C3D-C2D	3.43	1.48	1.39
25	A	408	PHO	C3C-C2C	3.42	1.47	1.37
24	a	408	CLA	C3D-C2D	3.42	1.48	1.39
24	B	605	CLA	OBD-CAD	3.40	1.28	1.22
24	c	505	CLA	OBD-CAD	3.40	1.28	1.22
24	B	613	CLA	CHD-C4C	3.39	1.47	1.39
24	c	515	CLA	MG-ND	-3.39	1.99	2.05
24	a	412	CLA	MG-ND	-3.38	1.99	2.05
24	c	511	CLA	C4D-CHA	3.37	1.50	1.38
24	B	611	CLA	OBD-CAD	3.37	1.28	1.22
24	B	604	CLA	C3D-C2D	3.37	1.48	1.39
24	C	506	CLA	CHD-C4C	3.36	1.46	1.39
24	B	612	CLA	OBD-CAD	3.36	1.28	1.22
24	B	609	CLA	OBD-CAD	3.34	1.28	1.22
25	d	401	PHO	C3C-C2C	3.34	1.47	1.37
24	b	607	CLA	C4D-CHA	3.34	1.50	1.38
24	B	612	CLA	C3D-C2D	3.33	1.48	1.39
25	A	408	PHO	CHA-CBD	-3.33	1.48	1.52
37	d	408	LHG	O7-C7	3.32	1.43	1.34
24	B	604	CLA	CHD-C4C	3.31	1.46	1.39
24	C	508	CLA	C4D-CHA	3.31	1.50	1.38
36	c	524	HTG	C1'-S1	-3.30	1.77	1.81
24	c	503	CLA	C3D-C2D	3.30	1.48	1.39
24	B	617	CLA	OBD-CAD	3.29	1.28	1.22
24	B	614	CLA	CHD-C4C	3.29	1.46	1.39
36	C	523	HTG	C1'-S1	-3.29	1.77	1.81
43	V	202	HEC	CBB-CAB	-3.28	1.37	1.49
24	b	616	CLA	CHD-C4C	3.28	1.46	1.39
24	B	604	CLA	OBD-CAD	3.28	1.28	1.22
36	C	522	HTG	C1'-S1	-3.28	1.77	1.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	C	505	CLA	C1B-CHB	3.26	1.50	1.41
24	C	512	CLA	C4D-CHA	3.26	1.50	1.38
24	C	502	CLA	MG-ND	-3.25	1.99	2.05
24	b	615	CLA	CHD-C4C	3.25	1.46	1.39
24	c	507	CLA	C3D-C2D	3.25	1.48	1.39
37	D	409	LHG	O7-C7	3.24	1.43	1.34
24	c	512	CLA	C1B-CHB	3.24	1.50	1.41
24	c	511	CLA	C1B-CHB	3.23	1.50	1.41
24	B	610	CLA	C1B-CHB	3.22	1.49	1.41
24	c	503	CLA	C1B-CHB	3.21	1.49	1.41
24	B	613	CLA	C1B-CHB	3.21	1.49	1.41
24	b	618	CLA	C4D-CHA	3.18	1.49	1.38
24	B	605	CLA	C3D-C2D	3.18	1.47	1.39
24	A	405	CLA	C1B-CHB	3.18	1.49	1.41
24	c	503	CLA	MG-NC	3.16	2.13	2.06
24	C	504	CLA	C4D-CHA	3.16	1.49	1.38
24	c	509	CLA	C4D-CHA	3.15	1.49	1.38
24	a	409	CLA	CHD-C4C	3.14	1.46	1.39
24	c	505	CLA	C4D-CHA	3.13	1.49	1.38
24	C	510	CLA	C1B-CHB	3.12	1.49	1.41
24	c	513	CLA	C4D-CHA	3.11	1.49	1.38
24	b	616	CLA	OBD-CAD	3.11	1.27	1.22
24	a	409	CLA	MG-NC	3.11	2.13	2.06
24	B	614	CLA	C4D-CHA	3.11	1.49	1.38
24	b	614	CLA	C1B-CHB	3.11	1.49	1.41
24	B	611	CLA	C4B-CHC	3.10	1.49	1.41
24	C	504	CLA	MG-ND	-3.09	1.99	2.05
25	a	411	PHO	CHA-CBD	-3.08	1.48	1.52
24	B	609	CLA	C4D-CHA	3.08	1.49	1.38
24	b	609	CLA	C4D-CHA	3.07	1.49	1.38
24	B	605	CLA	C1B-CHB	3.07	1.49	1.41
24	B	608	CLA	C1B-CHB	3.07	1.49	1.41
40	f	101	HEM	CAB-C3B	3.07	1.55	1.47
24	D	404	CLA	C1B-CHB	3.06	1.49	1.41
40	F	101	HEM	CAB-C3B	3.06	1.55	1.47
24	C	511	CLA	C1B-CHB	3.05	1.49	1.41
24	B	611	CLA	C1B-CHB	3.05	1.49	1.41
24	C	506	CLA	C4D-CHA	3.04	1.49	1.38
24	A	407	CLA	MG-NA	3.04	2.13	2.06
24	c	506	CLA	OBD-CAD	3.03	1.27	1.22
24	C	512	CLA	C1B-CHB	3.02	1.49	1.41
24	c	513	CLA	C1B-CHB	3.01	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	612	CLA	C1B-CHB	3.01	1.49	1.41
24	B	607	CLA	C4D-CHA	3.00	1.49	1.38
24	c	504	CLA	C1B-CHB	3.00	1.49	1.41
24	b	619	CLA	C1B-CHB	3.00	1.49	1.41
24	C	514	CLA	C1B-CHB	2.99	1.49	1.41
24	b	611	CLA	C1B-CHB	2.99	1.49	1.41
24	B	602	CLA	C4B-CHC	2.99	1.49	1.41
40	F	101	HEM	FE-ND	2.99	2.11	1.96
24	b	615	CLA	C1B-CHB	2.98	1.49	1.41
24	B	615	CLA	C4D-CHA	2.98	1.49	1.38
24	d	404	CLA	OBD-CAD	2.98	1.27	1.22
24	c	503	CLA	C4D-CHA	2.98	1.49	1.38
24	b	614	CLA	C4D-CHA	2.98	1.49	1.38
27	A	413	SQD	C6-S	-2.98	1.66	1.77
24	b	613	CLA	C1B-CHB	2.98	1.49	1.41
24	C	503	CLA	C4D-CHA	2.98	1.49	1.38
24	D	403	CLA	MG-NC	2.97	2.13	2.06
24	B	612	CLA	C4D-CHA	2.97	1.49	1.38
24	b	610	CLA	C1B-CHB	2.97	1.49	1.41
24	b	611	CLA	C4B-CHC	2.97	1.49	1.41
24	c	512	CLA	C4D-CHA	2.97	1.48	1.38
24	C	510	CLA	C4D-CHA	2.97	1.48	1.38
24	b	610	CLA	C4D-CHA	2.96	1.48	1.38
24	C	503	CLA	C1B-CHB	2.96	1.49	1.41
24	C	509	CLA	C4B-CHC	2.95	1.49	1.41
24	C	511	CLA	C4D-CHA	2.95	1.48	1.38
24	d	404	CLA	C1B-CHB	2.95	1.49	1.41
24	C	507	CLA	C1B-CHB	2.95	1.49	1.41
24	a	410	CLA	C4D-CHA	2.95	1.48	1.38
24	B	605	CLA	C4D-CHA	2.94	1.48	1.38
36	b	625	HTG	C1'-S1	-2.94	1.77	1.81
24	b	611	CLA	C4D-CHA	2.93	1.48	1.38
24	b	613	CLA	C4B-CHC	2.93	1.49	1.41
24	c	507	CLA	C4D-CHA	2.93	1.48	1.38
24	B	611	CLA	C4D-CHA	2.93	1.48	1.38
24	c	505	CLA	C1B-CHB	2.91	1.49	1.41
24	b	604	CLA	C4D-CHA	2.91	1.48	1.38
27	a	401	SQD	C6-S	-2.91	1.66	1.77
24	B	614	CLA	C1B-CHB	2.91	1.49	1.41
24	b	619	CLA	C4D-CHA	2.90	1.48	1.38
24	B	608	CLA	C4D-CHA	2.90	1.48	1.38
24	C	509	CLA	C1B-CHB	2.90	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	C	507	CLA	C1C-NC	-2.89	1.33	1.37
24	c	506	CLA	MG-NC	2.89	2.13	2.06
24	C	513	CLA	C4D-CHA	2.89	1.48	1.38
24	C	513	CLA	C4B-CHC	2.88	1.49	1.41
24	B	602	CLA	C4D-CHA	2.88	1.48	1.38
24	C	513	CLA	C1C-C2C	2.88	1.50	1.44
24	C	504	CLA	C4B-CHC	2.88	1.49	1.41
24	b	614	CLA	OBD-CAD	2.88	1.27	1.22
24	b	608	CLA	C4B-CHC	2.87	1.49	1.41
24	C	511	CLA	C1C-C2C	2.87	1.50	1.44
24	D	403	CLA	C3D-C2D	2.87	1.47	1.39
24	C	502	CLA	C4B-CHC	2.87	1.49	1.41
24	b	607	CLA	C1B-CHB	2.86	1.48	1.41
24	A	406	CLA	C4D-CHA	2.86	1.48	1.38
24	b	606	CLA	C4D-CHA	2.86	1.48	1.38
24	c	509	CLA	C1C-NC	-2.85	1.33	1.37
24	b	605	CLA	C1B-CHB	2.85	1.48	1.41
24	B	617	CLA	C4D-CHA	2.85	1.48	1.38
24	b	616	CLA	C1B-CHB	2.84	1.48	1.41
24	C	502	CLA	C4D-CHA	2.84	1.48	1.38
24	B	606	CLA	C1B-CHB	2.84	1.48	1.41
24	B	614	CLA	C4B-CHC	2.84	1.48	1.41
24	b	605	CLA	C4D-CHA	2.84	1.48	1.38
24	B	615	CLA	C1B-CHB	2.84	1.48	1.41
24	a	408	CLA	C4D-CHA	2.82	1.48	1.38
24	b	608	CLA	C4D-CHA	2.82	1.48	1.38
24	B	612	CLA	C4B-CHC	2.82	1.48	1.41
24	c	507	CLA	C1B-CHB	2.82	1.48	1.41
24	B	616	CLA	C4D-CHA	2.82	1.48	1.38
24	d	405	CLA	C1B-CHB	2.81	1.48	1.41
24	b	609	CLA	C1B-CHB	2.81	1.48	1.41
24	c	515	CLA	C4B-CHC	2.81	1.48	1.41
24	c	514	CLA	C4D-CHA	2.81	1.48	1.38
24	B	602	CLA	C1B-CHB	2.81	1.48	1.41
24	A	405	CLA	C4D-CHA	2.81	1.48	1.38
24	A	409	CLA	C4D-CHA	2.80	1.48	1.38
24	c	510	CLA	C4D-CHA	2.80	1.48	1.38
24	B	603	CLA	C4B-CHC	2.80	1.48	1.41
27	f	102	SQD	O47-C45	-2.80	1.43	1.46
24	c	511	CLA	C4B-CHC	2.80	1.48	1.41
24	C	502	CLA	C1C-C2C	2.79	1.50	1.44
24	c	509	CLA	C1B-CHB	2.79	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	c	508	CLA	C1B-CHB	2.79	1.48	1.41
24	b	615	CLA	C4D-CHA	2.79	1.48	1.38
24	b	614	CLA	C4B-CHC	2.78	1.48	1.41
27	a	414	SQD	C6-S	-2.78	1.67	1.77
24	b	606	CLA	C1B-CHB	2.78	1.48	1.41
24	b	612	CLA	C4D-CHA	2.78	1.48	1.38
24	B	603	CLA	C4D-CHA	2.77	1.48	1.38
24	B	607	CLA	C1B-CHB	2.77	1.48	1.41
24	b	618	CLA	C1B-CHB	2.77	1.48	1.41
24	c	505	CLA	C4B-CHC	2.77	1.48	1.41
24	c	511	CLA	C1C-C2C	2.77	1.49	1.44
24	b	617	CLA	C4B-CHC	2.76	1.48	1.41
24	B	610	CLA	C4D-CHA	2.76	1.48	1.38
24	a	410	CLA	C1B-CHB	2.76	1.48	1.41
24	c	506	CLA	C4D-CHA	2.76	1.48	1.38
24	c	515	CLA	C4D-CHA	2.76	1.48	1.38
24	b	615	CLA	C1C-NC	-2.76	1.33	1.37
24	B	609	CLA	C1B-CHB	2.75	1.48	1.41
24	B	617	CLA	C1B-CHB	2.75	1.48	1.41
24	c	504	CLA	C4B-CHC	2.75	1.48	1.41
24	B	613	CLA	C4D-CHA	2.74	1.48	1.38
27	A	411	SQD	C6-S	-2.74	1.67	1.77
24	b	604	CLA	C4B-CHC	2.74	1.48	1.41
24	c	508	CLA	C4B-CHC	2.74	1.48	1.41
24	C	506	CLA	C1B-CHB	2.74	1.48	1.41
24	B	606	CLA	C4D-CHA	2.74	1.48	1.38
24	B	603	CLA	C1B-CHB	2.74	1.48	1.41
24	c	508	CLA	C4D-CHA	2.74	1.48	1.38
24	b	612	CLA	C1C-NC	-2.73	1.33	1.37
24	D	403	CLA	C4D-CHA	2.73	1.48	1.38
24	a	409	CLA	C4D-CHA	2.73	1.48	1.38
24	C	505	CLA	C4D-CHA	2.73	1.48	1.38
24	D	403	CLA	C1B-CHB	2.73	1.48	1.41
24	b	617	CLA	C4D-CHA	2.73	1.48	1.38
24	B	612	CLA	C1B-CHB	2.73	1.48	1.41
24	C	507	CLA	C4D-CHA	2.73	1.48	1.38
24	b	615	CLA	C4B-CHC	2.73	1.48	1.41
24	B	610	CLA	C4B-CHC	2.72	1.48	1.41
24	c	513	CLA	MG-ND	-2.72	2.00	2.05
24	c	515	CLA	C1C-C2C	2.72	1.49	1.44
24	c	514	CLA	C1B-CHB	2.71	1.48	1.41
24	C	514	CLA	C4B-CHC	2.71	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
36	D	413	HTG	C1-S1	-2.71	1.76	1.80
24	C	514	CLA	C4D-CHA	2.71	1.48	1.38
24	a	408	CLA	C1B-CHB	2.71	1.48	1.41
24	b	611	CLA	C1C-C2C	2.71	1.49	1.44
24	B	604	CLA	C4B-CHC	2.71	1.48	1.41
24	c	509	CLA	C4B-CHC	2.71	1.48	1.41
24	a	408	CLA	C4B-CHC	2.71	1.48	1.41
24	A	409	CLA	C1B-CHB	2.71	1.48	1.41
24	A	405	CLA	C4B-CHC	2.71	1.48	1.41
24	b	604	CLA	C1B-CHB	2.70	1.48	1.41
24	A	409	CLA	C4B-CHC	2.70	1.48	1.41
24	C	509	CLA	C4D-CHA	2.70	1.48	1.38
24	b	613	CLA	C4D-CHA	2.70	1.48	1.38
24	C	505	CLA	MG-ND	-2.70	2.00	2.05
24	C	503	CLA	C4B-CHC	2.69	1.48	1.41
24	B	606	CLA	C4B-CHC	2.69	1.48	1.41
24	c	513	CLA	C4B-CHC	2.69	1.48	1.41
24	C	510	CLA	C4C-C3C	2.69	1.49	1.45
24	c	506	CLA	C1B-CHB	2.69	1.48	1.41
24	C	511	CLA	C4B-CHC	2.69	1.48	1.41
24	C	502	CLA	C1B-CHB	2.69	1.48	1.41
24	a	412	CLA	C1B-CHB	2.68	1.48	1.41
24	b	608	CLA	C1C-C2C	2.68	1.49	1.44
24	B	616	CLA	MG-NC	2.68	2.12	2.06
24	b	616	CLA	C4D-CHA	2.68	1.47	1.38
39	H	102	DGD	O5D-C1E	2.68	1.44	1.40
24	B	616	CLA	C1B-CHB	2.68	1.48	1.41
24	C	513	CLA	C1B-CHB	2.67	1.48	1.41
24	A	407	CLA	C1C-NC	-2.67	1.33	1.37
24	C	504	CLA	C1B-CHB	2.67	1.48	1.41
24	c	515	CLA	C1B-CHB	2.66	1.48	1.41
24	C	514	CLA	C1C-C2C	2.66	1.49	1.44
24	c	504	CLA	C4D-CHA	2.66	1.47	1.38
24	d	405	CLA	C4D-CHA	2.66	1.47	1.38
24	B	608	CLA	C4C-C3C	2.66	1.49	1.45
24	b	605	CLA	C4B-CHC	2.66	1.48	1.41
24	b	609	CLA	C4B-CHC	2.65	1.48	1.41
24	A	405	CLA	C1C-C2C	2.64	1.49	1.44
24	B	609	CLA	C4C-C3C	2.64	1.49	1.45
24	C	505	CLA	C4B-CHC	2.64	1.48	1.41
24	b	619	CLA	C1C-NC	-2.64	1.33	1.37
24	b	607	CLA	C4C-C3C	2.64	1.49	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	D	404	CLA	C4D-CHA	2.64	1.47	1.38
24	b	615	CLA	C1C-C2C	2.64	1.49	1.44
24	d	404	CLA	C4D-CHA	2.63	1.47	1.38
24	c	510	CLA	C4B-CHC	2.63	1.48	1.41
24	c	512	CLA	C4B-CHC	2.63	1.48	1.41
24	c	505	CLA	C1C-C2C	2.63	1.49	1.44
24	B	617	CLA	C1C-NC	-2.62	1.33	1.37
24	b	612	CLA	C4B-CHC	2.62	1.48	1.41
24	B	604	CLA	C1C-NC	-2.62	1.33	1.37
24	d	405	CLA	C4B-CHC	2.62	1.48	1.41
24	b	607	CLA	C4B-CHC	2.61	1.48	1.41
24	c	507	CLA	C4B-CHC	2.60	1.48	1.41
24	C	510	CLA	C4B-CHC	2.60	1.48	1.41
24	A	409	CLA	C1C-C2C	2.60	1.49	1.44
24	C	509	CLA	C4C-C3C	2.60	1.49	1.45
24	C	512	CLA	MG-NC	2.60	2.12	2.06
24	b	606	CLA	C4B-CHC	2.60	1.48	1.41
24	c	505	CLA	C4C-C3C	2.59	1.49	1.45
24	d	404	CLA	C4B-CHC	2.59	1.48	1.41
24	a	412	CLA	C4D-CHA	2.59	1.47	1.38
24	B	609	CLA	C4B-CHC	2.58	1.48	1.41
33	d	407	PL9	C6-C5	2.58	1.48	1.35
24	C	514	CLA	C1C-NC	-2.58	1.33	1.37
24	B	614	CLA	C1C-C2C	2.58	1.49	1.44
24	c	506	CLA	C1C-C2C	2.58	1.49	1.44
24	C	508	CLA	C1B-CHB	2.58	1.48	1.41
24	C	508	CLA	C4B-CHC	2.58	1.48	1.41
24	B	616	CLA	C4B-CHC	2.57	1.48	1.41
27	L	101	SQD	C6-S	-2.57	1.67	1.77
24	A	407	CLA	C1B-CHB	2.57	1.48	1.41
33	a	425[B]	PL9	C6-C5	2.57	1.48	1.35
27	L	102	SQD	C6-S	-2.56	1.67	1.77
24	B	611	CLA	C1C-C2C	2.56	1.49	1.44
24	B	607	CLA	C4B-CHC	2.56	1.48	1.41
39	h	1205	DGD	O5D-C1E	2.56	1.44	1.40
24	b	608	CLA	C1B-CHB	2.56	1.48	1.41
25	d	401	PHO	CHA-CBD	-2.56	1.49	1.52
24	C	506	CLA	C4B-CHC	2.56	1.48	1.41
24	C	504	CLA	C1C-C2C	2.55	1.49	1.44
24	B	608	CLA	C4B-CHC	2.55	1.48	1.41
24	b	613	CLA	C4C-C3C	2.55	1.49	1.45
33	A	422[B]	PL9	C6-C5	2.55	1.48	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	b	606	CLA	C1C-C2C	2.55	1.49	1.44
24	B	607	CLA	MG-ND	-2.55	2.00	2.05
29	z	101	LMT	O1'-C1'	2.54	1.44	1.40
24	A	407	CLA	C4D-CHA	2.54	1.47	1.38
24	b	609	CLA	C1C-C2C	2.54	1.49	1.44
24	C	506	CLA	C1C-C2C	2.54	1.49	1.44
24	B	606	CLA	MG-ND	-2.54	2.00	2.05
24	A	407	CLA	C1B-NB	-2.54	1.32	1.35
24	C	506	CLA	C1C-NC	-2.54	1.34	1.37
24	b	611	CLA	C4C-C3C	2.53	1.49	1.45
24	c	507	CLA	C4C-C3C	2.53	1.49	1.45
24	B	603	CLA	C1C-C2C	2.53	1.49	1.44
24	a	409	CLA	C1B-CHB	2.53	1.48	1.41
24	C	510	CLA	MG-ND	-2.53	2.00	2.05
24	B	604	CLA	C1B-CHB	2.52	1.48	1.41
24	B	603	CLA	C4C-C3C	2.52	1.49	1.45
33	D	406	PL9	C6-C5	2.52	1.48	1.35
24	A	406	CLA	C4B-CHC	2.51	1.48	1.41
36	b	601	HTG	C1-S1	-2.51	1.76	1.80
24	c	505	CLA	C1C-NC	-2.51	1.34	1.37
24	b	610	CLA	C4B-CHC	2.51	1.48	1.41
24	c	512	CLA	C1C-C2C	2.51	1.49	1.44
24	D	404	CLA	C1C-C2C	2.50	1.49	1.44
24	c	510	CLA	C1B-CHB	2.50	1.47	1.41
24	B	604	CLA	C1C-C2C	2.50	1.49	1.44
24	C	510	CLA	C1C-NC	-2.50	1.34	1.37
24	b	617	CLA	C1B-CHB	2.50	1.47	1.41
36	b	602	HTG	C1-S1	-2.49	1.76	1.80
24	c	514	CLA	C4B-CHC	2.49	1.47	1.41
24	b	607	CLA	C1C-C2C	2.49	1.49	1.44
24	D	404	CLA	C4B-CHC	2.49	1.47	1.41
24	d	404	CLA	C1C-C2C	2.49	1.49	1.44
24	c	506	CLA	C4B-CHC	2.48	1.47	1.41
24	a	410	CLA	C4B-CHC	2.48	1.47	1.41
24	c	514	CLA	C4C-C3C	2.48	1.49	1.45
24	B	611	CLA	C1C-NC	-2.48	1.34	1.37
24	c	503	CLA	C1C-NC	-2.47	1.34	1.37
24	C	512	CLA	C4C-C3C	2.47	1.49	1.45
24	c	510	CLA	C4C-C3C	2.47	1.49	1.45
24	B	608	CLA	C1B-NB	-2.47	1.33	1.35
24	C	512	CLA	C1C-NC	-2.47	1.34	1.37
24	A	407	CLA	C3D-C4D	-2.46	1.38	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	C	508	CLA	C1C-C2C	2.46	1.49	1.44
24	c	512	CLA	C1C-NC	-2.46	1.34	1.37
24	b	607	CLA	C1C-NC	-2.45	1.34	1.37
24	c	503	CLA	C4B-CHC	2.45	1.47	1.41
24	a	410	CLA	C3D-C4D	-2.45	1.38	1.44
24	B	605	CLA	C1C-NC	-2.44	1.34	1.37
24	b	612	CLA	C1C-C2C	2.44	1.49	1.44
24	C	504	CLA	C1C-NC	-2.44	1.34	1.37
24	D	404	CLA	C1C-NC	-2.44	1.34	1.37
36	c	524	HTG	C1-S1	-2.44	1.77	1.80
24	C	503	CLA	C1C-C2C	2.44	1.49	1.44
24	b	613	CLA	C1C-C2C	2.44	1.49	1.44
24	A	406	CLA	C1B-CHB	2.44	1.47	1.41
25	A	408	PHO	CBD-CGD	-2.43	1.49	1.52
24	B	615	CLA	C4B-CHC	2.43	1.47	1.41
24	b	616	CLA	C1C-C2C	2.43	1.49	1.44
25	d	401	PHO	C3A-C2A	-2.43	1.52	1.54
24	d	404	CLA	C1C-NC	-2.43	1.34	1.37
24	c	508	CLA	C3D-C4D	-2.43	1.38	1.44
24	B	604	CLA	C4D-CHA	2.42	1.47	1.38
24	b	618	CLA	C1C-NC	-2.42	1.34	1.37
24	B	605	CLA	C4B-CHC	2.42	1.47	1.41
24	A	405	CLA	C1C-NC	-2.41	1.34	1.37
24	B	602	CLA	C1C-C2C	2.41	1.49	1.44
24	D	403	CLA	C1C-NC	-2.41	1.34	1.37
24	B	607	CLA	C4C-C3C	2.41	1.49	1.45
24	a	408	CLA	C4C-C3C	2.41	1.49	1.45
24	b	605	CLA	C1C-NC	-2.40	1.34	1.37
24	c	506	CLA	C3D-C4D	-2.40	1.38	1.44
24	C	511	CLA	C1C-NC	-2.40	1.34	1.37
24	c	515	CLA	C4C-C3C	2.39	1.49	1.45
27	D	408	SQD	C6-S	-2.39	1.68	1.77
24	B	602	CLA	C1C-NC	-2.39	1.34	1.37
24	b	605	CLA	C1C-C2C	2.38	1.49	1.44
24	B	614	CLA	C4C-C3C	2.37	1.49	1.45
24	b	618	CLA	C4B-CHC	2.37	1.47	1.41
24	C	506	CLA	C4C-C3C	2.37	1.49	1.45
24	d	405	CLA	C4C-C3C	2.37	1.49	1.45
24	c	514	CLA	C1C-C2C	2.37	1.49	1.44
40	f	101	HEM	FE-NB	2.36	2.08	1.96
24	b	606	CLA	C1C-NC	-2.36	1.34	1.37
24	C	508	CLA	C4D-ND	2.36	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
36	I	102	HTG	C1-S1	-2.36	1.77	1.80
24	b	610	CLA	C1C-C2C	2.35	1.49	1.44
24	B	613	CLA	C1C-C2C	2.35	1.49	1.44
24	C	507	CLA	C1C-C2C	2.35	1.49	1.44
24	C	508	CLA	C1C-NC	-2.35	1.34	1.37
24	c	507	CLA	C1C-C2C	2.35	1.49	1.44
24	B	603	CLA	C3D-C4D	-2.35	1.38	1.44
24	b	614	CLA	C1C-NC	-2.35	1.34	1.37
24	a	412	CLA	C4B-CHC	2.34	1.47	1.41
24	c	509	CLA	C1C-C2C	2.34	1.49	1.44
24	B	612	CLA	C1C-C2C	2.34	1.49	1.44
24	C	509	CLA	C1C-C2C	2.34	1.49	1.44
24	B	609	CLA	C1C-C2C	2.34	1.49	1.44
24	C	505	CLA	C1C-NC	-2.33	1.34	1.37
24	D	403	CLA	C4C-C3C	2.33	1.49	1.45
36	h	1202	HTG	C1-S1	-2.32	1.77	1.80
24	c	515	CLA	C3D-C4D	-2.32	1.38	1.44
24	C	502	CLA	C4C-C3C	2.32	1.49	1.45
32	A	421[A]	K3C	O2-C4	2.32	1.30	1.24
24	b	604	CLA	C1C-NC	-2.31	1.34	1.37
40	f	101	HEM	FE-ND	2.31	2.08	1.96
24	b	616	CLA	C1C-NC	-2.31	1.34	1.37
24	b	606	CLA	C4C-C3C	2.31	1.49	1.45
24	b	609	CLA	C4C-C3C	2.31	1.49	1.45
24	c	510	CLA	C1C-C2C	2.31	1.49	1.44
24	d	405	CLA	C1C-C2C	2.31	1.49	1.44
24	b	604	CLA	C1C-C2C	2.31	1.49	1.44
24	d	405	CLA	C1B-NB	-2.31	1.33	1.35
24	b	608	CLA	C1C-NC	-2.31	1.34	1.37
24	B	606	CLA	C1C-C2C	2.31	1.49	1.44
24	A	407	CLA	C4B-CHC	2.30	1.47	1.41
24	a	412	CLA	C1C-NC	-2.30	1.34	1.37
24	b	614	CLA	C3D-C4D	-2.30	1.39	1.44
24	C	507	CLA	C4C-C3C	2.30	1.49	1.45
24	b	617	CLA	C1C-NC	-2.30	1.34	1.37
24	B	606	CLA	C1C-NC	-2.30	1.34	1.37
24	b	604	CLA	C4C-C3C	2.30	1.49	1.45
24	b	617	CLA	C1C-C2C	2.29	1.49	1.44
24	c	508	CLA	C1C-C2C	2.29	1.49	1.44
24	a	410	CLA	MG-NC	2.29	2.11	2.06
24	b	616	CLA	C4C-C3C	2.29	1.49	1.45
24	a	408	CLA	C1C-C2C	2.29	1.49	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	B	607	CLA	C1C-C2C	2.29	1.49	1.44
36	c	525	HTG	C1-S1	-2.29	1.77	1.80
24	a	410	CLA	C1C-C2C	2.28	1.49	1.44
24	D	403	CLA	C1C-C2C	2.28	1.49	1.44
24	b	619	CLA	C4B-CHC	2.28	1.47	1.41
24	B	616	CLA	C1C-NC	-2.28	1.34	1.37
24	b	610	CLA	C4C-C3C	2.28	1.49	1.45
24	c	511	CLA	C1C-NC	-2.27	1.34	1.37
39	c	520	DGD	O2G-C2G	-2.27	1.40	1.46
32	a	424[A]	K3C	O2-C4	2.27	1.30	1.24
24	c	504	CLA	C3D-C4D	-2.26	1.39	1.44
24	c	510	CLA	C1C-NC	-2.26	1.34	1.37
36	B	624	HTG	C1-S1	-2.26	1.77	1.80
24	c	514	CLA	C3D-C4D	-2.25	1.39	1.44
24	C	505	CLA	C1C-C2C	2.25	1.48	1.44
24	B	617	CLA	C4B-CHC	2.25	1.47	1.41
24	C	510	CLA	C1C-C2C	2.25	1.48	1.44
24	C	512	CLA	C4B-CHC	2.24	1.47	1.41
24	c	508	CLA	C1C-NC	-2.24	1.34	1.37
24	C	504	CLA	C4C-C3C	2.24	1.48	1.45
24	A	406	CLA	C3D-C4D	-2.24	1.39	1.44
24	B	610	CLA	C1C-C2C	2.24	1.48	1.44
24	b	613	CLA	C1C-NC	-2.23	1.34	1.37
24	b	608	CLA	MG-ND	-2.23	2.01	2.05
24	b	607	CLA	C3D-C4D	-2.23	1.39	1.44
24	a	410	CLA	C4C-C3C	2.23	1.48	1.45
24	c	506	CLA	C4C-C3C	2.23	1.48	1.45
24	d	404	CLA	C3D-C4D	-2.22	1.39	1.44
24	b	611	CLA	C1C-NC	-2.22	1.34	1.37
24	c	512	CLA	C3D-C4D	-2.22	1.39	1.44
24	C	507	CLA	C4B-CHC	2.22	1.47	1.41
24	C	511	CLA	C4D-ND	2.22	1.40	1.37
24	b	616	CLA	C4B-CHC	2.22	1.47	1.41
29	B	642	LMT	O1'-C1'	2.21	1.44	1.40
24	B	604	CLA	C3D-C4D	-2.21	1.39	1.44
24	c	507	CLA	C3D-C4D	-2.21	1.39	1.44
24	C	512	CLA	C1C-C2C	2.21	1.48	1.44
24	B	608	CLA	C1C-C2C	2.21	1.48	1.44
24	B	612	CLA	C4C-C3C	2.21	1.48	1.45
24	c	504	CLA	C1C-NC	-2.21	1.34	1.37
24	b	605	CLA	C4C-C3C	2.20	1.48	1.45
24	b	619	CLA	C3D-C4D	-2.20	1.39	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	d	405	CLA	C3D-C4D	-2.20	1.39	1.44
24	B	605	CLA	C1C-C2C	2.20	1.48	1.44
24	A	409	CLA	C3D-C4D	-2.20	1.39	1.44
36	C	522	HTG	C1-S1	-2.19	1.77	1.80
43	V	202	HEC	C4B-C3B	2.19	1.47	1.43
24	C	511	CLA	C3D-C4D	-2.19	1.39	1.44
24	B	611	CLA	C3D-C4D	-2.18	1.39	1.44
24	d	404	CLA	C1B-NB	-2.18	1.33	1.35
24	C	514	CLA	C3D-C4D	-2.18	1.39	1.44
24	c	503	CLA	C3D-C4D	-2.18	1.39	1.44
24	c	506	CLA	C1C-NC	-2.18	1.34	1.37
24	D	403	CLA	C4B-CHC	2.17	1.47	1.41
24	b	605	CLA	C3D-C4D	-2.17	1.39	1.44
24	b	614	CLA	C1C-C2C	2.17	1.48	1.44
24	B	602	CLA	C3D-C4D	-2.17	1.39	1.44
24	B	610	CLA	C1C-NC	-2.16	1.34	1.37
24	c	503	CLA	C1C-C2C	2.16	1.48	1.44
24	c	504	CLA	C1C-C2C	2.16	1.48	1.44
24	B	611	CLA	C4C-C3C	2.16	1.48	1.45
24	A	406	CLA	C1C-NC	-2.16	1.34	1.37
24	B	606	CLA	C4C-C3C	2.16	1.48	1.45
24	B	613	CLA	C4B-CHC	2.16	1.47	1.41
24	b	604	CLA	C3D-C4D	-2.16	1.39	1.44
24	C	508	CLA	C4C-C3C	2.15	1.48	1.45
24	a	412	CLA	C1C-C2C	2.14	1.48	1.44
24	c	512	CLA	C4C-C3C	2.14	1.48	1.45
24	a	409	CLA	C1C-C2C	2.14	1.48	1.44
36	C	523	HTG	C1-S1	-2.14	1.77	1.80
24	A	409	CLA	C4C-C3C	2.13	1.48	1.45
24	c	509	CLA	C4C-C3C	2.13	1.48	1.45
36	d	414	HTG	C1-S1	-2.13	1.77	1.80
24	c	510	CLA	C3D-C4D	-2.13	1.39	1.44
24	A	406	CLA	C4B-NB	-2.13	1.33	1.35
24	A	406	CLA	C4C-C3C	2.13	1.48	1.45
24	C	513	CLA	C3D-C4D	-2.13	1.39	1.44
24	b	618	CLA	C3D-C4D	-2.12	1.39	1.44
24	C	507	CLA	C3D-C4D	-2.12	1.39	1.44
24	b	606	CLA	C3D-C4D	-2.12	1.39	1.44
24	B	605	CLA	C4D-ND	2.11	1.40	1.37
24	c	513	CLA	C1C-C2C	2.11	1.48	1.44
26	k	302	BCR	C30-C25	-2.11	1.50	1.53
24	B	606	CLA	C3D-C4D	-2.11	1.39	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	a	409	CLA	C1C-NC	-2.11	1.34	1.37
24	b	618	CLA	C4C-C3C	2.11	1.48	1.45
24	B	602	CLA	C4C-C3C	2.11	1.48	1.45
24	C	509	CLA	C3D-C4D	-2.10	1.39	1.44
24	B	613	CLA	C1C-NC	-2.10	1.34	1.37
24	C	503	CLA	C3D-C4D	-2.10	1.39	1.44
24	b	615	CLA	C4C-C3C	2.10	1.48	1.45
24	c	507	CLA	C1C-NC	-2.09	1.34	1.37
24	B	610	CLA	C4C-C3C	2.09	1.48	1.45
36	B	625	HTG	C1-S1	-2.09	1.77	1.80
24	b	619	CLA	C4C-C3C	2.08	1.48	1.45
24	C	510	CLA	C3D-C4D	-2.08	1.39	1.44
24	c	503	CLA	C4C-C3C	2.08	1.48	1.45
29	m	101	LMT	O1'-C1'	2.08	1.43	1.40
24	C	503	CLA	C1C-NC	-2.08	1.34	1.37
24	C	502	CLA	C1C-NC	-2.08	1.34	1.37
24	C	505	CLA	C4C-C3C	2.08	1.48	1.45
24	b	618	CLA	C1C-C2C	2.08	1.48	1.44
24	b	611	CLA	C3D-C4D	-2.08	1.39	1.44
33	D	406	PL9	C2-C3	2.08	1.40	1.34
24	b	617	CLA	C3D-C4D	-2.08	1.39	1.44
24	b	617	CLA	C4C-C3C	2.07	1.48	1.45
24	B	608	CLA	C3D-C4D	-2.07	1.39	1.44
24	c	508	CLA	C4C-C3C	2.07	1.48	1.45
24	c	511	CLA	C4C-C3C	2.07	1.48	1.45
24	C	508	CLA	C3D-C4D	-2.07	1.39	1.44
24	b	612	CLA	C4C-C3C	2.07	1.48	1.45
24	b	608	CLA	C3D-C4D	-2.07	1.39	1.44
39	D	407	DGD	O3G-C1D	2.06	1.43	1.40
24	c	515	CLA	C1C-NC	-2.06	1.34	1.37
24	a	409	CLA	C4B-CHC	2.06	1.46	1.41
24	b	610	CLA	C1C-NC	-2.06	1.34	1.37
24	B	612	CLA	C1C-NC	-2.06	1.34	1.37
24	B	602	CLA	C4D-ND	2.05	1.40	1.37
24	B	616	CLA	C3D-C4D	-2.05	1.39	1.44
24	D	403	CLA	C3D-C4D	-2.05	1.39	1.44
24	A	405	CLA	C4C-C3C	2.04	1.48	1.45
24	d	405	CLA	C1C-NC	-2.04	1.34	1.37
24	B	617	CLA	C1C-C2C	2.04	1.48	1.44
29	c	523	LMT	O1'-C1'	2.04	1.43	1.40
37	D	409	LHG	O7-C5	-2.04	1.41	1.46
40	f	101	HEM	CMB-C2B	2.04	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	C	511	CLA	C4C-C3C	2.04	1.48	1.45
24	a	410	CLA	C1C-NC	-2.03	1.34	1.37
24	B	602	CLA	C1D-C2D	2.03	1.49	1.45
24	b	613	CLA	C3D-C4D	-2.03	1.39	1.44
37	B	640	LHG	O7-C5	-2.03	1.41	1.46
24	C	503	CLA	C4C-C3C	2.03	1.48	1.45
24	B	615	CLA	C4B-NB	-2.03	1.33	1.35
24	a	408	CLA	C3D-C4D	-2.02	1.39	1.44
24	b	614	CLA	C4C-C3C	2.02	1.48	1.45
25	d	401	PHO	CBD-CGD	-2.02	1.49	1.52
33	a	425[B]	PL9	C2-C3	2.02	1.40	1.34
24	b	616	CLA	C3D-C4D	-2.02	1.39	1.44
24	B	616	CLA	C1C-C2C	2.02	1.48	1.44
24	b	606	CLA	C4D-ND	2.01	1.40	1.37
24	C	506	CLA	C3D-C4D	-2.01	1.39	1.44
24	C	502	CLA	C1D-C2D	2.01	1.49	1.45
33	A	422[B]	PL9	C2-C3	2.01	1.39	1.34
36	B	626	HTG	C1-S1	-2.00	1.77	1.80
24	b	609	CLA	C3D-C4D	-2.00	1.39	1.44
26	D	405	BCR	C30-C25	-2.00	1.51	1.53

All (2346) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	B	604	CLA	C1D-ND-C4D	-10.69	98.74	106.33
24	D	403	CLA	C1D-ND-C4D	-10.62	98.79	106.33
24	c	503	CLA	C1D-ND-C4D	-10.50	98.88	106.33
24	a	409	CLA	C1D-ND-C4D	-10.11	99.15	106.33
24	B	605	CLA	C1D-ND-C4D	-9.99	99.24	106.33
24	B	613	CLA	C1D-ND-C4D	-9.99	99.24	106.33
24	c	504	CLA	C1D-ND-C4D	-9.96	99.26	106.33
24	A	406	CLA	C1D-ND-C4D	-9.88	99.32	106.33
24	b	615	CLA	C1D-ND-C4D	-9.82	99.36	106.33
24	A	409	CLA	C1D-ND-C4D	-9.82	99.36	106.33
24	c	510	CLA	C1D-ND-C4D	-9.72	99.43	106.33
24	b	616	CLA	C1D-ND-C4D	-9.68	99.46	106.33
24	D	403	CLA	C2D-C1D-ND	9.61	117.18	110.10
24	b	617	CLA	C1D-ND-C4D	-9.59	99.52	106.33
24	a	410	CLA	C1D-ND-C4D	-9.59	99.52	106.33
24	B	612	CLA	C1D-ND-C4D	-9.56	99.55	106.33
24	a	409	CLA	C2D-C1D-ND	9.55	117.14	110.10
24	c	506	CLA	C1D-ND-C4D	-9.48	99.60	106.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	B	616	CLA	C1D-ND-C4D	-9.48	99.60	106.33
24	a	408	CLA	C1D-ND-C4D	-9.47	99.61	106.33
24	b	608	CLA	C1D-ND-C4D	-9.43	99.64	106.33
24	d	404	CLA	C1D-ND-C4D	-9.38	99.67	106.33
24	B	614	CLA	C2D-C1D-ND	9.35	116.99	110.10
24	c	503	CLA	C2D-C1D-ND	9.33	116.98	110.10
24	B	614	CLA	C1D-ND-C4D	-9.30	99.72	106.33
24	C	514	CLA	C1D-ND-C4D	-9.29	99.73	106.33
24	C	507	CLA	C1D-ND-C4D	-9.28	99.74	106.33
24	c	512	CLA	C1D-ND-C4D	-9.27	99.75	106.33
24	A	407	CLA	C1D-ND-C4D	-9.26	99.76	106.33
24	C	505	CLA	C1D-ND-C4D	-9.25	99.76	106.33
24	C	513	CLA	C1D-ND-C4D	-9.20	99.80	106.33
24	b	612	CLA	C1D-ND-C4D	-9.20	99.80	106.33
24	C	511	CLA	C1D-ND-C4D	-9.15	99.83	106.33
24	c	514	CLA	C1D-ND-C4D	-9.15	99.84	106.33
24	B	617	CLA	C1D-ND-C4D	-9.14	99.84	106.33
24	b	611	CLA	C1D-ND-C4D	-9.10	99.87	106.33
24	B	615	CLA	C1D-ND-C4D	-9.08	99.89	106.33
24	B	608	CLA	C1D-ND-C4D	-9.07	99.90	106.33
24	c	506	CLA	C2D-C1D-ND	9.04	116.77	110.10
24	a	412	CLA	C1D-ND-C4D	-9.04	99.92	106.33
24	c	509	CLA	C1D-ND-C4D	-8.99	99.95	106.33
24	C	509	CLA	C1D-ND-C4D	-8.92	100.00	106.33
24	B	610	CLA	C1D-ND-C4D	-8.92	100.00	106.33
24	B	616	CLA	C2D-C1D-ND	8.92	116.67	110.10
24	b	606	CLA	C1D-ND-C4D	-8.90	100.01	106.33
24	D	404	CLA	C1D-ND-C4D	-8.90	100.02	106.33
24	d	405	CLA	C1D-ND-C4D	-8.89	100.02	106.33
24	A	409	CLA	C2D-C1D-ND	8.86	116.63	110.10
24	B	613	CLA	C2D-C1D-ND	8.81	116.60	110.10
24	b	613	CLA	C1D-ND-C4D	-8.76	100.11	106.33
24	c	508	CLA	C1D-ND-C4D	-8.74	100.13	106.33
24	A	406	CLA	C2D-C1D-ND	8.73	116.54	110.10
24	B	607	CLA	C1D-ND-C4D	-8.73	100.13	106.33
24	b	615	CLA	C2D-C1D-ND	8.70	116.52	110.10
24	B	608	CLA	C2D-C1D-ND	8.66	116.49	110.10
24	B	612	CLA	C2D-C1D-ND	8.66	116.48	110.10
24	b	614	CLA	C1D-ND-C4D	-8.65	100.19	106.33
24	B	603	CLA	C1D-ND-C4D	-8.63	100.21	106.33
24	c	513	CLA	C1D-ND-C4D	-8.61	100.22	106.33
24	b	619	CLA	C1D-ND-C4D	-8.59	100.23	106.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	c	507	CLA	C1D-ND-C4D	-8.58	100.24	106.33
24	B	602	CLA	C1D-ND-C4D	-8.56	100.25	106.33
24	B	604	CLA	C2D-C1D-ND	8.56	116.41	110.10
24	b	617	CLA	C2D-C1D-ND	8.55	116.40	110.10
24	c	515	CLA	C1D-ND-C4D	-8.54	100.27	106.33
24	B	609	CLA	C1D-ND-C4D	-8.54	100.27	106.33
24	b	610	CLA	C1D-ND-C4D	-8.53	100.28	106.33
24	B	615	CLA	C2D-C1D-ND	8.51	116.38	110.10
24	C	503	CLA	C1D-ND-C4D	-8.49	100.30	106.33
24	C	502	CLA	C1D-ND-C4D	-8.45	100.33	106.33
24	c	504	CLA	C2D-C1D-ND	8.45	116.33	110.10
24	B	617	CLA	C2D-C1D-ND	8.44	116.33	110.10
24	b	608	CLA	C2D-C1D-ND	8.41	116.30	110.10
24	c	513	CLA	C2D-C1D-ND	8.40	116.30	110.10
24	A	405	CLA	C1D-ND-C4D	-8.40	100.37	106.33
24	B	606	CLA	C1D-ND-C4D	-8.39	100.38	106.33
24	b	618	CLA	C1D-ND-C4D	-8.39	100.38	106.33
24	C	506	CLA	C1D-ND-C4D	-8.39	100.38	106.33
24	B	611	CLA	C1D-ND-C4D	-8.38	100.38	106.33
24	c	509	CLA	C2D-C1D-ND	8.38	116.28	110.10
24	B	607	CLA	C2D-C1D-ND	8.34	116.25	110.10
24	b	616	CLA	C2D-C1D-ND	8.27	116.20	110.10
24	b	605	CLA	C1D-ND-C4D	-8.25	100.47	106.33
24	b	604	CLA	C1D-ND-C4D	-8.25	100.47	106.33
24	C	505	CLA	C2D-C1D-ND	8.24	116.18	110.10
24	B	605	CLA	C2D-C1D-ND	8.14	116.11	110.10
24	c	511	CLA	C1D-ND-C4D	-8.13	100.56	106.33
24	b	607	CLA	C1D-ND-C4D	-8.12	100.56	106.33
24	C	510	CLA	C1D-ND-C4D	-8.11	100.58	106.33
24	c	514	CLA	C2D-C1D-ND	8.11	116.08	110.10
24	C	504	CLA	C1D-ND-C4D	-8.04	100.62	106.33
24	b	609	CLA	C1D-ND-C4D	-8.03	100.63	106.33
24	b	610	CLA	C2D-C1D-ND	8.03	116.02	110.10
24	c	510	CLA	C2D-C1D-ND	8.01	116.00	110.10
24	C	508	CLA	C1D-ND-C4D	-7.99	100.66	106.33
24	b	619	CLA	C2D-C1D-ND	7.97	115.98	110.10
24	a	410	CLA	C2D-C1D-ND	7.93	115.94	110.10
24	b	614	CLA	C2D-C1D-ND	7.92	115.94	110.10
24	C	512	CLA	C2D-C1D-ND	7.89	115.92	110.10
24	C	512	CLA	C1D-ND-C4D	-7.88	100.74	106.33
24	C	514	CLA	C2D-C1D-ND	7.84	115.88	110.10
24	C	513	CLA	C2D-C1D-ND	7.84	115.88	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	a	408	CLA	C2D-C1D-ND	7.82	115.87	110.10
24	b	618	CLA	C2D-C1D-ND	7.81	115.86	110.10
24	C	511	CLA	C2D-C1D-ND	7.81	115.86	110.10
24	c	505	CLA	C1D-ND-C4D	-7.79	100.80	106.33
24	C	509	CLA	C2D-C1D-ND	7.79	115.84	110.10
24	B	611	CLA	C2D-C1D-ND	7.71	115.79	110.10
24	a	412	CLA	C2D-C1D-ND	7.67	115.76	110.10
24	d	404	CLA	C2D-C1D-ND	7.67	115.76	110.10
24	B	609	CLA	C2D-C1D-ND	7.66	115.75	110.10
24	b	612	CLA	C2D-C1D-ND	7.65	115.74	110.10
24	B	610	CLA	C2D-C1D-ND	7.64	115.73	110.10
24	c	505	CLA	C2D-C1D-ND	7.63	115.73	110.10
36	h	1202	HTG	C1'-S1-C1	7.62	114.35	100.09
24	c	511	CLA	C2D-C1D-ND	7.60	115.70	110.10
25	a	411	PHO	O2D-CGD-CBD	7.58	120.60	111.00
24	b	611	CLA	C2D-C1D-ND	7.56	115.67	110.10
24	b	613	CLA	C2D-C1D-ND	7.55	115.67	110.10
24	C	507	CLA	C2D-C1D-ND	7.54	115.66	110.10
24	A	407	CLA	C2D-C1D-ND	7.51	115.64	110.10
24	d	405	CLA	C2D-C1D-ND	7.50	115.63	110.10
24	C	504	CLA	C2D-C1D-ND	7.48	115.61	110.10
24	C	508	CLA	C2D-C1D-ND	7.46	115.60	110.10
24	D	404	CLA	C2D-C1D-ND	7.41	115.56	110.10
24	c	512	CLA	C2D-C1D-ND	7.37	115.54	110.10
24	C	502	CLA	C2D-C1D-ND	7.30	115.48	110.10
24	C	503	CLA	C2D-C1D-ND	7.28	115.47	110.10
24	B	606	CLA	C2D-C1D-ND	7.23	115.43	110.10
24	A	405	CLA	C2D-C1D-ND	7.22	115.42	110.10
25	D	401	PHO	O2D-CGD-CBD	7.17	120.09	111.00
24	b	606	CLA	C2D-C1D-ND	7.14	115.37	110.10
24	b	607	CLA	C2D-C1D-ND	7.12	115.35	110.10
24	C	506	CLA	C2D-C1D-ND	6.99	115.25	110.10
24	c	515	CLA	C2D-C1D-ND	6.97	115.24	110.10
24	B	602	CLA	C2D-C1D-ND	6.94	115.22	110.10
24	c	509	CLA	O2D-CGD-CBD	6.90	123.52	111.27
24	C	510	CLA	C2D-C1D-ND	6.89	115.18	110.10
24	d	404	CLA	CMD-C2D-C1D	6.88	136.83	124.71
36	b	626	HTG	C1'-S1-C1	6.86	112.93	100.09
25	d	401	PHO	O2D-CGD-CBD	6.85	119.68	111.00
24	c	508	CLA	CMD-C2D-C1D	6.81	136.72	124.71
24	b	616	CLA	CMD-C2D-C1D	6.80	136.69	124.71
24	c	508	CLA	C2D-C1D-ND	6.78	115.10	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	c	514	CLA	O2D-CGD-CBD	6.77	123.30	111.27
24	b	609	CLA	C2D-C1D-ND	6.73	115.06	110.10
24	B	603	CLA	C2D-C1D-ND	6.73	115.06	110.10
24	B	615	CLA	CMD-C2D-C1D	6.72	136.56	124.71
24	b	604	CLA	C2D-C1D-ND	6.67	115.02	110.10
24	B	602	CLA	CMD-C2D-C1D	6.61	136.36	124.71
24	b	605	CLA	C2D-C1D-ND	6.53	114.92	110.10
24	b	607	CLA	CMD-C2D-C1D	6.48	136.13	124.71
24	c	507	CLA	CMD-C2D-C1D	6.43	136.05	124.71
36	B	624	HTG	C1'-S1-C1	6.42	112.10	100.09
24	d	405	CLA	CMD-C2D-C1D	6.41	136.02	124.71
24	c	507	CLA	C2D-C1D-ND	6.40	114.82	110.10
24	B	607	CLA	CMD-C2D-C1D	6.38	135.95	124.71
24	c	507	CLA	O2D-CGD-CBD	6.34	122.54	111.27
36	I	102	HTG	C1'-S1-C1	6.34	111.95	100.09
24	c	503	CLA	CMD-C2D-C1D	6.32	135.85	124.71
24	B	612	CLA	CMD-C2D-C1D	6.30	135.82	124.71
36	d	414	HTG	C1'-S1-C1	6.29	111.85	100.09
24	b	611	CLA	CMD-C2D-C1D	6.28	135.78	124.71
24	C	508	CLA	CMD-C2D-C1D	6.26	135.75	124.71
24	B	604	CLA	CMD-C2D-C1D	6.25	135.73	124.71
24	a	408	CLA	CMD-C2D-C1D	6.20	135.64	124.71
24	b	608	CLA	CMD-C2D-C1D	6.19	135.63	124.71
24	B	605	CLA	CMD-C2D-C1D	6.18	135.60	124.71
24	B	603	CLA	CMD-C2D-C1D	6.17	135.59	124.71
40	F	101	HEM	C4D-ND-C1D	6.17	111.45	105.07
25	A	408	PHO	O2D-CGD-CBD	6.16	118.81	111.00
24	C	514	CLA	CMD-C2D-C1D	6.15	135.56	124.71
24	b	607	CLA	O2D-CGD-CBD	6.15	122.19	111.27
24	c	512	CLA	CMD-C2D-C1D	6.14	135.53	124.71
24	b	605	CLA	O2D-CGD-CBD	6.13	122.16	111.27
24	b	617	CLA	CMD-C2D-C1D	6.11	135.47	124.71
24	b	612	CLA	CMD-C2D-C1D	6.09	135.44	124.71
24	B	617	CLA	O2D-CGD-CBD	6.08	122.07	111.27
24	D	403	CLA	CMD-C2D-C1D	6.07	135.41	124.71
24	D	404	CLA	CMD-C2D-C1D	6.05	135.38	124.71
24	C	510	CLA	CMD-C2D-C1D	6.05	135.37	124.71
24	B	611	CLA	CMD-C2D-C1D	6.02	135.32	124.71
24	c	511	CLA	CMD-C2D-C1D	6.02	135.32	124.71
36	B	626	HTG	C1'-S1-C1	5.99	111.30	100.09
24	b	609	CLA	CMD-C2D-C1D	5.97	135.23	124.71
24	B	602	CLA	O2D-CGD-CBD	5.93	121.81	111.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	C	502	CLA	CMD-C2D-C1D	5.93	135.16	124.71
24	b	619	CLA	O2D-CGD-CBD	5.92	121.79	111.27
24	C	507	CLA	CMD-C2D-C1D	5.92	135.15	124.71
24	B	604	CLA	O2D-CGD-CBD	5.91	121.77	111.27
24	b	604	CLA	CMD-C2D-C1D	5.90	135.12	124.71
27	L	102	SQD	O6-C1-C2	5.89	117.50	108.30
24	b	606	CLA	O2D-CGD-CBD	5.89	121.73	111.27
24	C	511	CLA	O2D-CGD-CBD	5.86	121.69	111.27
24	b	605	CLA	CMD-C2D-C1D	5.86	135.04	124.71
40	f	101	HEM	C4D-ND-C1D	5.83	111.09	105.07
24	B	608	CLA	CMD-C2D-C1D	5.82	134.97	124.71
27	a	414	SQD	O6-C1-C2	5.81	117.38	108.30
24	C	502	CLA	O2D-CGD-CBD	5.81	121.59	111.27
36	u	201	HTG	C1'-S1-C1	5.81	110.95	100.09
24	b	610	CLA	CMD-C2D-C1D	5.79	134.93	124.71
24	C	506	CLA	CMD-C2D-C1D	5.79	134.91	124.71
27	D	408	SQD	O6-C1-C2	5.77	117.32	108.30
24	A	407	CLA	CMD-C2D-C1D	5.77	134.89	124.71
24	b	618	CLA	CMD-C2D-C1D	5.76	134.87	124.71
24	C	504	CLA	CMD-C2D-C1D	5.74	134.83	124.71
24	a	410	CLA	CMD-C2D-C1D	5.73	134.81	124.71
24	b	606	CLA	CMD-C2D-C1D	5.70	134.76	124.71
24	b	619	CLA	CMD-C2D-C1D	5.68	134.72	124.71
24	c	515	CLA	CMD-C2D-C1D	5.67	134.70	124.71
24	b	617	CLA	O2D-CGD-CBD	5.64	121.30	111.27
24	C	508	CLA	O2D-CGD-CBD	5.63	121.27	111.27
29	z	101	LMT	O1'-C1'-C2'	5.62	114.74	108.15
24	B	613	CLA	O2D-CGD-CBD	5.60	121.22	111.27
24	b	615	CLA	O2D-CGD-CBD	5.59	121.21	111.27
24	A	406	CLA	CMD-C2D-C1D	5.58	134.55	124.71
24	C	505	CLA	CMD-C2D-C1D	5.55	134.50	124.71
24	B	610	CLA	CMD-C2D-C1D	5.55	134.49	124.71
24	c	509	CLA	CMD-C2D-C1D	5.53	134.47	124.71
24	b	613	CLA	CMD-C2D-C1D	5.52	134.44	124.71
27	A	411	SQD	O6-C1-C2	5.50	116.89	108.30
24	C	513	CLA	O2D-CGD-CBD	5.50	121.04	111.27
24	c	503	CLA	O2D-CGD-CBD	5.48	121.00	111.27
24	c	505	CLA	CMD-C2D-C1D	5.47	134.36	124.71
36	C	523	HTG	C1'-S1-C1	5.46	110.31	100.09
24	c	510	CLA	O2D-CGD-CBD	5.44	120.94	111.27
24	B	607	CLA	O2D-CGD-CBD	5.44	120.93	111.27
24	B	606	CLA	CMD-C2D-C1D	5.43	134.28	124.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	c	504	CLA	CMD-C2D-C1D	5.42	134.27	124.71
24	c	514	CLA	CMD-C2D-C1D	5.42	134.26	124.71
24	b	614	CLA	CMD-C2D-C1D	5.40	134.24	124.71
24	a	412	CLA	CMD-C2D-C1D	5.39	134.21	124.71
24	c	506	CLA	CMD-C2D-C1D	5.38	134.20	124.71
24	C	512	CLA	CMD-C2D-C1D	5.37	134.17	124.71
36	c	525	HTG	C1'-S1-C1	5.36	110.12	100.09
36	b	601	HTG	C1'-S1-C1	5.31	110.03	100.09
24	b	608	CLA	CHD-C1D-ND	-5.29	119.59	124.45
24	D	404	CLA	O2D-CGD-CBD	5.29	120.67	111.27
24	C	509	CLA	O2D-CGD-CBD	5.29	120.67	111.27
24	B	603	CLA	O2D-CGD-CBD	5.29	120.66	111.27
24	C	503	CLA	CMD-C2D-C1D	5.27	133.99	124.71
24	a	412	CLA	O2D-CGD-CBD	5.26	120.62	111.27
36	B	623[B]	HTG	C1'-S1-C1	5.26	109.93	100.09
24	c	506	CLA	O2D-CGD-CBD	5.26	120.61	111.27
24	C	510	CLA	O2D-CGD-CBD	5.25	120.60	111.27
24	a	409	CLA	CMD-C2D-C1D	5.23	133.92	124.71
24	B	616	CLA	CMD-C2D-C1D	5.22	133.91	124.71
24	A	409	CLA	CMD-C2D-C1D	5.21	133.89	124.71
24	b	608	CLA	CHD-C4C-C3C	-5.20	117.20	124.84
24	b	604	CLA	O2D-CGD-CBD	5.19	120.50	111.27
36	c	524	HTG	C1'-S1-C1	5.19	109.80	100.09
24	C	513	CLA	CMD-C2D-C1D	5.18	133.84	124.71
24	a	409	CLA	C3D-C2D-C1D	-5.17	98.77	105.83
24	C	503	CLA	O2D-CGD-CBD	5.13	120.38	111.27
27	L	101	SQD	O47-C7-C8	5.11	122.51	111.50
26	D	405	BCR	C7-C8-C9	-5.08	118.56	126.23
24	c	506	CLA	C3D-C2D-C1D	-5.07	98.91	105.83
28	a	415	LMG	O7-C10-C11	5.05	122.39	111.50
33	d	407	PL9	C7-C8-C9	-5.05	118.38	126.79
24	c	512	CLA	O2D-CGD-CBD	5.04	120.23	111.27
24	c	510	CLA	CMD-C2D-C1D	5.01	133.55	124.71
24	B	616	CLA	C3D-C2D-C1D	-5.01	99.00	105.83
24	C	511	CLA	CMD-C2D-C1D	4.99	133.51	124.71
24	a	409	CLA	C2C-C1C-NC	4.99	114.64	109.97
24	b	609	CLA	O2D-CGD-CBD	4.98	120.12	111.27
36	B	625	HTG	C1'-S1-C1	4.97	109.38	100.09
24	c	513	CLA	CMD-C2D-C1D	4.96	133.46	124.71
24	C	504	CLA	C1-C2-C3	-4.96	117.47	126.04
24	C	514	CLA	O2D-CGD-CBD	4.96	120.08	111.27
24	D	403	CLA	C3D-C2D-C1D	-4.95	99.07	105.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	a	410	CLA	CHD-C1D-ND	-4.95	119.91	124.45
24	B	614	CLA	C3D-C2D-C1D	-4.94	99.09	105.83
24	c	513	CLA	CHD-C4C-C3C	-4.93	117.59	124.84
24	c	504	CLA	O2D-CGD-CBD	4.92	120.01	111.27
24	B	612	CLA	C3D-C2D-C1D	-4.91	99.13	105.83
24	B	609	CLA	CMD-C2D-C1D	4.90	133.36	124.71
24	B	608	CLA	C2C-C1C-NC	4.90	114.57	109.97
24	D	403	CLA	C2C-C1C-NC	4.90	114.56	109.97
36	V	203	HTG	C1-C2-C3	-4.88	100.94	110.59
24	A	407	CLA	O2D-CGD-CBD	4.88	119.94	111.27
26	B	641	BCR	C33-C5-C6	-4.87	119.05	124.53
24	b	617	CLA	C1-C2-C3	-4.87	117.62	126.04
36	V	203	HTG	O5-C1-C2	-4.86	104.20	110.31
24	B	615	CLA	C3D-C2D-C1D	-4.86	99.20	105.83
24	b	614	CLA	O2D-CGD-CBD	4.86	119.90	111.27
24	B	605	CLA	O2D-CGD-CBD	4.86	119.90	111.27
24	b	619	CLA	C3D-C2D-C1D	-4.84	99.23	105.83
24	B	615	CLA	CHD-C1D-ND	-4.84	120.01	124.45
24	B	608	CLA	C3D-C2D-C1D	-4.83	99.24	105.83
24	b	615	CLA	CMD-C2D-C1D	4.83	133.22	124.71
24	B	615	CLA	C2C-C1C-NC	4.82	114.49	109.97
24	C	507	CLA	C2C-C1C-NC	4.82	114.48	109.97
24	A	406	CLA	C1C-C2C-C3C	-4.82	101.89	106.96
24	c	503	CLA	C3D-C2D-C1D	-4.81	99.26	105.83
27	f	102	SQD	O47-C7-O49	-4.81	119.45	125.57
24	B	613	CLA	CMD-C2D-C1D	4.81	133.18	124.71
24	C	505	CLA	CHD-C1D-ND	-4.81	120.04	124.45
39	D	407	DGD	O2G-C1B-C2B	4.80	121.85	111.50
27	L	102	SQD	O47-C7-C8	4.79	121.81	111.50
24	B	607	CLA	C3D-C2D-C1D	-4.78	99.31	105.83
26	D	405	BCR	C38-C26-C25	-4.77	119.17	124.53
24	B	611	CLA	C3D-C2D-C1D	-4.77	99.33	105.83
24	A	405	CLA	CMD-C2D-C1D	4.76	133.10	124.71
24	B	607	CLA	C2C-C1C-NC	4.75	114.42	109.97
24	A	409	CLA	C3D-C2D-C1D	-4.74	99.36	105.83
24	A	406	CLA	C3D-C2D-C1D	-4.74	99.36	105.83
27	A	411	SQD	O47-C7-C8	4.74	121.72	111.50
25	d	401	PHO	C1-C2-C3	-4.74	117.85	126.04
24	b	610	CLA	C3D-C2D-C1D	-4.73	99.37	105.83
43	v	1603	HEC	CBD-CAD-C3D	-4.73	104.55	112.62
37	E	101	LHG	O7-C7-C8	4.73	121.69	111.50
26	d	406	BCR	C38-C26-C25	-4.72	119.22	124.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	B	607	CLA	CHD-C1D-ND	-4.72	120.11	124.45
24	c	509	CLA	C3D-C2D-C1D	-4.71	99.40	105.83
24	C	502	CLA	CHD-C1D-ND	-4.71	120.12	124.45
24	A	406	CLA	C2C-C1C-NC	4.71	114.39	109.97
26	d	406	BCR	C24-C23-C22	-4.68	119.17	126.23
43	V	202	HEC	CBD-CAD-C3D	-4.67	104.65	112.62
24	C	512	CLA	C2C-C1C-NC	4.67	114.34	109.97
24	c	506	CLA	CHD-C1D-ND	-4.66	120.17	124.45
27	A	411	SQD	C1-O5-C5	-4.66	104.54	113.69
24	B	617	CLA	CMD-C2D-C1D	4.65	132.91	124.71
24	d	405	CLA	C3D-C2D-C1D	-4.65	99.49	105.83
24	B	615	CLA	O2D-CGD-CBD	4.65	119.53	111.27
36	b	602	HTG	C1'-S1-C1	4.64	108.77	100.09
24	b	616	CLA	C3D-C2D-C1D	-4.63	99.51	105.83
24	A	409	CLA	C2C-C1C-NC	4.63	114.31	109.97
24	b	618	CLA	C3D-C2D-C1D	-4.62	99.53	105.83
24	b	608	CLA	C3D-C2D-C1D	-4.62	99.53	105.83
24	b	614	CLA	C3D-C2D-C1D	-4.62	99.53	105.83
24	B	614	CLA	CMD-C2D-C1D	4.61	132.84	124.71
24	B	616	CLA	CHD-C4C-C3C	-4.61	118.07	124.84
24	C	514	CLA	C3D-C2D-C1D	-4.61	99.54	105.83
24	B	612	CLA	CAC-C3C-C4C	4.60	130.78	124.81
24	b	617	CLA	C3D-C2D-C1D	-4.59	99.57	105.83
24	B	615	CLA	CHD-C4C-C3C	-4.59	118.10	124.84
24	B	608	CLA	C1C-C2C-C3C	-4.59	102.14	106.96
24	c	505	CLA	C3D-C2D-C1D	-4.58	99.58	105.83
28	A	412	LMG	O7-C10-C11	4.57	121.36	111.50
24	c	511	CLA	C3D-C2D-C1D	-4.57	99.60	105.83
24	C	507	CLA	C1-C2-C3	-4.57	118.15	126.04
24	C	508	CLA	C3D-C2D-C1D	-4.56	99.61	105.83
24	c	514	CLA	C3D-C2D-C1D	-4.55	99.62	105.83
24	C	512	CLA	O2D-CGD-CBD	4.55	119.35	111.27
24	B	617	CLA	C3D-C2D-C1D	-4.53	99.64	105.83
24	A	406	CLA	CHD-C1D-ND	-4.53	120.29	124.45
26	D	405	BCR	C24-C23-C22	-4.51	119.41	126.23
28	c	522	LMG	O7-C10-C11	4.51	121.22	111.50
24	C	512	CLA	C3D-C2D-C1D	-4.51	99.68	105.83
27	a	414	SQD	O47-C7-C8	4.51	121.21	111.50
24	a	409	CLA	CHD-C4C-C3C	-4.51	118.22	124.84
28	C	532	LMG	O7-C10-C11	4.50	121.20	111.50
24	c	504	CLA	C3D-C2D-C1D	-4.50	99.69	105.83
24	D	403	CLA	CHD-C1D-ND	-4.50	120.32	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	C	505	CLA	C3D-C2D-C1D	-4.50	99.69	105.83
24	c	510	CLA	C3D-C4D-ND	4.49	117.51	110.24
24	d	404	CLA	C2C-C1C-NC	4.49	114.18	109.97
26	Y	302	BCR	C33-C5-C6	-4.49	119.49	124.53
24	a	410	CLA	C3D-C4D-ND	4.47	117.47	110.24
24	a	409	CLA	C1C-C2C-C3C	-4.47	102.26	106.96
24	B	604	CLA	C3D-C4D-ND	4.46	117.46	110.24
24	B	606	CLA	O2D-CGD-CBD	4.46	119.20	111.27
24	c	511	CLA	O2D-CGD-CBD	4.45	119.18	111.27
24	A	407	CLA	C3D-C4D-ND	4.45	117.44	110.24
24	B	605	CLA	C2C-C1C-NC	4.45	114.14	109.97
24	A	406	CLA	CBC-CAC-C3C	-4.44	100.18	112.43
24	B	604	CLA	C3D-C2D-C1D	-4.44	99.77	105.83
24	D	403	CLA	CHD-C4C-C3C	-4.44	118.32	124.84
24	c	510	CLA	C3D-C2D-C1D	-4.44	99.78	105.83
24	B	612	CLA	CHD-C1D-ND	-4.43	120.38	124.45
24	a	410	CLA	C3D-C2D-C1D	-4.43	99.78	105.83
24	B	611	CLA	O2D-CGD-CBD	4.43	119.14	111.27
24	C	510	CLA	C2C-C1C-NC	4.43	114.12	109.97
24	d	404	CLA	CHD-C4C-C3C	-4.42	118.34	124.84
24	C	504	CLA	CHD-C4C-C3C	-4.42	118.35	124.84
24	d	404	CLA	O2D-CGD-CBD	4.42	119.11	111.27
24	c	503	CLA	O2D-CGD-O1D	-4.39	115.25	123.84
24	C	504	CLA	O2D-CGD-CBD	4.38	119.05	111.27
24	c	506	CLA	CHD-C4C-C3C	-4.38	118.40	124.84
26	K	101	BCR	C33-C5-C6	-4.38	119.61	124.53
24	C	509	CLA	C3D-C4D-ND	4.38	117.32	110.24
24	a	412	CLA	CHD-C4C-C3C	-4.37	118.41	124.84
24	a	408	CLA	C3D-C2D-C1D	-4.37	99.86	105.83
24	c	508	CLA	C3D-C2D-C1D	-4.36	99.88	105.83
24	b	607	CLA	C3D-C2D-C1D	-4.36	99.88	105.83
24	B	614	CLA	C2C-C1C-NC	4.36	114.05	109.97
24	b	607	CLA	C1-C2-C3	-4.34	118.54	126.04
24	B	609	CLA	C2C-C1C-NC	4.34	114.04	109.97
24	b	607	CLA	C2C-C1C-NC	4.34	114.03	109.97
24	C	505	CLA	O2D-CGD-CBD	4.34	118.97	111.27
24	c	513	CLA	C3D-C2D-C1D	-4.33	99.92	105.83
24	C	509	CLA	CMD-C2D-C1D	4.33	132.34	124.71
24	B	617	CLA	CHD-C4C-C3C	-4.33	118.48	124.84
24	c	504	CLA	C3D-C4D-ND	4.33	117.24	110.24
40	F	101	HEM	CBD-CAD-C3D	-4.32	100.63	112.63
24	B	608	CLA	O2D-CGD-CBD	4.31	118.93	111.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	B	606	CLA	CHD-C4C-C3C	-4.31	118.50	124.84
24	b	615	CLA	C3D-C2D-C1D	-4.31	99.95	105.83
24	A	407	CLA	C3D-C2D-C1D	-4.31	99.95	105.83
26	c	517	BCR	C7-C8-C9	-4.30	119.74	126.23
24	C	507	CLA	C3D-C2D-C1D	-4.30	99.97	105.83
24	A	406	CLA	C3D-C4D-ND	4.30	117.19	110.24
24	a	410	CLA	CHD-C4C-C3C	-4.29	118.53	124.84
24	b	611	CLA	C3D-C2D-C1D	-4.29	99.98	105.83
24	b	616	CLA	C2C-C1C-NC	4.29	113.99	109.97
24	B	605	CLA	C1C-C2C-C3C	-4.28	102.45	106.96
24	a	412	CLA	C3D-C4D-ND	4.28	117.17	110.24
24	c	507	CLA	C2C-C1C-NC	4.28	113.98	109.97
24	b	619	CLA	C1D-CHD-C4C	-4.28	116.83	126.06
24	d	404	CLA	C3D-C4D-ND	4.28	117.15	110.24
24	B	613	CLA	C3D-C2D-C1D	-4.27	100.00	105.83
24	A	409	CLA	CHD-C4C-C3C	-4.27	118.56	124.84
36	I	102	HTG	C1-O5-C5	4.27	120.45	112.58
39	D	407	DGD	O6D-C5D-C4D	4.27	117.45	109.69
33	D	406	PL9	C7-C8-C9	-4.26	119.70	126.79
24	C	504	CLA	C3D-C2D-C1D	-4.26	100.02	105.83
27	D	408	SQD	O7-S-C6	4.26	112.00	106.94
24	c	503	CLA	C1C-C2C-C3C	-4.26	102.48	106.96
24	b	612	CLA	C3D-C2D-C1D	-4.25	100.03	105.83
24	B	615	CLA	C1C-C2C-C3C	-4.25	102.49	106.96
24	C	503	CLA	O2D-CGD-O1D	-4.25	115.54	123.84
24	b	613	CLA	C3D-C2D-C1D	-4.24	100.04	105.83
24	b	616	CLA	C1-C2-C3	-4.24	118.70	126.04
24	B	606	CLA	C3D-C2D-C1D	-4.24	100.05	105.83
24	C	503	CLA	C1-C2-C3	-4.23	118.72	126.04
24	c	504	CLA	CHD-C4C-C3C	-4.23	118.63	124.84
25	D	401	PHO	C1-C2-C3	-4.22	118.74	126.04
24	C	513	CLA	C1-C2-C3	-4.22	118.74	126.04
24	B	614	CLA	C1C-C2C-C3C	-4.22	102.52	106.96
33	A	422[B]	PL9	C7-C8-C9	-4.22	119.77	126.79
24	A	405	CLA	C2C-C1C-NC	4.21	113.92	109.97
39	D	407	DGD	C3D-C4D-C5D	4.21	117.75	110.24
26	d	406	BCR	C33-C5-C6	-4.20	119.81	124.53
24	B	609	CLA	CMA-C3A-C4A	-4.20	100.48	111.77
24	B	608	CLA	CHD-C1D-ND	-4.19	120.60	124.45
36	C	522	HTG	C1'-S1-C1	4.19	107.93	100.09
24	C	513	CLA	C3D-C2D-C1D	-4.19	100.11	105.83
24	B	611	CLA	C3C-C4C-NC	4.19	115.27	110.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	A	409	CLA	C1C-C2C-C3C	-4.18	102.56	106.96
24	C	507	CLA	C1C-C2C-C3C	-4.18	102.56	106.96
36	B	623[A]	HTG	C1'-S1-C1	4.18	107.92	100.09
24	a	412	CLA	C2C-C1C-NC	4.18	113.89	109.97
24	a	409	CLA	O2D-CGD-CBD	4.18	118.70	111.27
24	B	604	CLA	CHD-C4C-C3C	-4.18	118.69	124.84
24	B	613	CLA	CHD-C4C-C3C	-4.18	118.69	124.84
24	B	602	CLA	C3D-C2D-C1D	-4.18	100.13	105.83
27	D	408	SQD	O47-C7-C8	4.18	120.51	111.50
27	a	414	SQD	C1-O5-C5	-4.18	105.49	113.69
24	d	405	CLA	C2C-C1C-NC	4.17	113.88	109.97
24	b	615	CLA	CHD-C4C-C3C	-4.17	118.71	124.84
24	a	408	CLA	C2C-C1C-NC	4.17	113.88	109.97
24	C	507	CLA	C3D-C4D-ND	4.17	116.98	110.24
24	c	506	CLA	C3D-C4D-ND	4.17	116.98	110.24
24	C	505	CLA	C3D-C4D-ND	4.17	116.98	110.24
24	a	408	CLA	C3D-C4D-ND	4.17	116.98	110.24
24	b	619	CLA	CHD-C4C-C3C	-4.17	118.72	124.84
24	C	503	CLA	C3D-C2D-C1D	-4.16	100.15	105.83
24	A	406	CLA	O2D-CGD-CBD	4.16	118.67	111.27
24	B	605	CLA	C3D-C2D-C1D	-4.16	100.15	105.83
24	B	612	CLA	CHD-C4C-C3C	-4.16	118.73	124.84
39	C	518	DGD	O2G-C1B-C2B	4.15	120.45	111.50
24	B	606	CLA	C3D-C4D-ND	4.15	116.95	110.24
24	c	514	CLA	CBA-CAA-C2A	-4.15	101.62	113.86
24	b	610	CLA	C2C-C1C-NC	4.15	113.86	109.97
24	b	608	CLA	O2D-CGD-CBD	4.15	118.63	111.27
24	a	412	CLA	CHD-C1D-ND	-4.14	120.65	124.45
26	T	102	BCR	C33-C5-C6	-4.14	119.88	124.53
24	c	515	CLA	C3D-C2D-C1D	-4.14	100.18	105.83
24	b	615	CLA	C3D-C4D-ND	4.14	116.93	110.24
24	C	509	CLA	C3D-C2D-C1D	-4.14	100.19	105.83
24	C	502	CLA	C3D-C2D-C1D	-4.13	100.19	105.83
24	c	515	CLA	C3D-C4D-ND	4.13	116.92	110.24
24	a	409	CLA	C3C-C4C-NC	4.13	115.20	110.57
24	c	513	CLA	CHD-C1D-ND	-4.13	120.66	124.45
24	B	608	CLA	CBC-CAC-C3C	-4.12	101.06	112.43
24	A	409	CLA	C3D-C4D-ND	4.12	116.91	110.24
24	c	514	CLA	C2C-C1C-NC	4.12	113.83	109.97
24	B	613	CLA	C3D-C4D-ND	4.12	116.90	110.24
24	b	618	CLA	C2C-C1C-NC	4.12	113.83	109.97
36	C	523	HTG	C1-O5-C5	4.11	120.17	112.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	b	613	CLA	O2D-CGD-CBD	4.11	118.57	111.27
24	b	611	CLA	O2D-CGD-CBD	4.11	118.57	111.27
24	c	503	CLA	C2C-C1C-NC	4.11	113.82	109.97
26	B	641	BCR	C15-C16-C17	-4.11	115.06	123.47
24	d	404	CLA	CHD-C1D-ND	-4.11	120.68	124.45
24	d	405	CLA	O2D-CGD-CBD	4.11	118.56	111.27
24	C	510	CLA	C3D-C2D-C1D	-4.10	100.24	105.83
33	a	425[B]	PL9	C25-C24-C26	4.10	122.16	115.27
24	a	409	CLA	C3D-C4D-ND	4.09	116.86	110.24
24	c	512	CLA	C3D-C4D-ND	4.09	116.85	110.24
24	c	514	CLA	O2D-CGD-O1D	-4.09	115.84	123.84
24	c	515	CLA	CHD-C1D-ND	-4.09	120.70	124.45
24	D	403	CLA	C1C-C2C-C3C	-4.09	102.66	106.96
24	d	405	CLA	C1C-C2C-C3C	-4.09	102.66	106.96
24	D	403	CLA	C3D-C4D-ND	4.09	116.85	110.24
28	B	621	LMG	O7-C10-C11	4.08	120.30	111.50
24	C	506	CLA	C2C-C1C-NC	4.08	113.79	109.97
24	B	609	CLA	C3D-C2D-C1D	-4.08	100.27	105.83
24	c	506	CLA	C2C-C1C-NC	4.07	113.79	109.97
24	a	412	CLA	C3D-C2D-C1D	-4.07	100.27	105.83
24	d	404	CLA	C3D-C2D-C1D	-4.07	100.28	105.83
24	C	502	CLA	C3D-C4D-ND	4.07	116.82	110.24
25	D	401	PHO	C1A-C2A-C3A	-4.07	98.97	102.84
28	C	532	LMG	C3-C4-C5	4.07	117.49	110.24
24	C	511	CLA	CHD-C4C-C3C	-4.06	118.87	124.84
24	b	606	CLA	C2C-C1C-NC	4.06	113.78	109.97
24	C	505	CLA	C1C-C2C-C3C	-4.06	102.69	106.96
24	A	407	CLA	C2C-C1C-NC	4.06	113.77	109.97
24	C	513	CLA	C3D-C4D-ND	4.06	116.80	110.24
24	c	512	CLA	C3D-C2D-C1D	-4.06	100.30	105.83
24	C	508	CLA	C2C-C1C-NC	4.05	113.77	109.97
24	B	610	CLA	C3D-C2D-C1D	-4.05	100.30	105.83
24	C	506	CLA	O2D-CGD-CBD	4.05	118.47	111.27
24	b	605	CLA	C3D-C4D-ND	4.05	116.79	110.24
24	c	511	CLA	C1C-C2C-C3C	-4.05	102.70	106.96
24	c	506	CLA	C1C-C2C-C3C	-4.05	102.70	106.96
24	b	617	CLA	C3D-C4D-ND	4.04	116.78	110.24
24	d	405	CLA	C3D-C4D-ND	4.04	116.77	110.24
24	B	603	CLA	C3D-C2D-C1D	-4.04	100.32	105.83
24	D	404	CLA	C3D-C2D-C1D	-4.04	100.32	105.83
26	B	618	BCR	C33-C5-C6	-4.04	120.00	124.53
28	C	520	LMG	O7-C10-C11	4.04	120.20	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	b	618	CLA	CHD-C1D-ND	-4.04	120.75	124.45
24	c	503	CLA	CHD-C4C-C3C	-4.03	118.92	124.84
24	b	618	CLA	CHD-C4C-C3C	-4.02	118.93	124.84
24	B	611	CLA	C4C-C3C-C2C	-4.02	101.04	106.90
24	b	611	CLA	C3D-C4D-ND	4.02	116.74	110.24
24	b	604	CLA	C3D-C2D-C1D	-4.02	100.35	105.83
24	D	404	CLA	C3D-C4D-ND	4.02	116.74	110.24
24	c	504	CLA	O2D-CGD-O1D	-4.02	115.98	123.84
24	B	614	CLA	CHD-C4C-C3C	-4.02	118.94	124.84
24	B	610	CLA	C2C-C1C-NC	4.01	113.73	109.97
24	b	605	CLA	C3D-C2D-C1D	-4.01	100.36	105.83
24	b	608	CLA	C3D-C4D-ND	4.00	116.71	110.24
24	C	510	CLA	C1C-C2C-C3C	-3.99	102.76	106.96
24	B	610	CLA	C3D-C4D-ND	3.99	116.70	110.24
24	B	607	CLA	C1C-C2C-C3C	-3.99	102.76	106.96
24	b	607	CLA	C1C-C2C-C3C	-3.99	102.76	106.96
24	B	617	CLA	C3D-C4D-ND	3.99	116.69	110.24
24	b	613	CLA	C3D-C4D-ND	3.98	116.68	110.24
24	b	609	CLA	C3D-C2D-C1D	-3.98	100.39	105.83
24	d	404	CLA	C3C-C4C-NC	3.98	115.03	110.57
24	B	602	CLA	CHD-C1D-ND	-3.98	120.80	124.45
24	b	612	CLA	C3D-C4D-ND	3.98	116.67	110.24
26	b	620	BCR	C33-C5-C6	-3.97	120.07	124.53
24	C	511	CLA	C3D-C4D-ND	3.97	116.66	110.24
24	C	508	CLA	C1C-C2C-C3C	-3.97	102.78	106.96
24	b	612	CLA	CHD-C4C-C3C	-3.96	119.01	124.84
24	b	615	CLA	C3C-C4C-NC	3.96	115.02	110.57
24	C	503	CLA	C3D-C4D-ND	3.96	116.65	110.24
24	b	614	CLA	CHD-C4C-C3C	-3.96	119.02	124.84
26	c	516	BCR	C33-C5-C6	-3.96	120.08	124.53
39	c	518	DGD	O2G-C1B-C2B	3.96	120.03	111.50
24	C	512	CLA	C4A-NA-C1A	3.95	108.48	106.71
43	v	1603	HEC	C1D-C2D-C3D	-3.95	104.25	107.00
24	C	513	CLA	CHD-C4C-C3C	-3.95	119.03	124.84
24	b	606	CLA	C4-C3-C5	3.95	121.91	115.27
24	C	514	CLA	C3D-C4D-ND	3.95	116.62	110.24
24	C	511	CLA	C3D-C2D-C1D	-3.95	100.44	105.83
24	c	503	CLA	CHD-C1D-ND	-3.94	120.83	124.45
40	f	101	HEM	CBA-CAA-C2A	-3.94	105.90	112.62
24	B	612	CLA	O2D-CGD-CBD	3.94	118.27	111.27
26	T	102	BCR	C15-C16-C17	-3.94	115.41	123.47
24	C	506	CLA	CHD-C4C-C3C	-3.94	119.05	124.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	C	516	BCR	C7-C8-C9	-3.94	120.29	126.23
27	a	401	SQD	O47-C7-C8	3.94	119.98	111.50
24	b	606	CLA	C1C-C2C-C3C	-3.94	102.82	106.96
24	C	510	CLA	C1-C2-C3	-3.93	119.24	126.04
24	b	604	CLA	C3D-C4D-ND	3.93	116.60	110.24
24	b	606	CLA	C3D-C2D-C1D	-3.93	100.47	105.83
24	c	513	CLA	O2D-CGD-CBD	3.93	118.25	111.27
24	b	604	CLA	C2C-C1C-NC	3.92	113.65	109.97
40	f	101	HEM	C4B-CHC-C1C	3.92	127.73	122.56
24	a	409	CLA	C3B-C4B-NB	3.92	114.28	109.21
37	e	101	LHG	O7-C7-C8	3.92	119.95	111.50
24	C	506	CLA	C3C-C4C-NC	3.92	114.97	110.57
33	D	406	PL9	C40-C39-C41	3.92	121.86	115.27
24	B	610	CLA	C1C-C2C-C3C	-3.92	102.84	106.96
24	B	611	CLA	CHD-C4C-C3C	-3.91	119.09	124.84
24	B	617	CLA	C4-C3-C5	3.91	121.86	115.27
24	b	610	CLA	C1C-C2C-C3C	-3.91	102.84	106.96
24	b	616	CLA	C1C-C2C-C3C	-3.90	102.85	106.96
24	B	603	CLA	C3D-C4D-ND	3.90	116.55	110.24
24	c	514	CLA	C1C-C2C-C3C	-3.90	102.86	106.96
24	b	608	CLA	C1C-C2C-C3C	-3.90	102.86	106.96
24	c	503	CLA	C3D-C4D-ND	3.90	116.54	110.24
24	C	504	CLA	C2C-C1C-NC	3.90	113.62	109.97
26	d	406	BCR	C7-C8-C9	-3.89	120.35	126.23
24	B	607	CLA	CHD-C4C-C3C	-3.89	119.13	124.84
24	A	405	CLA	C3D-C4D-ND	3.89	116.53	110.24
24	B	608	CLA	C3D-C4D-ND	3.88	116.52	110.24
24	B	616	CLA	C2C-C1C-NC	3.88	113.61	109.97
24	C	514	CLA	CHD-C4C-C3C	-3.88	119.14	124.84
24	C	502	CLA	O2D-CGD-O1D	-3.88	116.25	123.84
24	a	412	CLA	C1-C2-C3	-3.88	119.34	126.04
24	c	511	CLA	C1-C2-C3	-3.88	119.34	126.04
24	a	412	CLA	C1C-C2C-C3C	-3.88	102.88	106.96
36	o	301	HTG	C1'-S1-C1	3.87	107.34	100.09
24	c	508	CLA	C3D-C4D-ND	3.87	116.50	110.24
24	A	405	CLA	C1C-C2C-C3C	-3.87	102.88	106.96
24	b	604	CLA	CHD-C1D-ND	-3.87	120.89	124.45
24	c	511	CLA	C2C-C1C-NC	3.87	113.60	109.97
24	B	605	CLA	C3D-C4D-ND	3.87	116.50	110.24
24	b	616	CLA	C3D-C4D-ND	3.87	116.49	110.24
29	B	622	LMT	C1-O1'-C1'	-3.87	107.43	113.84
24	C	505	CLA	C2C-C1C-NC	3.87	113.59	109.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	C	509	CLA	C2C-C1C-NC	3.86	113.59	109.97
39	C	517	DGD	O2G-C1B-C2B	3.86	119.82	111.50
24	B	603	CLA	C2C-C1C-NC	3.86	113.59	109.97
24	B	602	CLA	CHD-C4C-C3C	-3.85	119.18	124.84
24	b	617	CLA	O2D-CGD-O1D	-3.85	116.31	123.84
24	c	511	CLA	CHD-C4C-C3C	-3.85	119.18	124.84
24	B	612	CLA	C3D-C4D-ND	3.85	116.47	110.24
24	a	408	CLA	CHD-C1D-ND	-3.85	120.92	124.45
24	b	606	CLA	C1D-CHD-C4C	-3.85	117.76	126.06
24	C	506	CLA	C3D-C2D-C1D	-3.85	100.58	105.83
24	c	510	CLA	C2C-C1C-NC	3.85	113.58	109.97
24	C	503	CLA	C1C-C2C-C3C	-3.84	102.92	106.96
24	D	403	CLA	O2D-CGD-CBD	3.84	118.09	111.27
24	b	604	CLA	C1C-C2C-C3C	-3.84	102.92	106.96
24	b	613	CLA	C2C-C1C-NC	3.84	113.57	109.97
24	b	612	CLA	C2C-C1C-NC	3.84	113.56	109.97
24	c	515	CLA	O2D-CGD-CBD	3.83	118.07	111.27
24	B	605	CLA	C1D-CHD-C4C	-3.83	117.80	126.06
24	B	604	CLA	C3C-C4C-NC	3.83	114.86	110.57
26	c	516	BCR	C15-C14-C13	-3.83	121.85	127.31
24	B	606	CLA	C2C-C1C-NC	3.82	113.55	109.97
24	B	613	CLA	C1-C2-C3	-3.82	119.43	126.04
24	A	407	CLA	CHD-C4C-C3C	-3.82	119.23	124.84
24	B	616	CLA	C11-C10-C8	-3.82	103.58	115.92
24	b	606	CLA	C3D-C4D-ND	3.82	116.41	110.24
24	b	612	CLA	CHD-C1D-ND	-3.82	120.95	124.45
26	C	515	BCR	C33-C5-C6	-3.81	120.25	124.53
24	B	616	CLA	C11-C12-C13	-3.81	103.60	115.92
24	B	605	CLA	C3C-C4C-NC	3.81	114.84	110.57
24	B	616	CLA	C1D-CHD-C4C	-3.81	117.85	126.06
24	c	514	CLA	C3D-C4D-ND	3.80	116.38	110.24
24	d	404	CLA	C1C-C2C-C3C	-3.80	102.96	106.96
39	C	519	DGD	O2G-C1B-C2B	3.80	119.68	111.50
24	C	507	CLA	O2D-CGD-CBD	3.79	118.01	111.27
24	A	409	CLA	CHD-C1D-ND	-3.79	120.97	124.45
24	B	602	CLA	C3D-C4D-ND	3.79	116.37	110.24
33	a	425[B]	PL9	C32-C33-C34	-3.79	118.53	127.66
24	c	503	CLA	CBC-CAC-C3C	-3.79	101.98	112.43
24	C	513	CLA	C1C-C2C-C3C	-3.79	102.97	106.96
24	c	505	CLA	C2C-C1C-NC	3.79	113.52	109.97
24	C	511	CLA	C2C-C1C-NC	3.78	113.52	109.97
24	b	619	CLA	C2C-C1C-NC	3.78	113.51	109.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	C	510	CLA	CHD-C1D-ND	-3.78	120.98	124.45
24	C	512	CLA	C1C-C2C-C3C	-3.78	102.98	106.96
24	c	509	CLA	C2C-C1C-NC	3.77	113.51	109.97
24	a	408	CLA	CAC-C3C-C4C	3.77	129.71	124.81
24	B	605	CLA	CHD-C4C-C3C	-3.76	119.31	124.84
24	a	408	CLA	C1C-C2C-C3C	-3.76	103.00	106.96
36	d	414	HTG	C1-O5-C5	3.76	119.50	112.58
27	L	101	SQD	O7-S-C6	3.75	111.40	106.94
24	A	406	CLA	CHD-C4C-C3C	-3.75	119.33	124.84
39	c	519	DGD	O2G-C1B-C2B	3.75	119.58	111.50
24	c	506	CLA	CBC-CAC-C3C	-3.75	102.10	112.43
24	B	614	CLA	C3D-C4D-ND	3.75	116.30	110.24
24	C	512	CLA	CHD-C1D-ND	-3.75	121.01	124.45
24	B	617	CLA	C2C-C1C-NC	3.75	113.48	109.97
24	B	606	CLA	CHD-C1D-ND	-3.74	121.02	124.45
24	c	510	CLA	O2D-CGD-O1D	-3.74	116.53	123.84
25	d	401	PHO	C4-C3-C5	3.74	121.56	115.27
24	c	512	CLA	C2C-C1C-NC	3.73	113.47	109.97
24	C	503	CLA	CBC-CAC-C3C	-3.72	102.17	112.43
24	D	403	CLA	C3C-C4C-NC	3.72	114.74	110.57
24	B	613	CLA	C3C-C4C-NC	3.72	114.74	110.57
33	a	425[B]	PL9	C7-C8-C9	-3.72	120.60	126.79
24	c	507	CLA	C3D-C2D-C1D	-3.72	100.76	105.83
24	c	512	CLA	CHD-C4C-C3C	-3.72	119.38	124.84
33	A	422[B]	PL9	C32-C33-C34	-3.71	118.72	127.66
27	A	411	SQD	C45-O47-C7	-3.71	108.66	117.79
24	A	405	CLA	C3D-C2D-C1D	-3.71	100.77	105.83
37	D	409	LHG	O8-C23-O10	-3.70	114.24	123.59
26	Y	302	BCR	C38-C26-C25	-3.70	120.37	124.53
24	C	510	CLA	C3D-C4D-ND	3.70	116.23	110.24
27	A	413	SQD	O47-C7-C8	3.70	119.48	111.50
24	D	403	CLA	C1-C2-C3	-3.70	119.64	126.04
24	B	609	CLA	C1-C2-C3	-3.70	119.64	126.04
24	b	610	CLA	C3D-C4D-ND	3.70	116.22	110.24
24	C	509	CLA	C1C-C2C-C3C	-3.70	103.07	106.96
24	c	507	CLA	C3D-C4D-ND	3.70	116.22	110.24
24	b	609	CLA	CHD-C4C-C3C	-3.69	119.41	124.84
24	d	405	CLA	CHD-C1D-ND	-3.69	121.06	124.45
24	B	616	CLA	C3C-C4C-NC	3.69	114.71	110.57
24	B	609	CLA	C1C-C2C-C3C	-3.69	103.08	106.96
24	A	407	CLA	C4-C3-C5	3.69	121.48	115.27
24	c	509	CLA	C3D-C4D-ND	3.69	116.21	110.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	d	404	CLA	C1-C2-C3	-3.69	119.66	126.04
24	B	604	CLA	O2D-CGD-O1D	-3.69	116.62	123.84
28	C	520	LMG	O8-C28-C29	3.69	123.48	111.91
24	c	510	CLA	C1C-C2C-C3C	-3.69	103.08	106.96
26	c	517	BCR	C38-C26-C25	-3.68	120.39	124.53
24	b	609	CLA	C1C-C2C-C3C	-3.68	103.09	106.96
24	b	617	CLA	CHD-C4C-C3C	-3.68	119.44	124.84
26	k	302	BCR	C15-C14-C13	-3.68	122.06	127.31
24	a	409	CLA	CHD-C1D-ND	-3.67	121.08	124.45
24	C	504	CLA	C1C-C2C-C3C	-3.67	103.10	106.96
24	c	515	CLA	C2C-C1C-NC	3.67	113.41	109.97
24	B	609	CLA	C3D-C4D-ND	3.67	116.17	110.24
24	a	409	CLA	CBC-CAC-C3C	-3.67	102.32	112.43
24	C	502	CLA	C1C-C2C-C3C	-3.67	103.10	106.96
24	b	608	CLA	C2C-C1C-NC	3.67	113.41	109.97
24	c	509	CLA	CHD-C4C-C3C	-3.67	119.45	124.84
24	A	409	CLA	CMA-C3A-C4A	-3.67	101.92	111.77
37	B	640	LHG	O7-C7-C8	3.66	119.39	111.50
24	a	409	CLA	C1D-CHD-C4C	-3.66	118.17	126.06
24	B	617	CLA	C3C-C4C-NC	3.66	114.67	110.57
24	B	610	CLA	CBC-CAC-C3C	-3.65	102.36	112.43
24	B	603	CLA	C1D-CHD-C4C	-3.65	118.18	126.06
24	A	405	CLA	CAA-C2A-C1A	-3.65	100.01	111.97
24	C	506	CLA	C1D-CHD-C4C	-3.65	118.19	126.06
24	c	509	CLA	C1C-C2C-C3C	-3.64	103.13	106.96
36	B	624	HTG	O5-C1-C2	3.64	114.90	110.31
24	c	505	CLA	C1D-CHD-C4C	-3.63	118.22	126.06
24	A	407	CLA	C1C-C2C-C3C	-3.63	103.14	106.96
24	c	515	CLA	C1C-C2C-C3C	-3.63	103.14	106.96
24	B	616	CLA	C3D-C4D-ND	3.63	116.11	110.24
24	b	608	CLA	O2D-CGD-O1D	-3.63	116.74	123.84
24	a	408	CLA	C1D-CHD-C4C	-3.63	118.24	126.06
37	d	410	LHG	O7-C7-C8	3.62	119.31	111.50
24	C	512	CLA	C3B-C4B-NB	3.62	113.90	109.21
24	C	512	CLA	CHD-C4C-C3C	-3.62	119.53	124.84
24	B	606	CLA	O2D-CGD-O1D	-3.62	116.77	123.84
24	c	515	CLA	CMC-C2C-C1C	3.61	130.54	125.04
24	C	508	CLA	CHD-C4C-C3C	-3.61	119.53	124.84
27	f	102	SQD	O7-S-C6	3.61	111.26	106.92
24	b	616	CLA	C3B-C4B-NB	3.61	113.88	109.21
24	B	615	CLA	C3D-C4D-ND	3.61	116.07	110.24
37	d	408	LHG	O8-C23-C24	3.60	123.22	111.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	B	610	CLA	CHD-C4C-C3C	-3.60	119.54	124.84
24	B	617	CLA	C1D-CHD-C4C	-3.60	118.29	126.06
27	a	414	SQD	C45-O47-C7	-3.60	108.92	117.79
24	C	502	CLA	C2C-C1C-NC	3.60	113.34	109.97
24	c	509	CLA	CHD-C1D-ND	-3.60	121.15	124.45
24	C	502	CLA	CHD-C4C-C3C	-3.60	119.55	124.84
24	D	404	CLA	CHD-C4C-C3C	-3.60	119.55	124.84
26	C	515	BCR	C7-C8-C9	-3.60	120.80	126.23
24	b	614	CLA	C3D-C4D-ND	3.59	116.05	110.24
24	b	617	CLA	CAC-C3C-C4C	3.59	129.46	124.81
24	b	605	CLA	CHD-C4C-C3C	-3.58	119.57	124.84
24	B	617	CLA	C3B-C4B-NB	3.58	113.84	109.21
24	c	513	CLA	C1D-CHD-C4C	-3.58	118.34	126.06
24	D	404	CLA	C1C-C2C-C3C	-3.58	103.19	106.96
24	a	410	CLA	C2C-C1C-NC	3.58	113.32	109.97
24	b	618	CLA	C3D-C4D-ND	3.58	116.02	110.24
24	a	410	CLA	C1C-C2C-C3C	-3.57	103.20	106.96
24	D	403	CLA	C3B-C4B-NB	3.57	113.83	109.21
24	A	405	CLA	CAA-C2A-C3A	-3.57	103.00	112.78
24	B	603	CLA	C3C-C4C-NC	3.57	114.57	110.57
40	F	101	HEM	C4B-CHC-C1C	3.57	127.27	122.56
24	B	609	CLA	O2D-CGD-CBD	3.57	117.61	111.27
24	c	514	CLA	CBC-CAC-C3C	-3.57	102.60	112.43
24	b	618	CLA	C1D-CHD-C4C	-3.57	118.37	126.06
28	b	623	LMG	O7-C10-C11	3.57	119.19	111.50
24	a	410	CLA	C4-C3-C5	3.56	121.27	115.27
24	C	504	CLA	CHD-C1D-ND	-3.56	121.18	124.45
24	b	609	CLA	C2C-C1C-NC	3.56	113.31	109.97
24	b	615	CLA	C1-C2-C3	-3.56	119.89	126.04
24	b	615	CLA	C2C-C1C-NC	3.56	113.31	109.97
24	b	619	CLA	O2A-CGA-CBA	3.56	123.08	111.91
24	B	614	CLA	CHD-C1D-ND	-3.56	121.18	124.45
24	B	611	CLA	C3D-C4D-ND	3.56	115.99	110.24
24	c	504	CLA	C2C-C1C-NC	3.55	113.30	109.97
27	a	414	SQD	C1-C2-C3	-3.55	102.59	110.00
26	C	515	BCR	C38-C26-C25	-3.55	120.54	124.53
24	c	513	CLA	C3D-C4D-ND	3.55	115.98	110.24
24	c	514	CLA	C1-O2A-CGA	3.55	125.75	116.44
24	c	507	CLA	O2D-CGD-O1D	-3.55	116.91	123.84
24	b	612	CLA	C1C-C2C-C3C	-3.54	103.23	106.96
24	b	605	CLA	C2C-C1C-NC	3.54	113.29	109.97
24	B	604	CLA	C1D-CHD-C4C	-3.54	118.42	126.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	A	406	CLA	C3B-C4B-NB	3.54	113.79	109.21
24	b	613	CLA	C1C-C2C-C3C	-3.54	103.24	106.96
24	b	606	CLA	CAA-C2A-C3A	-3.54	103.10	112.78
24	b	616	CLA	C3C-C4C-NC	3.53	114.53	110.57
24	B	613	CLA	C2C-C1C-NC	3.53	113.28	109.97
24	B	604	CLA	C2C-C1C-NC	3.53	113.28	109.97
24	B	605	CLA	C1-C2-C3	-3.53	119.93	126.04
24	b	609	CLA	C3D-C4D-ND	3.53	115.95	110.24
24	C	505	CLA	CHD-C4C-C3C	-3.53	119.65	124.84
26	D	405	BCR	C29-C30-C25	3.53	115.92	110.48
24	b	619	CLA	C3B-C4B-NB	3.53	113.77	109.21
24	B	613	CLA	CMC-C2C-C1C	3.53	130.41	125.04
24	B	603	CLA	CHD-C4C-C3C	-3.53	119.66	124.84
24	A	405	CLA	C1D-CHD-C4C	-3.53	118.45	126.06
24	C	511	CLA	C1C-C2C-C3C	-3.53	103.25	106.96
24	c	512	CLA	C1C-C2C-C3C	-3.53	103.25	106.96
24	C	503	CLA	C2C-C1C-NC	3.52	113.27	109.97
24	c	514	CLA	CHD-C4C-C3C	-3.52	119.66	124.84
24	c	504	CLA	C1D-CHD-C4C	-3.52	118.46	126.06
24	A	409	CLA	C3C-C4C-NC	3.52	114.52	110.57
24	c	513	CLA	C2C-C1C-NC	3.52	113.27	109.97
27	A	411	SQD	C1-C2-C3	-3.52	102.67	110.00
24	b	616	CLA	O2D-CGD-CBD	3.52	117.52	111.27
24	B	604	CLA	C1C-C2C-C3C	-3.51	103.26	106.96
24	C	514	CLA	CHD-C1D-ND	-3.51	121.22	124.45
24	c	508	CLA	C2C-C1C-NC	3.51	113.26	109.97
41	H	101	RRX	C38-C26-C25	-3.51	120.58	124.53
24	C	502	CLA	CBC-CAC-C3C	-3.51	102.75	112.43
24	B	615	CLA	C1D-CHD-C4C	-3.51	118.49	126.06
24	D	404	CLA	CHD-C1D-ND	-3.51	121.23	124.45
24	b	614	CLA	CBC-CAC-C3C	-3.51	102.77	112.43
27	L	101	SQD	O48-C23-C24	3.50	122.90	111.91
28	C	532	LMG	O6-C5-C4	3.50	116.06	109.69
24	c	507	CLA	C1C-C2C-C3C	-3.50	103.27	106.96
24	B	607	CLA	C3D-C4D-ND	3.50	115.90	110.24
24	C	506	CLA	C3D-C4D-ND	3.50	115.90	110.24
24	B	614	CLA	C4-C3-C5	3.50	121.16	115.27
24	B	605	CLA	C3B-C4B-NB	3.50	113.73	109.21
24	c	507	CLA	C3C-C4C-NC	3.50	114.49	110.57
24	B	608	CLA	CHD-C4C-C3C	-3.49	119.71	124.84
24	d	404	CLA	C4-C3-C5	3.49	121.14	115.27
24	A	406	CLA	C1D-CHD-C4C	-3.49	118.54	126.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	B	616	CLA	CAC-C3C-C4C	3.49	129.33	124.81
24	B	613	CLA	CHD-C1D-ND	-3.48	121.25	124.45
24	b	611	CLA	C1C-C2C-C3C	-3.48	103.30	106.96
24	c	510	CLA	CHD-C4C-C3C	-3.48	119.73	124.84
24	c	508	CLA	CBC-CAC-C3C	-3.48	102.84	112.43
24	C	506	CLA	C4C-C3C-C2C	-3.48	101.83	106.90
27	D	408	SQD	O9-S-C6	3.48	111.07	106.94
24	B	614	CLA	C3C-C4C-NC	3.47	114.47	110.57
24	b	613	CLA	C1D-CHD-C4C	-3.47	118.57	126.06
24	a	412	CLA	CMA-C3A-C4A	-3.47	102.45	111.77
24	C	511	CLA	C1D-CHD-C4C	-3.47	118.58	126.06
24	b	614	CLA	C1D-CHD-C4C	-3.47	118.58	126.06
24	c	506	CLA	C1D-CHD-C4C	-3.47	118.58	126.06
24	B	604	CLA	CHD-C1D-ND	-3.47	121.27	124.45
24	b	613	CLA	CHD-C4C-C3C	-3.46	119.75	124.84
24	d	405	CLA	CAC-C3C-C4C	3.46	129.30	124.81
24	b	605	CLA	C1C-C2C-C3C	-3.46	103.32	106.96
24	b	614	CLA	C3C-C4C-NC	3.46	114.45	110.57
24	c	513	CLA	C4A-NA-C1A	3.46	108.26	106.71
24	c	515	CLA	CHD-C4C-C3C	-3.46	119.76	124.84
37	d	408	LHG	O8-C23-O10	-3.46	114.86	123.59
24	b	606	CLA	CHD-C4C-C3C	-3.46	119.76	124.84
24	b	611	CLA	C2C-C1C-NC	3.45	113.21	109.97
24	C	508	CLA	C1D-CHD-C4C	-3.45	118.61	126.06
24	c	512	CLA	C3C-C4C-NC	3.45	114.44	110.57
24	C	511	CLA	C3C-C4C-NC	3.44	114.43	110.57
24	C	507	CLA	CBC-CAC-C3C	-3.44	102.94	112.43
28	c	521	LMG	O7-C10-C11	3.44	118.92	111.50
24	C	508	CLA	C1-C2-C3	-3.44	120.09	126.04
24	b	610	CLA	CHD-C4C-C3C	-3.44	119.78	124.84
24	b	616	CLA	CHD-C4C-C3C	-3.44	119.78	124.84
36	B	626	HTG	C1-O5-C5	3.44	118.92	112.58
24	A	409	CLA	O2D-CGD-CBD	3.44	117.38	111.27
24	C	513	CLA	CBA-CAA-C2A	-3.44	103.72	113.86
24	b	619	CLA	C3D-C4D-ND	3.44	115.80	110.24
24	C	507	CLA	CHD-C4C-C3C	-3.44	119.79	124.84
24	c	514	CLA	C1D-CHD-C4C	-3.44	118.64	126.06
26	k	302	BCR	C33-C5-C6	-3.43	120.67	124.53
24	b	615	CLA	C4C-C3C-C2C	-3.43	101.89	106.90
24	B	608	CLA	C3B-C4B-NB	3.43	113.65	109.21
24	b	609	CLA	C1D-CHD-C4C	-3.43	118.66	126.06
26	k	303	BCR	C24-C23-C22	-3.42	121.06	126.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	B	617	CLA	C4C-C3C-C2C	-3.42	101.91	106.90
26	b	620	BCR	C15-C14-C13	-3.42	122.43	127.31
24	B	603	CLA	CAA-C2A-C3A	-3.42	103.42	112.78
27	a	401	SQD	C3-C4-C5	3.42	116.33	110.24
24	c	504	CLA	C3C-C4C-NC	3.42	114.40	110.57
26	Y	302	BCR	C16-C17-C18	-3.42	122.44	127.31
24	b	610	CLA	C3B-C4B-NB	3.42	113.63	109.21
36	O	302	HTG	C1'-S1-C1	3.41	106.48	100.09
24	B	611	CLA	CAC-C3C-C4C	3.41	129.24	124.81
24	b	607	CLA	C3D-C4D-ND	3.41	115.76	110.24
26	B	619	BCR	C11-C10-C9	-3.41	122.44	127.31
24	C	504	CLA	C3D-C4D-ND	3.41	115.75	110.24
24	c	508	CLA	C1D-CHD-C4C	-3.41	118.70	126.06
24	C	507	CLA	C1D-CHD-C4C	-3.41	118.71	126.06
27	L	102	SQD	O7-S-C6	3.41	110.99	106.94
40	f	101	HEM	CBD-CAD-C3D	-3.40	103.17	112.63
24	b	607	CLA	C4A-NA-C1A	3.40	108.23	106.71
24	c	505	CLA	C1C-C2C-C3C	-3.40	103.38	106.96
24	B	605	CLA	O2A-CGA-O1A	-3.40	115.02	123.59
24	b	619	CLA	C3C-C4C-NC	3.40	114.38	110.57
24	a	410	CLA	O2D-CGD-CBD	3.40	117.30	111.27
24	C	511	CLA	C1-O2A-CGA	3.39	125.34	116.44
24	c	508	CLA	C1C-C2C-C3C	-3.39	103.39	106.96
24	B	610	CLA	C1D-CHD-C4C	-3.39	118.74	126.06
24	A	405	CLA	CHD-C4C-C3C	-3.39	119.86	124.84
24	c	511	CLA	C4A-NA-C1A	3.39	108.23	106.71
24	C	509	CLA	CHD-C4C-C3C	-3.39	119.86	124.84
24	b	618	CLA	C1C-C2C-C3C	-3.38	103.40	106.96
24	B	611	CLA	O2A-CGA-CBA	3.38	122.51	111.91
24	c	507	CLA	C1D-CHD-C4C	-3.38	118.77	126.06
24	b	609	CLA	C4-C3-C5	3.38	120.95	115.27
25	D	401	PHO	C4-C3-C5	3.38	120.95	115.27
24	b	608	CLA	C3C-C4C-NC	3.38	114.36	110.57
24	B	609	CLA	CMB-C2B-C3B	3.37	130.99	124.68
26	k	303	BCR	C20-C21-C22	-3.37	122.50	127.31
24	C	510	CLA	O2D-CGD-O1D	-3.37	117.25	123.84
24	b	610	CLA	CHD-C1D-ND	-3.37	121.36	124.45
24	c	511	CLA	CBC-CAC-C3C	-3.37	103.14	112.43
24	b	617	CLA	CHD-C1D-ND	-3.37	121.36	124.45
24	c	505	CLA	O2D-CGD-CBD	3.37	117.26	111.27
24	C	512	CLA	O2D-CGD-O1D	-3.37	117.25	123.84
24	c	508	CLA	O2D-CGD-CBD	3.37	117.25	111.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	c	512	CLA	C4-C3-C5	3.37	120.93	115.27
24	B	611	CLA	CAA-CBA-CGA	-3.37	103.42	113.25
24	C	513	CLA	C1D-CHD-C4C	-3.36	118.80	126.06
24	b	605	CLA	C1D-CHD-C4C	-3.36	118.80	126.06
24	b	615	CLA	C3B-C4B-NB	3.36	113.56	109.21
24	b	617	CLA	C1D-CHD-C4C	-3.36	118.81	126.06
24	b	619	CLA	C4C-C3C-C2C	-3.36	102.00	106.90
24	C	514	CLA	C1-C2-C3	-3.36	120.23	126.04
24	b	608	CLA	CBC-CAC-C3C	-3.35	103.18	112.43
24	a	408	CLA	CMB-C2B-C3B	3.35	130.95	124.68
24	C	506	CLA	C1C-C2C-C3C	-3.35	103.43	106.96
33	a	425[B]	PL9	C42-C43-C44	-3.35	119.59	127.66
24	B	609	CLA	CHD-C4C-C3C	-3.35	119.92	124.84
26	Y	302	BCR	C15-C14-C13	-3.35	122.53	127.31
24	a	408	CLA	CAA-C2A-C3A	-3.35	103.61	112.78
27	L	102	SQD	C44-O6-C1	-3.34	107.20	113.74
24	B	607	CLA	C4-C3-C5	3.34	120.90	115.27
33	A	422[B]	PL9	C53-C6-C1	3.34	121.82	114.99
24	C	507	CLA	C3B-C4B-NB	3.34	113.53	109.21
26	c	516	BCR	C20-C21-C22	-3.34	122.54	127.31
43	V	202	HEC	CMB-C2B-C1B	-3.34	123.33	128.46
24	b	613	CLA	O2A-CGA-CBA	3.33	122.37	111.91
24	B	606	CLA	C1C-C2C-C3C	-3.33	103.45	106.96
24	c	513	CLA	C1-O2A-CGA	3.33	125.19	116.44
24	C	512	CLA	CAC-C3C-C4C	3.33	129.13	124.81
40	F	101	HEM	CBA-CAA-C2A	-3.33	106.94	112.62
24	c	504	CLA	C1C-C2C-C3C	-3.33	103.46	106.96
24	B	616	CLA	C3B-C4B-NB	3.33	113.51	109.21
24	a	412	CLA	C3B-C4B-NB	3.33	113.51	109.21
24	a	409	CLA	CMA-C3A-C2A	-3.32	100.42	113.83
24	B	608	CLA	CAA-C2A-C3A	-3.32	103.68	112.78
24	B	613	CLA	C1C-C2C-C3C	-3.32	103.46	106.96
24	c	511	CLA	O2D-CGD-O1D	-3.32	117.34	123.84
24	B	602	CLA	O2D-CGD-O1D	-3.32	117.35	123.84
24	B	607	CLA	C3C-C4C-NC	3.32	114.29	110.57
24	A	405	CLA	C3C-C4C-NC	3.32	114.29	110.57
24	c	506	CLA	C3B-C4B-NB	3.31	113.50	109.21
27	D	408	SQD	C44-O6-C1	-3.31	107.27	113.74
24	b	614	CLA	C4C-C3C-C2C	-3.31	102.07	106.90
24	c	515	CLA	C1D-CHD-C4C	-3.31	118.91	126.06
26	d	406	BCR	C29-C30-C25	3.31	115.58	110.48
27	D	408	SQD	C1-C2-C3	-3.31	103.11	110.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	B	618	BCR	C7-C8-C9	-3.31	121.24	126.23
24	b	617	CLA	C2C-C1C-NC	3.30	113.07	109.97
39	h	1205	DGD	O2G-C1B-C2B	3.30	118.62	111.50
24	D	404	CLA	C4-C3-C5	3.30	120.83	115.27
24	C	513	CLA	CMB-C2B-C3B	3.30	130.85	124.68
33	A	422[B]	PL9	C15-C14-C16	3.30	120.82	115.27
24	B	612	CLA	C2C-C1C-NC	3.29	113.06	109.97
26	D	405	BCR	C33-C5-C6	-3.29	120.83	124.53
27	a	401	SQD	O8-S-C6	3.29	110.98	105.74
27	D	408	SQD	C1-O5-C5	-3.29	107.23	113.69
36	D	413	HTG	C1'-S1-C1	3.29	106.24	100.09
24	A	406	CLA	CMA-C3A-C2A	-3.29	100.56	113.83
24	C	503	CLA	CHD-C4C-C3C	-3.29	120.01	124.84
24	b	610	CLA	CBC-CAC-C3C	-3.29	103.37	112.43
24	c	513	CLA	C4-C3-C5	3.29	120.80	115.27
24	c	503	CLA	C4A-NA-C1A	3.29	108.18	106.71
24	B	606	CLA	C3C-C4C-NC	3.28	114.25	110.57
29	C	521	LMT	C1B-O5B-C5B	3.28	120.13	113.69
24	B	609	CLA	C3C-C4C-NC	3.28	114.25	110.57
24	C	509	CLA	CHD-C1D-ND	-3.28	121.44	124.45
24	C	503	CLA	C1D-CHD-C4C	-3.28	118.98	126.06
33	A	422[B]	PL9	C25-C24-C26	3.28	120.79	115.27
24	B	609	CLA	C1D-CHD-C4C	-3.28	118.99	126.06
24	c	510	CLA	C3C-C4C-NC	3.28	114.25	110.57
24	A	407	CLA	C1D-CHD-C4C	-3.27	119.00	126.06
24	B	612	CLA	C3C-C4C-NC	3.27	114.24	110.57
29	z	101	LMT	C1-O1'-C1'	3.27	118.33	113.27
37	D	411	LHG	O7-C7-C8	3.27	118.55	111.50
24	C	511	CLA	C4-C3-C5	3.27	120.78	115.27
24	C	513	CLA	C3C-C4C-NC	3.26	114.23	110.57
24	b	606	CLA	O2A-CGA-O1A	-3.26	115.36	123.59
24	b	607	CLA	CHD-C4C-C3C	-3.26	120.05	124.84
26	k	303	BCR	C33-C5-C6	-3.26	120.87	124.53
24	a	410	CLA	CBC-CAC-C3C	-3.26	103.44	112.43
24	C	507	CLA	C3C-C4C-NC	3.26	114.22	110.57
24	c	503	CLA	C3B-C4B-NB	3.26	113.42	109.21
24	A	407	CLA	O2D-CGD-O1D	-3.26	117.47	123.84
26	k	302	BCR	C38-C26-C25	-3.26	120.87	124.53
24	B	616	CLA	CHD-C1D-ND	-3.25	121.46	124.45
24	B	607	CLA	C3B-C4B-NB	3.25	113.41	109.21
24	C	507	CLA	O2A-CGA-CBA	3.25	122.11	111.91
41	h	1204	RRX	C11-C10-C9	-3.25	122.67	127.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	B	613	CLA	O2D-CGD-O1D	-3.25	117.49	123.84
24	C	504	CLA	C1D-CHD-C4C	-3.24	119.06	126.06
24	B	610	CLA	CHD-C1D-ND	-3.24	121.48	124.45
24	B	602	CLA	C1D-CHD-C4C	-3.24	119.07	126.06
24	C	510	CLA	C3B-C4B-NB	3.24	113.40	109.21
24	B	615	CLA	O2D-CGD-O1D	-3.24	117.51	123.84
24	c	509	CLA	O2D-CGD-O1D	-3.24	117.51	123.84
26	C	516	BCR	C15-C14-C13	-3.24	122.69	127.31
24	C	510	CLA	CHD-C4C-C3C	-3.24	120.08	124.84
24	b	611	CLA	CHD-C1D-ND	-3.24	121.48	124.45
24	A	407	CLA	CMC-C2C-C1C	3.24	129.97	125.04
26	b	622	BCR	C24-C23-C22	-3.23	121.35	126.23
24	b	608	CLA	C1D-CHD-C4C	-3.23	119.09	126.06
24	A	407	CLA	C3B-C4B-NB	3.23	113.39	109.21
24	A	407	CLA	CAC-C3C-C4C	3.23	129.00	124.81
24	b	605	CLA	CAA-C2A-C3A	-3.23	103.94	112.78
33	D	406	PL9	C25-C24-C26	3.23	120.70	115.27
24	A	405	CLA	CMA-C3A-C4A	-3.23	103.10	111.77
24	b	607	CLA	C3C-C4C-NC	3.23	114.19	110.57
24	b	604	CLA	CHD-C4C-C3C	-3.22	120.10	124.84
24	B	603	CLA	C4C-C3C-C2C	-3.22	102.20	106.90
33	a	425[B]	PL9	C37-C38-C39	-3.22	119.90	127.66
24	c	511	CLA	C3D-C4D-ND	3.22	115.45	110.24
39	D	407	DGD	O1G-C1A-C2A	3.22	122.02	111.91
24	b	613	CLA	C3C-C4C-NC	3.22	114.18	110.57
24	C	513	CLA	CBC-CAC-C3C	-3.22	103.56	112.43
24	a	412	CLA	C1D-CHD-C4C	-3.22	119.12	126.06
24	c	505	CLA	C3C-C4C-NC	3.22	114.18	110.57
24	B	603	CLA	CAC-C3C-C4C	3.21	128.98	124.81
24	C	512	CLA	C1D-CHD-C4C	-3.21	119.13	126.06
24	A	406	CLA	CMA-C3A-C4A	-3.21	103.15	111.77
28	c	522	LMG	O6-C5-C4	3.21	115.52	109.69
24	c	512	CLA	C1D-CHD-C4C	-3.21	119.14	126.06
24	A	407	CLA	C3C-C4C-NC	3.21	114.17	110.57
26	B	620	BCR	C38-C26-C25	-3.21	120.93	124.53
24	b	611	CLA	C3C-C4C-NC	3.21	114.17	110.57
24	b	617	CLA	C3C-C4C-NC	3.21	114.17	110.57
24	b	618	CLA	C3B-C4B-NB	3.20	113.35	109.21
24	c	512	CLA	CMA-C3A-C4A	-3.20	103.17	111.77
24	c	505	CLA	C4A-NA-C1A	3.20	108.14	106.71
24	b	615	CLA	C4-C3-C5	3.20	120.65	115.27
24	D	404	CLA	O2D-CGD-O1D	-3.20	117.59	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	a	412	CLA	O2D-CGD-O1D	-3.20	117.59	123.84
24	B	615	CLA	C4-C3-C5	3.20	120.65	115.27
24	c	504	CLA	O2A-CGA-O1A	-3.20	115.53	123.59
24	c	510	CLA	C1D-CHD-C4C	-3.19	119.17	126.06
24	C	512	CLA	C3D-C4D-ND	3.19	115.40	110.24
24	d	404	CLA	O2D-CGD-O1D	-3.19	117.60	123.84
24	c	513	CLA	C1C-C2C-C3C	-3.19	103.60	106.96
41	h	1204	RRX	C24-C23-C22	-3.19	121.41	126.23
24	a	410	CLA	C1D-CHD-C4C	-3.19	119.17	126.06
26	C	515	BCR	C16-C17-C18	-3.19	122.76	127.31
24	B	615	CLA	C3B-C4B-NB	3.19	113.33	109.21
24	c	511	CLA	C3B-C4B-NB	3.18	113.33	109.21
24	A	407	CLA	CHD-C1D-ND	-3.18	121.53	124.45
36	B	626	HTG	O5-C5-C4	3.18	115.48	109.69
24	c	512	CLA	C4C-C3C-C2C	-3.18	102.26	106.90
24	c	508	CLA	CHD-C4C-C3C	-3.18	120.17	124.84
25	D	401	PHO	O2D-CGD-O1D	-3.18	117.62	123.84
24	A	409	CLA	CAA-C2A-C3A	-3.17	104.09	112.78
24	b	606	CLA	O2D-CGD-O1D	-3.17	117.63	123.84
24	B	604	CLA	C4C-C3C-C2C	-3.17	102.28	106.90
24	C	509	CLA	C3C-C4C-NC	3.17	114.13	110.57
24	B	602	CLA	C1C-C2C-C3C	-3.17	103.62	106.96
24	c	512	CLA	C3B-C4B-NB	3.17	113.31	109.21
24	b	615	CLA	O2D-CGD-O1D	-3.17	117.64	123.84
24	B	609	CLA	C3B-C4B-NB	3.17	113.30	109.21
24	C	505	CLA	C3B-C4B-NB	3.17	113.30	109.21
24	B	606	CLA	C1D-CHD-C4C	-3.16	119.23	126.06
24	a	410	CLA	C3C-C4C-NC	3.16	114.12	110.57
27	a	401	SQD	O48-C23-C24	3.16	121.83	111.91
24	B	613	CLA	C6-C5-C3	-3.16	105.16	113.45
24	B	604	CLA	CAA-C2A-C3A	-3.16	104.12	112.78
24	B	602	CLA	O2A-CGA-CBA	3.16	121.83	111.91
24	B	610	CLA	C3C-C4C-NC	3.16	114.11	110.57
24	b	614	CLA	CAC-C3C-C4C	3.16	128.91	124.81
24	B	613	CLA	C4C-C3C-C2C	-3.16	102.29	106.90
24	b	612	CLA	C3C-C4C-NC	3.16	114.11	110.57
24	a	408	CLA	C3B-C4B-NB	3.16	113.29	109.21
24	c	505	CLA	C4C-C3C-C2C	-3.16	102.30	106.90
43	V	202	HEC	CBA-CAA-C2A	-3.16	107.28	112.60
24	C	514	CLA	C1C-C2C-C3C	-3.16	103.64	106.96
24	C	508	CLA	C3C-C4C-NC	3.16	114.11	110.57
24	C	511	CLA	CHD-C1D-ND	-3.15	121.56	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	A	407	CLA	CBC-CAC-C3C	-3.15	103.75	112.43
24	C	506	CLA	C3B-C4B-NB	3.15	113.28	109.21
26	K	101	BCR	C11-C10-C9	-3.15	122.82	127.31
24	b	606	CLA	C3B-C4B-NB	3.15	113.28	109.21
26	b	622	BCR	C38-C26-C25	-3.15	121.00	124.53
24	c	514	CLA	C3C-C4C-NC	3.15	114.10	110.57
24	B	603	CLA	O2D-CGD-O1D	-3.14	117.69	123.84
24	B	616	CLA	C4C-C3C-C2C	-3.14	102.32	106.90
24	C	513	CLA	C2C-C1C-NC	3.14	112.91	109.97
24	a	408	CLA	CHD-C4C-C3C	-3.14	120.23	124.84
24	B	610	CLA	C3B-C4B-NB	3.14	113.26	109.21
24	C	514	CLA	C3C-C4C-NC	3.13	114.08	110.57
24	c	510	CLA	C4C-C3C-C2C	-3.13	102.33	106.90
24	B	603	CLA	CHD-C1D-ND	-3.13	121.58	124.45
24	b	618	CLA	O2D-CGD-CBD	3.13	116.83	111.27
24	B	616	CLA	CBC-CAC-C3C	-3.13	103.80	112.43
24	b	612	CLA	O2D-CGD-CBD	3.13	116.83	111.27
24	C	504	CLA	C3C-C4C-NC	3.13	114.08	110.57
41	H	101	RRX	C10-C11-C12	-3.13	113.45	123.22
24	c	514	CLA	C3B-C4B-NB	3.13	113.25	109.21
24	A	409	CLA	C1D-CHD-C4C	-3.13	119.31	126.06
24	b	617	CLA	C1C-C2C-C3C	-3.12	103.67	106.96
24	B	609	CLA	CMC-C2C-C1C	3.12	129.79	125.04
24	C	512	CLA	C3C-C4C-NC	3.12	114.07	110.57
24	B	615	CLA	C3C-C4C-NC	3.12	114.07	110.57
27	L	102	SQD	C1-O5-C5	-3.12	107.57	113.69
24	b	605	CLA	CHD-C1D-ND	-3.11	121.59	124.45
26	c	516	BCR	C38-C26-C25	-3.11	121.03	124.53
24	B	607	CLA	C1D-CHD-C4C	-3.11	119.34	126.06
24	a	408	CLA	CAA-C2A-C1A	-3.11	101.78	111.97
29	J	102	LMT	C1'-O5'-C5'	3.11	119.79	113.69
27	a	414	SQD	O8-S-C6	3.11	110.70	105.74
24	B	614	CLA	C3B-C4B-NB	3.11	113.23	109.21
24	D	403	CLA	CMC-C2C-C1C	3.11	129.77	125.04
24	c	513	CLA	O2D-CGD-O1D	-3.11	117.76	123.84
24	b	610	CLA	CAA-C2A-C3A	-3.11	104.27	112.78
24	C	514	CLA	CMB-C2B-C3B	3.11	130.49	124.68
24	d	404	CLA	C4A-NA-C1A	-3.11	105.31	106.71
24	a	412	CLA	CMA-C3A-C2A	-3.10	101.30	113.83
24	c	507	CLA	C4C-C3C-C2C	-3.10	102.37	106.90
24	b	614	CLA	C1-C2-C3	-3.10	120.67	126.04
24	B	611	CLA	CMA-C3A-C4A	-3.10	103.43	111.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	c	507	CLA	CAC-C3C-C4C	3.10	128.83	124.81
24	B	602	CLA	C2C-C1C-NC	3.10	112.88	109.97
29	C	521	LMT	O1B-C4'-C3'	3.10	115.53	107.28
24	b	613	CLA	C4C-C3C-C2C	-3.10	102.38	106.90
24	a	412	CLA	CBC-CAC-C3C	-3.10	103.89	112.43
24	c	510	CLA	C3B-C4B-NB	3.10	113.22	109.21
26	b	620	BCR	C7-C8-C9	-3.10	121.56	126.23
24	b	615	CLA	C1D-CHD-C4C	-3.10	119.38	126.06
24	b	615	CLA	CHD-C1D-ND	-3.10	121.61	124.45
24	d	404	CLA	C1D-CHD-C4C	-3.10	119.38	126.06
24	C	514	CLA	C1D-CHD-C4C	-3.09	119.38	126.06
24	c	511	CLA	C1D-CHD-C4C	-3.09	119.38	126.06
24	B	612	CLA	C1D-CHD-C4C	-3.09	119.38	126.06
24	D	403	CLA	C1D-CHD-C4C	-3.09	119.39	126.06
24	C	512	CLA	C1-O2A-CGA	3.09	124.55	116.44
24	B	606	CLA	C4-C3-C5	3.09	120.46	115.27
25	A	408	PHO	C1A-C2A-C3A	-3.09	99.90	102.84
24	D	404	CLA	C2C-C1C-NC	3.08	112.86	109.97
24	a	408	CLA	O2A-CGA-CBA	3.08	121.57	111.91
24	b	604	CLA	C1D-CHD-C4C	-3.08	119.42	126.06
33	d	407	PL9	C40-C39-C41	3.08	120.45	115.27
24	A	405	CLA	CMB-C2B-C3B	3.08	130.44	124.68
24	B	606	CLA	C4C-C3C-C2C	-3.08	102.41	106.90
37	D	409	LHG	O8-C23-C24	3.08	121.56	111.91
26	C	516	BCR	C33-C5-C6	-3.07	121.08	124.53
26	d	406	BCR	C15-C14-C13	-3.07	122.92	127.31
24	b	615	CLA	C1C-C2C-C3C	-3.07	103.72	106.96
24	c	503	CLA	C1D-CHD-C4C	-3.07	119.43	126.06
24	B	612	CLA	C4C-C3C-C2C	-3.07	102.42	106.90
24	b	610	CLA	C3C-C4C-NC	3.07	114.02	110.57
24	C	511	CLA	C3B-C4B-NB	3.07	113.18	109.21
24	b	619	CLA	CAC-C3C-C4C	3.07	128.79	124.81
24	b	614	CLA	C2C-C1C-NC	3.07	112.85	109.97
24	c	507	CLA	CHA-C1A-NA	-3.07	119.38	126.40
24	C	510	CLA	CBC-CAC-C3C	-3.07	103.98	112.43
24	b	617	CLA	C4C-C3C-C2C	-3.07	102.43	106.90
24	c	513	CLA	C3C-C4C-NC	3.06	114.01	110.57
24	B	617	CLA	CAC-C3C-C4C	3.06	128.78	124.81
24	c	505	CLA	C4-C3-C5	3.06	120.42	115.27
24	c	511	CLA	CHD-C1D-ND	-3.06	121.64	124.45
24	c	504	CLA	C4C-C3C-C2C	-3.06	102.44	106.90
24	b	618	CLA	C3C-C4C-NC	3.06	114.00	110.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	c	504	CLA	CHD-C1D-ND	-3.06	121.64	124.45
24	d	404	CLA	C3B-C4B-NB	3.06	113.16	109.21
24	B	609	CLA	CAC-C3C-C4C	3.06	128.78	124.81
27	A	413	SQD	O6-C1-C2	3.06	113.08	108.30
24	C	514	CLA	O2D-CGD-O1D	-3.06	117.86	123.84
24	B	604	CLA	C3B-C4B-NB	3.06	113.16	109.21
24	C	509	CLA	O2D-CGD-O1D	-3.06	117.86	123.84
24	d	404	CLA	C4C-C3C-C2C	-3.05	102.44	106.90
25	a	411	PHO	C4A-C3A-C2A	-3.05	99.93	102.84
24	c	507	CLA	CHD-C4C-C3C	-3.05	120.35	124.84
24	A	409	CLA	C4-C3-C5	3.05	120.41	115.27
24	B	609	CLA	O2A-CGA-CBA	3.05	121.48	111.91
24	C	507	CLA	CHD-C1D-ND	-3.05	121.65	124.45
24	c	511	CLA	CMC-C2C-C1C	3.05	129.68	125.04
24	c	505	CLA	CHD-C4C-C3C	-3.05	120.36	124.84
24	c	506	CLA	C1-O2A-CGA	3.05	124.44	116.44
24	b	611	CLA	C4C-C3C-C2C	-3.05	102.46	106.90
24	D	403	CLA	O2A-CGA-CBA	3.04	121.46	111.91
24	C	513	CLA	C4-C3-C5	3.04	120.39	115.27
24	B	615	CLA	O2A-CGA-CBA	3.04	121.45	111.91
24	B	602	CLA	C4C-C3C-C2C	-3.04	102.47	106.90
24	c	505	CLA	CAC-C3C-C4C	3.04	128.75	124.81
24	B	616	CLA	C1C-C2C-C3C	-3.04	103.76	106.96
24	c	509	CLA	C3C-C4C-NC	3.03	113.97	110.57
28	c	522	LMG	C3-C4-C5	3.03	115.65	110.24
24	b	616	CLA	C4C-C3C-C2C	-3.03	102.48	106.90
24	A	409	CLA	C3B-C4B-NB	3.03	113.13	109.21
24	c	505	CLA	C3D-C4D-ND	3.03	115.14	110.24
24	B	613	CLA	C3B-C4B-NB	3.03	113.12	109.21
24	c	509	CLA	C4C-C3C-C2C	-3.02	102.49	106.90
24	B	603	CLA	C1C-C2C-C3C	-3.02	103.78	106.96
24	b	607	CLA	C1D-CHD-C4C	-3.02	119.53	126.06
24	D	403	CLA	C4C-C3C-C2C	-3.02	102.49	106.90
24	c	511	CLA	C3C-C4C-NC	3.02	113.96	110.57
24	B	607	CLA	CMC-C2C-C1C	3.02	129.64	125.04
25	d	401	PHO	C1A-C2A-C3A	-3.02	99.97	102.84
29	B	622	LMT	O1B-C4'-C5'	-3.02	101.18	109.45
24	B	611	CLA	C2C-C1C-NC	3.02	112.80	109.97
24	c	508	CLA	C3C-C4C-NC	3.01	113.95	110.57
24	b	605	CLA	C3C-C4C-NC	3.01	113.94	110.57
24	C	514	CLA	C4C-C3C-C2C	-3.01	102.51	106.90
24	c	508	CLA	CAA-C2A-C3A	-3.01	104.54	112.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	a	413	BCR	C33-C5-C6	-3.01	121.15	124.53
26	c	517	BCR	C33-C5-C6	-3.01	121.15	124.53
26	K	101	BCR	C24-C23-C22	-3.00	121.69	126.23
25	a	411	PHO	CBA-CAA-C2A	-3.00	105.03	113.81
24	b	609	CLA	CMB-C2B-C3B	3.00	130.30	124.68
24	b	616	CLA	CHD-C1D-ND	-3.00	121.70	124.45
24	b	614	CLA	O2D-CGD-O1D	-3.00	117.97	123.84
24	d	405	CLA	CHD-C4C-C3C	-3.00	120.43	124.84
24	b	609	CLA	CBC-CAC-C3C	-3.00	104.17	112.43
24	c	503	CLA	CMC-C2C-C1C	3.00	129.60	125.04
27	A	411	SQD	O8-S-C6	3.00	110.51	105.74
24	c	503	CLA	C3C-C4C-NC	3.00	113.93	110.57
24	b	607	CLA	C3B-C4B-NB	2.99	113.08	109.21
24	B	610	CLA	O2D-CGD-CBD	2.99	116.59	111.27
24	C	508	CLA	CHA-C1A-NA	-2.99	119.55	126.40
24	B	612	CLA	CMC-C2C-C1C	2.99	129.59	125.04
27	A	413	SQD	O48-C23-C24	2.99	121.29	111.91
24	A	407	CLA	CAA-C2A-C3A	-2.99	104.59	112.78
24	B	615	CLA	O2A-CGA-O1A	-2.99	116.05	123.59
24	A	405	CLA	O2D-CGD-CBD	2.99	116.58	111.27
24	b	606	CLA	C3C-C4C-NC	2.99	113.92	110.57
26	C	516	BCR	C38-C26-C25	-2.98	121.18	124.53
24	b	612	CLA	C4C-C3C-C2C	-2.98	102.55	106.90
24	b	605	CLA	C4C-C3C-C2C	-2.98	102.55	106.90
33	a	425[B]	PL9	C17-C18-C19	-2.98	120.48	127.66
24	b	613	CLA	CAA-CBA-CGA	-2.98	104.55	113.25
24	A	409	CLA	C1-C2-C3	-2.98	120.89	126.04
24	C	506	CLA	CHA-C1A-NA	-2.97	119.59	126.40
24	B	615	CLA	CHC-C1C-C2C	-2.97	118.50	126.72
24	C	504	CLA	C4C-C3C-C2C	-2.97	102.58	106.90
24	b	609	CLA	CMC-C2C-C1C	2.97	129.56	125.04
26	D	405	BCR	C3-C4-C5	-2.97	108.78	114.08
26	B	620	BCR	C24-C23-C22	-2.96	121.76	126.23
24	a	412	CLA	C3C-C4C-NC	2.96	113.89	110.57
24	b	606	CLA	O2A-CGA-CBA	2.96	121.19	111.91
33	a	425[B]	PL9	C20-C19-C21	2.96	120.25	115.27
24	C	508	CLA	CBC-CAC-C3C	-2.96	104.28	112.43
24	B	602	CLA	C3C-C4C-NC	2.96	113.89	110.57
24	c	509	CLA	CAC-C3C-C4C	2.96	128.65	124.81
24	b	619	CLA	CMB-C2B-C3B	2.95	130.21	124.68
24	A	409	CLA	CBC-CAC-C3C	-2.95	104.29	112.43
24	c	509	CLA	CBC-CAC-C3C	-2.95	104.29	112.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	d	405	CLA	C3B-C4B-NB	2.95	113.03	109.21
39	C	518	DGD	O2G-C1B-O1B	-2.95	116.57	123.70
41	H	101	RRX	C24-C23-C22	-2.95	121.78	126.23
24	B	607	CLA	CAC-C3C-C4C	2.95	128.63	124.81
24	D	404	CLA	C3C-C4C-NC	2.94	113.87	110.57
24	C	513	CLA	CHD-C1D-ND	-2.94	121.75	124.45
24	c	507	CLA	C3B-C4B-NB	2.94	113.01	109.21
28	c	521	LMG	O8-C28-C29	2.94	121.13	111.91
24	c	510	CLA	C1-C2-C3	-2.94	120.96	126.04
24	b	609	CLA	O2A-CGA-O1A	-2.94	116.18	123.59
24	b	611	CLA	O2D-CGD-O1D	-2.94	118.09	123.84
24	B	604	CLA	O2A-CGA-CBA	2.94	121.12	111.91
24	b	606	CLA	CBC-CAC-C3C	-2.93	104.34	112.43
24	b	611	CLA	O2A-CGA-CBA	2.93	121.11	111.91
24	B	604	CLA	CMB-C2B-C3B	2.93	130.17	124.68
24	B	602	CLA	C4-C3-C5	2.93	120.20	115.27
24	b	615	CLA	C4A-NA-C1A	2.93	108.02	106.71
24	B	617	CLA	CBC-CAC-C3C	-2.93	104.35	112.43
24	b	604	CLA	O2D-CGD-O1D	-2.93	118.11	123.84
24	b	619	CLA	CBC-CAC-C3C	-2.93	104.36	112.43
24	C	511	CLA	C1-C2-C3	-2.92	120.99	126.04
24	C	514	CLA	CAC-C3C-C4C	2.92	128.60	124.81
24	B	612	CLA	C1C-C2C-C3C	-2.92	103.88	106.96
24	A	407	CLA	C4C-C3C-C2C	-2.92	102.64	106.90
24	c	515	CLA	CAC-C3C-C4C	2.92	128.60	124.81
24	B	613	CLA	C4-C3-C5	2.92	120.18	115.27
28	b	623	LMG	O8-C28-C29	2.92	121.07	111.91
24	c	505	CLA	C1-C2-C3	-2.92	121.00	126.04
24	C	505	CLA	C1D-CHD-C4C	-2.92	119.76	126.06
24	B	613	CLA	C1D-CHD-C4C	-2.92	119.76	126.06
24	B	611	CLA	C1D-CHD-C4C	-2.91	119.77	126.06
24	D	404	CLA	CMB-C2B-C3B	2.91	130.13	124.68
24	C	511	CLA	C4C-C3C-C2C	-2.91	102.65	106.90
33	a	425[B]	PL9	C53-C6-C1	2.91	120.94	114.99
41	h	1204	RRX	C38-C26-C25	-2.91	121.26	124.53
24	a	410	CLA	C4C-C3C-C2C	-2.91	102.65	106.90
37	d	410	LHG	O8-C23-C24	2.91	121.04	111.91
24	B	608	CLA	C4-C3-C5	2.91	120.17	115.27
24	b	612	CLA	C3B-C4B-NB	2.91	112.97	109.21
24	a	412	CLA	C4-C3-C5	2.91	120.17	115.27
24	b	604	CLA	CBC-CAC-C3C	-2.91	104.41	112.43
24	c	509	CLA	C4A-NA-C1A	2.91	108.01	106.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	A	406	CLA	CAA-C2A-C3A	-2.91	104.81	112.78
24	c	510	CLA	C4-C3-C5	2.91	120.16	115.27
24	C	511	CLA	O2D-CGD-O1D	-2.91	118.16	123.84
33	a	425[B]	PL9	C27-C28-C29	-2.90	120.67	127.66
24	B	617	CLA	CHD-C1D-ND	-2.90	121.79	124.45
43	V	202	HEC	C1D-C2D-C3D	-2.90	104.98	107.00
24	c	505	CLA	CHA-C1A-NA	-2.90	119.75	126.40
25	D	401	PHO	CMA-C3A-C4A	-2.90	108.02	114.38
24	b	616	CLA	CMA-C3A-C4A	-2.90	103.98	111.77
24	D	404	CLA	C1D-CHD-C4C	-2.90	119.80	126.06
24	c	508	CLA	C4C-C3C-C2C	-2.90	102.67	106.90
24	b	615	CLA	CAC-C3C-C4C	2.90	128.57	124.81
33	a	425[B]	PL9	C7-C3-C4	2.90	119.23	116.88
24	c	509	CLA	C3B-C4B-NB	2.90	112.96	109.21
24	b	612	CLA	C1D-CHD-C4C	-2.90	119.81	126.06
24	b	611	CLA	CHD-C4C-C3C	-2.90	120.58	124.84
24	B	617	CLA	O2D-CGD-O1D	-2.90	118.17	123.84
24	C	508	CLA	C3D-C4D-ND	2.90	114.92	110.24
24	c	508	CLA	C7-C6-C5	-2.90	105.50	113.36
24	c	513	CLA	C4C-C3C-C2C	-2.89	102.68	106.90
25	d	401	PHO	CMB-C2B-C3B	2.89	130.09	124.68
33	a	425[B]	PL9	C12-C13-C14	-2.89	120.70	127.66
27	L	102	SQD	O48-C23-C24	2.89	120.97	111.91
33	a	425[B]	PL9	C22-C23-C24	-2.89	120.71	127.66
24	C	507	CLA	C4C-C3C-C2C	-2.89	102.69	106.90
26	C	515	BCR	C11-C10-C9	-2.88	123.19	127.31
24	B	609	CLA	C4C-C3C-C2C	-2.88	102.69	106.90
24	b	618	CLA	C4C-C3C-C2C	-2.88	102.69	106.90
28	B	621	LMG	O8-C28-C29	2.88	120.94	111.91
24	c	508	CLA	O2A-CGA-O1A	-2.88	116.33	123.59
24	B	615	CLA	CBC-CAC-C3C	-2.87	104.51	112.43
41	H	101	RRX	C7-C8-C9	-2.87	121.89	126.23
24	B	607	CLA	O2D-CGD-O1D	-2.87	118.23	123.84
33	A	422[B]	PL9	C17-C18-C19	2.87	134.57	127.66
24	c	507	CLA	C1-O2A-CGA	2.87	123.97	116.44
24	a	409	CLA	C4C-C3C-C2C	-2.87	102.72	106.90
24	c	513	CLA	C3B-C4B-NB	2.87	112.92	109.21
24	c	504	CLA	O2A-CGA-CBA	2.86	120.90	111.91
29	J	102	LMT	C3'-C4'-C5'	2.86	115.34	110.24
24	B	611	CLA	O2D-CGD-O1D	-2.86	118.24	123.84
27	D	408	SQD	O48-C23-C24	2.86	120.88	111.91
24	b	613	CLA	O2A-CGA-O1A	-2.86	116.37	123.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	a	414	SQD	C44-O6-C1	-2.86	108.15	113.74
26	A	410	BCR	C33-C5-C6	-2.86	121.32	124.53
24	b	607	CLA	C4C-C3C-C2C	-2.86	102.73	106.90
24	c	515	CLA	C3C-C4C-NC	2.86	113.78	110.57
24	b	611	CLA	O2A-CGA-O1A	-2.86	116.39	123.59
24	b	618	CLA	CBC-CAC-C3C	-2.86	104.56	112.43
24	d	405	CLA	CBC-CAC-C3C	-2.85	104.56	112.43
24	C	514	CLA	C2C-C1C-NC	2.85	112.64	109.97
24	b	609	CLA	C3B-C4B-NB	2.85	112.90	109.21
24	C	514	CLA	C4-C3-C5	2.85	120.07	115.27
24	b	605	CLA	CMB-C2B-C3B	2.85	130.01	124.68
24	C	502	CLA	C3C-C4C-NC	2.85	113.77	110.57
24	B	614	CLA	CBC-CAC-C3C	-2.85	104.57	112.43
24	C	508	CLA	C4A-NA-C1A	2.85	107.99	106.71
26	b	620	BCR	C16-C17-C18	-2.85	123.25	127.31
24	D	403	CLA	CMA-C3A-C4A	-2.85	104.12	111.77
39	H	102	DGD	O1G-C1A-O1A	-2.85	116.41	123.59
24	B	610	CLA	CED-O2D-CGD	2.85	122.37	115.94
24	c	504	CLA	CAC-C3C-C4C	2.84	128.50	124.81
24	C	513	CLA	O2D-CGD-O1D	-2.84	118.28	123.84
24	b	610	CLA	O2D-CGD-CBD	2.84	116.32	111.27
24	b	616	CLA	C1D-CHD-C4C	-2.84	119.93	126.06
24	D	404	CLA	C4C-C3C-C2C	-2.84	102.76	106.90
24	c	506	CLA	C3C-C4C-NC	2.84	113.75	110.57
24	a	410	CLA	CAA-C2A-C3A	-2.84	105.00	112.78
28	a	415	LMG	C8-O7-C10	-2.84	110.81	117.79
43	v	1603	HEC	CMB-C2B-C1B	-2.84	124.10	128.46
24	B	612	CLA	O2D-CGD-O1D	-2.83	118.30	123.84
24	C	505	CLA	C4-C3-C5	2.83	120.04	115.27
24	b	604	CLA	C4-C3-C5	2.83	120.04	115.27
24	C	512	CLA	C4C-C3C-C2C	-2.83	102.77	106.90
39	C	518	DGD	O1G-C1A-O1A	-2.83	116.45	123.59
24	d	404	CLA	O2A-CGA-CBA	2.83	120.79	111.91
24	b	610	CLA	O2A-CGA-O1A	-2.83	116.45	123.59
24	b	605	CLA	O2D-CGD-O1D	-2.83	118.31	123.84
24	C	509	CLA	C4C-C3C-C2C	-2.83	102.78	106.90
24	d	405	CLA	C1-C2-C3	-2.83	121.15	126.04
24	c	508	CLA	O2D-CGD-O1D	-2.83	118.31	123.84
37	E	101	LHG	C5-O7-C7	-2.82	110.84	117.79
24	b	612	CLA	CBC-CAC-C3C	-2.82	104.65	112.43
41	H	101	RRX	C16-C17-C18	-2.82	123.28	127.31
24	C	506	CLA	C1-C2-C3	-2.82	121.16	126.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	C	503	CLA	C1-O2A-CGA	2.82	123.84	116.44
24	C	505	CLA	CMC-C2C-C1C	2.82	129.33	125.04
24	b	607	CLA	CHA-C1A-NA	-2.81	119.95	126.40
24	B	611	CLA	CHA-C1A-NA	-2.81	119.96	126.40
24	C	503	CLA	C3C-C4C-NC	2.81	113.72	110.57
24	B	603	CLA	C4-C3-C5	2.81	120.00	115.27
37	d	409	LHG	O7-C7-C8	2.81	117.56	111.50
24	b	611	CLA	CMA-C3A-C2A	-2.81	102.51	113.83
24	C	507	CLA	O2D-CGD-O1D	-2.81	118.35	123.84
41	h	1204	RRX	C7-C8-C9	-2.81	122.00	126.23
33	D	406	PL9	C42-C43-C44	-2.80	120.91	127.66
26	b	622	BCR	C15-C14-C13	-2.80	123.31	127.31
28	a	415	LMG	C7-O1-C1	-2.80	108.26	113.74
24	C	505	CLA	CBC-CAC-C3C	-2.80	104.70	112.43
24	a	408	CLA	C3C-C4C-NC	2.80	113.71	110.57
24	C	509	CLA	C1D-CHD-C4C	-2.80	120.02	126.06
24	B	612	CLA	C3B-C4B-NB	2.80	112.83	109.21
24	c	511	CLA	C11-C12-C13	-2.80	106.87	115.92
26	B	641	BCR	C21-C20-C19	-2.80	114.48	123.22
24	C	507	CLA	C4-C3-C5	2.80	119.97	115.27
36	c	525	HTG	C1-O5-C5	2.79	117.73	112.58
33	d	407	PL9	C42-C43-C44	-2.79	120.93	127.66
26	C	515	BCR	C15-C14-C13	-2.79	123.32	127.31
24	B	610	CLA	CHA-C1A-NA	-2.79	120.00	126.40
24	d	405	CLA	CMC-C2C-C1C	2.79	129.29	125.04
24	B	608	CLA	O2A-CGA-O1A	-2.79	116.56	123.59
24	B	613	CLA	CMB-C2B-C3B	2.79	129.89	124.68
24	B	603	CLA	CMA-C3A-C4A	-2.78	104.29	111.77
24	B	603	CLA	C3B-C4B-NB	2.78	112.81	109.21
24	b	619	CLA	C1C-C2C-C3C	-2.78	104.03	106.96
24	C	514	CLA	CMC-C2C-C1C	2.78	129.27	125.04
24	c	512	CLA	CBC-CAC-C3C	-2.78	104.78	112.43
24	d	405	CLA	C1D-CHD-C4C	-2.78	120.07	126.06
24	C	508	CLA	C4C-C3C-C2C	-2.78	102.85	106.90
24	b	613	CLA	CAA-C2A-C3A	-2.77	105.19	112.78
24	c	508	CLA	C4-C3-C5	2.77	119.93	115.27
24	a	409	CLA	CHC-C1C-C2C	-2.77	119.06	126.72
24	a	412	CLA	CAA-C2A-C3A	-2.77	105.19	112.78
24	d	405	CLA	C3C-C4C-NC	2.77	113.68	110.57
24	B	616	CLA	CMC-C2C-C1C	2.77	129.26	125.04
24	b	609	CLA	C3C-C4C-NC	2.77	113.68	110.57
39	c	520	DGD	O1G-C1A-C2A	2.77	120.60	111.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	A	405	CLA	C4C-C3C-C2C	-2.77	102.86	106.90
24	c	509	CLA	O2A-CGA-O1A	-2.77	116.61	123.59
24	B	617	CLA	C1C-C2C-C3C	-2.76	104.05	106.96
24	B	613	CLA	CAC-C3C-C4C	2.76	128.40	124.81
24	B	615	CLA	CAC-C3C-C4C	2.76	128.40	124.81
24	C	508	CLA	O2D-CGD-O1D	-2.76	118.44	123.84
39	H	102	DGD	O1G-C1A-C2A	2.76	120.58	111.91
24	c	509	CLA	O1D-CGD-CBD	-2.76	118.83	124.48
24	b	618	CLA	C4-C3-C5	2.76	119.92	115.27
24	C	512	CLA	CBC-CAC-C3C	-2.76	104.82	112.43
24	b	615	CLA	CMC-C2C-C1C	2.76	129.24	125.04
24	B	611	CLA	CAA-C2A-C3A	-2.76	105.22	112.78
37	d	409	LHG	O8-C23-O10	-2.76	116.63	123.59
33	a	425[B]	PL9	C10-C9-C11	2.76	119.91	115.27
26	K	101	BCR	C7-C8-C9	-2.76	122.07	126.23
24	C	510	CLA	C1D-CHD-C4C	-2.75	120.12	126.06
24	C	505	CLA	CAA-C2A-C3A	-2.75	105.24	112.78
24	A	407	CLA	O2A-CGA-O1A	-2.75	116.66	123.59
41	h	1204	RRX	C10-C11-C12	-2.75	114.65	123.22
24	B	608	CLA	C1D-CHD-C4C	-2.75	120.13	126.06
37	D	411	LHG	O8-C23-O10	-2.75	116.66	123.59
24	A	405	CLA	O2A-CGA-CBA	2.75	120.52	111.91
24	B	605	CLA	C4C-C3C-C2C	-2.74	102.90	106.90
24	B	614	CLA	CMC-C2C-C1C	2.74	129.22	125.04
28	C	532	LMG	O8-C28-C29	2.74	120.51	111.91
24	b	608	CLA	C4-C3-C5	2.74	119.88	115.27
24	c	514	CLA	C4C-C3C-C2C	-2.74	102.91	106.90
39	C	519	DGD	O1G-C1A-C2A	2.74	120.50	111.91
24	B	606	CLA	C3B-C4B-NB	2.74	112.75	109.21
24	C	514	CLA	CBC-CAC-C3C	-2.73	104.89	112.43
24	A	406	CLA	CHC-C1C-C2C	-2.73	119.16	126.72
29	C	521	LMT	C1'-O5'-C5'	2.73	119.05	113.69
24	C	513	CLA	C4C-C3C-C2C	-2.73	102.91	106.90
24	A	407	CLA	CMB-C2B-C3B	2.73	129.79	124.68
24	b	617	CLA	CMC-C2C-C1C	2.73	129.20	125.04
24	b	614	CLA	C1C-C2C-C3C	-2.73	104.08	106.96
24	B	603	CLA	CMB-C2B-C3B	2.73	129.78	124.68
24	c	505	CLA	C3B-C4B-NB	2.73	112.74	109.21
24	b	607	CLA	O2D-CGD-O1D	-2.73	118.51	123.84
24	B	616	CLA	C6-C7-C8	-2.72	107.12	115.92
24	B	607	CLA	C4C-C3C-C2C	-2.72	102.93	106.90
24	b	613	CLA	CMA-C3A-C4A	-2.72	104.46	111.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	a	414	SQD	O47-C7-O49	-2.72	117.13	123.70
24	b	606	CLA	C4C-C3C-C2C	-2.72	102.94	106.90
24	b	615	CLA	O2A-CGA-CBA	2.72	120.44	111.91
24	b	610	CLA	C4C-C3C-C2C	-2.72	102.94	106.90
24	b	607	CLA	CAC-C3C-C4C	2.72	128.34	124.81
26	K	101	BCR	C10-C11-C12	-2.72	114.74	123.22
27	A	411	SQD	O9-S-C6	2.72	110.17	106.94
24	c	515	CLA	CAA-C2A-C3A	-2.72	105.34	112.78
33	A	422[B]	PL9	C45-C44-C46	2.71	119.84	115.27
24	A	407	CLA	C1-C2-C3	-2.71	121.35	126.04
24	c	508	CLA	CHA-C1A-NA	-2.71	120.18	126.40
36	I	102	HTG	O5-C5-C4	2.71	114.62	109.69
24	b	617	CLA	C3B-C4B-NB	2.71	112.72	109.21
24	B	605	CLA	O2A-CGA-CBA	2.71	120.41	111.91
24	C	512	CLA	CHA-C1A-NA	-2.71	120.20	126.40
25	a	411	PHO	O2D-CGD-O1D	-2.71	118.55	123.84
24	c	513	CLA	CMB-C2B-C3B	2.71	129.74	124.68
24	c	510	CLA	CAA-C2A-C3A	-2.71	105.37	112.78
39	C	517	DGD	O3G-C3G-C2G	-2.70	104.38	110.90
24	a	412	CLA	C4C-C3C-C2C	-2.70	102.96	106.90
24	C	509	CLA	O2A-CGA-O1A	-2.70	116.78	123.59
24	C	508	CLA	CHD-C1D-ND	-2.70	121.98	124.45
24	D	404	CLA	C3B-C4B-NB	2.70	112.70	109.21
24	B	610	CLA	C4C-C3C-C2C	-2.70	102.97	106.90
24	b	610	CLA	C1D-CHD-C4C	-2.69	120.24	126.06
26	B	641	BCR	C1-C6-C7	2.69	123.40	115.78
24	c	515	CLA	C4-C3-C5	2.69	119.80	115.27
24	A	409	CLA	CMA-C3A-C2A	-2.69	102.97	113.83
24	b	608	CLA	CHD-C4C-NC	2.69	128.45	124.20
24	C	505	CLA	O2D-CGD-O1D	-2.69	118.57	123.84
37	d	408	LHG	O7-C7-C8	2.69	117.30	111.50
24	d	405	CLA	CMB-C2B-C3B	2.69	129.71	124.68
24	b	605	CLA	C3B-C4B-NB	2.68	112.68	109.21
33	a	425[B]	PL9	C45-C44-C46	2.68	119.79	115.27
24	B	612	CLA	C4-C3-C5	2.68	119.78	115.27
24	c	515	CLA	O2A-CGA-CBA	2.68	120.32	111.91
24	B	603	CLA	CHA-C1A-NA	-2.68	120.26	126.40
24	b	607	CLA	O1D-CGD-CBD	-2.68	119.00	124.48
33	a	425[B]	PL9	C30-C29-C31	2.68	119.78	115.27
24	B	608	CLA	C3C-C4C-NC	2.68	113.58	110.57
24	b	608	CLA	O2A-CGA-O1A	-2.68	116.83	123.59
24	D	403	CLA	O2D-CGD-O1D	-2.68	118.60	123.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	b	619	CLA	O2D-CGD-O1D	-2.68	118.61	123.84
33	d	407	PL9	C10-C9-C11	2.68	119.77	115.27
36	B	626	HTG	C4-C3-C2	-2.68	106.15	110.82
24	b	607	CLA	O2A-CGA-CBA	2.68	120.30	111.91
33	a	425[B]	PL9	C15-C14-C16	2.68	119.77	115.27
24	D	403	CLA	C4-C3-C5	2.67	119.77	115.27
27	f	102	SQD	O48-C23-C24	2.67	120.30	111.91
24	C	504	CLA	CHA-C1A-NA	-2.67	120.28	126.40
24	C	514	CLA	C3B-C4B-NB	2.67	112.67	109.21
28	D	412	LMG	O8-C28-O10	-2.67	116.85	123.59
27	A	411	SQD	O48-C23-C24	2.67	120.29	111.91
24	a	410	CLA	O2A-CGA-CBA	2.67	120.29	111.91
24	B	612	CLA	C7-C6-C5	-2.67	106.10	113.36
24	C	502	CLA	C1D-CHD-C4C	-2.67	120.30	126.06
24	C	506	CLA	CAC-C3C-C4C	2.67	128.28	124.81
37	D	409	LHG	O7-C7-C8	2.67	117.26	111.50
24	b	604	CLA	C3B-C4B-NB	2.67	112.66	109.21
26	k	303	BCR	C38-C26-C25	-2.67	121.53	124.53
24	B	604	CLA	CAA-C2A-C1A	-2.67	103.23	111.97
26	Y	302	BCR	C24-C23-C22	-2.67	122.20	126.23
24	b	608	CLA	C4C-C3C-C2C	-2.67	103.01	106.90
33	A	422[B]	PL9	C12-C13-C14	-2.66	121.25	127.66
24	b	609	CLA	O2A-CGA-CBA	2.66	120.25	111.91
24	b	604	CLA	C4C-C3C-C2C	-2.66	103.03	106.90
24	C	507	CLA	O2A-CGA-O1A	-2.66	116.89	123.59
25	A	408	PHO	O1D-CGD-CBD	-2.66	120.32	124.74
26	B	641	BCR	C7-C6-C5	-2.65	115.03	121.46
24	c	511	CLA	O2A-CGA-CBA	2.65	120.24	111.91
24	b	609	CLA	CAC-C3C-C4C	2.65	128.25	124.81
37	B	640	LHG	O8-C23-C24	2.65	120.23	111.91
37	D	410	LHG	O7-C7-C8	2.65	117.22	111.50
24	B	609	CLA	CHA-C1A-NA	-2.65	120.33	126.40
24	c	512	CLA	CHD-C1D-ND	-2.65	122.02	124.45
24	C	510	CLA	C4C-C3C-C2C	-2.65	103.04	106.90
24	a	410	CLA	C3B-C4B-NB	2.65	112.63	109.21
33	a	425[B]	PL9	C7-C3-C2	-2.65	119.82	123.30
24	a	409	CLA	CAA-C2A-C3A	-2.65	105.53	112.78
24	a	410	CLA	O2A-CGA-O1A	-2.65	116.91	123.59
24	d	404	CLA	CAA-C2A-C3A	-2.64	105.54	112.78
24	c	506	CLA	C4-C3-C5	2.64	119.72	115.27
24	B	604	CLA	O2A-CGA-O1A	-2.64	116.93	123.59
24	A	406	CLA	CMB-C2B-C3B	2.64	129.61	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	a	409	CLA	O2D-CGD-O1D	-2.64	118.68	123.84
37	D	411	LHG	O8-C23-C24	2.64	120.18	111.91
24	C	502	CLA	C4C-C3C-C2C	-2.64	103.06	106.90
24	b	608	CLA	CMC-C2C-C1C	2.64	129.05	125.04
24	b	616	CLA	CHA-C1A-NA	-2.63	120.37	126.40
24	c	508	CLA	C3B-C4B-NB	2.63	112.61	109.21
24	A	405	CLA	C3B-C4B-NB	2.63	112.61	109.21
24	a	412	CLA	O2A-CGA-CBA	2.63	120.17	111.91
25	D	401	PHO	CMB-C2B-C3B	2.63	129.60	124.68
24	C	504	CLA	CMB-C2B-C3B	2.63	129.60	124.68
27	L	102	SQD	O9-S-C6	2.63	110.06	106.94
24	B	609	CLA	CHD-C1D-ND	-2.63	122.04	124.45
24	C	509	CLA	C1-C2-C3	-2.62	121.50	126.04
24	B	609	CLA	O2A-CGA-O1A	-2.62	116.97	123.59
24	d	405	CLA	C11-C10-C8	-2.62	107.44	115.92
24	B	611	CLA	O2A-CGA-O1A	-2.62	116.97	123.59
24	b	611	CLA	CAC-C3C-C4C	2.62	128.21	124.81
36	b	625	HTG	C1-C2-C3	2.62	115.76	110.59
24	C	507	CLA	CAA-C2A-C3A	-2.62	105.61	112.78
24	c	509	CLA	C1D-CHD-C4C	-2.62	120.41	126.06
29	T	104	LMT	O5'-C5'-C4'	2.62	114.45	109.69
24	d	405	CLA	C6-C7-C8	-2.62	107.46	115.92
24	c	514	CLA	C1-C2-C3	-2.62	121.52	126.04
24	c	509	CLA	O2A-CGA-CBA	2.62	120.12	111.91
24	C	508	CLA	O2A-CGA-O1A	-2.61	117.00	123.59
24	a	408	CLA	C4C-C3C-C2C	-2.61	103.09	106.90
24	c	515	CLA	C4C-C3C-C2C	-2.61	103.09	106.90
24	C	508	CLA	C3B-C4B-NB	2.61	112.59	109.21
24	B	614	CLA	C1D-CHD-C4C	-2.61	120.42	126.06
24	C	509	CLA	CAA-C2A-C3A	-2.61	105.63	112.78
24	a	408	CLA	O2D-CGD-CBD	2.61	115.90	111.27
27	L	101	SQD	O48-C23-O10	-2.61	117.01	123.59
24	c	503	CLA	C4C-C3C-C2C	-2.61	103.09	106.90
24	b	613	CLA	C1-C2-C3	-2.61	121.53	126.04
24	B	607	CLA	CBC-CAC-C3C	-2.61	105.24	112.43
26	K	101	BCR	C20-C21-C22	-2.61	123.59	127.31
24	b	606	CLA	CMC-C2C-C1C	2.61	129.01	125.04
24	b	619	CLA	O2A-CGA-O1A	-2.60	117.02	123.59
24	c	510	CLA	CHD-C1D-ND	-2.60	122.06	124.45
24	C	506	CLA	O2D-CGD-O1D	-2.60	118.75	123.84
24	c	508	CLA	CGD-CBD-CAD	-2.60	102.30	110.73
24	c	512	CLA	CMB-C2B-C3B	2.60	129.55	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	B	641	BCR	C29-C28-C27	-2.60	105.56	111.38
24	b	619	CLA	C1-C2-C3	-2.60	121.54	126.04
24	b	611	CLA	CMA-C3A-C4A	-2.60	104.78	111.77
24	c	513	CLA	CHD-C4C-NC	2.60	128.30	124.20
24	B	604	CLA	CMC-C2C-C1C	2.60	129.00	125.04
24	B	616	CLA	C1-C2-C3	-2.60	121.55	126.04
24	b	605	CLA	CMA-C3A-C4A	-2.60	104.80	111.77
24	A	409	CLA	C4C-C3C-C2C	-2.60	103.11	106.90
24	a	408	CLA	O2A-CGA-O1A	-2.59	117.05	123.59
24	B	614	CLA	C4C-C3C-C2C	-2.59	103.12	106.90
26	B	618	BCR	C24-C23-C22	-2.59	122.32	126.23
39	C	517	DGD	O1G-C1A-O1A	-2.59	117.06	123.59
33	A	422[B]	PL9	C27-C28-C29	-2.59	121.43	127.66
24	c	510	CLA	CMB-C2B-C3B	2.59	129.52	124.68
24	c	506	CLA	O2D-CGD-O1D	-2.59	118.78	123.84
24	A	409	CLA	CMB-C2B-C3B	2.59	129.52	124.68
26	B	619	BCR	C38-C26-C25	-2.59	121.62	124.53
24	b	606	CLA	CAC-C3C-C4C	2.59	128.16	124.81
24	b	611	CLA	C3B-C4B-NB	2.59	112.55	109.21
26	d	406	BCR	C29-C28-C27	2.58	117.15	111.38
24	b	610	CLA	CMB-C2B-C3B	2.58	129.51	124.68
24	C	505	CLA	CMB-C2B-C3B	2.58	129.50	124.68
24	B	616	CLA	CHA-C1A-NA	-2.58	120.49	126.40
39	h	1205	DGD	O1G-C1A-C2A	2.58	120.00	111.91
24	c	514	CLA	C4-C3-C5	2.58	119.61	115.27
24	b	609	CLA	O2D-CGD-O1D	-2.58	118.80	123.84
24	b	606	CLA	CMA-C3A-C2A	-2.58	103.44	113.83
43	V	202	HEC	CMB-C2B-C3B	2.58	128.85	125.82
24	B	603	CLA	C1-C2-C3	-2.58	121.59	126.04
27	a	401	SQD	O5-C5-C4	2.57	114.37	109.69
26	k	302	BCR	C37-C22-C23	2.57	122.13	118.08
33	a	425[B]	PL9	C40-C39-C41	2.57	119.60	115.27
24	b	617	CLA	O2A-CGA-O1A	-2.57	117.10	123.59
24	B	616	CLA	O2D-CGD-O1D	-2.57	118.81	123.84
27	L	101	SQD	O47-C7-O49	-2.57	117.49	123.70
36	D	413	HTG	O5-C1-C2	2.57	113.54	110.31
24	C	503	CLA	C4C-C3C-C2C	-2.57	103.15	106.90
24	c	504	CLA	C3B-C4B-NB	2.57	112.53	109.21
24	C	511	CLA	CMB-C2B-C3B	2.57	129.48	124.68
24	b	604	CLA	C3C-C4C-NC	2.57	113.45	110.57
24	C	513	CLA	CMC-C2C-C1C	2.57	128.95	125.04
26	T	102	BCR	C2-C1-C6	2.57	114.43	110.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	b	609	CLA	C4C-C3C-C2C	-2.56	103.16	106.90
24	c	511	CLA	C4C-C3C-C2C	-2.56	103.16	106.90
24	B	608	CLA	O2D-CGD-O1D	-2.56	118.83	123.84
24	b	614	CLA	CMA-C3A-C4A	-2.56	104.88	111.77
24	C	510	CLA	C3C-C4C-NC	2.56	113.44	110.57
24	A	405	CLA	CHD-C1D-ND	-2.56	122.10	124.45
24	b	618	CLA	CAC-C3C-C4C	2.56	128.13	124.81
33	d	407	PL9	C53-C6-C1	2.56	120.22	114.99
24	b	610	CLA	C1-C2-C3	-2.56	121.62	126.04
24	C	512	CLA	CHC-C1C-C2C	-2.56	119.65	126.72
33	A	422[B]	PL9	C10-C9-C11	2.55	119.57	115.27
24	C	509	CLA	O2A-CGA-CBA	2.55	119.92	111.91
24	b	617	CLA	C4-C3-C5	2.55	119.57	115.27
24	B	610	CLA	O2A-CGA-O1A	-2.55	117.15	123.59
24	C	505	CLA	C3C-C4C-NC	2.55	113.43	110.57
24	b	618	CLA	CHA-C1A-NA	-2.55	120.55	126.40
24	C	510	CLA	CAC-C3C-C4C	2.55	128.12	124.81
29	c	523	LMT	C1B-O5B-C5B	2.55	118.69	113.69
29	c	523	LMT	O5'-C5'-C4'	2.55	115.12	109.75
24	B	607	CLA	CAA-C2A-C3A	-2.54	105.81	112.78
24	c	509	CLA	C4-C3-C5	2.54	119.55	115.27
24	C	510	CLA	C4A-NA-C1A	2.54	107.85	106.71
26	b	621	BCR	C20-C21-C22	-2.54	123.68	127.31
27	A	413	SQD	C3-C4-C5	2.54	114.77	110.24
26	b	620	BCR	C24-C23-C22	-2.54	122.40	126.23
39	c	518	DGD	C2G-O2G-C1B	-2.54	111.54	117.79
37	D	409	LHG	C5-O7-C7	-2.54	111.54	117.79
24	b	606	CLA	CMB-C2B-C3B	2.54	129.43	124.68
33	a	425[B]	PL9	C51-C49-C50	2.54	120.21	114.60
24	b	609	CLA	CHD-C1D-ND	-2.54	122.12	124.45
27	L	101	SQD	C1-O5-C5	2.54	118.67	113.69
24	C	511	CLA	C6-C7-C8	-2.53	107.74	115.92
24	a	410	CLA	CHA-C1A-NA	-2.53	120.60	126.40
24	b	619	CLA	CHA-C1A-NA	-2.53	120.60	126.40
28	c	522	LMG	O8-C28-C29	2.53	119.85	111.91
39	h	1205	DGD	O1G-C1A-O1A	-2.53	117.21	123.59
24	c	508	CLA	CAC-C3C-C4C	2.53	128.09	124.81
24	D	404	CLA	CMC-C2C-C1C	2.53	128.89	125.04
24	c	503	CLA	C1-C2-C3	-2.53	121.67	126.04
24	B	616	CLA	O2D-CGD-CBD	2.53	115.76	111.27
28	A	412	LMG	C7-O1-C1	-2.53	108.80	113.74
28	A	412	LMG	C8-O7-C10	-2.52	111.58	117.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	B	610	CLA	O2A-CGA-CBA	2.52	119.83	111.91
24	B	613	CLA	C1-O2A-CGA	2.52	123.06	116.44
24	C	512	CLA	C4-C3-C5	2.52	119.51	115.27
33	d	407	PL9	C20-C19-C21	2.52	119.51	115.27
27	A	411	SQD	O47-C7-O49	-2.52	117.61	123.70
26	b	621	BCR	C38-C26-C25	-2.52	121.70	124.53
24	c	506	CLA	CMC-C2C-C1C	2.52	128.88	125.04
24	D	404	CLA	CBC-CAC-C3C	-2.52	105.49	112.43
24	C	513	CLA	CHA-C1A-NA	-2.52	120.63	126.40
24	D	403	CLA	O2A-CGA-O1A	-2.52	117.24	123.59
27	A	411	SQD	O48-C23-O10	-2.52	117.24	123.59
24	B	617	CLA	CHC-C1C-C2C	-2.52	119.76	126.72
33	D	406	PL9	C37-C38-C39	-2.51	121.61	127.66
26	d	406	BCR	C3-C4-C5	-2.51	109.59	114.08
24	a	408	CLA	CHC-C1C-C2C	-2.51	119.77	126.72
24	c	506	CLA	C4C-C3C-C2C	-2.51	103.24	106.90
26	c	517	BCR	C3-C4-C5	-2.51	109.59	114.08
24	c	508	CLA	CHD-C1D-ND	-2.51	122.15	124.45
33	A	422[B]	PL9	C16-C17-C18	2.51	120.13	111.88
26	k	302	BCR	C24-C23-C22	-2.51	122.44	126.23
24	d	405	CLA	CAA-C2A-C3A	-2.51	105.91	112.78
39	c	518	DGD	O1G-C1A-O1A	-2.50	117.28	123.59
24	a	408	CLA	CMA-C3A-C4A	-2.50	105.05	111.77
24	B	616	CLA	CMB-C2B-C3B	2.50	129.36	124.68
24	B	605	CLA	CMC-C2C-C1C	2.50	128.85	125.04
24	b	617	CLA	O2A-CGA-CBA	2.50	119.76	111.91
24	b	618	CLA	C1-C2-C3	-2.50	121.72	126.04
37	d	410	LHG	O8-C23-O10	-2.50	117.28	123.59
24	A	405	CLA	CMA-C3A-C2A	-2.50	103.75	113.83
33	A	422[B]	PL9	C30-C29-C31	2.50	119.47	115.27
24	b	607	CLA	O2A-CGA-O1A	-2.50	117.29	123.59
25	A	408	PHO	CBA-CAA-C2A	-2.50	106.52	113.81
24	b	619	CLA	C4-C3-C5	2.49	119.47	115.27
24	b	610	CLA	CAA-CBA-CGA	2.49	120.54	113.25
24	B	604	CLA	CAC-C3C-C4C	2.49	128.04	124.81
24	B	605	CLA	CHA-C1A-NA	-2.49	120.69	126.40
24	c	514	CLA	CMB-C2B-C3B	2.49	129.34	124.68
24	c	514	CLA	CHA-C1A-NA	-2.49	120.69	126.40
24	C	513	CLA	CMA-C3A-C4A	-2.49	105.08	111.77
24	B	614	CLA	CED-O2D-CGD	2.49	121.56	115.94
33	A	422[B]	PL9	C42-C43-C44	-2.49	121.67	127.66
24	A	409	CLA	O2A-CGA-CBA	2.49	119.71	111.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	k	302	BCR	C35-C13-C14	-2.49	119.44	122.92
24	B	615	CLA	CMC-C2C-C1C	2.49	128.82	125.04
24	B	608	CLA	CHC-C1C-C2C	-2.49	119.85	126.72
24	A	406	CLA	C4-C3-C5	2.48	119.45	115.27
24	c	512	CLA	C1-O2A-CGA	2.48	122.96	116.44
24	b	614	CLA	CHA-C1A-NA	-2.48	120.71	126.40
24	B	612	CLA	CBC-CAC-C3C	-2.48	105.59	112.43
24	b	611	CLA	C1D-CHD-C4C	-2.48	120.71	126.06
27	L	102	SQD	C3-C4-C5	2.48	114.66	110.24
24	b	610	CLA	O2D-CGD-O1D	-2.48	118.99	123.84
26	b	620	BCR	C21-C20-C19	-2.48	115.49	123.22
24	c	514	CLA	CMC-C2C-C1C	2.48	128.81	125.04
28	d	411	LMG	O8-C28-O10	-2.48	117.34	123.59
24	B	607	CLA	C1-C2-C3	-2.48	121.76	126.04
33	D	406	PL9	C51-C49-C50	2.47	120.07	114.60
24	c	515	CLA	CMB-C2B-C3B	2.47	129.31	124.68
24	b	609	CLA	C1-C2-C3	-2.47	121.77	126.04
37	D	410	LHG	O8-C23-O10	-2.47	117.36	123.59
24	C	503	CLA	C4-C3-C5	2.47	119.43	115.27
24	C	511	CLA	CMA-C3A-C4A	-2.47	105.14	111.77
24	c	515	CLA	C3B-C4B-NB	2.47	112.40	109.21
24	C	509	CLA	CBC-CAC-C3C	-2.47	105.63	112.43
37	E	101	LHG	O8-C23-C24	2.47	119.65	111.91
24	b	605	CLA	CBC-CAC-C3C	-2.47	105.63	112.43
26	B	641	BCR	C11-C10-C9	-2.47	123.79	127.31
26	C	515	BCR	C23-C24-C25	-2.46	120.28	127.20
25	A	408	PHO	C4-C3-C5	2.46	119.42	115.27
24	B	610	CLA	C7-C6-C5	-2.46	106.67	113.36
25	d	401	PHO	O2D-CGD-O1D	-2.46	119.03	123.84
25	A	408	PHO	CMB-C2B-C3B	2.46	129.28	124.68
33	D	406	PL9	C17-C18-C19	-2.46	121.73	127.66
26	b	622	BCR	C8-C7-C6	-2.46	120.29	127.20
37	e	101	LHG	C5-O7-C7	-2.46	111.73	117.79
26	c	517	BCR	C21-C20-C19	-2.46	115.54	123.22
24	d	405	CLA	C4C-C3C-C2C	-2.46	103.31	106.90
24	c	511	CLA	O2A-CGA-O1A	-2.46	117.39	123.59
24	c	512	CLA	O2D-CGD-O1D	-2.45	119.04	123.84
24	b	615	CLA	O2A-CGA-O1A	-2.45	117.40	123.59
24	c	508	CLA	CMB-C2B-C3B	2.45	129.27	124.68
24	C	503	CLA	CMC-C2C-C1C	2.45	128.77	125.04
24	B	613	CLA	O2A-C1-C2	-2.45	102.19	108.64
24	b	614	CLA	C3B-C4B-NB	2.45	112.38	109.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	C	505	CLA	C4C-C3C-C2C	-2.45	103.33	106.90
26	T	102	BCR	C29-C28-C27	-2.45	105.91	111.38
43	v	1603	HEC	CBA-CAA-C2A	-2.45	108.48	112.60
24	C	510	CLA	O2A-CGA-CBA	2.45	119.59	111.91
24	B	612	CLA	CHA-C1A-NA	-2.45	120.79	126.40
25	D	401	PHO	CMC-C2C-C3C	2.45	129.56	124.94
27	L	102	SQD	O47-C7-O49	-2.45	117.79	123.70
24	A	409	CLA	CMC-C2C-C1C	2.45	128.76	125.04
24	B	617	CLA	CHA-C1A-NA	-2.44	120.80	126.40
29	z	101	LMT	O5B-C1B-C2B	-2.44	105.17	110.35
33	D	406	PL9	C22-C23-C24	-2.44	121.78	127.66
27	A	413	SQD	O5-C5-C4	2.44	114.13	109.69
26	d	406	BCR	C21-C20-C19	-2.44	115.60	123.22
36	C	523	HTG	O5-C5-C4	2.44	114.13	109.69
26	D	405	BCR	C37-C22-C23	2.44	121.92	118.08
24	B	603	CLA	CBC-CAC-C3C	-2.44	105.70	112.43
24	c	504	CLA	CMC-C2C-C1C	2.44	128.75	125.04
26	b	622	BCR	C21-C20-C19	-2.44	115.61	123.22
24	c	505	CLA	CMC-C2C-C1C	2.44	128.75	125.04
24	b	605	CLA	O1D-CGD-CBD	-2.44	119.50	124.48
29	B	622	LMT	O1'-C1'-C2'	2.44	112.11	108.30
26	b	622	BCR	C3-C4-C5	-2.44	109.73	114.08
24	c	513	CLA	CBC-CAC-C3C	-2.43	105.72	112.43
24	b	606	CLA	C5-C3-C2	-2.43	116.19	121.12
24	C	511	CLA	CBC-CAC-C3C	-2.43	105.72	112.43
27	a	414	SQD	O9-S-C6	2.43	109.83	106.94
24	C	504	CLA	CBC-CAC-C3C	-2.43	105.73	112.43
37	B	640	LHG	O8-C23-O10	-2.43	117.46	123.59
24	b	612	CLA	C4-C3-C5	2.43	119.36	115.27
25	a	411	PHO	CMA-C3A-C4A	-2.43	109.06	114.38
24	C	504	CLA	C3B-C4B-NB	2.42	112.34	109.21
40	F	101	HEM	C3B-C2B-C1B	2.42	108.28	106.49
24	c	511	CLA	CMB-C2B-C3B	2.42	129.21	124.68
36	I	102	HTG	O5-C1-C2	2.42	113.36	110.31
27	a	414	SQD	O48-C23-C24	2.42	119.50	111.91
24	A	405	CLA	CAC-C3C-C4C	2.42	127.95	124.81
24	c	514	CLA	CHC-C1C-C2C	-2.42	120.03	126.72
26	C	516	BCR	C23-C24-C25	-2.42	120.41	127.20
24	C	502	CLA	CMC-C2C-C1C	2.42	128.72	125.04
24	b	614	CLA	CHD-C1D-ND	-2.42	122.23	124.45
24	B	604	CLA	CBC-CAC-C3C	-2.42	105.77	112.43
24	c	508	CLA	CAA-CBA-CGA	2.42	120.32	113.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	c	517	BCR	C15-C14-C13	-2.41	123.87	127.31
24	C	502	CLA	C1-C2-C3	-2.41	121.87	126.04
36	B	623[B]	HTG	C1-C2-C3	2.41	115.35	110.59
24	c	511	CLA	CHA-C1A-NA	-2.41	120.88	126.40
26	K	101	BCR	C38-C26-C25	-2.41	121.82	124.53
24	c	512	CLA	CHA-C1A-NA	-2.41	120.88	126.40
39	C	517	DGD	O6D-C5D-C6D	2.41	111.53	106.67
24	B	614	CLA	CMA-C3A-C4A	-2.41	105.30	111.77
24	c	513	CLA	CMA-C3A-C4A	2.41	118.25	111.77
24	b	610	CLA	CAC-C3C-C4C	2.41	127.93	124.81
26	A	410	BCR	C8-C7-C6	-2.41	120.44	127.20
24	C	503	CLA	CHA-C1A-NA	-2.41	120.89	126.40
33	A	422[B]	PL9	C7-C3-C4	2.41	118.83	116.88
33	D	406	PL9	C10-C9-C11	2.40	119.31	115.27
24	C	509	CLA	C3B-C4B-NB	2.40	112.31	109.21
33	D	406	PL9	C36-C37-C38	-2.40	104.00	111.88
26	B	641	BCR	C35-C13-C12	2.40	121.86	118.08
29	A	414	LMT	O5'-C5'-C4'	2.40	114.81	109.75
24	C	509	CLA	CMB-C2B-C3B	2.40	129.16	124.68
24	b	617	CLA	CMB-C2B-C3B	2.40	129.16	124.68
24	b	609	CLA	C4A-NA-C1A	2.40	107.78	106.71
24	A	407	CLA	O2A-CGA-CBA	2.40	119.42	111.91
24	b	613	CLA	CAC-C3C-C4C	2.40	127.92	124.81
39	C	519	DGD	O3G-C3G-C2G	-2.40	105.12	110.90
33	a	425[B]	PL9	C35-C34-C36	2.39	119.30	115.27
24	a	408	CLA	CMC-C2C-C1C	2.39	128.68	125.04
24	C	505	CLA	C1-O2A-CGA	2.39	122.72	116.44
39	c	520	DGD	O2G-C1B-C2B	2.39	116.65	111.50
24	B	612	CLA	CHC-C1C-C2C	-2.39	120.11	126.72
26	k	302	BCR	C10-C11-C12	-2.39	115.76	123.22
24	C	514	CLA	O2A-CGA-CBA	2.39	119.41	111.91
24	B	614	CLA	CHC-C1C-C2C	-2.39	120.11	126.72
33	d	407	PL9	C27-C28-C29	-2.39	121.91	127.66
26	T	102	BCR	C16-C17-C18	-2.39	123.90	127.31
24	b	619	CLA	O1D-CGD-CBD	-2.39	119.60	124.48
24	d	404	CLA	O2A-CGA-O1A	-2.39	117.57	123.59
37	d	409	LHG	O8-C23-C24	2.39	119.40	111.91
24	B	605	CLA	O2D-CGD-O1D	-2.39	119.17	123.84
24	B	609	CLA	O2D-CGD-O1D	-2.38	119.18	123.84
29	A	414	LMT	C1B-O1B-C4'	-2.38	112.07	117.96
24	B	605	CLA	C4A-NA-C1A	2.38	107.78	106.71
24	A	407	CLA	CMA-C3A-C2A	-2.38	104.22	113.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	A	408	PHO	C4A-C3A-C2A	-2.38	100.57	102.84
24	B	613	CLA	C7-C6-C5	-2.38	106.89	113.36
24	B	616	CLA	CHC-C1C-C2C	-2.38	120.14	126.72
24	b	611	CLA	CMB-C2B-C3B	2.38	129.13	124.68
24	B	606	CLA	O2A-CGA-O1A	-2.38	117.59	123.59
24	C	502	CLA	CAC-C3C-C4C	2.38	127.89	124.81
24	C	502	CLA	O2A-CGA-O1A	-2.38	117.59	123.59
29	z	101	LMT	O1B-C4'-C3'	2.38	113.60	107.28
26	A	410	BCR	C15-C16-C17	-2.38	118.61	123.47
24	C	507	CLA	CED-O2D-CGD	2.38	121.31	115.94
27	A	411	SQD	C44-O6-C1	-2.37	109.10	113.74
24	c	510	CLA	C6-C7-C8	-2.37	108.25	115.92
24	b	609	CLA	CHA-C1A-NA	-2.37	120.97	126.40
24	B	603	CLA	CHC-C1C-C2C	-2.37	120.16	126.72
27	a	401	SQD	O48-C23-O10	-2.37	117.61	123.59
24	b	610	CLA	CHC-C1C-C2C	-2.37	120.17	126.72
26	Y	302	BCR	C10-C11-C12	-2.37	115.82	123.22
24	D	404	CLA	CAA-C2A-C3A	-2.37	106.29	112.78
24	d	404	CLA	CMB-C2B-C3B	2.37	129.11	124.68
24	C	508	CLA	O2A-CGA-CBA	2.37	119.34	111.91
24	B	610	CLA	CMA-C3A-C4A	-2.37	105.41	111.77
24	C	513	CLA	C3B-C4B-NB	2.37	112.27	109.21
24	b	608	CLA	CMA-C3A-C4A	-2.37	105.41	111.77
24	c	510	CLA	CHB-C4A-NA	2.37	127.78	124.51
24	a	412	CLA	CHC-C1C-C2C	-2.37	120.18	126.72
39	H	102	DGD	O2G-C1B-C2B	2.36	116.59	111.50
24	B	616	CLA	CED-O2D-CGD	2.36	121.28	115.94
24	b	608	CLA	C3B-C4B-NB	2.36	112.26	109.21
24	B	615	CLA	CMB-C2B-C3B	2.36	129.09	124.68
24	c	509	CLA	CMC-C2C-C1C	2.36	128.63	125.04
24	a	409	CLA	CAA-CBA-CGA	2.36	120.14	113.25
24	b	616	CLA	O2A-CGA-CBA	2.35	119.29	111.91
24	c	515	CLA	CBC-CAC-C3C	-2.35	105.95	112.43
26	C	516	BCR	C35-C13-C14	-2.35	119.63	122.92
24	c	504	CLA	C4-C3-C5	2.35	119.22	115.27
24	b	613	CLA	CHD-C1D-ND	-2.35	122.30	124.45
39	D	407	DGD	O6D-C1D-C2D	-2.35	105.38	110.35
24	B	612	CLA	O2A-CGA-O1A	-2.35	117.67	123.59
26	A	410	BCR	C15-C14-C13	-2.35	123.96	127.31
33	A	422[B]	PL9	C7-C3-C2	-2.35	120.22	123.30
24	b	605	CLA	O2A-CGA-CBA	2.34	119.27	111.91
26	B	620	BCR	C21-C20-C19	-2.34	115.90	123.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	C	523	HTG	O5-C1-C2	2.34	113.26	110.31
39	c	520	DGD	O3G-C3G-C2G	-2.34	105.25	110.90
24	C	505	CLA	O2A-CGA-O1A	-2.34	117.69	123.59
24	B	606	CLA	CBC-CAC-C3C	-2.34	105.98	112.43
24	C	503	CLA	CAC-C3C-C4C	2.34	127.85	124.81
24	c	506	CLA	CHC-C1C-C2C	-2.34	120.26	126.72
25	a	411	PHO	O1D-CGD-CBD	-2.34	120.85	124.74
24	b	604	CLA	CAA-C2A-C3A	-2.33	106.39	112.78
24	c	510	CLA	CHC-C1C-C2C	-2.33	120.27	126.72
24	c	509	CLA	CHA-C1A-NA	-2.33	121.06	126.40
24	b	607	CLA	CMC-C2C-C1C	2.33	128.59	125.04
24	C	509	CLA	CHC-C1C-C2C	-2.33	120.27	126.72
24	C	503	CLA	CMB-C2B-C3B	2.33	129.04	124.68
24	b	605	CLA	CED-O2D-CGD	2.33	121.21	115.94
24	c	506	CLA	CMB-C2B-C3B	2.33	129.04	124.68
24	a	410	CLA	CAA-CBA-CGA	2.33	120.06	113.25
24	B	617	CLA	O1D-CGD-CBD	-2.33	119.72	124.48
33	a	425[B]	PL9	C32-C31-C29	-2.33	105.32	112.98
24	C	503	CLA	C3B-C4B-NB	2.33	112.22	109.21
24	b	618	CLA	O2D-CGD-O1D	-2.32	119.29	123.84
24	B	611	CLA	CHD-C1D-ND	-2.32	122.32	124.45
24	c	513	CLA	CMC-C2C-C1C	2.32	128.58	125.04
24	B	609	CLA	C11-C10-C8	-2.32	108.41	115.92
26	B	641	BCR	C20-C21-C22	-2.32	124.00	127.31
24	d	404	CLA	CHA-C1A-NA	-2.32	121.08	126.40
24	c	509	CLA	CMB-C2B-C3B	2.32	129.02	124.68
24	a	408	CLA	CMA-C3A-C2A	-2.32	104.47	113.83
36	B	623[A]	HTG	C1-O5-C5	2.32	116.86	112.58
24	b	619	CLA	CHC-C1C-C2C	-2.32	120.31	126.72
26	B	619	BCR	C29-C28-C27	-2.32	106.20	111.38
24	B	615	CLA	C4C-C3C-C2C	-2.32	103.52	106.90
33	D	406	PL9	C27-C28-C29	-2.32	122.08	127.66
24	C	508	CLA	CMC-C2C-C1C	2.32	128.57	125.04
40	f	101	HEM	C1B-NB-C4B	2.32	107.47	105.07
24	b	614	CLA	CMC-C2C-C1C	2.32	128.57	125.04
27	L	102	SQD	C1-C2-C3	-2.32	105.17	110.00
24	b	605	CLA	CMA-C3A-C2A	-2.32	104.49	113.83
24	B	608	CLA	C1-O2A-CGA	2.32	122.52	116.44
24	b	607	CLA	CHC-C1C-C2C	-2.31	120.32	126.72
24	c	503	CLA	C4-C3-C5	2.31	119.16	115.27
24	B	608	CLA	O2A-CGA-CBA	2.31	119.17	111.91
24	B	612	CLA	C1-C2-C3	-2.31	122.04	126.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	Z	101	LMT	O1B-C1B-C2B	2.31	114.09	108.10
26	b	621	BCR	C28-C27-C26	-2.31	109.95	114.08
24	C	511	CLA	O1D-CGD-CBD	-2.31	119.76	124.48
24	A	405	CLA	O2A-CGA-O1A	-2.31	117.76	123.59
24	C	511	CLA	CHA-C1A-NA	-2.31	121.11	126.40
24	b	617	CLA	CBC-CAC-C3C	-2.31	106.07	112.43
24	c	514	CLA	CAC-C3C-C4C	2.31	127.80	124.81
24	c	510	CLA	O2A-CGA-O1A	-2.30	117.78	123.59
24	C	510	CLA	CMB-C2B-C3B	2.30	128.98	124.68
24	A	405	CLA	CMC-C2C-C1C	2.30	128.54	125.04
25	A	408	PHO	CMC-C2C-C3C	2.30	129.28	124.94
29	a	402	LMT	O5'-C5'-C4'	2.30	114.60	109.75
24	b	618	CLA	O2A-CGA-O1A	-2.30	117.79	123.59
24	D	403	CLA	C4A-NA-C1A	-2.30	105.67	106.71
26	b	621	BCR	C8-C7-C6	-2.30	120.75	127.20
24	C	510	CLA	CHC-C1C-C2C	-2.30	120.37	126.72
26	T	102	BCR	C21-C20-C19	-2.30	116.05	123.22
24	c	509	CLA	C1-C2-C3	-2.30	122.07	126.04
40	F	101	HEM	C1B-NB-C4B	2.30	107.44	105.07
24	B	614	CLA	C4A-NA-C1A	2.30	107.74	106.71
24	c	510	CLA	O2A-CGA-CBA	2.29	119.11	111.91
28	a	415	LMG	O7-C10-O9	-2.29	118.16	123.70
24	b	607	CLA	CMB-C2B-C3B	2.29	128.97	124.68
24	c	507	CLA	CMC-C2C-C1C	2.29	128.53	125.04
27	A	413	SQD	O48-C23-O10	-2.29	117.81	123.59
24	C	505	CLA	C4A-NA-C1A	2.29	107.74	106.71
36	b	601	HTG	O5-C5-C4	2.29	113.85	109.69
36	d	414	HTG	O5-C5-C4	2.29	113.85	109.69
24	d	405	CLA	O2A-CGA-CBA	2.29	119.09	111.91
24	b	609	CLA	CAA-C2A-C3A	-2.29	106.51	112.78
39	h	1205	DGD	C6D-C5D-C4D	2.29	116.87	112.09
24	b	607	CLA	CHD-C1D-ND	-2.29	122.35	124.45
25	d	401	PHO	O2A-CGA-CBA	2.29	119.08	111.91
24	C	504	CLA	O2A-CGA-O1A	-2.29	117.82	123.59
24	B	616	CLA	C4-C3-C5	2.28	119.11	115.27
24	d	405	CLA	O2D-CGD-O1D	-2.28	119.38	123.84
24	c	505	CLA	O2A-CGA-O1A	-2.28	117.83	123.59
24	C	510	CLA	O2A-CGA-O1A	-2.28	117.83	123.59
32	a	424[A]	K3C	C5-C12-C1	-2.28	120.97	122.61
24	B	615	CLA	CHD-C4C-NC	2.28	127.80	124.20
37	d	408	LHG	O7-C7-O9	-2.28	118.19	123.70
28	D	412	LMG	O7-C10-C11	2.28	116.42	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	b	612	CLA	CMB-C2B-C3B	2.28	128.94	124.68
24	C	502	CLA	C3B-C4B-NB	2.28	112.16	109.21
24	a	408	CLA	C4-C3-C5	2.28	119.10	115.27
24	C	506	CLA	CMA-C3A-C4A	-2.28	105.66	111.77
33	d	407	PL9	C37-C38-C39	-2.28	122.18	127.66
24	b	608	CLA	C1-C2-C3	-2.27	122.11	126.04
24	B	610	CLA	CHC-C1C-C2C	-2.27	120.43	126.72
37	D	410	LHG	O8-C23-C24	2.27	119.04	111.91
24	c	514	CLA	CHD-C1D-ND	-2.27	122.37	124.45
24	c	505	CLA	O2A-CGA-CBA	2.27	119.03	111.91
26	T	102	BCR	C23-C24-C25	-2.27	120.83	127.20
24	b	613	CLA	C4-C3-C5	2.27	119.09	115.27
24	C	507	CLA	CAC-C3C-C4C	2.27	127.75	124.81
32	A	421[A]	K3C	C5-C12-C1	-2.27	120.98	122.61
24	b	604	CLA	C1-O2A-CGA	2.27	122.39	116.44
24	b	612	CLA	O2D-CGD-O1D	-2.27	119.41	123.84
24	b	616	CLA	CHC-C1C-C2C	-2.27	120.46	126.72
36	U	201	HTG	C1-S1-C1'	2.26	108.18	100.40
24	c	507	CLA	C4-C3-C5	2.26	119.08	115.27
24	C	507	CLA	CHC-C1C-C2C	-2.26	120.47	126.72
26	D	405	BCR	C29-C28-C27	2.26	116.43	111.38
24	b	605	CLA	CHA-C1A-NA	-2.26	121.22	126.40
24	c	506	CLA	O2A-CGA-O1A	-2.26	117.89	123.59
24	B	615	CLA	C7-C6-C5	-2.26	107.22	113.36
24	C	506	CLA	C4-C3-C5	2.26	119.07	115.27
24	A	406	CLA	C3C-C4C-NC	2.26	113.11	110.57
24	b	618	CLA	CHC-C1C-C2C	-2.26	120.47	126.72
24	C	511	CLA	CAC-C3C-C4C	2.26	127.74	124.81
29	T	104	LMT	C3'-C4'-C5'	2.26	114.26	110.24
40	F	101	HEM	CMD-C2D-C1D	2.25	128.47	125.04
28	C	520	LMG	O8-C28-O10	-2.25	117.90	123.59
24	B	611	CLA	C1C-C2C-C3C	-2.25	104.59	106.96
24	A	406	CLA	CMC-C2C-C1C	2.25	128.47	125.04
24	C	511	CLA	CMC-C2C-C1C	2.25	128.47	125.04
28	c	522	LMG	C8-O7-C10	-2.25	112.25	117.79
24	A	409	CLA	CHC-C1C-C2C	-2.25	120.49	126.72
24	b	613	CLA	C3B-C4B-NB	2.25	112.12	109.21
24	C	513	CLA	O2A-CGA-CBA	2.25	118.97	111.91
26	T	102	BCR	C15-C14-C13	2.25	130.52	127.31
24	B	607	CLA	CHA-C1A-NA	-2.25	121.24	126.40
28	a	415	LMG	O6-C5-C4	2.25	113.78	109.69
24	B	603	CLA	CAA-CBA-CGA	-2.25	106.68	113.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	B	641	BCR	C23-C24-C25	-2.25	120.89	127.20
27	L	101	SQD	O9-S-C6	2.25	109.61	106.94
24	B	603	CLA	CMA-C3A-C2A	-2.25	104.76	113.83
24	A	409	CLA	CHB-C4A-NA	2.25	127.62	124.51
24	C	503	CLA	C16-C15-C13	-2.25	108.66	115.92
39	c	520	DGD	O1G-C1A-O1A	-2.24	117.93	123.59
36	V	203	HTG	C1-O5-C5	-2.24	108.44	112.58
27	D	408	SQD	O48-C23-O10	-2.24	117.93	123.59
24	A	406	CLA	O2A-CGA-CBA	2.24	118.95	111.91
39	c	518	DGD	O3G-C1D-C2D	-2.24	104.80	108.30
26	A	410	BCR	C20-C21-C22	-2.24	124.11	127.31
27	A	413	SQD	C1-C2-C3	-2.24	105.33	110.00
24	b	616	CLA	C1-O2A-CGA	2.24	122.32	116.44
24	A	406	CLA	O2A-CGA-O1A	-2.24	117.94	123.59
26	T	102	BCR	C1-C6-C7	2.24	122.11	115.78
24	c	511	CLA	C17-C16-C15	-2.24	102.96	113.24
24	b	610	CLA	CMA-C3A-C2A	-2.24	104.81	113.83
24	C	506	CLA	CMC-C2C-C1C	2.24	128.44	125.04
24	B	605	CLA	CHC-C1C-C2C	-2.24	120.54	126.72
24	c	508	CLA	O2A-CGA-CBA	2.24	118.92	111.91
29	B	622	LMT	O1B-C4'-C3'	2.23	113.22	107.28
24	B	614	CLA	CAC-C3C-C4C	2.23	127.71	124.81
24	C	509	CLA	CAC-C3C-C4C	2.23	127.71	124.81
40	f	101	HEM	CMA-C3A-C4A	-2.23	125.03	128.46
24	b	611	CLA	CBC-CAC-C3C	-2.23	106.28	112.43
24	C	512	CLA	CMC-C2C-C1C	2.23	128.44	125.04
25	A	408	PHO	C1-C2-C3	-2.23	122.18	126.04
37	e	101	LHG	O8-C23-C24	2.23	118.91	111.91
24	b	610	CLA	O2A-CGA-CBA	2.23	118.90	111.91
39	C	518	DGD	O6E-C5E-C6E	2.23	111.97	106.44
24	c	513	CLA	CHA-C1A-NA	-2.23	121.30	126.40
24	b	610	CLA	C4A-NA-C1A	2.23	107.71	106.71
26	B	641	BCR	C16-C15-C14	2.23	128.03	123.47
36	b	625	HTG	C1'-S1-C1	2.22	104.25	100.09
24	B	605	CLA	C6-C5-C3	-2.22	107.62	113.45
39	D	407	DGD	O2G-C1B-O1B	-2.22	118.33	123.70
24	B	602	CLA	CBC-CAC-C3C	-2.22	106.30	112.43
24	D	403	CLA	CBC-CAC-C3C	-2.22	106.30	112.43
39	c	519	DGD	O2G-C1B-O1B	-2.22	118.33	123.70
26	d	406	BCR	C16-C17-C18	-2.22	124.14	127.31
26	B	618	BCR	C21-C20-C19	-2.22	116.29	123.22
41	H	101	RRX	C20-C21-C22	-2.22	124.14	127.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	V	202	HEC	CMC-C2C-C1C	-2.22	125.05	128.46
24	c	508	CLA	CED-O2D-CGD	2.22	120.96	115.94
24	A	406	CLA	O2D-CGD-O1D	-2.22	119.50	123.84
24	a	412	CLA	CHD-C4C-NC	2.22	127.70	124.20
24	c	515	CLA	O2D-CGD-O1D	-2.22	119.50	123.84
26	T	102	BCR	C16-C15-C14	2.22	128.01	123.47
24	B	615	CLA	CHA-C1A-NA	-2.22	121.33	126.40
24	B	603	CLA	O2A-CGA-CBA	2.21	118.86	111.91
28	a	415	LMG	C30-C29-C28	-2.21	105.57	113.62
24	b	607	CLA	C6-C5-C3	-2.21	107.65	113.45
24	a	410	CLA	CHC-C1C-C2C	-2.21	120.60	126.72
24	d	405	CLA	CHA-C1A-NA	-2.21	121.33	126.40
24	C	507	CLA	CGD-CBD-CAD	-2.21	103.57	110.73
26	Y	302	BCR	C21-C20-C19	-2.21	116.32	123.22
39	C	518	DGD	O1G-C1A-C2A	2.21	118.84	111.91
24	b	612	CLA	CHA-C1A-NA	-2.21	121.34	126.40
24	b	619	CLA	OBD-CAD-C3D	-2.21	123.21	128.52
40	F	101	HEM	CHC-C4B-NB	2.21	126.83	124.43
24	b	614	CLA	O2A-CGA-O1A	-2.21	118.03	123.59
25	d	401	PHO	C4A-C3A-C2A	-2.20	100.74	102.84
24	B	614	CLA	C1-C2-C3	-2.20	122.23	126.04
24	A	405	CLA	CBC-CAC-C3C	-2.20	106.36	112.43
24	B	610	CLA	C1-O2A-CGA	2.20	122.22	116.44
24	b	617	CLA	CAA-C2A-C3A	-2.20	106.75	112.78
26	Y	302	BCR	C37-C22-C23	2.20	121.55	118.08
29	J	102	LMT	O5'-C5'-C4'	2.20	113.69	109.69
39	C	519	DGD	C9B-C8B-C7B	-2.20	103.27	114.42
24	C	510	CLA	C1-O2A-CGA	2.20	122.21	116.44
24	C	505	CLA	CAC-C3C-C4C	2.20	127.66	124.81
30	C	524	GOL	C3-C2-C1	-2.20	103.17	111.70
24	b	614	CLA	C4A-NA-C1A	2.19	107.69	106.71
24	B	614	CLA	CHA-C1A-NA	-2.19	121.38	126.40
24	B	614	CLA	C1-O2A-CGA	2.19	122.20	116.44
29	C	521	LMT	C3B-C4B-C5B	-2.19	106.33	110.24
27	A	413	SQD	C44-O6-C1	-2.19	109.46	113.74
27	A	413	SQD	C1-O5-C5	-2.19	109.39	113.69
24	c	503	CLA	CAC-C3C-C4C	2.19	127.65	124.81
24	B	602	CLA	CHA-C1A-NA	-2.19	121.38	126.40
39	c	519	DGD	C3B-C2B-C1B	-2.19	105.66	113.62
24	d	404	CLA	CAC-C3C-C4C	2.19	127.65	124.81
33	d	407	PL9	C22-C23-C24	-2.19	122.39	127.66
24	a	409	CLA	CHA-C1A-NA	-2.19	121.39	126.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	L	101	SQD	O8-S-C6	2.19	109.23	105.74
26	T	102	BCR	C7-C6-C5	-2.19	116.16	121.46
24	C	514	CLA	C11-C10-C8	-2.19	108.85	115.92
24	c	515	CLA	O2A-CGA-O1A	-2.19	118.08	123.59
25	a	411	PHO	CMB-C2B-C3B	2.19	128.77	124.68
24	B	602	CLA	C3B-C4B-NB	2.19	112.03	109.21
24	a	409	CLA	O2A-CGA-O1A	-2.18	118.08	123.59
24	c	506	CLA	CAA-C2A-C3A	-2.18	106.80	112.78
24	C	508	CLA	CBA-CAA-C2A	-2.18	107.42	113.86
24	a	412	CLA	O2A-CGA-O1A	-2.18	118.08	123.59
24	B	604	CLA	C4-C3-C5	2.18	118.94	115.27
24	b	604	CLA	C1-C2-C3	-2.18	122.27	126.04
26	B	641	BCR	C12-C13-C14	-2.18	115.59	118.94
24	c	513	CLA	C6-C5-C3	-2.18	107.74	113.45
24	D	404	CLA	C1-C2-C3	-2.18	122.27	126.04
24	a	410	CLA	C1-C2-C3	-2.18	122.27	126.04
27	D	408	SQD	O47-C7-O49	-2.18	118.44	123.70
24	c	512	CLA	CHC-C1C-C2C	-2.18	120.70	126.72
24	b	612	CLA	C1-C2-C3	-2.18	122.28	126.04
33	D	406	PL9	C53-C6-C1	2.18	119.44	114.99
24	c	506	CLA	CHD-C4C-NC	2.18	127.63	124.20
24	C	506	CLA	CMB-C2B-C3B	2.18	128.75	124.68
26	a	413	BCR	C7-C8-C9	-2.18	122.95	126.23
24	d	405	CLA	CHC-C1C-C2C	-2.17	120.71	126.72
24	B	613	CLA	CBC-CAC-C3C	-2.17	106.44	112.43
24	b	612	CLA	C1-O2A-CGA	2.17	122.15	116.44
26	K	101	BCR	C8-C7-C6	-2.17	121.10	127.20
30	M	102	GOL	C3-C2-C1	-2.17	103.25	111.70
24	B	605	CLA	C6-C7-C8	-2.17	108.89	115.92
24	c	503	CLA	O2A-CGA-CBA	2.17	118.72	111.91
24	A	406	CLA	CAA-CBA-CGA	2.17	119.60	113.25
24	B	617	CLA	C5-C3-C2	-2.17	116.73	121.12
26	B	620	BCR	C7-C8-C9	-2.17	122.96	126.23
41	h	1204	RRX	C16-C15-C14	-2.17	119.03	123.47
26	T	102	BCR	C12-C13-C14	-2.17	115.61	118.94
24	b	604	CLA	CHA-C1A-NA	-2.17	121.44	126.40
26	K	101	BCR	C33-C5-C4	2.17	117.78	113.62
24	c	503	CLA	CHC-C1C-C2C	-2.17	120.73	126.72
24	B	615	CLA	C1-O2A-CGA	2.16	122.12	116.44
24	c	511	CLA	CAC-C3C-C4C	2.16	127.62	124.81
24	c	506	CLA	CAC-C3C-C4C	2.16	127.62	124.81
27	A	413	SQD	O8-S-C6	2.16	109.19	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	d	414	HTG	O5-C1-C2	2.16	113.03	110.31
27	D	408	SQD	C3-C4-C5	2.16	114.10	110.24
24	b	614	CLA	C7-C6-C5	-2.16	107.48	113.36
24	b	618	CLA	CMB-C2B-C3B	2.16	128.72	124.68
27	L	101	SQD	O6-C1-C2	2.16	111.68	108.30
24	d	404	CLA	CMC-C2C-C1C	2.16	128.33	125.04
26	b	622	BCR	C10-C11-C12	-2.16	116.47	123.22
26	b	622	BCR	C16-C15-C14	-2.16	119.05	123.47
26	c	517	BCR	C23-C24-C25	-2.16	121.14	127.20
24	A	409	CLA	C7-C6-C5	-2.16	107.50	113.36
26	c	516	BCR	C8-C7-C6	-2.16	121.15	127.20
24	A	405	CLA	CAA-CBA-CGA	-2.16	106.95	113.25
24	D	403	CLA	CAA-C2A-C3A	-2.16	106.88	112.78
24	c	513	CLA	C1-C2-C3	-2.15	122.32	126.04
28	A	412	LMG	O6-C5-C4	2.15	113.61	109.69
24	c	513	CLA	CHC-C1C-C2C	-2.15	120.77	126.72
29	c	523	LMT	C1B-C2B-C3B	2.15	114.48	110.00
27	A	411	SQD	C3-C4-C5	2.15	114.08	110.24
26	k	303	BCR	C10-C11-C12	-2.15	116.50	123.22
24	b	608	CLA	CED-O2D-CGD	2.15	120.80	115.94
24	D	404	CLA	CHB-C4A-NA	2.15	127.48	124.51
26	k	302	BCR	C35-C13-C12	2.15	121.46	118.08
24	b	611	CLA	CMC-C2C-C1C	2.15	128.31	125.04
24	D	403	CLA	CED-O2D-CGD	2.15	120.80	115.94
26	k	302	BCR	C28-C27-C26	-2.15	110.24	114.08
24	B	607	CLA	CMB-C2B-C3B	2.15	128.69	124.68
29	T	104	LMT	C1'-O5'-C5'	2.15	117.90	113.69
24	D	404	CLA	CHA-C1A-NA	-2.14	121.49	126.40
24	B	612	CLA	CAA-C2A-C3A	-2.14	106.91	112.78
24	b	612	CLA	CMC-C2C-C1C	2.14	128.30	125.04
24	d	405	CLA	O2A-CGA-O1A	-2.14	118.18	123.59
24	c	507	CLA	CHC-C1C-C2C	-2.14	120.79	126.72
24	C	504	CLA	C4-C3-C5	2.14	118.87	115.27
39	c	519	DGD	O6E-C5E-C6E	2.14	111.75	106.44
39	C	517	DGD	C3G-C2G-C1G	-2.14	106.73	111.79
26	k	302	BCR	C1-C6-C7	2.14	121.82	115.78
24	A	406	CLA	CAC-C3C-C4C	2.13	127.58	124.81
24	b	608	CLA	O2A-CGA-CBA	2.13	118.61	111.91
28	D	412	LMG	O8-C28-C29	2.13	118.61	111.91
24	C	507	CLA	CMC-C2C-C1C	2.13	128.29	125.04
24	B	614	CLA	OBD-CAD-C3D	-2.13	123.39	128.52
43	V	202	HEC	CAD-CBD-CGD	-2.13	107.79	113.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	C	530	GOL	C3-C2-C1	-2.13	103.42	111.70
28	b	623	LMG	O7-C10-O9	-2.13	118.56	123.70
26	a	413	BCR	C24-C23-C22	-2.13	123.02	126.23
24	b	613	CLA	CHA-C1A-NA	-2.13	121.53	126.40
24	b	614	CLA	CMB-C2B-C3B	2.13	128.66	124.68
24	b	616	CLA	O2D-CGD-O1D	-2.13	119.68	123.84
28	A	412	LMG	O7-C10-O9	-2.13	118.56	123.70
24	a	409	CLA	CMB-C2B-C3B	2.13	128.66	124.68
24	C	512	CLA	O2A-C1-C2	-2.12	103.05	108.64
24	B	609	CLA	CHC-C1C-C2C	-2.12	120.85	126.72
24	b	608	CLA	CAC-C3C-C2C	2.12	131.16	127.53
24	b	608	CLA	C1-O2A-CGA	2.12	122.01	116.44
27	a	401	SQD	O9-S-C6	2.12	109.46	106.94
41	h	1204	RRX	C36-C18-C17	-2.12	119.95	122.92
24	A	406	CLA	CHD-C4C-NC	2.12	127.55	124.20
24	c	514	CLA	CHB-C4A-NA	2.12	127.44	124.51
24	a	410	CLA	CMA-C3A-C2A	-2.12	105.28	113.83
24	c	505	CLA	O2D-CGD-O1D	-2.12	119.69	123.84
24	B	608	CLA	C4C-C3C-C2C	-2.12	103.81	106.90
24	c	508	CLA	CHC-C1C-C2C	-2.12	120.86	126.72
24	C	504	CLA	O2D-CGD-O1D	-2.12	119.70	123.84
26	b	621	BCR	C37-C22-C21	-2.12	119.96	122.92
24	c	513	CLA	O2A-CGA-CBA	2.12	118.55	111.91
24	B	614	CLA	O2D-CGD-CBD	2.12	115.03	111.27
24	c	503	CLA	O2A-CGA-O1A	-2.11	118.27	123.59
26	B	618	BCR	C15-C14-C13	-2.11	124.30	127.31
26	b	622	BCR	C11-C10-C9	-2.11	124.30	127.31
36	B	626	HTG	C6-C5-C4	-2.11	108.07	113.00
24	B	605	CLA	CHD-C1D-ND	-2.11	122.52	124.45
24	c	504	CLA	CHA-C1A-NA	-2.11	121.57	126.40
25	d	401	PHO	CBA-CAA-C2A	-2.11	107.66	113.81
26	T	102	BCR	C35-C13-C12	2.11	121.39	118.08
24	B	610	CLA	O2D-CGD-O1D	-2.10	119.72	123.84
24	b	617	CLA	CHC-C1C-C2C	-2.10	120.90	126.72
24	c	514	CLA	OBD-CAD-C3D	-2.10	123.46	128.52
24	C	508	CLA	O1D-CGD-CBD	-2.10	120.18	124.48
26	D	405	BCR	C21-C20-C19	-2.10	116.66	123.22
39	c	518	DGD	O2G-C1B-O1B	-2.10	118.62	123.70
26	A	410	BCR	C23-C24-C25	-2.10	121.30	127.20
39	H	102	DGD	O6E-C5E-C6E	2.10	111.66	106.44
24	c	507	CLA	O1D-CGD-CBD	-2.10	120.19	124.48
24	D	404	CLA	CMA-C3A-C4A	-2.10	106.13	111.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	B	612	CLA	C1-O2A-CGA	2.10	121.95	116.44
29	c	523	LMT	O1B-C1B-C2B	2.10	113.54	108.10
24	C	513	CLA	CAC-C3C-C2C	2.10	131.12	127.53
40	F	101	HEM	O2A-CGA-CBA	2.10	120.76	114.03
24	b	610	CLA	CED-O2D-CGD	2.10	120.68	115.94
24	D	404	CLA	O2A-CGA-O1A	-2.09	118.31	123.59
24	c	512	CLA	O2A-CGA-O1A	-2.09	118.31	123.59
36	c	525	HTG	O5-C5-C4	2.09	113.50	109.69
24	a	412	CLA	CMC-C2C-C1C	2.09	128.23	125.04
24	b	612	CLA	CED-O2D-CGD	2.09	120.67	115.94
39	c	520	DGD	C6B-C5B-C4B	-2.09	103.80	114.42
24	B	602	CLA	C4-C3-C2	-2.09	118.31	123.68
24	c	513	CLA	O2A-CGA-O1A	-2.09	118.32	123.59
24	B	606	CLA	CMC-C2C-C1C	2.09	128.22	125.04
39	C	517	DGD	O1G-C1A-C2A	2.09	118.46	111.91
33	d	407	PL9	C25-C24-C26	2.09	118.78	115.27
24	C	504	CLA	C1-O2A-CGA	2.09	121.92	116.44
24	B	616	CLA	OBD-CAD-C3D	-2.08	123.50	128.52
24	a	412	CLA	CHB-C4A-NA	2.08	127.39	124.51
39	H	102	DGD	C6D-C5D-C4D	2.08	116.44	112.09
24	b	616	CLA	C4A-NA-C1A	2.08	107.64	106.71
26	K	101	BCR	C16-C17-C18	-2.08	124.34	127.31
28	A	412	LMG	O8-C28-C29	2.08	118.44	111.91
24	c	507	CLA	CBC-CAC-C3C	-2.08	106.69	112.43
24	B	610	CLA	C4-C3-C5	2.08	118.77	115.27
24	c	504	CLA	CHC-C1C-C2C	-2.08	120.97	126.72
24	C	509	CLA	CMA-C3A-C2A	-2.08	105.44	113.83
24	C	510	CLA	C4-C3-C5	2.08	118.77	115.27
28	c	521	LMG	O8-C28-O10	-2.08	118.34	123.59
24	b	616	CLA	CED-O2D-CGD	2.08	120.64	115.94
24	B	610	CLA	CGD-CBD-CAD	-2.08	104.00	110.73
26	K	101	BCR	C15-C14-C13	-2.08	124.34	127.31
39	c	518	DGD	O1G-C1A-C2A	2.08	118.42	111.91
24	a	409	CLA	CMA-C3A-C4A	-2.08	106.19	111.77
24	D	403	CLA	CHC-C1C-C2C	-2.08	120.98	126.72
26	b	622	BCR	C2-C3-C4	-2.07	106.74	111.38
24	c	513	CLA	CAC-C3C-C4C	2.07	127.50	124.81
28	C	520	LMG	O7-C10-O9	-2.07	118.69	123.70
24	a	409	CLA	O2A-CGA-CBA	2.07	118.41	111.91
24	C	505	CLA	C7-C6-C5	-2.07	107.73	113.36
26	B	641	BCR	C15-C14-C13	2.07	130.27	127.31
24	b	613	CLA	CMB-C2B-C3B	2.07	128.55	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	b	604	CLA	CHC-C1C-C2C	-2.07	121.00	126.72
25	d	401	PHO	O1D-CGD-CBD	-2.07	121.30	124.74
24	B	603	CLA	CED-O2D-CGD	2.07	120.61	115.94
27	L	102	SQD	O8-S-C6	2.07	109.03	105.74
30	a	416	GOL	C3-C2-C1	-2.07	103.67	111.70
26	k	303	BCR	C11-C10-C9	-2.06	124.36	127.31
24	C	503	CLA	O2A-CGA-O1A	-2.06	118.38	123.59
24	B	602	CLA	CAC-C3C-C4C	2.06	127.49	124.81
24	B	602	CLA	O2A-CGA-O1A	-2.06	118.39	123.59
26	b	621	BCR	C11-C10-C9	-2.06	124.37	127.31
24	D	403	CLA	CHA-C1A-NA	-2.06	121.68	126.40
24	B	611	CLA	C4-C3-C5	2.06	118.74	115.27
24	c	512	CLA	C11-C10-C8	-2.06	109.26	115.92
24	D	403	CLA	OBD-CAD-C3D	-2.06	123.56	128.52
24	b	614	CLA	CHC-C1C-C2C	-2.06	121.03	126.72
24	B	617	CLA	CMB-C2B-C3B	2.06	128.53	124.68
26	Y	302	BCR	C23-C24-C25	-2.06	121.42	127.20
33	A	422[B]	PL9	C51-C49-C50	2.06	119.15	114.60
26	k	302	BCR	C23-C24-C25	-2.06	121.42	127.20
24	b	611	CLA	OBD-CAD-C3D	-2.06	123.57	128.52
24	D	404	CLA	C16-C15-C13	-2.06	109.27	115.92
24	b	615	CLA	CMA-C3A-C2A	-2.06	105.53	113.83
26	C	516	BCR	C21-C20-C19	-2.06	116.80	123.22
33	d	407	PL9	C51-C49-C50	2.06	119.14	114.60
24	B	610	CLA	CMC-C2C-C1C	2.06	128.17	125.04
24	B	607	CLA	CHC-C1C-C2C	-2.06	121.04	126.72
28	B	621	LMG	O8-C28-O10	-2.05	118.41	123.59
24	d	404	CLA	CMD-C2D-C3D	-2.05	122.89	127.61
24	C	502	CLA	O2A-CGA-CBA	2.05	118.35	111.91
24	C	512	CLA	CMB-C2B-C3B	2.05	128.52	124.68
28	d	411	LMG	O8-C28-C29	2.05	118.34	111.91
24	d	405	CLA	C4-C3-C5	2.05	118.72	115.27
33	d	407	PL9	C47-C48-C49	-2.05	120.75	127.75
33	D	406	PL9	C40-C39-C38	-2.05	118.42	123.68
36	V	203	HTG	O2-C2-C1	2.05	114.03	110.27
24	b	607	CLA	C6-C7-C8	-2.05	109.30	115.92
24	c	507	CLA	CHD-C1D-ND	-2.05	122.57	124.45
24	b	618	CLA	O2A-CGA-CBA	2.05	118.33	111.91
24	b	618	CLA	CMC-C2C-C1C	2.04	128.15	125.04
39	C	517	DGD	O1G-C1G-C2G	-2.04	102.48	108.43
26	d	406	BCR	C16-C15-C14	-2.04	119.29	123.47
30	A	415	GOL	C3-C2-C1	-2.04	103.76	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	c	521	LMG	C8-O7-C10	-2.04	112.76	117.79
39	C	517	DGD	C2G-O2G-C1B	-2.04	112.76	117.79
26	B	618	BCR	C34-C9-C10	-2.04	120.06	122.92
26	d	406	BCR	C40-C30-C25	-2.04	106.99	110.30
26	Y	302	BCR	C1-C6-C7	2.04	121.55	115.78
24	c	511	CLA	C4-C3-C5	2.04	118.70	115.27
24	b	619	CLA	CHD-C1D-ND	-2.04	122.58	124.45
39	c	518	DGD	O3G-C3G-C2G	-2.04	105.98	110.90
24	a	409	CLA	CAC-C3C-C2C	2.03	131.01	127.53
26	T	102	BCR	C31-C1-C6	-2.03	107.00	110.30
24	c	508	CLA	CMC-C2C-C1C	2.03	128.13	125.04
24	B	617	CLA	C1-O2A-CGA	2.03	121.77	116.44
24	B	606	CLA	CHA-C1A-NA	-2.03	121.75	126.40
24	d	404	CLA	CMA-C3A-C2A	-2.03	105.64	113.83
30	C	528	GOL	C3-C2-C1	-2.03	103.82	111.70
24	A	409	CLA	O2A-CGA-O1A	-2.03	118.47	123.59
24	c	505	CLA	CHD-C1D-ND	-2.03	122.59	124.45
26	k	302	BCR	C1-C6-C5	-2.03	119.76	122.61
24	a	409	CLA	C4-C3-C5	2.03	118.68	115.27
33	D	406	PL9	C20-C19-C21	2.03	118.68	115.27
24	c	506	CLA	OBD-CAD-C3D	-2.03	123.64	128.52
24	c	508	CLA	OBD-CAD-C3D	-2.03	123.64	128.52
24	b	606	CLA	CHD-C1D-ND	-2.03	122.59	124.45
26	D	405	BCR	C30-C25-C24	2.03	121.51	115.78
24	B	617	CLA	CBA-CAA-C2A	-2.03	107.88	113.86
24	C	511	CLA	C4-C3-C2	-2.03	118.48	123.68
24	B	611	CLA	C3B-C4B-NB	2.03	111.83	109.21
24	c	513	CLA	O2A-C1-C2	-2.02	103.31	108.64
24	c	509	CLA	C1-O2A-CGA	2.02	121.75	116.44
24	b	604	CLA	CMB-C2B-C3B	2.02	128.46	124.68
37	D	409	LHG	O7-C7-O9	-2.02	118.81	123.70
24	D	403	CLA	CMA-C3A-C2A	-2.02	105.67	113.83
26	d	406	BCR	C35-C13-C12	2.02	121.26	118.08
26	T	102	BCR	C28-C27-C26	-2.02	110.47	114.08
24	a	408	CLA	CBC-CAC-C3C	-2.02	106.87	112.43
24	B	602	CLA	CMB-C2B-C3B	2.02	128.45	124.68
24	b	613	CLA	O2A-C1-C2	2.02	113.93	108.64
24	B	612	CLA	O2A-CGA-CBA	2.02	118.23	111.91
24	a	412	CLA	CAC-C3C-C4C	2.01	127.42	124.81
24	B	614	CLA	O2A-CGA-CBA	2.01	118.23	111.91
24	B	616	CLA	C4A-NA-C1A	2.01	107.61	106.71
24	B	612	CLA	CMB-C2B-C3B	2.01	128.44	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	a	415	LMG	O1-C1-C2	2.01	111.44	108.30
24	D	403	CLA	CMB-C2B-C3B	2.01	128.44	124.68
33	d	407	PL9	C35-C34-C36	2.01	118.65	115.27
24	c	510	CLA	CAC-C3C-C2C	2.01	130.96	127.53
24	b	617	CLA	C4-C3-C2	-2.01	118.53	123.68
26	a	413	BCR	C11-C10-C9	-2.01	124.45	127.31
26	B	619	BCR	C33-C5-C6	-2.01	122.28	124.53
24	B	609	CLA	CAA-C2A-C3A	-2.01	107.28	112.78
24	c	514	CLA	CMA-C3A-C4A	-2.01	106.38	111.77
37	l	302	LHG	O4-P-O5	2.01	122.16	112.24
24	c	510	CLA	C11-C12-C13	-2.00	109.44	115.92
24	c	505	CLA	CMB-C2B-C3B	2.00	128.43	124.68
40	F	101	HEM	CMC-C2C-C3C	2.00	128.43	124.68
24	B	603	CLA	C1-O2A-CGA	2.00	121.70	116.44
24	c	506	CLA	CHB-C4A-NA	2.00	127.28	124.51
24	c	512	CLA	O2A-CGA-CBA	2.00	118.19	111.91
24	a	412	CLA	CMB-C2B-C3B	2.00	128.42	124.68
26	B	641	BCR	C28-C27-C26	-2.00	110.50	114.08

All (59) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
24	A	405	CLA	ND
24	B	602	CLA	ND
24	B	603	CLA	ND
24	B	604	CLA	ND
24	B	605	CLA	ND
24	B	606	CLA	ND
24	B	607	CLA	ND
24	B	608	CLA	ND
24	B	610	CLA	ND
24	B	611	CLA	ND
24	B	612	CLA	ND
24	B	613	CLA	ND
24	B	614	CLA	ND
24	B	615	CLA	ND
24	B	616	CLA	ND
24	B	617	CLA	ND
24	C	502	CLA	ND
24	C	505	CLA	ND
24	C	506	CLA	ND
24	C	507	CLA	ND

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
24	C	508	CLA	ND
24	C	509	CLA	ND
24	C	510	CLA	ND
24	C	511	CLA	ND
24	C	512	CLA	ND
24	C	513	CLA	ND
24	D	403	CLA	ND
24	D	404	CLA	ND
24	a	408	CLA	ND
24	a	409	CLA	ND
24	a	412	CLA	ND
24	b	604	CLA	ND
24	b	605	CLA	ND
24	b	606	CLA	ND
24	b	607	CLA	ND
24	b	608	CLA	ND
24	b	609	CLA	ND
24	b	610	CLA	ND
24	b	612	CLA	ND
24	b	613	CLA	ND
24	b	614	CLA	ND
24	b	615	CLA	ND
24	b	616	CLA	ND
24	b	617	CLA	ND
24	b	618	CLA	ND
24	b	619	CLA	ND
24	c	503	CLA	ND
24	c	504	CLA	ND
24	c	505	CLA	ND
24	c	506	CLA	ND
24	c	507	CLA	ND
24	c	508	CLA	ND
24	c	509	CLA	ND
24	c	510	CLA	ND
24	c	511	CLA	ND
24	c	512	CLA	ND
24	c	513	CLA	ND
24	c	514	CLA	ND
24	d	404	CLA	ND

All (1191) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
24	B	602	CLA	CHA-CBD-CGD-O1D
24	B	602	CLA	CHA-CBD-CGD-O2D
24	B	606	CLA	C2-C3-C5-C6
24	B	607	CLA	CHA-CBD-CGD-O1D
24	B	607	CLA	CHA-CBD-CGD-O2D
24	B	615	CLA	CHA-CBD-CGD-O1D
24	B	615	CLA	CAD-CBD-CGD-O1D
24	B	615	CLA	CAD-CBD-CGD-O2D
24	C	503	CLA	CHA-CBD-CGD-O2D
24	C	509	CLA	CHA-CBD-CGD-O1D
24	b	604	CLA	C2-C1-O2A-CGA
24	b	608	CLA	C2-C3-C5-C6
24	b	609	CLA	CHA-CBD-CGD-O1D
24	b	609	CLA	CHA-CBD-CGD-O2D
24	b	617	CLA	CHA-CBD-CGD-O1D
24	b	617	CLA	CHA-CBD-CGD-O2D
24	b	617	CLA	CAD-CBD-CGD-O1D
24	b	617	CLA	CAD-CBD-CGD-O2D
24	c	509	CLA	CHA-CBD-CGD-O1D
24	c	510	CLA	CHA-CBD-CGD-O1D
24	c	510	CLA	CHA-CBD-CGD-O2D
24	c	515	CLA	CBD-CGD-O2D-CED
26	D	405	BCR	C21-C22-C23-C24
26	D	405	BCR	C37-C22-C23-C24
26	D	405	BCR	C23-C24-C25-C30
26	Y	302	BCR	C21-C22-C23-C24
26	Y	302	BCR	C37-C22-C23-C24
26	d	406	BCR	C21-C22-C23-C24
26	d	406	BCR	C37-C22-C23-C24
26	d	406	BCR	C23-C24-C25-C30
26	k	302	BCR	C21-C22-C23-C24
26	k	302	BCR	C37-C22-C23-C24
27	A	413	SQD	O6-C44-C45-O47
27	D	408	SQD	C8-C7-O47-C45
27	L	101	SQD	O5-C1-O6-C44
27	L	101	SQD	O49-C7-O47-C45
27	L	101	SQD	C5-C6-S-O7
27	L	101	SQD	C5-C6-S-O8
27	L	101	SQD	C5-C6-S-O9
27	L	102	SQD	O49-C7-O47-C45
27	a	401	SQD	O6-C44-C45-O47
27	a	401	SQD	O5-C5-C6-S
27	f	102	SQD	O49-C7-O47-C45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
28	C	532	LMG	O9-C10-O7-C8
29	B	622	LMT	C2-C1-O1'-C1'
29	B	642	LMT	C2'-C1'-O1'-C1
29	C	521	LMT	C2-C1-O1'-C1'
29	T	104	LMT	O5'-C1'-O1'-C1
29	Z	101	LMT	C2'-C1'-O1'-C1
29	Z	101	LMT	O5'-C1'-O1'-C1
29	c	523	LMT	C2'-C1'-O1'-C1
29	c	523	LMT	O5'-C1'-O1'-C1
29	f	104	LMT	C2'-C1'-O1'-C1
29	f	104	LMT	O5'-C1'-O1'-C1
29	z	101	LMT	C2'-C1'-O1'-C1
30	T	101	GOL	O1-C1-C2-C3
30	a	416	GOL	C1-C2-C3-O3
30	a	417	GOL	O1-C1-C2-O2
30	a	417	GOL	O1-C1-C2-C3
30	a	418	GOL	O1-C1-C2-C3
30	a	421	GOL	O1-C1-C2-C3
30	b	630	GOL	O1-C1-C2-O2
30	k	304	GOL	O1-C1-C2-O2
30	o	305	GOL	C1-C2-C3-O3
30	u	202	GOL	C1-C2-C3-O3
30	v	1606	GOL	O1-C1-C2-C3
30	v	1607	GOL	O1-C1-C2-O2
33	A	422[B]	PL9	C16-C17-C18-C19
33	A	422[B]	PL9	C24-C26-C27-C28
33	a	425[B]	PL9	C19-C21-C22-C23
33	a	425[B]	PL9	C28-C29-C31-C32
33	a	425[B]	PL9	C30-C29-C31-C32
36	B	623[B]	HTG	C2'-C1'-S1-C1
36	B	624	HTG	O5-C1-S1-C1'
36	C	522	HTG	C2'-C1'-S1-C1
36	I	102	HTG	O5-C1-S1-C1'
36	V	203	HTG	O5-C1-S1-C1'
36	b	625	HTG	C2'-C1'-S1-C1
36	b	626	HTG	O5-C1-S1-C1'
37	B	640	LHG	C4-O6-P-O4
37	B	640	LHG	C4-O6-P-O5
37	D	410	LHG	C3-O3-P-O4
37	D	410	LHG	C4-O6-P-O4
37	E	101	LHG	C3-O3-P-O4
37	E	101	LHG	C3-O3-P-O5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
37	E	101	LHG	C3-O3-P-O6
37	E	101	LHG	O6-C4-C5-O7
37	d	409	LHG	C3-O3-P-O4
37	d	409	LHG	C4-O6-P-O4
37	e	101	LHG	C1-C2-C3-O3
37	e	101	LHG	C3-O3-P-O5
37	e	101	LHG	C4-O6-P-O4
37	e	101	LHG	O10-C23-O8-C6
37	e	101	LHG	C24-C23-O8-C6
37	l	302	LHG	C4-O6-P-O4
37	l	302	LHG	C4-O6-P-O5
39	D	407	DGD	C2B-C1B-O2G-C2G
39	D	407	DGD	O1B-C1B-O2G-C2G
39	D	407	DGD	C2D-C1D-O3G-C3G
39	D	407	DGD	O6D-C1D-O3G-C3G
29	C	521	LMT	C3'-C4'-O1B-C1B
24	C	514	CLA	CBD-CGD-O2D-CED
24	c	514	CLA	CBD-CGD-O2D-CED
27	D	408	SQD	O10-C23-O48-C46
39	D	407	DGD	O1A-C1A-O1G-C1G
29	Z	101	LMT	O5B-C1B-O1B-C4'
39	D	407	DGD	C2A-C1A-O1G-C1G
24	c	503	CLA	CBD-CGD-O2D-CED
24	c	515	CLA	O1D-CGD-O2D-CED
24	C	514	CLA	O1D-CGD-O2D-CED
29	z	101	LMT	O5B-C1B-O1B-C4'
29	Z	101	LMT	C2B-C1B-O1B-C4'
24	c	514	CLA	O1D-CGD-O2D-CED
27	D	408	SQD	O49-C7-O47-C45
27	D	408	SQD	C24-C23-O48-C46
27	L	101	SQD	C8-C7-O47-C45
27	L	102	SQD	C8-C7-O47-C45
28	C	532	LMG	C11-C10-O7-C8
29	z	101	LMT	O5'-C1'-O1'-C1
29	B	622	LMT	O5B-C5B-C6B-O6B
24	B	606	CLA	C4-C3-C5-C6
24	b	608	CLA	C4-C3-C5-C6
33	A	422[B]	PL9	C40-C39-C41-C42
24	C	504	CLA	CBD-CGD-O2D-CED
24	B	607	CLA	C2A-CAA-CBA-CGA
24	b	609	CLA	C2A-CAA-CBA-CGA
24	C	503	CLA	CBD-CGD-O2D-CED

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
29	C	521	LMT	C4'-C5'-C6'-O6'
29	f	104	LMT	C4B-C5B-C6B-O6B
36	I	102	HTG	C4-C5-C6-O6
26	B	641	BCR	C13-C14-C15-C16
26	T	102	BCR	C13-C14-C15-C16
36	I	102	HTG	O5-C5-C6-O6
24	C	502	CLA	CBD-CGD-O2D-CED
37	D	410	LHG	O2-C2-C3-O3
37	E	101	LHG	O2-C2-C3-O3
37	d	409	LHG	O2-C2-C3-O3
37	e	101	LHG	O2-C2-C3-O3
24	C	512	CLA	CBD-CGD-O2D-CED
29	C	521	LMT	O5'-C5'-C6'-O6'
29	T	104	LMT	O5'-C5'-C6'-O6'
27	L	102	SQD	C13-C14-C15-C16
29	z	101	LMT	C2B-C1B-O1B-C4'
29	Z	101	LMT	C4'-C5'-C6'-O6'
36	h	1202	HTG	C4-C5-C6-O6
36	b	625	HTG	S1-C1'-C2'-C3'
36	C	523	HTG	O5-C5-C6-O6
29	a	402	LMT	O5B-C5B-C6B-O6B
29	f	104	LMT	O5B-C5B-C6B-O6B
24	b	617	CLA	C4-C3-C5-C6
29	T	104	LMT	C4'-C5'-C6'-O6'
24	b	617	CLA	C2-C3-C5-C6
28	c	522	LMG	O6-C5-C6-O5
29	m	103	LMT	O5'-C5'-C6'-O6'
36	h	1202	HTG	O5-C5-C6-O6
24	b	604	CLA	O1A-CGA-O2A-C1
29	B	622	LMT	C4B-C5B-C6B-O6B
29	B	642	LMT	O5'-C1'-O1'-C1
29	b	624	LMT	O5'-C1'-O1'-C1
33	A	422[B]	PL9	C34-C36-C37-C38
33	a	425[B]	PL9	C14-C16-C17-C18
24	b	604	CLA	CBA-CGA-O2A-C1
24	B	602	CLA	C3-C5-C6-C7
32	A	421[A]	K3C	C4-C5-C6-C7
32	A	421[A]	K3C	C4-C5-C6-C11
37	D	411	LHG	C16-C17-C18-C19
24	b	619	CLA	C15-C16-C17-C18
24	c	511	CLA	C8-C10-C11-C12
29	b	624	LMT	C2'-C1'-O1'-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
27	L	101	SQD	C31-C32-C33-C34
28	C	532	LMG	O6-C5-C6-O5
29	m	103	LMT	C4'-C5'-C6'-O6'
24	A	409	CLA	C14-C13-C15-C16
24	B	602	CLA	C11-C10-C8-C9
24	b	613	CLA	C11-C12-C13-C14
24	c	506	CLA	C11-C12-C13-C14
24	c	511	CLA	C6-C7-C8-C9
24	c	503	CLA	O1D-CGD-O2D-CED
24	A	407	CLA	C13-C15-C16-C17
26	D	405	BCR	C7-C8-C9-C34
26	d	406	BCR	C7-C8-C9-C34
37	D	411	LHG	C10-C11-C12-C13
24	a	408	CLA	C15-C16-C17-C18
24	b	607	CLA	C13-C15-C16-C17
24	b	619	CLA	C10-C11-C12-C13
29	C	521	LMT	O5B-C5B-C6B-O6B
36	B	626	HTG	C4-C5-C6-O6
24	b	604	CLA	C3-C5-C6-C7
39	C	518	DGD	C6B-C7B-C8B-C9B
37	d	408	LHG	C23-C24-C25-C26
29	a	402	LMT	C4B-C5B-C6B-O6B
24	C	508	CLA	CBD-CGD-O2D-CED
36	B	623[A]	HTG	C1'-C2'-C3'-C4'
29	Z	101	LMT	O5'-C5'-C6'-O6'
24	C	511	CLA	C8-C10-C11-C12
24	a	412	CLA	C5-C6-C7-C8
30	B	629	GOL	O1-C1-C2-O2
30	T	101	GOL	O1-C1-C2-O2
30	v	1606	GOL	O1-C1-C2-O2
30	v	1607	GOL	O2-C2-C3-O3
27	f	102	SQD	C23-C24-C25-C26
39	c	520	DGD	C1A-C2A-C3A-C4A
27	A	413	SQD	C16-C17-C18-C19
39	h	1205	DGD	CCA-CDA-CEA-CFA
28	c	522	LMG	C4-C5-C6-O5
24	B	602	CLA	C10-C11-C12-C13
36	C	523	HTG	S1-C1'-C2'-C3'
28	B	621	LMG	C28-C29-C30-C31
37	E	101	LHG	C7-C8-C9-C10
29	Z	101	LMT	O1'-C1-C2-C3
24	B	615	CLA	C8-C10-C11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
24	A	409	CLA	C12-C13-C15-C16
24	B	602	CLA	C11-C10-C8-C7
24	b	609	CLA	C11-C12-C13-C15
24	C	503	CLA	O1D-CGD-O2D-CED
24	a	412	CLA	C10-C11-C12-C13
24	b	609	CLA	C10-C11-C12-C13
33	A	422[B]	PL9	C14-C16-C17-C18
33	D	406	PL9	C39-C41-C42-C43
33	d	407	PL9	C39-C41-C42-C43
36	U	201	HTG	S1-C1'-C2'-C3'
36	h	1202	HTG	S1-C1'-C2'-C3'
36	u	201	HTG	S1-C1'-C2'-C3'
24	c	511	CLA	C13-C15-C16-C17
24	b	606	CLA	C5-C6-C7-C8
27	L	102	SQD	C31-C32-C33-C34
39	H	102	DGD	CCA-CDA-CEA-CFA
39	c	519	DGD	CBB-CCB-CDB-CEB
24	A	409	CLA	C8-C10-C11-C12
24	C	507	CLA	C5-C6-C7-C8
37	B	640	LHG	C4-O6-P-O3
37	D	410	LHG	C3-O3-P-O6
37	d	409	LHG	C3-O3-P-O6
37	e	101	LHG	C4-O6-P-O3
37	l	302	LHG	C4-O6-P-O3
39	C	518	DGD	C1B-C2B-C3B-C4B
24	B	602	CLA	CBA-CGA-O2A-C1
24	d	405	CLA	C8-C10-C11-C12
29	B	622	LMT	C5'-C4'-O1B-C1B
33	A	422[B]	PL9	C38-C39-C41-C42
24	c	508	CLA	C15-C16-C17-C18
24	B	605	CLA	C3-C5-C6-C7
29	T	104	LMT	O1'-C1-C2-C3
28	C	520	LMG	C10-C11-C12-C13
37	D	411	LHG	C12-C13-C14-C15
32	a	424[A]	K3C	C4-C5-C6-C7
32	a	424[A]	K3C	C4-C5-C6-C11
29	A	414	LMT	C7-C8-C9-C10
32	A	421[A]	K3C	C12-C5-C6-C7
28	C	520	LMG	C11-C10-O7-C8
27	D	408	SQD	C24-C25-C26-C27
29	C	521	LMT	C5-C6-C7-C8
39	c	520	DGD	C6A-C7A-C8A-C9A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
24	B	616	CLA	C16-C17-C18-C19
24	c	504	CLA	C16-C17-C18-C19
28	b	623	LMG	C20-C21-C22-C23
37	E	101	LHG	C28-C29-C30-C31
37	E	101	LHG	C29-C30-C31-C32
28	A	412	LMG	O9-C10-O7-C8
28	C	520	LMG	O9-C10-O7-C8
28	a	415	LMG	C15-C16-C17-C18
39	c	520	DGD	CBA-CCA-CDA-CEA
27	L	101	SQD	C27-C28-C29-C30
27	a	401	SQD	C30-C31-C32-C33
28	A	412	LMG	C13-C14-C15-C16
28	D	412	LMG	C12-C13-C14-C15
37	d	410	LHG	C28-C29-C30-C31
39	C	517	DGD	C4B-C5B-C6B-C7B
27	A	411	SQD	C11-C12-C13-C14
39	c	519	DGD	C4B-C5B-C6B-C7B
27	L	101	SQD	C2-C1-O6-C44
29	C	521	LMT	C2'-C1'-O1'-C1
28	a	415	LMG	C11-C12-C13-C14
29	c	523	LMT	C4-C5-C6-C7
37	d	408	LHG	C32-C33-C34-C35
39	C	517	DGD	C5B-C6B-C7B-C8B
39	c	518	DGD	C7A-C8A-C9A-CAA
24	B	614	CLA	C15-C16-C17-C18
24	C	507	CLA	C16-C17-C18-C20
33	A	422[B]	PL9	C15-C14-C16-C17
28	C	532	LMG	C12-C13-C14-C15
39	C	518	DGD	C7A-C8A-C9A-CAA
33	A	422[B]	PL9	C13-C14-C16-C17
24	B	604	CLA	C6-C7-C8-C9
24	C	509	CLA	C11-C10-C8-C9
24	C	510	CLA	C11-C10-C8-C9
24	b	606	CLA	C6-C7-C8-C9
24	C	512	CLA	O1D-CGD-O2D-CED
24	c	512	CLA	CBD-CGD-O2D-CED
28	A	412	LMG	C21-C22-C23-C24
28	C	520	LMG	C19-C20-C21-C22
37	D	411	LHG	C27-C28-C29-C30
24	D	404	CLA	C8-C10-C11-C12
29	A	414	LMT	O5B-C5B-C6B-O6B
24	B	602	CLA	O1A-CGA-O2A-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
27	A	411	SQD	C15-C16-C17-C18
27	A	413	SQD	C28-C29-C30-C31
28	b	623	LMG	C39-C40-C41-C42
30	B	627	GOL	C1-C2-C3-O3
30	B	629	GOL	O1-C1-C2-C3
30	V	204	GOL	O1-C1-C2-C3
30	a	417	GOL	C1-C2-C3-O3
30	a	421	GOL	C1-C2-C3-O3
30	b	630	GOL	O1-C1-C2-C3
30	k	304	GOL	O1-C1-C2-C3
30	k	304	GOL	C1-C2-C3-O3
30	o	302	GOL	O1-C1-C2-C3
30	o	302	GOL	C1-C2-C3-O3
30	v	1602	GOL	C1-C2-C3-O3
30	v	1605	GOL	O1-C1-C2-C3
30	v	1607	GOL	O1-C1-C2-C3
30	v	1607	GOL	C1-C2-C3-O3
36	I	102	HTG	C1'-C2'-C3'-C4'
36	h	1202	HTG	C1'-C2'-C3'-C4'
37	e	101	LHG	O1-C1-C2-C3
24	C	510	CLA	C13-C15-C16-C17
28	A	412	LMG	C11-C10-O7-C8
27	L	102	SQD	C24-C25-C26-C27
27	a	414	SQD	C9-C10-C11-C12
36	B	625	HTG	C2'-C3'-C4'-C5'
37	D	409	LHG	C32-C33-C34-C35
37	d	408	LHG	C27-C28-C29-C30
39	C	518	DGD	C4B-C5B-C6B-C7B
39	c	518	DGD	C4B-C5B-C6B-C7B
27	L	102	SQD	C11-C10-C9-C8
27	L	102	SQD	C27-C28-C29-C30
29	T	104	LMT	C4-C5-C6-C7
39	C	518	DGD	C9A-CAA-CBA-CCA
39	D	407	DGD	C8A-C9A-CAA-CBA
24	b	618	CLA	C16-C17-C18-C19
29	C	521	LMT	O5'-C1'-O1'-C1
24	b	618	CLA	C5-C6-C7-C8
28	c	521	LMG	C15-C16-C17-C18
28	d	411	LMG	C20-C21-C22-C23
36	O	302	HTG	C3'-C4'-C5'-C6'
24	C	502	CLA	O1D-CGD-O2D-CED
27	a	414	SQD	C34-C35-C36-C37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
28	A	412	LMG	C19-C20-C21-C22
28	C	532	LMG	C33-C34-C35-C36
28	D	412	LMG	C35-C36-C37-C38
28	d	411	LMG	C21-C22-C23-C24
29	m	101	LMT	C11-C10-C9-C8
37	B	640	LHG	C33-C34-C35-C36
37	e	101	LHG	C11-C10-C9-C8
28	A	412	LMG	C36-C37-C38-C39
28	a	415	LMG	C36-C37-C38-C39
24	B	615	CLA	C3-C5-C6-C7
29	a	402	LMT	C1-C2-C3-C4
37	l	302	LHG	C33-C34-C35-C36
39	C	519	DGD	CBA-CCA-CDA-CEA
24	c	512	CLA	O1D-CGD-O2D-CED
29	Z	101	LMT	C2-C1-O1'-C1'
27	a	414	SQD	C33-C34-C35-C36
37	E	101	LHG	C17-C18-C19-C20
37	e	101	LHG	C17-C18-C19-C20
39	c	519	DGD	C9B-CAB-CBB-CCB
24	B	616	CLA	C16-C17-C18-C20
24	b	618	CLA	C16-C17-C18-C20
36	B	626	HTG	S1-C1'-C2'-C3'
28	C	520	LMG	C31-C32-C33-C34
28	D	412	LMG	C20-C21-C22-C23
29	T	104	LMT	C11-C10-C9-C8
39	c	519	DGD	CBA-CCA-CDA-CEA
24	d	405	CLA	CBD-CGD-O2D-CED
36	b	626	HTG	C1'-C2'-C3'-C4'
29	B	642	LMT	C6-C7-C8-C9
37	D	411	LHG	C11-C12-C13-C14
39	C	517	DGD	O6D-C5D-C6D-O5D
39	c	519	DGD	C1B-C2B-C3B-C4B
29	B	622	LMT	C1-C2-C3-C4
24	B	617	CLA	C4-C3-C5-C6
24	b	619	CLA	C4-C3-C5-C6
24	b	612	CLA	C2-C3-C5-C6
24	b	619	CLA	C2-C3-C5-C6
33	a	425[B]	PL9	C13-C14-C16-C17
24	C	504	CLA	O1D-CGD-O2D-CED
27	L	102	SQD	C29-C30-C31-C32
29	B	622	LMT	O1'-C1-C2-C3
28	d	411	LMG	O6-C5-C6-O5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
27	f	102	SQD	O6-C1-O5-C5
30	a	418	GOL	O1-C1-C2-O2
30	a	421	GOL	O1-C1-C2-O2
28	C	532	LMG	C10-C11-C12-C13
39	C	517	DGD	C2A-C3A-C4A-C5A
29	m	101	LMT	C4'-C5'-C6'-O6'
24	a	409	CLA	C2C-C3C-CAC-CBC
27	L	102	SQD	C17-C18-C19-C20
24	C	508	CLA	C15-C16-C17-C18
32	A	421[A]	K3C	C12-C5-C6-C11
36	b	626	HTG	O5-C5-C6-O6
29	B	622	LMT	C3'-C4'-O1B-C1B
39	c	518	DGD	C8A-C9A-CAA-CBA
24	C	510	CLA	C2-C1-O2A-CGA
29	f	104	LMT	C4'-C5'-C6'-O6'
29	B	622	LMT	C6-C7-C8-C9
29	T	104	LMT	C6-C7-C8-C9
39	c	519	DGD	CAA-CBA-CCA-CDA
39	h	1205	DGD	C7A-C8A-C9A-CAA
27	L	101	SQD	C30-C31-C32-C33
26	B	618	BCR	C1-C6-C7-C8
26	B	618	BCR	C5-C6-C7-C8
26	D	405	BCR	C23-C24-C25-C26
26	Y	302	BCR	C1-C6-C7-C8
26	Y	302	BCR	C5-C6-C7-C8
26	b	620	BCR	C1-C6-C7-C8
26	b	620	BCR	C5-C6-C7-C8
26	d	406	BCR	C23-C24-C25-C26
26	k	302	BCR	C1-C6-C7-C8
26	k	302	BCR	C5-C6-C7-C8
37	D	410	LHG	C32-C33-C34-C35
27	L	102	SQD	C24-C23-O48-C46
24	c	515	CLA	C10-C11-C12-C13
37	l	302	LHG	C7-C8-C9-C10
27	A	413	SQD	C24-C25-C26-C27
28	a	415	LMG	C16-C17-C18-C19
29	T	104	LMT	C7-C8-C9-C10
24	B	616	CLA	C4-C3-C5-C6
24	b	612	CLA	C4-C3-C5-C6
24	B	604	CLA	C6-C7-C8-C10
24	B	615	CLA	C12-C13-C15-C16
24	B	616	CLA	C2-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
24	B	617	CLA	C2-C3-C5-C6
24	C	509	CLA	C11-C10-C8-C7
24	b	606	CLA	C6-C7-C8-C10
36	U	201	HTG	C4'-C5'-C6'-C7'
24	b	614	CLA	C13-C15-C16-C17
29	B	642	LMT	C9-C10-C11-C12
24	b	617	CLA	C10-C11-C12-C13
24	b	617	CLA	C13-C15-C16-C17
28	b	623	LMG	C19-C20-C21-C22
37	D	411	LHG	C18-C19-C20-C21
39	H	102	DGD	C7A-C8A-C9A-CAA
24	c	509	CLA	C5-C6-C7-C8
27	f	102	SQD	C32-C33-C34-C35
39	C	519	DGD	C9B-CAB-CBB-CCB
39	D	407	DGD	C6A-C7A-C8A-C9A
24	A	409	CLA	C15-C16-C17-C18
29	C	521	LMT	C3-C4-C5-C6
39	D	407	DGD	C5B-C6B-C7B-C8B
24	c	504	CLA	C16-C17-C18-C20
33	a	425[B]	PL9	C15-C14-C16-C17
33	a	425[B]	PL9	C4-C3-C7-C8
37	e	101	LHG	C13-C14-C15-C16
24	B	615	CLA	C14-C13-C15-C16
24	C	507	CLA	C11-C12-C13-C14
24	D	404	CLA	C11-C10-C8-C9
24	b	609	CLA	C11-C12-C13-C14
24	c	507	CLA	C11-C12-C13-C14
28	C	520	LMG	C37-C38-C39-C40
28	D	412	LMG	O6-C5-C6-O5
27	A	411	SQD	C13-C14-C15-C16
29	E	104	LMT	C4-C5-C6-C7
39	C	518	DGD	CBB-CCB-CDB-CEB
39	C	519	DGD	C8B-C9B-CAB-CBB
24	C	512	CLA	C1A-C2A-CAA-CBA
24	c	510	CLA	C1A-C2A-CAA-CBA
24	C	507	CLA	C16-C17-C18-C19
28	A	412	LMG	C12-C13-C14-C15
39	C	518	DGD	C3A-C4A-C5A-C6A
37	D	410	LHG	C4-O6-P-O3
32	a	424[A]	K3C	C12-C5-C6-C7
24	B	617	CLA	C3-C5-C6-C7
28	C	520	LMG	C16-C17-C18-C19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
28	b	623	LMG	C21-C22-C23-C24
24	a	410	CLA	C15-C16-C17-C18
37	E	101	LHG	O6-C4-C5-C6
24	d	405	CLA	O1D-CGD-O2D-CED
29	Z	101	LMT	C4-C5-C6-C7
39	h	1205	DGD	C5B-C6B-C7B-C8B
28	A	412	LMG	C10-C11-C12-C13
36	B	625	HTG	C4-C5-C6-O6
28	b	623	LMG	C34-C35-C36-C37
37	E	101	LHG	C27-C28-C29-C30
28	d	411	LMG	C12-C13-C14-C15
39	H	102	DGD	C5B-C6B-C7B-C8B
24	a	412	CLA	CBA-CGA-O2A-C1
29	Z	101	LMT	C1-C2-C3-C4
37	E	101	LHG	C1-C2-C3-O3
37	d	409	LHG	C1-C2-C3-O3
39	C	517	DGD	O6E-C5E-C6E-O5E
24	c	512	CLA	C8-C10-C11-C12
28	B	621	LMG	C36-C37-C38-C39
39	c	520	DGD	CCB-CDB-CEB-CFB
27	L	102	SQD	O10-C23-O48-C46
28	A	412	LMG	C29-C30-C31-C32
28	c	521	LMG	C18-C19-C20-C21
28	c	521	LMG	C32-C33-C34-C35
37	D	409	LHG	C29-C30-C31-C32
37	l	302	LHG	C27-C28-C29-C30
39	c	520	DGD	C3B-C4B-C5B-C6B
28	C	520	LMG	O1-C7-C8-C9
28	a	415	LMG	C7-C8-C9-O8
28	c	521	LMG	C7-C8-C9-O8
39	c	518	DGD	O6E-C5E-C6E-O5E
39	c	519	DGD	C2G-C3G-O3G-C1D
39	c	519	DGD	C5D-C6D-O5D-C1E
28	C	532	LMG	C40-C41-C42-C43
24	B	602	CLA	CAA-CBA-CGA-O2A
24	b	604	CLA	C16-C17-C18-C19
37	D	409	LHG	C25-C26-C27-C28
37	E	101	LHG	C11-C12-C13-C14
30	a	421	GOL	O2-C2-C3-O3
30	k	304	GOL	O2-C2-C3-O3
30	o	305	GOL	O2-C2-C3-O3
30	u	202	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
37	E	101	LHG	C15-C16-C17-C18
24	a	412	CLA	O1A-CGA-O2A-C1
37	B	640	LHG	C27-C28-C29-C30
32	a	424[A]	K3C	C12-C5-C6-C11
29	c	523	LMT	O5B-C5B-C6B-O6B
28	C	520	LMG	C30-C31-C32-C33
27	D	408	SQD	C23-C24-C25-C26
24	c	515	CLA	CBA-CGA-O2A-C1
36	d	414	HTG	O5-C5-C6-O6
24	a	412	CLA	C8-C10-C11-C12
37	e	101	LHG	C25-C26-C27-C28
24	C	507	CLA	O1D-CGD-O2D-CED
29	c	523	LMT	O5'-C5'-C6'-O6'
24	D	404	CLA	O1D-CGD-O2D-CED
24	c	515	CLA	O1A-CGA-O2A-C1
29	E	104	LMT	C2'-C1'-O1'-C1
27	L	102	SQD	C28-C29-C30-C31
27	L	102	SQD	O47-C45-C46-O48
27	f	102	SQD	O6-C44-C45-O47
27	a	401	SQD	C29-C30-C31-C32
28	A	412	LMG	C14-C15-C16-C17
39	C	517	DGD	C5A-C6A-C7A-C8A
39	c	519	DGD	C5B-C6B-C7B-C8B
37	e	101	LHG	C23-C24-C25-C26
29	m	101	LMT	O5'-C5'-C6'-O6'
27	D	408	SQD	C31-C32-C33-C34
24	A	409	CLA	C11-C10-C8-C7
24	A	409	CLA	C11-C12-C13-C15
24	B	611	CLA	C12-C13-C15-C16
24	B	617	CLA	C11-C12-C13-C15
24	C	507	CLA	C11-C12-C13-C15
24	D	404	CLA	C11-C10-C8-C7
24	a	410	CLA	C11-C10-C8-C7
24	b	604	CLA	C6-C7-C8-C10
24	c	506	CLA	C11-C10-C8-C7
24	c	507	CLA	C11-C12-C13-C15
36	b	601	HTG	C4'-C5'-C6'-C7'
24	B	611	CLA	C11-C12-C13-C14
24	B	611	CLA	C14-C13-C15-C16
24	C	505	CLA	C14-C13-C15-C16
24	C	513	CLA	C11-C12-C13-C14
24	C	514	CLA	C11-C10-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
24	b	604	CLA	C6-C7-C8-C9
28	C	520	LMG	C34-C35-C36-C37
37	E	101	LHG	C19-C20-C21-C22
27	A	413	SQD	C9-C10-C11-C12
24	B	608	CLA	C16-C17-C18-C19
24	b	604	CLA	C16-C17-C18-C20
24	c	507	CLA	C16-C17-C18-C19
39	D	407	DGD	C4B-C5B-C6B-C7B
37	D	410	LHG	C1-C2-C3-O3
24	B	615	CLA	C5-C6-C7-C8
29	Z	101	LMT	C5-C6-C7-C8
39	C	519	DGD	CDA-CEA-CFA-CGA
37	E	101	LHG	C24-C23-O8-C6
24	c	504	CLA	O1D-CGD-O2D-CED
28	c	521	LMG	C16-C17-C18-C19
29	a	402	LMT	C3-C4-C5-C6
24	c	515	CLA	C3-C5-C6-C7
33	A	422[B]	PL9	C39-C41-C42-C43
29	Z	101	LMT	C3-C4-C5-C6
39	c	519	DGD	C1A-C2A-C3A-C4A
29	J	102	LMT	C11-C10-C9-C8
27	A	413	SQD	C14-C15-C16-C17
29	C	521	LMT	C9-C10-C11-C12
28	C	532	LMG	C28-C29-C30-C31
27	a	401	SQD	C26-C27-C28-C29
28	C	520	LMG	C40-C41-C42-C43
39	C	517	DGD	C4D-C5D-C6D-O5D
24	c	507	CLA	C16-C17-C18-C20
29	B	642	LMT	C3-C4-C5-C6
24	B	609	CLA	C13-C15-C16-C17
24	c	514	CLA	C15-C16-C17-C18
39	c	520	DGD	C2A-C1A-O1G-C1G
27	a	401	SQD	C31-C32-C33-C34
39	H	102	DGD	C9B-CAB-CBB-CCB
39	h	1205	DGD	C9B-CAB-CBB-CCB
27	L	101	SQD	C28-C29-C30-C31
28	b	623	LMG	C36-C37-C38-C39
28	b	623	LMG	C31-C32-C33-C34
27	A	413	SQD	O6-C44-C45-C46
28	A	412	LMG	C7-C8-C9-O8
28	C	520	LMG	C7-C8-C9-O8
39	D	407	DGD	O1G-C1G-C2G-C3G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
39	C	518	DGD	C8B-C9B-CAB-CBB
27	A	413	SQD	C15-C16-C17-C18
24	C	504	CLA	C10-C11-C12-C13
29	A	414	LMT	C6-C7-C8-C9
28	C	532	LMG	C38-C39-C40-C41
24	b	604	CLA	C4-C3-C5-C6
24	b	604	CLA	C2-C3-C5-C6
27	a	414	SQD	C10-C11-C12-C13
28	c	521	LMG	C11-C12-C13-C14
28	C	520	LMG	C39-C40-C41-C42
37	d	410	LHG	C29-C30-C31-C32
37	e	101	LHG	C3-O3-P-O6
37	E	101	LHG	C13-C14-C15-C16
39	C	517	DGD	C4A-C5A-C6A-C7A
30	b	629	GOL	O2-C2-C3-O3
30	o	302	GOL	O1-C1-C2-O2
30	o	302	GOL	O2-C2-C3-O3
37	e	101	LHG	O1-C1-C2-O2
29	b	624	LMT	O1'-C1-C2-C3
37	E	101	LHG	O10-C23-O8-C6
39	C	517	DGD	CCA-CDA-CEA-CFA
37	e	101	LHG	C19-C20-C21-C22
27	L	101	SQD	O47-C45-C46-O48
28	A	412	LMG	O1-C7-C8-O7
39	D	407	DGD	O1G-C1G-C2G-O2G
37	d	408	LHG	C29-C30-C31-C32
24	B	602	CLA	C2-C1-O2A-CGA
24	b	617	CLA	C2-C1-O2A-CGA
24	c	504	CLA	C2-C1-O2A-CGA
27	A	413	SQD	C35-C36-C37-C38
24	C	505	CLA	C11-C12-C13-C14
24	b	618	CLA	C11-C10-C8-C9
24	c	511	CLA	C14-C13-C15-C16
37	E	101	LHG	C24-C25-C26-C27
37	d	410	LHG	C2-C3-O3-P
28	A	412	LMG	C16-C17-C18-C19
28	C	532	LMG	C34-C35-C36-C37
28	a	415	LMG	C40-C41-C42-C43
29	a	402	LMT	C2-C3-C4-C5
24	B	608	CLA	C16-C17-C18-C20
26	C	515	BCR	C1-C6-C7-C8
26	C	515	BCR	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
26	C	515	BCR	C23-C24-C25-C30
39	h	1205	DGD	O2G-C1B-C2B-C3B
26	D	405	BCR	C7-C8-C9-C10
36	B	624	HTG	C4-C5-C6-O6
39	c	520	DGD	C1B-C2B-C3B-C4B
28	B	621	LMG	C40-C41-C42-C43
28	a	415	LMG	C22-C23-C24-C25
37	d	408	LHG	C33-C34-C35-C36
36	B	626	HTG	O5-C5-C6-O6
28	b	623	LMG	C30-C31-C32-C33
24	C	511	CLA	C13-C15-C16-C17
24	C	505	CLA	C12-C13-C15-C16
24	C	514	CLA	C11-C10-C8-C7
24	b	618	CLA	C11-C10-C8-C7
24	c	514	CLA	C11-C10-C8-C7
41	H	101	RRX	C9-C10-C11-C12
41	h	1204	RRX	C9-C10-C11-C12
27	A	411	SQD	C10-C11-C12-C13
27	L	102	SQD	C34-C35-C36-C37
37	e	101	LHG	C8-C7-O7-C5
37	B	640	LHG	C11-C10-C9-C8
39	c	518	DGD	C5B-C6B-C7B-C8B
27	L	102	SQD	C15-C16-C17-C18
28	D	412	LMG	C15-C16-C17-C18
39	c	518	DGD	C2A-C3A-C4A-C5A
24	B	617	CLA	CAD-CBD-CGD-O2D
24	b	607	CLA	CAD-CBD-CGD-O2D
24	c	511	CLA	CAD-CBD-CGD-O2D
25	A	408	PHO	CAD-CBD-CGD-O2D
25	a	411	PHO	CAD-CBD-CGD-O2D
27	L	101	SQD	C46-C45-O47-C7
28	d	411	LMG	C29-C30-C31-C32
39	c	520	DGD	C8B-C9B-CAB-CBB
27	L	102	SQD	C14-C15-C16-C17
29	E	104	LMT	O1'-C1-C2-C3
24	c	511	CLA	C16-C17-C18-C20
28	C	520	LMG	C32-C33-C34-C35
29	E	104	LMT	O5'-C1'-O1'-C1
28	C	520	LMG	C11-C12-C13-C14
27	L	101	SQD	C44-C45-C46-O48
27	L	102	SQD	C44-C45-C46-O48
28	A	412	LMG	O1-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
37	D	411	LHG	C2-C3-O3-P
29	E	104	LMT	C5-C6-C7-C8
24	b	618	CLA	C10-C11-C12-C13
28	b	623	LMG	O9-C10-O7-C8
24	C	503	CLA	CHA-CBD-CGD-O1D
24	C	509	CLA	CHA-CBD-CGD-O2D
24	b	604	CLA	CHA-CBD-CGD-O1D
24	c	504	CLA	CHA-CBD-CGD-O2D
24	c	509	CLA	CHA-CBD-CGD-O2D
39	c	520	DGD	O1A-C1A-O1G-C1G
24	C	507	CLA	C15-C16-C17-C18
24	a	409	CLA	C4C-C3C-CAC-CBC
39	H	102	DGD	CDB-CEB-CFB-CGB
27	D	408	SQD	O47-C45-C46-O48
28	A	412	LMG	O7-C8-C9-O8
28	a	415	LMG	O7-C8-C9-O8
28	c	521	LMG	O7-C8-C9-O8
27	L	102	SQD	C9-C10-C11-C12
30	a	416	GOL	O2-C2-C3-O3
30	c	526	GOL	O2-C2-C3-O3
30	v	1602	GOL	O2-C2-C3-O3
39	C	517	DGD	C3B-C4B-C5B-C6B
37	e	101	LHG	O9-C7-O7-C5
24	B	603	CLA	C13-C15-C16-C17
25	a	411	PHO	C8-C10-C11-C12
24	C	507	CLA	C11-C10-C8-C9
24	c	514	CLA	C11-C10-C8-C9
39	c	518	DGD	O6D-C5D-C6D-O5D
24	D	404	CLA	CBD-CGD-O2D-CED
29	A	414	LMT	O1'-C1-C2-C3
30	c	526	GOL	O1-C1-C2-C3
37	E	101	LHG	C30-C31-C32-C33
26	d	406	BCR	C7-C8-C9-C10
27	a	401	SQD	C27-C28-C29-C30
39	c	519	DGD	C8B-C9B-CAB-CBB
39	h	1205	DGD	CDB-CEB-CFB-CGB
24	C	513	CLA	C1A-C2A-CAA-CBA
27	L	101	SQD	C32-C33-C34-C35
37	D	411	LHG	C15-C16-C17-C18
39	C	518	DGD	C8A-C9A-CAA-CBA
39	H	102	DGD	C9A-CAA-CBA-CCA
37	l	302	LHG	C25-C26-C27-C28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
39	C	518	DGD	C5B-C6B-C7B-C8B
29	f	104	LMT	O5'-C5'-C6'-O6'
27	L	101	SQD	C24-C25-C26-C27
39	H	102	DGD	O2G-C1B-C2B-C3B
37	D	410	LHG	C4-O6-P-O5
37	d	409	LHG	C3-O3-P-O5
24	c	511	CLA	C16-C17-C18-C19
27	L	101	SQD	C7-C8-C9-C10
37	l	302	LHG	O6-C4-C5-C6
28	b	623	LMG	C29-C30-C31-C32
39	c	518	DGD	C6B-C7B-C8B-C9B
24	B	602	CLA	CAD-CBD-CGD-O1D
24	B	606	CLA	CAD-CBD-CGD-O1D
24	B	608	CLA	CAD-CBD-CGD-O1D
24	C	503	CLA	CAD-CBD-CGD-O1D
24	b	604	CLA	CAD-CBD-CGD-O1D
24	b	608	CLA	CAD-CBD-CGD-O1D
24	c	504	CLA	CAD-CBD-CGD-O1D
24	b	619	CLA	C13-C15-C16-C17
37	B	640	LHG	C16-C17-C18-C19
36	U	201	HTG	C2'-C3'-C4'-C5'
28	a	415	LMG	C12-C13-C14-C15
39	c	518	DGD	C4D-C5D-C6D-O5D
27	A	411	SQD	C16-C17-C18-C19
37	B	640	LHG	C25-C26-C27-C28
24	b	605	CLA	C16-C17-C18-C19
24	d	405	CLA	C16-C17-C18-C20
24	B	617	CLA	C12-C13-C15-C16
24	C	505	CLA	C6-C7-C8-C10
24	C	507	CLA	C6-C7-C8-C10
24	C	508	CLA	C12-C13-C15-C16
24	C	513	CLA	C3A-C2A-CAA-CBA
24	a	410	CLA	C11-C12-C13-C15
24	b	609	CLA	C12-C13-C15-C16
24	c	506	CLA	C11-C12-C13-C15
24	c	511	CLA	C6-C7-C8-C10
37	l	302	LHG	O6-C4-C5-O7
28	b	623	LMG	C10-C11-C12-C13
28	b	623	LMG	C11-C10-O7-C8
28	D	412	LMG	C19-C20-C21-C22
27	a	414	SQD	C14-C15-C16-C17
37	E	101	LHG	C14-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
39	D	407	DGD	C7A-C8A-C9A-CAA
27	A	411	SQD	C7-C8-C9-C10
24	c	511	CLA	C10-C11-C12-C13
27	a	401	SQD	O6-C44-C45-C46
28	C	520	LMG	O1-C7-C8-O7
28	C	520	LMG	O7-C8-C9-O8
29	B	642	LMT	C11-C10-C9-C8
28	d	411	LMG	C10-C11-C12-C13
28	c	522	LMG	C8-C7-O1-C1
39	C	518	DGD	C2G-C3G-O3G-C1D
39	C	518	DGD	C5D-C6D-O5D-C1E
28	D	412	LMG	C18-C19-C20-C21
24	B	617	CLA	C13-C15-C16-C17
29	C	521	LMT	O1'-C1-C2-C3
39	D	407	DGD	C4A-C5A-C6A-C7A
24	b	613	CLA	C15-C16-C17-C18
24	C	507	CLA	C6-C7-C8-C9
24	b	609	CLA	C14-C13-C15-C16
24	c	506	CLA	C11-C10-C8-C9
39	c	520	DGD	C7A-C8A-C9A-CAA
36	b	625	HTG	C1'-C2'-C3'-C4'
27	a	414	SQD	C30-C31-C32-C33
28	B	621	LMG	C17-C18-C19-C20
36	u	201	HTG	C2'-C3'-C4'-C5'
39	C	519	DGD	CDB-CEB-CFB-CGB
29	C	521	LMT	C4-C5-C6-C7
24	B	603	CLA	C15-C16-C17-C18
24	b	611	CLA	C13-C15-C16-C17
37	D	409	LHG	C17-C18-C19-C20
37	D	411	LHG	C14-C15-C16-C17
24	B	613	CLA	C8-C10-C11-C12
28	A	412	LMG	C15-C16-C17-C18
28	c	521	LMG	C36-C37-C38-C39
28	A	412	LMG	O6-C5-C6-O5
27	D	408	SQD	C46-C45-O47-C7
27	L	102	SQD	C46-C45-O47-C7
24	B	611	CLA	C2A-CAA-CBA-CGA
39	C	519	DGD	C6B-C7B-C8B-C9B
24	C	507	CLA	C2-C1-O2A-CGA
37	l	302	LHG	C16-C17-C18-C19
29	m	102	LMT	O5'-C5'-C6'-O6'
24	a	408	CLA	C2C-C3C-CAC-CBC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
28	b	623	LMG	C28-C29-C30-C31
36	I	102	HTG	S1-C1'-C2'-C3'
27	L	102	SQD	C30-C31-C32-C33
29	B	642	LMT	C4-C5-C6-C7
24	b	614	CLA	C16-C17-C18-C20
39	c	519	DGD	C6B-C7B-C8B-C9B
26	Y	302	BCR	C23-C24-C25-C30
41	H	101	RRX	C23-C24-C25-C30
27	L	102	SQD	C7-C8-C9-C10
24	B	602	CLA	C8-C10-C11-C12
28	c	521	LMG	C17-C18-C19-C20
39	D	407	DGD	CBB-CCB-CDB-CEB
28	A	412	LMG	O6-C1-O1-C7
39	C	517	DGD	O6E-C1E-O5D-C6D
28	B	621	LMG	C16-C17-C18-C19
28	a	415	LMG	C30-C31-C32-C33
24	B	617	CLA	C5-C6-C7-C8
24	b	613	CLA	C13-C15-C16-C17
28	A	412	LMG	C2-C1-O1-C7
33	a	425[B]	PL9	C24-C26-C27-C28
39	C	518	DGD	C2E-C1E-O5D-C6D
24	b	604	CLA	CAA-CBA-CGA-O2A
27	A	411	SQD	O6-C44-C45-O47
28	d	411	LMG	C36-C37-C38-C39
37	d	409	LHG	C4-O6-P-O3
28	c	521	LMG	C14-C15-C16-C17
39	H	102	DGD	CBA-CCA-CDA-CEA
24	C	508	CLA	O1D-CGD-O2D-CED
27	a	414	SQD	C32-C33-C34-C35
39	c	518	DGD	C9A-CAA-CBA-CCA
24	c	507	CLA	O1D-CGD-O2D-CED
27	f	102	SQD	O6-C44-C45-C46
27	a	401	SQD	C17-C18-C19-C20
39	C	518	DGD	C3B-C4B-C5B-C6B
37	B	640	LHG	C31-C32-C33-C34
24	A	409	CLA	C11-C10-C8-C9
24	B	617	CLA	C11-C12-C13-C14
24	C	505	CLA	C6-C7-C8-C9
24	a	410	CLA	C11-C10-C8-C9
24	a	410	CLA	C11-C12-C13-C14
24	a	408	CLA	C16-C17-C18-C20
27	a	414	SQD	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
28	d	411	LMG	C34-C35-C36-C37
28	D	412	LMG	C21-C22-C23-C24
28	b	623	LMG	C17-C18-C19-C20
24	A	405	CLA	C2C-C3C-CAC-CBC
29	a	402	LMT	C7-C8-C9-C10
28	c	521	LMG	C29-C28-O8-C9
37	d	410	LHG	O1-C1-C2-C3
24	B	606	CLA	C8-C10-C11-C12
28	A	412	LMG	C30-C31-C32-C33
37	d	410	LHG	C25-C26-C27-C28
29	M	101	LMT	O5'-C5'-C6'-O6'
33	d	407	PL9	C15-C14-C16-C17
30	B	627	GOL	O2-C2-C3-O3
30	V	204	GOL	O1-C1-C2-O2
30	v	1605	GOL	O1-C1-C2-O2
33	d	407	PL9	C13-C14-C16-C17
24	d	405	CLA	C16-C17-C18-C19
28	c	522	LMG	C38-C39-C40-C41
28	c	521	LMG	O10-C28-O8-C9
37	D	409	LHG	C7-C8-C9-C10
37	E	101	LHG	C10-C11-C12-C13
37	l	302	LHG	C31-C32-C33-C34
24	B	611	CLA	C16-C17-C18-C20
39	C	518	DGD	O6E-C1E-O5D-C6D
28	B	621	LMG	C37-C38-C39-C40
37	B	640	LHG	O6-C4-C5-C6
24	b	609	CLA	C3-C5-C6-C7
37	d	409	LHG	C11-C10-C9-C8
25	a	411	PHO	C4-C3-C5-C6
33	a	425[B]	PL9	C25-C24-C26-C27
29	f	104	LMT	C1-C2-C3-C4
24	B	612	CLA	C2-C3-C5-C6
24	b	614	CLA	C2-C3-C5-C6
25	a	411	PHO	C2-C3-C5-C6
33	D	406	PL9	C13-C14-C16-C17
24	B	609	CLA	C2-C1-O2A-CGA
24	d	404	CLA	C2-C1-O2A-CGA
24	c	509	CLA	C2A-CAA-CBA-CGA
24	B	602	CLA	CAA-CBA-CGA-O1A
24	C	507	CLA	C3A-C2A-CAA-CBA
24	b	605	CLA	C16-C17-C18-C20
39	C	518	DGD	CAA-CBA-CCA-CDA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
27	L	101	SQD	C12-C13-C14-C15
27	a	401	SQD	C13-C14-C15-C16
28	a	415	LMG	O8-C28-C29-C30
24	C	508	CLA	C14-C13-C15-C16
24	b	610	CLA	C11-C10-C8-C9
24	b	619	CLA	C14-C13-C15-C16
27	a	414	SQD	O6-C44-C45-C46
36	B	624	HTG	O5-C5-C6-O6
37	d	408	LHG	C11-C10-C9-C8
40	F	101	HEM	CAD-CBD-CGD-O1D
33	d	407	PL9	C45-C44-C46-C47
24	b	607	CLA	C1A-C2A-CAA-CBA
24	A	407	CLA	C12-C13-C15-C16
24	B	602	CLA	C6-C7-C8-C10
24	B	605	CLA	C6-C7-C8-C10
24	C	508	CLA	C11-C10-C8-C7
24	a	412	CLA	C12-C13-C15-C16
24	b	607	CLA	C11-C12-C13-C15
24	c	507	CLA	C12-C13-C15-C16
24	c	508	CLA	C11-C10-C8-C7
24	A	406	CLA	C2C-C3C-CAC-CBC
39	c	520	DGD	C8A-C9A-CAA-CBA
24	b	613	CLA	C2A-CAA-CBA-CGA
24	b	618	CLA	C8-C10-C11-C12
37	e	101	LHG	O6-C4-C5-O7
24	b	609	CLA	C8-C10-C11-C12
24	b	611	CLA	C5-C6-C7-C8
37	e	101	LHG	O6-C4-C5-C6
29	b	624	LMT	C6-C7-C8-C9
24	B	611	CLA	C16-C17-C18-C19
29	m	101	LMT	C7-C8-C9-C10
37	d	409	LHG	C32-C33-C34-C35
24	c	509	CLA	C4-C3-C5-C6
33	A	422[B]	PL9	C20-C19-C21-C22
28	D	412	LMG	C36-C37-C38-C39
28	c	521	LMG	C20-C21-C22-C23
28	c	521	LMG	C10-C11-C12-C13
39	c	519	DGD	C2E-C1E-O5D-C6D
27	L	102	SQD	C10-C11-C12-C13
36	O	302	HTG	C2'-C3'-C4'-C5'
27	L	101	SQD	O6-C44-C45-O47
27	a	414	SQD	O6-C44-C45-O47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
37	d	409	LHG	C26-C27-C28-C29
29	c	523	LMT	C5-C6-C7-C8
39	D	407	DGD	CBA-CCA-CDA-CEA
36	b	625	HTG	C4'-C5'-C6'-C7'
37	D	409	LHG	C11-C12-C13-C14
24	c	515	CLA	C11-C10-C8-C9
39	h	1205	DGD	C9A-CAA-CBA-CCA
27	f	102	SQD	C29-C30-C31-C32
29	J	102	LMT	C9-C10-C11-C12
28	A	412	LMG	C38-C39-C40-C41
26	A	410	BCR	C1-C6-C7-C8
26	C	515	BCR	C23-C24-C25-C26
26	C	516	BCR	C23-C24-C25-C30
26	D	405	BCR	C1-C6-C7-C8
26	K	101	BCR	C1-C6-C7-C8
26	c	517	BCR	C1-C6-C7-C8
26	c	517	BCR	C23-C24-C25-C30
26	d	406	BCR	C1-C6-C7-C8
26	d	406	BCR	C5-C6-C7-C8
26	k	302	BCR	C23-C24-C25-C30
26	k	303	BCR	C1-C6-C7-C8
41	h	1204	RRX	C23-C24-C25-C30
24	c	508	CLA	C13-C15-C16-C17
29	A	414	LMT	C1-C2-C3-C4
27	D	408	SQD	C44-C45-C46-O48
24	B	607	CLA	C15-C16-C17-C18
24	C	507	CLA	CBD-CGD-O2D-CED
30	A	416	GOL	C1-C2-C3-O3
30	T	101	GOL	C1-C2-C3-O3
30	c	526	GOL	C1-C2-C3-O3
30	d	413	GOL	C1-C2-C3-O3
37	D	409	LHG	O1-C1-C2-C3
37	E	101	LHG	O1-C1-C2-C3
33	D	406	PL9	C45-C44-C46-C47
26	b	622	BCR	C21-C22-C23-C24
27	a	414	SQD	C15-C16-C17-C18
24	B	610	CLA	C2-C3-C5-C6
39	C	519	DGD	C4B-C5B-C6B-C7B
39	C	517	DGD	C5D-C6D-O5D-C1E
24	A	405	CLA	C4C-C3C-CAC-CBC
43	V	202	HEC	CAD-CBD-CGD-O2D
36	b	625	HTG	C2'-C3'-C4'-C5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
24	A	407	CLA	C16-C17-C18-C20
39	c	518	DGD	CAA-CBA-CCA-CDA
43	v	1603	HEC	CAD-CBD-CGD-O1D
43	v	1603	HEC	CAD-CBD-CGD-O2D
24	b	606	CLA	C13-C15-C16-C17
37	D	409	LHG	C30-C31-C32-C33
27	D	408	SQD	C29-C30-C31-C32
24	c	505	CLA	C10-C11-C12-C13
43	V	202	HEC	CAD-CBD-CGD-O1D
24	b	613	CLA	C16-C17-C18-C19
39	c	518	DGD	O6E-C1E-O5D-C6D
39	c	519	DGD	O6E-C1E-O5D-C6D
24	B	614	CLA	C13-C15-C16-C17
39	D	407	DGD	CAA-CBA-CCA-CDA
33	D	406	PL9	C43-C44-C46-C47
33	d	407	PL9	C43-C44-C46-C47
24	b	619	CLA	CBA-CGA-O2A-C1
30	T	101	GOL	O2-C2-C3-O3
37	E	101	LHG	O1-C1-C2-O2
39	C	517	DGD	C2E-C1E-O5D-C6D
37	E	101	LHG	O7-C5-C6-O8
24	C	513	CLA	O1A-CGA-O2A-C1
37	D	411	LHG	C19-C20-C21-C22
29	E	104	LMT	C2-C3-C4-C5
24	a	408	CLA	C4C-C3C-CAC-CBC
28	c	522	LMG	C37-C38-C39-C40
36	b	602	HTG	O5-C1-S1-C1'
24	a	412	CLA	C4-C3-C5-C6
24	b	611	CLA	C4-C3-C5-C6
24	b	618	CLA	C4-C3-C5-C6
33	A	422[B]	PL9	C30-C29-C31-C32
40	f	101	HEM	CAD-CBD-CGD-O1D
24	c	509	CLA	C2-C3-C5-C6
33	a	425[B]	PL9	C23-C24-C26-C27
27	A	413	SQD	C19-C20-C21-C22
27	f	102	SQD	C31-C32-C33-C34
24	B	602	CLA	C6-C7-C8-C9
24	B	615	CLA	C11-C10-C8-C9
24	B	616	CLA	C14-C13-C15-C16
24	c	507	CLA	C14-C13-C15-C16
24	c	508	CLA	C11-C10-C8-C9
28	b	623	LMG	C18-C19-C20-C21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
36	D	413	HTG	C4'-C5'-C6'-C7'
27	a	414	SQD	C28-C29-C30-C31
24	b	619	CLA	O1A-CGA-O2A-C1
27	A	411	SQD	O47-C7-C8-C9
27	D	408	SQD	O48-C23-C24-C25
24	B	605	CLA	CAD-CBD-CGD-O2D
24	B	611	CLA	CAD-CBD-CGD-O2D
24	C	503	CLA	CAD-CBD-CGD-O2D
24	C	504	CLA	CAD-CBD-CGD-O2D
24	C	506	CLA	CAD-CBD-CGD-O2D
24	C	511	CLA	CAD-CBD-CGD-O2D
24	C	513	CLA	CAD-CBD-CGD-O2D
24	b	606	CLA	CAD-CBD-CGD-O2D
24	b	613	CLA	CAD-CBD-CGD-O2D
24	b	616	CLA	CAD-CBD-CGD-O2D
24	b	619	CLA	CAD-CBD-CGD-O2D
24	c	503	CLA	CAD-CBD-CGD-O2D
24	c	505	CLA	CAD-CBD-CGD-O2D
24	c	507	CLA	CAD-CBD-CGD-O2D
24	c	508	CLA	CAD-CBD-CGD-O2D
24	c	512	CLA	CAD-CBD-CGD-O2D
24	c	514	CLA	CAD-CBD-CGD-O2D
28	a	415	LMG	O9-C10-O7-C8
24	D	403	CLA	C2-C1-O2A-CGA
27	f	102	SQD	O48-C23-C24-C25
39	C	518	DGD	O2G-C1B-C2B-C3B
39	c	519	DGD	CCA-CDA-CEA-CFA
33	D	406	PL9	C15-C14-C16-C17
33	A	422[B]	PL9	C18-C19-C21-C22
37	D	409	LHG	O8-C23-C24-C25
25	D	401	PHO	C2C-C3C-CAC-CBC
37	e	101	LHG	C4-C5-C6-O8
27	D	408	SQD	C33-C34-C35-C36
27	L	101	SQD	C29-C30-C31-C32
24	c	511	CLA	O2A-C1-C2-C3
25	A	408	PHO	O2A-C1-C2-C3
25	a	411	PHO	O2A-C1-C2-C3
28	d	411	LMG	C13-C14-C15-C16
24	c	505	CLA	C5-C6-C7-C8
40	F	101	HEM	CAD-CBD-CGD-O2D
24	B	617	CLA	C16-C17-C18-C19
24	C	503	CLA	C16-C17-C18-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
24	b	613	CLA	C16-C17-C18-C20
24	A	406	CLA	CHA-CBD-CGD-O1D
24	A	406	CLA	CHA-CBD-CGD-O2D
24	B	603	CLA	CHA-CBD-CGD-O1D
24	B	603	CLA	CHA-CBD-CGD-O2D
24	B	608	CLA	CHA-CBD-CGD-O1D
24	B	615	CLA	CHA-CBD-CGD-O2D
24	C	508	CLA	CHA-CBD-CGD-O1D
24	C	508	CLA	CHA-CBD-CGD-O2D
24	C	510	CLA	CHA-CBD-CGD-O1D
24	a	409	CLA	CHA-CBD-CGD-O1D
24	a	409	CLA	CHA-CBD-CGD-O2D
24	b	604	CLA	CHA-CBD-CGD-O2D
24	c	504	CLA	CHA-CBD-CGD-O1D
24	c	514	CLA	CHA-CBD-CGD-O2D
24	b	614	CLA	C4-C3-C5-C6
24	a	412	CLA	C2-C3-C5-C6
24	c	512	CLA	C2-C3-C5-C6
39	c	518	DGD	C2B-C3B-C4B-C5B
37	B	640	LHG	C17-C18-C19-C20
37	d	410	LHG	O8-C23-C24-C25
28	c	522	LMG	O7-C8-C9-O8
37	e	101	LHG	O7-C5-C6-O8
27	L	102	SQD	O48-C23-C24-C25
28	b	623	LMG	O8-C28-C29-C30
24	C	508	CLA	C16-C17-C18-C19
25	A	408	PHO	CHA-CBD-CGD-O1D
28	b	623	LMG	C16-C17-C18-C19
36	B	625	HTG	O5-C5-C6-O6
24	c	511	CLA	C12-C13-C15-C16
24	c	508	CLA	C16-C17-C18-C19
33	A	422[B]	PL9	C4-C3-C7-C8
33	d	407	PL9	C4-C3-C7-C8
27	L	101	SQD	C11-C10-C9-C8
27	L	101	SQD	C33-C34-C35-C36
28	B	621	LMG	C15-C16-C17-C18
39	c	518	DGD	O2G-C1B-C2B-C3B
39	c	519	DGD	O2G-C1B-C2B-C3B
39	c	520	DGD	O1G-C1A-C2A-C3A
27	D	408	SQD	C26-C27-C28-C29
24	A	407	CLA	C14-C13-C15-C16
24	B	617	CLA	C14-C13-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
24	C	508	CLA	C11-C10-C8-C9
28	B	621	LMG	C10-C11-C12-C13
27	L	101	SQD	C16-C17-C18-C19
29	z	101	LMT	C3-C4-C5-C6
24	B	613	CLA	O1A-CGA-O2A-C1
29	a	402	LMT	C11-C10-C9-C8
24	b	614	CLA	C8-C10-C11-C12
39	C	518	DGD	C6A-C7A-C8A-C9A
37	D	409	LHG	O10-C23-C24-C25
39	C	519	DGD	C4A-C5A-C6A-C7A
24	b	618	CLA	C13-C15-C16-C17
30	d	402	GOL	O1-C1-C2-C3
30	d	413	GOL	O1-C1-C2-C3
27	a	401	SQD	O10-C23-O48-C46
24	c	515	CLA	C2-C3-C5-C6
25	A	408	PHO	C2-C3-C5-C6
27	f	102	SQD	O10-C23-C24-C25
24	C	513	CLA	CBA-CGA-O2A-C1
27	a	401	SQD	C24-C23-O48-C46
24	C	507	CLA	C10-C11-C12-C13
40	f	101	HEM	CAD-CBD-CGD-O2D
24	B	613	CLA	C13-C15-C16-C17
27	L	101	SQD	O6-C44-C45-C46
24	C	502	CLA	C2A-CAA-CBA-CGA
28	d	411	LMG	C35-C36-C37-C38
36	C	523	HTG	C4-C5-C6-O6
24	c	515	CLA	C4-C3-C5-C6
39	C	519	DGD	O1G-C1A-C2A-C3A
28	C	520	LMG	C21-C22-C23-C24
37	B	640	LHG	C13-C14-C15-C16
27	A	411	SQD	O49-C7-C8-C9
39	C	518	DGD	O1B-C1B-C2B-C3B
39	c	520	DGD	O1A-C1A-C2A-C3A
37	l	302	LHG	C17-C18-C19-C20
37	d	409	LHG	C4-O6-P-O5
27	D	408	SQD	O10-C23-C24-C25
37	d	410	LHG	O10-C23-C24-C25
28	D	412	LMG	O7-C10-C11-C12
27	L	102	SQD	O5-C1-O6-C44
28	c	521	LMG	C39-C40-C41-C42
26	D	405	BCR	C5-C6-C7-C8
26	Y	302	BCR	C23-C24-C25-C26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
26	k	302	BCR	C23-C24-C25-C26
41	H	101	RRX	C23-C24-C25-C26
28	a	415	LMG	C29-C30-C31-C32
39	h	1205	DGD	CBB-CCB-CDB-CEB
24	c	503	CLA	CAA-CBA-CGA-O2A
24	B	605	CLA	C16-C17-C18-C20
24	C	508	CLA	C2A-CAA-CBA-CGA
29	a	402	LMT	C4-C5-C6-C7
37	l	302	LHG	C11-C12-C13-C14
24	B	610	CLA	CAD-CBD-CGD-O1D
24	C	505	CLA	CAD-CBD-CGD-O1D
24	b	610	CLA	CAD-CBD-CGD-O1D
24	b	612	CLA	CAD-CBD-CGD-O1D
24	c	506	CLA	CAD-CBD-CGD-O1D
39	c	518	DGD	O1B-C1B-C2B-C3B
28	c	521	LMG	C37-C38-C39-C40
37	E	101	LHG	C11-C10-C9-C8
24	B	605	CLA	C6-C7-C8-C9
24	a	412	CLA	C11-C10-C8-C9
39	C	519	DGD	CCA-CDA-CEA-CFA
30	C	527	GOL	O2-C2-C3-O3
30	c	526	GOL	O1-C1-C2-O2
28	a	415	LMG	C20-C21-C22-C23
24	B	612	CLA	C8-C10-C11-C12
24	c	505	CLA	C15-C16-C17-C18
27	L	102	SQD	O10-C23-C24-C25
37	d	410	LHG	C11-C12-C13-C14
37	e	101	LHG	O8-C23-C24-C25
28	b	623	LMG	C22-C23-C24-C25
24	B	607	CLA	C10-C11-C12-C13
28	d	411	LMG	O7-C10-C11-C12
24	B	611	CLA	C15-C16-C17-C18
24	c	508	CLA	C3-C5-C6-C7
24	B	616	CLA	C12-C13-C15-C16
24	C	505	CLA	C11-C12-C13-C15
24	a	412	CLA	C11-C10-C8-C7
24	b	610	CLA	C12-C13-C15-C16
24	c	515	CLA	C11-C10-C8-C7
36	c	524	HTG	C2-C1-S1-C1'
24	B	614	CLA	CAA-CBA-CGA-O2A
24	C	506	CLA	CAA-CBA-CGA-O2A
24	C	511	CLA	CAA-CBA-CGA-O2A

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
24	c	514	CLA	CAA-CBA-CGA-O2A
25	d	401	PHO	C8-C10-C11-C12
28	B	621	LMG	O8-C28-C29-C30
27	A	413	SQD	O5-C1-O6-C44
24	C	509	CLA	C5-C6-C7-C8
36	C	523	HTG	C1'-C2'-C3'-C4'
28	b	623	LMG	O10-C28-C29-C30
39	C	519	DGD	O1A-C1A-C2A-C3A
37	D	411	LHG	C30-C31-C32-C33
39	H	102	DGD	CBB-CCB-CDB-CEB
37	d	409	LHG	C34-C35-C36-C37
24	B	610	CLA	C4-C3-C5-C6
39	c	520	DGD	CDB-CEB-CFB-CGB
24	b	616	CLA	CAA-CBA-CGA-O2A


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




























































































































































































































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	334/344 (97%)	0.15	14 (4%) 36 45	31, 37, 60, 107	0
1	a	334/344 (97%)	0.44	36 (10%) 5 9	33, 39, 72, 113	0
2	B	505/505 (100%)	0.23	42 (8%) 11 17	32, 42, 68, 98	0
2	b	503/505 (99%)	0.34	56 (11%) 5 8	34, 45, 79, 146	0
3	C	451/455 (99%)	0.17	32 (7%) 16 24	35, 47, 64, 116	0
3	c	455/455 (100%)	0.35	38 (8%) 11 17	37, 51, 67, 121	0
4	D	341/342 (99%)	0.05	10 (2%) 51 60	30, 38, 53, 116	0
4	d	341/342 (99%)	0.04	12 (3%) 44 53	33, 42, 63, 115	0
5	E	81/83 (97%)	0.51	11 (13%) 3 4	41, 54, 77, 107	0
5	e	79/83 (95%)	1.12	19 (24%) 0 0	49, 63, 102, 131	0
6	F	34/44 (77%)	0.11	1 (2%) 51 60	41, 46, 66, 88	0
6	f	31/44 (70%)	0.06	2 (6%) 18 27	47, 54, 71, 107	0
7	H	63/63 (100%)	0.16	2 (3%) 47 57	39, 48, 62, 106	0
7	h	63/63 (100%)	0.50	8 (12%) 3 6	43, 54, 69, 103	0
8	I	35/38 (92%)	0.13	3 (8%) 10 16	44, 53, 98, 126	0
8	i	35/38 (92%)	0.42	1 (2%) 51 60	42, 51, 89, 144	0
9	J	36/40 (90%)	-0.17	2 (5%) 24 33	39, 51, 83, 101	0
9	j	39/40 (97%)	0.48	8 (20%) 1 1	46, 60, 129, 148	0
10	K	37/37 (100%)	-0.22	1 (2%) 54 63	44, 52, 68, 82	0
10	k	37/37 (100%)	0.22	3 (8%) 12 18	49, 59, 74, 90	0
11	L	37/37 (100%)	-0.12	1 (2%) 54 63	31, 36, 83, 113	0
11	l	37/37 (100%)	0.12	1 (2%) 54 63	33, 36, 85, 112	0
12	M	32/36 (88%)	-0.22	0 100 100	33, 37, 54, 85	0
12	m	33/36 (91%)	0.12	1 (3%) 50 59	33, 37, 59, 88	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	O	244/244 (100%)	0.67	51 (20%) 1 1	33, 50, 90, 139	0
13	o	243/244 (99%)	0.60	40 (16%) 1 2	36, 50, 96, 134	0
14	T	29/32 (90%)	-0.08	1 (3%) 45 55	32, 37, 71, 108	0
14	t	29/32 (90%)	0.45	3 (10%) 6 10	32, 37, 67, 88	0
15	U	97/104 (93%)	0.15	3 (3%) 49 58	39, 49, 73, 80	0
15	u	97/104 (93%)	-0.16	2 (2%) 63 72	41, 51, 71, 102	0
16	V	137/137 (100%)	-0.04	4 (2%) 51 60	37, 46, 62, 85	0
16	v	137/137 (100%)	0.54	20 (14%) 2 3	42, 56, 77, 107	0
17	Y	28/30 (93%)	1.63	10 (35%) 0 0	50, 62, 117, 138	0
17	y	28/30 (93%)	1.70	11 (39%) 0 0	59, 75, 110, 127	0
18	X	38/40 (95%)	0.50	6 (15%) 2 2	46, 56, 69, 91	0
18	x	37/40 (92%)	0.59	4 (10%) 5 9	52, 63, 101, 124	0
19	Z	61/62 (98%)	1.79	24 (39%) 0 0	52, 64, 100, 117	0
19	z	60/62 (96%)	2.66	36 (60%) 0 0	61, 74, 107, 118	0
20	R	34/41 (82%)	5.12	34 (100%) 0 0	68, 92, 107, 117	0
All	All	5272/5387 (97%)	0.36	553 (10%) 6 10	30, 46, 80, 148	0

All (553) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
20	R	34	LEU	11.4
20	R	18	TRP	10.8
17	Y	22	LEU	8.7
19	z	5	PHE	7.9
20	R	14	LEU	7.9
20	R	3	TRP	7.9
19	z	4	LEU	7.6
2	b	486	LEU	7.5
2	b	484	PRO	7.5
2	b	495	PHE	7.1
17	y	22	LEU	6.9
19	z	60	PHE	6.9
17	Y	19	ILE	6.6
1	A	11	ALA	6.5
20	R	6	LEU	6.4
13	o	246	ALA	6.3
20	R	19	ALA	6.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	b	485	GLU	6.1
19	z	9	LEU	6.0
19	Z	7	LEU	6.0
13	o	26	ALA	6.0
2	B	494	GLY	6.0
2	B	487	SER	5.9
10	k	18	PHE	5.8
13	O	3	GLN	5.8
20	R	32	GLN	5.8
20	R	35	LEU	5.8
2	B	495	PHE	5.7
20	R	10	LEU	5.7
2	b	293	ALA	5.7
20	R	5	VAL	5.6
1	a	11	ALA	5.6
17	y	25	ILE	5.5
18	x	38	GLN	5.5
13	O	137	THR	5.4
20	R	23	ILE	5.4
20	R	25	PRO	5.4
2	B	486	LEU	5.3
20	R	7	VAL	5.3
18	x	37	VAL	5.3
5	e	21	VAL	5.3
16	v	26	TYR	5.3
20	R	27	ALA	5.2
2	B	85	GLY	5.2
19	z	53	VAL	5.2
2	b	496	TYR	5.2
5	e	25	ILE	5.2
19	Z	61	VAL	5.2
19	z	57	LEU	5.2
1	a	14	TRP	5.2
2	b	487	SER	5.1
19	z	7	LEU	5.1
1	A	230	THR	5.1
8	I	36	ASP	5.1
13	o	136	ILE	5.1
13	O	136	ILE	5.0
13	O	4	THR	5.0
13	o	36	GLN	5.0
4	d	240	ALA	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
19	Z	33	TRP	4.9
19	Z	3	ILE	4.9
4	d	238	THR	4.9
20	R	22	ASN	4.9
2	b	493	TRP	4.9
13	o	35	SER	4.8
4	d	237	PRO	4.8
17	y	19	ILE	4.8
7	h	6	TRP	4.8
2	b	504	THR	4.8
13	o	87	VAL	4.8
20	R	26	TYR	4.8
20	R	31	VAL	4.8
13	o	32	ILE	4.7
20	R	24	LEU	4.7
2	b	295	GLY	4.7
5	E	84	LYS	4.7
19	Z	32	ASP	4.6
19	z	41	PHE	4.6
19	Z	42	LEU	4.6
20	R	21	ARG	4.6
1	a	224	ILE	4.6
19	Z	4	LEU	4.6
14	t	30	THR	4.5
19	z	3	ILE	4.5
19	z	10	ALA	4.5
2	b	489	GLU	4.4
20	R	15	ALA	4.4
20	R	28	VAL	4.4
2	b	290	ALA	4.4
13	o	27	ARG	4.4
4	D	238	THR	4.3
16	v	8	LEU	4.3
13	O	27	ARG	4.3
3	C	143	TYR	4.3
13	o	30	TYR	4.3
16	v	21	LEU	4.3
2	b	218	LEU	4.2
19	z	8	ALA	4.2
3	C	257	PHE	4.2
2	b	85	GLY	4.2
20	R	12	VAL	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
20	R	20	VAL	4.2
19	Z	31	GLN	4.2
2	b	502	VAL	4.2
5	E	17	VAL	4.2
1	a	297	LEU	4.1
14	t	29	ILE	4.1
20	R	16	ALA	4.1
16	v	19	ILE	4.1
18	x	34	ILE	4.1
13	O	204	VAL	4.1
19	z	18	VAL	4.1
13	o	243	ILE	4.1
13	O	130	GLN	4.1
19	z	46	LEU	4.1
4	D	11	GLU	4.0
13	o	135	SER	4.0
13	o	34	SER	4.0
17	Y	21	GLN	4.0
20	R	30	GLN	4.0
1	a	295	PHE	4.0
20	R	29	LYS	4.0
13	o	22	LEU	4.0
19	z	11	ALA	4.0
2	b	294	SER	4.0
1	A	12	ASN	4.0
5	e	17	VAL	4.0
13	o	141[A]	ASP	3.9
5	e	59	GLU	3.9
3	c	426	LEU	3.9
2	b	494	GLY	3.9
19	z	49	ALA	3.9
13	O	56	PRO	3.9
20	R	13	LEU	3.9
19	z	14	ILE	3.9
1	a	235	TYR	3.9
2	b	126	PRO	3.9
13	O	25	THR	3.8
13	O	135	SER	3.8
2	b	488	PRO	3.8
1	a	243	GLU	3.8
14	T	30	THR	3.8
19	z	2	THR	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
20	R	4	ARG	3.8
13	o	29	ALA	3.8
13	o	25	THR	3.8
3	c	87	ILE	3.8
13	o	211	ILE	3.8
13	O	30	TYR	3.8
1	a	13	LEU	3.8
2	B	86	ILE	3.7
9	j	3	SER	3.7
19	Z	30	PRO	3.7
20	R	33	LYS	3.7
13	o	38	TYR	3.7
13	O	142	PHE	3.7
3	c	198	VAL	3.7
5	e	61	ARG	3.7
16	v	22	THR	3.7
2	B	488	PRO	3.7
13	o	204	VAL	3.7
2	B	479	PHE	3.6
19	z	6	GLN	3.6
2	B	496	TYR	3.6
1	A	13	LEU	3.6
3	c	272	LEU	3.6
13	o	142	PHE	3.6
13	O	29	ALA	3.6
2	B	490	GLN	3.6
2	b	292	LEU	3.6
19	z	13	VAL	3.6
3	c	20	SER	3.6
19	Z	2	THR	3.6
1	A	14	TRP	3.5
2	b	298	LEU	3.5
13	O	133	VAL	3.5
13	O	26	ALA	3.5
2	b	297	THR	3.5
13	O	138	THR	3.5
13	o	33	ASP	3.5
15	U	58	VAL	3.5
5	e	20	TRP	3.5
3	c	200	THR	3.5
18	X	2	THR	3.4
4	d	236	ASN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
13	O	28	GLY	3.4
13	O	246	ALA	3.4
13	O	87	VAL	3.4
2	B	461	LEU	3.4
3	C	255	THR	3.4
2	b	483	ASP	3.4
5	E	21	VAL	3.4
9	j	8	ILE	3.4
17	Y	20	ALA	3.3
2	b	86	ILE	3.3
9	j	5	GLY	3.3
2	b	503	THR	3.3
3	C	436	PHE	3.3
1	a	242	GLU	3.3
3	C	254	THR	3.3
2	b	291	SER	3.3
2	b	242	ILE	3.3
18	x	39	ARG	3.3
2	b	500	GLY	3.3
3	c	204	LEU	3.3
18	X	37	VAL	3.3
19	z	56	VAL	3.3
2	B	84	THR	3.3
17	Y	25	ILE	3.2
13	o	133	VAL	3.2
3	c	143	TYR	3.2
13	O	132	ASN	3.2
13	O	139	SER	3.2
3	C	431	PHE	3.2
20	R	2	ASP	3.2
3	C	433	LEU	3.2
13	O	93	LEU	3.2
1	A	16	ARG	3.2
19	z	42	LEU	3.2
1	a	225	ARG	3.2
13	o	37	THR	3.2
3	C	23	ALA	3.2
16	v	1	ALA	3.2
5	e	32	ILE	3.2
3	c	425	TRP	3.2
7	h	8	GLY	3.2
5	E	82	GLN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
19	z	51	VAL	3.1
3	c	21	ILE	3.1
2	B	504	THR	3.1
3	c	429	SER	3.1
5	E	72	ALA	3.1
13	o	202	ALA	3.1
2	b	499	VAL	3.1
13	o	28	GLY	3.1
5	e	24	SER	3.1
1	A	249	VAL	3.1
3	C	432	VAL	3.1
19	Z	36	SER	3.1
19	z	61	VAL	3.1
4	D	114	ILE	3.1
18	X	34	ILE	3.1
3	C	434	ALA	3.1
11	L	1	MET	3.1
13	o	24	ASP	3.0
16	v	16	GLY	3.0
5	e	57	ALA	3.0
13	o	134	THR	3.0
2	b	501	ASP	3.0
2	b	238	LEU	3.0
17	y	37	PHE	3.0
1	a	16	ARG	3.0
1	a	260	PHE	3.0
2	B	411	PHE	3.0
2	b	301	ALA	3.0
3	c	427	ALA	3.0
3	c	434	ALA	3.0
13	O	24	ASP	3.0
16	v	113	VAL	3.0
2	b	461	LEU	2.9
2	B	61	PHE	2.9
2	b	296	ALA	2.9
16	v	7	VAL	2.9
3	c	203	THR	2.9
4	D	45	LEU	2.9
5	e	36	LEU	2.9
20	R	17	GLY	2.9
17	y	23	THR	2.9
2	B	33	TRP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
19	z	43	GLY	2.9
2	b	84	THR	2.9
19	Z	56	VAL	2.9
16	v	12	LEU	2.9
17	y	30	ILE	2.9
2	B	250	PHE	2.9
3	c	183	GLY	2.9
13	o	23	ASP	2.9
2	b	457	VAL	2.9
3	c	433	LEU	2.9
13	O	32	ILE	2.9
2	b	492	GLU	2.9
19	Z	57	LEU	2.9
5	e	14	ILE	2.9
19	Z	40	ILE	2.9
2	b	244	ALA	2.9
3	c	432	VAL	2.8
20	R	11	PRO	2.8
16	v	4	THR	2.8
13	O	60	ARG	2.8
20	R	8	VAL	2.8
7	h	10	ILE	2.8
2	B	251	VAL	2.8
15	u	8	GLU	2.8
7	H	64	ALA	2.8
7	h	64	ALA	2.8
1	A	228	THR	2.8
13	o	21	THR	2.8
13	O	131	PRO	2.8
19	z	59	PHE	2.8
8	i	33	LYS	2.8
5	e	56	TYR	2.8
1	a	12	ASN	2.8
1	a	159	LEU	2.8
3	c	428	THR	2.8
2	b	458	PHE	2.8
17	Y	24	MET	2.8
1	a	161	TYR	2.8
5	E	83	LEU	2.7
2	b	463	PHE	2.7
6	f	42	PHE	2.7
4	D	13	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	253	ALA	2.7
2	B	298	LEU	2.7
3	c	430	HIS	2.7
3	C	155	ASN	2.7
17	Y	27	MET	2.7
13	O	88	ASN	2.7
1	a	160	ILE	2.7
2	b	129	GLY	2.7
2	b	217	ILE	2.7
3	C	283	GLY	2.7
13	O	206	GLY	2.7
16	V	19	ILE	2.7
2	b	246	PHE	2.7
1	a	246	TYR	2.7
2	B	457	VAL	2.7
19	Z	53	VAL	2.7
2	b	460	LEU	2.7
20	R	9	LEU	2.7
2	B	489	GLU	2.7
2	b	464	PHE	2.7
2	b	219	VAL	2.7
12	m	34	LYS	2.7
17	y	26	ALA	2.6
9	j	4	GLU	2.6
1	a	309	ALA	2.6
2	B	459	ALA	2.6
13	O	41	ALA	2.6
1	a	339	PHE	2.6
4	d	241	GLU	2.6
9	J	6	GLY	2.6
2	B	482	ILE	2.6
13	O	89	SER	2.6
19	Z	5	PHE	2.6
3	C	204	LEU	2.6
13	o	245	PRO	2.6
16	v	5	PRO	2.6
1	a	157	VAL	2.6
2	B	462	PHE	2.6
6	F	16	PHE	2.6
1	a	343	LEU	2.6
3	C	262	ARG	2.6
9	j	2	MET	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	34	ALA	2.5
2	B	460	LEU	2.5
1	a	15	GLU	2.5
5	e	58	GLN	2.5
3	C	352	GLY	2.5
13	O	238	VAL	2.5
2	b	249	ALA	2.5
17	y	20	ALA	2.5
1	a	293	MET	2.5
11	l	1	MET	2.5
5	e	26	THR	2.5
3	c	60	ILE	2.5
5	E	25	ILE	2.5
9	j	12	ILE	2.5
19	z	40	ILE	2.5
1	a	226	GLU	2.5
18	X	38	GLN	2.5
2	B	247	PHE	2.5
17	y	34	MET	2.5
13	O	91	GLY	2.5
2	B	503	THR	2.5
2	b	285[A]	ASN	2.5
2	b	498	LYS	2.5
10	K	14	ALA	2.5
19	Z	62	VAL	2.5
17	y	24	MET	2.5
19	Z	60	PHE	2.5
3	c	276	LEU	2.5
19	z	50	LEU	2.5
13	o	89	SER	2.5
1	A	163	ILE	2.5
1	a	192	ILE	2.5
3	C	290	VAL	2.5
4	d	152	VAL	2.5
13	O	201	VAL	2.5
16	v	10	VAL	2.5
5	E	74	GLN	2.5
13	O	36	GLN	2.5
13	o	4	THR	2.5
3	c	424	SER	2.5
1	a	290	ILE	2.4
3	C	285	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
13	O	141[A]	ASP	2.4
4	d	154	VAL	2.4
3	C	256	PRO	2.4
13	o	203	LYS	2.4
1	A	336	ALA	2.4
1	a	249	VAL	2.4
16	v	18	THR	2.4
17	y	21	GLN	2.4
13	O	23	ASP	2.4
13	O	90	ASP	2.4
19	Z	41	PHE	2.4
3	c	201[A]	ASN	2.4
2	b	459	ALA	2.4
3	c	199	ILE	2.4
4	d	150	ILE	2.4
13	O	129	THR	2.4
13	o	208	THR	2.4
4	D	78	VAL	2.4
1	a	288	LEU	2.4
13	O	5	LEU	2.4
2	b	479	PHE	2.4
3	c	437	PHE	2.4
2	B	248	ALA	2.4
13	O	92	SER	2.4
17	Y	30	ILE	2.4
7	H	29	PRO	2.4
2	b	497	GLN	2.4
3	C	253	LEU	2.4
3	C	182	PHE	2.4
19	z	44	SER	2.4
2	B	483	ASP	2.4
10	k	14	ALA	2.4
2	B	297	THR	2.4
13	O	58	ASN	2.4
19	z	30	PRO	2.4
3	C	225	VAL	2.4
5	e	22	ILE	2.4
8	I	34	ARG	2.3
4	d	148	ALA	2.3
4	D	173	PHE	2.3
3	c	291	TRP	2.3
4	d	280	TRP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	a	163	ILE	2.3
4	D	123	ILE	2.3
16	V	7	VAL	2.3
1	A	243	GLU	2.3
1	a	19	ASN	2.3
14	t	16	LEU	2.3
3	C	287	THR	2.3
13	O	237	GLY	2.3
3	C	289	PHE	2.3
3	c	436	PHE	2.3
5	e	10	PHE	2.3
7	h	9	ASP	2.3
4	D	150	ILE	2.3
19	z	48	ILE	2.3
2	B	456	ALA	2.3
5	e	42	LEU	2.3
13	O	22	LEU	2.3
13	O	199	LEU	2.3
18	X	23	LEU	2.3
5	E	81	GLU	2.3
13	O	154	ALA	2.3
13	O	140	THR	2.3
1	a	151	LEU	2.3
3	c	182	PHE	2.3
1	A	15	GLU	2.3
2	B	484	PRO	2.3
3	c	202	PRO	2.3
13	o	41	ALA	2.3
3	C	438	LEU	2.3
3	c	435	PHE	2.2
19	z	58	ASN	2.2
2	B	242	ILE	2.2
9	J	8	ILE	2.2
18	X	31	ILE	2.2
19	z	33	TRP	2.2
2	B	29	LEU	2.2
15	u	102	LEU	2.2
10	k	13	GLU	2.2
3	C	435	PHE	2.2
13	O	65	PHE	2.2
2	B	293	ALA	2.2
19	z	54	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	d	159	ILE	2.2
2	B	485	GLU	2.2
3	c	192	GLY	2.2
16	v	15	GLU	2.2
1	a	17	PHE	2.2
2	B	249	ALA	2.2
9	j	14	ALA	2.2
19	z	20	VAL	2.2
19	z	15	LEU	2.2
3	C	142	GLU	2.2
13	o	139	SER	2.2
3	C	147	PHE	2.2
17	Y	26	ALA	2.2
1	A	231	GLU	2.2
5	E	24	SER	2.2
15	U	73[A]	GLN	2.2
13	O	153	THR	2.2
13	o	244	GLU	2.2
1	a	155	PHE	2.2
2	b	462	PHE	2.2
19	Z	29	SER	2.1
3	C	337	LEU	2.1
7	h	12	ARG	2.1
13	O	239	PHE	2.1
1	a	280	VAL	2.1
3	c	439	VAL	2.1
17	Y	41	VAL	2.1
3	c	86	LEU	2.1
13	o	85	LEU	2.1
16	v	3	LEU	2.1
16	v	27	LEU	2.1
13	O	212	ALA	2.1
3	C	291	TRP	2.1
3	C	437	PHE	2.1
3	C	355	THR	2.1
5	e	23	HIS	2.1
2	b	289	GLN	2.1
3	c	196	VAL	2.1
2	B	31	ALA	2.1
16	v	114	ALA	2.1
2	B	292	LEU	2.1
3	c	88	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	c	404	LEU	2.1
4	D	122	LEU	2.1
7	h	14	LEU	2.1
13	o	31	PRO	2.1
5	e	19	TYR	2.1
3	c	287	THR	2.1
16	V	18	THR	2.1
16	v	20	THR	2.1
19	z	35	ARG	2.1
2	b	250	PHE	2.1
13	O	156	PHE	2.1
19	Z	18	VAL	2.1
1	a	287	ALA	2.1
1	a	294	ALA	2.1
13	o	130	GLN	2.1
5	E	73	LYS	2.1
19	Z	35	ARG	2.0
19	Z	34	ASP	2.0
2	B	464	PHE	2.0
7	h	23	PRO	2.0
1	A	159	LEU	2.0
6	f	43	ILE	2.0
16	V	4	THR	2.0
8	I	25	SER	2.0
2	b	251	VAL	2.0
3	c	208	VAL	2.0
4	d	235	PHE	2.0
9	j	6	GLY	2.0
15	U	79	LEU	2.0
19	Z	39	LEU	2.0
3	C	282	MET	2.0
16	v	6	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
19	FME	Z	1	10/11	0.83	0.32	88,100,114,119	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
14	FME	t	1	10/11	0.93	0.11	34,38,57,70	0
8	FME	i	1	10/11	0.95	0.15	43,48,54,55	0
14	FME	T	1	10/11	0.95	0.07	37,44,64,68	0
12	FME	m	1	10/11	0.96	0.13	42,50,78,87	0
12	FME	M	1	10/11	0.97	0.12	44,51,79,81	0
4	HSK	d	336[A]	10/12	0.97	0.10	46,49,54,56	7
4	HSK	d	336[B]	11/12	0.97	0.10	46,49,55,57	8
8	FME	I	1	10/11	0.98	0.08	44,49,54,54	0
4	HSK	D	336[A]	10/12	0.98	0.10	40,42,44,46	7
4	HSK	D	336[B]	11/12	0.98	0.10	40,41,43,45	8

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
31	UNL	B	639	15/-	0.42	0.45	88,95,108,108	0
31	UNL	A	419	10/-	0.45	0.34	79,90,94,95	0
30	GOL	h	1206	6/6	0.49	0.31	95,104,105,109	0
31	UNL	b	633	15/-	0.49	0.26	80,90,106,106	0
31	UNL	E	103	15/-	0.52	0.41	76,79,90,95	0
36	HTG	b	626	19/19	0.52	0.34	74,133,142,142	0
39	DGD	D	407	53/66	0.53	0.31	76,89,137,139	0
31	UNL	B	635	13/-	0.54	0.23	78,94,106,107	0
31	UNL	b	635	15/-	0.54	0.45	89,106,109,110	0
31	UNL	I	104	15/-	0.56	0.35	87,94,102,103	0
31	UNL	a	423	10/-	0.56	0.38	94,98,104,104	0
31	UNL	k	301	16/-	0.57	0.20	82,118,131,131	0
31	UNL	A	417	40/-	0.58	0.34	74,94,119,122	0
36	HTG	D	413	19/19	0.58	0.41	71,120,132,134	0
31	UNL	a	419	40/-	0.59	0.43	78,107,124,132	0
38	DMS	b	636	4/4	0.61	0.34	134,135,138,139	0
38	DMS	o	309	4/4	0.61	0.21	140,142,142,143	0
29	LMT	C	521	35/35	0.61	0.44	76,138,158,160	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
38	DMS	a	426	4/4	0.63	0.32	144,146,147,147	0
31	UNL	D	415	12/-	0.63	0.35	79,86,92,94	0
31	UNL	B	638	9/-	0.64	0.39	67,73,84,86	0
31	UNL	h	1201	15/-	0.65	0.53	87,104,123,123	0
31	UNL	e	102	15/-	0.65	0.34	76,82,97,98	0
29	LMT	f	104	35/35	0.66	0.40	90,115,143,147	0
33	PL9	A	422[B]	55/55	0.66	0.44	54,80,96,98	55
35	CA	B	601	1/1	0.66	0.10	110,110,110,110	0
38	DMS	o	307	4/4	0.67	0.32	121,123,123,124	0
36	HTG	d	414	19/19	0.68	0.23	71,103,114,118	19
30	GOL	b	630	6/6	0.68	0.18	57,75,76,76	0
31	UNL	A	418	15/-	0.68	0.60	85,88,97,98	0
31	UNL	b	632	15/-	0.69	0.29	71,86,107,108	0
27	SQD	L	101	54/54	0.69	0.27	55,83,128,132	0
36	HTG	h	1202	19/19	0.69	0.37	89,109,120,121	0
31	UNL	x	802	18/-	0.69	0.21	60,74,107,110	0
36	HTG	I	102	19/19	0.70	0.24	73,112,128,132	0
31	UNL	J	104	16/-	0.70	0.29	76,87,94,96	0
31	UNL	x	801	12/-	0.70	0.26	77,89,94,95	0
31	UNL	j	1302	16/-	0.70	0.33	69,82,99,100	0
38	DMS	B	644	4/4	0.70	0.18	136,138,138,138	0
38	DMS	o	304	4/4	0.71	0.24	101,113,115,116	0
31	UNL	E	102	15/-	0.71	0.33	77,85,99,99	0
30	GOL	a	418	6/6	0.71	0.24	69,82,85,86	0
31	UNL	Y	301	12/-	0.71	0.23	82,91,97,98	0
31	UNL	c	531	11/-	0.72	0.20	84,96,105,106	0
29	LMT	m	101	35/35	0.72	0.23	49,71,97,101	0
29	LMT	b	624	25/35	0.72	0.22	69,95,125,130	0
31	UNL	B	637	10/-	0.72	0.19	89,96,99,100	0
28	LMG	C	532	51/55	0.72	0.28	64,117,127,130	0
38	DMS	B	645	4/4	0.72	0.29	129,130,130,130	0
29	LMT	M	101	35/35	0.73	0.22	47,71,83,85	0
31	UNL	J	103	15/-	0.73	0.25	76,86,98,99	0
33	PL9	a	425[B]	55/55	0.73	0.53	41,71,125,126	55
38	DMS	C	533	4/4	0.73	0.25	99,102,107,111	0
31	UNL	i	103	40/-	0.73	0.42	73,93,120,123	0
31	UNL	c	529	12/-	0.74	0.18	93,97,103,105	0
30	GOL	C	527	6/6	0.74	0.18	80,86,90,90	0
38	DMS	B	643	4/4	0.74	0.16	87,99,102,103	0
31	UNL	d	403	40/-	0.74	0.28	57,83,114,117	0
36	HTG	b	602	19/19	0.74	0.17	70,114,131,134	0
30	GOL	T	103	6/6	0.74	0.27	116,117,119,120	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
31	UNL	C	526	15/-	0.75	0.22	80,91,111,112	0
29	LMT	E	104	24/35	0.75	0.30	84,98,107,112	0
31	UNL	h	1207	12/-	0.75	0.46	67,87,101,103	0
38	DMS	E	106	4/4	0.75	0.30	109,113,116,119	0
29	LMT	J	102	24/35	0.75	0.22	65,86,117,122	0
29	LMT	m	103	35/35	0.75	0.21	57,74,104,105	0
30	GOL	c	532	6/6	0.75	0.24	59,87,90,93	0
29	LMT	c	523	35/35	0.75	0.45	103,134,152,153	0
30	GOL	k	304	6/6	0.75	0.22	101,105,108,118	0
30	GOL	v	1601	6/6	0.75	0.25	70,85,94,98	0
31	UNL	h	1203	12/-	0.76	0.28	80,88,90,93	0
31	UNL	a	422	11/-	0.76	0.38	87,91,95,96	0
29	LMT	T	104	24/35	0.76	0.31	44,71,113,118	0
36	HTG	u	201	14/19	0.77	0.28	73,89,104,111	0
31	UNL	C	501	40/-	0.77	0.30	68,92,106,108	0
29	LMT	Z	101	35/35	0.77	0.24	54,108,130,136	0
38	DMS	z	102	4/4	0.77	0.18	141,143,143,144	0
31	UNL	A	420	9/-	0.77	0.31	98,100,108,110	0
36	HTG	C	523	19/19	0.78	0.34	72,102,110,111	0
29	LMT	m	102	35/35	0.78	0.24	39,58,71,73	0
32	K3C	a	424[A]	14/14	0.78	0.27	116,122,125,126	14
30	GOL	v	1607	6/6	0.78	0.25	56,68,79,84	0
30	GOL	E	105	6/6	0.78	0.38	100,107,109,110	0
36	HTG	c	525	19/19	0.78	0.42	69,92,102,104	19
31	UNL	C	531	18/-	0.78	0.28	69,93,106,107	0
29	LMT	B	642	24/35	0.79	0.33	51,69,117,121	0
31	UNL	c	501	40/-	0.79	0.26	76,101,136,137	0
36	HTG	b	625	19/19	0.79	0.32	47,59,82,86	0
28	LMG	c	522	51/55	0.79	0.25	58,121,129,132	0
31	UNL	b	634	9/-	0.79	0.29	67,85,95,96	0
31	UNL	X	101	16/-	0.80	0.21	55,63,78,84	0
38	DMS	o	308	4/4	0.80	0.26	77,78,84,97	0
36	HTG	B	626	19/19	0.80	0.19	55,122,127,128	0
31	UNL	B	634	18/-	0.80	0.21	73,82,96,99	0
31	UNL	I	103	16/-	0.80	0.31	66,83,91,91	0
37	LHG	e	101	40/49	0.81	0.29	90,135,148,150	0
30	GOL	A	416	6/6	0.81	0.21	55,78,82,86	0
38	DMS	b	637	4/4	0.81	0.28	89,93,97,99	0
38	DMS	d	415	4/4	0.81	0.34	114,118,118,119	0
31	UNL	a	420	12/-	0.81	0.50	75,89,106,107	0
35	CA	b	603	1/1	0.82	0.13	142,142,142,142	0
38	DMS	B	646	4/4	0.82	0.42	108,110,113,115	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
27	SQD	a	401	54/54	0.82	0.20	54,73,95,98	0
38	DMS	D	416	4/4	0.82	0.38	91,98,102,102	0
31	UNL	B	636	18/-	0.82	0.16	56,74,98,108	0
28	LMG	a	415	51/55	0.83	0.21	58,75,87,90	0
31	UNL	j	1301	18/-	0.83	0.16	66,81,110,112	0
32	K3C	A	421[A]	14/14	0.83	0.20	84,85,87,88	14
29	LMT	B	622	35/35	0.83	0.16	59,89,115,120	0
38	DMS	B	647	4/4	0.83	0.20	122,122,122,123	0
30	GOL	d	402	6/6	0.83	0.10	83,103,103,106	0
41	RRX	h	1204	41/41	0.83	0.17	41,53,65,73	0
38	DMS	Y	303	4/4	0.84	0.15	141,143,145,146	0
31	UNL	t	101	8/-	0.84	0.61	70,80,85,86	0
38	DMS	C	525	4/4	0.84	0.17	111,114,116,117	0
30	GOL	O	303	6/6	0.84	0.25	73,77,82,88	0
37	LHG	E	101	49/49	0.84	0.23	53,87,108,115	0
30	GOL	a	416	6/6	0.84	0.15	43,53,57,59	0
30	GOL	v	1605	6/6	0.85	0.21	46,56,63,65	0
38	DMS	i	104	4/4	0.85	0.21	107,108,109,109	0
30	GOL	d	413	6/6	0.85	0.11	74,93,98,99	0
27	SQD	L	102	54/54	0.85	0.19	52,76,113,120	0
30	GOL	L	103	6/6	0.85	0.22	58,69,79,82	0
31	UNL	c	530	11/-	0.85	0.15	85,92,105,108	0
36	HTG	B	624	19/19	0.85	0.40	62,98,106,108	19
31	UNL	i	102	15/-	0.85	0.14	70,79,106,106	0
29	LMT	a	402	35/35	0.85	0.20	49,68,83,93	0
30	GOL	T	101	6/6	0.86	0.22	37,55,59,63	0
31	UNL	B	632	16/-	0.86	0.23	59,74,97,97	0
38	DMS	c	535	4/4	0.86	0.37	112,112,112,113	0
30	GOL	B	631	6/6	0.86	0.15	49,60,67,73	0
30	GOL	o	305	6/6	0.86	0.21	60,85,88,89	0
41	RRX	H	101	41/41	0.86	0.15	40,50,61,71	0
36	HTG	U	201	9/19	0.86	0.27	71,84,122,126	0
28	LMG	b	623	51/55	0.87	0.19	45,56,76,79	0
38	DMS	c	536	4/4	0.87	0.23	105,108,109,111	0
28	LMG	A	412	51/55	0.87	0.20	51,73,97,101	0
36	HTG	B	623[A]	19/19	0.87	0.20	39,52,67,67	19
36	HTG	B	623[B]	19/19	0.87	0.20	31,50,67,70	19
30	GOL	C	528	6/6	0.87	0.19	66,81,86,93	0
30	GOL	C	529	6/6	0.87	0.20	93,95,101,107	0
29	LMT	z	101	32/35	0.87	0.15	63,112,129,131	0
38	DMS	v	1608	4/4	0.87	0.22	118,122,124,126	0
28	LMG	C	520	51/55	0.87	0.19	43,80,103,106	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
31	UNL	b	631	16/-	0.87	0.14	58,63,74,76	0
30	GOL	B	629	6/6	0.87	0.17	50,65,76,78	0
36	HTG	b	601	19/19	0.87	0.15	57,68,82,86	0
30	GOL	A	415	6/6	0.88	0.17	44,54,55,58	0
38	DMS	o	306	4/4	0.88	0.27	113,116,117,117	0
26	BCR	k	303	40/40	0.88	0.17	49,56,65,67	0
30	GOL	v	1602	6/6	0.88	0.48	64,75,79,86	0
30	GOL	a	421	6/6	0.88	0.19	90,97,107,111	0
31	UNL	D	402	40/-	0.88	0.15	55,72,101,107	0
30	GOL	v	1606	6/6	0.88	0.27	74,86,91,98	0
30	GOL	b	629	6/6	0.88	0.16	58,68,71,77	0
24	CLA	B	610	65/65	0.88	0.13	37,42,47,54	0
30	GOL	o	302	6/6	0.88	0.18	61,71,78,85	0
36	HTG	c	524	19/19	0.89	0.26	87,102,108,110	0
30	GOL	B	627	6/6	0.89	0.19	53,58,67,78	0
28	LMG	c	521	51/55	0.89	0.18	48,80,115,117	0
38	DMS	d	416	4/4	0.89	0.22	88,90,90,93	0
28	LMG	B	621	51/55	0.89	0.18	45,52,69,84	0
30	GOL	c	526	6/6	0.90	0.15	58,80,93,98	0
38	DMS	b	638	4/4	0.90	0.22	79,91,95,98	0
38	DMS	c	533	4/4	0.90	0.30	100,104,104,105	0
27	SQD	A	413	54/54	0.90	0.17	54,72,100,102	0
31	UNL	I	101	16/-	0.90	0.15	50,63,75,76	0
38	DMS	V	207	4/4	0.90	0.12	97,105,106,109	0
30	GOL	u	202	6/6	0.90	0.34	76,100,104,106	0
39	DGD	H	102	62/66	0.90	0.21	36,46,58,64	0
39	DGD	h	1205	62/66	0.90	0.18	41,49,62,76	0
27	SQD	f	102	33/54	0.90	0.14	74,97,122,123	0
37	LHG	l	302	49/49	0.90	0.20	38,47,66,78	0
29	LMT	A	414	35/35	0.91	0.15	52,73,95,108	0
26	BCR	c	516	40/40	0.91	0.16	58,70,74,76	0
36	HTG	B	625	19/19	0.91	0.13	52,73,95,96	0
31	UNL	i	101	16/-	0.91	0.15	59,67,82,84	0
30	GOL	V	205	6/6	0.91	0.34	72,87,90,100	0
24	CLA	c	514	65/65	0.91	0.16	49,60,88,94	0
30	GOL	c	527	6/6	0.91	0.34	65,68,78,86	0
37	LHG	D	409	49/49	0.91	0.19	40,49,57,62	0
31	UNL	T	105	9/-	0.91	0.49	72,78,85,88	0
26	BCR	K	101	40/40	0.91	0.12	39,49,56,59	0
31	UNL	H	103	8/-	0.91	0.17	71,78,81,83	0
31	UNL	d	412	16/-	0.92	0.31	54,71,95,97	0
30	GOL	V	204	6/6	0.92	0.17	42,53,56,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
36	HTG	V	203	13/19	0.92	0.21	65,71,107,111	0
35	CA	f	103	1/1	0.92	0.24	86,86,86,86	0
26	BCR	b	622	40/40	0.92	0.13	41,49,61,68	0
30	GOL	B	633	6/6	0.92	0.15	41,52,57,58	6
30	GOL	a	417	6/6	0.92	0.17	54,63,66,70	0
24	CLA	b	605	65/65	0.92	0.14	39,46,56,58	0
39	DGD	C	518	62/66	0.92	0.16	36,47,91,102	0
27	SQD	D	408	45/54	0.92	0.24	50,85,118,127	0
36	HTG	C	522	19/19	0.92	0.22	82,86,95,97	0
38	DMS	c	537	4/4	0.92	0.14	93,100,100,103	0
30	GOL	B	630	6/6	0.92	0.14	51,60,67,75	0
30	GOL	V	201	6/6	0.92	0.25	56,73,76,84	0
30	GOL	b	627	6/6	0.93	0.18	64,66,69,84	0
37	LHG	d	408	49/49	0.93	0.26	38,52,66,74	0
24	CLA	C	507	65/65	0.93	0.12	43,58,101,104	0
27	SQD	a	414	54/54	0.93	0.17	54,73,92,96	0
26	BCR	a	413	40/40	0.93	0.11	29,39,45,46	0
31	UNL	l	301	16/-	0.93	0.21	58,76,110,111	0
24	CLA	C	514	65/65	0.93	0.16	46,59,99,100	0
24	CLA	B	603	65/65	0.93	0.15	34,41,47,53	0
24	CLA	b	612	65/65	0.93	0.11	41,48,55,60	0
24	CLA	c	505	65/65	0.93	0.19	41,51,59,71	0
24	CLA	B	612	65/65	0.93	0.19	28,35,51,61	0
24	CLA	c	515	65/65	0.93	0.18	50,64,103,106	0
25	PHO	D	401	64/64	0.93	0.18	28,36,44,47	0
24	CLA	b	604	65/65	0.94	0.20	48,66,112,120	0
28	LMG	D	412	51/55	0.94	0.18	37,51,102,112	0
26	BCR	T	102	40/40	0.94	0.15	35,47,58,59	0
38	DMS	O	304	4/4	0.94	0.14	83,99,100,102	0
36	HTG	O	302	19/19	0.94	0.11	42,46,68,71	0
24	CLA	B	615	65/65	0.94	0.14	28,38,94,99	0
24	CLA	b	609	65/65	0.94	0.10	36,46,76,79	0
24	CLA	C	504	65/65	0.94	0.13	40,47,56,67	0
28	LMG	d	411	51/55	0.94	0.13	45,53,108,114	0
26	BCR	c	517	40/40	0.94	0.11	45,52,66,72	0
26	BCR	d	406	40/40	0.94	0.11	42,51,76,82	0
30	GOL	c	528	6/6	0.94	0.15	38,45,47,47	0
26	BCR	k	302	40/40	0.94	0.10	48,56,67,70	0
24	CLA	b	617	65/65	0.94	0.19	32,41,97,106	0
24	CLA	b	618	65/65	0.94	0.11	34,47,69,75	0
36	HTG	o	301	19/19	0.94	0.11	40,48,64,67	0
24	CLA	b	619	65/65	0.94	0.13	40,47,113,115	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
37	LHG	B	640	49/49	0.94	0.16	37,46,65,67	0
33	PL9	d	407	55/55	0.94	0.17	30,39,49,52	0
30	GOL	C	530	6/6	0.94	0.31	44,50,54,61	6
35	CA	F	102	1/1	0.94	0.19	77,77,77,77	0
37	LHG	d	409	49/49	0.94	0.15	34,41,59,70	0
24	CLA	c	503	65/65	0.94	0.13	41,50,64,71	0
24	CLA	c	504	65/65	0.94	0.22	38,47,62,70	0
24	CLA	B	602	65/65	0.94	0.19	38,58,106,113	0
24	CLA	c	508	65/65	0.94	0.12	47,57,86,89	0
24	CLA	C	513	65/65	0.94	0.11	45,57,86,95	0
39	DGD	c	518	62/66	0.94	0.15	38,49,91,96	0
39	DGD	c	519	62/66	0.94	0.20	43,53,110,123	0
24	CLA	B	607	65/65	0.94	0.12	33,41,67,79	0
24	CLA	D	404	65/65	0.94	0.12	36,42,98,100	0
26	BCR	C	515	40/40	0.94	0.12	47,62,66,73	0
24	CLA	C	512	65/65	0.95	0.10	39,50,56,58	0
24	CLA	d	405	65/65	0.95	0.11	43,49,94,101	0
24	CLA	b	615	65/65	0.95	0.18	34,40,51,58	0
26	BCR	B	619	40/40	0.95	0.19	34,41,56,63	0
26	BCR	B	620	40/40	0.95	0.10	38,44,58,60	0
30	GOL	V	206	6/6	0.95	0.35	55,56,63,63	0
26	BCR	B	641	40/40	0.95	0.13	35,47,61,62	0
24	CLA	C	503	65/65	0.95	0.15	36,42,59,65	0
26	BCR	C	516	40/40	0.95	0.12	42,52,57,59	0
26	BCR	D	405	40/40	0.95	0.20	36,45,76,77	0
24	CLA	B	611	65/65	0.95	0.18	35,41,52,64	0
30	GOL	b	628	6/6	0.95	0.16	47,58,62,64	0
24	CLA	D	403	65/65	0.95	0.15	25,32,50,54	0
26	BCR	Y	302	40/40	0.95	0.10	44,50,58,64	0
30	GOL	B	628	6/6	0.95	0.11	44,49,50,52	0
35	CA	c	502	1/1	0.95	0.05	61,61,61,61	0
24	CLA	C	505	65/65	0.95	0.14	36,43,80,86	0
26	BCR	b	621	40/40	0.95	0.21	34,46,59,63	0
24	CLA	a	412	65/65	0.95	0.13	33,41,113,114	0
24	CLA	B	617	65/65	0.95	0.14	35,45,111,116	0
31	UNL	D	414	16/-	0.95	0.24	46,62,78,84	0
24	CLA	c	506	65/65	0.95	0.19	40,48,77,80	0
24	CLA	C	508	65/65	0.95	0.12	41,49,68,71	0
24	CLA	c	509	65/65	0.95	0.12	41,49,68,77	0
24	CLA	c	510	65/65	0.95	0.20	38,47,105,126	0
27	SQD	A	411	54/54	0.95	0.15	40,69,91,94	0
24	CLA	c	513	65/65	0.95	0.12	42,53,62,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
24	CLA	C	511	65/65	0.95	0.15	38,44,61,72	0
24	CLA	B	605	65/65	0.96	0.23	27,35,72,80	0
24	CLA	A	409	65/65	0.96	0.12	33,39,118,122	0
24	CLA	b	607	65/65	0.96	0.19	29,39,83,87	0
24	CLA	b	608	65/65	0.96	0.15	33,39,56,62	0
38	DMS	c	534	4/4	0.96	0.19	62,74,78,78	0
24	CLA	c	507	65/65	0.96	0.11	35,45,62,67	0
37	LHG	D	411	46/49	0.96	0.14	36,44,100,104	0
24	CLA	B	608	65/65	0.96	0.14	28,34,48,53	0
24	CLA	b	610	65/65	0.96	0.13	30,38,49,52	0
24	CLA	B	604	65/65	0.96	0.17	32,40,49,53	0
37	LHG	d	410	39/49	0.96	0.17	40,46,97,100	0
30	GOL	M	102	6/6	0.96	0.11	36,38,61,71	0
26	BCR	b	620	40/40	0.96	0.18	37,43,49,51	0
24	CLA	c	512	65/65	0.96	0.26	39,48,60,71	0
24	CLA	b	613	65/65	0.96	0.12	35,46,54,70	0
24	CLA	b	614	65/65	0.96	0.22	32,38,57,65	0
24	CLA	C	502	65/65	0.96	0.14	38,47,64,75	0
24	CLA	b	616	65/65	0.96	0.23	32,38,68,71	0
25	PHO	A	408	64/64	0.96	0.12	28,34,38,40	0
39	DGD	C	519	62/66	0.96	0.13	34,43,85,94	0
24	CLA	C	509	65/65	0.96	0.14	35,43,95,116	0
30	GOL	v	1604	6/6	0.96	0.10	49,57,59,60	0
33	PL9	D	406	55/55	0.96	0.11	31,37,47,49	0
26	BCR	B	618	40/40	0.96	0.17	34,40,47,48	0
39	DGD	c	520	62/66	0.96	0.15	39,50,80,95	0
24	CLA	a	410	65/65	0.96	0.17	34,40,104,109	0
34	BCT	A	423	4/4	0.96	0.07	38,39,48,52	0
24	CLA	C	510	65/65	0.96	0.14	39,46,70,77	0
24	CLA	B	614	65/65	0.97	0.24	30,36,67,81	0
24	CLA	a	408	65/65	0.97	0.16	31,35,43,64	0
35	CA	O	301	1/1	0.97	0.20	70,70,70,70	0
24	CLA	a	409	65/65	0.97	0.13	29,34,43,53	0
24	CLA	c	511	65/65	0.97	0.26	42,50,66,70	0
24	CLA	A	405	65/65	0.97	0.12	27,32,41,63	0
24	CLA	B	616	65/65	0.97	0.12	36,42,65,71	0
24	CLA	B	609	65/65	0.97	0.15	31,39,47,50	0
24	CLA	A	406	65/65	0.97	0.10	26,32,38,53	0
24	CLA	d	404	65/65	0.97	0.17	28,36,58,65	0
39	DGD	C	517	62/66	0.97	0.19	36,47,90,91	0
24	CLA	b	606	65/65	0.97	0.13	37,44,54,57	0
37	LHG	D	410	49/49	0.97	0.12	32,42,65,78	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
24	CLA	B	606	65/65	0.97	0.18	30,37,51,54	0
24	CLA	A	407	65/65	0.97	0.15	29,35,98,100	0
25	PHO	a	411	64/64	0.97	0.16	31,37,41,47	0
25	PHO	d	401	64/64	0.97	0.15	33,41,50,54	0
26	BCR	A	410	40/40	0.97	0.15	32,40,45,47	0
24	CLA	B	613	65/65	0.97	0.18	28,37,46,53	0
40	HEM	F	101	43/43	0.97	0.08	42,52,61,65	0
40	HEM	f	101	43/43	0.97	0.16	55,66,96,113	0
24	CLA	C	506	65/65	0.97	0.14	36,46,65,70	0
24	CLA	b	611	65/65	0.97	0.15	37,44,52,58	0
34	BCT	a	407	4/4	0.98	0.07	45,48,53,58	0
23	CL	a	405	1/1	0.98	0.04	44,44,44,44	0
30	GOL	C	524	6/6	0.98	0.15	36,41,43,44	0
35	CA	o	303	1/1	0.98	0.05	67,67,67,67	0
23	CL	a	406	1/1	0.98	0.13	41,41,41,41	0
42	MG	j	1303	1/1	0.98	0.23	52,52,52,52	0
43	HEC	v	1603	43/43	0.98	0.13	40,49,54,55	0
23	CL	A	404	1/1	0.99	0.15	38,38,38,38	0
21	OEX	A	401	10/10	0.99	0.10	35,37,41,42	0
21	OEX	a	403	10/10	0.99	0.09	38,40,42,42	0
42	MG	J	101	1/1	0.99	0.09	43,43,43,43	0
22	FE2	A	402	1/1	0.99	0.06	39,39,39,39	0
43	HEC	V	202	43/43	0.99	0.07	36,42,45,49	0
23	CL	A	403	1/1	0.99	0.04	38,38,38,38	0
22	FE2	a	404	1/1	1.00	0.06	42,42,42,42	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HTG b 626:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DGD D 407:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG D 413:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UNL a 419:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT C 521:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT f 104:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PL9 A 422 (B):

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)




**Electron density around HTG d 414:**

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around SQD L 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG h 1202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG I 102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT m 101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LMT b 624:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LMG C 532:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









Electron density around UNL i 103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HTG b 602:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around LMT m 103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT c 523:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT T 104:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG u 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LMT Z 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HTG C 523:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around HTG c 525:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT B 642:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG b 625:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMG c 522:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG B 626:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LHG e 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SQD a 401:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around K3C A 421 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT B 622:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around RRX h 1204:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LHG E 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SQD L 102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG B 624:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT a 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around RRX H 101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG U 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMG b 623:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMG A 412:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)




**Electron density around HTG B 623 (A):**

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around HTG B 623 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around LMT z 101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMG C 520:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG b 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCR k 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA B 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG c 524:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMG c 521:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMG B 621:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SQD A 413:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DGD H 102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DGD h 1205:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around SQD f 102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LHG 1 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LMT A 414:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around BCR c 516:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA c 514:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around HTG V 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCR b 622:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLA b 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DGD C 518:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SQD D 408:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around HTG C 522:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LHG d 408:**



$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around SQD a 414:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCR a 413:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLA C 514:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA B 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLA b 612:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA c 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA B 612:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CLA c 515:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









Electron density around CLA b 604:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LMG D 412:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)













Electron density around CLA b 609:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CLA C 504:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around BCR d 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCR k 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA b 617:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA b 618:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG o 301:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CLA b 619:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PL9 d 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LHG d 409:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA c 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLA c 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA c 508:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around CLA C 513:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DGD c 518:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DGD c 519:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around CLA B 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)














Electron density around CLA d 405:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around CLA b 615:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)















Electron density around CLA B 611:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA D 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCR Y 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA C 505:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)




**Electron density around BCR b 621:**

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around CLA a 412:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA B 617:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA c 506:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around CLA C 508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA c 509:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA c 510:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SQD A 411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA c 513:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLA C 511:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around CLA B 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLA A 409:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA b 607:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)




**Electron density around CLA b 608:**

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around CLA c 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LHG D 411:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around CLA B 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CLA b 610:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LHG d 410:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around CLA c 512:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA b 613:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CLA b 614:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around CLA b 616:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PHO A 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DGD C 519:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLA C 509:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PL9 D 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCR B 618:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around DGD c 520:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CLA a 410:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around CLA C 510:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA B 614:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA a 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around CLA a 409:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CLA c 511:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around CLA B 616:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA B 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLA A 406:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA d 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DGD C 517:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA b 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LHG D 410:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA B 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLA A 407:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PHO a 411:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PHO d 401:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around HEM F 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM f 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLA C 506:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLA b 611:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCT a 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC v 1603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FE2 A 402:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC V 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.