



Full wwPDB NMR Structure Validation Report ⓘ

Aug 7, 2020 – 03:11 AM BST

PDB ID : 6KFI
Title : NMR solution structure of the 1:1 complex of Tel26 G-quadruplex and a tripodal cationic fluorescent probe NBTE
Authors : Liu, W.; Liu, L.Y.; Mao, Z.W.
Deposited on : 2019-07-07

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.13.1
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1

2 Ensemble composition and analysis

This entry contains 15 models. This entry does not contain polypeptide chains, therefore identification of well-defined residues and clustering analysis are not possible. All residues are included in the validation scores.


3 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 925 atoms, of which 333 are hydrogens and 0 are deuteriums.

- Molecule 1 is a DNA chain called G-quadruplex DNA (26-MER).

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		P
1	A	26	843	260	294	112	152	25	0

- Molecule 2 is 4,4',4''-(nitrilotris(benzene-4,1-diyl))tris(1-ethylpyridin-1-ium) iodide (three-letter code: D6F) (formula: C₃₉H₃₉N₄) (labeled as "Ligand of Interest" by author).




Mol	Chain	Residues	Atoms			
			Total	C	H	N
2	A	1	82	39	39	4

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: G-quadruplex DNA (26-MER)




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: G-quadruplex DNA (26-MER)



4.2.2 Score per residue for model 2

- Molecule 1: G-quadruplex DNA (26-MER)



4.2.3 Score per residue for model 3

- Molecule 1: G-quadruplex DNA (26-MER)

Chain A:  92% 8%

A1 A2 A3 G4 G5 G6 T7 T8 A9 G10 G11 G12 T13 T14 A15 A16 G17 G18 T19 T20 A21 G22 G23 G24 A25 A26

4.2.4 Score per residue for model 4

- Molecule 1: G-quadruplex DNA (26-MER)

Chain A:  92% 8%

A1 A2 A3 G4 G5 G6 T7 T8 A9 G10 G11 G12 T13 T14 A15 A16 G17 G18 T19 T20 A21 G22 G23 G24 A25 A26

4.2.5 Score per residue for model 5

- Molecule 1: G-quadruplex DNA (26-MER)

Chain A:  92% 8%

A1 A2 A3 G4 G5 G6 T7 T8 A9 G10 G11 G12 T13 T14 A15 A16 G17 G18 T19 T20 A21 G22 G23 G24 A25 A26

4.2.6 Score per residue for model 6

- Molecule 1: G-quadruplex DNA (26-MER)

Chain A:  92% 8%

A1 A2 A3 G4 G5 G6 T7 T8 A9 G10 G11 G12 T13 T14 A15 A16 G17 G18 T19 T20 A21 G22 G23 G24 A25 A26

4.2.7 Score per residue for model 7


- Molecule 1: G-quadruplex DNA (26-MER)


Chain A:  69% 27% .

A1 A2 A3 G4 G5 G6 T7 T8 A9 G10 G11 G12 T13 T14 A15 A16 G17 G18 T19 T20 A21 G22 G23 G24 A25 A26

4.2.8 Score per residue for model 8

- Molecule 1: G-quadruplex DNA (26-MER)


Chain A:  92% 8%



4.2.9 Score per residue for model 9


- Molecule 1: G-quadruplex DNA (26-MER)


Chain A:  92% 8%



4.2.10 Score per residue for model 10

- Molecule 1: G-quadruplex DNA (26-MER)


Chain A:  81% 19%



4.2.11 Score per residue for model 11

- Molecule 1: G-quadruplex DNA (26-MER)


Chain A:  73% 27%



4.2.12 Score per residue for model 12


- Molecule 1: G-quadruplex DNA (26-MER)

Chain A:  92% 8%



4.2.13 Score per residue for model 13


- Molecule 1: G-quadruplex DNA (26-MER)

Chain A:  92% 8%

A1 A2 A3 G4 G5 G6 T7 T8 A9 G10 G11 G12 T13 T14 A15 G16 G17 G18 T19 T20 A21 G22 G23 G24 A25 A26

4.2.14 Score per residue for model 14


- Molecule 1: G-quadruplex DNA (26-MER)

Chain A:  81% 19%

A1 A2 G4 G5 G6 T7 T8 A9 G10 G11 G12 T13 T14 A15 G16 G17 G18 T19 T20 A21 G22 G23 G24 A25 A26

4.2.15 Score per residue for model 15

- Molecule 1: G-quadruplex DNA (26-MER)

Chain A:  88% 12%

A1 A2 A3 G4 G5 G6 T7 T8 A9 G10 G11 G12 T13 T14 A15 G16 G17 G18 T19 T20 A21 G22 G23 G24 A25 A26

5 Refinement protocol and experimental data overview

The models were refined using the following method: *DGSA-distance geometry simulated annealing, molecular dynamics*.

Of the 100 calculated structures, 15 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR NIH	refinement	
X-PLOR NIH	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	285
Number of shifts mapped to atoms	246
Number of unparsed shifts	0
Number of shifts with mapping errors	39
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	44%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality i

6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: D6F

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	2.85±0.36	51±19/620 (8.2± 3.1%)	3.86±0.39	165±29/960 (17.2± 3.1%)
All	All	2.87	759/9300 (8.2%)	3.88	2475/14400 (17.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	0.7±1.1
All	All	0	10

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	13	DT	N1-C6	16.71	1.50	1.38	7	7
1	A	14	DT	N1-C6	14.92	1.48	1.38	7	6
1	A	20	DT	N1-C6	13.70	1.47	1.38	7	7
1	A	8	DT	N1-C6	13.69	1.47	1.38	7	7
1	A	19	DT	N1-C6	13.56	1.47	1.38	7	7
1	A	17	DG	C5'-C4'	12.47	1.65	1.51	5	10
1	A	7	DT	N1-C6	11.97	1.46	1.38	7	7
1	A	17	DG	C8-N7	11.35	1.37	1.30	10	7
1	A	17	DG	P-O5'	10.51	1.70	1.59	5	7
1	A	16	DG	C8-N7	9.90	1.36	1.30	7	8
1	A	10	DG	C8-N7	9.82	1.36	1.30	11	8
1	A	14	DT	C4-C5	9.42	1.53	1.45	7	3
1	A	13	DT	C5-C6	9.33	1.40	1.34	10	2
1	A	14	DT	C5-C6	9.26	1.40	1.34	10	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	12	DG	C8-N7	9.19	1.36	1.30	7	8
1	A	15	DA	C5'-C4'	9.10	1.61	1.51	14	3
1	A	12	DG	C5'-C4'	9.06	1.61	1.51	3	3
1	A	23	DG	C5'-C4'	9.05	1.61	1.51	1	11
1	A	22	DG	C8-N7	9.02	1.36	1.30	11	8
1	A	16	DG	C5'-C4'	9.01	1.61	1.51	1	6
1	A	5	DG	C8-N7	8.98	1.36	1.30	7	9
1	A	11	DG	C8-N7	8.83	1.36	1.30	7	8
1	A	11	DG	C5'-C4'	8.83	1.61	1.51	15	6
1	A	14	DT	C5-C7	8.82	1.55	1.50	15	8
1	A	6	DG	C8-N7	8.82	1.36	1.30	11	7
1	A	13	DT	C5-C7	8.80	1.55	1.50	12	8
1	A	19	DT	C5-C7	8.78	1.55	1.50	9	8
1	A	8	DT	C5-C7	8.75	1.55	1.50	14	8
1	A	7	DT	C5-C7	8.75	1.55	1.50	3	8
1	A	7	DT	O3'-P	-8.74	1.50	1.61	4	7
1	A	7	DT	C4'-C3'	8.73	1.62	1.53	3	1
1	A	7	DT	C5'-C4'	8.72	1.60	1.51	3	3
1	A	20	DT	C5-C7	8.66	1.55	1.50	3	8
1	A	26	DA	C8-N7	8.59	1.37	1.31	7	3
1	A	4	DG	C8-N7	8.46	1.36	1.30	10	7
1	A	18	DG	C5'-C4'	8.38	1.60	1.51	4	13
1	A	2	DA	C8-N7	8.35	1.37	1.31	7	5
1	A	24	DG	C8-N7	8.33	1.35	1.30	7	6
1	A	14	DT	C5'-C4'	8.32	1.60	1.51	13	8
1	A	12	DG	C2'-C1'	8.23	1.60	1.52	1	8
1	A	3	DA	C8-N7	8.14	1.37	1.31	10	7
1	A	4	DG	C5'-C4'	8.07	1.60	1.51	13	1
1	A	21	DA	C5'-C4'	7.98	1.60	1.51	6	5
1	A	8	DT	C5-C6	7.95	1.40	1.34	11	2
1	A	4	DG	N7-C5	-7.91	1.34	1.39	14	4
1	A	5	DG	C2'-C1'	7.82	1.60	1.52	13	2
1	A	8	DT	P-O5'	-7.68	1.52	1.59	1	2
1	A	19	DT	C5-C6	7.62	1.39	1.34	11	2
1	A	1	DA	C8-N7	7.57	1.36	1.31	11	7
1	A	9	DA	C8-N7	7.55	1.36	1.31	7	6
1	A	4	DG	C5-C4	7.54	1.43	1.38	11	8
1	A	25	DA	C8-N7	7.48	1.36	1.31	7	6
1	A	13	DT	C5'-C4'	7.34	1.59	1.51	5	3
1	A	22	DG	C5'-C4'	7.28	1.59	1.51	8	1
1	A	21	DA	C5-C6	-7.21	1.34	1.41	10	7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	5	DG	O3'-P	-7.21	1.52	1.61	9	2
1	A	5	DG	P-O5'	-7.17	1.52	1.59	4	5
1	A	26	DA	C5'-C4'	7.08	1.59	1.51	5	1
1	A	10	DG	C5-C4	7.08	1.43	1.38	10	8
1	A	6	DG	C5-C4	7.04	1.43	1.38	10	7
1	A	23	DG	C5-C4	7.03	1.43	1.38	11	9
1	A	4	DG	N1-C2	-6.96	1.32	1.37	10	4
1	A	18	DG	C5-C4	6.92	1.43	1.38	7	7
1	A	18	DG	C8-N7	6.91	1.35	1.30	11	7
1	A	23	DG	C8-N7	6.87	1.35	1.30	10	8
1	A	26	DA	P-O5'	-6.84	1.52	1.59	4	1
1	A	7	DT	C5-C6	6.82	1.39	1.34	10	1
1	A	12	DG	O3'-P	6.75	1.69	1.61	3	1
1	A	7	DT	P-O5'	-6.69	1.53	1.59	4	5
1	A	20	DT	P-O5'	-6.69	1.53	1.59	7	1
1	A	16	DG	C5-C4	6.63	1.43	1.38	6	2
1	A	25	DA	C5-C4	6.61	1.43	1.38	11	5
1	A	20	DT	O3'-P	-6.61	1.53	1.61	7	1
1	A	6	DG	P-OP2	6.52	1.60	1.49	10	6
1	A	13	DT	C2'-C1'	6.51	1.58	1.52	2	4
1	A	5	DG	C5-C4	6.46	1.42	1.38	5	5
1	A	10	DG	N3-C4	6.45	1.40	1.35	7	1
1	A	11	DG	C2'-C1'	6.42	1.58	1.52	5	5
1	A	5	DG	P-OP2	6.40	1.59	1.49	3	14
1	A	4	DG	N9-C8	-6.39	1.33	1.37	7	1
1	A	25	DA	O3'-P	-6.38	1.53	1.61	4	2
1	A	17	DG	N1-C2	-6.37	1.32	1.37	7	2
1	A	24	DG	C5-C4	6.37	1.42	1.38	4	6
1	A	23	DG	P-O5'	6.35	1.66	1.59	8	6
1	A	23	DG	P-OP2	6.35	1.59	1.49	4	11
1	A	19	DT	C2'-C1'	6.32	1.58	1.52	3	7
1	A	25	DA	C6-N6	6.27	1.39	1.33	2	2
1	A	6	DG	P-OP1	6.26	1.59	1.49	7	7
1	A	10	DG	N1-C2	-6.23	1.32	1.37	5	1
1	A	3	DA	C2'-C1'	6.22	1.58	1.52	5	1
1	A	19	DT	C4-C5	6.21	1.50	1.45	2	4
1	A	8	DT	C5'-C4'	6.21	1.58	1.51	15	1
1	A	24	DG	C2'-C1'	6.18	1.58	1.52	12	1
1	A	17	DG	P-OP1	6.17	1.59	1.49	13	4
1	A	22	DG	N1-C2	-6.17	1.32	1.37	14	3
1	A	26	DA	C5-C6	-6.16	1.35	1.41	10	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	8	DT	C4-C5	6.13	1.50	1.45	6	2
1	A	15	DA	C8-N7	6.13	1.35	1.31	7	6
1	A	23	DG	N1-C2	-6.07	1.32	1.37	15	2
1	A	17	DG	C5-C4	6.03	1.42	1.38	11	6
1	A	21	DA	P-OP2	6.02	1.59	1.49	6	11
1	A	9	DA	N3-C4	-5.99	1.31	1.34	7	2
1	A	11	DG	N1-C2	-5.96	1.32	1.37	7	2
1	A	9	DA	C5'-C4'	5.96	1.57	1.51	8	3
1	A	22	DG	P-O5'	-5.95	1.53	1.59	12	1
1	A	18	DG	N9-C4	5.91	1.42	1.38	10	2
1	A	10	DG	P-OP1	5.90	1.58	1.49	1	7
1	A	8	DT	N3-C4	-5.90	1.33	1.38	11	1
1	A	5	DG	N7-C5	-5.90	1.35	1.39	15	3
1	A	20	DT	C5-C6	5.88	1.38	1.34	10	2
1	A	4	DG	P-OP2	5.87	1.58	1.49	3	6
1	A	21	DA	P-O5'	-5.86	1.53	1.59	7	1
1	A	14	DT	C4'-C3'	5.84	1.59	1.53	13	2
1	A	24	DG	N1-C2	-5.83	1.33	1.37	11	4
1	A	3	DA	P-OP1	5.82	1.58	1.49	10	10
1	A	6	DG	O3'-P	-5.80	1.54	1.61	15	1
1	A	26	DA	P-OP1	5.76	1.58	1.49	3	2
1	A	18	DG	N3-C4	5.76	1.39	1.35	10	1
1	A	15	DA	P-OP1	5.76	1.58	1.49	14	9
1	A	15	DA	C5-C6	-5.75	1.35	1.41	7	4
1	A	11	DG	P-OP1	5.74	1.58	1.49	1	5
1	A	16	DG	P-OP2	5.73	1.58	1.49	5	5
1	A	6	DG	N9-C8	-5.72	1.33	1.37	7	1
1	A	25	DA	C5'-C4'	5.72	1.57	1.51	3	2
1	A	20	DT	N3-C4	-5.71	1.34	1.38	10	2
1	A	9	DA	C5-C6	-5.70	1.35	1.41	2	1
1	A	9	DA	P-OP2	5.68	1.58	1.49	7	4
1	A	24	DG	C5'-C4'	5.68	1.57	1.51	2	3
1	A	19	DT	P-OP1	5.67	1.58	1.49	14	7
1	A	12	DG	N9-C4	5.67	1.42	1.38	10	2
1	A	4	DG	P-O5'	5.66	1.65	1.59	13	3
1	A	5	DG	C5'-C4'	5.66	1.57	1.51	13	3
1	A	13	DT	C4-C5	5.66	1.50	1.45	5	5
1	A	3	DA	P-OP2	5.65	1.58	1.49	12	10
1	A	11	DG	P-OP2	5.64	1.58	1.49	1	2
1	A	8	DT	P-OP1	5.64	1.58	1.49	10	2
1	A	23	DG	N9-C8	-5.64	1.33	1.37	14	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	10	DG	C5'-C4'	5.63	1.57	1.51	13	2
1	A	15	DA	P-O5'	5.63	1.65	1.59	14	1
1	A	20	DT	C4-C5	5.63	1.50	1.45	2	5
1	A	25	DA	P-OP2	5.60	1.58	1.49	15	6
1	A	4	DG	P-OP1	5.58	1.58	1.49	7	3
1	A	5	DG	C3'-C2'	5.58	1.58	1.52	13	1
1	A	6	DG	C2'-C1'	5.55	1.57	1.52	13	2
1	A	17	DG	O4'-C1'	5.55	1.49	1.42	13	2
1	A	10	DG	P-OP2	5.52	1.58	1.49	2	3
1	A	12	DG	C5-C4	5.51	1.42	1.38	5	2
1	A	3	DA	C5-C4	5.51	1.42	1.38	10	2
1	A	12	DG	P-OP1	5.45	1.58	1.49	3	3
1	A	21	DA	N3-C4	5.42	1.38	1.34	7	1
1	A	17	DG	C4'-C3'	5.41	1.58	1.53	3	2
1	A	5	DG	N9-C8	-5.40	1.34	1.37	7	1
1	A	3	DA	C5-C6	-5.40	1.36	1.41	5	2
1	A	9	DA	N9-C8	-5.40	1.33	1.37	7	1
1	A	20	DT	P-OP1	5.38	1.58	1.49	5	4
1	A	9	DA	C6-N6	5.38	1.38	1.33	7	2
1	A	12	DG	P-OP2	5.37	1.58	1.49	9	8
1	A	4	DG	C2'-C1'	5.36	1.57	1.52	1	1
1	A	25	DA	P-OP1	5.36	1.58	1.49	7	1
1	A	16	DG	O3'-P	-5.34	1.54	1.61	11	1
1	A	14	DT	P-O5'	-5.34	1.54	1.59	3	1
1	A	22	DG	P-OP2	5.34	1.58	1.49	6	2
1	A	16	DG	C3'-C2'	5.32	1.58	1.52	12	1
1	A	23	DG	N9-C4	5.30	1.42	1.38	11	1
1	A	18	DG	P-OP1	5.30	1.57	1.49	10	2
1	A	15	DA	P-OP2	5.27	1.57	1.49	5	3
1	A	22	DG	P-OP1	5.26	1.57	1.49	5	2
1	A	24	DG	P-OP2	5.25	1.57	1.49	7	2
1	A	20	DT	P-OP2	5.25	1.57	1.49	14	7
1	A	15	DA	C3'-C2'	5.25	1.58	1.52	14	1
1	A	4	DG	C4'-O4'	-5.24	1.39	1.45	7	1
1	A	9	DA	N9-C4	5.24	1.41	1.37	11	1
1	A	25	DA	C2'-C1'	5.22	1.57	1.52	5	1
1	A	5	DG	C3'-O3'	5.22	1.50	1.44	13	1
1	A	9	DA	P-OP1	5.21	1.57	1.49	6	2
1	A	9	DA	C4'-O4'	-5.21	1.39	1.45	7	1
1	A	5	DG	P-OP1	5.21	1.57	1.49	7	3
1	A	12	DG	C4'-C3'	5.19	1.58	1.53	3	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	16	DG	P-OP1	5.18	1.57	1.49	1	1
1	A	7	DT	P-OP1	5.16	1.57	1.49	2	1
1	A	4	DG	O3'-P	-5.14	1.54	1.61	3	1
1	A	17	DG	P-OP2	5.13	1.57	1.49	9	3
1	A	15	DA	C5-C4	5.13	1.42	1.38	5	1
1	A	26	DA	P-OP2	5.11	1.57	1.49	14	2
1	A	6	DG	P-O5'	-5.10	1.54	1.59	10	1
1	A	18	DG	P-O5'	5.10	1.64	1.59	12	1
1	A	2	DA	P-OP1	5.09	1.57	1.49	13	1
1	A	13	DT	O3'-P	-5.07	1.55	1.61	5	1
1	A	14	DT	P-OP2	5.04	1.57	1.49	6	1
1	A	26	DA	C5-C4	5.03	1.42	1.38	11	1
1	A	25	DA	N1-C2	5.02	1.38	1.34	11	1
1	A	15	DA	N9-C8	-5.01	1.33	1.37	10	1
1	A	7	DT	C4-C5	5.01	1.49	1.45	2	1
1	A	16	DG	C4'-C3'	5.00	1.58	1.53	2	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	15	DA	O4'-C1'-N9	-28.90	87.77	108.00	14	7
1	A	23	DG	C2-N3-C4	24.10	123.95	111.90	10	9
1	A	16	DG	C2-N3-C4	20.36	122.08	111.90	7	8
1	A	17	DG	C2-N3-C4	20.28	122.04	111.90	7	7
1	A	11	DG	C2-N3-C4	19.17	121.49	111.90	7	8
1	A	23	DG	N3-C4-C5	-18.83	119.19	128.60	10	9
1	A	17	DG	N3-C4-C5	-18.62	119.29	128.60	7	7
1	A	22	DG	C2-N3-C4	17.88	120.84	111.90	15	9
1	A	11	DG	N3-C4-C5	-16.70	120.25	128.60	7	8
1	A	11	DG	O5'-P-OP2	-16.45	90.89	105.70	1	7
1	A	18	DG	C2-N3-C4	16.33	120.06	111.90	7	7
1	A	24	DG	N3-C4-C5	-16.20	120.50	128.60	11	8
1	A	14	DT	O5'-P-OP1	16.14	130.07	110.70	5	1
1	A	16	DG	O5'-P-OP2	-16.14	91.17	105.70	5	4
1	A	6	DG	C2-N3-C4	16.08	119.94	111.90	11	6
1	A	10	DG	C2-N3-C4	15.58	119.69	111.90	14	7
1	A	26	DA	N1-C6-N6	-15.53	109.28	118.60	7	5
1	A	3	DA	C2-N3-C4	15.52	118.36	110.60	11	7
1	A	18	DG	N3-C4-C5	-15.48	120.86	128.60	7	7
1	A	24	DG	C2-N3-C4	15.41	119.61	111.90	11	8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	17	DG	O4'-C1'-N9	15.29	118.70	108.00	2	13
1	A	1	DA	C2-N3-C4	15.06	118.13	110.60	10	7
1	A	25	DA	O4'-C1'-N9	15.06	118.54	108.00	14	3
1	A	17	DG	O5'-P-OP2	-15.03	92.17	105.70	8	5
1	A	4	DG	N3-C4-C5	-14.88	121.16	128.60	14	9
1	A	2	DA	C2-N3-C4	14.74	117.97	110.60	7	7
1	A	23	DG	N3-C4-N9	14.61	134.76	126.00	11	9
1	A	19	DT	O5'-P-OP1	-14.60	92.56	105.70	5	11
1	A	6	DG	N3-C4-C5	-14.42	121.39	128.60	11	7
1	A	25	DA	O4'-C4'-C3'	-14.33	97.41	106.00	12	8
1	A	10	DG	N3-C4-N9	14.09	134.45	126.00	7	8
1	A	10	DG	N3-C4-C5	-14.05	121.58	128.60	14	8
1	A	3	DA	O4'-C1'-N9	13.95	117.76	108.00	14	9
1	A	5	DG	C2-N3-C4	13.93	118.87	111.90	7	9
1	A	16	DG	N9-C1'-C2'	13.88	138.97	112.60	12	7
1	A	26	DA	O4'-C4'-C3'	-13.88	97.67	106.00	7	4
1	A	2	DA	O4'-C1'-N9	13.72	117.60	108.00	15	13
1	A	26	DA	C5-C6-N1	13.56	124.48	117.70	10	7
1	A	5	DG	N3-C4-C5	-13.54	121.83	128.60	11	9
1	A	9	DA	N9-C4-C5	13.54	111.22	105.80	7	3
1	A	15	DA	C1'-O4'-C4'	13.44	123.54	110.10	14	4
1	A	7	DT	O4'-C1'-N1	13.42	117.39	108.00	3	8
1	A	4	DG	C2-N3-C4	13.17	118.48	111.90	5	9
1	A	9	DA	OP1-P-OP2	-13.07	99.99	119.60	1	15
1	A	16	DG	N3-C4-C5	-13.05	122.07	128.60	10	8
1	A	16	DG	O4'-C1'-N9	12.88	117.02	108.00	14	6
1	A	15	DA	O4'-C1'-C2'	-12.77	95.68	105.90	14	6
1	A	18	DG	N3-C4-N9	12.63	133.58	126.00	7	7
1	A	7	DT	O5'-P-OP2	-12.44	94.50	105.70	4	2
1	A	14	DT	O5'-P-OP2	-12.39	94.55	105.70	2	5
1	A	4	DG	O5'-P-OP2	-12.38	94.56	105.70	7	1
1	A	16	DG	O3'-P-O5'	12.35	127.47	104.00	1	9
1	A	21	DA	O3'-P-O5'	12.35	127.47	104.00	8	15
1	A	8	DT	O4'-C1'-N1	12.34	116.64	108.00	3	8
1	A	8	DT	O5'-P-OP1	12.33	125.50	110.70	7	2
1	A	15	DA	C2-N3-C4	12.32	116.76	110.60	7	7
1	A	20	DT	C5-C4-O4	-12.23	116.34	124.90	7	6
1	A	8	DT	O3'-P-O5'	12.22	127.21	104.00	1	12
1	A	17	DG	N3-C4-N9	12.20	133.32	126.00	11	7
1	A	22	DG	N1-C2-N3	-12.13	116.62	123.90	15	5
1	A	4	DG	N3-C4-N9	12.01	133.20	126.00	7	9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	11	DG	P-O3'-C3'	11.96	134.05	119.70	9	15
1	A	9	DA	C4-C5-N7	-11.96	104.72	110.70	7	3
1	A	5	DG	O4'-C4'-C3'	-11.90	98.86	106.00	15	6
1	A	10	DG	O4'-C1'-N9	11.81	116.27	108.00	2	5
1	A	6	DG	O4'-C4'-C3'	-11.80	98.92	106.00	14	5
1	A	23	DG	N1-C2-N3	-11.76	116.85	123.90	10	6
1	A	21	DA	OP1-P-OP2	-11.74	101.99	119.60	3	15
1	A	14	DT	O4'-C1'-N1	11.61	116.13	108.00	8	7
1	A	3	DA	N3-C4-C5	-11.59	118.69	126.80	11	6
1	A	16	DG	O4'-C4'-C3'	-11.59	99.05	106.00	1	9
1	A	17	DG	OP1-P-OP2	-11.58	102.23	119.60	3	15
1	A	5	DG	O5'-P-OP1	-11.48	95.37	105.70	9	2
1	A	23	DG	N1-C6-O6	-11.48	113.01	119.90	10	4
1	A	20	DT	OP1-P-OP2	-11.47	102.39	119.60	5	15
1	A	10	DG	N9-C1'-C2'	11.41	134.27	112.60	1	13
1	A	10	DG	P-O3'-C3'	11.39	133.37	119.70	13	12
1	A	11	DG	OP1-P-OP2	-11.39	102.52	119.60	1	14
1	A	13	DT	O4'-C1'-N1	11.35	115.94	108.00	1	8
1	A	12	DG	N3-C4-C5	-11.29	122.95	128.60	10	7
1	A	1	DA	C5-C6-N1	11.26	123.33	117.70	10	7
1	A	9	DA	C2-N3-C4	11.26	116.23	110.60	11	7
1	A	13	DT	N3-C4-O4	11.25	126.65	119.90	3	6
1	A	26	DA	OP1-P-OP2	-11.16	102.86	119.60	12	14
1	A	16	DG	OP1-P-OP2	-11.13	102.91	119.60	15	14
1	A	22	DG	OP1-P-OP2	-11.07	103.00	119.60	3	15
1	A	3	DA	N9-C4-C5	11.04	110.22	105.80	10	7
1	A	25	DA	C2-N3-C4	10.96	116.08	110.60	5	4
1	A	13	DT	OP1-P-OP2	-10.95	103.18	119.60	3	14
1	A	23	DG	C4-C5-N7	-10.93	106.43	110.80	10	9
1	A	24	DG	N3-C4-N9	10.87	132.52	126.00	14	7
1	A	26	DA	O4'-C1'-N9	10.80	115.56	108.00	9	5
1	A	10	DG	OP1-P-OP2	-10.78	103.42	119.60	2	10
1	A	22	DG	C5-C6-O6	-10.69	122.19	128.60	11	7
1	A	12	DG	C6-N1-C2	-10.62	118.73	125.10	10	3
1	A	25	DA	OP1-P-OP2	-10.61	103.69	119.60	5	13
1	A	11	DG	N1-C6-O6	-10.59	113.55	119.90	7	5
1	A	8	DT	OP1-P-OP2	-10.55	103.77	119.60	9	6
1	A	26	DA	O5'-P-OP2	-10.54	96.21	105.70	14	3
1	A	17	DG	O4'-C1'-C2'	-10.52	97.48	105.90	13	4
1	A	11	DG	C5-C6-N1	10.51	116.76	111.50	10	6
1	A	18	DG	OP1-P-OP2	-10.51	103.84	119.60	10	15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	7	DT	C5-C4-O4	-10.41	117.62	124.90	7	3
1	A	2	DA	N1-C2-N3	-10.36	124.12	129.30	7	7
1	A	26	DA	N9-C4-C5	10.31	109.92	105.80	7	3
1	A	19	DT	O4'-C1'-N1	10.26	115.18	108.00	3	5
1	A	24	DG	N1-C6-O6	-10.14	113.81	119.90	14	5
1	A	16	DG	P-O3'-C3'	10.09	131.81	119.70	14	7
1	A	4	DG	P-O3'-C3'	10.04	131.75	119.70	5	7
1	A	5	DG	N3-C4-N9	10.00	132.00	126.00	15	9
1	A	8	DT	P-O5'-C5'	-10.00	104.90	120.90	1	6
1	A	16	DG	N1-C2-N2	9.99	125.19	116.20	7	4
1	A	15	DA	C5'-C4'-O4'	9.98	128.26	109.30	14	2
1	A	7	DT	O4'-C4'-C3'	-9.96	100.03	106.00	9	2
1	A	16	DG	C5'-C4'-O4'	9.94	128.18	109.30	1	5
1	A	4	DG	N9-C1'-C2'	9.93	131.47	112.60	12	6
1	A	4	DG	N7-C8-N9	9.92	118.06	113.10	12	6
1	A	22	DG	N3-C4-C5	-9.89	123.65	128.60	7	9
1	A	4	DG	O4'-C1'-C2'	-9.84	98.03	105.90	1	3
1	A	25	DA	P-O3'-C3'	9.84	131.51	119.70	5	3
1	A	16	DG	C4'-C3'-C2'	9.81	111.93	103.10	1	1
1	A	19	DT	O4'-C4'-C3'	9.81	111.89	106.00	3	12
1	A	16	DG	N1-C2-N3	-9.80	118.02	123.90	7	4
1	A	23	DG	OP1-P-OP2	-9.78	104.93	119.60	1	15
1	A	24	DG	O5'-P-OP1	-9.77	96.91	105.70	10	4
1	A	18	DG	N1-C6-O6	-9.76	114.04	119.90	11	5
1	A	9	DA	P-O3'-C3'	9.76	131.41	119.70	4	4
1	A	10	DG	O5'-P-OP1	-9.75	96.93	105.70	2	1
1	A	9	DA	O4'-C1'-N9	-9.72	101.20	108.00	13	6
1	A	9	DA	C6-N1-C2	-9.68	112.79	118.60	7	2
1	A	11	DG	N3-C4-N9	9.65	131.79	126.00	7	8
1	A	5	DG	OP1-P-OP2	-9.64	105.14	119.60	10	15
1	A	25	DA	O3'-P-O5'	9.62	122.27	104.00	12	7
1	A	10	DG	C5-C6-O6	-9.59	122.84	128.60	7	2
1	A	9	DA	N1-C2-N3	-9.56	124.52	129.30	2	4
1	A	14	DT	O3'-P-O5'	9.52	122.08	104.00	12	11
1	A	7	DT	OP1-P-OP2	-9.51	105.33	119.60	3	12
1	A	11	DG	N7-C8-N9	9.50	117.85	113.10	8	7
1	A	24	DG	O4'-C4'-C3'	-9.50	100.30	106.00	2	4
1	A	6	DG	O4'-C1'-C2'	-9.50	98.30	105.90	13	6
1	A	6	DG	N7-C8-N9	9.50	117.85	113.10	9	8
1	A	5	DG	O4'-C1'-C2'	-9.49	98.31	105.90	13	5
1	A	16	DG	N7-C8-N9	9.48	117.84	113.10	9	7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	17	DG	N7-C8-N9	9.44	117.82	113.10	13	8
1	A	18	DG	N7-C8-N9	9.42	117.81	113.10	13	8
1	A	1	DA	N9-C4-C5	9.41	109.56	105.80	11	6
1	A	5	DG	N7-C8-N9	9.38	117.79	113.10	8	6
1	A	17	DG	P-O3'-C3'	9.37	130.94	119.70	5	13
1	A	2	DA	N9-C4-C5	9.36	109.54	105.80	7	1
1	A	6	DG	O3'-P-O5'	9.34	121.75	104.00	7	7
1	A	24	DG	N7-C8-N9	9.30	117.75	113.10	15	9
1	A	8	DT	O5'-P-OP2	9.28	121.83	110.70	5	3
1	A	22	DG	N7-C8-N9	9.27	117.74	113.10	9	6
1	A	23	DG	O4'-C1'-C2'	-9.26	98.49	105.90	2	11
1	A	23	DG	N7-C8-N9	9.25	117.73	113.10	3	6
1	A	10	DG	N7-C8-N9	9.24	117.72	113.10	13	10
1	A	4	DG	OP1-P-OP2	-9.23	105.76	119.60	1	14
1	A	12	DG	N7-C8-N9	9.21	117.70	113.10	3	7
1	A	15	DA	C5-C6-N1	9.20	122.30	117.70	7	4
1	A	15	DA	O3'-P-O5'	9.11	121.31	104.00	12	9
1	A	2	DA	C5-C6-N1	9.11	122.25	117.70	10	7
1	A	17	DG	O4'-C4'-C3'	-9.11	100.53	106.00	13	3
1	A	8	DT	O4'-C1'-C2'	-9.09	98.63	105.90	5	3
1	A	4	DG	C8-N9-C4	-9.05	102.78	106.40	8	8
1	A	23	DG	C8-N9-C4	-9.01	102.80	106.40	1	6
1	A	12	DG	OP1-P-OP2	-9.01	106.08	119.60	3	15
1	A	6	DG	C4-C5-N7	-9.01	107.20	110.80	7	4
1	A	3	DA	C8-N9-C4	-8.96	102.22	105.80	11	12
1	A	10	DG	O5'-P-OP2	8.94	121.43	110.70	2	2
1	A	12	DG	C5-C6-N1	8.89	115.94	111.50	10	6
1	A	19	DT	C6-C5-C7	-8.88	117.57	122.90	11	12
1	A	6	DG	N3-C4-N9	8.87	131.32	126.00	11	4
1	A	26	DA	C2-N3-C4	8.86	115.03	110.60	10	7
1	A	1	DA	N3-C4-C5	-8.85	120.60	126.80	10	7
1	A	10	DG	C5-C6-N1	8.84	115.92	111.50	7	3
1	A	9	DA	O4'-C1'-C2'	-8.82	98.84	105.90	2	7
1	A	9	DA	O5'-P-OP1	-8.82	97.76	105.70	1	3
1	A	13	DT	C5-C4-O4	-8.81	118.74	124.90	7	5
1	A	2	DA	N3-C4-C5	-8.79	120.65	126.80	11	7
1	A	10	DG	OP1-P-O3'	8.76	124.48	105.20	1	6
1	A	24	DG	C4-C5-N7	-8.73	107.31	110.80	11	3
1	A	11	DG	O4'-C4'-C3'	-8.71	100.77	106.00	6	2
1	A	6	DG	OP1-P-OP2	-8.70	106.54	119.60	3	8
1	A	16	DG	N9-C4-C5	8.70	108.88	105.40	7	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	24	DG	OP1-P-OP2	-8.70	106.56	119.60	7	8
1	A	9	DA	O4'-C4'-C3'	-8.69	100.79	106.00	7	1
1	A	3	DA	C5-C6-N1	8.65	122.03	117.70	7	5
1	A	12	DG	C5-C6-O6	-8.60	123.44	128.60	7	3
1	A	22	DG	N9-C4-C5	8.54	108.82	105.40	11	6
1	A	16	DG	OP2-P-O3'	-8.53	86.44	105.20	15	6
1	A	25	DA	C4-C5-N7	-8.53	106.44	110.70	11	2
1	A	3	DA	OP1-P-OP2	-8.52	106.82	119.60	12	15
1	A	5	DG	P-O3'-C3'	8.50	129.90	119.70	13	3
1	A	16	DG	C8-N9-C4	-8.49	103.00	106.40	3	7
1	A	15	DA	N1-C2-N3	-8.43	125.08	129.30	10	6
1	A	17	DG	C1'-O4'-C4'	8.43	118.53	110.10	13	2
1	A	23	DG	N1-C2-N2	8.43	123.79	116.20	10	4
1	A	7	DT	O3'-P-O5'	8.42	120.00	104.00	9	3
1	A	18	DG	C8-N9-C4	-8.42	103.03	106.40	13	8
1	A	4	DG	O3'-P-O5'	8.41	119.99	104.00	14	10
1	A	11	DG	C8-N9-C4	-8.39	103.05	106.40	13	9
1	A	12	DG	C3'-C2'-C1'	8.39	112.56	102.50	3	15
1	A	5	DG	C4-C5-N7	-8.38	107.45	110.80	7	1
1	A	19	DT	C3'-C2'-C1'	8.37	112.54	102.50	3	10
1	A	17	DG	N9-C4-C5	8.36	108.74	105.40	10	4
1	A	11	DG	C4-C5-N7	-8.35	107.46	110.80	11	6
1	A	1	DA	O4'-C1'-N9	8.34	113.84	108.00	13	2
1	A	6	DG	N9-C1'-C2'	8.32	128.41	112.60	4	3
1	A	21	DA	C4'-C3'-C2'	8.32	110.59	103.10	2	11
1	A	22	DG	C4-C5-N7	-8.30	107.48	110.80	7	5
1	A	21	DA	OP1-P-O3'	8.30	123.46	105.20	7	9
1	A	3	DA	C4-C5-N7	-8.26	106.57	110.70	10	5
1	A	9	DA	C5-C6-N1	8.24	121.82	117.70	2	7
1	A	16	DG	N3-C2-N2	-8.22	114.14	119.90	11	3
1	A	16	DG	C5-C6-N1	8.22	115.61	111.50	10	3
1	A	10	DG	N3-C2-N2	-8.21	114.15	119.90	5	4
1	A	1	DA	N1-C2-N3	-8.14	125.23	129.30	11	7
1	A	6	DG	N3-C2-N2	8.10	125.57	119.90	10	1
1	A	9	DA	O3'-P-O5'	8.10	119.38	104.00	2	5
1	A	7	DT	P-O5'-C5'	-8.08	107.97	120.90	5	2
1	A	15	DA	C5-C6-N6	-8.06	117.25	123.70	11	1
1	A	6	DG	P-O3'-C3'	8.06	129.37	119.70	8	5
1	A	10	DG	O4'-C1'-C2'	-8.05	99.46	105.90	13	2
1	A	15	DA	N9-C1'-C2'	8.05	127.90	112.60	14	5
1	A	10	DG	N9-C4-C5	8.03	108.61	105.40	11	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	15	DA	OP1-P-OP2	-8.02	107.56	119.60	8	14
1	A	19	DT	N3-C4-O4	8.00	124.70	119.90	7	5
1	A	20	DT	N3-C2-O2	-7.99	117.51	122.30	10	4
1	A	19	DT	C5-C4-O4	-7.97	119.32	124.90	7	1
1	A	20	DT	P-O3'-C3'	7.96	129.26	119.70	8	11
1	A	17	DG	C8-N9-C4	-7.95	103.22	106.40	3	14
1	A	10	DG	C8-N9-C4	-7.94	103.22	106.40	15	8
1	A	20	DT	O3'-P-O5'	7.91	119.03	104.00	1	13
1	A	12	DG	O4'-C1'-C2'	-7.91	99.57	105.90	1	3
1	A	6	DG	C8-N9-C4	-7.90	103.24	106.40	9	8
1	A	15	DA	O4'-C4'-C3'	-7.88	101.28	106.00	13	4
1	A	4	DG	N1-C6-O6	7.87	124.62	119.90	10	5
1	A	26	DA	O5'-P-OP1	-7.86	98.63	105.70	1	2
1	A	12	DG	C2-N3-C4	7.85	115.83	111.90	11	4
1	A	22	DG	C8-N9-C4	-7.84	103.26	106.40	9	6
1	A	7	DT	P-O3'-C3'	7.83	129.10	119.70	15	4
1	A	12	DG	C1'-O4'-C4'	7.83	117.93	110.10	3	11
1	A	26	DA	C4-C5-N7	-7.83	106.78	110.70	7	2
1	A	12	DG	P-O3'-C3'	7.81	129.07	119.70	3	2
1	A	23	DG	O3'-P-O5'	7.81	118.84	104.00	7	5
1	A	21	DA	N7-C8-N9	7.80	117.70	113.80	3	6
1	A	17	DG	N9-C1'-C2'	7.79	127.41	112.60	13	1
1	A	6	DG	N1-C2-N2	-7.79	109.19	116.20	10	1
1	A	26	DA	N7-C8-N9	7.78	117.69	113.80	15	8
1	A	15	DA	O5'-P-OP2	-7.78	98.70	105.70	5	1
1	A	12	DG	C8-N9-C4	-7.76	103.30	106.40	1	7
1	A	16	DG	C4-C5-N7	-7.76	107.70	110.80	10	4
1	A	23	DG	C5-C6-O6	7.76	133.25	128.60	10	2
1	A	24	DG	C8-N9-C4	-7.75	103.30	106.40	3	7
1	A	5	DG	C8-N9-C4	-7.74	103.31	106.40	8	6
1	A	3	DA	O4'-C1'-C2'	-7.74	99.71	105.90	5	2
1	A	21	DA	C5-C6-N6	-7.73	117.52	123.70	7	3
1	A	14	DT	O4'-C1'-C2'	-7.72	99.73	105.90	5	4
1	A	24	DG	O4'-C1'-C2'	-7.70	99.74	105.90	12	1
1	A	15	DA	N3-C4-C5	-7.70	121.41	126.80	11	6
1	A	21	DA	O4'-C1'-N9	7.69	113.38	108.00	8	3
1	A	9	DA	N3-C4-C5	-7.69	121.42	126.80	11	6
1	A	2	DA	N7-C8-N9	7.67	117.64	113.80	3	8
1	A	15	DA	N7-C8-N9	7.66	117.63	113.80	1	8
1	A	15	DA	P-O3'-C3'	7.63	128.86	119.70	14	5
1	A	3	DA	N7-C8-N9	7.63	117.62	113.80	13	8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	9	DA	N7-C8-N9	7.62	117.61	113.80	15	8
1	A	14	DT	N1-C2-N3	7.61	119.17	114.60	2	4
1	A	9	DA	C1'-O4'-C4'	7.61	117.70	110.10	8	9
1	A	11	DG	N9-C4-C5	7.60	108.44	105.40	11	4
1	A	1	DA	N7-C8-N9	7.59	117.60	113.80	12	8
1	A	25	DA	N7-C8-N9	7.59	117.59	113.80	9	8
1	A	16	DG	C6-C5-N7	7.57	134.94	130.40	7	3
1	A	19	DT	N3-C4-C5	-7.56	110.66	115.20	11	1
1	A	2	DA	O3'-P-O5'	7.55	118.35	104.00	7	12
1	A	2	DA	C1'-O4'-C4'	-7.51	102.59	110.10	13	1
1	A	11	DG	O4'-C1'-N9	7.50	113.25	108.00	5	4
1	A	12	DG	O5'-P-OP2	7.50	119.70	110.70	3	2
1	A	13	DT	C3'-C2'-C1'	7.49	111.49	102.50	2	9
1	A	13	DT	C1'-O4'-C4'	7.48	117.58	110.10	9	4
1	A	20	DT	N3-C4-O4	7.46	124.38	119.90	7	3
1	A	6	DG	O4'-C1'-N9	-7.46	102.78	108.00	4	6
1	A	8	DT	C1'-O4'-C4'	7.43	117.53	110.10	9	4
1	A	4	DG	O4'-C4'-C3'	7.42	110.45	106.00	9	3
1	A	26	DA	C6-N1-C2	-7.41	114.15	118.60	7	2
1	A	10	DG	C4-C5-N7	-7.41	107.83	110.80	11	2
1	A	25	DA	O4'-C1'-C2'	-7.38	100.00	105.90	7	4
1	A	15	DA	N1-C6-N6	-7.38	114.17	118.60	7	2
1	A	5	DG	C3'-C2'-C1'	7.36	111.33	102.50	13	1
1	A	24	DG	N3-C2-N2	-7.35	114.75	119.90	10	3
1	A	26	DA	C6-C5-N7	7.35	137.44	132.30	7	1
1	A	6	DG	C1'-O4'-C4'	7.31	117.41	110.10	13	1
1	A	3	DA	O3'-P-O5'	7.30	117.88	104.00	7	3
1	A	25	DA	N1-C2-N3	-7.28	125.66	129.30	2	3
1	A	19	DT	P-O3'-C3'	7.28	128.43	119.70	1	9
1	A	4	DG	C5-C6-O6	-7.27	124.24	128.60	7	4
1	A	10	DG	O4'-C4'-C3'	-7.25	101.60	104.50	2	5
1	A	10	DG	N1-C2-N2	7.25	122.72	116.20	7	4
1	A	21	DA	C8-N9-C4	-7.24	102.91	105.80	3	7
1	A	16	DG	C5-C6-O6	-7.24	124.26	128.60	7	4
1	A	13	DT	O4'-C1'-C2'	-7.23	100.12	105.90	9	1
1	A	19	DT	O4'-C1'-C2'	-7.22	100.12	105.90	9	7
1	A	26	DA	O4'-C1'-C2'	-7.22	100.12	105.90	14	2
1	A	7	DT	N1-C1'-C2'	-7.22	98.89	112.60	3	1
1	A	11	DG	N9-C1'-C2'	7.21	126.29	112.60	9	9
1	A	22	DG	N1-C6-O6	7.19	124.22	119.90	11	3
1	A	12	DG	N1-C2-N3	7.18	128.21	123.90	7	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	4	DG	O4'-C1'-N9	7.16	113.01	108.00	9	2
1	A	6	DG	O5'-P-OP2	7.14	119.27	110.70	9	1
1	A	18	DG	C5-C6-N1	7.14	115.07	111.50	10	3
1	A	24	DG	N9-C4-C5	7.14	108.25	105.40	7	2
1	A	11	DG	C1'-O4'-C4'	7.12	117.22	110.10	8	6
1	A	5	DG	C5-C6-N1	7.12	115.06	111.50	11	5
1	A	24	DG	N1-C2-N2	7.12	122.61	116.20	10	2
1	A	7	DT	N3-C4-O4	7.11	124.17	119.90	7	2
1	A	9	DA	C4'-C3'-C2'	7.10	109.49	103.10	7	1
1	A	19	DT	O3'-P-O5'	7.10	117.49	104.00	1	6
1	A	2	DA	C4-C5-N7	-7.09	107.15	110.70	7	2
1	A	17	DG	C5-C6-O6	-7.07	124.36	128.60	5	5
1	A	7	DT	O4'-C1'-C2'	7.05	111.54	105.90	13	1
1	A	19	DT	C4'-C3'-C2'	-7.02	96.78	103.10	3	6
1	A	21	DA	C5-C6-N1	7.02	121.21	117.70	7	7
1	A	10	DG	O3'-P-O5'	7.00	117.31	104.00	9	5
1	A	20	DT	C5-C6-N1	-6.99	119.51	123.70	7	6
1	A	8	DT	O4'-C4'-C3'	6.96	110.17	106.00	8	4
1	A	18	DG	O4'-C1'-N9	6.93	112.85	108.00	2	8
1	A	25	DA	C5-C6-N1	6.93	121.16	117.70	5	2
1	A	14	DT	OP1-P-OP2	-6.92	109.22	119.60	5	4
1	A	18	DG	O3'-P-O5'	6.90	117.10	104.00	5	9
1	A	7	DT	O5'-P-OP1	-6.89	99.50	105.70	8	2
1	A	14	DT	C3'-C2'-C1'	6.88	110.76	102.50	1	7
1	A	13	DT	P-O3'-C3'	-6.88	111.44	119.70	5	6
1	A	24	DG	O4'-C1'-N9	-6.88	103.19	108.00	12	1
1	A	17	DG	O3'-P-O5'	6.87	117.05	104.00	10	9
1	A	11	DG	C6-C5-N7	6.86	134.52	130.40	11	3
1	A	20	DT	C2-N3-C4	-6.84	123.10	127.20	11	2
1	A	14	DT	C5'-C4'-O4'	6.83	122.27	109.30	5	1
1	A	7	DT	C4-C5-C7	6.82	123.09	119.00	7	1
1	A	2	DA	OP1-P-OP2	-6.81	109.38	119.60	13	13
1	A	26	DA	C1'-O4'-C4'	6.81	116.91	110.10	5	1
1	A	24	DG	O3'-P-O5'	6.80	116.92	104.00	7	5
1	A	3	DA	N1-C2-N3	-6.80	125.90	129.30	4	7
1	A	21	DA	P-O3'-C3'	6.79	127.85	119.70	8	3
1	A	3	DA	O4'-C4'-C3'	-6.79	101.78	104.50	2	1
1	A	12	DG	N3-C4-N9	6.79	130.07	126.00	10	3
1	A	21	DA	N9-C4-C5	6.79	108.52	105.80	5	1
1	A	1	DA	O3'-P-O5'	6.77	116.86	104.00	13	2
1	A	17	DG	C4-C5-N7	-6.74	108.10	110.80	7	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	12	DG	C4-C5-N7	-6.74	108.11	110.80	11	3
1	A	2	DA	N3-C4-N9	6.65	132.72	127.40	11	2
1	A	4	DG	C1'-O4'-C4'	6.63	116.73	110.10	8	1
1	A	5	DG	O3'-P-O5'	6.63	116.59	104.00	8	3
1	A	26	DA	C8-N9-C4	-6.61	103.16	105.80	15	8
1	A	11	DG	O4'-C1'-C2'	-6.57	100.64	105.90	15	2
1	A	15	DA	C8-N9-C4	-6.56	103.18	105.80	9	8
1	A	9	DA	C5-C6-N6	-6.55	118.46	123.70	10	3
1	A	3	DA	P-O3'-C3'	6.53	127.54	119.70	5	1
1	A	1	DA	C8-N9-C4	-6.53	103.19	105.80	14	9
1	A	1	DA	C4-C5-N7	-6.52	107.44	110.70	11	3
1	A	20	DT	N3-C4-C5	6.51	119.11	115.20	7	2
1	A	25	DA	C8-N9-C4	-6.51	103.20	105.80	9	8
1	A	2	DA	C8-N9-C4	-6.50	103.20	105.80	1	8
1	A	6	DG	OP1-P-O3'	6.50	119.50	105.20	8	2
1	A	5	DG	N9-C4-C5	6.50	108.00	105.40	7	1
1	A	22	DG	OP2-P-O3'	6.50	119.50	105.20	14	9
1	A	10	DG	P-O5'-C5'	-6.48	110.53	120.90	7	1
1	A	16	DG	C1'-O4'-C4'	6.48	116.58	110.10	3	2
1	A	14	DT	N1-C1'-C2'	6.47	124.90	112.60	11	3
1	A	23	DG	C6-C5-N7	6.47	134.28	130.40	10	2
1	A	4	DG	OP1-P-O3'	6.47	119.43	105.20	7	4
1	A	17	DG	C5-C6-N1	6.46	114.73	111.50	7	2
1	A	16	DG	N3-C4-N9	6.44	129.86	126.00	6	5
1	A	9	DA	C8-N9-C4	-6.42	103.23	105.80	9	9
1	A	24	DG	C5-C6-N1	6.38	114.69	111.50	10	5
1	A	8	DT	N1-C2-N3	6.38	118.43	114.60	2	3
1	A	25	DA	N9-C4-C5	6.37	108.35	105.80	10	3
1	A	5	DG	C5-C6-O6	-6.36	124.78	128.60	5	2
1	A	12	DG	O4'-C4'-C3'	6.32	109.79	106.00	1	3
1	A	20	DT	N1-C2-N3	6.31	118.39	114.60	10	2
1	A	8	DT	C6-C5-C7	-6.30	119.12	122.90	6	3
1	A	22	DG	N1-C2-N2	6.25	121.83	116.20	10	1
1	A	25	DA	N9-C1'-C2'	-6.25	100.73	112.60	9	2
1	A	15	DA	C6-N1-C2	-6.24	114.86	118.60	5	1
1	A	13	DT	P-O5'-C5'	-6.23	110.93	120.90	1	1
1	A	21	DA	C4-C5-N7	-6.22	107.59	110.70	5	1
1	A	16	DG	OP1-P-O3'	6.22	118.87	105.20	15	4
1	A	13	DT	C5'-C4'-O4'	6.20	121.07	109.30	5	2
1	A	13	DT	O4'-C4'-C3'	6.19	109.72	106.00	2	2
1	A	26	DA	N3-C4-C5	-6.19	122.47	126.80	11	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	20	DT	N1-C1'-C2'	6.18	124.34	112.60	13	5
1	A	14	DT	P-O3'-C3'	6.18	127.11	119.70	10	2
1	A	9	DA	N9-C1'-C2'	6.17	124.33	112.60	5	4
1	A	22	DG	O4'-C1'-N9	-6.17	103.68	108.00	8	1
1	A	6	DG	N1-C2-N3	-6.17	120.20	123.90	11	1
1	A	12	DG	OP2-P-O3'	6.17	118.77	105.20	1	5
1	A	19	DT	P-O5'-C5'	-6.16	111.04	120.90	1	5
1	A	8	DT	C2-N3-C4	6.16	130.90	127.20	11	1
1	A	21	DA	N1-C2-N3	-6.16	126.22	129.30	11	1
1	A	16	DG	O5'-P-OP1	-6.15	100.16	105.70	14	3
1	A	21	DA	N9-C1'-C2'	-6.15	100.92	112.60	2	5
1	A	8	DT	C3'-C2'-C1'	6.14	109.87	102.50	1	6
1	A	17	DG	C4'-C3'-C2'	6.14	108.62	103.10	6	4
1	A	16	DG	O4'-C1'-C2'	-6.13	100.99	105.90	11	2
1	A	24	DG	N9-C1'-C2'	6.13	124.25	112.60	12	2
1	A	8	DT	OP2-P-O3'	6.12	118.67	105.20	7	1
1	A	5	DG	O4'-C1'-N9	-6.11	103.72	108.00	1	3
1	A	6	DG	N9-C4-C5	6.11	107.84	105.40	7	1
1	A	6	DG	C3'-C2'-C1'	6.08	109.80	102.50	13	3
1	A	14	DT	C6-C5-C7	-6.07	119.26	122.90	7	3
1	A	15	DA	C4'-C3'-C2'	6.04	108.54	103.10	12	1
1	A	13	DT	O5'-P-OP1	-6.04	100.27	105.70	8	1
1	A	15	DA	OP1-P-O3'	6.02	118.45	105.20	5	1
1	A	19	DT	C4-C5-C7	6.02	122.61	119.00	11	1
1	A	21	DA	C2-N3-C4	6.02	113.61	110.60	11	1
1	A	4	DG	C4-C5-N7	-6.01	108.40	110.80	15	4
1	A	25	DA	C4-C5-C6	6.00	120.00	117.00	11	1
1	A	25	DA	N1-C6-N6	-5.97	115.02	118.60	5	1
1	A	23	DG	N9-C4-C5	5.96	107.79	105.40	10	2
1	A	25	DA	C1'-O4'-C4'	-5.96	104.14	110.10	14	1
1	A	4	DG	N9-C4-C5	5.94	107.78	105.40	15	1
1	A	8	DT	N3-C4-O4	5.91	123.44	119.90	6	1
1	A	8	DT	C5'-C4'-O4'	5.90	120.52	109.30	13	2
1	A	16	DG	C8-N9-C1'	5.89	134.66	127.00	7	1
1	A	14	DT	OP2-P-O3'	5.89	118.16	105.20	3	1
1	A	7	DT	C5'-C4'-O4'	5.88	120.48	109.30	8	2
1	A	4	DG	C3'-C2'-C1'	-5.88	95.44	102.50	7	1
1	A	22	DG	C1'-O4'-C4'	5.88	115.98	110.10	8	1
1	A	3	DA	C1'-O4'-C4'	-5.85	104.25	110.10	14	3
1	A	2	DA	C6-C5-N7	5.83	136.38	132.30	7	1
1	A	5	DG	C1'-O4'-C4'	-5.82	104.28	110.10	10	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	15	DA	C3'-C2'-C1'	5.81	109.48	102.50	14	3
1	A	16	DG	C4-N9-C1'	-5.81	118.95	126.50	7	1
1	A	8	DT	C5-C4-O4	-5.80	120.84	124.90	6	1
1	A	13	DT	N1-C2-N3	5.79	118.07	114.60	7	1
1	A	15	DA	O5'-P-OP1	-5.77	100.51	105.70	3	1
1	A	17	DG	C5'-C4'-O4'	5.76	120.24	109.30	13	2
1	A	20	DT	OP1-P-O3'	5.76	117.87	105.20	3	2
1	A	18	DG	N1-C2-N3	-5.75	120.45	123.90	10	2
1	A	17	DG	O5'-P-OP1	5.75	117.60	110.70	8	1
1	A	12	DG	N9-C1'-C2'	5.70	123.43	112.60	13	3
1	A	10	DG	C3'-C2'-C1'	-5.69	95.67	102.50	5	1
1	A	23	DG	C5-N7-C8	5.69	107.14	104.30	11	2
1	A	20	DT	O4'-C1'-N1	-5.68	104.02	108.00	6	3
1	A	7	DT	C3'-C2'-C1'	5.67	109.30	102.50	3	1
1	A	12	DG	C4'-C3'-C2'	-5.66	98.01	103.10	1	1
1	A	18	DG	C3'-C2'-C1'	5.66	109.29	102.50	9	9
1	A	11	DG	O3'-P-O5'	5.66	114.75	104.00	3	1
1	A	7	DT	C5-C6-N1	-5.64	120.31	123.70	2	3
1	A	9	DA	C6-C5-N7	5.64	136.25	132.30	7	1
1	A	15	DA	N3-C4-N9	5.63	131.91	127.40	11	2
1	A	2	DA	N1-C6-N6	-5.63	115.22	118.60	10	2
1	A	14	DT	N3-C2-O2	-5.61	118.93	122.30	11	1
1	A	19	DT	C1'-O4'-C4'	5.60	115.70	110.10	9	3
1	A	4	DG	C4'-C3'-C2'	5.60	108.14	103.10	13	1
1	A	16	DG	P-O5'-C5'	5.59	129.85	120.90	3	2
1	A	7	DT	C6-C5-C7	-5.59	119.55	122.90	7	6
1	A	12	DG	O3'-P-O5'	5.58	114.61	104.00	13	4
1	A	22	DG	C5-C6-N1	5.57	114.28	111.50	14	1
1	A	21	DA	O4'-C4'-C3'	-5.56	102.28	104.50	13	1
1	A	20	DT	C4-C5-C7	5.54	122.33	119.00	7	2
1	A	17	DG	N1-C2-N3	-5.53	120.58	123.90	10	4
1	A	13	DT	OP1-P-O3'	5.53	117.36	105.20	13	1
1	A	14	DT	C4-C5-C7	5.52	122.31	119.00	7	1
1	A	22	DG	C6-C5-N7	5.52	133.71	130.40	15	3
1	A	25	DA	C5-N7-C8	5.51	106.66	103.90	11	1
1	A	18	DG	O4'-C1'-C2'	-5.50	101.50	105.90	12	1
1	A	2	DA	O4'-C1'-C2'	-5.49	101.51	105.90	12	1
1	A	21	DA	N3-C4-N9	5.47	131.78	127.40	7	1
1	A	25	DA	C3'-C2'-C1'	5.47	109.06	102.50	5	1
1	A	15	DA	C4-C5-N7	-5.45	107.97	110.70	11	1
1	A	3	DA	C4'-C3'-C2'	-5.43	98.21	103.10	5	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	10	DG	C1'-O4'-C4'	-5.43	104.67	110.10	4	1
1	A	14	DT	O4'-C4'-C3'	5.42	109.25	106.00	10	1
1	A	8	DT	C5-C6-N1	-5.42	120.45	123.70	6	2
1	A	5	DG	N9-C1'-C2'	5.40	122.86	112.60	10	4
1	A	5	DG	N1-C2-N2	5.40	121.06	116.20	15	1
1	A	18	DG	C1'-O4'-C4'	5.40	115.50	110.10	12	2
1	A	5	DG	C4'-C3'-C2'	-5.40	98.24	103.10	13	1
1	A	26	DA	C3'-C2'-C1'	5.38	108.96	102.50	5	1
1	A	7	DT	C5'-C4'-C3'	-5.38	104.42	114.10	13	2
1	A	14	DT	C1'-O4'-C4'	5.38	115.48	110.10	1	1
1	A	6	DG	C5'-C4'-O4'	-5.38	99.08	109.30	8	2
1	A	22	DG	O3'-P-O5'	5.38	114.22	104.00	5	2
1	A	5	DG	OP1-P-O3'	-5.38	93.38	105.20	8	1
1	A	2	DA	N9-C1'-C2'	-5.37	102.39	112.60	12	2
1	A	11	DG	C5'-C4'-C3'	5.34	123.71	114.10	15	1
1	A	26	DA	N1-C2-N3	-5.34	126.63	129.30	6	3
1	A	7	DT	C4'-C3'-C2'	-5.33	98.31	103.10	3	1
1	A	24	DG	C5-C6-O6	5.33	131.80	128.60	7	2
1	A	23	DG	OP1-P-O3'	5.32	116.91	105.20	13	1
1	A	5	DG	N3-C2-N2	-5.32	116.18	119.90	15	1
1	A	25	DA	N3-C4-C5	-5.31	123.08	126.80	5	1
1	A	26	DA	N9-C1'-C2'	5.31	122.69	112.60	14	2
1	A	13	DT	O3'-P-O5'	5.28	114.04	104.00	2	1
1	A	10	DG	C6-C5-N7	5.28	133.57	130.40	11	1
1	A	17	DG	N1-C2-N2	5.27	120.94	116.20	10	1
1	A	7	DT	C1'-O4'-C4'	5.27	115.37	110.10	15	1
1	A	24	DG	C5'-C4'-O4'	5.26	119.29	109.30	2	1
1	A	23	DG	O5'-P-OP1	-5.25	100.97	105.70	6	1
1	A	9	DA	OP2-P-O3'	5.25	116.75	105.20	12	2
1	A	23	DG	C5'-C4'-C3'	5.24	123.54	114.10	8	2
1	A	3	DA	O5'-P-OP1	5.22	116.96	110.70	13	1
1	A	23	DG	N9-C1'-C2'	5.22	122.52	112.60	13	1
1	A	18	DG	P-O3'-C3'	5.21	125.95	119.70	14	1
1	A	20	DT	C6-C5-C7	-5.19	119.78	122.90	2	6
1	A	14	DT	N3-C4-O4	-5.19	116.79	119.90	10	1
1	A	22	DG	N3-C4-N9	5.18	129.11	126.00	5	1
1	A	23	DG	O4'-C4'-C3'	-5.17	102.43	104.50	8	1
1	A	11	DG	N1-C2-N3	-5.14	120.82	123.90	7	1
1	A	3	DA	C3'-C2'-C1'	5.12	108.64	102.50	5	2
1	A	1	DA	C6-N1-C2	-5.10	115.54	118.60	7	1
1	A	25	DA	OP2-P-O3'	5.10	116.41	105.20	9	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	13	DT	C6-N1-C2	-5.09	118.75	121.30	7	1
1	A	13	DT	C6-C5-C7	-5.09	119.84	122.90	14	8
1	A	7	DT	C4'-C3'-O3'	-5.09	96.97	109.70	7	1
1	A	11	DG	C5'-C4'-O4'	5.09	118.97	109.30	5	1
1	A	10	DG	OP2-P-O3'	5.09	116.39	105.20	1	1
1	A	3	DA	N1-C6-N6	-5.08	115.55	118.60	10	1
1	A	13	DT	O5'-P-OP2	-5.07	101.14	105.70	3	1
1	A	22	DG	P-O3'-C3'	5.07	125.78	119.70	5	1
1	A	15	DA	N9-C4-C5	5.05	107.82	105.80	2	1
1	A	13	DT	OP2-P-O3'	5.05	116.32	105.20	3	1
1	A	14	DT	C5-C4-O4	-5.05	121.36	124.90	4	1
1	A	21	DA	O4'-C1'-C2'	5.05	109.94	105.90	1	1
1	A	14	DT	C6-N1-C2	-5.03	118.79	121.30	2	1
1	A	11	DG	C5-N7-C8	-5.03	101.79	104.30	8	1
1	A	14	DT	C5-C6-N1	-5.02	120.69	123.70	4	1
1	A	8	DT	N1-C1'-C2'	-5.02	103.06	112.60	6	1
1	A	6	DG	C5-N7-C8	-5.02	101.79	104.30	9	1
1	A	4	DG	C4-C5-C6	5.01	121.81	118.80	11	1
1	A	21	DA	OP2-P-O3'	-5.01	94.18	105.20	3	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	19	DT	Sidechain	3
1	A	21	DA	Sidechain	3
1	A	10	DG	Sidechain	1
1	A	16	DG	Sidechain	1
1	A	6	DG	Sidechain	1
1	A	7	DT	Sidechain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	549	294	294	2±1
All	All	8880	4995	4408	26

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:4:DG:N3	1:A:4:DG:H2'	0.50	2.21	9	1
1:A:22:DG:H1'	1:A:23:DG:OP1	0.49	2.07	13	1
1:A:16:DG:N3	1:A:16:DG:H2'	0.49	2.23	15	1
1:A:4:DG:H1'	1:A:5:DG:O4'	0.47	2.09	14	7
1:A:4:DG:H4'	1:A:5:DG:OP1	0.47	2.10	10	2
1:A:25:DA:C2'	1:A:26:DA:OP2	0.46	2.64	12	1
1:A:2:DA:C2'	1:A:3:DA:O5'	0.46	2.64	11	1
1:A:6:DG:H4'	1:A:7:DT:O5'	0.45	2.12	7	1
1:A:14:DT:H2''	1:A:15:DA:O5'	0.43	2.14	5	1
1:A:25:DA:OP1	1:A:25:DA:H4'	0.42	2.14	11	1
1:A:16:DG:C1'	1:A:17:DG:P	0.42	3.07	15	1
1:A:22:DG:H2'	1:A:23:DG:C8	0.42	2.50	6	1
1:A:4:DG:N3	1:A:4:DG:C2'	0.42	2.82	10	1
1:A:15:DA:H1'	1:A:16:DG:P	0.42	2.55	7	2
1:A:21:DA:H1'	1:A:22:DG:OP1	0.42	2.15	7	1
1:A:16:DG:C2'	1:A:16:DG:N3	0.41	2.82	15	1
1:A:16:DG:H4'	1:A:17:DG:OP1	0.41	2.14	14	1
1:A:15:DA:C1'	1:A:16:DG:P	0.41	3.08	4	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

6.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	D6F	A	101	-	48,48,48	1.77±0.00	0±0 (0±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	D6F	A	101	-	66,66,66	0.66±0.00	0±0 (0±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	D6F	A	101	-	-	0±0,30,30,30	0±0,6,6,6

There are no bond-length outliers.


There are no bond-angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



6.7 Other polymers [\(i\)](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 44% for the well-defined parts and 44% for the entire structure.

7.1 Chemical shift list 1

File name: `working_cs.cif`

Chemical shift list name: `starch_output`

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	285
Number of shifts mapped to atoms	246
Number of unparsed shifts	0
Number of shifts with mapping errors	39
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	2

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Residue not found in structure. All 39 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	27	D6F	H32	7.839	-1.0	1
A	27	D6F	H31	8.549	-1.0	1
A	27	D6F	H34	8.78	-1.0	1
A	27	D6F	H19	6.934	-1.0	1
A	27	D6F	H41	1.573	-1.0	1
A	27	D6F	H9N	4.441	-1.0	1
A	27	D6F	H9Q	1.573	-1.0	1
A	27	D6F	H15	6.934	-1.0	1
A	27	D6F	H9T	1.573	-1.0	1
A	27	D6F	H8	7.122	-1.0	1
A	27	D6F	H29	8.549	-1.0	1
A	27	D6F	H27	7.348	-1.0	1
A	27	D6F	H39	4.441	-1.0	1
A	27	D6F	H37	8.122	-1.0	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	27	D6F	H18	7.722	-1.0	1
A	27	D6F	H42	1.573	-1.0	1
A	27	D6F	H9M	4.441	-1.0	1
A	27	D6F	H11	7.423	-1.0	1
A	27	D6F	H9P	1.573	-1.0	1
A	27	D6F	H14	6.682	-1.0	1
A	27	D6F	H9S	1.573	-1.0	1
A	27	D6F	H24	8.024	-1.0	1
A	27	D6F	H33	8.122	-1.0	1
A	27	D6F	H36	8.78	-1.0	1
A	27	D6F	H38	4.441	-1.0	1
A	27	D6F	H43	1.573	-1.0	1
A	27	D6F	H40	4.441	-1.0	1
A	27	D6F	H9L	4.441	-1.0	1
A	27	D6F	H10	6.682	-1.0	1
A	27	D6F	H9O	1.573	-1.0	1
A	27	D6F	H13	7.423	-1.0	1
A	27	D6F	H9R	1.573	-1.0	1
A	27	D6F	H16	7.722	-1.0	1
A	27	D6F	H9	6.141	-1.0	1
A	27	D6F	H28	7.831	-1.0	1
A	27	D6F	H6	7.122	-1.0	1
A	27	D6F	H5	6.141	-1.0	1
A	27	D6F	H26	8.024	-1.0	1
A	27	D6F	H23	7.348	-1.0	1

7.1.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 44%, i.e. 228 atoms were assigned a chemical shift out of a possible 520. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Sidechain	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Overall	228/520 (44%)	228/312 (73%)	0/170 (0%)	0/38 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 44%, i.e. 228 atoms were assigned a chemical shift out of a possible 520. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Sidechain	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Aromatic	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Overall	228/520 (44%)	228/312 (73%)	0/170 (0%)	0/38 (0%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	20	DT	H2'	0.76	3.17 – 1.07	-6.5
1	A	15	DA	H5'	2.74	5.29 – 2.79	-5.2

7.1.5 Random Coil Index (RCI) plots [i](#)

No *random coil index* (RCI) plot could be generated from the current chemical shift list (starch_output). RCI is only applicable to proteins.