



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 14, 2026 – 10:56 AM EDT

PDB ID : 11MI / pdb_000011mi
Title : Crystal Structure of M. tuberculosis ClpP1P2 bound to ADEP 19
Authors : Burnside, C.M.; Fei, F.; Schmitz, K.R.; Sello, J.K.
Deposited on : 2026-03-04
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	214	88% 8%
1	B	214	89% 7%
1	C	214	2% 91% 6%
1	D	214	88% 5% 7%
1	E	214	91% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	214	
1	G	214	
1	O	214	
1	P	214	
1	Q	214	
1	R	214	
1	S	214	
1	T	214	
1	U	214	
2	H	194	
2	I	194	
2	J	194	
2	K	194	
2	L	194	
2	M	194	
2	N	194	
2	V	194	
2	W	194	
2	X	194	
2	Y	194	
2	Z	194	
2	a	194	
2	b	194	

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 82314 atoms, of which 40660 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent Clp protease proteolytic subunit 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	197	Total	C	H	N	O	S	0	0	0
			2981	943	1482	254	294	8			
1	B	199	Total	C	H	N	O	S	0	0	0
			3026	951	1510	259	298	8			
1	C	202	Total	C	H	N	O	S	0	0	0
			3067	967	1527	262	303	8			
1	D	198	Total	C	H	N	O	S	0	0	0
			3005	949	1495	258	295	8			
1	E	200	Total	C	H	N	O	S	0	0	0
			3009	952	1494	257	298	8			
1	F	197	Total	C	H	N	O	S	0	0	0
			2978	943	1480	253	294	8			
1	G	198	Total	C	H	N	O	S	0	0	0
			3013	951	1501	255	298	8			
1	O	196	Total	C	H	N	O	S	0	0	0
			2976	940	1482	253	293	8			
1	P	199	Total	C	H	N	O	S	0	0	0
			3023	954	1506	256	299	8			
1	Q	197	Total	C	H	N	O	S	0	0	0
			2965	940	1472	251	294	8			
1	R	198	Total	C	H	N	O	S	0	0	0
			2993	946	1488	255	296	8			
1	S	199	Total	C	H	N	O	S	0	0	0
			3003	949	1493	256	297	8			
1	T	198	Total	C	H	N	O	S	0	1	0
			2986	948	1481	254	295	8			
1	U	198	Total	C	H	N	O	S	0	0	0
			2993	946	1488	255	296	8			

There are 168 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	MET	-	initiating methionine	UNP P9WPC3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	215	ALA	-	expression tag	UNP P9WPC3
A	216	ALA	-	expression tag	UNP P9WPC3
A	217	ALA	-	expression tag	UNP P9WPC3
A	218	LEU	-	expression tag	UNP P9WPC3
A	219	GLU	-	expression tag	UNP P9WPC3
A	220	HIS	-	expression tag	UNP P9WPC3
A	221	HIS	-	expression tag	UNP P9WPC3
A	222	HIS	-	expression tag	UNP P9WPC3
A	223	HIS	-	expression tag	UNP P9WPC3
A	224	HIS	-	expression tag	UNP P9WPC3
A	225	HIS	-	expression tag	UNP P9WPC3
B	12	MET	-	initiating methionine	UNP P9WPC3
B	215	ALA	-	expression tag	UNP P9WPC3
B	216	ALA	-	expression tag	UNP P9WPC3
B	217	ALA	-	expression tag	UNP P9WPC3
B	218	LEU	-	expression tag	UNP P9WPC3
B	219	GLU	-	expression tag	UNP P9WPC3
B	220	HIS	-	expression tag	UNP P9WPC3
B	221	HIS	-	expression tag	UNP P9WPC3
B	222	HIS	-	expression tag	UNP P9WPC3
B	223	HIS	-	expression tag	UNP P9WPC3
B	224	HIS	-	expression tag	UNP P9WPC3
B	225	HIS	-	expression tag	UNP P9WPC3
C	12	MET	-	initiating methionine	UNP P9WPC3
C	215	ALA	-	expression tag	UNP P9WPC3
C	216	ALA	-	expression tag	UNP P9WPC3
C	217	ALA	-	expression tag	UNP P9WPC3
C	218	LEU	-	expression tag	UNP P9WPC3
C	219	GLU	-	expression tag	UNP P9WPC3
C	220	HIS	-	expression tag	UNP P9WPC3
C	221	HIS	-	expression tag	UNP P9WPC3
C	222	HIS	-	expression tag	UNP P9WPC3
C	223	HIS	-	expression tag	UNP P9WPC3
C	224	HIS	-	expression tag	UNP P9WPC3
C	225	HIS	-	expression tag	UNP P9WPC3
D	12	MET	-	initiating methionine	UNP P9WPC3
D	215	ALA	-	expression tag	UNP P9WPC3
D	216	ALA	-	expression tag	UNP P9WPC3
D	217	ALA	-	expression tag	UNP P9WPC3
D	218	LEU	-	expression tag	UNP P9WPC3
D	219	GLU	-	expression tag	UNP P9WPC3
D	220	HIS	-	expression tag	UNP P9WPC3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	221	HIS	-	expression tag	UNP P9WPC3
D	222	HIS	-	expression tag	UNP P9WPC3
D	223	HIS	-	expression tag	UNP P9WPC3
D	224	HIS	-	expression tag	UNP P9WPC3
D	225	HIS	-	expression tag	UNP P9WPC3
E	12	MET	-	initiating methionine	UNP P9WPC3
E	215	ALA	-	expression tag	UNP P9WPC3
E	216	ALA	-	expression tag	UNP P9WPC3
E	217	ALA	-	expression tag	UNP P9WPC3
E	218	LEU	-	expression tag	UNP P9WPC3
E	219	GLU	-	expression tag	UNP P9WPC3
E	220	HIS	-	expression tag	UNP P9WPC3
E	221	HIS	-	expression tag	UNP P9WPC3
E	222	HIS	-	expression tag	UNP P9WPC3
E	223	HIS	-	expression tag	UNP P9WPC3
E	224	HIS	-	expression tag	UNP P9WPC3
E	225	HIS	-	expression tag	UNP P9WPC3
F	12	MET	-	initiating methionine	UNP P9WPC3
F	215	ALA	-	expression tag	UNP P9WPC3
F	216	ALA	-	expression tag	UNP P9WPC3
F	217	ALA	-	expression tag	UNP P9WPC3
F	218	LEU	-	expression tag	UNP P9WPC3
F	219	GLU	-	expression tag	UNP P9WPC3
F	220	HIS	-	expression tag	UNP P9WPC3
F	221	HIS	-	expression tag	UNP P9WPC3
F	222	HIS	-	expression tag	UNP P9WPC3
F	223	HIS	-	expression tag	UNP P9WPC3
F	224	HIS	-	expression tag	UNP P9WPC3
F	225	HIS	-	expression tag	UNP P9WPC3
G	12	MET	-	initiating methionine	UNP P9WPC3
G	215	ALA	-	expression tag	UNP P9WPC3
G	216	ALA	-	expression tag	UNP P9WPC3
G	217	ALA	-	expression tag	UNP P9WPC3
G	218	LEU	-	expression tag	UNP P9WPC3
G	219	GLU	-	expression tag	UNP P9WPC3
G	220	HIS	-	expression tag	UNP P9WPC3
G	221	HIS	-	expression tag	UNP P9WPC3
G	222	HIS	-	expression tag	UNP P9WPC3
G	223	HIS	-	expression tag	UNP P9WPC3
G	224	HIS	-	expression tag	UNP P9WPC3
G	225	HIS	-	expression tag	UNP P9WPC3
O	12	MET	-	initiating methionine	UNP P9WPC3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
O	215	ALA	-	expression tag	UNP P9WPC3
O	216	ALA	-	expression tag	UNP P9WPC3
O	217	ALA	-	expression tag	UNP P9WPC3
O	218	LEU	-	expression tag	UNP P9WPC3
O	219	GLU	-	expression tag	UNP P9WPC3
O	220	HIS	-	expression tag	UNP P9WPC3
O	221	HIS	-	expression tag	UNP P9WPC3
O	222	HIS	-	expression tag	UNP P9WPC3
O	223	HIS	-	expression tag	UNP P9WPC3
O	224	HIS	-	expression tag	UNP P9WPC3
O	225	HIS	-	expression tag	UNP P9WPC3
P	12	MET	-	initiating methionine	UNP P9WPC3
P	215	ALA	-	expression tag	UNP P9WPC3
P	216	ALA	-	expression tag	UNP P9WPC3
P	217	ALA	-	expression tag	UNP P9WPC3
P	218	LEU	-	expression tag	UNP P9WPC3
P	219	GLU	-	expression tag	UNP P9WPC3
P	220	HIS	-	expression tag	UNP P9WPC3
P	221	HIS	-	expression tag	UNP P9WPC3
P	222	HIS	-	expression tag	UNP P9WPC3
P	223	HIS	-	expression tag	UNP P9WPC3
P	224	HIS	-	expression tag	UNP P9WPC3
P	225	HIS	-	expression tag	UNP P9WPC3
Q	12	MET	-	initiating methionine	UNP P9WPC3
Q	215	ALA	-	expression tag	UNP P9WPC3
Q	216	ALA	-	expression tag	UNP P9WPC3
Q	217	ALA	-	expression tag	UNP P9WPC3
Q	218	LEU	-	expression tag	UNP P9WPC3
Q	219	GLU	-	expression tag	UNP P9WPC3
Q	220	HIS	-	expression tag	UNP P9WPC3
Q	221	HIS	-	expression tag	UNP P9WPC3
Q	222	HIS	-	expression tag	UNP P9WPC3
Q	223	HIS	-	expression tag	UNP P9WPC3
Q	224	HIS	-	expression tag	UNP P9WPC3
Q	225	HIS	-	expression tag	UNP P9WPC3
R	12	MET	-	initiating methionine	UNP P9WPC3
R	215	ALA	-	expression tag	UNP P9WPC3
R	216	ALA	-	expression tag	UNP P9WPC3
R	217	ALA	-	expression tag	UNP P9WPC3
R	218	LEU	-	expression tag	UNP P9WPC3
R	219	GLU	-	expression tag	UNP P9WPC3
R	220	HIS	-	expression tag	UNP P9WPC3

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	221	HIS	-	expression tag	UNP P9WPC3
R	222	HIS	-	expression tag	UNP P9WPC3
R	223	HIS	-	expression tag	UNP P9WPC3
R	224	HIS	-	expression tag	UNP P9WPC3
R	225	HIS	-	expression tag	UNP P9WPC3
S	12	MET	-	initiating methionine	UNP P9WPC3
S	215	ALA	-	expression tag	UNP P9WPC3
S	216	ALA	-	expression tag	UNP P9WPC3
S	217	ALA	-	expression tag	UNP P9WPC3
S	218	LEU	-	expression tag	UNP P9WPC3
S	219	GLU	-	expression tag	UNP P9WPC3
S	220	HIS	-	expression tag	UNP P9WPC3
S	221	HIS	-	expression tag	UNP P9WPC3
S	222	HIS	-	expression tag	UNP P9WPC3
S	223	HIS	-	expression tag	UNP P9WPC3
S	224	HIS	-	expression tag	UNP P9WPC3
S	225	HIS	-	expression tag	UNP P9WPC3
T	12	MET	-	initiating methionine	UNP P9WPC3
T	215	ALA	-	expression tag	UNP P9WPC3
T	216	ALA	-	expression tag	UNP P9WPC3
T	217	ALA	-	expression tag	UNP P9WPC3
T	218	LEU	-	expression tag	UNP P9WPC3
T	219	GLU	-	expression tag	UNP P9WPC3
T	220	HIS	-	expression tag	UNP P9WPC3
T	221	HIS	-	expression tag	UNP P9WPC3
T	222	HIS	-	expression tag	UNP P9WPC3
T	223	HIS	-	expression tag	UNP P9WPC3
T	224	HIS	-	expression tag	UNP P9WPC3
T	225	HIS	-	expression tag	UNP P9WPC3
U	12	MET	-	initiating methionine	UNP P9WPC3
U	215	ALA	-	expression tag	UNP P9WPC3
U	216	ALA	-	expression tag	UNP P9WPC3
U	217	ALA	-	expression tag	UNP P9WPC3
U	218	LEU	-	expression tag	UNP P9WPC3
U	219	GLU	-	expression tag	UNP P9WPC3
U	220	HIS	-	expression tag	UNP P9WPC3
U	221	HIS	-	expression tag	UNP P9WPC3
U	222	HIS	-	expression tag	UNP P9WPC3
U	223	HIS	-	expression tag	UNP P9WPC3
U	224	HIS	-	expression tag	UNP P9WPC3
U	225	HIS	-	expression tag	UNP P9WPC3

- Molecule 2 is a protein called ATP-dependent Clp protease proteolytic subunit 1.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	H	177	Total	C	H	N	O	S	0	0	0
			2661	849	1322	222	259	9			
2	I	177	Total	C	H	N	O	S	0	0	0
			2637	844	1308	219	257	9			
2	J	179	Total	C	H	N	O	S	0	0	0
			2658	850	1316	224	259	9			
2	K	176	Total	C	H	N	O	S	0	0	0
			2641	843	1313	221	255	9			
2	L	177	Total	C	H	N	O	S	0	0	0
			2635	843	1305	222	256	9			
2	M	176	Total	C	H	N	O	S	0	0	0
			2627	840	1302	221	255	9			
2	N	177	Total	C	H	N	O	S	0	0	0
			2657	847	1321	222	258	9			
2	V	176	Total	C	H	N	O	S	0	0	0
			2628	840	1303	221	255	9			
2	W	176	Total	C	H	N	O	S	0	0	0
			2616	838	1298	218	253	9			
2	X	176	Total	C	H	N	O	S	0	0	0
			2611	837	1292	217	256	9			
2	Y	176	Total	C	H	N	O	S	0	0	0
			2608	836	1294	218	251	9			
2	Z	176	Total	C	H	N	O	S	0	0	0
			2624	840	1300	220	255	9			
2	a	176	Total	C	H	N	O	S	0	0	0
			2602	835	1287	218	253	9			
2	b	176	Total	C	H	N	O	S	0	0	0
			2563	828	1258	213	255	9			

- Molecule 3 is 3,5-difluoro-N-[(5R,6aS,8R,10R,12S,13S,15aS,19R,21S,23aS)-8-fluoro-13,21-dimethyl-6,11,15,20,23-pentaoxooctadecahydro-2H,6H,11H,15H-pyrido[2,1-i]dipyrrolo[2,1-c:2',1'-l][1,4,7,10,13]oxatetraazacyclohexadecin-12-yl]-Nalpha-{(2E)-3-[(1S,2R)-2-methylcyclopentyl]prop-2-enoyl}-L-phenylalaninamide (CCD ID: A1C9P) (formula: C₄₁H₅₃F₃N₆O₈) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	B	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	C	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	D	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	E	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	F	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	G	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	O	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	P	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	Q	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	R	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	S	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	T	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		
3	U	1	Total	C	F	H	N	O	0	0
			111	41	3	53	6	8		

- Molecule 4 is BENZOIC ACID (CCD ID: BEZ) (formula: $C_7H_6O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			13	7	5	1		
4	B	1	Total	C	H	O	0	0
			13	7	5	1		
4	C	1	Total	C	H	O	0	0
			13	7	5	1		
4	D	1	Total	C	H	O	0	0
			13	7	5	1		
4	E	1	Total	C	H	O	0	0
			13	7	5	1		
4	F	1	Total	C	H	O	0	0
			13	7	5	1		
4	G	1	Total	C	H	O	0	0
			13	7	5	1		
4	H	1	Total	C	H	O	0	0
			13	7	5	1		
4	I	1	Total	C	H	O	0	0
			13	7	5	1		
4	J	1	Total	C	H	O	0	0
			13	7	5	1		
4	K	1	Total	C	H	O	0	0
			13	7	5	1		
4	L	1	Total	C	H	O	0	0
			13	7	5	1		
4	M	1	Total	C	H	O	0	0
			13	7	5	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	N	1	Total	C	H	O	0	0
			13	7	5	1		
4	O	1	Total	C	H	O	0	0
			13	7	5	1		
4	P	1	Total	C	H	O	0	0
			13	7	5	1		
4	Q	1	Total	C	H	O	0	0
			13	7	5	1		
4	R	1	Total	C	H	O	0	0
			13	7	5	1		
4	S	1	Total	C	H	O	0	0
			13	7	5	1		
4	T	1	Total	C	H	O	0	0
			13	7	5	1		
4	U	1	Total	C	H	O	0	0
			13	7	5	1		
4	V	1	Total	C	H	O	0	0
			13	7	5	1		
4	W	1	Total	C	H	O	0	0
			13	7	5	1		
4	X	1	Total	C	H	O	0	0
			13	7	5	1		
4	Y	1	Total	C	H	O	0	0
			13	7	5	1		
4	Z	1	Total	C	H	O	0	0
			13	7	5	1		
4	a	1	Total	C	H	O	0	0
			13	7	5	1		
4	b	1	Total	C	H	O	0	0
			13	7	5	1		

- Molecule 5 is LEUCINE (CCD ID: LEU) (formula: C₆H₁₃NO₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	A	1	Total	C	H	N	O	0	0
			20	6	11	1	2		
5	B	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	B	1	Total	C	H	N	O	0	0
			20	6	11	1	2		
5	C	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	C	1	Total	C	H	N	O	0	0
			20	6	11	1	2		
5	D	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	D	1	Total	C	H	N	O	0	0
			20	6	11	1	2		
5	E	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	E	1	Total	C	H	N	O	0	0
			20	6	11	1	2		
5	F	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	F	1	Total	C	H	N	O	0	0
			20	6	11	1	2		
5	G	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	G	1	Total	C	H	N	O	0	0
			20	6	11	1	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	H	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	H	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	I	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	I	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	J	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	J	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	K	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	K	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	L	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	L	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	M	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	M	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	N	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	N	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	O	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	O	1	Total	C	H	N	O	0	0
			20	6	11	1	2		
5	P	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	P	1	Total	C	H	N	O	0	0
			20	6	11	1	2		
5	Q	1	Total	C	H	N	O	0	0
			19	6	11	1	1		
5	Q	1	Total	C	H	N	O	0	0
			20	6	11	1	2		
5	R	1	Total	C	H	N	O	0	0
			19	6	11	1	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	R	1	Total 20	C 6	H 11	N 1	O 2	0	0
5	S	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	S	1	Total 20	C 6	H 11	N 1	O 2	0	0
5	T	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	T	1	Total 20	C 6	H 11	N 1	O 2	0	0
5	U	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	U	1	Total 20	C 6	H 11	N 1	O 2	0	0
5	V	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	V	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	W	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	W	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	X	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	X	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	Y	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	Y	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	Z	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	Z	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	a	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	a	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	b	1	Total 19	C 6	H 11	N 1	O 1	0	0
5	b	1	Total 19	C 6	H 11	N 1	O 1	0	0

- Molecule 6 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	F	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	O	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	Q	1	Total	C	H	O	S	0	0
			10	2	6	1	1		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	D	1	Total	C	H	O	0	0
			17	4	10	3		
7	S	1	Total	C	H	O	0	0
			17	4	10	3		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	19	Total	O	0	0
			19	19		
8	B	18	Total	O	0	0
			18	18		
8	C	23	Total	O	0	0
			23	23		
8	D	17	Total	O	0	0
			17	17		
8	E	16	Total	O	0	0
			16	16		
8	F	21	Total	O	0	0
			21	21		
8	G	16	Total	O	0	0
			16	16		
8	H	16	Total	O	0	0
			16	16		
8	I	16	Total	O	0	0
			16	16		
8	J	15	Total	O	0	0
			15	15		
8	K	19	Total	O	0	0
			19	19		
8	L	19	Total	O	0	0
			19	19		
8	M	10	Total	O	0	0
			10	10		
8	N	17	Total	O	0	0
			17	17		
8	O	23	Total	O	0	0
			23	23		
8	P	17	Total	O	0	0
			17	17		
8	Q	18	Total	O	0	0
			18	18		
8	R	25	Total	O	0	0
			25	25		


Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	S	15	Total 15	O 15	0	0
8	T	18	Total 18	O 18	0	0
8	U	26	Total 26	O 26	0	0
8	V	11	Total 11	O 11	0	0
8	W	8	Total 8	O 8	0	0
8	X	12	Total 12	O 12	0	0
8	Y	9	Total 9	O 9	0	0
8	Z	11	Total 11	O 11	0	0
8	a	15	Total 15	O 15	0	0
8	b	8	Total 8	O 8	0	0


- Molecule 1: ATP-dependent Clp protease proteolytic subunit 2




- Chain B:  89% 7%





- Chain C:  2% 91% 6%



- Chain D:  88% 5% 7%



- Chain E:  91% • 7%



- 

Chain F:  87% 5% 8%





- Molecule 1: ATP-dependent Clp protease proteolytic subunit 2

Chain G:  87% 6% 7%




- Molecule 1: ATP-dependent Clp protease proteolytic subunit 2

Chain O:  89% 2% 8%



- Molecule 1: ATP-dependent Clp protease proteolytic subunit 2

Chain P:  89% 7%




- Molecule 1: ATP-dependent Clp protease proteolytic subunit 2

Chain Q:  88% 8%



- Molecule 1: ATP-dependent Clp protease proteolytic subunit 2

Chain R:  89% 7%




- Molecule 1: ATP-dependent Clp protease proteolytic subunit 2


Chain S:  87% 5% 7%




- Molecule 1: ATP-dependent Clp protease proteolytic subunit 2




- Molecule 1: ATP-dependent Clp protease proteolytic subunit 2




- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1




- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1




- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1



- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1



- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1







- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1



- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1




- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1




- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1




- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1



- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1




- Molecule 2: ATP-dependent Clp protease proteolytic subunit 1







● Molecule 2: ATP-dependent Clp protease proteolytic subunit 1



● Molecule 2: ATP-dependent Clp protease proteolytic subunit 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	211.46Å 183.69Å 191.70Å 90.00° 95.34° 90.00°	Depositor
Resolution (Å)	41.04 – 2.65 41.04 – 2.65	Depositor EDS
% Data completeness (in resolution range)	86.8 (41.04-2.65) 79.7 (41.04-2.65)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.77 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.21.2_5419	Depositor
R, R_{free}	0.200 , 0.237 0.200 , 0.237	Depositor DCC
R_{free} test set	9431 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	39.8	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 37.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	82314	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.80 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.2393e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BEZ, DMS, A1C9P, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.25	0/1521	0.44	0/2061
1	B	0.29	0/1537	0.45	0/2081
1	C	0.33	1/1562 (0.1%)	0.42	0/2116
1	D	0.39	1/1532 (0.1%)	0.50	0/2075
1	E	0.19	0/1537	0.36	0/2083
1	F	0.25	0/1520	0.44	0/2061
1	G	0.30	1/1534 (0.1%)	0.47	0/2078
1	O	0.32	0/1516	0.49	0/2054
1	P	0.26	0/1539	0.45	0/2085
1	Q	0.29	0/1515	0.47	0/2054
1	R	0.30	0/1527	0.48	0/2069
1	S	0.26	0/1532	0.46	0/2076
1	T	0.30	0/1531	0.40	0/2076
1	U	0.34	0/1527	0.50	0/2069
2	H	0.41	0/1361	0.65	0/1842
2	I	0.29	0/1351	0.51	1/1830 (0.1%)
2	J	0.42	1/1364 (0.1%)	0.61	0/1847
2	K	0.43	2/1350 (0.1%)	0.53	1/1827 (0.1%)
2	L	0.29	0/1352	0.52	0/1830
2	M	0.29	0/1347	0.50	0/1823
2	N	0.33	0/1358	0.50	0/1838
2	V	0.25	0/1347	0.46	0/1823
2	W	0.28	0/1340	0.44	0/1815
2	X	0.29	0/1341	0.42	0/1817
2	Y	0.36	0/1336	0.58	0/1810
2	Z	0.46	3/1346 (0.2%)	0.59	0/1823
2	a	0.35	0/1337	0.52	0/1811
2	b	0.36	1/1327 (0.1%)	0.59	1/1801 (0.1%)
All	All	0.32	10/40287 (0.0%)	0.49	3/54575 (0.0%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	105	LEU	C-N	9.72	1.47	1.33
2	K	152	ARG	C-N	-9.18	1.21	1.34
2	K	153	LEU	C-N	7.24	1.44	1.34
2	b	147	LYS	C-N	-7.17	1.24	1.34
2	Z	98	SER	C-N	-7.05	1.24	1.33
1	C	105	LEU	C-N	6.07	1.42	1.33
2	Z	99	MET	C-N	5.63	1.40	1.33
2	J	161	PRO	C-N	5.43	1.40	1.34
2	Z	149	GLU	C-N	-5.32	1.26	1.33
1	G	170	ARG	C-N	-5.26	1.26	1.33

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	152	ARG	O-C-N	-7.12	114.74	122.07
2	I	16	LEU	N-CA-C	-5.89	105.93	113.23
2	b	98	SER	CA-CB-OG	5.04	121.19	111.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1499	1482	1482	5	0
1	B	1516	1510	1509	7	0
1	C	1540	1527	1527	4	0
1	D	1510	1495	1495	7	0
1	E	1515	1494	1494	1	0
1	F	1498	1480	1480	6	0
1	G	1512	1501	1500	5	0
1	O	1494	1482	1480	4	0
1	P	1517	1506	1505	8	0
1	Q	1493	1472	1471	4	0
1	R	1505	1488	1487	3	0
1	S	1510	1493	1492	6	0
1	T	1505	1481	1480	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	U	1505	1488	1487	4	0
2	H	1339	1322	1321	4	0
2	I	1329	1308	1306	5	0
2	J	1342	1316	1315	5	0
2	K	1328	1313	1310	6	0
2	L	1330	1305	1303	3	0
2	M	1325	1302	1301	1	0
2	N	1336	1321	1320	3	0
2	V	1325	1303	1301	3	0
2	W	1318	1298	1295	4	0
2	X	1319	1292	1291	6	0
2	Y	1314	1294	1291	12	0
2	Z	1324	1300	1299	10	0
2	a	1315	1287	1286	6	0
2	b	1305	1258	1257	3	0
3	A	58	53	0	1	0
3	B	58	53	0	0	0
3	C	58	53	0	1	0
3	D	58	53	0	1	0
3	E	58	53	0	0	0
3	F	58	53	0	1	0
3	G	58	53	0	0	0
3	O	58	53	0	1	0
3	P	58	53	0	1	0
3	Q	58	53	0	1	0
3	R	58	53	0	1	0
3	S	58	53	0	1	0
3	T	58	53	0	0	0
3	U	58	53	0	0	0
4	A	8	5	5	0	0
4	B	8	5	5	0	0
4	C	8	5	5	0	0
4	D	8	5	5	0	0
4	E	8	5	5	0	0
4	F	8	5	5	0	0
4	G	8	5	5	0	0
4	H	8	5	5	0	0
4	I	8	5	5	0	0
4	J	8	5	5	0	0
4	K	8	5	5	0	0
4	L	8	5	5	0	0
4	M	8	5	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	N	8	5	5	0	0
4	O	8	5	5	0	0
4	P	8	5	5	0	0
4	Q	8	5	5	0	0
4	R	8	5	5	0	0
4	S	8	5	5	0	0
4	T	8	5	5	0	0
4	U	8	5	5	0	0
4	V	8	5	5	0	0
4	W	8	5	5	0	0
4	X	8	5	5	1	0
4	Y	8	5	5	0	0
4	Z	8	5	5	0	0
4	a	8	5	5	0	0
4	b	8	5	5	0	0
5	A	17	22	22	0	0
5	B	17	22	22	0	0
5	C	17	22	22	0	0
5	D	17	22	22	0	0
5	E	17	22	22	0	0
5	F	17	22	22	0	0
5	G	17	22	22	0	0
5	H	16	22	22	1	0
5	I	16	22	22	0	0
5	J	16	22	22	0	0
5	K	16	22	22	1	0
5	L	16	22	22	0	0
5	M	16	22	22	0	0
5	N	16	22	22	1	0
5	O	17	22	22	0	0
5	P	17	22	22	0	0
5	Q	17	22	22	0	0
5	R	17	22	22	0	0
5	S	17	22	22	0	0
5	T	17	22	22	0	0
5	U	17	22	22	0	0
5	V	16	22	22	0	0
5	W	16	22	22	0	0
5	X	16	22	22	1	0
5	Y	16	22	22	2	0
5	Z	16	22	22	0	0
5	a	16	22	22	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	b	16	22	22	0	0
6	C	4	6	6	0	0
6	F	4	6	6	3	0
6	O	4	6	6	0	0
6	Q	4	6	6	0	0
7	D	7	10	10	0	0
7	S	7	10	10	0	0
8	A	19	0	0	0	0
8	B	18	0	0	0	0
8	C	23	0	0	0	0
8	D	17	0	0	0	0
8	E	16	0	0	0	0
8	F	21	0	0	0	0
8	G	16	0	0	0	0
8	H	16	0	0	0	0
8	I	16	0	0	0	0
8	J	15	0	0	0	0
8	K	19	0	0	0	0
8	L	19	0	0	0	0
8	M	10	0	0	0	0
8	N	17	0	0	0	0
8	O	23	0	0	0	0
8	P	17	0	0	0	0
8	Q	18	0	0	0	0
8	R	25	0	0	0	0
8	S	15	0	0	0	0
8	T	18	0	0	0	0
8	U	26	0	0	0	0
8	V	11	0	0	0	0
8	W	8	0	0	0	0
8	X	12	0	0	0	0
8	Y	9	0	0	0	0
8	Z	11	0	0	0	0
8	a	15	0	0	0	0
8	b	8	0	0	0	0
All	All	41654	40660	39885	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Y:17:THR:HG21	2:Z:43:ARG:NH1	2.02	0.74
2:Z:31:PHE:HE2	2:Z:93:MET:HE1	1.52	0.74
1:A:105:LEU:HD21	3:A:401:A1C9P:F37	1.82	0.69
1:P:105:LEU:HD21	3:P:401:A1C9P:F37	1.84	0.68
2:N:74:GLY:HA3	2:N:99:MET:HE2	1.77	0.66
1:F:38:GLU:HA	6:F:405:DMS:H13	1.78	0.64
1:B:97:ARG:HA	1:C:208:LYS:HA	1.86	0.57
1:S:105:LEU:HD21	3:S:401:A1C9P:F37	1.94	0.56
1:R:105:LEU:HD21	3:R:401:A1C9P:F37	1.94	0.56
1:Q:105:LEU:HD21	3:Q:401:A1C9P:F37	1.96	0.54
1:Q:162:THR:HG22	1:Q:180:ARG:HH12	1.73	0.53
1:A:105:LEU:HD23	1:G:57:MET:SD	2.48	0.53
1:P:157:ILE:HD13	2:W:136:ILE:HD13	1.89	0.53
2:Y:115:LEU:HD22	2:Z:83:LEU:CD1	2.41	0.51
2:I:16:LEU:O	2:I:20:VAL:HG13	2.11	0.51
1:O:105:LEU:HD21	3:O:401:A1C9P:F37	2.02	0.50
2:K:190:ILE:HG22	2:L:83:LEU:HD22	1.93	0.49
2:Y:190:ILE:HG22	2:Z:83:LEU:HD22	1.95	0.49
1:T:146:GLN:HG2	2:a:126:LEU:HD11	1.95	0.49
2:a:74:GLY:HA3	2:a:99:MET:HE2	1.95	0.49
1:F:66:LEU:HD13	6:F:405:DMS:H22	1.95	0.48
1:O:57:MET:SD	1:P:105:LEU:HD23	2.54	0.48
1:B:157:ILE:HD13	2:I:136:ILE:HD13	1.97	0.47
1:A:57:MET:SD	1:B:105:LEU:HD23	2.55	0.47
2:X:99:MET:HE1	2:X:102:PHE:CD2	2.50	0.47
2:Y:115:LEU:HD23	2:Y:190:ILE:HD12	1.96	0.46
2:K:150:MET:HE2	5:K:803:LEU:HD12	1.97	0.46
2:Y:142:GLN:O	2:Y:146:ILE:HD12	2.15	0.46
1:U:188:ILE:N	1:U:188:ILE:HD12	2.31	0.46
6:F:405:DMS:H11	1:G:19:PHE:HB2	1.98	0.45
2:J:192:ARG:O	2:J:193:ALA:HB3	2.17	0.45
2:Y:146:ILE:HD12	2:Y:146:ILE:H	1.83	0.45
1:S:156:GLU:OE2	1:S:160:MET:HE3	2.17	0.44
1:O:57:MET:CE	1:P:105:LEU:HD23	2.48	0.44
1:P:57:MET:SD	1:Q:105:LEU:HD23	2.58	0.44
2:Y:99:MET:HE3	5:Y:803:LEU:HD12	2.00	0.43
2:J:17:THR:HG22	2:K:43:ARG:HG3	2.00	0.43
2:Y:125:PRO:HA	5:Y:802:LEU:O	2.17	0.43
2:J:74:GLY:HA3	2:J:99:MET:HE2	2.00	0.43
1:S:150:LEU:HD11	2:Z:127:GLY:C	2.44	0.43
2:b:114:ALA:HB2	2:b:186:VAL:HG11	1.99	0.43
1:D:20:ILE:HD11	1:D:27:VAL:HG11	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:123:HIS:HD2	5:H:803:LEU:HD23	1.84	0.42
2:K:25:LEU:HD13	2:K:30:ILE:HG22	2.01	0.42
2:X:190:ILE:HG22	2:Y:83:LEU:HD22	2.02	0.42
1:C:105:LEU:HD21	3:C:401:A1C9P:F37	2.09	0.42
1:O:20:ILE:O	1:O:20:ILE:HG23	2.20	0.42
1:T:165:GLU:HA	1:T:179:ILE:HG21	2.01	0.42
2:b:99:MET:O	2:b:99:MET:HE3	2.20	0.42
1:F:86:LEU:HD12	1:F:115:LEU:HD21	2.01	0.42
1:T:147:PHE:CE2	2:a:125:PRO:HB2	2.54	0.42
2:Y:115:LEU:HD13	2:Z:79:ASP:HB3	2.02	0.42
2:X:74:GLY:HA3	2:X:99:MET:HE2	2.01	0.42
1:D:99:ASP:OD2	1:D:123:LYS:HE3	2.20	0.42
1:P:157:ILE:CD1	2:W:136:ILE:HD13	2.50	0.42
1:T:157:ILE:HD13	2:a:136:ILE:HD13	2.01	0.42
1:F:87:MET:HE3	1:F:163:LEU:HG	2.01	0.42
2:V:31:PHE:CE1	2:V:63:TYR:HB2	2.54	0.42
1:F:127:LEU:HD21	3:F:401:A1C9P:C39	2.50	0.42
1:E:86:LEU:HD12	1:E:115:LEU:HD21	2.02	0.41
1:S:46:VAL:HG23	1:S:47:GLN:O	2.20	0.41
2:X:99:MET:HG2	5:X:803:LEU:HB2	2.01	0.41
1:B:156:GLU:OE2	1:B:159:ARG:NH1	2.53	0.41
2:N:126:LEU:N	5:N:802:LEU:O	2.53	0.41
2:V:63:TYR:HD2	2:V:93:MET:HE3	1.85	0.41
2:Y:189:ILE:HG22	2:Y:190:ILE:N	2.34	0.41
2:I:113:TYR:CD1	2:I:113:TYR:N	2.89	0.41
1:U:20:ILE:O	1:U:20:ILE:HG23	2.20	0.41
1:B:96:VAL:HG21	1:B:100:ILE:HD11	2.01	0.41
2:H:77:ILE:O	2:H:81:MET:HG3	2.20	0.41
1:T:156:GLU:OE2	1:T:159:ARG:NH1	2.52	0.41
2:J:115:LEU:HD22	2:K:83:LEU:CD1	2.50	0.41
1:S:87:MET:HE3	1:S:163:LEU:HG	2.03	0.41
1:T:86:LEU:HD12	1:T:115:LEU:HD21	2.03	0.41
2:a:95:MET:HE2	2:a:119:ARG:HB3	2.03	0.41
1:C:72:ILE:HB	1:C:100:ILE:HD13	2.02	0.41
2:N:173:ARG:HG2	2:N:175:PHE:CZ	2.56	0.41
1:S:20:ILE:HG23	1:S:20:ILE:O	2.20	0.41
1:U:86:LEU:HD12	1:U:115:LEU:HD21	2.03	0.41
2:Y:17:THR:O	2:Y:20:VAL:HG22	2.20	0.41
2:Z:81:MET:HE3	2:Z:88:ILE:HG21	2.02	0.41
1:B:105:LEU:N	1:B:105:LEU:HD12	2.36	0.41
1:D:150:LEU:HD11	2:K:127:GLY:C	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:207:ARG:HG3	1:D:207:ARG:O	2.20	0.41
1:F:104:CYS:C	1:F:105:LEU:HD12	2.45	0.41
2:J:91:TYR:HE1	2:J:190:ILE:HD11	1.85	0.41
1:P:174:LYS:HB2	1:P:179:ILE:CD1	2.51	0.41
1:R:62:VAL:O	1:R:66:LEU:HG	2.21	0.41
2:V:142:GLN:HG3	2:b:174:TRP:CD1	2.56	0.41
2:Z:173:ARG:HG2	2:Z:175:PHE:CE1	2.56	0.41
1:D:86:LEU:HD12	1:D:115:LEU:HD21	2.04	0.41
1:G:162:THR:HG22	1:G:180:ARG:HH12	1.86	0.41
2:H:82:VAL:CG2	2:H:83:LEU:N	2.84	0.41
2:H:115:LEU:HD13	2:I:79:ASP:HB3	2.02	0.41
2:L:98:SER:OG	2:L:99:MET:N	2.54	0.41
1:P:157:ILE:HD13	2:W:136:ILE:CD1	2.51	0.41
1:T:156:GLU:CD	1:U:188:ILE:HG21	2.46	0.41
2:Z:81:MET:HB2	2:Z:88:ILE:HG13	2.03	0.41
3:D:401:A1C9P:C05	3:D:401:A1C9P:C19	2.99	0.40
1:G:93:MET:HE3	1:G:100:ILE:HG21	2.03	0.40
2:W:71:ILE:CG2	2:W:150:MET:HE3	2.50	0.40
1:A:93:MET:HE3	1:A:100:ILE:HG21	2.03	0.40
2:L:33:GLY:HA3	2:M:42:ASN:ND2	2.37	0.40
1:R:93:MET:HE3	1:R:100:ILE:HG21	2.02	0.40
2:X:34:SER:OG	2:X:40:ILE:HD13	2.22	0.40
2:Z:97:ALA:HB1	2:Z:121:LEU:HD23	2.04	0.40
1:C:95:TYR:O	1:D:207:ARG:HG2	2.22	0.40
1:D:20:ILE:HG23	1:D:20:ILE:O	2.22	0.40
2:I:123:HIS:CD2	2:I:123:HIS:C	2.99	0.40
1:Q:188:ILE:N	1:Q:188:ILE:HD12	2.36	0.40
1:A:95:TYR:CZ	1:B:207:ARG:HD3	2.56	0.40
1:T:146:GLN:HA	2:a:126:LEU:HG	2.04	0.40
2:X:143:PHE:CE1	4:X:801:BEZ:H3	2.56	0.40
1:G:86:LEU:CD2	1:G:87:MET:HE2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	195/214 (91%)	189 (97%)	5 (3%)	1 (0%)	24	39
1	B	197/214 (92%)	187 (95%)	10 (5%)	0	100	100
1	C	200/214 (94%)	194 (97%)	6 (3%)	0	100	100
1	D	196/214 (92%)	189 (96%)	7 (4%)	0	100	100
1	E	198/214 (92%)	190 (96%)	8 (4%)	0	100	100
1	F	195/214 (91%)	185 (95%)	10 (5%)	0	100	100
1	G	196/214 (92%)	188 (96%)	7 (4%)	1 (0%)	24	39
1	O	194/214 (91%)	187 (96%)	7 (4%)	0	100	100
1	P	197/214 (92%)	194 (98%)	3 (2%)	0	100	100
1	Q	195/214 (91%)	190 (97%)	5 (3%)	0	100	100
1	R	196/214 (92%)	189 (96%)	7 (4%)	0	100	100
1	S	197/214 (92%)	189 (96%)	8 (4%)	0	100	100
1	T	197/214 (92%)	192 (98%)	5 (2%)	0	100	100
1	U	196/214 (92%)	191 (97%)	5 (3%)	0	100	100
2	H	175/194 (90%)	169 (97%)	6 (3%)	0	100	100
2	I	175/194 (90%)	170 (97%)	5 (3%)	0	100	100
2	J	177/194 (91%)	173 (98%)	4 (2%)	0	100	100
2	K	174/194 (90%)	168 (97%)	6 (3%)	0	100	100
2	L	175/194 (90%)	171 (98%)	4 (2%)	0	100	100
2	M	174/194 (90%)	170 (98%)	4 (2%)	0	100	100
2	N	175/194 (90%)	174 (99%)	1 (1%)	0	100	100
2	V	174/194 (90%)	165 (95%)	9 (5%)	0	100	100
2	W	174/194 (90%)	166 (95%)	8 (5%)	0	100	100
2	X	174/194 (90%)	169 (97%)	5 (3%)	0	100	100
2	Y	174/194 (90%)	166 (95%)	8 (5%)	0	100	100
2	Z	174/194 (90%)	170 (98%)	4 (2%)	0	100	100
2	a	174/194 (90%)	166 (95%)	8 (5%)	0	100	100
2	b	174/194 (90%)	166 (95%)	8 (5%)	0	100	100
All	All	5192/5712 (91%)	5017 (97%)	173 (3%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	106	GLY
1	G	106	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	158/176 (90%)	154 (98%)	4 (2%)	42	64
1	B	161/176 (92%)	160 (99%)	1 (1%)	78	88
1	C	163/176 (93%)	160 (98%)	3 (2%)	51	72
1	D	159/176 (90%)	158 (99%)	1 (1%)	78	88
1	E	159/176 (90%)	156 (98%)	3 (2%)	50	71
1	F	158/176 (90%)	155 (98%)	3 (2%)	50	71
1	G	161/176 (92%)	159 (99%)	2 (1%)	63	79
1	O	158/176 (90%)	154 (98%)	4 (2%)	42	64
1	P	161/176 (92%)	157 (98%)	4 (2%)	42	64
1	Q	157/176 (89%)	151 (96%)	6 (4%)	29	49
1	R	159/176 (90%)	155 (98%)	4 (2%)	42	64
1	S	159/176 (90%)	155 (98%)	4 (2%)	42	64
1	T	158/176 (90%)	152 (96%)	6 (4%)	29	49
1	U	159/176 (90%)	156 (98%)	3 (2%)	50	71
2	H	136/151 (90%)	133 (98%)	3 (2%)	45	67
2	I	134/151 (89%)	130 (97%)	4 (3%)	36	57
2	J	134/151 (89%)	130 (97%)	4 (3%)	36	57
2	K	134/151 (89%)	132 (98%)	2 (2%)	57	75
2	L	133/151 (88%)	130 (98%)	3 (2%)	44	66
2	M	133/151 (88%)	130 (98%)	3 (2%)	44	66
2	N	136/151 (90%)	133 (98%)	3 (2%)	45	67
2	V	133/151 (88%)	130 (98%)	3 (2%)	44	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	W	132/151 (87%)	130 (98%)	2 (2%)	57	75
2	X	133/151 (88%)	130 (98%)	3 (2%)	44	66
2	Y	131/151 (87%)	129 (98%)	2 (2%)	57	75
2	Z	133/151 (88%)	129 (97%)	4 (3%)	36	57
2	a	131/151 (87%)	129 (98%)	2 (2%)	57	75
2	b	129/151 (85%)	123 (95%)	6 (5%)	23	40
All	All	4092/4578 (89%)	4000 (98%)	92 (2%)	38	67

All (92) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	LEU
1	A	105	LEU
1	A	140	SER
1	A	179	ILE
1	B	105	LEU
1	C	105	LEU
1	C	135	HIS
1	C	179	ILE
1	D	135	HIS
1	E	96	VAL
1	E	105	LEU
1	E	170	ARG
1	F	96	VAL
1	F	105	LEU
1	F	179	ILE
1	G	105	LEU
1	G	179	ILE
2	H	82	VAL
2	H	109	LYS
2	H	154	ASN
2	I	16	LEU
2	I	72	SER
2	I	119	ARG
2	I	154	ASN
2	J	70	SER
2	J	86	CYS
2	J	124	GLN
2	J	154	ASN
2	K	44	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	K	119	ARG
2	L	17	THR
2	L	19	SER
2	L	119	ARG
2	M	37	ASN
2	M	44	LEU
2	M	93	MET
2	N	34	SER
2	N	70	SER
2	N	123	HIS
1	O	24	SER
1	O	31	ASN
1	O	105	LEU
1	O	135	HIS
1	P	36	LEU
1	P	103	VAL
1	P	105	LEU
1	P	170	ARG
1	Q	103	VAL
1	Q	105	LEU
1	Q	107	GLN
1	Q	135	HIS
1	Q	175	ASP
1	Q	179	ILE
1	R	36	LEU
1	R	96	VAL
1	R	105	LEU
1	R	168	LEU
1	S	32	PRO
1	S	103	VAL
1	S	105	LEU
1	S	134	ILE
1	T	24	SER
1	T	36	LEU
1	T	96	VAL
1	T	105	LEU
1	T	139	LEU
1	T	179	ILE
1	U	24	SER
1	U	105	LEU
1	U	207	ARG
2	V	20	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	V	44	LEU
2	V	72	SER
2	W	57	SER
2	W	154	ASN
2	X	20	VAL
2	X	152	ARG
2	X	162	ILE
2	Y	44	LEU
2	Y	108	THR
2	Z	44	LEU
2	Z	50	LEU
2	Z	82	VAL
2	Z	86	CYS
2	a	44	LEU
2	a	108	THR
2	b	44	LEU
2	b	75	MET
2	b	108	THR
2	b	121	LEU
2	b	154	ASN
2	b	162	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	54	ASN
1	D	77	ASN
1	G	77	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

104 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	A1C9P	A	401	-	63,63,63	2.60	28 (44%)	87,91,91	2.19	27 (31%)
5	LEU	P	403	5,4	5,7,8	0.98	0	6,8,10	1.38	1 (16%)
4	BEZ	E	402	5	8,8,9	1.38	1 (12%)	9,9,11	1.61	2 (22%)
4	BEZ	L	801	5	8,8,9	2.52	5 (62%)	9,9,11	0.83	0
5	LEU	H	803	5	5,7,8	1.30	1 (20%)	6,8,10	1.17	1 (16%)
3	A1C9P	R	401	-	63,63,63	2.65	28 (44%)	87,91,91	2.12	27 (31%)
5	LEU	X	802	5,4	5,7,8	1.40	1 (20%)	6,8,10	0.80	0
5	LEU	b	803	5	5,7,8	0.73	0	6,8,10	0.79	0
6	DMS	C	405	-	3,3,3	0.59	0	3,3,3	0.54	0
4	BEZ	A	402	5	8,8,9	1.39	1 (12%)	9,9,11	1.59	2 (22%)
5	LEU	A	403	5,4	5,7,8	1.17	1 (20%)	6,8,10	1.29	2 (33%)
5	LEU	a	803	5	5,7,8	0.21	0	6,8,10	0.53	0
5	LEU	C	403	5,4	5,7,8	0.98	0	6,8,10	1.38	1 (16%)
5	LEU	O	404	5	6,8,8	0.87	1 (16%)	5,10,10	0.45	0
4	BEZ	R	402	5	8,8,9	1.39	1 (12%)	9,9,11	1.60	2 (22%)
5	LEU	L	802	5,4	5,7,8	0.84	0	6,8,10	0.96	0
5	LEU	E	403	5,4	5,7,8	0.99	0	6,8,10	1.37	1 (16%)
5	LEU	K	803	5	5,7,8	0.95	0	6,8,10	1.11	0
3	A1C9P	S	401	-	63,63,63	2.62	28 (44%)	87,91,91	2.08	29 (33%)
3	A1C9P	D	401	-	63,63,63	2.59	26 (41%)	87,91,91	2.12	29 (33%)
4	BEZ	V	801	5	8,8,9	2.51	5 (62%)	9,9,11	0.85	0
4	BEZ	Z	801	5	8,8,9	2.52	5 (62%)	9,9,11	0.84	0
5	LEU	D	403	5,4	5,7,8	0.99	0	6,8,10	1.37	1 (16%)
5	LEU	G	404	5	6,8,8	0.83	0	5,10,10	0.42	0
5	LEU	J	803	5	5,7,8	0.67	0	6,8,10	1.55	1 (16%)
5	LEU	R	404	5	6,8,8	0.79	0	5,10,10	0.43	0
3	A1C9P	C	401	-	63,63,63	2.60	29 (46%)	87,91,91	2.17	29 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	DMS	Q	405	-	3,3,3	0.60	0	3,3,3	0.52	0
5	LEU	T	403	5,4	5,7,8	0.97	0	6,8,10	1.37	1 (16%)
5	LEU	Z	803	5	5,7,8	0.25	0	6,8,10	0.39	0
3	A1C9P	T	401	-	63,63,63	2.63	27 (42%)	87,91,91	2.14	27 (31%)
4	BEZ	S	402	5	8,8,9	1.39	1 (12%)	9,9,11	1.62	2 (22%)
5	LEU	S	404	5	6,8,8	0.79	0	5,10,10	0.40	0
4	BEZ	X	801	5	8,8,9	2.51	5 (62%)	9,9,11	0.84	0
7	PEG	D	405	-	6,6,6	0.10	0	5,5,5	0.10	0
5	LEU	b	802	5,4	5,7,8	1.38	0	6,8,10	0.90	1 (16%)
4	BEZ	M	801	5	8,8,9	2.52	5 (62%)	9,9,11	0.84	0
5	LEU	N	802	5,4	5,7,8	0.72	0	6,8,10	0.49	0
4	BEZ	Q	402	5	8,8,9	1.41	2 (25%)	9,9,11	1.58	2 (22%)
5	LEU	L	803	5	5,7,8	1.00	0	6,8,10	1.54	1 (16%)
5	LEU	W	802	5,4	5,7,8	1.04	0	6,8,10	1.52	1 (16%)
5	LEU	Q	403	5,4	5,7,8	0.98	0	6,8,10	1.37	1 (16%)
3	A1C9P	Q	401	-	63,63,63	2.60	26 (41%)	87,91,91	2.19	27 (31%)
6	DMS	O	405	-	3,3,3	0.60	0	3,3,3	0.51	0
5	LEU	K	802	5,4	5,7,8	1.33	1 (20%)	6,8,10	1.03	0
5	LEU	I	802	5,4	5,7,8	1.52	1 (20%)	6,8,10	0.95	0
5	LEU	Y	803	5	5,7,8	1.00	0	6,8,10	1.71	1 (16%)
4	BEZ	b	801	5	8,8,9	2.52	5 (62%)	9,9,11	0.86	0
4	BEZ	a	801	5	8,8,9	2.50	5 (62%)	9,9,11	0.85	0
5	LEU	B	404	5	6,8,8	0.83	0	5,10,10	0.37	0
3	A1C9P	G	401	-	63,63,63	2.59	27 (42%)	87,91,91	2.08	27 (31%)
5	LEU	E	404	5	6,8,8	0.83	0	5,10,10	0.40	0
5	LEU	U	404	5	6,8,8	0.83	0	5,10,10	0.42	0
3	A1C9P	P	401	-	63,63,63	2.60	27 (42%)	87,91,91	2.13	29 (33%)
4	BEZ	W	801	5	8,8,9	2.50	5 (62%)	9,9,11	0.86	0
5	LEU	N	803	5	5,7,8	0.82	0	6,8,10	1.14	0
5	LEU	O	403	5,4	5,7,8	0.98	0	6,8,10	1.38	1 (16%)
5	LEU	M	802	5,4	5,7,8	1.43	1 (20%)	6,8,10	1.63	2 (33%)
4	BEZ	J	801	5	8,8,9	2.53	5 (62%)	9,9,11	0.84	0
4	BEZ	C	402	5	8,8,9	1.39	1 (12%)	9,9,11	1.61	2 (22%)
5	LEU	A	404	5	6,8,8	0.82	0	5,10,10	0.43	0
5	LEU	C	404	5	6,8,8	0.82	0	5,10,10	0.41	0
5	LEU	I	803	5	5,7,8	0.82	0	6,8,10	1.33	1 (16%)
3	A1C9P	O	401	-	63,63,63	2.57	28 (44%)	87,91,91	2.07	26 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	LEU	G	403	5,4	5,7,8	0.99	0	6,8,10	1.37	1 (16%)
7	PEG	S	405	-	6,6,6	0.11	0	5,5,5	0.07	0
5	LEU	Z	802	5,4	5,7,8	1.05	0	6,8,10	1.55	1 (16%)
4	BEZ	D	402	5	8,8,9	1.39	2 (25%)	9,9,11	1.61	2 (22%)
5	LEU	D	404	5	6,8,8	0.83	0	5,10,10	0.46	0
5	LEU	B	403	5,4	5,7,8	0.97	0	6,8,10	1.38	1 (16%)
5	LEU	F	404	5	6,8,8	0.84	1 (16%)	5,10,10	0.42	0
5	LEU	S	403	5,4	5,7,8	0.99	0	6,8,10	1.38	1 (16%)
5	LEU	F	403	5,4	5,7,8	0.98	0	6,8,10	1.38	1 (16%)
5	LEU	M	803	5	5,7,8	0.38	0	6,8,10	0.25	0
5	LEU	J	802	5,4	5,7,8	1.56	1 (20%)	6,8,10	0.86	0
3	A1C9P	B	401	-	63,63,63	2.64	27 (42%)	87,91,91	2.14	28 (32%)
4	BEZ	H	801	5	8,8,9	2.50	5 (62%)	9,9,11	0.86	0
5	LEU	P	404	5	6,8,8	0.86	1 (16%)	5,10,10	0.44	0
4	BEZ	Y	801	5	8,8,9	2.51	5 (62%)	9,9,11	0.85	0
4	BEZ	B	402	5	8,8,9	1.38	1 (12%)	9,9,11	1.64	2 (22%)
6	DMS	F	405	-	3,3,3	0.23	0	3,3,3	0.07	0
4	BEZ	G	402	5	8,8,9	1.40	1 (12%)	9,9,11	1.62	2 (22%)
5	LEU	V	803	5	5,7,8	1.01	0	6,8,10	2.16	2 (33%)
5	LEU	V	802	5,4	5,7,8	1.56	2 (40%)	6,8,10	1.27	0
5	LEU	W	803	5	5,7,8	0.91	0	6,8,10	1.18	0
5	LEU	Y	802	5,4	5,7,8	1.17	0	6,8,10	1.26	1 (16%)
5	LEU	T	404	5	6,8,8	0.79	0	5,10,10	0.37	0
4	BEZ	P	402	5	8,8,9	1.39	1 (12%)	9,9,11	1.61	2 (22%)
5	LEU	H	802	5,4	5,7,8	0.78	0	6,8,10	1.49	2 (33%)
4	BEZ	F	402	5	8,8,9	1.38	2 (25%)	9,9,11	1.58	2 (22%)
4	BEZ	N	801	5	8,8,9	2.51	5 (62%)	9,9,11	0.86	0
3	A1C9P	U	401	-	63,63,63	2.60	28 (44%)	87,91,91	2.08	28 (32%)
5	LEU	X	803	5	5,7,8	0.95	0	6,8,10	1.56	1 (16%)
5	LEU	a	802	5,4	5,7,8	1.53	1 (20%)	6,8,10	0.93	0
3	A1C9P	F	401	-	63,63,63	2.62	27 (42%)	87,91,91	2.11	28 (32%)
5	LEU	U	403	5,4	5,7,8	0.98	0	6,8,10	1.37	1 (16%)
4	BEZ	K	801	5	8,8,9	2.52	5 (62%)	9,9,11	0.81	0
5	LEU	R	403	5,4	5,7,8	0.98	0	6,8,10	1.38	1 (16%)
3	A1C9P	E	401	-	63,63,63	2.63	28 (44%)	87,91,91	2.16	28 (32%)
4	BEZ	I	801	5	8,8,9	2.51	5 (62%)	9,9,11	0.85	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BEZ	T	402	5	8,8,9	1.39	2 (25%)	9,9,11	1.59	2 (22%)
4	BEZ	O	402	5	8,8,9	1.38	1 (12%)	9,9,11	1.62	2 (22%)
4	BEZ	U	402	5	8,8,9	1.39	1 (12%)	9,9,11	1.61	2 (22%)
5	LEU	Q	404	5	6,8,8	0.82	0	5,10,10	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1C9P	A	401	-	-	10/65/108/108	0/5/6/6
5	LEU	P	403	5,4	-	2/5/6/8	-
4	BEZ	E	402	5	-	0/2/2/4	0/1/1/1
4	BEZ	L	801	5	-	2/2/2/4	0/1/1/1
5	LEU	H	803	5	-	3/5/6/8	-
3	A1C9P	R	401	-	-	8/65/108/108	0/5/6/6
5	LEU	X	802	5,4	-	2/5/6/8	-
5	LEU	b	803	5	-	4/5/6/8	-
4	BEZ	A	402	5	-	0/2/2/4	0/1/1/1
5	LEU	A	403	5,4	-	2/5/6/8	-
5	LEU	a	803	5	-	3/5/6/8	-
5	LEU	C	403	5,4	-	2/5/6/8	-
5	LEU	O	404	5	-	0/8/8/8	-
4	BEZ	R	402	5	-	0/2/2/4	0/1/1/1
5	LEU	L	802	5,4	-	2/5/6/8	-
5	LEU	E	403	5,4	-	2/5/6/8	-
5	LEU	K	803	5	-	3/5/6/8	-
3	A1C9P	S	401	-	-	8/65/108/108	0/5/6/6
3	A1C9P	D	401	-	-	8/65/108/108	0/5/6/6
4	BEZ	V	801	5	-	2/2/2/4	0/1/1/1
4	BEZ	Z	801	5	-	2/2/2/4	0/1/1/1
5	LEU	D	403	5,4	-	2/5/6/8	-
5	LEU	G	404	5	-	0/8/8/8	-
5	LEU	J	803	5	-	3/5/6/8	-
5	LEU	R	404	5	-	0/8/8/8	-
3	A1C9P	C	401	-	-	11/65/108/108	0/5/6/6

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	LEU	T	403	5,4	-	2/5/6/8	-
5	LEU	Z	803	5	-	1/5/6/8	-
3	A1C9P	T	401	-	-	13/65/108/108	0/5/6/6
4	BEZ	S	402	5	-	0/2/2/4	0/1/1/1
5	LEU	S	404	5	-	0/8/8/8	-
4	BEZ	X	801	5	-	2/2/2/4	0/1/1/1
7	PEG	D	405	-	-	2/4/4/4	-
5	LEU	b	802	5,4	-	2/5/6/8	-
4	BEZ	M	801	5	-	2/2/2/4	0/1/1/1
5	LEU	N	802	5,4	-	0/5/6/8	-
4	BEZ	Q	402	5	-	0/2/2/4	0/1/1/1
5	LEU	L	803	5	-	3/5/6/8	-
5	LEU	W	802	5,4	-	2/5/6/8	-
5	LEU	Q	403	5,4	-	2/5/6/8	-
3	A1C9P	Q	401	-	-	13/65/108/108	0/5/6/6
5	LEU	K	802	5,4	-	3/5/6/8	-
5	LEU	I	802	5,4	-	2/5/6/8	-
5	LEU	Y	803	5	-	3/5/6/8	-
4	BEZ	b	801	5	-	2/2/2/4	0/1/1/1
4	BEZ	a	801	5	-	2/2/2/4	0/1/1/1
5	LEU	B	404	5	-	0/8/8/8	-
3	A1C9P	G	401	-	-	8/65/108/108	0/5/6/6
5	LEU	E	404	5	-	0/8/8/8	-
5	LEU	U	404	5	-	0/8/8/8	-
3	A1C9P	P	401	-	-	7/65/108/108	0/5/6/6
4	BEZ	W	801	5	-	2/2/2/4	0/1/1/1
5	LEU	N	803	5	-	3/5/6/8	-
5	LEU	O	403	5,4	-	2/5/6/8	-
5	LEU	M	802	5,4	-	2/5/6/8	-
4	BEZ	J	801	5	-	2/2/2/4	0/1/1/1
4	BEZ	C	402	5	-	0/2/2/4	0/1/1/1
5	LEU	A	404	5	-	0/8/8/8	-
5	LEU	C	404	5	-	0/8/8/8	-
5	LEU	I	803	5	-	3/5/6/8	-
3	A1C9P	O	401	-	-	6/65/108/108	0/5/6/6
5	LEU	G	403	5,4	-	2/5/6/8	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PEG	S	405	-	-	1/4/4/4	-
5	LEU	Z	802	5,4	-	2/5/6/8	-
4	BEZ	D	402	5	-	0/2/2/4	0/1/1/1
5	LEU	D	404	5	-	0/8/8/8	-
5	LEU	B	403	5,4	-	2/5/6/8	-
5	LEU	F	404	5	-	0/8/8/8	-
5	LEU	S	403	5,4	-	2/5/6/8	-
5	LEU	F	403	5,4	-	2/5/6/8	-
5	LEU	M	803	5	-	5/5/6/8	-
5	LEU	J	802	5,4	-	3/5/6/8	-
3	A1C9P	B	401	-	-	10/65/108/108	0/5/6/6
4	BEZ	H	801	5	-	2/2/2/4	0/1/1/1
5	LEU	P	404	5	-	0/8/8/8	-
4	BEZ	Y	801	5	-	2/2/2/4	0/1/1/1
4	BEZ	B	402	5	-	0/2/2/4	0/1/1/1
4	BEZ	G	402	5	-	0/2/2/4	0/1/1/1
5	LEU	V	803	5	-	3/5/6/8	-
5	LEU	V	802	5,4	-	2/5/6/8	-
5	LEU	W	803	5	-	3/5/6/8	-
5	LEU	Y	802	5,4	-	3/5/6/8	-
5	LEU	T	404	5	-	1/8/8/8	-
4	BEZ	P	402	5	-	0/2/2/4	0/1/1/1
5	LEU	H	802	5,4	-	3/5/6/8	-
4	BEZ	F	402	5	-	0/2/2/4	0/1/1/1
4	BEZ	N	801	5	-	2/2/2/4	0/1/1/1
3	A1C9P	U	401	-	-	8/65/108/108	0/5/6/6
5	LEU	X	803	5	-	3/5/6/8	-
5	LEU	a	802	5,4	-	2/5/6/8	-
3	A1C9P	F	401	-	-	9/65/108/108	0/5/6/6
5	LEU	U	403	5,4	-	2/5/6/8	-
4	BEZ	K	801	5	-	2/2/2/4	0/1/1/1
5	LEU	R	403	5,4	-	2/5/6/8	-
3	A1C9P	E	401	-	-	9/65/108/108	0/5/6/6
4	BEZ	I	801	5	-	2/2/2/4	0/1/1/1
4	BEZ	T	402	5	-	0/2/2/4	0/1/1/1
4	BEZ	O	402	5	-	0/2/2/4	0/1/1/1
4	BEZ	U	402	5	-	0/2/2/4	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	LEU	Q	404	5	-	0/8/8/8	-

All (485) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	A1C9P	C02-N03	6.02	1.48	1.34
3	R	401	A1C9P	C02-N03	5.88	1.47	1.34
3	E	401	A1C9P	C02-N03	5.87	1.47	1.34
3	P	401	A1C9P	C02-N03	5.86	1.47	1.34
3	A	401	A1C9P	C02-N03	5.85	1.47	1.34
3	G	401	A1C9P	C02-N03	5.85	1.47	1.34
3	D	401	A1C9P	C02-N03	5.81	1.47	1.34
3	F	401	A1C9P	C02-N03	5.78	1.47	1.34
3	C	401	A1C9P	C02-N03	5.77	1.47	1.34
3	T	401	A1C9P	C02-N03	5.77	1.47	1.34
3	S	401	A1C9P	C02-N03	5.73	1.47	1.34
3	Q	401	A1C9P	C02-N03	5.70	1.47	1.34
3	O	401	A1C9P	C02-N03	5.64	1.47	1.34
3	U	401	A1C9P	C02-N03	5.63	1.47	1.34
3	O	401	A1C9P	C31-N30	5.55	1.45	1.34
3	E	401	A1C9P	C31-N30	5.46	1.45	1.34
3	S	401	A1C9P	C31-N30	5.46	1.45	1.34
3	B	401	A1C9P	C31-N30	5.44	1.45	1.34
3	R	401	A1C9P	C31-N30	5.44	1.45	1.34
3	C	401	A1C9P	C43-N42	5.42	1.46	1.34
3	T	401	A1C9P	C31-N30	5.40	1.45	1.34
3	F	401	A1C9P	C31-N30	5.38	1.45	1.34
3	D	401	A1C9P	C31-N30	5.38	1.45	1.34
3	Q	401	A1C9P	C31-N30	5.37	1.45	1.34
3	C	401	A1C9P	C31-N30	5.37	1.45	1.34
3	Q	401	A1C9P	C43-N42	5.37	1.46	1.34
3	E	401	A1C9P	C43-N42	5.36	1.46	1.34
3	G	401	A1C9P	C31-N30	5.35	1.45	1.34
3	P	401	A1C9P	C31-N30	5.35	1.45	1.34
3	U	401	A1C9P	C31-N30	5.33	1.45	1.34
3	Q	401	A1C9P	C23-N22	5.32	1.46	1.34
3	G	401	A1C9P	O27-C28	5.28	1.46	1.34
3	A	401	A1C9P	C31-N30	5.28	1.45	1.34
3	S	401	A1C9P	O27-C28	5.28	1.46	1.34
3	C	401	A1C9P	C23-N22	5.28	1.46	1.34
3	R	401	A1C9P	C09-N10	5.28	1.46	1.34
3	B	401	A1C9P	O27-C28	5.26	1.46	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	A1C9P	C43-N42	5.26	1.45	1.34
3	R	401	A1C9P	O27-C28	5.26	1.46	1.34
3	Q	401	A1C9P	C58-C56	5.25	1.60	1.50
3	D	401	A1C9P	O27-C28	5.24	1.46	1.34
3	B	401	A1C9P	C09-N10	5.24	1.46	1.34
3	R	401	A1C9P	C23-N22	5.23	1.46	1.34
3	E	401	A1C9P	C09-N10	5.22	1.46	1.34
3	O	401	A1C9P	O27-C28	5.22	1.46	1.34
3	R	401	A1C9P	C43-N42	5.22	1.45	1.34
3	D	401	A1C9P	C09-N10	5.22	1.46	1.34
3	Q	401	A1C9P	O27-C28	5.22	1.46	1.34
3	U	401	A1C9P	O27-C28	5.21	1.46	1.34
3	F	401	A1C9P	O27-C28	5.21	1.46	1.34
3	P	401	A1C9P	O27-C28	5.21	1.46	1.34
3	E	401	A1C9P	O27-C28	5.21	1.46	1.34
3	U	401	A1C9P	C43-N42	5.19	1.45	1.34
3	T	401	A1C9P	C43-N42	5.19	1.45	1.34
3	F	401	A1C9P	C09-N10	5.19	1.46	1.34
3	C	401	A1C9P	O27-C28	5.18	1.46	1.34
3	A	401	A1C9P	O27-C28	5.18	1.46	1.34
3	F	401	A1C9P	C43-N42	5.18	1.45	1.34
3	S	401	A1C9P	C23-N22	5.18	1.46	1.34
3	B	401	A1C9P	C43-N42	5.17	1.45	1.34
3	T	401	A1C9P	O27-C28	5.17	1.46	1.34
3	T	401	A1C9P	C09-N10	5.17	1.46	1.34
3	T	401	A1C9P	C58-C56	5.15	1.60	1.50
3	A	401	A1C9P	C09-N10	5.14	1.46	1.34
3	E	401	A1C9P	C23-N22	5.13	1.46	1.34
3	F	401	A1C9P	C58-C56	5.13	1.60	1.50
3	P	401	A1C9P	C43-N42	5.13	1.45	1.34
3	F	401	A1C9P	C23-N22	5.13	1.46	1.34
3	R	401	A1C9P	C58-C56	5.12	1.60	1.50
3	D	401	A1C9P	C43-N42	5.12	1.45	1.34
3	B	401	A1C9P	C23-N22	5.12	1.46	1.34
3	G	401	A1C9P	C09-N10	5.11	1.46	1.34
3	Q	401	A1C9P	C09-N10	5.11	1.46	1.34
3	P	401	A1C9P	C58-C56	5.10	1.60	1.50
3	S	401	A1C9P	C43-N42	5.09	1.45	1.34
3	B	401	A1C9P	C58-C56	5.08	1.60	1.50
3	A	401	A1C9P	C23-N22	5.08	1.46	1.34
3	P	401	A1C9P	C23-N22	5.08	1.46	1.34
3	S	401	A1C9P	C58-C56	5.07	1.60	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	U	401	A1C9P	C09-N10	5.07	1.46	1.34
3	O	401	A1C9P	C09-N10	5.06	1.46	1.34
3	E	401	A1C9P	C58-C56	5.05	1.60	1.50
3	G	401	A1C9P	C43-N42	5.05	1.45	1.34
3	S	401	A1C9P	C09-N10	5.05	1.45	1.34
3	T	401	A1C9P	C23-N22	5.03	1.45	1.34
3	C	401	A1C9P	C09-N10	5.03	1.45	1.34
3	D	401	A1C9P	C58-C56	5.03	1.60	1.50
3	U	401	A1C9P	C23-N22	5.02	1.45	1.34
3	C	401	A1C9P	C58-C56	5.02	1.60	1.50
3	G	401	A1C9P	C23-N22	5.02	1.45	1.34
3	A	401	A1C9P	C58-C56	4.99	1.59	1.50
3	D	401	A1C9P	C23-N22	4.98	1.45	1.34
3	G	401	A1C9P	C58-C56	4.98	1.59	1.50
3	O	401	A1C9P	C23-N22	4.97	1.45	1.34
3	O	401	A1C9P	C43-N42	4.96	1.45	1.34
3	U	401	A1C9P	C58-C56	4.96	1.59	1.50
3	O	401	A1C9P	C58-C56	4.95	1.59	1.50
3	P	401	A1C9P	C09-N10	4.93	1.45	1.34
3	U	401	A1C9P	C05-N06	4.68	1.44	1.34
3	E	401	A1C9P	C05-N06	4.65	1.44	1.34
3	G	401	A1C9P	C05-N06	4.63	1.44	1.34
3	B	401	A1C9P	C05-N06	4.60	1.43	1.34
3	O	401	A1C9P	C32-C31	4.60	1.64	1.52
3	R	401	A1C9P	C32-C31	4.58	1.64	1.52
3	T	401	A1C9P	C05-N06	4.57	1.43	1.34
3	F	401	A1C9P	C05-N06	4.56	1.43	1.34
3	P	401	A1C9P	C05-N06	4.54	1.43	1.34
3	D	401	A1C9P	C32-C31	4.54	1.64	1.52
3	T	401	A1C9P	C32-C31	4.54	1.64	1.52
3	S	401	A1C9P	C05-N06	4.53	1.43	1.34
3	D	401	A1C9P	C05-N06	4.52	1.43	1.34
3	R	401	A1C9P	C05-N06	4.52	1.43	1.34
3	C	401	A1C9P	C05-N06	4.50	1.43	1.34
3	S	401	A1C9P	C32-C31	4.48	1.64	1.52
3	A	401	A1C9P	C05-N06	4.48	1.43	1.34
3	U	401	A1C9P	C32-C31	4.47	1.64	1.52
3	O	401	A1C9P	C05-N06	4.47	1.43	1.34
3	F	401	A1C9P	C32-C31	4.46	1.64	1.52
3	Q	401	A1C9P	C05-N06	4.46	1.43	1.34
3	B	401	A1C9P	C32-C31	4.44	1.64	1.52
3	E	401	A1C9P	C32-C31	4.43	1.64	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	Q	401	A1C9P	C32-C31	4.39	1.64	1.52
3	P	401	A1C9P	C32-C31	4.32	1.63	1.52
3	G	401	A1C9P	C32-C31	4.30	1.63	1.52
3	G	401	A1C9P	C25-C24	4.24	1.62	1.53
3	C	401	A1C9P	C32-C31	4.18	1.63	1.52
3	A	401	A1C9P	C32-C31	4.17	1.63	1.52
3	Q	401	A1C9P	C25-C24	4.11	1.62	1.53
3	D	401	A1C9P	C25-C24	4.07	1.62	1.53
3	B	401	A1C9P	C25-C24	4.04	1.62	1.53
3	C	401	A1C9P	C25-C24	4.04	1.62	1.53
3	R	401	A1C9P	C25-C24	4.03	1.62	1.53
3	U	401	A1C9P	C25-C24	3.97	1.62	1.53
3	A	401	A1C9P	C25-C24	3.97	1.62	1.53
3	B	401	A1C9P	C21-N22	3.96	1.54	1.47
3	F	401	A1C9P	C25-C24	3.96	1.62	1.53
3	R	401	A1C9P	C21-N22	3.92	1.54	1.47
3	T	401	A1C9P	C25-C24	3.92	1.62	1.53
3	G	401	A1C9P	C21-N22	3.90	1.54	1.47
3	R	401	A1C9P	F37-C36	-3.90	1.27	1.36
3	S	401	A1C9P	C21-N22	3.89	1.54	1.47
3	E	401	A1C9P	C21-N22	3.88	1.54	1.47
3	P	401	A1C9P	C21-N22	3.87	1.54	1.47
3	P	401	A1C9P	C25-C24	3.86	1.62	1.53
3	S	401	A1C9P	C25-C24	3.85	1.62	1.53
3	E	401	A1C9P	C25-C24	3.85	1.62	1.53
3	T	401	A1C9P	F37-C36	-3.80	1.27	1.36
3	O	401	A1C9P	F37-C36	-3.77	1.27	1.36
3	A	401	A1C9P	C21-N22	3.77	1.54	1.47
3	G	401	A1C9P	F37-C36	-3.76	1.27	1.36
3	T	401	A1C9P	C21-N22	3.75	1.54	1.47
3	U	401	A1C9P	C21-N22	3.74	1.54	1.47
3	C	401	A1C9P	C21-N22	3.73	1.54	1.47
3	O	401	A1C9P	C25-C24	3.70	1.61	1.53
3	O	401	A1C9P	F40-C39	-3.69	1.27	1.36
3	D	401	A1C9P	C21-N22	3.67	1.54	1.47
3	C	401	A1C9P	F40-C39	-3.64	1.27	1.36
3	S	401	A1C9P	F37-C36	-3.62	1.27	1.36
3	F	401	A1C9P	C21-N22	3.61	1.54	1.47
3	A	401	A1C9P	F37-C36	-3.58	1.27	1.36
3	S	401	A1C9P	F40-C39	-3.58	1.27	1.36
3	F	401	A1C9P	F40-C39	-3.54	1.27	1.36
3	Q	401	A1C9P	C21-N22	3.53	1.53	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	401	A1C9P	F37-C36	-3.49	1.27	1.36
3	R	401	A1C9P	F40-C39	-3.49	1.27	1.36
3	Q	401	A1C9P	F37-C36	-3.48	1.28	1.36
3	E	401	A1C9P	F37-C36	-3.48	1.28	1.36
3	U	401	A1C9P	F37-C36	-3.47	1.28	1.36
3	O	401	A1C9P	C21-N22	3.46	1.53	1.47
4	a	801	BEZ	C1-C	3.45	1.57	1.47
4	K	801	BEZ	C1-C	3.44	1.57	1.47
4	V	801	BEZ	O1-C	3.43	1.33	1.21
4	N	801	BEZ	C1-C	3.43	1.57	1.47
3	B	401	A1C9P	F40-C39	-3.43	1.28	1.36
4	L	801	BEZ	C1-C	3.42	1.57	1.47
4	J	801	BEZ	O1-C	3.42	1.33	1.21
4	I	801	BEZ	O1-C	3.42	1.33	1.21
3	A	401	A1C9P	F40-C39	-3.42	1.28	1.36
4	b	801	BEZ	C1-C	3.42	1.57	1.47
4	H	801	BEZ	O1-C	3.42	1.33	1.21
4	X	801	BEZ	C1-C	3.42	1.57	1.47
4	J	801	BEZ	C1-C	3.41	1.57	1.47
4	I	801	BEZ	C1-C	3.41	1.57	1.47
4	L	801	BEZ	O1-C	3.41	1.33	1.21
4	M	801	BEZ	O1-C	3.41	1.33	1.21
4	H	801	BEZ	C1-C	3.41	1.57	1.47
3	F	401	A1C9P	F37-C36	-3.41	1.28	1.36
4	Z	801	BEZ	C1-C	3.41	1.57	1.47
4	W	801	BEZ	C1-C	3.40	1.57	1.47
4	M	801	BEZ	C1-C	3.40	1.57	1.47
4	K	801	BEZ	O1-C	3.40	1.33	1.21
4	Y	801	BEZ	O1-C	3.40	1.33	1.21
4	X	801	BEZ	O1-C	3.40	1.33	1.21
4	Y	801	BEZ	C1-C	3.39	1.57	1.47
4	W	801	BEZ	O1-C	3.39	1.33	1.21
4	N	801	BEZ	O1-C	3.39	1.33	1.21
4	Z	801	BEZ	O1-C	3.39	1.33	1.21
4	b	801	BEZ	O1-C	3.38	1.33	1.21
4	V	801	BEZ	C1-C	3.38	1.57	1.47
4	a	801	BEZ	O1-C	3.37	1.33	1.21
3	Q	401	A1C9P	F40-C39	-3.36	1.28	1.36
3	B	401	A1C9P	F37-C36	-3.34	1.28	1.36
3	E	401	A1C9P	C21-C02	3.32	1.61	1.53
3	P	401	A1C9P	C21-C02	3.31	1.61	1.53
3	S	401	A1C9P	C04-N03	3.30	1.51	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	A1C9P	C04-N03	3.29	1.51	1.47
3	B	401	A1C9P	C21-C02	3.29	1.61	1.53
3	R	401	A1C9P	C21-C02	3.29	1.61	1.53
3	F	401	A1C9P	C21-C02	3.29	1.61	1.53
3	S	401	A1C9P	C21-C02	3.29	1.61	1.53
3	P	401	A1C9P	F37-C36	-3.28	1.28	1.36
3	P	401	A1C9P	C04-N03	3.28	1.51	1.47
3	P	401	A1C9P	F40-C39	-3.25	1.28	1.36
3	U	401	A1C9P	C21-C02	3.25	1.61	1.53
3	F	401	A1C9P	C04-N03	3.25	1.51	1.47
3	A	401	A1C9P	C21-C02	3.23	1.61	1.53
3	E	401	A1C9P	F40-C39	-3.23	1.28	1.36
3	T	401	A1C9P	C04-N03	3.22	1.51	1.47
3	T	401	A1C9P	C21-C02	3.21	1.60	1.53
3	R	401	A1C9P	C07-C09	3.20	1.60	1.53
3	U	401	A1C9P	F40-C39	-3.15	1.28	1.36
3	D	401	A1C9P	C21-C02	3.14	1.60	1.53
3	T	401	A1C9P	C17-C04	3.14	1.60	1.53
3	T	401	A1C9P	F40-C39	-3.13	1.28	1.36
3	D	401	A1C9P	F40-C39	-3.13	1.28	1.36
3	G	401	A1C9P	C21-C02	3.13	1.60	1.53
3	E	401	A1C9P	C17-C04	3.13	1.60	1.53
3	G	401	A1C9P	C04-N03	3.11	1.51	1.47
3	O	401	A1C9P	C21-C02	3.10	1.60	1.53
3	Q	401	A1C9P	C21-C02	3.10	1.60	1.53
3	B	401	A1C9P	C07-C09	3.10	1.60	1.53
3	C	401	A1C9P	C21-C02	3.08	1.60	1.53
3	E	401	A1C9P	C04-N03	3.08	1.51	1.47
3	U	401	A1C9P	C04-N03	3.07	1.51	1.47
3	U	401	A1C9P	C07-C09	3.06	1.59	1.53
3	A	401	A1C9P	C07-C09	3.05	1.59	1.53
3	R	401	A1C9P	C04-N03	3.05	1.51	1.47
3	P	401	A1C9P	C17-C04	3.04	1.60	1.53
4	M	801	BEZ	C3-C2	3.04	1.44	1.38
3	F	401	A1C9P	C17-C04	3.03	1.60	1.53
3	O	401	A1C9P	C04-N03	3.02	1.51	1.47
4	b	801	BEZ	C3-C2	3.02	1.44	1.38
3	Q	401	A1C9P	C07-C09	3.02	1.59	1.53
4	J	801	BEZ	C3-C2	3.00	1.44	1.38
4	Z	801	BEZ	C3-C2	3.00	1.44	1.38
3	D	401	A1C9P	C07-C09	3.00	1.59	1.53
4	H	801	BEZ	C3-C2	3.00	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	V	801	BEZ	C3-C2	3.00	1.44	1.38
4	Y	801	BEZ	C3-C2	3.00	1.44	1.38
3	A	401	A1C9P	C04-N03	2.99	1.51	1.47
4	X	801	BEZ	C3-C2	2.99	1.44	1.38
3	B	401	A1C9P	C17-C04	2.98	1.59	1.53
3	T	401	A1C9P	C07-C09	2.98	1.59	1.53
3	U	401	A1C9P	C17-C04	2.98	1.59	1.53
4	a	801	BEZ	C3-C2	2.97	1.44	1.38
4	L	801	BEZ	C3-C2	2.96	1.44	1.38
3	R	401	A1C9P	C17-C04	2.96	1.59	1.53
4	N	801	BEZ	C3-C2	2.96	1.44	1.38
3	G	401	A1C9P	C17-C04	2.95	1.59	1.53
4	I	801	BEZ	C3-C2	2.95	1.43	1.38
3	T	401	A1C9P	C41-C39	2.95	1.42	1.37
3	F	401	A1C9P	C41-C39	2.94	1.42	1.37
3	B	401	A1C9P	C20-N03	2.94	1.51	1.47
4	W	801	BEZ	C3-C2	2.94	1.43	1.38
3	P	401	A1C9P	C07-C09	2.94	1.59	1.53
3	R	401	A1C9P	C41-C39	2.93	1.42	1.37
4	K	801	BEZ	C3-C2	2.93	1.43	1.38
3	R	401	A1C9P	C20-N03	2.93	1.51	1.47
3	F	401	A1C9P	C07-C09	2.92	1.59	1.53
3	P	401	A1C9P	C20-N03	2.92	1.51	1.47
3	C	401	A1C9P	C41-C39	2.91	1.42	1.37
3	E	401	A1C9P	C07-C09	2.91	1.59	1.53
3	T	401	A1C9P	C20-N03	2.91	1.51	1.47
3	G	401	A1C9P	C41-C39	2.91	1.42	1.37
3	A	401	A1C9P	C17-C04	2.90	1.59	1.53
3	S	401	A1C9P	C17-C04	2.90	1.59	1.53
3	Q	401	A1C9P	C04-N03	2.90	1.50	1.47
3	A	401	A1C9P	C41-C39	2.89	1.42	1.37
3	E	401	A1C9P	C41-C39	2.89	1.42	1.37
3	D	401	A1C9P	F37-C36	-2.89	1.29	1.36
3	D	401	A1C9P	C17-C04	2.89	1.59	1.53
3	C	401	A1C9P	C17-C04	2.88	1.59	1.53
3	O	401	A1C9P	C17-C04	2.87	1.59	1.53
3	Q	401	A1C9P	C17-C04	2.87	1.59	1.53
3	A	401	A1C9P	C20-N03	2.87	1.51	1.47
3	S	401	A1C9P	C20-N03	2.86	1.51	1.47
3	S	401	A1C9P	C41-C39	2.86	1.42	1.37
3	D	401	A1C9P	C12-C11	2.86	1.60	1.53
3	U	401	A1C9P	C41-C39	2.86	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	401	A1C9P	C35-C36	2.85	1.42	1.37
3	C	401	A1C9P	C04-N03	2.85	1.50	1.47
3	S	401	A1C9P	C07-C09	2.85	1.59	1.53
3	B	401	A1C9P	C41-C39	2.85	1.42	1.37
3	O	401	A1C9P	C35-C36	2.85	1.42	1.37
3	P	401	A1C9P	C41-C39	2.84	1.42	1.37
3	Q	401	A1C9P	C41-C39	2.83	1.42	1.37
3	E	401	A1C9P	C20-N03	2.82	1.51	1.47
3	D	401	A1C9P	C20-N03	2.82	1.51	1.47
3	U	401	A1C9P	C20-N03	2.81	1.51	1.47
3	G	401	A1C9P	C07-C09	2.81	1.59	1.53
3	D	401	A1C9P	C04-N03	2.81	1.50	1.47
3	G	401	A1C9P	C20-N03	2.80	1.51	1.47
3	P	401	A1C9P	C35-C36	2.80	1.42	1.37
3	A	401	A1C9P	C35-C36	2.80	1.42	1.37
3	D	401	A1C9P	C41-C39	2.80	1.42	1.37
3	O	401	A1C9P	C41-C39	2.78	1.42	1.37
3	S	401	A1C9P	C35-C36	2.78	1.42	1.37
3	C	401	A1C9P	C35-C36	2.77	1.42	1.37
3	S	401	A1C9P	C24-N30	2.76	1.51	1.45
3	G	401	A1C9P	C35-C36	2.76	1.42	1.37
4	J	801	BEZ	C5-C6	2.75	1.43	1.38
3	Q	401	A1C9P	C20-N03	2.75	1.51	1.47
3	D	401	A1C9P	C35-C36	2.75	1.42	1.37
3	C	401	A1C9P	C07-C09	2.74	1.59	1.53
3	F	401	A1C9P	C20-N03	2.72	1.51	1.47
3	E	401	A1C9P	C35-C36	2.72	1.42	1.37
3	B	401	A1C9P	C24-N30	2.72	1.51	1.45
4	K	801	BEZ	C5-C6	2.71	1.43	1.38
4	G	402	BEZ	C2-C1	-2.71	1.34	1.39
3	F	401	A1C9P	C24-N30	2.71	1.51	1.45
4	N	801	BEZ	C5-C6	2.71	1.43	1.38
3	T	401	A1C9P	C35-C36	2.70	1.42	1.37
3	Q	401	A1C9P	C35-C36	2.70	1.42	1.37
3	A	401	A1C9P	C12-C11	2.70	1.60	1.53
4	S	402	BEZ	C2-C1	-2.70	1.34	1.39
4	R	402	BEZ	C2-C1	-2.69	1.34	1.39
4	M	801	BEZ	C5-C6	2.69	1.43	1.38
3	B	401	A1C9P	C35-C36	2.68	1.42	1.37
4	V	801	BEZ	C5-C6	2.68	1.43	1.38
4	Q	402	BEZ	C2-C1	-2.68	1.34	1.39
4	Y	801	BEZ	C5-C6	2.68	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Z	801	BEZ	C5-C6	2.68	1.43	1.38
4	b	801	BEZ	C5-C6	2.68	1.43	1.38
4	A	402	BEZ	C2-C1	-2.68	1.34	1.39
4	a	801	BEZ	C5-C6	2.67	1.43	1.38
4	L	801	BEZ	C5-C6	2.67	1.43	1.38
3	O	401	A1C9P	C24-N30	2.67	1.51	1.45
4	C	402	BEZ	C2-C1	-2.66	1.34	1.39
4	D	402	BEZ	C2-C1	-2.66	1.34	1.39
4	W	801	BEZ	C5-C6	2.66	1.43	1.38
4	F	402	BEZ	C2-C1	-2.66	1.34	1.39
4	P	402	BEZ	C2-C1	-2.66	1.34	1.39
5	J	802	LEU	CD1-CG	2.66	1.65	1.51
4	I	801	BEZ	C5-C6	2.65	1.43	1.38
4	E	402	BEZ	C2-C1	-2.65	1.34	1.39
4	O	402	BEZ	C2-C1	-2.65	1.34	1.39
4	U	402	BEZ	C2-C1	-2.64	1.34	1.39
4	X	801	BEZ	C5-C6	2.64	1.43	1.38
5	I	802	LEU	CD2-CG	2.64	1.65	1.51
3	C	401	A1C9P	C20-N03	2.64	1.51	1.47
3	U	401	A1C9P	C35-C36	2.63	1.42	1.37
4	T	402	BEZ	C2-C1	-2.63	1.34	1.39
3	C	401	A1C9P	C12-C11	2.63	1.60	1.53
3	S	401	A1C9P	C12-C11	2.63	1.60	1.53
3	P	401	A1C9P	C24-N30	2.62	1.51	1.45
3	O	401	A1C9P	C07-C09	2.62	1.59	1.53
3	T	401	A1C9P	C24-N30	2.61	1.51	1.45
3	G	401	A1C9P	C12-C11	2.61	1.60	1.53
3	U	401	A1C9P	C12-C11	2.60	1.60	1.53
4	B	402	BEZ	C2-C1	-2.60	1.34	1.39
4	H	801	BEZ	C5-C6	2.60	1.43	1.38
3	E	401	A1C9P	C12-C11	2.59	1.60	1.53
3	P	401	A1C9P	C12-C11	2.58	1.60	1.53
3	R	401	A1C9P	C24-N30	2.58	1.51	1.45
4	L	801	BEZ	C6-C1	2.57	1.44	1.39
3	B	401	A1C9P	C12-C11	2.57	1.60	1.53
4	Z	801	BEZ	C6-C1	2.55	1.44	1.39
4	I	801	BEZ	C6-C1	2.55	1.44	1.39
4	K	801	BEZ	C6-C1	2.55	1.44	1.39
4	X	801	BEZ	C6-C1	2.55	1.44	1.39
4	b	801	BEZ	C6-C1	2.55	1.44	1.39
4	W	801	BEZ	C6-C1	2.54	1.44	1.39
4	Y	801	BEZ	C6-C1	2.54	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	U	401	A1C9P	C38-C39	2.53	1.41	1.37
3	G	401	A1C9P	F40-C39	-2.53	1.30	1.36
3	T	401	A1C9P	C12-C11	2.53	1.60	1.53
4	M	801	BEZ	C6-C1	2.53	1.44	1.39
3	S	401	A1C9P	C24-C23	2.53	1.60	1.53
3	E	401	A1C9P	C24-N30	2.53	1.51	1.45
3	F	401	A1C9P	C12-C11	2.53	1.60	1.53
3	Q	401	A1C9P	C12-C11	2.53	1.60	1.53
3	R	401	A1C9P	C35-C36	2.52	1.41	1.37
4	N	801	BEZ	C6-C1	2.52	1.44	1.39
3	G	401	A1C9P	C38-C39	2.52	1.41	1.37
4	J	801	BEZ	C6-C1	2.52	1.44	1.39
5	K	802	LEU	CD2-CG	2.51	1.64	1.51
4	V	801	BEZ	C6-C1	2.51	1.44	1.39
3	C	401	A1C9P	C24-N30	2.51	1.51	1.45
3	R	401	A1C9P	C12-C11	2.51	1.59	1.53
4	H	801	BEZ	C6-C1	2.51	1.44	1.39
3	G	401	A1C9P	C24-N30	2.50	1.51	1.45
3	O	401	A1C9P	C12-C11	2.50	1.59	1.53
3	Q	401	A1C9P	C24-N30	2.50	1.51	1.45
3	P	401	A1C9P	C38-C39	2.49	1.41	1.37
4	a	801	BEZ	C6-C1	2.49	1.44	1.39
3	Q	401	A1C9P	C38-C39	2.48	1.41	1.37
3	T	401	A1C9P	C38-C39	2.47	1.41	1.37
3	P	401	A1C9P	C24-C23	2.46	1.59	1.53
3	D	401	A1C9P	C24-C23	2.45	1.59	1.53
3	E	401	A1C9P	C38-C39	2.45	1.41	1.37
3	A	401	A1C9P	C24-N30	2.45	1.50	1.45
3	D	401	A1C9P	C24-N30	2.45	1.50	1.45
3	R	401	A1C9P	C38-C39	2.44	1.41	1.37
3	E	401	A1C9P	C24-C23	2.44	1.59	1.53
3	R	401	A1C9P	C24-C23	2.43	1.59	1.53
3	U	401	A1C9P	C24-N30	2.42	1.50	1.45
3	A	401	A1C9P	C24-C23	2.42	1.59	1.53
3	F	401	A1C9P	C14-N10	2.42	1.52	1.47
3	D	401	A1C9P	C38-C39	2.42	1.41	1.37
3	O	401	A1C9P	C20-N03	2.41	1.51	1.47
3	F	401	A1C9P	C38-C39	2.40	1.41	1.37
3	U	401	A1C9P	C24-C23	2.40	1.59	1.53
3	B	401	A1C9P	C38-C39	2.40	1.41	1.37
3	T	401	A1C9P	C24-C23	2.40	1.59	1.53
3	G	401	A1C9P	C24-C23	2.40	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	401	A1C9P	C24-C23	2.39	1.59	1.53
5	V	802	LEU	CD2-CG	2.39	1.64	1.51
3	O	401	A1C9P	C24-C23	2.38	1.59	1.53
3	Q	401	A1C9P	C24-C23	2.37	1.59	1.53
3	A	401	A1C9P	C38-C39	2.35	1.41	1.37
3	O	401	A1C9P	O27-C25	-2.35	1.43	1.46
3	B	401	A1C9P	C24-C23	2.34	1.59	1.53
3	C	401	A1C9P	C38-C39	2.34	1.41	1.37
3	O	401	A1C9P	C38-C39	2.33	1.41	1.37
3	S	401	A1C9P	C38-C39	2.33	1.41	1.37
3	T	401	A1C9P	C38-C36	2.32	1.41	1.37
3	F	401	A1C9P	C24-C23	2.30	1.59	1.53
3	B	401	A1C9P	C38-C36	2.30	1.41	1.37
3	U	401	A1C9P	C14-N10	2.29	1.52	1.47
3	R	401	A1C9P	C14-N10	2.29	1.52	1.47
3	T	401	A1C9P	C14-N10	2.25	1.52	1.47
3	R	401	A1C9P	C38-C36	2.24	1.41	1.37
3	F	401	A1C9P	C38-C36	2.23	1.41	1.37
3	C	401	A1C9P	C38-C36	2.23	1.41	1.37
3	B	401	A1C9P	C14-N10	2.22	1.51	1.47
3	D	401	A1C9P	C38-C36	2.22	1.41	1.37
3	C	401	A1C9P	C14-N10	2.21	1.51	1.47
3	E	401	A1C9P	C14-N10	2.19	1.51	1.47
3	U	401	A1C9P	C38-C36	2.18	1.41	1.37
3	T	401	A1C9P	O27-C25	-2.17	1.43	1.46
5	V	802	LEU	CD1-CG	2.16	1.63	1.51
3	Q	401	A1C9P	C38-C36	2.15	1.41	1.37
3	G	401	A1C9P	C38-C36	2.15	1.41	1.37
5	a	802	LEU	CA-N	-2.15	1.42	1.48
3	F	401	A1C9P	O27-C25	-2.14	1.43	1.46
3	S	401	A1C9P	C14-N10	2.14	1.51	1.47
3	C	401	A1C9P	O27-C25	-2.13	1.43	1.46
3	R	401	A1C9P	O27-C25	-2.13	1.43	1.46
3	Q	401	A1C9P	C14-N10	2.13	1.51	1.47
3	U	401	A1C9P	O27-C25	-2.13	1.43	1.46
3	E	401	A1C9P	C38-C36	2.13	1.41	1.37
3	S	401	A1C9P	C38-C36	2.12	1.41	1.37
3	O	401	A1C9P	C14-N10	2.11	1.51	1.47
3	A	401	A1C9P	C38-C36	2.11	1.41	1.37
3	P	401	A1C9P	C38-C36	2.11	1.41	1.37
3	E	401	A1C9P	O27-C25	-2.09	1.43	1.46
3	P	401	A1C9P	O27-C25	-2.08	1.43	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	803	LEU	CD2-CG	2.08	1.62	1.51
5	O	404	LEU	OXT-C	-2.08	1.24	1.30
5	A	403	LEU	CD2-CG	2.08	1.62	1.51
5	X	802	LEU	CD1-CG	2.07	1.62	1.51
5	P	404	LEU	OXT-C	-2.06	1.24	1.30
5	M	802	LEU	CD2-CG	2.06	1.62	1.51
3	O	401	A1C9P	C38-C36	2.06	1.41	1.37
3	G	401	A1C9P	C14-N10	2.05	1.51	1.47
3	U	401	A1C9P	F57-C56	-2.04	1.30	1.40
3	P	401	A1C9P	F57-C56	-2.03	1.30	1.40
3	S	401	A1C9P	O27-C25	-2.03	1.43	1.46
5	F	404	LEU	OXT-C	-2.02	1.24	1.30
4	Q	402	BEZ	C5-C4	-2.02	1.33	1.38
3	G	401	A1C9P	F57-C56	-2.02	1.30	1.40
3	S	401	A1C9P	F57-C56	-2.02	1.30	1.40
3	E	401	A1C9P	F57-C56	-2.01	1.30	1.40
3	D	401	A1C9P	F57-C56	-2.01	1.30	1.40
4	T	402	BEZ	C5-C4	-2.01	1.33	1.38
3	C	401	A1C9P	F57-C56	-2.01	1.30	1.40
3	B	401	A1C9P	F57-C56	-2.01	1.30	1.40
3	A	401	A1C9P	O27-C25	-2.01	1.43	1.46
3	A	401	A1C9P	F57-C56	-2.01	1.30	1.40
3	O	401	A1C9P	F57-C56	-2.01	1.30	1.40
3	A	401	A1C9P	C58-C21	-2.01	1.50	1.53
4	D	402	BEZ	C5-C4	-2.01	1.33	1.38
3	C	401	A1C9P	C58-C21	-2.00	1.50	1.53
3	R	401	A1C9P	F57-C56	-2.00	1.30	1.40
4	F	402	BEZ	C5-C4	-2.00	1.33	1.38

All (448) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	401	A1C9P	C44-C43-N42	9.15	130.27	114.61
3	Q	401	A1C9P	C44-C43-N42	8.96	129.94	114.61
3	A	401	A1C9P	C44-C43-N42	8.69	129.48	114.61
3	C	401	A1C9P	C44-C43-N42	8.48	129.13	114.61
3	B	401	A1C9P	C44-C43-N42	8.33	128.87	114.61
3	R	401	A1C9P	C44-C43-N42	8.30	128.82	114.61
3	P	401	A1C9P	C44-C43-N42	8.27	128.77	114.61
3	U	401	A1C9P	C44-C43-N42	8.26	128.75	114.61
3	T	401	A1C9P	C44-C43-N42	8.19	128.62	114.61
3	D	401	A1C9P	C44-C43-N42	8.17	128.58	114.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	401	A1C9P	C44-C43-N42	8.05	128.38	114.61
3	S	401	A1C9P	C44-C43-N42	7.89	128.10	114.61
3	O	401	A1C9P	C44-C43-N42	7.77	127.91	114.61
3	G	401	A1C9P	C44-C43-N42	7.65	127.69	114.61
3	G	401	A1C9P	F57-C56-C55	5.01	115.63	108.41
3	S	401	A1C9P	F57-C56-C55	4.92	115.50	108.41
3	F	401	A1C9P	F57-C56-C55	4.92	115.49	108.41
3	P	401	A1C9P	F57-C56-C55	4.87	115.43	108.41
3	U	401	A1C9P	F57-C56-C55	4.84	115.37	108.41
3	T	401	A1C9P	F57-C56-C58	4.83	114.48	108.89
3	B	401	A1C9P	F57-C56-C55	4.83	115.36	108.41
3	A	401	A1C9P	F57-C56-C55	4.77	115.27	108.41
3	Q	401	A1C9P	F57-C56-C55	4.76	115.27	108.41
3	T	401	A1C9P	F57-C56-C55	4.74	115.23	108.41
3	O	401	A1C9P	F57-C56-C58	4.73	114.37	108.89
3	E	401	A1C9P	F57-C56-C55	4.70	115.17	108.41
3	R	401	A1C9P	F57-C56-C55	4.68	115.15	108.41
3	O	401	A1C9P	F57-C56-C55	4.67	115.14	108.41
3	D	401	A1C9P	F57-C56-C55	4.61	115.04	108.41
3	F	401	A1C9P	F57-C56-C58	4.60	114.22	108.89
3	C	401	A1C9P	F57-C56-C55	4.58	115.00	108.41
3	C	401	A1C9P	F57-C56-C58	4.57	114.19	108.89
3	S	401	A1C9P	F57-C56-C58	4.47	114.07	108.89
3	E	401	A1C9P	O52-C43-N42	-4.43	116.66	122.44
5	V	803	LEU	CB-CA-C	4.41	117.78	110.99
3	G	401	A1C9P	C51-C46-C47	4.36	111.68	103.22
3	E	401	A1C9P	O52-C43-C44	-4.29	113.06	122.95
3	B	401	A1C9P	F57-C56-C58	4.28	113.85	108.89
3	A	401	A1C9P	F57-C56-C58	4.27	113.84	108.89
3	E	401	A1C9P	F57-C56-C58	4.26	113.83	108.89
3	Q	401	A1C9P	O52-C43-C44	-4.26	113.14	122.95
3	R	401	A1C9P	F57-C56-C58	4.25	113.81	108.89
3	Q	401	A1C9P	O52-C43-N42	-4.23	116.91	122.44
3	D	401	A1C9P	O52-C43-N42	-4.23	116.92	122.44
3	A	401	A1C9P	O52-C43-N42	-4.21	116.95	122.44
3	C	401	A1C9P	O52-C43-N42	-4.19	116.97	122.44
3	P	401	A1C9P	F57-C56-C58	4.19	113.74	108.89
3	D	401	A1C9P	F57-C56-C58	4.17	113.71	108.89
3	U	401	A1C9P	O52-C43-N42	-4.16	117.01	122.44
3	T	401	A1C9P	O52-C43-N42	-4.11	117.08	122.44
3	F	401	A1C9P	O52-C43-N42	-4.11	117.08	122.44
3	T	401	A1C9P	C13-C14-N10	4.11	110.30	103.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	401	A1C9P	C13-C14-N10	4.09	110.27	103.24
3	P	401	A1C9P	O52-C43-N42	-4.09	117.10	122.44
3	E	401	A1C9P	C04-C05-N06	4.08	125.47	116.52
3	A	401	A1C9P	O52-C43-C44	-4.07	113.57	122.95
3	B	401	A1C9P	O52-C43-N42	-4.05	117.16	122.44
3	Q	401	A1C9P	F57-C56-C58	4.03	113.55	108.89
3	R	401	A1C9P	O52-C43-N42	-4.01	117.21	122.44
3	F	401	A1C9P	C51-C46-C47	3.97	110.93	103.22
3	Q	401	A1C9P	O27-C25-C24	3.94	114.39	105.77
3	C	401	A1C9P	O52-C43-C44	-3.93	113.90	122.95
3	O	401	A1C9P	O52-C43-N42	-3.92	117.32	122.44
3	R	401	A1C9P	C13-C14-N10	3.91	109.96	103.24
3	R	401	A1C9P	C19-C20-N03	3.90	116.68	110.65
3	B	401	A1C9P	O52-C43-C44	-3.90	113.97	122.95
3	R	401	A1C9P	O52-C43-C44	-3.89	113.97	122.95
3	G	401	A1C9P	F57-C56-C58	3.85	113.35	108.89
3	U	401	A1C9P	F57-C56-C58	3.85	113.34	108.89
3	B	401	A1C9P	O27-C25-C24	3.85	114.18	105.77
3	C	401	A1C9P	O27-C25-C24	3.84	114.17	105.77
3	S	401	A1C9P	O52-C43-N42	-3.83	117.44	122.44
3	P	401	A1C9P	O52-C43-C44	-3.83	114.12	122.95
3	G	401	A1C9P	O52-C43-N42	-3.82	117.45	122.44
3	D	401	A1C9P	O27-C25-C24	3.80	114.08	105.77
3	U	401	A1C9P	C13-C14-N10	3.79	109.76	103.24
3	D	401	A1C9P	C19-C20-N03	3.79	116.51	110.65
3	R	401	A1C9P	C51-C46-C47	3.79	110.57	103.22
3	U	401	A1C9P	O52-C43-C44	-3.78	114.24	122.95
3	T	401	A1C9P	O52-C43-C44	-3.75	114.30	122.95
3	R	401	A1C9P	C04-C05-N06	3.75	124.75	116.52
3	T	401	A1C9P	C04-C05-N06	3.71	124.66	116.52
3	S	401	A1C9P	O52-C43-C44	-3.69	114.44	122.95
3	O	401	A1C9P	C13-C14-N10	3.69	109.58	103.24
3	A	401	A1C9P	C14-N10-C11	-3.67	106.25	112.01
3	D	401	A1C9P	O52-C43-C44	-3.67	114.50	122.95
3	T	401	A1C9P	O27-C25-C24	3.66	113.77	105.77
3	F	401	A1C9P	O52-C43-C44	-3.65	114.54	122.95
3	G	401	A1C9P	O27-C25-C24	3.64	113.72	105.77
3	E	401	A1C9P	C13-C14-N10	3.63	109.48	103.24
3	Q	401	A1C9P	C19-C20-N03	3.63	116.26	110.65
3	T	401	A1C9P	C47-C46-C45	3.62	121.47	114.21
3	P	401	A1C9P	C51-C46-C47	3.60	110.22	103.22
3	B	401	A1C9P	C13-C14-N10	3.60	109.43	103.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	A1C9P	C04-C05-N06	3.60	124.41	116.52
3	A	401	A1C9P	O27-C25-C24	3.59	113.61	105.77
3	U	401	A1C9P	O27-C25-C24	3.58	113.59	105.77
3	S	401	A1C9P	C04-C05-N06	3.57	124.35	116.52
3	P	401	A1C9P	C13-C14-N10	3.57	109.37	103.24
3	O	401	A1C9P	O52-C43-C44	-3.56	114.75	122.95
3	F	401	A1C9P	C04-C05-N06	3.55	124.31	116.52
3	B	401	A1C9P	C19-C20-N03	3.54	116.13	110.65
3	S	401	A1C9P	C13-C14-N10	3.54	109.33	103.24
3	Q	401	A1C9P	C13-C14-N10	3.54	109.32	103.24
3	B	401	A1C9P	C51-C46-C47	3.53	110.07	103.22
3	G	401	A1C9P	O52-C43-C44	-3.51	114.85	122.95
3	C	401	A1C9P	C13-C14-N10	3.51	109.28	103.24
3	F	401	A1C9P	O27-C25-C24	3.51	113.44	105.77
5	J	803	LEU	CB-CA-C	3.51	116.39	110.99
3	C	401	A1C9P	C51-C46-C47	3.51	110.03	103.22
3	A	401	A1C9P	C55-N22-C21	-3.50	107.20	111.83
3	A	401	A1C9P	C51-C46-C47	3.48	109.99	103.22
3	G	401	A1C9P	C58-C21-C02	-3.48	103.97	111.92
3	U	401	A1C9P	C51-C46-C47	3.47	109.96	103.22
3	D	401	A1C9P	C04-C05-N06	3.46	124.11	116.52
3	R	401	A1C9P	C34-C35-C36	3.45	121.76	118.75
3	C	401	A1C9P	C34-C35-C36	3.44	121.75	118.75
3	E	401	A1C9P	O27-C25-C24	3.44	113.29	105.77
3	Q	401	A1C9P	C51-C46-C47	3.43	109.89	103.22
4	B	402	BEZ	C4-C3-C2	3.43	124.47	120.24
3	Q	401	A1C9P	C58-C21-C02	-3.43	104.09	111.92
3	B	401	A1C9P	C04-C05-N06	3.42	124.03	116.52
4	U	402	BEZ	C4-C3-C2	3.42	124.45	120.24
3	B	401	A1C9P	C55-N22-C21	-3.42	107.31	111.83
3	C	401	A1C9P	C19-C20-N03	3.41	115.93	110.65
3	P	401	A1C9P	C04-C05-N06	3.40	123.99	116.52
3	Q	401	A1C9P	C55-N22-C21	-3.40	107.33	111.83
3	C	401	A1C9P	C21-C02-N03	3.40	126.17	117.71
3	O	401	A1C9P	C51-C46-C47	3.40	109.82	103.22
3	O	401	A1C9P	C04-C05-N06	3.40	123.98	116.52
4	G	402	BEZ	C4-C3-C2	3.40	124.43	120.24
3	D	401	A1C9P	C51-C46-C47	3.39	109.81	103.22
3	C	401	A1C9P	C55-N22-C21	-3.38	107.35	111.83
4	P	402	BEZ	C4-C3-C2	3.37	124.40	120.24
3	E	401	A1C9P	C34-C35-C36	3.37	121.69	118.75
3	U	401	A1C9P	C04-C05-N06	3.37	123.91	116.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	S	402	BEZ	C4-C3-C2	3.37	124.39	120.24
3	S	401	A1C9P	O27-C25-C24	3.37	113.14	105.77
3	R	401	A1C9P	C55-N22-C21	-3.37	107.37	111.83
4	E	402	BEZ	C4-C3-C2	3.37	124.39	120.24
4	O	402	BEZ	C4-C3-C2	3.36	124.39	120.24
3	A	401	A1C9P	C21-C02-N03	3.36	126.07	117.71
4	C	402	BEZ	C4-C3-C2	3.36	124.38	120.24
4	D	402	BEZ	C4-C3-C2	3.36	124.38	120.24
3	T	401	A1C9P	C19-C20-N03	3.35	115.83	110.65
3	A	401	A1C9P	C19-C20-N03	3.35	115.82	110.65
3	U	401	A1C9P	C09-C07-N06	3.34	117.35	109.03
4	R	402	BEZ	C4-C3-C2	3.34	124.36	120.24
4	T	402	BEZ	C4-C3-C2	3.34	124.36	120.24
4	A	402	BEZ	C4-C3-C2	3.33	124.35	120.24
3	D	401	A1C9P	C13-C14-N10	3.33	108.96	103.24
4	Q	402	BEZ	C4-C3-C2	3.32	124.33	120.24
3	E	401	A1C9P	C51-C46-C47	3.32	109.66	103.22
3	R	401	A1C9P	C58-C21-C02	-3.32	104.35	111.92
3	U	401	A1C9P	C34-C35-C36	3.31	121.64	118.75
3	O	401	A1C9P	C55-N22-C21	-3.31	107.44	111.83
3	D	401	A1C9P	C14-N10-C11	-3.31	106.81	112.01
3	F	401	A1C9P	C34-C35-C36	3.30	121.63	118.75
3	Q	401	A1C9P	C34-C35-C36	3.30	121.63	118.75
3	B	401	A1C9P	C58-C21-C02	-3.30	104.38	111.92
3	R	401	A1C9P	O27-C25-C24	3.30	112.99	105.77
3	F	401	A1C9P	C55-N22-C21	-3.30	107.46	111.83
4	F	402	BEZ	C4-C3-C2	3.30	124.31	120.24
3	F	401	A1C9P	C21-C02-N03	3.30	125.92	117.71
3	G	401	A1C9P	C55-N22-C21	-3.29	107.47	111.83
3	P	401	A1C9P	O27-C25-C24	3.28	112.94	105.77
3	E	401	A1C9P	C19-C20-N03	3.27	115.71	110.65
3	O	401	A1C9P	C34-C41-C39	3.27	121.60	118.75
3	O	401	A1C9P	C19-C20-N03	3.26	115.69	110.65
3	D	401	A1C9P	C55-N22-C21	-3.25	107.53	111.83
3	D	401	A1C9P	C34-C35-C36	3.24	121.58	118.75
3	T	401	A1C9P	C55-N22-C21	-3.23	107.55	111.83
3	G	401	A1C9P	C21-C02-N03	3.22	125.72	117.71
3	C	401	A1C9P	O01-C02-C21	-3.22	113.55	120.28
3	S	401	A1C9P	C55-N22-C21	-3.21	107.58	111.83
3	P	401	A1C9P	C34-C35-C36	3.21	121.55	118.75
3	S	401	A1C9P	C58-C21-C02	-3.20	104.60	111.92
3	U	401	A1C9P	C55-N22-C21	-3.20	107.59	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	401	A1C9P	C21-C02-N03	3.20	125.67	117.71
3	P	401	A1C9P	C55-N22-C21	-3.19	107.60	111.83
3	B	401	A1C9P	C14-N10-C11	-3.19	107.00	112.01
3	G	401	A1C9P	C34-C41-C39	3.19	121.53	118.75
3	T	401	A1C9P	C34-C35-C36	3.18	121.53	118.75
3	O	401	A1C9P	O27-C25-C24	3.18	112.72	105.77
3	G	401	A1C9P	C14-N10-C11	-3.17	107.03	112.01
3	B	401	A1C9P	C34-C35-C36	3.17	121.52	118.75
3	C	401	A1C9P	C34-C41-C39	3.17	121.52	118.75
3	T	401	A1C9P	C34-C41-C39	3.17	121.51	118.75
3	P	401	A1C9P	C21-C02-N03	3.17	125.59	117.71
3	A	401	A1C9P	O01-C02-C21	-3.16	113.67	120.28
3	U	401	A1C9P	C21-C02-N03	3.16	125.58	117.71
3	A	401	A1C9P	C34-C41-C39	3.16	121.50	118.75
3	D	401	A1C9P	C21-C02-N03	3.16	125.56	117.71
3	T	401	A1C9P	C21-C02-N03	3.16	125.56	117.71
3	T	401	A1C9P	C58-C56-C55	-3.15	100.67	104.52
3	E	401	A1C9P	C55-N22-C21	-3.15	107.66	111.83
3	S	401	A1C9P	C21-C02-N03	3.14	125.52	117.71
3	S	401	A1C9P	C34-C35-C36	3.13	121.48	118.75
3	S	401	A1C9P	C19-C20-N03	3.13	115.49	110.65
3	O	401	A1C9P	C21-C02-N03	3.12	125.47	117.71
3	F	401	A1C9P	C34-C41-C39	3.10	121.45	118.75
3	Q	401	A1C9P	C21-C02-N03	3.10	125.42	117.71
3	P	401	A1C9P	C58-C21-C02	-3.10	104.85	111.92
3	T	401	A1C9P	C51-C46-C47	3.09	109.22	103.22
3	P	401	A1C9P	C34-C41-C39	3.09	121.44	118.75
3	O	401	A1C9P	C58-C56-C55	-3.08	100.76	104.52
3	B	401	A1C9P	O01-C02-C21	-3.08	113.84	120.28
3	U	401	A1C9P	C58-C21-C02	-3.07	104.91	111.92
3	Q	401	A1C9P	O01-C02-C21	-3.07	113.86	120.28
3	E	401	A1C9P	C21-C02-N03	3.07	125.34	117.71
3	F	401	A1C9P	O01-C02-C21	-3.07	113.87	120.28
3	S	401	A1C9P	C51-C46-C47	3.06	109.17	103.22
5	L	803	LEU	CB-CA-C	3.06	115.70	110.99
3	D	401	A1C9P	C58-C21-C02	-3.05	104.96	111.92
3	C	401	A1C9P	C58-C21-C02	-3.05	104.96	111.92
3	C	401	A1C9P	C04-C05-N06	3.04	123.20	116.52
3	E	401	A1C9P	C58-C21-C02	-3.04	104.98	111.92
3	S	401	A1C9P	C34-C41-C39	3.03	121.39	118.75
3	G	401	A1C9P	O01-C02-C21	-3.02	113.97	120.28
3	Q	401	A1C9P	C04-C05-N06	3.02	123.14	116.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	401	A1C9P	O01-C02-C21	-3.01	113.98	120.28
3	T	401	A1C9P	C58-C21-C02	-3.01	105.04	111.92
3	G	401	A1C9P	C13-C14-N10	3.00	108.41	103.24
3	R	401	A1C9P	C34-C41-C39	2.99	121.36	118.75
3	E	401	A1C9P	O01-C02-C21	-2.99	114.02	120.28
3	T	401	A1C9P	O01-C02-C21	-2.99	114.03	120.28
3	P	401	A1C9P	O01-C02-C21	-2.98	114.05	120.28
3	Q	401	A1C9P	C58-C21-N22	2.98	106.72	103.17
3	D	401	A1C9P	C38-C36-C35	-2.98	119.88	123.50
3	G	401	A1C9P	C34-C35-C36	2.97	121.34	118.75
3	U	401	A1C9P	O01-C02-C21	-2.97	114.07	120.28
3	O	401	A1C9P	O01-C02-C21	-2.97	114.08	120.28
3	A	401	A1C9P	C58-C21-C02	-2.96	105.17	111.92
3	G	401	A1C9P	C09-C07-N06	2.95	116.38	109.03
3	A	401	A1C9P	C47-C46-C45	2.95	120.12	114.21
3	E	401	A1C9P	C34-C41-C39	2.95	121.32	118.75
3	Q	401	A1C9P	C38-C36-C35	-2.94	119.92	123.50
3	F	401	A1C9P	C58-C21-C02	-2.92	105.25	111.92
3	R	401	A1C9P	C21-C02-N03	2.92	124.96	117.71
3	Q	401	A1C9P	C09-C07-N06	2.91	116.28	109.03
3	D	401	A1C9P	C34-C41-C39	2.91	121.28	118.75
3	A	401	A1C9P	C41-C39-C38	-2.90	119.97	123.50
3	A	401	A1C9P	O27-C28-O29	-2.89	118.73	123.95
3	D	401	A1C9P	C09-C07-N06	2.89	116.23	109.03
3	T	401	A1C9P	C09-C07-N06	2.89	116.22	109.03
3	R	401	A1C9P	C09-C07-N06	2.88	116.21	109.03
3	G	401	A1C9P	C41-C39-C38	-2.88	120.00	123.50
3	B	401	A1C9P	C34-C41-C39	2.88	121.26	118.75
5	Y	803	LEU	CB-CA-C	2.86	115.40	110.99
3	R	401	A1C9P	O01-C02-C21	-2.86	114.30	120.28
3	Q	401	A1C9P	C34-C41-C39	2.86	121.24	118.75
3	G	401	A1C9P	C04-C05-N06	2.85	122.78	116.52
3	F	401	A1C9P	C58-C56-C55	-2.84	101.05	104.52
5	W	802	LEU	CD1-CG-CB	-2.84	100.86	111.08
3	P	401	A1C9P	C38-C36-C35	-2.84	120.05	123.50
3	U	401	A1C9P	C19-C20-N03	2.84	115.04	110.65
3	G	401	A1C9P	C19-C20-N03	2.84	115.04	110.65
3	A	401	A1C9P	C58-C56-C55	-2.82	101.08	104.52
3	P	401	A1C9P	C47-C46-C45	2.82	119.87	114.21
3	S	401	A1C9P	O01-C02-C21	-2.82	114.38	120.28
5	M	802	LEU	CB-CA-C	-2.82	106.66	110.99
3	O	401	A1C9P	C34-C35-C36	2.80	121.19	118.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	R	401	A1C9P	C14-N10-C11	-2.80	107.62	112.01
3	S	401	A1C9P	C58-C56-C55	-2.79	101.11	104.52
3	B	401	A1C9P	O27-C28-O29	-2.79	118.91	123.95
3	E	401	A1C9P	C38-C36-C35	-2.79	120.11	123.50
3	O	401	A1C9P	C41-C39-C38	-2.79	120.11	123.50
3	C	401	A1C9P	C14-N10-C11	-2.78	107.64	112.01
3	P	401	A1C9P	C41-C39-C38	-2.76	120.14	123.50
3	U	401	A1C9P	C38-C36-C35	-2.76	120.14	123.50
3	U	401	A1C9P	C34-C41-C39	2.76	121.16	118.75
3	C	401	A1C9P	C38-C36-C35	-2.76	120.14	123.50
3	T	401	A1C9P	C14-N10-C11	-2.76	107.68	112.01
3	D	401	A1C9P	O27-C28-O29	-2.76	118.97	123.95
3	Q	401	A1C9P	O27-C28-O29	-2.75	118.98	123.95
3	A	401	A1C9P	C34-C35-C36	2.75	121.15	118.75
3	P	401	A1C9P	O27-C28-O29	-2.74	118.99	123.95
3	S	401	A1C9P	O27-C28-O29	-2.74	119.00	123.95
3	U	401	A1C9P	C47-C46-C45	2.74	119.71	114.21
3	B	401	A1C9P	C38-C36-C35	-2.74	120.17	123.50
3	S	401	A1C9P	C38-C36-C35	-2.73	120.18	123.50
5	B	403	LEU	CG-CB-CA	-2.73	102.13	116.19
5	O	403	LEU	CG-CB-CA	-2.73	102.15	116.19
5	S	403	LEU	CG-CB-CA	-2.73	102.15	116.19
5	C	403	LEU	CG-CB-CA	-2.73	102.15	116.19
5	R	403	LEU	CG-CB-CA	-2.73	102.16	116.19
5	D	403	LEU	CG-CB-CA	-2.72	102.18	116.19
5	F	403	LEU	CG-CB-CA	-2.72	102.18	116.19
5	P	403	LEU	CG-CB-CA	-2.72	102.18	116.19
5	G	403	LEU	CG-CB-CA	-2.72	102.19	116.19
3	D	401	A1C9P	C41-C39-C38	-2.72	120.20	123.50
5	U	403	LEU	CG-CB-CA	-2.72	102.20	116.19
5	Q	403	LEU	CG-CB-CA	-2.72	102.21	116.19
5	Z	802	LEU	CB-CA-C	2.71	115.17	110.99
5	T	403	LEU	CG-CB-CA	-2.71	102.23	116.19
3	R	401	A1C9P	O27-C28-O29	-2.71	119.06	123.95
5	E	403	LEU	CG-CB-CA	-2.70	102.27	116.19
3	Q	401	A1C9P	C14-N10-C11	-2.70	107.77	112.01
3	Q	401	A1C9P	C41-C39-C38	-2.69	120.23	123.50
3	U	401	A1C9P	O27-C28-O29	-2.69	119.09	123.95
3	F	401	A1C9P	C09-C07-N06	2.69	115.73	109.03
3	F	401	A1C9P	C14-N10-C11	-2.69	107.79	112.01
3	T	401	A1C9P	C41-C39-C38	-2.68	120.24	123.50
3	A	401	A1C9P	O27-C28-C11	2.68	116.36	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	401	A1C9P	C20-N03-C04	-2.68	110.26	115.81
3	E	401	A1C9P	C14-N10-C11	-2.67	107.81	112.01
3	S	401	A1C9P	C14-N10-C11	-2.67	107.82	112.01
3	P	401	A1C9P	C09-C07-N06	2.67	115.67	109.03
3	C	401	A1C9P	O27-C28-O29	-2.67	119.13	123.95
3	F	401	A1C9P	C38-C36-C35	-2.66	120.27	123.50
3	B	401	A1C9P	C09-C07-N06	2.66	115.65	109.03
5	X	803	LEU	CB-CA-C	2.66	115.08	110.99
3	G	401	A1C9P	O27-C28-O29	-2.65	119.16	123.95
3	E	401	A1C9P	O27-C28-O29	-2.65	119.17	123.95
3	O	401	A1C9P	C58-C21-C02	-2.63	105.91	111.92
3	B	401	A1C9P	O27-C28-C11	2.63	116.26	110.80
3	A	401	A1C9P	C20-N03-C04	-2.63	110.36	115.81
3	S	401	A1C9P	C41-C39-C38	-2.63	120.31	123.50
3	P	401	A1C9P	C20-N03-C04	-2.62	110.37	115.81
3	R	401	A1C9P	C38-C36-C35	-2.62	120.32	123.50
3	P	401	A1C9P	C14-N10-C11	-2.60	107.93	112.01
3	S	401	A1C9P	C09-C07-N06	2.60	115.50	109.03
3	G	401	A1C9P	C38-C36-C35	-2.60	120.34	123.50
3	G	401	A1C9P	C20-N03-C04	-2.60	110.42	115.81
3	D	401	A1C9P	C58-C56-C55	-2.59	101.36	104.52
3	G	401	A1C9P	O27-C28-C11	2.59	116.17	110.80
3	O	401	A1C9P	C38-C36-C35	-2.59	120.36	123.50
3	A	401	A1C9P	C38-C36-C35	-2.58	120.36	123.50
3	B	401	A1C9P	C41-C39-C38	-2.58	120.36	123.50
3	D	401	A1C9P	O27-C28-C11	2.58	116.17	110.80
3	F	401	A1C9P	C41-C39-C38	-2.58	120.36	123.50
3	F	401	A1C9P	C19-C20-N03	2.58	114.64	110.65
3	T	401	A1C9P	C38-C36-C35	-2.58	120.37	123.50
3	A	401	A1C9P	C23-C24-N30	2.58	114.29	108.06
3	C	401	A1C9P	C41-C39-C38	-2.57	120.37	123.50
3	O	401	A1C9P	C09-C07-N06	2.57	115.44	109.03
3	E	401	A1C9P	C41-C39-C38	-2.57	120.38	123.50
3	O	401	A1C9P	C14-N10-C11	-2.56	108.00	112.01
3	D	401	A1C9P	C47-C46-C45	2.56	119.34	114.21
3	C	401	A1C9P	C47-C46-C45	2.55	119.33	114.21
3	R	401	A1C9P	C41-C39-C38	-2.53	120.42	123.50
3	U	401	A1C9P	C41-C39-C38	-2.52	120.43	123.50
3	P	401	A1C9P	C19-C20-N03	2.51	114.53	110.65
3	C	401	A1C9P	C58-C56-C55	-2.50	101.47	104.52
4	B	402	BEZ	C3-C2-C1	-2.49	117.72	120.64
3	Q	401	A1C9P	C08-C07-N06	-2.49	105.81	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	401	A1C9P	O27-C28-O29	-2.48	119.47	123.95
3	G	401	A1C9P	C58-C56-C55	-2.48	101.50	104.52
3	B	401	A1C9P	C58-C56-C55	-2.48	101.50	104.52
3	U	401	A1C9P	C14-N10-C11	-2.47	108.13	112.01
3	E	401	A1C9P	O16-C05-C04	-2.47	114.73	120.69
4	O	402	BEZ	C3-C2-C1	-2.47	117.74	120.64
4	S	402	BEZ	C3-C2-C1	-2.47	117.74	120.64
4	P	402	BEZ	C3-C2-C1	-2.47	117.75	120.64
3	F	401	A1C9P	C47-C46-C45	2.46	119.15	114.21
3	U	401	A1C9P	C25-O27-C28	2.46	121.19	117.55
4	C	402	BEZ	C3-C2-C1	-2.46	117.76	120.64
4	D	402	BEZ	C3-C2-C1	-2.46	117.76	120.64
5	I	803	LEU	CB-CA-C	2.45	114.77	110.99
4	G	402	BEZ	C3-C2-C1	-2.45	117.77	120.64
3	S	401	A1C9P	O27-C28-C11	2.45	115.89	110.80
3	B	401	A1C9P	C20-N03-C04	-2.45	110.73	115.81
3	U	401	A1C9P	C20-N03-C04	-2.44	110.76	115.81
3	E	401	A1C9P	C20-N03-C04	-2.43	110.76	115.81
3	E	401	A1C9P	C47-C46-C45	2.43	119.09	114.21
3	P	401	A1C9P	O27-C28-C11	2.43	115.84	110.80
4	E	402	BEZ	C3-C2-C1	-2.42	117.80	120.64
3	C	401	A1C9P	C09-C07-N06	2.42	115.05	109.03
3	Q	401	A1C9P	C20-N03-C04	-2.41	110.80	115.81
4	U	402	BEZ	C3-C2-C1	-2.41	117.81	120.64
4	F	402	BEZ	C3-C2-C1	-2.41	117.82	120.64
4	R	402	BEZ	C3-C2-C1	-2.41	117.82	120.64
4	A	402	BEZ	C3-C2-C1	-2.41	117.82	120.64
4	T	402	BEZ	C3-C2-C1	-2.41	117.82	120.64
3	C	401	A1C9P	C58-C21-N22	2.40	106.03	103.17
3	R	401	A1C9P	C58-C21-N22	2.40	106.03	103.17
3	B	401	A1C9P	C47-C46-C45	2.39	119.01	114.21
3	R	401	A1C9P	O27-C28-C11	2.39	115.76	110.80
4	Q	402	BEZ	C3-C2-C1	-2.39	117.84	120.64
3	T	401	A1C9P	O27-C28-O29	-2.39	119.64	123.95
3	D	401	A1C9P	C20-N03-C04	-2.38	110.86	115.81
3	C	401	A1C9P	C31-C32-N42	-2.38	104.67	111.11
3	O	401	A1C9P	O27-C28-O29	-2.38	119.65	123.95
3	O	401	A1C9P	C25-O27-C28	2.37	121.06	117.55
3	T	401	A1C9P	C25-O27-C28	2.37	121.05	117.55
3	U	401	A1C9P	C58-C56-C55	-2.36	101.64	104.52
3	R	401	A1C9P	C02-C21-N22	2.35	116.33	110.83
3	S	401	A1C9P	C47-C46-C45	2.34	118.91	114.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	R	401	A1C9P	C58-C56-C55	-2.34	101.67	104.52
3	F	401	A1C9P	C20-N03-C04	-2.34	110.96	115.81
3	G	401	A1C9P	C47-C46-C45	2.33	118.88	114.21
3	O	401	A1C9P	C20-N03-C04	-2.33	110.98	115.81
3	G	401	A1C9P	C02-C21-N22	2.32	116.25	110.83
3	O	401	A1C9P	C58-C21-N22	2.32	105.93	103.17
3	P	401	A1C9P	C58-C21-N22	2.32	105.93	103.17
3	Q	401	A1C9P	O27-C28-C11	2.31	115.59	110.80
5	H	803	LEU	CD2-CG-CB	2.30	119.36	111.08
3	T	401	A1C9P	C20-N03-C04	-2.29	111.06	115.81
3	E	401	A1C9P	O27-C28-C11	2.28	115.54	110.80
3	S	401	A1C9P	C02-C21-N22	2.28	116.17	110.83
5	M	802	LEU	CG-CB-CA	2.28	127.92	116.19
3	P	401	A1C9P	C58-C56-C55	-2.28	101.74	104.52
3	E	401	A1C9P	C58-C56-C55	-2.28	101.74	104.52
5	H	802	LEU	CD1-CG-CB	-2.27	102.90	111.08
3	U	401	A1C9P	C58-C21-N22	2.27	105.88	103.17
3	B	401	A1C9P	C02-C21-N22	2.27	116.13	110.83
3	E	401	A1C9P	C58-C21-N22	2.25	105.86	103.17
3	S	401	A1C9P	C20-N03-C04	-2.25	111.14	115.81
5	V	803	LEU	CG-CB-CA	2.25	127.74	116.19
3	F	401	A1C9P	C58-C21-N22	2.24	105.84	103.17
3	Q	401	A1C9P	C47-C46-C45	2.23	118.69	114.21
3	E	401	A1C9P	C09-C07-N06	2.23	114.59	109.03
3	G	401	A1C9P	C58-C21-N22	2.23	105.83	103.17
3	C	401	A1C9P	C25-O27-C28	2.21	120.82	117.55
3	P	401	A1C9P	C02-C21-N22	2.20	115.97	110.83
3	U	401	A1C9P	O27-C28-C11	2.20	115.36	110.80
5	Y	802	LEU	CG-CB-CA	-2.19	104.90	116.19
3	R	401	A1C9P	C20-N03-C04	-2.19	111.27	115.81
3	A	401	A1C9P	C58-C21-N22	2.17	105.76	103.17
3	T	401	A1C9P	O16-C05-C04	-2.16	115.48	120.69
3	F	401	A1C9P	C25-O27-C28	2.16	120.75	117.55
3	T	401	A1C9P	C02-C21-N22	2.16	115.88	110.83
3	R	401	A1C9P	O16-C05-C04	-2.16	115.49	120.69
3	S	401	A1C9P	C23-C24-N30	2.16	113.28	108.06
3	B	401	A1C9P	C58-C21-N22	2.15	105.73	103.17
3	S	401	A1C9P	C58-C21-N22	2.15	105.73	103.17
3	E	401	A1C9P	C02-C21-N22	2.12	115.79	110.83
5	A	403	LEU	CB-CA-C	-2.11	107.74	110.99
3	C	401	A1C9P	O27-C28-C11	2.11	115.18	110.80
3	D	401	A1C9P	C25-O27-C28	2.11	120.67	117.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	401	A1C9P	C45-C44-C43	2.10	127.62	122.67
3	P	401	A1C9P	C23-C24-N30	2.10	113.14	108.06
5	b	802	LEU	CD2-CG-CB	2.09	118.61	111.08
3	D	401	A1C9P	C58-C21-N22	2.08	105.64	103.17
3	U	401	A1C9P	O16-C05-C04	-2.07	115.69	120.69
5	A	403	LEU	CG-CB-CA	-2.07	105.54	116.19
5	H	802	LEU	CB-CA-C	-2.07	107.81	110.99
3	B	401	A1C9P	C25-O27-C28	2.06	120.61	117.55
3	A	401	A1C9P	C31-C32-N42	-2.04	105.58	111.11
3	A	401	A1C9P	O16-C05-C04	-2.04	115.77	120.69
3	O	401	A1C9P	C23-C24-N30	2.04	112.99	108.06
3	D	401	A1C9P	O16-C05-C04	-2.02	115.81	120.69
3	S	401	A1C9P	O16-C05-C04	-2.02	115.81	120.69
3	F	401	A1C9P	O16-C05-C04	-2.02	115.82	120.69
3	Q	401	A1C9P	C25-O27-C28	2.01	120.53	117.55
3	F	401	A1C9P	O27-C28-C11	2.01	114.97	110.80
3	P	401	A1C9P	C25-O27-C28	2.00	120.52	117.55
3	D	401	A1C9P	C02-C21-N22	2.00	115.51	110.83

There are no chirality outliers.

All (261) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	401	A1C9P	C24-C25-O27-C28
3	A	401	A1C9P	C26-C25-O27-C28
3	B	401	A1C9P	C24-C25-O27-C28
3	B	401	A1C9P	C26-C25-O27-C28
3	C	401	A1C9P	C24-C25-O27-C28
3	C	401	A1C9P	C26-C25-O27-C28
3	D	401	A1C9P	C24-C25-O27-C28
3	D	401	A1C9P	C26-C25-O27-C28
3	E	401	A1C9P	C24-C25-O27-C28
3	E	401	A1C9P	C26-C25-O27-C28
3	E	401	A1C9P	C44-C45-C46-C47
3	E	401	A1C9P	C44-C45-C46-C51
3	F	401	A1C9P	C24-C25-O27-C28
3	F	401	A1C9P	C26-C25-O27-C28
3	G	401	A1C9P	C24-C25-O27-C28
3	G	401	A1C9P	C26-C25-O27-C28
3	P	401	A1C9P	C24-C25-O27-C28
3	P	401	A1C9P	C26-C25-O27-C28
3	Q	401	A1C9P	C24-C25-O27-C28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	Q	401	A1C9P	C44-C45-C46-C51
3	R	401	A1C9P	C24-C25-O27-C28
3	R	401	A1C9P	C26-C25-O27-C28
3	S	401	A1C9P	C24-C25-O27-C28
3	T	401	A1C9P	C24-C25-O27-C28
3	T	401	A1C9P	C26-C25-O27-C28
3	T	401	A1C9P	C44-C45-C46-C47
3	T	401	A1C9P	C44-C45-C46-C51
3	U	401	A1C9P	C24-C25-O27-C28
3	U	401	A1C9P	C26-C25-O27-C28
5	A	403	LEU	C-CA-CB-CG
5	B	403	LEU	N-CA-CB-CG
5	B	403	LEU	C-CA-CB-CG
5	C	403	LEU	N-CA-CB-CG
5	C	403	LEU	C-CA-CB-CG
5	D	403	LEU	N-CA-CB-CG
5	D	403	LEU	C-CA-CB-CG
5	E	403	LEU	N-CA-CB-CG
5	E	403	LEU	C-CA-CB-CG
5	F	403	LEU	N-CA-CB-CG
5	F	403	LEU	C-CA-CB-CG
5	G	403	LEU	N-CA-CB-CG
5	G	403	LEU	C-CA-CB-CG
5	H	802	LEU	O-C-CA-CB
5	H	803	LEU	O-C-CA-CB
5	H	803	LEU	N-CA-CB-CG
5	H	803	LEU	C-CA-CB-CG
5	I	803	LEU	O-C-CA-CB
5	I	803	LEU	N-CA-CB-CG
5	I	803	LEU	C-CA-CB-CG
5	J	803	LEU	O-C-CA-CB
5	J	803	LEU	N-CA-CB-CG
5	J	803	LEU	C-CA-CB-CG
5	K	802	LEU	O-C-CA-CB
5	K	803	LEU	N-CA-CB-CG
5	K	803	LEU	C-CA-CB-CG
5	L	803	LEU	O-C-CA-CB
5	L	803	LEU	N-CA-CB-CG
5	L	803	LEU	C-CA-CB-CG
5	M	803	LEU	O-C-CA-CB
5	M	803	LEU	N-CA-CB-CG
5	N	803	LEU	O-C-CA-CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	N	803	LEU	N-CA-CB-CG
5	O	403	LEU	N-CA-CB-CG
5	O	403	LEU	C-CA-CB-CG
5	P	403	LEU	N-CA-CB-CG
5	P	403	LEU	C-CA-CB-CG
5	Q	403	LEU	N-CA-CB-CG
5	Q	403	LEU	C-CA-CB-CG
5	R	403	LEU	N-CA-CB-CG
5	R	403	LEU	C-CA-CB-CG
5	S	403	LEU	N-CA-CB-CG
5	S	403	LEU	C-CA-CB-CG
5	T	403	LEU	N-CA-CB-CG
5	T	403	LEU	C-CA-CB-CG
5	U	403	LEU	N-CA-CB-CG
5	U	403	LEU	C-CA-CB-CG
5	V	803	LEU	O-C-CA-CB
5	V	803	LEU	N-CA-CB-CG
5	V	803	LEU	C-CA-CB-CG
5	W	803	LEU	O-C-CA-CB
5	W	803	LEU	N-CA-CB-CG
5	X	803	LEU	O-C-CA-CB
5	Y	802	LEU	O-C-CA-CB
5	Y	803	LEU	O-C-CA-CB
5	Z	803	LEU	O-C-CA-CB
5	a	803	LEU	O-C-CA-CB
5	a	803	LEU	N-CA-CB-CG
5	b	803	LEU	O-C-CA-CB
5	b	803	LEU	N-CA-CB-CG
5	b	803	LEU	C-CA-CB-CG
4	H	801	BEZ	O1-C-C1-C2
4	I	801	BEZ	O1-C-C1-C2
4	L	801	BEZ	O1-C-C1-C2
4	M	801	BEZ	O1-C-C1-C2
4	N	801	BEZ	O1-C-C1-C2
4	V	801	BEZ	O1-C-C1-C2
4	W	801	BEZ	O1-C-C1-C2
4	X	801	BEZ	O1-C-C1-C2
4	Y	801	BEZ	O1-C-C1-C2
4	Z	801	BEZ	O1-C-C1-C2
4	a	801	BEZ	O1-C-C1-C2
4	b	801	BEZ	O1-C-C1-C2
4	J	801	BEZ	O1-C-C1-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	J	801	BEZ	O1-C-C1-C6
3	T	401	A1C9P	O52-C43-C44-C45
3	T	401	A1C9P	N42-C43-C44-C45
4	H	801	BEZ	O1-C-C1-C6
4	I	801	BEZ	O1-C-C1-C6
4	L	801	BEZ	O1-C-C1-C6
4	M	801	BEZ	O1-C-C1-C6
4	N	801	BEZ	O1-C-C1-C6
4	V	801	BEZ	O1-C-C1-C6
4	W	801	BEZ	O1-C-C1-C6
4	X	801	BEZ	O1-C-C1-C6
4	Y	801	BEZ	O1-C-C1-C6
4	Z	801	BEZ	O1-C-C1-C6
4	a	801	BEZ	O1-C-C1-C6
4	b	801	BEZ	O1-C-C1-C6
3	Q	401	A1C9P	C26-C25-O27-C28
3	S	401	A1C9P	C26-C25-O27-C28
5	a	802	LEU	CA-CB-CG-CD2
5	Y	802	LEU	CA-CB-CG-CD2
5	a	802	LEU	CA-CB-CG-CD1
5	b	802	LEU	CA-CB-CG-CD1
5	V	802	LEU	CA-CB-CG-CD1
5	V	802	LEU	CA-CB-CG-CD2
5	b	802	LEU	CA-CB-CG-CD2
5	L	802	LEU	CA-CB-CG-CD2
4	K	801	BEZ	O1-C-C1-C2
5	K	802	LEU	CA-CB-CG-CD2
5	M	802	LEU	CA-CB-CG-CD1
5	Y	802	LEU	CA-CB-CG-CD1
5	H	802	LEU	CA-CB-CG-CD2
5	I	802	LEU	CA-CB-CG-CD2
5	J	802	LEU	CA-CB-CG-CD1
5	X	802	LEU	CA-CB-CG-CD2
5	Z	802	LEU	CA-CB-CG-CD2
5	W	802	LEU	CA-CB-CG-CD1
5	W	802	LEU	CA-CB-CG-CD2
5	H	802	LEU	CA-CB-CG-CD1
5	I	802	LEU	CA-CB-CG-CD1
5	M	802	LEU	CA-CB-CG-CD2
5	L	802	LEU	CA-CB-CG-CD1
5	Z	802	LEU	CA-CB-CG-CD1
5	X	802	LEU	CA-CB-CG-CD1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	D	405	PEG	O1-C1-C2-O2
5	K	802	LEU	CA-CB-CG-CD1
4	K	801	BEZ	O1-C-C1-C6
7	D	405	PEG	O2-C3-C4-O4
5	b	803	LEU	CA-CB-CG-CD2
5	J	802	LEU	CA-CB-CG-CD2
3	R	401	A1C9P	O53-C31-C32-N42
3	A	401	A1C9P	C44-C45-C46-C47
3	B	401	A1C9P	C44-C45-C46-C47
3	C	401	A1C9P	C44-C45-C46-C47
3	F	401	A1C9P	C44-C45-C46-C47
3	Q	401	A1C9P	C44-C45-C46-C47
3	S	401	A1C9P	O53-C31-C32-N42
3	O	401	A1C9P	C24-C25-O27-C28
3	R	401	A1C9P	N30-C31-C32-N42
3	S	401	A1C9P	N30-C31-C32-N42
3	Q	401	A1C9P	O29-C28-O27-C25
5	J	802	LEU	N-CA-CB-CG
5	X	803	LEU	N-CA-CB-CG
5	Y	803	LEU	N-CA-CB-CG
3	E	401	A1C9P	O53-C31-C32-N42
7	S	405	PEG	C4-C3-O2-C2
3	O	401	A1C9P	O53-C31-C32-N42
3	A	401	A1C9P	O53-C31-C32-N42
3	B	401	A1C9P	O53-C31-C32-N42
3	F	401	A1C9P	N10-C11-C28-O27
3	R	401	A1C9P	N10-C11-C28-O27
3	F	401	A1C9P	N10-C11-C28-O29
3	Q	401	A1C9P	O53-C31-C32-C33
3	T	401	A1C9P	O53-C31-C32-N42
3	A	401	A1C9P	N10-C11-C28-O29
3	T	401	A1C9P	N10-C11-C28-O29
3	D	401	A1C9P	O53-C31-C32-N42
3	A	401	A1C9P	N10-C11-C28-O27
3	E	401	A1C9P	N10-C11-C28-O27
3	E	401	A1C9P	N30-C31-C32-N42
3	E	401	A1C9P	N10-C11-C28-O29
3	R	401	A1C9P	N10-C11-C28-O29
5	M	803	LEU	C-CA-CB-CG
5	N	803	LEU	C-CA-CB-CG
5	W	803	LEU	C-CA-CB-CG
5	X	803	LEU	C-CA-CB-CG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	Y	803	LEU	C-CA-CB-CG
5	a	803	LEU	C-CA-CB-CG
3	O	401	A1C9P	N30-C31-C32-N42
3	G	401	A1C9P	O53-C31-C32-C33
3	B	401	A1C9P	N10-C11-C28-O29
3	D	401	A1C9P	N10-C11-C28-O29
3	T	401	A1C9P	N10-C11-C28-O27
3	Q	401	A1C9P	N30-C31-C32-C33
3	C	401	A1C9P	N10-C11-C28-O29
3	U	401	A1C9P	N10-C11-C28-O29
3	A	401	A1C9P	C44-C45-C46-C51
3	C	401	A1C9P	C44-C45-C46-C51
3	O	401	A1C9P	C26-C25-O27-C28
3	Q	401	A1C9P	C11-C28-O27-C25
3	Q	401	A1C9P	N10-C11-C28-O29
3	A	401	A1C9P	N30-C31-C32-N42
3	B	401	A1C9P	N30-C31-C32-N42
3	B	401	A1C9P	N10-C11-C28-O27
3	D	401	A1C9P	N10-C11-C28-O27
3	G	401	A1C9P	N30-C31-C32-C33
3	P	401	A1C9P	O53-C31-C32-N42
3	G	401	A1C9P	N10-C11-C28-O29
3	S	401	A1C9P	N10-C11-C28-O29
3	F	401	A1C9P	O53-C31-C32-N42
3	C	401	A1C9P	O53-C31-C32-C33
3	T	401	A1C9P	N30-C31-C32-N42
3	C	401	A1C9P	N30-C31-C32-C33
3	P	401	A1C9P	O53-C31-C32-C33
3	F	401	A1C9P	O53-C31-C32-C33
3	U	401	A1C9P	O53-C31-C32-C33
3	U	401	A1C9P	O53-C31-C32-N42
3	Q	401	A1C9P	N10-C11-C28-O27
3	C	401	A1C9P	O53-C31-C32-N42
3	C	401	A1C9P	N10-C11-C28-O27
3	U	401	A1C9P	N10-C11-C28-O27
3	P	401	A1C9P	N30-C31-C32-C33
3	P	401	A1C9P	N10-C11-C28-O29
3	D	401	A1C9P	N30-C31-C32-N42
5	M	803	LEU	CA-CB-CG-CD1
3	F	401	A1C9P	N30-C31-C32-C33
5	A	403	LEU	N-CA-CB-CG
3	U	401	A1C9P	N30-C31-C32-C33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	401	A1C9P	O53-C31-C32-C33
3	T	401	A1C9P	O53-C31-C32-C33
3	F	401	A1C9P	N30-C31-C32-N42
3	O	401	A1C9P	O53-C31-C32-C33
3	G	401	A1C9P	O53-C31-C32-N42
3	B	401	A1C9P	O53-C31-C32-C33
3	E	401	A1C9P	O53-C31-C32-C33
3	G	401	A1C9P	N10-C11-C28-O27
3	D	401	A1C9P	N30-C31-C32-C33
3	A	401	A1C9P	O53-C31-C32-C33
3	S	401	A1C9P	O53-C31-C32-C33
5	M	803	LEU	CA-CB-CG-CD2
3	P	401	A1C9P	N30-C31-C32-N42
5	K	803	LEU	CA-CB-CG-CD2
3	U	401	A1C9P	N30-C31-C32-N42
3	R	401	A1C9P	O53-C31-C32-C33
3	B	401	A1C9P	N30-C31-C32-C33
3	O	401	A1C9P	N30-C31-C32-C33
3	A	401	A1C9P	N30-C31-C32-C33
3	C	401	A1C9P	C23-C24-C25-C26
3	Q	401	A1C9P	C23-C24-C25-C26
3	Q	401	A1C9P	O53-C31-C32-N42
3	T	401	A1C9P	N30-C31-C32-C33
3	B	401	A1C9P	C23-C24-C25-O27
3	C	401	A1C9P	C23-C24-C25-O27
3	G	401	A1C9P	C23-C24-C25-O27
3	Q	401	A1C9P	C23-C24-C25-O27
3	T	401	A1C9P	C23-C24-C25-O27
3	S	401	A1C9P	N10-C11-C28-O27
5	T	404	LEU	OXT-C-CA-N
3	R	401	A1C9P	N30-C31-C32-C33
3	S	401	A1C9P	N30-C31-C32-C33

There are no ring outliers.

17 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	A1C9P	1	0
5	H	803	LEU	1	0
3	R	401	A1C9P	1	0
5	K	803	LEU	1	0
3	S	401	A1C9P	1	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	401	A1C9P	1	0
3	C	401	A1C9P	1	0
4	X	801	BEZ	1	0
5	N	802	LEU	1	0
3	Q	401	A1C9P	1	0
5	Y	803	LEU	1	0
3	P	401	A1C9P	1	0
3	O	401	A1C9P	1	0
6	F	405	DMS	3	0
5	Y	802	LEU	1	0
5	X	803	LEU	1	0
3	F	401	A1C9P	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand A1C9P A 401




Ligand A1C9P R 401




Ligand A1C9P S 401




Ligand A1C9P D 401




Ligand A1C9P C 401




Ligand A1C9P T 401




Ligand A1C9P Q 401




Ligand A1C9P G 401




Ligand A1C9P P 401




Ligand A1C9P O 401




Ligand A1C9P B 401




Ligand A1C9P U 401



Ligand A1C9P F 401



Ligand A1C9P E 401



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	197/214 (92%)	-0.24	2 (1%) 79 76	30, 45, 59, 82	0
1	B	199/214 (92%)	-0.24	3 (1%) 72 67	32, 47, 66, 87	0
1	C	202/214 (94%)	-0.28	4 (1%) 65 59	28, 44, 66, 92	0
1	D	198/214 (92%)	-0.25	2 (1%) 79 76	30, 43, 61, 87	0
1	E	200/214 (93%)	-0.22	1 (0%) 87 85	34, 48, 65, 85	0
1	F	197/214 (92%)	-0.18	1 (0%) 87 85	31, 48, 65, 83	0
1	G	198/214 (92%)	-0.17	3 (1%) 72 67	26, 46, 64, 94	0
1	O	196/214 (91%)	-0.37	4 (2%) 65 59	27, 41, 58, 84	0
1	P	199/214 (92%)	-0.32	2 (1%) 79 76	31, 44, 62, 80	0
1	Q	197/214 (92%)	-0.23	2 (1%) 79 76	33, 46, 61, 77	0
1	R	198/214 (92%)	-0.15	0 100 100	36, 49, 66, 101	0
1	S	199/214 (92%)	-0.04	3 (1%) 72 67	32, 53, 71, 98	0
1	T	198/214 (92%)	-0.17	3 (1%) 72 67	33, 48, 65, 93	1 (0%)
1	U	198/214 (92%)	-0.29	3 (1%) 72 67	27, 43, 63, 87	0
2	H	177/194 (91%)	-0.11	2 (1%) 78 75	34, 50, 65, 91	0
2	I	177/194 (91%)	-0.16	1 (0%) 85 83	35, 49, 71, 90	0
2	J	179/194 (92%)	-0.11	2 (1%) 78 75	33, 48, 69, 90	0
2	K	176/194 (90%)	-0.19	0 100 100	33, 50, 65, 73	0
2	L	177/194 (91%)	-0.03	2 (1%) 78 75	34, 53, 71, 83	0
2	M	176/194 (90%)	-0.10	0 100 100	37, 52, 67, 83	0
2	N	177/194 (91%)	-0.19	1 (0%) 85 83	36, 48, 67, 78	0
2	V	176/194 (90%)	-0.11	3 (1%) 69 64	33, 49, 68, 88	0
2	W	176/194 (90%)	-0.15	0 100 100	31, 51, 66, 75	0
2	X	176/194 (90%)	-0.12	1 (0%) 85 83	34, 51, 67, 74	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å²)	Q<0.9	
2	Y	176/194 (90%)	0.04	0	100	100	36, 55, 71, 84	0
2	Z	176/194 (90%)	0.05	0	100	100	41, 55, 71, 83	0
2	a	176/194 (90%)	0.09	0	100	100	37, 55, 72, 84	0
2	b	176/194 (90%)	-0.10	0	100	100	36, 53, 67, 78	0
All	All	5247/5712 (91%)	-0.16	45 (0%)	81	78	26, 49, 68, 101	1 (0%)

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	191	THR	5.9
1	D	209	LEU	5.1
1	T	135[A]	HIS	4.7
1	S	211	ALA	4.4
1	B	211	ALA	4.0
1	T	210	SER	3.8
1	U	13	ARG	3.7
1	O	14	TYR	3.7
1	D	105	LEU	3.4
1	F	105	LEU	3.2
1	B	209	LEU	3.1
1	Q	209	LEU	3.1
2	I	191	THR	3.1
1	E	211	ALA	3.0
2	X	190	ILE	2.9
1	G	210	SER	2.8
2	J	192	ARG	2.8
1	G	209	LEU	2.8
1	T	13	ARG	2.7
1	O	13	ARG	2.6
2	V	31	PHE	2.6
2	J	193	ALA	2.5
1	P	143	ILE	2.4
1	S	15	ILE	2.4
1	C	213	THR	2.3
1	A	105	LEU	2.3
2	H	162	ILE	2.3
1	S	210	SER	2.3
1	U	209	LEU	2.3
1	A	14	TYR	2.2
1	U	210	SER	2.2
1	C	210	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	211	ALA	2.2
1	Q	96	VAL	2.2
2	L	27	GLU	2.1
1	G	15	ILE	2.1
1	C	167	THR	2.1
2	V	50	LEU	2.1
2	H	191	THR	2.1
2	V	190	ILE	2.1
1	O	140	SER	2.0
1	P	211	ALA	2.0
1	B	20	ILE	2.0
2	N	148	LYS	2.0
1	O	105	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	DMS	C	405	4/4	0.38	0.29	67,82,82,118	0
6	DMS	Q	405	4/4	0.43	0.29	58,70,76,116	0
6	DMS	O	405	4/4	0.50	0.31	65,78,83,113	0
6	DMS	F	405	4/4	0.72	0.33	54,70,86,99	0
5	LEU	a	803	8/9	0.73	0.23	30,30,69,69	0
5	LEU	Z	803	8/9	0.77	0.18	30,30,71,71	0
5	LEU	M	803	8/9	0.77	0.20	30,30,66,66	0
5	LEU	N	802	8/9	0.77	0.19	30,30,64,72	0
5	LEU	S	404	9/9	0.80	0.18	57,73,87,87	0
5	LEU	I	802	8/9	0.82	0.27	55,71,85,85	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	PEG	S	405	7/7	0.84	0.15	55,71,86,86	0
5	LEU	A	404	9/9	0.85	0.18	44,54,62,65	0
4	BEZ	b	801	8/9	0.86	0.19	56,68,81,96	0
5	LEU	T	404	9/9	0.86	0.18	56,71,82,82	0
5	LEU	M	802	8/9	0.86	0.18	49,77,98,98	0
5	LEU	C	404	9/9	0.87	0.15	39,56,68,70	0
5	LEU	G	404	9/9	0.87	0.14	51,62,73,77	0
5	LEU	H	803	8/9	0.87	0.18	51,65,78,81	0
4	BEZ	a	801	8/9	0.87	0.20	53,59,71,80	0
5	LEU	L	802	8/9	0.87	0.13	53,67,72,81	0
5	LEU	V	802	8/9	0.87	0.17	48,58,74,82	0
5	LEU	Z	802	8/9	0.87	0.17	53,65,81,81	0
4	BEZ	H	801	8/9	0.88	0.19	50,63,77,88	0
5	LEU	a	802	8/9	0.88	0.20	52,69,81,85	0
5	LEU	R	404	9/9	0.88	0.15	56,68,79,79	0
4	BEZ	M	801	8/9	0.88	0.20	50,60,79,81	0
5	LEU	X	803	8/9	0.89	0.15	50,67,75,84	0
5	LEU	J	802	8/9	0.89	0.12	51,61,71,72	0
5	LEU	O	404	9/9	0.89	0.17	38,56,63,65	0
5	LEU	Q	404	9/9	0.89	0.16	43,59,66,66	0
5	LEU	K	803	8/9	0.89	0.14	41,69,86,86	0
4	BEZ	T	402	8/9	0.89	0.15	48,60,72,75	0
5	LEU	D	404	9/9	0.89	0.13	43,60,65,71	0
5	LEU	U	404	9/9	0.89	0.15	47,57,74,75	0
5	LEU	F	404	9/9	0.89	0.14	45,68,79,79	0
7	PEG	D	405	7/7	0.89	0.17	51,68,82,82	0
5	LEU	W	802	8/9	0.89	0.18	44,58,82,82	0
5	LEU	V	803	8/9	0.90	0.14	53,66,87,87	0
3	A1C9P	F	401	58/58	0.90	0.13	33,53,74,96	0
5	LEU	W	803	8/9	0.90	0.15	58,71,85,85	0
5	LEU	X	802	8/9	0.90	0.16	54,71,82,82	0
5	LEU	E	404	9/9	0.90	0.15	42,56,67,72	0
5	LEU	Y	802	8/9	0.90	0.16	57,69,86,89	0
5	LEU	Y	803	8/9	0.90	0.13	53,64,77,77	0
5	LEU	F	403	8/9	0.90	0.14	44,54,88,88	0
4	BEZ	Z	801	8/9	0.90	0.18	50,63,75,79	0
5	LEU	N	803	8/9	0.90	0.14	56,70,87,87	0
3	A1C9P	Q	401	58/58	0.90	0.13	35,54,67,84	0
3	A1C9P	C	401	58/58	0.90	0.12	30,51,69,77	0
4	BEZ	K	801	8/9	0.90	0.17	52,61,73,73	0
5	LEU	I	803	8/9	0.90	0.15	58,74,81,85	0
5	LEU	B	404	9/9	0.90	0.14	48,60,72,72	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	LEU	K	802	8/9	0.90	0.14	53,68,80,84	0
3	A1C9P	E	401	58/58	0.90	0.12	28,51,67,73	0
3	A1C9P	A	401	58/58	0.91	0.11	31,50,63,70	0
5	LEU	H	802	8/9	0.91	0.14	57,69,75,77	0
3	A1C9P	G	401	58/58	0.91	0.12	21,53,69,88	0
3	A1C9P	P	401	58/58	0.91	0.11	29,45,58,65	0
5	LEU	P	404	9/9	0.91	0.16	44,59,66,66	0
4	BEZ	Q	402	8/9	0.91	0.12	39,55,67,68	0
3	A1C9P	B	401	58/58	0.91	0.11	26,50,68,72	0
5	LEU	S	403	8/9	0.91	0.16	48,65,96,96	0
5	LEU	J	803	8/9	0.91	0.13	52,64,77,84	0
5	LEU	b	802	8/9	0.91	0.14	49,61,73,80	0
5	LEU	E	403	8/9	0.91	0.15	44,58,91,91	0
5	LEU	U	403	8/9	0.91	0.13	47,58,77,77	0
4	BEZ	X	801	8/9	0.91	0.19	47,61,76,81	0
3	A1C9P	R	401	58/58	0.91	0.12	31,54,71,98	0
5	LEU	L	803	8/9	0.91	0.15	56,69,81,83	0
3	A1C9P	S	401	58/58	0.91	0.12	35,55,75,86	0
5	LEU	R	403	8/9	0.92	0.13	43,55,91,91	0
3	A1C9P	U	401	58/58	0.92	0.12	23,48,63,70	0
4	BEZ	G	402	8/9	0.92	0.14	46,53,64,73	0
3	A1C9P	D	401	58/58	0.92	0.13	32,54,71,94	0
5	LEU	T	403	8/9	0.92	0.12	43,57,88,88	0
4	BEZ	J	801	8/9	0.92	0.16	49,65,81,85	0
5	LEU	P	403	8/9	0.92	0.11	41,52,80,80	0
3	A1C9P	T	401	58/58	0.92	0.12	29,53,70,85	0
5	LEU	G	403	8/9	0.92	0.14	42,61,74,74	0
5	LEU	A	403	8/9	0.93	0.12	41,56,85,85	0
4	BEZ	V	801	8/9	0.93	0.17	46,60,79,89	0
5	LEU	B	403	8/9	0.93	0.11	37,52,68,68	0
5	LEU	Q	403	8/9	0.93	0.11	42,58,77,77	0
4	BEZ	U	402	8/9	0.93	0.12	38,46,62,70	0
5	LEU	C	403	8/9	0.93	0.11	35,54,75,75	0
4	BEZ	Y	801	8/9	0.93	0.14	51,63,76,77	0
5	LEU	D	403	8/9	0.93	0.14	46,56,95,95	0
4	BEZ	W	801	8/9	0.94	0.17	46,62,81,83	0
3	A1C9P	O	401	58/58	0.94	0.09	24,42,63,75	0
4	BEZ	N	801	8/9	0.94	0.17	38,58,69,70	0
4	BEZ	O	402	8/9	0.94	0.10	40,49,59,60	0
5	LEU	b	803	8/9	0.94	0.12	55,67,74,75	0
4	BEZ	P	402	8/9	0.94	0.09	36,45,54,57	0
4	BEZ	B	402	8/9	0.94	0.09	41,50,60,65	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	BEZ	D	402	8/9	0.94	0.09	35,40,48,51	0
5	LEU	O	403	8/9	0.94	0.11	38,57,76,76	0
4	BEZ	F	402	8/9	0.94	0.11	35,54,66,67	0
4	BEZ	L	801	8/9	0.94	0.14	59,66,79,79	0
4	BEZ	S	402	8/9	0.95	0.10	51,61,74,83	0
4	BEZ	E	402	8/9	0.95	0.10	45,51,60,61	0
4	BEZ	I	801	8/9	0.95	0.12	44,53,64,65	0
4	BEZ	A	402	8/9	0.96	0.08	36,49,56,61	0
4	BEZ	C	402	8/9	0.96	0.07	32,40,47,49	0
4	BEZ	R	402	8/9	0.97	0.07	42,49,59,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around A1C9P F 401:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P Q 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P E 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P G 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P P 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P R 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P S 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P U 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1C9P T 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A1C9P O 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.