

# Integrative Structure Validation Report

October 09, 2025 - 04:38 PM PDT

*The following software was used in the production of this report:*

*IHMValidation Version 3.0*

*Python-IHM Version 2.5*

*MolProbity Version 4.5.2*

PDB ID	9A0O   pdb_00009a0o
PDB-Dev ID	PDBDEV_00000060
Structure Title	Integrative structure of Pg-GAFab complex
Structure Authors	Gupta R; Liu Y; Wang H; Nordyke CT; Puterbaugh RZ; Cui W; Varga K; Chu F; Ke H; Vashisth H; Cote RH
Deposited on	2020-08-07

*This is a PDB-IHM Structure Validation Report.*

*We welcome your comments at [helpdesk@pdb-ihm.org](mailto:helpdesk@pdb-ihm.org)*

*A user guide is available at [https://pdb-ihm.org/validation\\_help.html](https://pdb-ihm.org/validation_help.html) with specific help available everywhere you see the  symbol.*

*List of references used to build this report is available [here](#).*

## 1. Overview

### 1.1. Summary


*This entry consists of 1 model(s). A total of 3 dataset(s) were used to build this entry.*

Name	Type	Count
Crosslinking-MS data	Experimental data	1
Experimental model	Starting model	1
Integrative model	Starting model	1


## 1.2. Overall quality ?

This validation report contains model quality assessments for all structures, data quality and fit to model assessments for SAS and crosslinking-MS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.

### Model Quality: MolProbity Analysis ?



### Fit to Data Used for Modeling ?



## 2. Model Details ?

### 2.1. Ensemble information ?

This entry consists of 0 distinct ensemble(s).

### 2.2. Representation ?

This entry has 1 representation(s).

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
1	1	1	PDE GAFab	A	399	-	1-399	100.00 / 100.00	Atomic
				B					
		2	PDE gamma subunit	C	51	-	1-51	100.00 / 100.00	Atomic
				D					

### 2.3. Datasets used for modeling ?

There are 3 unique datasets used to build the models in this entry.

ID	Dataset type	Database name	Data access code
1	Crosslinking-MS data	PRIDE	PXD020817
2	Experimental model	PDB	pdb_00006x88
3	Integrative model	PDB	pdb_00009a0n

## 2.4. Methodology and software ?

This entry is a result of 1 distinct protocol(s).

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
1	1	Not available	Not available	Not available	Not available	False	False

There are 2 software packages reported in this entry.

ID	Software name	Software version	Software classification	Software location
1	<a href="https://integrativemodeling.org">Integrative Modeling Platform (IMP)</a>	Not available	integrative model building	<a href="https://integrativemodeling.org">https://integrativemodeling.org</a>
2	<a href="https://salilab.org/modeller/">Modeller</a>	Not available	model building	<a href="https://salilab.org/modeller/">https://salilab.org/modeller/</a>

## 3. Data quality ?

### 3.2. Crosslinking-MS

At the moment, data validation is only available for crosslinking-MS data deposited as a fully *compliant* dataset in the *PRIDE Crosslinking* database. Correspondence between crosslinking-MS and entry entities is established using *pyHMMER*. Only residue pairs that passed the reported threshold are used for the analysis. The values in the report have to be interpreted in the context of the experiment (i.e. only a minor fraction of in-situ or in-vivo dataset can be used for modeling).

Crosslinking-MS dataset is not available in the *PRIDE Crosslinking* database.

## 4. Model quality ?

For models with atomic structures, MolProbity analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

### 4.1b. MolProbity Analysis ?

Excluded volume satisfaction for the models in the entry are listed below. The Analysed column shows the number of particle-particle or particle-atom pairs for which excluded volume was analysed.

#### Standard geometry: bond outliers ?

There are 113 bond length outliers in this entry (1.51% of 7465 assessed bonds). A summary is provided below. The output is limited to 100 rows.

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
C	37	LYS	CA-C	14.93	1.84	1.52	1	1
C	37	LYS	C-N	14.47	1.53	1.33	1	1
B	397	ILE	C-N	13.63	1.52	1.33	1	1
B	341	LYS	C-N	13.27	1.51	1.33	1	1
A	67	SER	C-N	13.08	1.51	1.33	1	1
A	341	LYS	C-N	12.98	1.51	1.33	1	1

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
D	37	LYS	C-N	12.53	1.50	1.33	1	1
D	37	LYS	CA-C	12.43	1.79	1.52	1	1
B	67	SER	C-N	12.32	1.50	1.33	1	1
C	21	PRO	C-N	10.83	1.48	1.33	1	1
B	324	ASP	C-N	10.19	1.47	1.33	1	1
D	38	SER	C-N	10.09	1.47	1.33	1	1
A	68	LYS	N-CA	9.99	1.65	1.46	1	1
B	342	LYS	N-CA	9.84	1.64	1.46	1	1
B	68	LYS	N-CA	9.66	1.64	1.46	1	1
B	341	LYS	CA-C	9.61	1.73	1.52	1	1
A	341	LYS	CA-C	9.53	1.73	1.52	1	1
A	342	LYS	N-CA	9.37	1.64	1.46	1	1
D	38	SER	N-CA	9.33	1.64	1.46	1	1
B	324	ASP	CA-C	9.19	1.72	1.52	1	1
A	324	ASP	C-N	8.73	1.45	1.33	1	1
C	15	PRO	CA-C	8.63	1.34	1.52	1	1
C	38	SER	N-CA	8.44	1.62	1.46	1	1
B	66	THR	C-N	8.44	1.45	1.33	1	1
A	324	ASP	CA-C	8.37	1.70	1.52	1	1
C	22	ARG	C-N	8.31	1.45	1.33	1	1
A	66	THR	C-N	8.28	1.44	1.33	1	1
B	393	ASN	CA-C	8.21	1.35	1.52	1	1
B	398	ALA	N-CA	8.17	1.61	1.46	1	1
C	38	SER	C-N	7.72	1.44	1.33	1	1
B	325	GLU	N-CA	7.49	1.60	1.46	1	1
D	38	SER	CA-C	7.27	1.68	1.52	1	1
A	75	ASN	C-N	7.25	1.22	1.34	1	1
B	67	SER	CA-C	7.23	1.68	1.52	1	1
A	264	TYR	C-N	7.06	1.43	1.33	1	1
C	16	THR	CA-C	7.00	1.38	1.52	1	1
D	36	PHE	C-N	6.98	1.43	1.33	1	1
C	21	PRO	CA-C	6.88	1.67	1.52	1	1
A	312	ALA	C-N	6.70	1.42	1.33	1	1
A	67	SER	CA-C	6.57	1.66	1.52	1	1
B	388	MET	C-N	6.53	1.42	1.33	1	1

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
B	319	GLN	C-N	6.41	1.42	1.33	1	1
D	39	LYS	N-CA	6.39	1.58	1.46	1	1
A	340	ASN	C-N	6.36	1.42	1.33	1	1
C	15	PRO	C-N	6.34	1.42	1.33	1	1
C	38	SER	CA-C	6.30	1.66	1.52	1	1
A	325	GLU	N-CA	6.29	1.58	1.46	1	1
B	340	ASN	C-N	6.17	1.42	1.33	1	1
D	50	ASP	C-N	6.09	1.41	1.33	1	1
C	22	ARG	N-CA	5.96	1.57	1.46	1	1
C	23	LYS	N-CA	5.95	1.57	1.46	1	1
C	10	THR	C-N	5.87	1.41	1.33	1	1
A	319	GLN	C-N	5.82	1.41	1.33	1	1
B	75	ASN	CA-C	5.72	1.40	1.52	1	1
B	397	ILE	N-CA	5.65	1.35	1.46	1	1
B	72	ASN	CA-C	5.62	1.41	1.52	1	1
A	117	LYS	C-N	5.57	1.41	1.33	1	1
C	36	PHE	C-N	5.56	1.41	1.33	1	1
B	76	PRO	N-CA	5.52	1.38	1.47	1	1
B	320	LYS	C-N	5.50	1.41	1.33	1	1
C	50	ASP	C-N	5.34	1.40	1.33	1	1
B	117	LYS	C-N	5.24	1.40	1.33	1	1
C	22	ARG	CA-C	5.22	1.63	1.52	1	1
A	52	GLY	CA-C	5.07	1.42	1.52	1	1
A	397	ILE	C-N	5.05	1.40	1.33	1	1
A	317	THR	N-CA	5.05	1.36	1.46	1	1
D	39	LYS	CA-C	5.04	1.42	1.52	1	1
A	317	THR	CA-CB	4.95	1.41	1.54	1	1
A	379	VAL	CA-CB	4.90	1.41	1.54	1	1
B	379	VAL	CA-CB	4.88	1.41	1.54	1	1
B	392	GLU	CA-C	4.88	1.42	1.52	1	1
B	396	ASP	CA-C	4.87	1.42	1.52	1	1
A	248	GLU	C-N	4.86	1.26	1.34	1	1
A	315	TYR	C-N	4.83	1.40	1.33	1	1
B	67	SER	N-CA	4.81	1.55	1.46	1	1
C	25	PRO	C-N	4.78	1.26	1.34	1	1

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
A	251	LYS	C-N	4.72	1.40	1.33	1	1
A	342	LYS	C-N	4.71	1.39	1.33	1	1
B	67	SER	CA-CB	4.68	1.44	1.53	1	1
A	323	VAL	C-N	4.68	1.39	1.33	1	1
B	68	LYS	C-N	4.65	1.39	1.33	1	1
A	388	MET	C-N	4.65	1.39	1.33	1	1
B	264	TYR	C-N	4.63	1.39	1.33	1	1
B	313	ASP	C-N	4.60	1.39	1.33	1	1
A	320	LYS	CA-C	4.55	1.62	1.52	1	1
A	307	MET	CA-C	4.54	1.43	1.52	1	1
C	39	LYS	N-CA	4.51	1.54	1.46	1	1
A	312	ALA	CA-C	4.51	1.43	1.52	1	1
B	323	VAL	C-N	4.45	1.39	1.33	1	1
B	66	THR	CA-C	4.39	1.62	1.52	1	1
B	394	ARG	N-CA	4.39	1.37	1.46	1	1
B	321	GLY	C-N	4.36	1.27	1.34	1	1
D	40	PRO	N-CA	4.36	1.40	1.47	1	1
A	308	MET	N-CA	4.36	1.38	1.46	1	1
A	117	LYS	CA-C	4.33	1.62	1.52	1	1
B	117	LYS	CA-C	4.30	1.62	1.52	1	1
A	391	LEU	C-N	4.30	1.39	1.33	1	1
B	396	ASP	N-CA	4.28	1.38	1.46	1	1
A	73	LEU	CA-C	4.26	1.44	1.52	1	1
A	116	LYS	C-N	4.24	1.39	1.33	1	1

### Standard geometry: angle outliers ?

There are 614 bond angle outliers in this entry (6.08% of 10102 assessed bonds). A summary is provided below. The output is limited to 100 rows.

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
C	13	ASP	CA-CB-CG	23.72	136.32	112.60	1	1
A	309	ASN	CA-CB-CG	19.45	93.15	112.60	1	1
B	397	ILE	C-N-CA	18.49	154.98	121.70	1	1
B	67	SER	C-N-CA	17.97	154.05	121.70	1	1
C	22	ARG	C-N-CA	17.78	153.70	121.70	1	1
A	197	PHE	CA-CB-CG	17.71	96.09	113.80	1	1

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
D	37	LYS	C-N-CA	17.56	153.31	121.70	1	1
C	37	LYS	N-CA-C	16.45	64.94	111.00	1	1
A	76	PRO	C-CA-CB	14.59	137.83	110.10	1	1
B	197	PHE	CA-CB-CG	14.57	99.23	113.80	1	1
B	397	ILE	CA-C-O	14.15	96.75	120.80	1	1
A	320	LYS	C-N-CA	14.07	147.02	121.70	1	1
A	67	SER	C-N-CA	13.83	146.60	121.70	1	1
D	8	ASN	C-N-CA	13.36	145.74	121.70	1	1
B	320	LYS	N-CA-C	13.00	74.59	111.00	1	1
C	46	GLN	C-CA-CB	12.66	86.04	110.10	1	1
C	13	ASP	C-CA-CB	12.53	133.91	110.10	1	1
C	37	LYS	C-CA-CB	12.40	86.54	110.10	1	1
B	395	LYS	C-N-CA	12.27	99.61	121.70	1	1
B	207	PHE	CA-CB-CG	11.93	101.87	113.80	1	1
C	21	PRO	N-CA-C	11.79	141.57	112.10	1	1
A	324	ASP	N-CA-C	11.74	78.13	111.00	1	1
C	37	LYS	CA-C-N	11.65	139.50	116.20	1	1
A	340	ASN	CA-CB-CG	10.87	123.47	112.60	1	1
B	342	LYS	C-N-CA	10.72	141.00	121.70	1	1
D	9	LEU	C-N-CA	10.68	102.48	121.70	1	1
A	313	ASP	CA-CB-CG	10.61	101.99	112.60	1	1
A	52	GLY	C-N-CA	10.59	102.64	121.70	1	1
D	11	THR	N-CA-CB	10.58	93.52	111.50	1	1
B	340	ASN	C-N-CA	10.50	140.61	121.70	1	1
A	317	THR	CA-CB-CG2	10.43	92.77	110.50	1	1
C	46	GLN	N-CA-CB	10.41	128.20	110.50	1	1
B	66	THR	N-CA-C	10.39	140.08	111.00	1	1
A	82	PHE	C-CA-CB	10.39	90.37	110.10	1	1
B	338	ILE	C-CA-CB	10.38	132.36	111.60	1	1
B	68	LYS	N-CA-C	10.34	82.06	111.00	1	1
C	14	ALA	CA-C-N	10.23	132.24	116.90	1	1
A	68	LYS	C-N-CA	10.22	140.10	121.70	1	1
C	15	PRO	O-C-N	10.13	139.21	123.00	1	1
C	38	SER	C-N-CA	10.12	139.92	121.70	1	1
A	309	ASN	C-N-CA	10.11	139.90	121.70	1	1

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
A	249	PRO	C-CA-CB	10.11	90.89	110.10	1	1
B	340	ASN	CA-CB-CG	10.07	122.67	112.60	1	1
A	319	GLN	C-N-CA	10.01	139.71	121.70	1	1
B	374	PHE	CA-CB-CG	10.00	103.80	113.80	1	1
A	207	PHE	CA-CB-CG	9.90	103.90	113.80	1	1
A	318	PHE	CA-CB-CG	9.86	103.94	113.80	1	1
A	324	ASP	CA-C-N	9.85	135.90	116.20	1	1
C	39	LYS	N-CA-C	9.73	138.24	111.00	1	1
B	364	ASP	CA-CB-CG	9.73	102.87	112.60	1	1
D	38	SER	C-N-CA	9.65	139.07	121.70	1	1
A	74	VAL	N-CA-C	9.59	84.14	111.00	1	1
C	35	GLN	C-N-CA	9.53	138.85	121.70	1	1
C	9	LEU	C-N-CA	9.52	138.83	121.70	1	1
C	21	PRO	CA-C-N	9.47	135.14	116.20	1	1
A	174	HIS	CA-CB-CG	9.41	104.39	113.80	1	1
B	67	SER	N-CA-C	9.39	137.28	111.00	1	1
A	374	PHE	CA-CB-CG	9.33	104.47	113.80	1	1
B	311	PRO	CA-N-CD	9.23	99.08	112.00	1	1
A	341	LYS	C-N-CA	9.22	138.29	121.70	1	1
A	79	GLU	N-CA-CB	9.18	126.10	110.50	1	1
D	39	LYS	CA-C-N	9.14	103.19	116.90	1	1
A	195	LYS	N-CA-CB	9.13	126.01	110.50	1	1
C	37	LYS	O-C-N	9.02	108.57	123.00	1	1
B	396	ASP	C-N-CA	8.98	105.54	121.70	1	1
A	320	LYS	N-CA-C	8.97	85.89	111.00	1	1
A	76	PRO	C-N-CA	8.93	137.78	121.70	1	1
A	78	LYS	C-N-CA	8.82	137.57	121.70	1	1
B	341	LYS	C-N-CA	8.77	137.48	121.70	1	1
A	346	VAL	CA-CB-CG2	8.75	95.52	110.40	1	1
B	388	MET	CA-C-O	8.74	105.94	120.80	1	1
A	74	VAL	C-N-CA	8.64	137.26	121.70	1	1
A	340	ASN	C-CA-CB	8.63	93.71	110.10	1	1
A	69	PHE	C-N-CA	8.59	106.24	121.70	1	1
B	342	LYS	N-CA-C	8.56	87.03	111.00	1	1
A	342	LYS	N-CA-C	8.50	87.21	111.00	1	1

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
A	379	VAL	CA-CB-CG2	8.48	124.82	110.40	1	1
C	23	LYS	N-CA-C	8.44	87.36	111.00	1	1
A	310	ALA	N-CA-CB	8.44	97.75	110.40	1	1
A	136	VAL	N-CA-C	8.38	87.54	111.00	1	1
B	82	PHE	CA-CB-CG	8.37	105.43	113.80	1	1
A	396	ASP	C-N-CA	8.28	106.79	121.70	1	1
C	10	THR	C-N-CA	8.25	136.55	121.70	1	1
A	346	VAL	N-CA-CB	8.16	97.63	111.50	1	1
B	136	VAL	N-CA-C	8.16	88.16	111.00	1	1
B	66	THR	CA-C-N	8.12	132.43	116.20	1	1
B	379	VAL	CA-CB-CG2	8.06	124.11	110.40	1	1
B	346	VAL	CA-CB-CG1	8.03	96.75	110.40	1	1
D	38	SER	N-CA-C	8.01	133.44	111.00	1	1
D	37	LYS	CA-C-N	8.00	132.19	116.20	1	1
A	379	VAL	CA-CB-CG1	7.98	96.83	110.40	1	1
B	73	LEU	C-CA-CB	7.97	94.95	110.10	1	1
B	341	LYS	CA-C-N	7.94	132.07	116.20	1	1
A	340	ASN	C-N-CA	7.91	135.95	121.70	1	1
C	38	SER	C-CA-CB	7.85	95.18	110.10	1	1
B	379	VAL	C-CA-CB	7.83	96.52	111.40	1	1
C	48	PHE	C-N-CA	7.82	107.63	121.70	1	1
A	304	ILE	C-N-CA	7.81	107.64	121.70	1	1
A	212	TYR	C-N-CA	7.76	107.73	121.70	1	1
A	249	PRO	C-N-CA	7.75	135.66	121.70	1	1

### Too-close contacts

The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all atomic models in this entry.

Model ID	Clash score	Number of clashes
1	0.00	0

There are no too-close contacts.

### Torsion angles: Protein backbone

In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	892	755	79	58

There are 58 unique backbone outliers. Detailed list of outliers are tabulated below.

Chain	Res	Type	Models (Total)
A	21	SER	1
A	64	THR	1
A	67	SER	1
A	69	PHE	1
A	75	ASN	1
A	144	ASN	1
A	148	ALA	1
A	237	TYR	1
A	249	PRO	1
A	261	VAL	1
A	262	ASN	1
A	301	ASN	1
A	309	ASN	1
A	311	PRO	1
A	313	ASP	1
A	316	PHE	1
A	318	PHE	1
A	331	LYS	1
A	343	GLU	1
A	397	ILE	1
B	64	THR	1
B	67	SER	1
B	73	LEU	1
B	79	GLU	1
B	144	ASN	1
B	148	ALA	1
B	236	PHE	1
B	261	VAL	1
B	262	ASN	1
B	309	ASN	1
B	311	PRO	1
B	312	ALA	1
B	318	PHE	1
B	322	PRO	1

Chain	Res	Type	Models (Total)
B	325	GLU	1
B	327	GLY	1
B	343	GLU	1
B	397	ILE	1
C	4	ASN	1
C	6	THR	1
C	10	THR	1
C	11	THR	1
C	12	GLY	1
C	13	ASP	1
C	14	ALA	1
C	16	THR	1
C	25	PRO	1
C	30	GLN	1
C	32	GLN	1
C	34	ARG	1
C	35	GLN	1
C	38	SER	1
C	42	LYS	1
D	11	THR	1
D	12	GLY	1
D	18	PRO	1
D	37	LYS	1
D	38	SER	1

### Torsion angles : Protein sidechains

In the following table, sidechain rotameric outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	812	676	71	65

There are 65 unique sidechain outliers. Detailed list of outliers are tabulated below.

Chain	Res	Type	Models (Total)
A	22	MET	1
A	24	LYS	1
A	27	HIS	1

Chain	Res	Type	Models (Total)
A	41	ARG	1
A	60	LEU	1
A	79	GLU	1
A	96	LYS	1
A	117	LYS	1
A	132	GLN	1
A	134	LYS	1
A	143	LEU	1
A	191	TRP	1
A	194	ASN	1
A	203	ILE	1
A	251	LYS	1
A	260	GLU	1
A	294	LEU	1
A	300	GLU	1
A	316	PHE	1
A	320	LYS	1
A	328	TRP	1
A	330	ILE	1
A	332	ASN	1
A	333	VAL	1
A	334	LEU	1
A	338	ILE	1
A	352	TYR	1
A	354	ARG	1
A	358	LYS	1
A	379	VAL	1
B	27	HIS	1
B	48	ARG	1
B	50	ARG	1
B	60	LEU	1
B	72	ASN	1
B	96	LYS	1
B	117	LYS	1
B	125	MET	1

Chain	Res	Type	Models (Total)
B	179	TYR	1
B	185	ARG	1
B	195	LYS	1
B	255	THR	1
B	309	ASN	1
B	320	LYS	1
B	325	GLU	1
B	328	TRP	1
B	334	LEU	1
B	341	LYS	1
B	342	LYS	1
B	352	TYR	1
B	379	VAL	1
B	395	LYS	1
C	3	GLU	1
C	16	THR	1
C	23	LYS	1
C	32	GLN	1
C	35	GLN	1
C	37	LYS	1
C	39	LYS	1
C	42	LYS	1
D	4	ASN	1
D	22	ARG	1
D	23	LYS	1
D	37	LYS	1
D	45	VAL	1

## 5. Fit to Data Used for Modeling Assessment ?

### 5.2. Crosslinking-MS ?

#### 5.2.1. Restraint types ?

*This table summarizes information about crosslinker(s) used for data generation, and how crosslinking information was translated into actual modeling restraints. Restraints assigned "by-residue" are interpreted as between CA atoms. Restraints between coarse-grained beads are indicated as "coarse-grained". Restraint group represents a set of crosslinking restraints applied collectively in the*






modeling.


There are 222 crosslinking restraints combined in 111 restraint groups.

Linker	Residue 1	Atom 1	Residue 2	Atom 2	Restraint type	Distance, Å	Count
EDC	GLU	CA	LYS	CA	upper bound	20.00	56
EDC	ASP	CA	LYS	CA	upper bound	20.00	30
EDC	ASP	CA	THR	CA	upper bound	20.00	2
BS3	LYS	CA	LYS	CA	upper bound	35.00	46
BS3	ASP	CA	LYS	CA	upper bound	35.00	2
BS3	LYS	CA	THR	CA	upper bound	35.00	4
BS3	GLN	CA	LYS	CA	upper bound	35.00	2
sulfo-SDA	ILE	CA	LYS	CA	upper bound	25.00	2
sulfo-SDA	LYS	CA	THR	CA	upper bound	25.00	6
sulfo-SDA	LYS	CA	PHE	CA	upper bound	25.00	2
sulfo-SDA	LYS	CA	VAL	CA	upper bound	25.00	12
sulfo-SDA	LYS	CA	PRO	CA	upper bound	25.00	4
sulfo-SDA	ASN	CA	LYS	CA	upper bound	25.00	4
sulfo-SDA	LYS	CA	LYS	CA	upper bound	25.00	6
sulfo-SDA	ASP	CA	LYS	CA	upper bound	25.00	6
sulfo-SDA	GLU	CA	LYS	CA	upper bound	25.00	14
sulfo-SDA	LEU	CA	LYS	CA	upper bound	25.00	4
sulfo-SDA	ALA	CA	LYS	CA	upper bound	25.00	4
sulfo-SDA	LYS	CA	TYR	CA	upper bound	25.00	6
sulfo-SDA	GLY	CA	LYS	CA	upper bound	25.00	8
sulfo-SDA	ARG	CA	LYS	CA	upper bound	25.00	2

#### Distograms of individual restraints

Distograms (i.e., histogram plots of distances) provide an overview of distributions of distances between residues for which chemical crosslinks were identified. The shift of the distogram relative to the threshold value may indicate a poor model. Restraints with identical thresholds are grouped into one plot. Only the best distance per restraint per model group/ensemble is plotted. Inter- and intramolecular (including self-links) restraints are also grouped into one plot. Distance for a restraint between coarse-grained beads is calculated as a minimal distance between shells; if beads intersect, the distance will be reported as 0.0. A bead with the highest available resolution for a given residue is used for the assessment.






### 5.2.2. Satisfaction of restraints ?

Satisfaction of restraints is calculated on a *restraint group* (a set of crosslinking restraints applied collectively in the modeling) level. Satisfaction of a restraint group depends on satisfaction of individual restraints in the group and the conditionality (all/any). A restraint group is considered satisfied, if the condition was met in at least one model of the model group/ensemble. The number of measured restraints can be smaller than the total number of restraint groups if crosslinks involve non-modeled residues. Only deposited models are used for validation right now.

State group	State	Model group	# of Deposited models/Total	Restraint group type	Satisfied (%)	Violated (%)	Count (Total=111)
1	1	1	1/1	All	96.40	3.60	111
				Self-links/ Intramolecular	97.59	2.41	83
				Heteromeric links/ Intermolecular	92.86	7.14	28

#### Per-model satisfaction rates in ensembles

Every point represents one model in a model group/ensemble. Where possible, boxplots with quartile marks are also plotted.



## 6. Fit to Data Used for Validation Assessment ?

Validation for this section is under development.

Acknowledgments

*The development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures are funded by NSF awards to the [PDB-IHM team](#) (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250) and awards from NSF, NIH, and DOE to the [RCSB PDB](#) (DBI-2321666, R01GM157729, and DE-SC0019749). The PDB-IHM team and members of the [Sali lab](#) contributed model validation metrics and software packages.*

*Dr. Jill Trewhella, Dr. Dina Schneidman, and members of the [SASBDB](#) repository are acknowledged for their advice and support in implementing SAS validation methods. Team members from the labs of Dr. Juri Rappsilber, Dr. Alexander Leitner, Dr. Andrea Graziadei, and members of [PRIDE](#) database are acknowledged for their advice and support in implementing crosslinking-MS validation methods. We are grateful to Dr. Shruthi Viswanath for discussions about uncertainty assessment of integrative structural models.*

*Members of the [wwPDB Integrative/Hybrid Methods Task Force](#) provided recommendations and community support for the project.*