



Full wwPDB X-ray Structure Validation Report

May 21, 2020 – 05:46 am BST

PDB ID : 6A4V
Title : Open Reading frame 49
Authors : Hwang, K.Y.; Song, M.J.; Kim, J.S.; Cheong, W.C.
Deposited on : 2018-06-21
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	337	
1	B	337	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 4440 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 49 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	269	2187	1411	360	402	14	0	0	0
1	B	270	2193	1414	361	404	14	0	0	0

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-33	MET	-	expression tag	UNP P88987
A	-32	GLY	-	expression tag	UNP P88987
A	-31	SER	-	expression tag	UNP P88987
A	-30	SER	-	expression tag	UNP P88987
A	-29	HIS	-	expression tag	UNP P88987
A	-28	HIS	-	expression tag	UNP P88987
A	-27	HIS	-	expression tag	UNP P88987
A	-26	HIS	-	expression tag	UNP P88987
A	-25	HIS	-	expression tag	UNP P88987
A	-24	HIS	-	expression tag	UNP P88987
A	-23	SER	-	expression tag	UNP P88987
A	-22	SER	-	expression tag	UNP P88987
A	-21	GLY	-	expression tag	UNP P88987
A	-20	LEU	-	expression tag	UNP P88987
A	-19	VAL	-	expression tag	UNP P88987
A	-18	PRO	-	expression tag	UNP P88987
A	-17	ARG	-	expression tag	UNP P88987
A	-16	GLY	-	expression tag	UNP P88987
A	-15	SER	-	expression tag	UNP P88987
A	-14	HIS	-	expression tag	UNP P88987
A	-13	MET	-	expression tag	UNP P88987
A	-12	ALA	-	expression tag	UNP P88987
A	-11	SER	-	expression tag	UNP P88987
A	-10	MET	-	expression tag	UNP P88987
A	-9	THR	-	expression tag	UNP P88987

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	GLY	-	expression tag	UNP P88987
A	-7	GLY	-	expression tag	UNP P88987
A	-6	GLN	-	expression tag	UNP P88987
A	-5	GLN	-	expression tag	UNP P88987
A	-4	MET	-	expression tag	UNP P88987
A	-3	GLY	-	expression tag	UNP P88987
A	-2	ARG	-	expression tag	UNP P88987
A	-1	GLY	-	expression tag	UNP P88987
A	0	SER	-	expression tag	UNP P88987
A	302	LEU	-	expression tag	UNP P88987
A	303	GLU	-	expression tag	UNP P88987
B	-33	MET	-	expression tag	UNP P88987
B	-32	GLY	-	expression tag	UNP P88987
B	-31	SER	-	expression tag	UNP P88987
B	-30	SER	-	expression tag	UNP P88987
B	-29	HIS	-	expression tag	UNP P88987
B	-28	HIS	-	expression tag	UNP P88987
B	-27	HIS	-	expression tag	UNP P88987
B	-26	HIS	-	expression tag	UNP P88987
B	-25	HIS	-	expression tag	UNP P88987
B	-24	HIS	-	expression tag	UNP P88987
B	-23	SER	-	expression tag	UNP P88987
B	-22	SER	-	expression tag	UNP P88987
B	-21	GLY	-	expression tag	UNP P88987
B	-20	LEU	-	expression tag	UNP P88987
B	-19	VAL	-	expression tag	UNP P88987
B	-18	PRO	-	expression tag	UNP P88987
B	-17	ARG	-	expression tag	UNP P88987
B	-16	GLY	-	expression tag	UNP P88987
B	-15	SER	-	expression tag	UNP P88987
B	-14	HIS	-	expression tag	UNP P88987
B	-13	MET	-	expression tag	UNP P88987
B	-12	ALA	-	expression tag	UNP P88987
B	-11	SER	-	expression tag	UNP P88987
B	-10	MET	-	expression tag	UNP P88987
B	-9	THR	-	expression tag	UNP P88987
B	-8	GLY	-	expression tag	UNP P88987
B	-7	GLY	-	expression tag	UNP P88987
B	-6	GLN	-	expression tag	UNP P88987
B	-5	GLN	-	expression tag	UNP P88987
B	-4	MET	-	expression tag	UNP P88987
B	-3	GLY	-	expression tag	UNP P88987

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	ARG	-	expression tag	UNP P88987
B	-1	GLY	-	expression tag	UNP P88987
B	0	SER	-	expression tag	UNP P88987
B	302	LEU	-	expression tag	UNP P88987
B	303	GLU	-	expression tag	UNP P88987


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	28	Total O 28 28	0	0
2	B	32	Total O 32 32	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 49 protein



- Molecule 1: 49 protein



4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	134.18Å 134.18Å 157.16Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.82 – 2.20 29.82 – 2.20	Depositor EDS
% Data completeness (in resolution range)	97.7 (29.82-2.20) 97.7 (29.82-2.20)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.72 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.239 , 0.274 0.230 , 0.261	Depositor DCC
R_{free} test set	4069 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	39.7	Xtriage
Anisotropy	0.077	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
Reported twinning fraction	0.900 for H, K, L 0.100 for -K, -H, -L	Depositor
Outliers	0 of 81177 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4440	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.80	0/2230	0.93	1/3023 (0.0%)
1	B	0.76	2/2236 (0.1%)	0.91	2/3031 (0.1%)
All	All	0.78	2/4466 (0.0%)	0.92	3/6054 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	3
All	All	0	6

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	266	GLU	CD-OE1	6.59	1.32	1.25
1	B	206	LEU	N-CA	5.24	1.56	1.46

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	46	ARG	CG-CD-NE	6.02	124.45	111.80
1	A	158	MET	CG-SD-CE	-5.91	90.74	100.20
1	B	54	PHE	CB-CA-C	-5.55	99.31	110.40

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	254	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	272	ARG	Sidechain
1	A	81	ARG	Sidechain
1	B	254	ARG	Sidechain
1	B	46	ARG	Sidechain
1	B	60	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2187	0	2204	73	1
1	B	2193	0	2209	50	1
2	A	28	0	0	3	0
2	B	32	0	0	4	0
All	All	4440	0	4413	112	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:ARG:NH2	1:B:65:ARG:HH21	1.25	1.31
1:A:86:MET:CE	1:A:101:LEU:HD23	1.64	1.26
1:B:86:MET:CE	1:B:101:LEU:HD23	1.72	1.18
1:A:86:MET:HE1	1:A:101:LEU:HD23	1.16	1.10
1:B:86:MET:HE3	1:B:101:LEU:HD23	1.08	1.08
1:A:254:ARG:NH2	1:B:65:ARG:NH2	2.04	1.04
1:B:86:MET:CE	1:B:101:LEU:HA	1.86	1.04
1:A:254:ARG:HH22	1:B:65:ARG:NH2	1.57	1.02
1:A:257:THR:HA	2:A:405:HOH:O	1.63	0.98
1:A:86:MET:CE	1:A:101:LEU:HA	1.97	0.94
1:A:254:ARG:HH22	1:B:65:ARG:HH21	0.98	0.93
1:B:86:MET:HE1	1:B:101:LEU:HA	1.53	0.86
1:A:86:MET:HE2	1:A:101:LEU:HA	1.59	0.84
1:B:86:MET:HE3	1:B:101:LEU:HA	1.59	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:86:MET:HE1	1:A:101:LEU:CD2	2.06	0.81
1:B:86:MET:HE3	1:B:101:LEU:CD2	2.02	0.81
1:A:86:MET:HE3	1:A:101:LEU:HD23	1.65	0.78
1:A:152:ASN:ND2	1:A:158:MET:SD	2.55	0.78
1:B:69:LEU:C	1:B:69:LEU:HD23	2.10	0.71
1:B:86:MET:CE	1:B:101:LEU:CD2	2.63	0.70
1:A:46:ARG:HD3	1:A:259:ASN:HD22	1.56	0.69
1:B:161:PHE:CZ	1:B:165:LEU:HD11	2.28	0.67
1:A:254:ARG:CZ	1:B:65:ARG:HH21	2.05	0.67
1:A:86:MET:HE1	1:A:101:LEU:HA	1.74	0.66
1:A:62:LEU:HD23	1:A:62:LEU:C	2.16	0.66
1:A:86:MET:CE	1:A:101:LEU:CD2	2.58	0.66
1:B:62:LEU:HD23	1:B:62:LEU:C	2.16	0.65
1:A:13:VAL:HG21	1:A:212:PHE:CE1	2.32	0.65
1:A:51:THR:O	1:A:51:THR:HG22	1.97	0.64
1:B:174:ALA:O	1:B:177:PHE:N	2.31	0.63
1:A:257:THR:CA	2:A:405:HOH:O	2.35	0.63
1:A:76:THR:HG22	1:A:78:LYS:H	1.64	0.62
1:B:11:GLU:HB3	2:B:432:HOH:O	1.99	0.61
1:A:161:PHE:CE2	1:A:165:LEU:HD11	2.35	0.61
1:B:64:ILE:HG22	1:B:64:ILE:O	2.01	0.60
1:A:41:ILE:O	1:A:45:LEU:HG	2.03	0.59
1:A:13:VAL:HG21	1:A:212:PHE:CZ	2.37	0.59
1:A:71:GLU:HG2	1:A:80:GLN:OE1	2.04	0.57
1:B:17:PHE:CG	1:B:34:LYS:HD3	2.39	0.57
1:A:99:GLN:HG3	1:A:121:TYR:OH	2.04	0.56
1:B:64:ILE:O	1:B:64:ILE:CG2	2.52	0.56
1:B:69:LEU:O	1:B:69:LEU:HD23	2.06	0.56
1:B:62:LEU:HD23	1:B:62:LEU:O	2.06	0.55
1:A:122:ASP:HB3	1:A:125:GLN:HB2	1.89	0.55
1:A:209:LEU:HG	1:A:213:ASN:ND2	2.22	0.54
1:A:153:LYS:HB2	1:A:156:SER:OG	2.09	0.52
1:A:36:GLN:NE2	1:A:275:GLN:OE1	2.42	0.52
1:B:161:PHE:CE2	1:B:165:LEU:HD11	2.44	0.52
1:B:209:LEU:HD23	1:B:213:ASN:ND2	2.24	0.52
1:A:28:VAL:CG1	1:A:278:ILE:HD13	2.40	0.52
1:A:46:ARG:CD	1:A:259:ASN:HD22	2.20	0.52
1:A:29:SER:O	1:A:32:LEU:N	2.43	0.52
1:A:260:ASN:OD1	1:A:262:LEU:HB2	2.10	0.51
1:A:76:THR:HG22	1:A:78:LYS:N	2.25	0.51
1:A:55:LEU:HD21	1:A:196:PHE:CD1	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:ILE:HG22	1:A:150:LEU:HD12	1.93	0.51
1:B:131:CYS:O	1:B:135:LEU:HG	2.12	0.50
1:A:72:ARG:NH1	1:B:243:ALA:HA	2.27	0.49
1:A:275:GLN:O	1:A:279:LYS:HE3	2.13	0.48
1:B:17:PHE:CD1	1:B:34:LYS:HD3	2.49	0.47
1:A:146:ILE:CG2	1:A:150:LEU:HD12	2.44	0.47
1:A:154:HIS:O	1:A:155:PHE:HB2	2.14	0.47
1:B:209:LEU:HD23	1:B:213:ASN:HD22	1.78	0.47
1:B:279:LYS:O	1:B:280:CYS:SG	2.72	0.46
1:B:25:HIS:HA	2:B:414:HOH:O	2.15	0.46
1:B:31:CYS:SG	1:B:223:LEU:HB2	2.56	0.46
1:A:28:VAL:HG11	1:A:278:ILE:HD13	1.98	0.46
1:A:254:ARG:NH2	1:B:65:ARG:CZ	2.76	0.46
1:B:149:MET:HE2	1:B:164:PHE:CD1	2.50	0.46
1:B:56:LEU:N	1:B:57:PRO:CD	2.79	0.45
1:A:65:ARG:O	1:A:69:LEU:HD13	2.17	0.45
1:A:9:SER:O	1:A:12:SER:OG	2.33	0.45
1:A:149:MET:CE	1:A:163:THR:HG22	2.47	0.45
1:B:230:ASP:C	2:B:406:HOH:O	2.54	0.45
1:B:46:ARG:HD3	1:B:259:ASN:O	2.17	0.44
1:A:145:LYS:O	1:A:149:MET:HG3	2.17	0.44
1:A:158:MET:HG3	1:A:199:CYS:SG	2.56	0.44
1:A:188:TYR:O	1:A:192:VAL:HG23	2.16	0.44
1:A:51:THR:CG2	1:A:51:THR:O	2.65	0.44
1:B:209:LEU:CD2	1:B:213:ASN:ND2	2.80	0.44
1:A:165:LEU:HD22	1:B:269:ILE:HG21	2.00	0.44
1:A:56:LEU:HB2	1:A:57:PRO:HD3	2.00	0.44
1:A:52:GLU:N	1:A:53:PRO:CD	2.81	0.44
1:A:275:GLN:O	1:A:279:LYS:HG2	2.18	0.43
1:A:137:SER:OG	1:A:137:SER:O	2.35	0.43
1:B:269:ILE:HA	1:B:269:ILE:HD12	1.78	0.43
1:A:45:LEU:HB2	1:A:209:LEU:HD12	2.01	0.43
1:B:13:VAL:HG21	1:B:212:PHE:CE1	2.53	0.43
1:A:13:VAL:HG21	1:A:212:PHE:HE1	1.81	0.43
1:A:149:MET:HE3	1:A:163:THR:HG22	2.00	0.43
1:A:62:LEU:HD23	1:A:63:ILE:N	2.33	0.42
1:A:96:ASN:O	1:A:97:LEU:C	2.58	0.42
1:A:145:LYS:HA	1:A:145:LYS:HD2	1.75	0.42
1:B:138:VAL:CG2	1:B:143:LEU:CD1	2.98	0.42
1:B:66:HIS:CE1	1:B:185:VAL:CG1	3.03	0.42
1:B:66:HIS:CE1	1:B:185:VAL:HG11	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:LEU:O	1:A:63:ILE:HG13	2.19	0.42
1:A:279:LYS:HE3	1:A:279:LYS:N	2.33	0.42
1:A:70:LEU:HD23	1:A:70:LEU:HA	1.93	0.42
1:B:69:LEU:C	1:B:69:LEU:CD2	2.81	0.41
1:B:41:ILE:HG13	2:B:407:HOH:O	2.19	0.41
1:A:255:LEU:HD12	1:A:259:ASN:HA	2.03	0.41
1:A:254:ARG:HH21	1:B:65:ARG:HE	1.69	0.41
1:A:60:ARG:HA	1:A:90:LEU:HD22	2.03	0.41
1:B:86:MET:HE2	1:B:101:LEU:HD23	1.84	0.41
1:A:254:ARG:NH2	1:B:61:GLU:HG3	2.36	0.40
1:A:262:LEU:HA	1:A:262:LEU:HD23	1.79	0.40
1:A:250:HIS:HB3	1:B:65:ARG:HD3	2.02	0.40
1:A:3:ASP:N	2:A:402:HOH:O	2.55	0.40
1:A:99:GLN:HG3	1:A:121:TYR:CZ	2.56	0.40
1:B:200:VAL:O	1:B:201:GLN:C	2.59	0.40
1:A:47:HIS:O	1:A:48:ASN:C	2.60	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:GLU:OE2	1:B:221:LYS:NZ[2_544]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/337 (78%)	244 (93%)	18 (7%)	1 (0%)	34	37
1	B	264/337 (78%)	247 (94%)	14 (5%)	3 (1%)	14	12
All	All	527/674 (78%)	491 (93%)	32 (6%)	4 (1%)	19	19

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	171	LEU
1	A	228	GLU
1	B	137	SER
1	B	146	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	255/308 (83%)	246 (96%)	9 (4%)	36	46
1	B	256/308 (83%)	248 (97%)	8 (3%)	40	51
All	All	511/616 (83%)	494 (97%)	17 (3%)	38	49

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	THR
1	A	118	SER
1	A	137	SER
1	A	145	LYS
1	A	156	SER
1	A	238	THR
1	A	258	SER
1	A	268	LEU
1	A	279	LYS
1	B	54	PHE
1	B	94	ASP
1	B	115	GLU
1	B	116	ILE
1	B	118	SER
1	B	147	SER
1	B	173	THR
1	B	260	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	GLN
1	A	213	ASN
1	A	259	ASN
1	B	96	ASN
1	B	275	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	269/337 (79%)	0.07	27 (10%) 7 6	28, 48, 103, 129	0
1	B	270/337 (80%)	0.21	31 (11%) 4 4	29, 52, 109, 143	0
All	All	539/674 (79%)	0.14	58 (10%) 5 5	28, 50, 107, 143	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	280	CYS	8.2
1	A	280	CYS	7.8
1	B	238	THR	5.8
1	B	277	TYR	5.4
1	A	117	LEU	5.3
1	B	237	SER	4.9
1	A	118	SER	4.8
1	A	120	PRO	4.4
1	B	189	TRP	4.2
1	B	141	GLU	4.2
1	A	277	TYR	3.9
1	A	121	TYR	3.9
1	A	25	HIS	3.9
1	A	74	SER	3.8
1	B	23	ARG	3.8
1	A	238	THR	3.8
1	A	112	GLN	3.5
1	A	279	LYS	3.2
1	B	187	VAL	3.2
1	B	144	ARG	3.1
1	A	119	ILE	3.1
1	A	86	MET	3.0
1	A	230	ASP	3.0
1	B	190	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	145	LYS	2.9
1	B	188	TYR	2.9
1	B	140	GLU	2.8
1	B	139	ASP	2.8
1	B	279	LYS	2.8
1	A	158	MET	2.8
1	B	25	HIS	2.7
1	B	278	ILE	2.7
1	B	86	MET	2.7
1	B	143	LEU	2.6
1	A	173	THR	2.5
1	B	138	VAL	2.5
1	A	239	SER	2.5
1	B	62	LEU	2.5
1	B	186	LEU	2.4
1	B	179	LEU	2.4
1	A	144	ARG	2.4
1	B	22	THR	2.4
1	A	116	ILE	2.3
1	A	278	ILE	2.3
1	B	112	GLN	2.3
1	B	142	ALA	2.3
1	B	192	VAL	2.3
1	B	173	THR	2.2
1	A	190	VAL	2.2
1	A	174	ALA	2.2
1	B	20	ILE	2.2
1	A	186	LEU	2.2
1	B	110	GLY	2.2
1	A	276	ILE	2.1
1	A	253	HIS	2.1
1	A	3	ASP	2.1
1	B	177	PHE	2.1
1	A	187	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.