



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 14, 2023 – 08:32 PM JST

PDB ID : 6A5N
Title : Crystal structure of Arabidopsis thaliana SUVH6 in complex with methylated DNA
Authors : Li, X.; Du, J.
Deposited on : 2018-06-24
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	527	 6% 70% 21% 5%
2	C	14	 7% 50% 36% 7% 7%
3	D	14	 57% 36% 7%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4515 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone-lysine N-methyltransferase, H3 lysine-9 specific SUVH6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	502	3938	2471	688	753	26	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	777	LEU	PRO	engineered mutation	UNP Q8VZ17

- Molecule 2 is a DNA chain called DNA (5'-D(*GP*AP*GP*TP*AP*CP*TP*(5CM)P*AP*GP*CP*AP*GP*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	13	268	128	50	77	13	0	0	0

- Molecule 3 is a DNA chain called DNA (5'-D(*CP*AP*CP*TP*GP*CP*TP*GP*AP*GP*TP*AP*CP*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	D	13	266	127	47	79	13	0	0	0

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total	Zn	0	0
			3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	36	Total 36	O 36	0	0
5	C	1	Total 1	O 1	0	0
5	D	3	Total 3	O 3	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Histone-lysine N-methyltransferase, H3 lysine-9 specific SUVH6



- Molecule 2: DNA (5'-D(*GP*AP*GP*TP*AP*CP*TP*(5CM)P*AP*GP*CP*AP*GP*T)-3')



- Molecule 3: DNA (5'-D(*CP*AP*CP*TP*GP*CP*TP*GP*AP*GP*TP*AP*CP*T)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.14Å 79.44Å 107.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.59 – 2.40 35.95 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.4 (33.59-2.40) 97.7 (35.95-2.40)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.48 (at 2.39Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.230 , 0.279 0.234 , 0.281	Depositor DCC
R_{free} test set	1272 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	50.1	Xtrriage
Anisotropy	0.719	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 43.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4515	wwPDB-VP
Average B, all atoms (Å ²)	78.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 5CM, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/4018	0.58	0/5414
2	C	0.83	0/277	0.99	0/423
3	D	0.65	0/297	1.04	0/456
All	All	0.50	0/4592	0.66	0/6293

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3938	0	3874	130	0
2	C	268	0	148	6	0
3	D	266	0	148	6	0
4	A	3	0	0	0	0
5	A	36	0	0	9	0
5	C	1	0	0	0	0
5	D	3	0	0	0	0
All	All	4515	0	4170	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:493:GLU:HA	1:A:496:LYS:CD	1.68	1.24
1:A:658:ARG:HH11	1:A:659:ILE:HG23	1.06	1.18
1:A:493:GLU:HA	1:A:496:LYS:CE	1.74	1.17
1:A:493:GLU:O	1:A:496:LYS:HD2	1.46	1.15
1:A:493:GLU:HB3	1:A:496:LYS:HE3	1.39	1.01
1:A:493:GLU:CB	1:A:496:LYS:CE	2.39	1.01
1:A:492:VAL:O	1:A:496:LYS:HG3	1.60	1.00
1:A:493:GLU:HA	1:A:496:LYS:HE2	1.38	0.99
1:A:493:GLU:CA	1:A:496:LYS:CE	2.40	0.98
1:A:493:GLU:CA	1:A:496:LYS:HE2	1.93	0.98
1:A:777:LEU:HD23	1:A:777:LEU:H	1.26	0.97
1:A:658:ARG:NH1	1:A:659:ILE:HG23	1.80	0.95
1:A:493:GLU:CB	1:A:496:LYS:HE2	1.98	0.94
1:A:493:GLU:CG	1:A:496:LYS:HE2	1.98	0.93
1:A:505:LEU:HD23	1:A:522:VAL:HG12	1.51	0.93
1:A:493:GLU:C	1:A:496:LYS:HD2	1.90	0.92
1:A:493:GLU:CA	1:A:496:LYS:HD2	2.01	0.91
1:A:493:GLU:CA	1:A:496:LYS:CD	2.48	0.91
1:A:493:GLU:HA	1:A:496:LYS:HD2	1.52	0.89
1:A:523:ASN:HD21	1:A:526:ASP:HB3	1.40	0.86
1:A:493:GLU:HG2	1:A:496:LYS:HE2	1.61	0.83
1:A:777:LEU:HD23	1:A:777:LEU:N	1.96	0.80
1:A:658:ARG:HH11	1:A:659:ILE:CG2	1.92	0.79
1:A:659:ILE:HD12	1:A:659:ILE:H	1.49	0.78
3:D:7:DT:H2''	3:D:8:DG:H5''	1.65	0.76
1:A:493:GLU:HA	1:A:496:LYS:CG	2.16	0.76
1:A:493:GLU:CB	1:A:496:LYS:HE3	2.04	0.75
1:A:780:CYS:SG	5:A:935:HOH:O	2.46	0.72
1:A:493:GLU:CG	1:A:496:LYS:CE	2.67	0.71
1:A:493:GLU:HB3	1:A:496:LYS:CE	2.09	0.70
2:C:10:DG:H2''	2:C:11:DC:H5''	1.73	0.69
1:A:662:ASP:OD1	1:A:662:ASP:C	2.31	0.68
1:A:777:LEU:H	1:A:777:LEU:CD2	1.98	0.68
1:A:505:LEU:HD23	1:A:522:VAL:CG1	2.23	0.67
1:A:452:ASN:ND2	5:A:903:HOH:O	2.23	0.67
1:A:761:TYR:OH	1:A:767:ARG:NH1	2.28	0.66
1:A:512:GLU:HA	1:A:512:GLU:OE1	1.96	0.65
1:A:414:ASP:OD2	1:A:474:ASN:N	2.29	0.64
1:A:659:ILE:HD12	1:A:659:ILE:N	2.12	0.64
1:A:706:ALA:O	1:A:714:ARG:NH1	2.31	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:621:PHE:CE1	1:A:623:THR:HG22	2.34	0.63
1:A:279:LEU:HD21	1:A:683:LEU:HD21	1.82	0.62
1:A:342:GLN:NE2	1:A:748:ASN:OD1	2.29	0.62
1:A:384:LEU:HD12	1:A:384:LEU:O	2.00	0.61
1:A:502:ARG:O	1:A:505:LEU:HG	2.00	0.61
1:A:523:ASN:ND2	1:A:526:ASP:HB3	2.15	0.61
1:A:693:MET:HB3	1:A:763:LEU:HD11	1.81	0.61
1:A:499:SER:O	1:A:501:TYR:N	2.31	0.60
1:A:661:ASN:N	1:A:661:ASN:OD1	2.34	0.60
1:A:661:ASN:O	1:A:662:ASP:HB3	2.02	0.60
3:D:11:DT:H2''	3:D:12:DA:C8	2.38	0.59
1:A:671:ARG:NH1	1:A:695:GLU:OE2	2.36	0.59
1:A:670:ASN:HB2	1:A:696:GLY:H	1.68	0.59
1:A:760:ASN:O	1:A:761:TYR:HB2	2.02	0.58
1:A:378:GLY:HA3	1:A:441:HIS:CE1	2.39	0.58
1:A:396:GLY:HA3	1:A:415:GLN:HG2	1.85	0.58
1:A:539:LEU:N	5:A:904:HOH:O	2.24	0.57
1:A:499:SER:C	1:A:500:LYS:HG2	2.25	0.57
1:A:610:THR:HG22	1:A:641:PHE:CD1	2.40	0.56
1:A:390:LEU:HD11	1:A:392:TYR:HB2	1.88	0.56
1:A:677:ALA:O	1:A:681:SER:HB2	2.06	0.56
1:A:428:ILE:O	1:A:431:GLN:NE2	2.34	0.55
1:A:648:GLU:OE2	1:A:657:ARG:NH2	2.40	0.55
1:A:501:TYR:CD1	1:A:502:ARG:N	2.73	0.53
1:A:657:ARG:O	1:A:658:ARG:HG3	2.09	0.53
1:A:676:LEU:H	1:A:676:LEU:HD12	1.73	0.53
1:A:509:ASP:OD1	1:A:511:SER:OG	2.25	0.52
1:A:670:ASN:OD1	1:A:670:ASN:N	2.39	0.52
1:A:658:ARG:HE	1:A:659:ILE:HG13	1.76	0.51
1:A:526:ASP:OD1	1:A:527:ASP:N	2.42	0.50
1:A:658:ARG:O	1:A:658:ARG:NE	2.44	0.50
1:A:721:SER:O	1:A:721:SER:OG	2.29	0.50
1:A:413:GLU:HG3	5:A:909:HOH:O	2.11	0.50
1:A:760:ASN:ND2	1:A:761:TYR:N	2.60	0.50
1:A:621:PHE:HZ	1:A:754:GLU:HG3	1.77	0.50
1:A:501:TYR:N	1:A:501:TYR:CD1	2.79	0.49
1:A:442:LYS:NZ	2:C:9:DA:OP2	2.41	0.49
1:A:661:ASN:C	1:A:663:GLU:H	2.15	0.49
1:A:501:TYR:N	1:A:501:TYR:HD1	2.11	0.49
1:A:660:GLY:CA	5:A:907:HOH:O	2.61	0.49
1:A:578:PRO:HD2	1:A:607:LEU:HD21	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:682:GLU:HG2	1:A:688:GLN:HG2	1.95	0.49
1:A:297:ASP:OD1	1:A:297:ASP:N	2.33	0.48
2:C:10:DG:C2'	2:C:11:DC:H5''	2.42	0.48
3:D:6:DC:H2''	3:D:7:DT:O5'	2.13	0.48
1:A:342:GLN:HA	1:A:452:ASN:HB2	1.95	0.48
1:A:501:TYR:HD1	1:A:501:TYR:H	1.61	0.48
1:A:660:GLY:N	5:A:907:HOH:O	2.42	0.48
1:A:499:SER:O	1:A:501:TYR:HD1	1.96	0.48
1:A:722:PRO:HG3	1:A:758:ASP:HB2	1.96	0.48
1:A:419:THR:OG1	1:A:420:GLY:N	2.47	0.48
2:C:8:5CM:H5'	2:C:8:5CM:H2'	1.10	0.48
1:A:455:TYR:CZ	1:A:457:GLY:HA2	2.50	0.47
1:A:585:ILE:HD13	1:A:725:TYR:OH	2.14	0.47
3:D:6:DC:H4'	3:D:7:DT:OP1	2.15	0.47
1:A:292:GLU:CG	5:A:908:HOH:O	2.62	0.47
1:A:678:GLN:HG2	1:A:688:GLN:HB3	1.97	0.47
1:A:700:SER:HB3	1:A:702:PHE:CE1	2.50	0.47
1:A:289:GLN:NE2	1:A:577:ILE:O	2.39	0.46
1:A:766:VAL:HG22	1:A:767:ARG:N	2.30	0.46
1:A:284:CYS:HB3	1:A:307:ILE:HD12	1.98	0.46
1:A:357:GLN:OE1	3:D:8:DG:N2	2.41	0.46
1:A:699:SER:OG	1:A:737:ARG:NH1	2.48	0.46
1:A:501:TYR:CG	1:A:502:ARG:N	2.84	0.46
1:A:386:ASN:N	1:A:386:ASN:OD1	2.50	0.45
1:A:555:CYS:SG	1:A:567:CYS:HB2	2.55	0.45
1:A:660:GLY:HA3	5:A:907:HOH:O	2.16	0.45
1:A:499:SER:C	1:A:500:LYS:CG	2.85	0.45
1:A:621:PHE:CZ	1:A:754:GLU:HG3	2.52	0.45
1:A:267:ASP:OD2	1:A:267:ASP:N	2.50	0.45
1:A:337:VAL:O	5:A:901:HOH:O	2.21	0.45
1:A:762:ALA:O	1:A:763:LEU:HB3	2.16	0.44
1:A:385:ASP:OD2	1:A:385:ASP:N	2.46	0.44
2:C:2:DA:H4'	2:C:3:DG:OP1	2.16	0.44
1:A:344:ARG:HG2	1:A:453:TYR:CZ	2.53	0.44
1:A:373:SER:HB3	1:A:435:ARG:HB2	1.99	0.44
1:A:499:SER:O	1:A:501:TYR:CD1	2.70	0.44
1:A:733:HIS:HE1	1:A:738:ILE:HG13	1.82	0.43
3:D:8:DG:C5'	3:D:8:DG:H8	2.32	0.43
1:A:661:ASN:O	1:A:663:GLU:N	2.46	0.43
1:A:658:ARG:HE	1:A:658:ARG:C	2.22	0.43
1:A:384:LEU:HD12	1:A:384:LEU:C	2.40	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:697:ASP:HB2	1:A:737:ARG:HH22	1.84	0.43
1:A:418:ILE:HD12	1:A:419:THR:HG23	2.01	0.42
1:A:493:GLU:HA	1:A:496:LYS:HG3	1.98	0.42
1:A:542:PRO:HB2	1:A:544:TRP:CD1	2.53	0.42
1:A:659:ILE:N	1:A:659:ILE:CD1	2.80	0.42
1:A:469:GLY:O	1:A:471:HIS:N	2.42	0.42
1:A:658:ARG:NE	1:A:658:ARG:C	2.73	0.41
1:A:657:ARG:O	1:A:659:ILE:HD12	2.20	0.41
1:A:359:GLY:O	1:A:374:ILE:HA	2.20	0.41
1:A:654:GLU:C	1:A:656:GLU:H	2.23	0.41
1:A:509:ASP:HB2	1:A:518:PRO:HB3	2.02	0.41
1:A:662:ASP:OD1	1:A:662:ASP:O	2.39	0.41
2:C:2:DA:H1'	2:C:3:DG:C8	2.56	0.41
1:A:658:ARG:HE	1:A:659:ILE:CA	2.33	0.41
1:A:733:HIS:CE1	1:A:738:ILE:HG13	2.56	0.41
1:A:671:ARG:NE	1:A:761:TYR:O	2.54	0.40
1:A:557:THR:OG1	1:A:558:ARG:N	2.54	0.40
1:A:667:ASP:HA	1:A:703:THR:HG23	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	498/527 (94%)	475 (95%)	23 (5%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	432/453 (95%)	392 (91%)	40 (9%)	9 13

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	267	ASP
1	A	322	LEU
1	A	384	LEU
1	A	385	ASP
1	A	386	ASN
1	A	387	SER
1	A	390	LEU
1	A	398	ASN
1	A	446	ASP
1	A	467	GLN
1	A	471	HIS
1	A	473	MET
1	A	475	VAL
1	A	496	LYS
1	A	499	SER
1	A	500	LYS
1	A	501	TYR
1	A	502	ARG
1	A	551	LYS
1	A	567	CYS
1	A	589	LYS
1	A	622	LYS
1	A	624	LYS
1	A	625	SER
1	A	626	ARG
1	A	656	GLU
1	A	657	ARG
1	A	658	ARG
1	A	659	ILE
1	A	661	ASN
1	A	662	ASP
1	A	681	SER
1	A	709	LYS
1	A	718	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	735	ASP
1	A	760	ASN
1	A	763	LEU
1	A	764	ASP
1	A	767	ARG
1	A	777	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	471	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	5CM	C	8	2	17,21,22	2.39	7 (41%)	24,30,33	3.50	9 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5CM	C	8	2	-	4/7/21/22	0/2/2/2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	8	5CM	C2'-C3'	5.10	1.66	1.52
2	C	8	5CM	C5A-C5	-4.92	1.38	1.50
2	C	8	5CM	C4-N3	3.89	1.40	1.34
2	C	8	5CM	C6-C5	2.67	1.39	1.34
2	C	8	5CM	C2'-C1'	-2.56	1.45	1.52
2	C	8	5CM	C2-N1	-2.20	1.35	1.40
2	C	8	5CM	C6-N1	2.19	1.41	1.38

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	8	5CM	C2'-C1'-N1	9.80	136.34	113.77
2	C	8	5CM	C3'-C2'-C1'	-6.03	87.44	102.54
2	C	8	5CM	C5'-C4'-C3'	-5.94	79.85	114.74
2	C	8	5CM	C1'-N1-C2	5.92	128.12	117.74
2	C	8	5CM	C1'-N1-C6	-5.49	111.31	120.77
2	C	8	5CM	O4'-C4'-C3'	-4.52	95.13	105.67
2	C	8	5CM	C5-C4-N4	-3.19	116.71	121.48
2	C	8	5CM	N4-C4-N3	2.69	123.38	118.48
2	C	8	5CM	O4'-C1'-N1	-2.39	103.59	107.86

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	8	5CM	C3'-C4'-C5'-O5'
2	C	8	5CM	O4'-C1'-N1-C2
2	C	8	5CM	O4'-C1'-N1-C6
2	C	8	5CM	C2'-C1'-N1-C2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	8	5CM	1	0

5.5 Carbohydrates

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	502/527 (95%)	0.46	34 (6%) 17 15	45, 70, 111, 143	0
2	C	12/14 (85%)	-0.38	1 (8%) 11 10	64, 86, 143, 159	0
3	D	13/14 (92%)	-0.42	0 100 100	97, 103, 118, 133	0
All	All	527/555 (94%)	0.42	35 (6%) 18 17	45, 72, 116, 159	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	471	HIS	8.4
1	A	500	LYS	6.8
1	A	547	PRO	6.3
1	A	266	GLY	5.5
1	A	445	HIS	5.4
1	A	501	TYR	5.3
1	A	499	SER	5.2
1	A	544	TRP	4.8
1	A	398	ASN	4.7
1	A	485	GLY	4.6
1	A	546	ARG	4.6
1	A	447	LYS	4.0
1	A	780	CYS	3.8
1	A	494	VAL	3.3
1	A	386	ASN	3.2
1	A	626	ARG	3.1
1	A	543	ASP	3.0
1	A	502	ARG	3.0
1	A	624	LYS	2.8
1	A	551	LYS	2.7
1	A	446	ASP	2.7
1	A	545	CYS	2.6
1	A	779	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	542	PRO	2.5
2	C	2	DA	2.5
1	A	444	THR	2.5
1	A	506	CYS	2.4
1	A	659	ILE	2.4
1	A	489	LEU	2.4
1	A	491	TRP	2.3
1	A	667	ASP	2.2
1	A	413	GLU	2.2
1	A	443	SER	2.1
1	A	469	GLY	2.1
1	A	472	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	5CM	C	8	20/21	0.96	0.16	50,63,71,75	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ZN	A	801	1/1	0.92	0.14	63,63,63,63	0
4	ZN	A	803	1/1	0.94	0.12	62,62,62,62	0
4	ZN	A	802	1/1	0.97	0.07	58,58,58,58	0

6.5 Other polymers [i](#)

There are no such residues in this entry.