



wwPDB EM Validation Summary Report ⓘ

Apr 29, 2024 – 06:30 pm BST

PDB ID : 5ADY
EMDB ID : EMD-3133
Title : Cryo-EM structures of the 50S ribosome subunit bound with HflX
Authors : Zhang, Y.; Mandava, C.S.; Cao, W.; Li, X.; Zhang, D.; Li, N.; Zhang, Y.;
Zhang, X.; Qin, Y.; Mi, K.; Lei, J.; Sanyal, S.; Gao, N.
Deposited on : 2015-08-25
Resolution : 4.50 Å(reported)
Based on initial model : 3FIK

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	57	
2	1	55	
3	2	46	
4	3	65	
5	4	38	
6	5	234	
7	6	426	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	7	165	
9	A	120	
10	B	2903	
11	C	273	
12	D	209	
13	E	201	
14	F	179	
15	G	177	
16	H	149	
17	I	142	
18	J	142	
19	K	123	
20	L	144	
21	M	136	
22	N	127	
23	O	117	
24	P	115	
25	Q	118	
26	R	103	
27	S	110	
28	T	100	
29	U	104	
30	V	94	
31	W	85	
32	X	78	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	Y	63	
34	Z	59	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
35	GNP	6	527	-	-	X	-

2 Entry composition

There are 36 unique types of molecules in this entry. The entry contains 97364 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S RIBOSOMAL PROTEIN L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	56	444	269	94	80	1	0	0

- Molecule 2 is a protein called 50S RIBOSOMAL PROTEIN L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	1	51	410	263	76	71	0	1

- Molecule 3 is a protein called 50S RIBOSOMAL PROTEIN L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	46	377	228	90	57	2	0	0

- Molecule 4 is a protein called 50S RIBOSOMAL PROTEIN L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	64	504	323	105	74	2	0	0

- Molecule 5 is a protein called 50S RIBOSOMAL PROTEIN L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	38	302	185	65	48	4	0	0

- Molecule 6 is a protein called 50S RIBOSOMAL PROTEIN L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	5	234	1733	1081	315	330	7	0	0

- Molecule 7 is a protein called GTPASE HFLX.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	6	426	3403	2129	624	641	9	0	0

- Molecule 8 is a protein called 50S RIBOSOMAL PROTEIN L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	7	164	1231	775	220	229	7	0	1

- Molecule 9 is a RNA chain called 5S RRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
9	A	117	2504	1116	459	813	116	0	0

- Molecule 10 is a RNA chain called 23S RRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
10	B	2903	62317	27801	11467	20147	2902	0	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	264	C	G	conflict	GB 731469900
B	542	C	U	conflict	GB 731469900
B	846	U	C	conflict	GB 731469900
B	1211	C	U	conflict	GB 731469900
B	1220	G	A	conflict	GB 731469900
B	1229	C	U	conflict	GB 731469900
B	1723	G	A	conflict	GB 731469900
B	1725	U	C	conflict	GB 731469900
B	1726	C	G	conflict	GB 731469900
B	1727	C	A	conflict	GB 731469900
B	1730	C	U	conflict	GB 731469900
B	1733	G	U	conflict	GB 731469900
B	1734	G	C	conflict	GB 731469900
B	1735	A	G	conflict	GB 731469900
B	2794	C	U	conflict	GB 731469900
B	2796	U	C	conflict	GB 731469900
B	2799	A	G	conflict	GB 731469900

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	2802	G	A	conflict	GB 731469900

- Molecule 11 is a protein called 50S RIBOSOMAL PROTEIN L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	C	272	2083	1288	424	364	7	0	1

- Molecule 12 is a protein called 50S RIBOSOMAL PROTEIN L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	D	209	1565	979	288	294	4	0	0

- Molecule 13 is a protein called 50S RIBOSOMAL PROTEIN L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	E	201	1552	974	283	290	5	0	0

- Molecule 14 is a protein called 50S RIBOSOMAL PROTEIN L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	F	178	1420	905	251	258	6	0	0

- Molecule 15 is a protein called 50S RIBOSOMAL PROTEIN L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	G	176	1323	832	243	246	2	0	0

- Molecule 16 is a protein called 50S RIBOSOMAL PROTEIN L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	H	149	1111	699	197	214	1	0	0

- Molecule 17 is a protein called 50S RIBOSOMAL PROTEIN L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	I	141	1032	651	179	196	6	0	0

- Molecule 18 is a protein called 50S RIBOSOMAL PROTEIN L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	J	142	1129	714	212	199	4	0	0

- Molecule 19 is a protein called 50S RIBOSOMAL PROTEIN L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	K	122	931	582	180	164	5	0	1

- Molecule 20 is a protein called 50S RIBOSOMAL PROTEIN L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	L	143	1045	649	206	189	1	0	0

- Molecule 21 is a protein called 50S RIBOSOMAL PROTEIN L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	M	136	1074	686	205	177	6	0	0

- Molecule 22 is a protein called 50S RIBOSOMAL PROTEIN L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	N	121	961	593	197	166	5	0	1

- Molecule 23 is a protein called 50S RIBOSOMAL PROTEIN L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
23	O	116	892	552	178	162	0	0

- Molecule 24 is a protein called 50S RIBOSOMAL PROTEIN L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	P	114	917	574	179	163	1	0	0

- Molecule 25 is a protein called 50S RIBOSOMAL PROTEIN L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Q	117	947	604	192	151		0	0

- Molecule 26 is a protein called 50S RIBOSOMAL PROTEIN L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	R	103	816	516	153	145	2	0	0

- Molecule 27 is a protein called 50S RIBOSOMAL PROTEIN L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	S	110	857	532	166	156	3	0	0

- Molecule 28 is a protein called 50S RIBOSOMAL PROTEIN L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	T	94	739	466	140	131	2	0	1

- Molecule 29 is a protein called 50S RIBOSOMAL PROTEIN L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	U	103	780	492	147	141		0	1

- Molecule 30 is a protein called 50S RIBOSOMAL PROTEIN L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	V	94	753	479	137	134	3	0	0

- Molecule 31 is a protein called 50S RIBOSOMAL PROTEIN L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	W	79	596	367	120	108	1	0	0

- Molecule 32 is a protein called 50S RIBOSOMAL PROTEIN L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	X	77	625	388	129	106	2	0	0


- Molecule 33 is a protein called 50S RIBOSOMAL PROTEIN L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	Y	63	509	313	99	95	2	0	0

- Molecule 34 is a protein called 50S RIBOSOMAL PROTEIN L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	Z	58	449	281	87	79	2	0	0

- Molecule 35 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: C₁₀H₁₇N₆O₁₃P₃).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
35	6	1	32	10	6	13	3	0


- Molecule 36 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
36	6	1	1	1	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 50S RIBOSOMAL PROTEIN L32



- Molecule 2: 50S RIBOSOMAL PROTEIN L33




- Molecule 3: 50S RIBOSOMAL PROTEIN L34




- Molecule 4: 50S RIBOSOMAL PROTEIN L35




- Molecule 5: 50S RIBOSOMAL PROTEIN L36




- Molecule 6: 50S RIBOSOMAL PROTEIN L1




• Molecule 7: GTPASE HFLX




• Molecule 8: 50S RIBOSOMAL PROTEIN L10






• Molecule 9: 5S RRNA



• Molecule 10: 23S RRNA



C1446	C1447	A1385	U1325	A1264	A1144	A1084	U1023	U963	C903	G843	G723	G663	A603	G543
G1386	A1327	U1326	A1265	A1204	G1145	A1085	G1024	C964	G904	A844	U724	G664	G604	C544
A1387	A1328	G1266	U1267	G1207	C1146	A1086	G1025	U905	A905	A845	G725	A665	U605	U545
G1388	A1329	U1267	U1268	C1208	A1147	A1087	G1026	G966	U906	U846	G726	A666	U606	U546
A1389	A1269	A1268	G1148	A1209	U1149	A1088	A1027	U967	G907	U847	A727	A667	U607	U547
U1390	A1269	A1269	G1149	A1209	U1149	A1088	A1028	C968	C908	C848	G728	A668	A609	G548
G1391	C1270	C1270	C1150	G1210	C1150	A1090	A1029	G969	A909	A849	G729	A669	A609	G549
A1392	A1271	G1271	A1151	C1211	A1151	G1091	G1030	U970	A910	U850	A730	A670	C610	C550
G1393	A1272	A1272	C1152	G1212	A1152	A1092	G1031	G971	A911	C851	G731	A671	C611	G551
A1394	A1273	G1273	A1153	A1213	G1153	G1093	U1033	A972	C912	U852	G732	A672	G612	U552
G1395	A1274	A1274	G1154	A1214	U1033	A1094	U1033	A973	C913	C853	G733	C673	A613	G553
A1396	A1275	A1275	A1155	G1215	A1155	A1095	G1034	G974	C914	C854	A734	A674	A614	U554
U1397	A1276	A1276	A1156	G1216	A1156	A1096	U1035	A975	C915	G855	A735	A675	U615	G555
G1398	G1277	G1277	G1157	U1217	G1157	U1097	G1036	G976	G916	G856	C736	A676	A616	A556
A1399	C1278	C1278	C1158	G1218	C1158	A1098	G1037	G977	A917	G857	G737	A677	G617	C557
U1400	G1279	G1279	U1159	U1219	U1159	G1099	U1038	G978	A918	G858	G738	A678	G618	U558
G1401	G1280	G1280	G1160	A1220	G1160	A1100	A1039	A979	U919	G859	A739	C679	G619	G559
A1402	C1221	C1221	G1161	G1221	G1161	U1101	A1040	A980	A920	U860	G740	C680	G620	C560
A1403	U1282	U1282	U1162	U1222	U1162	C1102	G1041	A981	C921	A861	U741	A681	A621	G561
A1404	G1283	G1283	G1163	G1223	G1163	A1103	G1042	C982	C922	C862	A742	A682	G622	U562
U1405	U1224	U1224	C1164	G1224	C1164	A1104	G1043	A983	C923	A863	A743	A683	C623	A563
A1406	A1286	A1286	A1165	G1225	A1165	U1105	U1044	A984	G924	A864	U744	A684	C624	C564
U1407	A1287	A1287	G1166	A1226	G1166	A1106	C1045	C985	A925	C865	U745	A685	G625	C565
G1408	G1288	G1288	G1167	G1227	G1167	U1107	A1046	C986	G926	A866	U746	A686	A626	U566
A1409	C1348	C1348	U1168	G1228	U1168	U1108	G1047	C987	A927	C867	U747	A687	A627	U567
G1410	C1350	C1350	A1169	C1229	A1169	C1109	A1048	A988	A928	U868	G748	A688	G628	U568
U1411	C1351	C1351	C1170	G1230	C1170	A1110	C1049	G989	U929	G869	A749	A689	G629	U569
U1412	U1352	U1352	G1171	U1231	G1171	U1111	A1050	A990	G930	U870	A750	A690	G630	G570
A1413	A1353	A1353	C1172	G1232	C1172	A1112	G1051	C991	U931	U871	A751	A691	A631	U571
U1414	A1354	A1354	U1173	G1233	U1173	C992	G1052	C992	U932	C812	A752	A692	A632	A572
G1415	A1354	A1354	U1173	G1233	U1173	C992	G1052	C992	U932	C812	A752	A692	A632	U572
U1416	G1355	G1355	U1174	U1234	U1174	C1114	A1054	G993	A933	C873	U753	A693	A633	U573
A1417	G1356	G1356	A1175	G1235	A1175	G1115	G1055	C994	U934	C874	U754	A694	C634	A574
G1418	C1357	C1357	U1176	G1236	U1176	U1116	U1056	C995	C935	C875	U755	A695	C635	A575
A1419	G1358	G1358	G1177	U1237	G1177	C1117	G1058	A996	A936	C876	A756	A696	G636	U576
A1420	A1359	A1359	U1178	G1238	U1178	U1119	U1059	G997	C937	C877	A757	A697	A637	G577
G1421	G1360	G1360	C1179	G1239	C1179	C998	G1060	C998	G938	A878	G758	A698	G638	G578
A1422	A1361	A1361	U1180	U1240	U1180	G1120	U1061	U999	G939	G879	G759	A699	U639	G579
G1423	C1362	C1362	U1181	A1241	U1181	C1121	U1062	A1000	G940	C880	G760	G700	C640	U580
G1424	G1363	G1363	G1182	U1242	G1182	C1122	G1063	A1001	A941	A821	A761	G701	U641	C581
G1425	A1364	A1364	U1183	C1243	U1183	C1123	U1064	G1002	G942	G882	U762	U702	G642	A582
A1426	C1365	C1365	U1184	A1244	U1184	G1124	C1065	A1003	A943	C883	G763	G703	A643	G583
A1427	A1366	A1366	G1185	G1245	G1185	G1125	U1066	U1004	C944	U884	A764	G704	A644	C584
C1428	A1367	A1367	G1186	A1247	G1186	A1126	U1067	C1005	A945	A825	G765	A705	C645	G585
G1429	G1368	G1368	U1187	U1248	U1187	U1127	A1067	C1006	C946	C885	U766	A706	U646	A586
G1430	G1369	G1369	U1188	G1248	U1188	G1128	G1068	U1007	A947	A886	U767	G707	G647	C587
A1431	C1370	C1370	A1189	U1249	A1189	A1129	A1069	A1008	C948	U887	G768	G708	G648	U588
G1432	G1371	G1371	G1190	G1250	G1190	U1130	A1070	A1009	G949	C888	U769	U709	G649	U589
A1433	U1372	U1372	G1191	C1251	G1191	G1131	G1071	A1010	C950	C889	G770	U710	A650	A590
A1434	A1373	A1373	G1192	G1252	G1192	U1132	C1072	G1011	C951	G831	G771	G711	G651	U591
G1435	G1374	G1374	G1193	A1253	G1193	A1133	A1073	U1012	G952	U832	C772	G712	U652	A592
G1436	U1375	U1375	A1194	U1254	A1194	A1134	G1074	C1013	G953	A833	U773	G713	U653	U593
C1437	G1376	G1376	G1195	A1255	G1195	C1135	C1075	A1014	G954	G891	G774	U714	A654	U594
A1438	U1377	U1377	U1196	G1256	U1196	G1136	G1076	A892	A894	A892	G775	A715	A655	C595
A1439	U1378	U1378	G1197	C1257	G1197	G1137	A1077	U1015	U955	C893	G776	A716	A656	U596
U1440	C1379	C1379	U1198	U1258	U1198	G1138	U1078	G1016	G956	U894	G777	A717	A657	G597
A1501	G1380	G1380	U1199	G1259	U1199	G1139	C1079	U1017	C957	U895	G778	A718	A658	U598
U1442	A1321	A1321	U1199	A1260	U1199	C1140	A1080	U1018	U958	C896	G779	A719	A659	A599
U1443	A1322	A1322	U1200	G1261	U1200	C1141	U1081	U1019	A959	A896	U779	C719	G659	G600
G1444	C1323	C1323	U1201	A1262	U1201	A1141	U1082	A1020	A960	C897	G780	A720	A660	C601
A1445	G1324	G1324	G1202	U1263	G1202	A1143	U1083	A1021	C961	C898	A781	A721	A661	G602
			U1203	U1263	U1203	A1143	U1083	G1022	G962	A900	A782	A722	G662	A602

U2348	A2288	G2228	G2168	A2108	G2048	G1988	A1928	C1868	A1808	G1748	U1688	G1628	G1568	C1507
G2949	G2289	U2229	G2189	U2109	G2049	G1989	G1929	G1869	A1809	A1749	A1689	U1629	A1569	A1508
C2350	G2290	G2230	A2169	U2109	C2050	C1990	U1930	C1870	A1810	G1750	A1690	A1630	A1570	A1509
A2351	U2291	U2231	A2170	G2110	A2051	U1991	U1931	A1871	A1811	G1751	C1691	A1631	A1571	G1510
G2352	G2292	C2232	A2171	U2111	A2052	G1992	A1932	A1872	U1812	G1752	U1692	A1632	A1572	U1513
C2353	U2293	U2233	U2172	U2112	G2053	U1993	G1933	A1873	G1813	G1753	U1693	A1633	G1573	G1514
G2354	G2294	G2234	U2173	C1994	A2054	C1934	C1934	C1874	G1814	A1754	C1694	A1634	C1574	A1515
C2355	C2295	G2235	C2055	U2113	C2055	U1995	A1935	G1875	A1815	G1755	G1695	U1635	C1575	G1516
U2356	U2296	U2236	G2056	A2114	G2056	U1996	A1936	A1876	A1816	G1756	G1696	U1636	U1576	G1517
G2357	A2297	G2237	G2057	G2115	G2057	A1997	A1937	A1877	A1817	A1757	G1697	C1637	U1577	G1518
A2358	A2298	G2238	A2058	A2116	A2058	A1998	A1938	A1878	U1818	U1758	A1698	C1638	U1578	G1519
C2359	C2177	G2239	A2059	G2117	A2059	A1999	U1939	C1879	A1819	A1759	G1699	A1639	A1579	U1520
G2360	U2240	U2240	A2060	A2118	A2060	C2000	U1940	U1880	U1820	C1760	A1680	A1640	A1580	U1521
G2361	C2301	A2241	G2061	U2118	G2061	C2001	C1941	C1881	A1821	C1761	A1701	A1641	G1581	G1522
C2362	C2179	G2242	A2062	A2119	A2062	G2002	C1942	U1882	G1822	A1762	G1702	G1642	C1582	A1523
G2363	C2179	U2243	C2063	G2120	C2063	A2003	U1943	U1883	G1823	G1763	G1703	G1643	A1583	G1524
U2364	U2180	U2244	C2064	G2121	C2064	G2004	U1944	G1884	G1824	C1764	A1704	C1644	U1584	A1525
G2365	U2181	U2245	C2065	G2122	C2065	A2005	A1945	A1885	U1825	U1765	A1705	G1645	A1585	G1526
A2366	U2182	G2246	C2066	U2122	C2066	G2006	U1946	U1886	G1826	G1766	C1706	G1646	A1586	G1527
G2367	U2183	A2247	G2067	U2123	G2067	U2007	C1947	C1887	U1827	G1767	G1707	U1647	G1587	A1528
C2368	A2184	C2248	U2068	G2124	U2068	C2008	G1948	G1888	G1828	C1768	A1708	U1648	A1588	G1529
A2369	U2185	U2249	G2069	G2125	G2069	A2009	U1949	A1889	A1829	U1769	U1709	A1649	U1589	G1530
G2370	G2186	G2250	A2070	A2126	A2070	G2010	G1950	A1890	C1830	G1770	G1710	A1650	A1590	G1531
U2371	U2187	G2251	A2071	G2127	A2071	U2011	U1951	G1891	G1831	A1771	A1711	G1651	A1591	C1531
G2372	U2188	G2252	C2072	G2127	C2072	G2012	A1952	C1892	C1832	A1772	A1712	A1652	C1592	G1532
C2373	U2189	C2128	C2073	A2128	C2073	A2013	A1953	C1893	C1833	A1773	A1713	G1653	A1593	C1533
G2374	A2190	U2130	U2074	U2130	U2074	A2014	G1954	C1894	U1834	C1774	A1714	A1654	U1594	U1534
C2375	A2191	U2131	U2075	U2131	U2075	A2015	G1955	C1895	G1835	U1775	G1715	A1655	C1595	A1535
A2376	U2192	G2256	U2076	U2132	U2076	U2016	U1956	G1896	A1836	G1776	U1716	G1656	A1596	C1536
G2377	G2193	U2257	A2077	U2133	A2077	U2017	C1957	G1897	G1837	C1777	A1717	U1657	A1597	G1537
C2378	U2194	C2258	C2078	G2133	C2078	G2018	C1958	U1898	G1838	U1778	G1718	G1658	A1598	G1538
U2379	U2195	U2259	U2079	G2134	U2079	A2019	G1959	A1899	G1839	U1779	G1719	G1659	U1599	U1539
C2380	C2196	C2260	A2080	A2135	A2080	A2020	A1960	A1900	G1840	U1780	U1720	G1660	C1600	G1540
A2381	U2197	A2261	G2081	A2136	G2081	C2021	C1961	A1901	U1841	U1781	G1721	G1661	G1601	U1541
C2382	A2198	U2262	A2082	G2136	A2082	U2022	U1962	C1902	G1842	U1782	A1722	U1662	U1602	U1542
U2383	A2199	C2263	C2083	U2137	C2083	C2023	U1963	G1903	C1843	U1783	G1723	G1663	A1603	U1543
C2384	C2200	G2264	G2084	U2138	G2084	G2024	G1964	G1904	C1844	A1784	G1724	A1664	C1604	G1544
G2385	G2201	U2265	U2085	G2139	U2085	C2025	C1965	C1905	G1845	A1785	U1725	A1665	C1605	A1544
A2386	U2202	C2266	U2086	U2139	U2086	U2026	A1966	G1906	G1846	A1786	C1726	G1666	C1606	A1545
U2387	U2203	A2267	G2087	G2140	G2087	G2027	C1967	G1907	A1847	A1787	G1727	G1667	C1607	U1546
A2388	G2204	U2268	A2088	G2141	A2088	U2028	G1968	C1908	A1848	C1788	U1728	A1668	A1608	C1547
C2389	A2205	G2269	C2089	G2142	C2089	G2029	A1969	C1909	G1849	A1789	U1729	A1669	A1609	A1548
U2390	C2206	U2270	A2090	C2143	A2090	A2030	A1970	G1910	G1850	C1790	C1730	C1670	A1610	A1549
G2391	C2207	A2271	C2091	G2144	C2091	A2031	U1971	U1911	U1851	A1791	G1731	U1671	C1611	C1550
A2392	C2208	U2272	U2092	G2145	U2092	G2032	G1972	A1912	U1852	G1792	C1732	A1672	C1612	A1551
U2393	A2209	C2273	G2093	C2145	G2093	A2033	G1973	A1913	A1853	C1793	G1733	G1673	A1613	A1552
C2394	U2210	A2274	A2094	G2146	A2094	U2034	C1974	C1914	A1854	A1794	G1734	G1674	A1614	A1553
G2395	C2211	C2275	A2095	A2147	A2095	G2035	G1975	U1915	U1855	C1795	U1735	G1675	C1615	U1554
U2396	A2212	G2276	A2097	G2148	A2097	A2037	A1977	A1916	U1856	U1796	U1736	A1676	A1616	G1555
G2397	U2213	G2277	U2098	U2149	U2098	G2038	G1978	G1917	G1857	G1797	G1737	A1677	C1617	C1556
U2398	C2214	C2278	U2099	U2150	U2099	G2039	U1979	U1917	A1858	U1798	G1738	A1678	A1618	U1557
C2399	G2215	U2279	G2100	C2150	G2100	U2039	A1918	A1918	U1859	G1799	A1739	A1679	C1619	C1558
U2400	G2216	G2280	A2101	U2151	A2101	G2040	G1980	A1919	G1860	C1800	G1740	U1680	U1559	U1559
A2401	G2217	A2281	G2102	G2152	G2102	A2042	A1981	C1920	G1861	A1801	C1741	U1681	U1560	G1560
U2402	G2218	U2282	C2103	G2153	C2103	C2043	G1982	G1921	G1862	A1802	G1742	U1682	G1561	U1561
C2403	U2219	C2283	G2104	C2154	G2104	C2044	G1983	G1922	G1863	A1803	G1743	U1683	G1562	U1562
U2404	U2220	A2284	A2154	U2155	A2154	C2045	G1984	U1922	U1864	C1804	A1744	G1684	U1624	U1563
G2405	G2221	G2285	U2105	U2156	U2105	C2046	U1985	C1924	U1865	A1805	A1745	G1685	C1625	C1564
A2406	C2222	U2286	G2106	G2156	G2106	G2047	C1986	C1925	A1866	C1806	A1746	C1686	A1626	C1565
U2407	G2223	A2287	U2107	G2157	U2107	C2047	A1987	U1926	A1867	G1807	U1747	G1687	A1627	G1566
	A2225													
	C2226													
	A2227													
	C2160													
	G2162													
	A2163													
	C2164													
	G2165													
	U2166													
	U2167													


G2409	A2468	U2528	G2688	G2649	G2709	U2769	A2829	C2889	U2408
G2410	A2469	G2529	R2689	U2650	G2710	G2770	C2830	G2890	G2409
A2411	G2470	A2530	A2690	C2651	A2711	C2771	U2831	U2891	G2410
G2412	A2471	C2652	A2691	C2652	C2712	C2772	U2832	G2892	A2411
G2413	G2472	U2533	G2692	U2653	U2713	C2773	U2833	A2893	G2412
G2414	U2473	U2534	G2693	A2654	G2714	G2774	G2834	G2894	G2413
G2415	U2474	A2655	C2694	U2655	C2715	G2775	A2835	G2895	G2414
G2416	A2475	G2536	U2695	U2656	C2716	A2776	U2836	C2896	G2415
G2417	U2476	C2537	U2696	A2657	G2717	G2777	A2837	U2897	G2416
A2418	A2477	C2538	A2697	C2658	G2718	A2778	U2838	U2898	G2417
G2419	U2478	U2539	A2698	U2659	U2719	U2779	U2839	A2899	A2418
C2420	C2479	C2540	C2699	A2660	U2720	G2780	C2840	A2900	U2419
G2421	G2480	A2541	C2700	A2661	A2721	U2781	C2841	C2901	C2420
C2422	G2481	A2542	C2701	A2662	G2722	G2782	G2842	C2902	G2421
U2423	A2482	G2543	C2702	G2663	U2723	U2783	G2843	U2903	C2422
C2424	C2483	U2544	G2603	G2664	U2724	U2784	G2844		U2423
A2425	G2484	G2545	U2604	A2665	A2725	C2785	G2845		C2424
A2426	G2485	U2546	U2605	C2666	A2726	U2786	U2846		A2425
G2427	C2486	U2547	C2606	C2667	A2727	C2787	U2847		A2426
G2428	G2487	U2548	G2607	G2668	U2728	C2788	U2848		C2427
G2429	U2488	A2549	G2608	U2669	G2729	C2789	U2849		G2428
A2430	U2489	G2550	U2609	A2670	C2730	U2790	A2850		U2429
U2431	U2490	C2551	C2610	G2671	G2731	G2791	A2851		A2430
A2432	U2491	U2552		U2672	G2732	A2792	G2852		U2431
A2433	U2492	G2553	U2613	G2673	A2733	C2793	C2853		A2432
A2434	U2493	U2554	A2614	G2674	A2734	C2794	G2854		A2433
G2435	G2494	U2555	A2615	A2675	G2735	C2795	C2855		A2434
G2436	G2495	U2556	C2616	C2676	A2736	U2796	U2856		A2435
U2437	C2496	C2556	U2617	G2677	G2737	U2797	G2857		U2436
U2438	A2497	G2557	G2618	C2678	A2738	U2798	C2858		U2437
A2439	G2498	C2558	C2619	U2679	U2739	A2799	G2859		U2438
C2440	U2500	C2559	C2620	U2680	A2740	A2800	A2860		A2439
U2441	C2501	A2560	G2621	C2681	A2741	G2801	U2861		C2440
C2442	G2502	U2561	U2622	A2682	G2742	C2802	G2862		U2441
G2443	A2503	U2562	G2623	C2683	U2743	G2803	C2863		C2442
G2444	U2504	U2563	G2624	U2684	G2744	U2804	U2864		G2443
G2445	G2505	A2564	G2625	C2685	C2745	C2805	U2865		G2444
G2446	U2506	U2565	C2626	G2686	U2746	C2806	U2866		G2445
G2447	C2507	A2566	C2627	U2687	G2747	U2807	G2867		G2446
A2448	U2508	U2567	C2628	C2688	A2748	G2808	A2868		A2447
U2449	G2509	U2568	G2629	U2689	U2749	A2809	C2869		A2448
A2450	U2510	U2569	G2630	U2690	A2750	A2810	C2870		U2449
C2451	C2511	G2570	G2631	C2691	G2751	G2811	U2871		A2450
C2452	C2512	U2571	A2632	G2692	A2752	G2812	A2872		C2451
A2453	U2513	C2572	G2633	C2693	A2753	A2813	A2873		C2452
G2454	A2514	C2573	A2634	G2694	U2754	U2814	C2874		A2453
G2455	U2515	G2574	A2635	U2695	C2755	C2815	C2875		G2454
U2456	C2516	C2575	C2636	U2696	U2756	G2816	G2876		U2455
U2457	A2517	G2576	U2637	G2697	A2757	U2817	C2877		C2456
G2458	C2518	A2577	G2638	U2698	U2758	U2818	U2878		U2456
A2459	U2519	G2578	A2639	C2699	G2759	G2819	A2879		G2457
U2460	C2520	U2579	G2640	A2700	C2760	A2820	C2880		A2458
A2461	G2521	U2580	G2641	U2701	A2761	U2821	U2881		U2459
C2462	U2522	C2581	G2642	G2702	C2762	G2822	A2882		A2460
G2463	G2523	G2582	C2643	C2703	G2763	A2823	U2883		C2462
G2464	G2524	U2583	G2644	C2704	A2764	C2824	U2884		G2463
G2465	G2525	U2584	G2645	A2705	A2765	G2825	G2885		G2464
C2466	U2526	U2585	C2646	U2706	A2766	A2826	A2886		C2465
C2467	G2527	U2587	U2647	C2707	C2767	C2827	U2887		C2466
			G2648	G2708	U2768	G2828	C2888		C2467

● Molecule 11: 50S RIBOSOMAL PROTEIN L2




MET	A1	V2	V3	K4	C5	T8	S9	P10	G11	R12	H13	V15	V16	K17	V18	V19	N20	L23	H24	K25	P28	F29	A30	L32	L33	E34	K35	N36	S37	K38	S39	G40	C41	R42	N43	N44	N45	G46	R47	I48	R51	H52	I53	G54	H57	K58	H59	R62	I63	V64	D65	F66						
K67	R68	M69	K70	D71	G72	I73	F74	V76	V77	E78	L80	E81	Y82	D83	P84	M85	R86	S87	A88	M89	I90	A91	L92	V93	L94	D97	G98	E99	R100	R101	I102	I103	L104	A105	P106	K107	D113	Q114	I115	I116	S117	G118	V119	A122	I123	K124	P125	G126	N127	M128	L129	P130	M131	R132				
M133	G137	S138	T139	V140	H141	A142	A143	V144	M145	K146	P147	G148	K149	G150	G151	Q152	V153	A154	R155	S156	T159	V160	V161	Q162	I163	R166	D167	A168	Y170	V171	T172	K241	H242	L173	R174	L175	R176	E179	M180	R181	K182	V183	A184	A185	D186	C187	R188	L191	G192	E193	N196	K260	R261	T262	D263	K264	V267	
R202	V203	L204	G205	K206	A207	G208	A209	A210	R211	H212	R213	P214	G214	K149	G150	G151	Q152	V153	A154	R155	S156	T159	V160	V161	Q162	I163	R166	D167	A168	Y170	V171	T172	K241	H242	L173	R174	L175	R176	E179	M180	R181	K182	V183	A184	A185	D186	C187	R188	L191	G192	E193	N196	K260	R261	T262	D263	K264	V267


• Molecule 12: 50S RIBOSOMAL PROTEIN L3




• Molecule 13: 50S RIBOSOMAL PROTEIN L4




• Molecule 14: 50S RIBOSOMAL PROTEIN L5




• Molecule 15: 50S RIBOSOMAL PROTEIN L6




• Molecule 16: 50S RIBOSOMAL PROTEIN L9




• Molecule 17: 50S RIBOSOMAL PROTEIN L11





• Molecule 18: 50S RIBOSOMAL PROTEIN L13







• Molecule 19: 50S RIBOSOMAL PROTEIN L14




• Molecule 20: 50S RIBOSOMAL PROTEIN L15




• Molecule 21: 50S RIBOSOMAL PROTEIN L16




• Molecule 22: 50S RIBOSOMAL PROTEIN L17






• Molecule 23: 50S RIBOSOMAL PROTEIN L18




• Molecule 24: 50S RIBOSOMAL PROTEIN L19




• Molecule 25: 50S RIBOSOMAL PROTEIN L20





• Molecule 26: 50S RIBOSOMAL PROTEIN L21









• Molecule 27: 50S RIBOSOMAL PROTEIN L22




• Molecule 28: 50S RIBOSOMAL PROTEIN L23




• Molecule 29: 50S RIBOSOMAL PROTEIN L24




• Molecule 30: 50S RIBOSOMAL PROTEIN L25




• Molecule 31: 50S RIBOSOMAL PROTEIN L27




• Molecule 32: 50S RIBOSOMAL PROTEIN L28



• Molecule 33: 50S RIBOSOMAL PROTEIN L29



• Molecule 34: 50S RIBOSOMAL PROTEIN L30



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	384206	Depositor
Resolution determination method	Not provided	
CTF correction method	Not provided	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	75000	Depositor
Image detector	FEI EAGLE (4k x 4k)	Depositor
Maximum map value	5.850	Depositor
Minimum map value	-2.336	Depositor
Average map value	0.040	Depositor
Map value standard deviation	0.416	Depositor
Recommended contour level	1.4	Depositor
Map size (\AA)	349.77, 349.77, 349.77	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.1659, 1.1659, 1.1659	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GNP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.65	0/450	0.77	0/599
2	1	0.57	0/417	0.68	0/556
3	2	0.69	0/380	0.78	0/498
4	3	0.64	0/513	0.76	0/676
5	4	0.65	0/303	0.77	0/397
6	5	0.35	0/1748	0.64	1/2355 (0.0%)
7	6	0.55	0/3456	0.76	1/4675 (0.0%)
8	7	0.39	0/1245	0.63	0/1677
9	A	1.01	0/2800	1.16	6/4367 (0.1%)
10	B	1.18	47/69796 (0.1%)	1.22	227/108888 (0.2%)
11	C	0.63	0/2122	0.72	0/2854
12	D	0.66	0/1586	0.75	0/2134
13	E	0.58	0/1571	0.73	0/2113
14	F	0.46	0/1444	0.69	0/1937
15	G	0.57	0/1343	0.71	0/1816
16	H	0.46	0/1122	0.64	0/1515
17	I	0.41	0/1046	0.64	0/1410
18	J	0.64	0/1152	0.75	0/1551
19	K	0.60	0/940	0.75	0/1260
20	L	0.58	0/1054	0.79	1/1403 (0.1%)
21	M	0.68	0/1093	0.71	0/1460
22	N	0.66	0/974	0.74	0/1303
23	O	0.54	0/902	0.70	0/1209
24	P	0.61	0/929	0.71	0/1242
25	Q	0.78	0/960	0.77	0/1278
26	R	0.64	0/829	0.71	0/1107
27	S	0.66	0/864	0.84	0/1156
28	T	0.61	0/745	0.77	0/996
29	U	0.53	0/788	0.72	0/1053
30	V	0.60	0/766	0.72	0/1025
31	W	0.64	0/603	0.80	0/797
32	X	0.62	0/635	0.71	0/848

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	Y	0.53	0/510	0.68	0/677
34	Z	0.60	0/453	0.77	1/605 (0.2%)
All	All	1.03	47/105539 (0.0%)	1.10	237/157437 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	5	0	1
13	E	0	1
14	F	0	1
24	P	0	1
25	Q	0	1
All	All	0	5

The worst 5 of 47 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	788	A	N9-C4	-8.84	1.32	1.37
10	B	118	A	N9-C4	-7.60	1.33	1.37
10	B	677	A	N9-C4	-6.86	1.33	1.37
10	B	1142	A	N9-C4	-6.60	1.33	1.37
10	B	1254	A	N9-C4	-6.54	1.33	1.37

The worst 5 of 237 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	828	U	C2-N1-C1'	8.23	127.58	117.70
10	B	205	G	C2-N3-C4	-8.04	107.88	111.90
10	B	1816	C	C2-N1-C1'	8.01	127.61	118.80
10	B	544	C	C2-N1-C1'	7.58	127.14	118.80
10	B	1238	G	N3-C4-C5	7.58	132.39	128.60

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	5	59	VAL	Peptide
13	E	59	PRO	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
14	F	76	PHE	Peptide
24	P	14	GLN	Peptide
25	Q	101	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	444	0	461	53	0
2	1	410	0	440	42	0
3	2	377	0	418	42	0
4	3	504	0	574	60	0
5	4	302	0	343	35	0
6	5	1733	0	1823	197	0
7	6	3403	0	3433	388	0
8	7	1231	0	1282	124	0
9	A	2504	0	1271	246	0
10	B	62317	0	31345	6165	0
11	C	2083	0	2157	244	0
12	D	1565	0	1616	238	0
13	E	1552	0	1619	130	0
14	F	1420	0	1460	169	0
15	G	1323	0	1374	136	0
16	H	1111	0	1148	191	0
17	I	1032	0	1088	142	0
18	J	1129	0	1162	144	0
19	K	931	0	1003	116	0
20	L	1045	0	1117	121	0
21	M	1074	0	1157	105	0
22	N	961	0	1000	107	0
23	O	892	0	923	130	0
24	P	917	0	965	101	0
25	Q	947	0	1022	143	0
26	R	816	0	839	106	0
27	S	857	0	922	100	0
28	T	739	0	807	74	0
29	U	780	0	834	89	0
30	V	753	0	780	60	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
31	W	596	0	610	94	0
32	X	625	0	655	93	0
33	Y	509	0	543	52	0
34	Z	449	0	491	26	0
35	6	32	0	13	23	0
36	6	1	0	0	0	0
All	All	97364	0	66695	9065	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 57.

The worst 5 of 9065 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
16:H:68:ARG:CD	16:H:132:PHE:CE1	1.84	1.55
16:H:68:ARG:HG3	16:H:132:PHE:CD2	1.40	1.55
16:H:68:ARG:HG3	16:H:132:PHE:CE2	1.37	1.53
16:H:68:ARG:HD2	16:H:132:PHE:CE1	1.43	1.52
7:6:365:VAL:CG2	7:6:405:ARG:NH2	1.69	1.43

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	0	54/57 (95%)	45 (83%)	5 (9%)	4 (7%)	1 16
2	1	49/55 (89%)	45 (92%)	4 (8%)	0	100 100
3	2	44/46 (96%)	35 (80%)	6 (14%)	3 (7%)	1 17
4	3	62/65 (95%)	58 (94%)	4 (6%)	0	100 100
5	4	36/38 (95%)	26 (72%)	5 (14%)	5 (14%)	0 4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	5	232/234 (99%)	190 (82%)	27 (12%)	15 (6%)	1	18
7	6	424/426 (100%)	364 (86%)	39 (9%)	21 (5%)	2	23
8	7	162/165 (98%)	128 (79%)	23 (14%)	11 (7%)	1	17
11	C	270/273 (99%)	219 (81%)	34 (13%)	17 (6%)	1	19
12	D	207/209 (99%)	166 (80%)	20 (10%)	21 (10%)	0	10
13	E	199/201 (99%)	160 (80%)	21 (11%)	18 (9%)	1	12
14	F	176/179 (98%)	131 (74%)	30 (17%)	15 (8%)	1	13
15	G	174/177 (98%)	142 (82%)	21 (12%)	11 (6%)	1	19
16	H	147/149 (99%)	97 (66%)	29 (20%)	21 (14%)	0	4
17	I	139/142 (98%)	122 (88%)	13 (9%)	4 (3%)	4	32
18	J	140/142 (99%)	109 (78%)	19 (14%)	12 (9%)	1	13
19	K	120/123 (98%)	96 (80%)	14 (12%)	10 (8%)	1	13
20	L	141/144 (98%)	113 (80%)	20 (14%)	8 (6%)	1	20
21	M	134/136 (98%)	113 (84%)	13 (10%)	8 (6%)	1	19
22	N	119/127 (94%)	96 (81%)	18 (15%)	5 (4%)	3	25
23	O	114/117 (97%)	105 (92%)	6 (5%)	3 (3%)	5	35
24	P	112/115 (97%)	89 (80%)	18 (16%)	5 (4%)	2	24
25	Q	115/118 (98%)	102 (89%)	7 (6%)	6 (5%)	2	22
26	R	101/103 (98%)	78 (77%)	13 (13%)	10 (10%)	0	10
27	S	108/110 (98%)	93 (86%)	8 (7%)	7 (6%)	1	18
28	T	92/100 (92%)	73 (79%)	13 (14%)	6 (6%)	1	18
29	U	101/104 (97%)	79 (78%)	14 (14%)	8 (8%)	1	14
30	V	92/94 (98%)	81 (88%)	10 (11%)	1 (1%)	14	52
31	W	77/85 (91%)	58 (75%)	12 (16%)	7 (9%)	1	12
32	X	75/78 (96%)	61 (81%)	9 (12%)	5 (7%)	1	18
33	Y	61/63 (97%)	49 (80%)	6 (10%)	6 (10%)	0	10
34	Z	56/59 (95%)	51 (91%)	3 (5%)	2 (4%)	3	28
All	All	4133/4234 (98%)	3374 (82%)	484 (12%)	275 (7%)	2	18

5 of 275 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	4	11	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	4	34	LYS
6	5	38	PHE
6	5	39	VAL
6	5	135	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	47/48 (98%)	47 (100%)	0	100	100
2	1	45/49 (92%)	45 (100%)	0	100	100
3	2	38/38 (100%)	38 (100%)	0	100	100
4	3	51/52 (98%)	51 (100%)	0	100	100
5	4	34/34 (100%)	34 (100%)	0	100	100
6	5	181/181 (100%)	179 (99%)	2 (1%)	73	85
7	6	364/364 (100%)	363 (100%)	1 (0%)	92	95
8	7	123/123 (100%)	123 (100%)	0	100	100
11	C	216/218 (99%)	216 (100%)	0	100	100
12	D	164/164 (100%)	163 (99%)	1 (1%)	86	92
13	E	165/165 (100%)	164 (99%)	1 (1%)	86	92
14	F	149/150 (99%)	149 (100%)	0	100	100
15	G	137/138 (99%)	137 (100%)	0	100	100
16	H	114/114 (100%)	113 (99%)	1 (1%)	78	87
17	I	109/110 (99%)	109 (100%)	0	100	100
18	J	116/116 (100%)	116 (100%)	0	100	100
19	K	102/104 (98%)	102 (100%)	0	100	100
20	L	102/103 (99%)	102 (100%)	0	100	100
21	M	109/109 (100%)	109 (100%)	0	100	100
22	N	100/103 (97%)	100 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
23	O	86/87 (99%)	86 (100%)	0	100	100
24	P	99/100 (99%)	99 (100%)	0	100	100
25	Q	89/90 (99%)	88 (99%)	1 (1%)	73	85
26	R	84/84 (100%)	84 (100%)	0	100	100
27	S	93/93 (100%)	93 (100%)	0	100	100
28	T	80/84 (95%)	80 (100%)	0	100	100
29	U	83/85 (98%)	83 (100%)	0	100	100
30	V	78/78 (100%)	78 (100%)	0	100	100
31	W	59/63 (94%)	59 (100%)	0	100	100
32	X	67/68 (98%)	67 (100%)	0	100	100
33	Y	55/55 (100%)	55 (100%)	0	100	100
34	Z	48/49 (98%)	48 (100%)	0	100	100
All	All	3387/3419 (99%)	3380 (100%)	7 (0%)	93	96

5 of 7 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
12	D	151	THR
13	E	78	TRP
25	Q	56	PHE
16	H	68	ARG
7	6	24	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 82 such sidechains are listed below:

Mol	Chain	Res	Type
26	R	11	GLN
30	V	80	HIS
26	R	91	GLN
28	T	92	ASN
32	X	15	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	B	2902/2903 (99%)	1015 (34%)	56 (1%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
9	A	116/120 (96%)	35 (30%)	2 (1%)
All	All	3018/3023 (99%)	1050 (34%)	58 (1%)

5 of 1050 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
9	A	7	G
9	A	11	C
9	A	13	G
9	A	14	U
9	A	15	A

5 of 58 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
10	B	1385	A
10	B	2810	A
10	B	1779	U
10	B	2808	G
10	B	2389	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
35	GNP	6	527	36	29,34,34	2.07	9 (31%)	33,54,54	2.52	10 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
35	GNP	6	527	36	-	4/14/38/38	0/3/3/3

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
35	6	527	GNP	PB-O3A	-7.03	1.50	1.59
35	6	527	GNP	PB-O2B	-3.47	1.47	1.56
35	6	527	GNP	C6-N1	3.29	1.38	1.33
35	6	527	GNP	PG-O1G	2.92	1.50	1.46
35	6	527	GNP	C8-N7	-2.67	1.29	1.34

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
35	6	527	GNP	C5-C6-N1	-8.46	111.86	123.43
35	6	527	GNP	C2-N1-C6	5.19	124.17	115.93
35	6	527	GNP	PB-O3A-PA	-5.07	114.77	132.62
35	6	527	GNP	O2B-PB-O1B	3.71	117.71	109.92
35	6	527	GNP	C2-N3-C4	-3.67	111.17	115.36

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
35	6	527	GNP	PB-N3B-PG-O1G
35	6	527	GNP	PG-N3B-PB-O1B
35	6	527	GNP	PA-O3A-PB-O1B
35	6	527	GNP	O4'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
35	6	527	GNP	23	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-3133. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 153



Y Index: 155




Z Index: 164


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 1.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 869 nm³; this corresponds to an approximate mass of 785 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.222 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-3133 and PDB model 5ADY. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.4).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 83% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7710	 0.2890
0	 0.6660	 0.2990
1	 0.5420	 0.2310
2	 0.6250	 0.2920
3	 0.6350	 0.3150
4	 0.6230	 0.2650
5	 0.0560	 0.1520
6	 0.5360	 0.2530
7	 0.2290	 0.2080
A	 0.8950	 0.2860
B	 0.8720	 0.3020
C	 0.6840	 0.2940
D	 0.6630	 0.2870
E	 0.5540	 0.2820
F	 0.5940	 0.2280
G	 0.6170	 0.2780
H	 0.2260	 0.2040
I	 0.4870	 0.2160
J	 0.6160	 0.2920
K	 0.6410	 0.2870
L	 0.6680	 0.3000
M	 0.6610	 0.3040
N	 0.6870	 0.2840
O	 0.6960	 0.2500
P	 0.6330	 0.2850
Q	 0.6760	 0.2910
R	 0.6690	 0.2970
S	 0.6300	 0.2850
T	 0.6580	 0.2900
U	 0.6470	 0.2460
V	 0.6300	 0.2810
W	 0.6190	 0.2700
X	 0.6290	 0.2970
Y	 0.6620	 0.2380
Z	 0.6160	 0.3110

