



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 28, 2021 – 01:13 PM BST

PDB ID : 7AD6  
Title : Crystal structure of human complement C5 in complex with the K92 bovine knob domain peptide.  
Authors : Macpherson, A.; van den Elsen, J.M.H.; Schulze, M.E.; Birtley, J.R.  
Deposited on : 2020-09-14  
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.20  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.20


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1676	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 49%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 40%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">2%      49%      9%      42%</p>
1	B	1676	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 31%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 59%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">3%      31%      7%      61%</p>
2	C	34	<div style="display: flex; align-items: center;"> <div style="width: 53%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 21%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 26%; height: 10px; background-color: yellow;"></div> </div> <p style="margin-left: 20px;">53%      74%      26%</p>
3	D	3	<div style="display: flex; align-items: center;"> <div style="width: 67%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 33%; height: 10px; background-color: yellow;"></div> </div> <p style="margin-left: 20px;">67%      33%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	TRS	B	1702	-	-	-	X

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 13095 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Complement C5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	971	7664	4899	1274	1450	41	0	0	0
1	B	646	5104	3272	817	1002	13	0	0	0

- Molecule 2 is a protein called K92 knob domain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	34	250	158	43	45	4	0	0	0

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	D	3	39	22	2	15	0	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	C O	0	0
			4	2 2		
4	A	1	Total	C O	0	0
			4	2 2		
4	B	1	Total	C O	0	0
			4	2 2		

- Molecule 5 is CYSTEINE (three-letter code: CYS) (formula: C<sub>3</sub>H<sub>7</sub>NO<sub>2</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
5	A	1	6	3	1	1	1	0	0

- Molecule 6 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: C<sub>4</sub>H<sub>12</sub>NO<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
6	B	1	8	4	1	3	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
7	A	8	8	8	0	0
7	B	4	4	4	0	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Complement C5





• Molecule 1: Complement C5







## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	204.26Å 104.28Å 154.88Å 90.00° 124.90° 90.00°	Depositor
Resolution (Å)	83.77 – 2.75 88.53 – 2.75	Depositor EDS
% Data completeness (in resolution range)	99.9 (83.77-2.75) 100.0 (88.53-2.75)	Depositor EDS
$R_{merge}$	0.02	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.45 (at 2.73Å)	Xtrriage
Refinement program	REFMAC 5.5, PHENIX 1.18_3845	Depositor
R, $R_{free}$	0.219 , 0.254 0.231 , 0.260	Depositor DCC
$R_{free}$ test set	3429 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	77.8	Xtrriage
Anisotropy	0.309	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 56.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	13095	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	100.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.38% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, NAG, BMA, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/7818	0.43	0/10591
1	B	0.25	0/5222	0.46	0/7104
2	C	0.25	0/260	0.50	0/354
All	All	0.25	0/13300	0.45	0/18049

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7664	0	7672	96	0
1	B	5104	0	5000	73	0
2	C	250	0	215	7	0
3	D	39	0	34	0	0
4	A	8	0	12	2	0
4	B	4	0	6	1	0
5	A	6	0	3	0	0
6	B	8	0	12	2	0
7	A	8	0	0	0	0
7	B	4	0	0	0	0
All	All	13095	0	12954	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:363:LEU:HB2	1:B:456:ALA:HA	1.70	0.74
1:B:160:VAL:HG22	1:B:175:GLU:HG2	1.72	0.70
2:C:27:LEU:HB2	2:C:31:PRO:HB2	1.73	0.69
1:A:1577:TYR:OH	1:A:1602:LYS:NZ	2.25	0.68
1:B:384:GLY:HA3	1:B:413:VAL:HA	1.75	0.68
2:C:18:CYS:HB2	2:C:33:ILE:HG22	1.77	0.67
1:B:465:LEU:HD11	1:B:486:VAL:HG13	1.78	0.66
1:B:265:VAL:HG23	1:B:292:LEU:HB2	1.79	0.63
1:B:411:THR:HG22	1:B:418:ALA:HB2	1.81	0.62
1:B:503:ILE:HB	1:B:511:HIS:HB3	1.80	0.62
1:B:387:PRO:HG3	1:B:410:VAL:HG23	1.83	0.60
1:A:823:VAL:HG21	1:A:916:THR:HG21	1.81	0.60
1:B:442:LEU:HD12	1:B:443:PRO:HD2	1.83	0.60
1:B:396:ASP:OD2	1:B:400:GLU:HB2	2.01	0.60
1:A:1383:THR:HG21	1:A:1511:THR:HA	1.83	0.60
1:A:1423:VAL:HG22	1:A:1463:GLN:HG2	1.83	0.60
1:A:1516:ILE:HG22	1:A:1518:LYS:H	1.67	0.59
1:B:353:LYS:HZ1	1:B:378:SER:HA	1.67	0.59
1:A:905:ILE:HD13	1:A:931:PRO:HG3	1.85	0.59
1:A:1401:ARG:HA	1:A:1478:ARG:HA	1.84	0.58
1:A:695:VAL:HG11	1:A:724:CYS:HA	1.84	0.58
1:B:265:VAL:HG22	1:B:329:VAL:HG12	1.85	0.58
1:A:1229:LYS:NZ	1:A:1236:ASP:O	2.34	0.58
1:A:1142:LEU:HD21	1:A:1179:THR:HG22	1.85	0.57
1:B:573:VAL:HG12	1:B:592:MET:HG2	1.85	0.57
1:B:279:GLN:NE2	1:B:281:GLU:OE2	2.37	0.57
1:A:1129:LEU:HD13	1:A:1139:GLU:HB3	1.86	0.57
1:A:792:ASP:HA	1:B:584:PRO:HB3	1.87	0.56
1:B:487:THR:HG22	1:B:523:TYR:HB2	1.87	0.56
2:C:20:ARG:HB3	2:C:31:PRO:HB3	1.88	0.56
1:A:1426:ILE:HB	1:A:1460:VAL:HG13	1.88	0.56
1:A:696:LYS:HD2	1:A:697:LYS:H	1.71	0.55
1:B:39:ILE:HD12	1:B:85:LEU:HD12	1.89	0.55
1:A:849:ARG:O	1:A:891:SER:N	2.39	0.55
1:B:196:TYR:HA	1:B:219:VAL:HG23	1.89	0.55
1:B:373:VAL:HG22	1:B:418:ALA:HB3	1.89	0.55
1:A:752:LEU:HA	1:A:755:LYS:HB2	1.88	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:ILE:HG22	1:B:118:PRO:HG2	1.89	0.55
1:A:1130:GLN:HG2	1:A:1414:GLU:HG3	1.89	0.54
1:B:531:THR:OG1	1:B:532:GLN:N	2.41	0.54
1:B:303:SER:O	1:B:307:VAL:HB	2.08	0.54
1:B:259:VAL:HG13	1:B:295:GLY:HA3	1.91	0.53
1:A:1545:ALA:HB2	1:A:1663:ASN:HB3	1.90	0.53
1:B:225:PRO:HG2	1:B:255:PHE:CE2	2.44	0.53
1:A:1590:ALA:HB3	1:A:1623:GLU:OE2	2.09	0.52
1:A:703:ALA:O	1:A:739:ARG:NH2	2.42	0.52
1:B:444:GLU:HA	1:B:447:GLN:HG3	1.91	0.52
1:A:715:ALA:HA	1:A:718:ILE:HG13	1.92	0.52
1:A:946:PRO:HA	1:A:955:ARG:HG2	1.91	0.51
1:A:1315:VAL:HG22	1:A:1348:VAL:HG12	1.92	0.51
1:A:1398:ASP:N	1:A:1398:ASP:OD1	2.42	0.51
1:B:224:LEU:HD22	1:B:225:PRO:HD2	1.91	0.51
1:B:21:GLN:HB3	1:B:46:TYR:CZ	2.46	0.51
1:A:705:VAL:HA	1:A:739:ARG:HH12	1.76	0.51
1:A:846:TYR:HE1	1:B:256:TYR:HA	1.75	0.51
1:A:1118:PHE:CG	1:A:1148:THR:HG21	2.46	0.51
1:A:1068:VAL:HA	1:A:1078:LEU:HD22	1.93	0.50
1:B:469:TRP:HZ3	1:B:559:VAL:HG21	1.76	0.50
1:A:1442:LEU:HD21	4:A:1702:EDO:H12	1.93	0.50
1:B:186:PRO:HG2	4:B:1701:EDO:H12	1.92	0.50
1:B:311:SER:OG	1:B:312:TYR:N	2.41	0.50
1:B:25:ILE:O	1:B:653:PHE:HA	2.11	0.50
1:A:1179:THR:HG21	1:A:1191:SER:OG	2.12	0.50
1:B:515:ARG:HG3	1:B:526:ILE:HG21	1.94	0.50
1:A:1624:ALA:HB2	1:A:1637:TYR:CD2	2.47	0.50
1:B:144:ARG:NH2	1:B:602:LEU:O	2.43	0.50
1:A:1105:LEU:HA	1:A:1108:VAL:HG22	1.94	0.49
1:A:1543:ILE:HG21	1:A:1548:ARG:HH12	1.77	0.49
1:B:43:VAL:HG23	1:B:79:PHE:HB3	1.93	0.49
2:C:25:HIS:HB3	2:C:27:LEU:HD23	1.94	0.49
1:A:708:ASP:OD2	1:A:1476:ARG:HD2	2.13	0.49
1:A:1323:LEU:HD11	1:A:1340:VAL:HG12	1.94	0.49
1:A:1019:PHE:CZ	1:A:1088:GLN:HB3	2.46	0.49
1:A:766:ARG:HB3	1:B:225:PRO:HG3	1.95	0.49
1:B:315:LEU:HD22	1:B:349:LEU:HD13	1.95	0.48
1:A:857:VAL:HA	1:A:913:SER:O	2.13	0.48
1:A:1584:ILE:HG21	1:A:1587:THR:HG23	1.95	0.48
1:A:695:VAL:CG1	1:A:724:CYS:HA	2.44	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:735:ALA:O	1:A:739:ARG:HG3	2.12	0.48
1:A:1544:SER:C	1:A:1546:GLU:H	2.16	0.48
1:B:24:VAL:HG11	1:B:554:LEU:HD21	1.96	0.48
1:A:975:ARG:HB2	1:A:1340:VAL:HG22	1.96	0.48
1:A:1154:LYS:NZ	1:A:1295:GLU:OE2	2.46	0.48
1:A:1187:THR:HA	1:A:1190:ILE:HG22	1.95	0.48
1:B:484:ILE:HG13	1:B:526:ILE:HG13	1.97	0.47
1:A:1543:ILE:HD13	1:A:1548:ARG:NH2	2.30	0.47
1:A:914:LEU:HB3	1:A:921:GLU:HG2	1.97	0.47
1:A:889:GLU:OE2	1:A:889:GLU:N	2.38	0.47
1:B:118:PRO:HB2	6:B:1702:TRS:H12	1.95	0.47
1:B:254:TYR:CE2	1:B:260:VAL:HA	2.49	0.47
1:B:373:VAL:HG11	1:B:435:VAL:HG21	1.96	0.47
1:B:397:VAL:HG23	1:B:427:GLY:O	2.15	0.47
1:B:667:GLU:OE2	6:B:1702:TRS:H32	2.14	0.47
1:B:349:LEU:HG	1:B:446:ASN:HA	1.96	0.47
1:A:1548:ARG:HH11	1:A:1644:TRP:HH2	1.61	0.46
1:B:467:ILE:HD11	1:B:542:VAL:HB	1.96	0.46
1:A:942:VAL:HB	1:A:957:LYS:HD3	1.96	0.46
1:A:949:ILE:HG21	1:A:1307:LEU:HD11	1.97	0.46
1:A:1316:SER:HA	1:A:1323:LEU:H	1.80	0.46
1:A:1402:ILE:HG13	1:A:1479:ILE:HD13	1.97	0.46
1:B:353:LYS:NZ	1:B:378:SER:HA	2.31	0.46
1:B:489:LYS:HD3	1:B:489:LYS:HA	1.84	0.46
1:B:243:PHE:CE2	1:B:304:GLU:HB3	2.50	0.46
1:B:504:LEU:HD21	1:B:651:LEU:HG	1.97	0.46
1:A:1612:VAL:HB	1:A:1615:ARG:HD2	1.98	0.46
2:C:33:ILE:HG13	2:C:34:SER:H	1.80	0.46
1:B:320:ASN:HA	1:B:346:LYS:HE2	1.98	0.46
1:A:822:ASP:HB3	1:A:849:ARG:HD3	1.97	0.46
1:A:862:VAL:HG13	1:A:864:GLY:H	1.80	0.46
1:B:25:ILE:HD12	1:B:106:VAL:HG11	1.98	0.46
1:A:1429:PRO:HG2	1:A:1511:THR:HG23	1.98	0.45
2:C:33:ILE:HG23	2:C:35:PRO:HD2	1.99	0.45
1:B:105:GLU:HG3	1:B:114:SER:HB3	1.97	0.45
1:B:470:THR:OG1	1:B:471:ASP:N	2.50	0.45
1:A:821:LYS:HE3	1:B:584:PRO:HD2	1.98	0.45
1:B:469:TRP:HB3	1:B:484:ILE:HG22	1.97	0.45
1:A:1403:VAL:HG12	1:A:1476:ARG:HG2	1.98	0.44
1:A:693:SER:O	1:A:696:LYS:HG3	2.16	0.44
1:A:1008:ALA:HB2	1:A:1059:TYR:CG	2.52	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:396:ASP:HA	1:B:428:VAL:HA	1.98	0.44
1:B:90:LYS:HD2	1:B:90:LYS:HA	1.71	0.44
1:A:1080:ALA:HB1	1:A:1148:THR:HA	1.98	0.44
1:A:1213:LYS:HE3	1:A:1266:TYR:CZ	2.52	0.44
1:A:697:LYS:HE2	1:A:701:ASP:OD2	2.18	0.44
1:A:861:ALA:HB1	1:A:865:ILE:HB	1.98	0.44
1:A:1083:LEU:HD13	1:A:1104:LEU:HD23	1.99	0.44
1:B:265:VAL:CG2	1:B:292:LEU:HB2	2.46	0.44
1:B:355:ASN:N	1:B:355:ASN:OD1	2.50	0.44
1:A:726:LYS:HG3	1:A:727:ALA:N	2.33	0.44
1:A:780:VAL:HG22	1:A:784:LYS:HB3	1.99	0.44
1:A:823:VAL:HA	1:A:846:TYR:O	2.18	0.43
1:A:1008:ALA:HB2	1:A:1059:TYR:CD2	2.53	0.43
1:B:359:THR:HG21	1:B:372:LYS:H	1.84	0.43
1:A:1426:ILE:HG12	1:A:1493:PHE:CD1	2.53	0.43
1:A:1450:PHE:CZ	1:A:1475:VAL:HB	2.53	0.43
1:A:998:ASN:O	1:A:1001:THR:HG23	2.18	0.43
1:A:963:ILE:HB	1:A:1627:ILE:HG22	2.01	0.43
1:B:267:ILE:HG13	1:B:327:VAL:HG23	2.00	0.43
2:C:20:ARG:N	2:C:31:PRO:O	2.48	0.43
1:A:755:LYS:O	1:A:759:PRO:HG2	2.19	0.43
1:A:1020:TYR:OH	1:A:1295:GLU:OE1	2.32	0.43
1:B:307:VAL:HG21	1:B:318:LEU:HD11	2.00	0.43
1:A:869:GLU:H	1:A:869:GLU:HG3	1.52	0.42
1:A:1012:LEU:HG	1:A:1056:ILE:HD13	2.01	0.42
1:A:1226:ARG:HG2	1:A:1270:VAL:HG22	2.02	0.42
1:B:312:TYR:O	1:B:314:SER:N	2.44	0.42
1:B:304:GLU:HG3	1:B:305:THR:N	2.34	0.42
1:B:232:GLU:HG3	1:B:249:THR:OG1	2.20	0.42
1:A:1329:THR:HG23	1:A:1331:LYS:H	1.84	0.41
1:A:1577:TYR:CE1	1:A:1611:LEU:HB2	2.55	0.41
1:A:823:VAL:HG12	1:A:847:ASN:HA	2.02	0.41
1:A:1076:THR:HG23	1:A:1107:LEU:HD22	2.01	0.41
1:A:1135:VAL:HA	1:A:1138:ARG:HD3	2.01	0.41
1:A:712:GLU:OE1	1:A:712:GLU:N	2.50	0.41
1:A:751:ARG:HB3	1:A:755:LYS:HE3	2.02	0.41
1:B:128:ILE:HB	1:B:215:ALA:HB2	2.03	0.41
1:A:1559:TYR:O	1:A:1620:MET:HA	2.21	0.41
1:A:1585:TYR:CE1	1:A:1668:ALA:HB1	2.56	0.41
1:B:23:TYR:CE1	1:B:656:ASN:HB3	2.56	0.41
1:A:723:ARG:HA	1:A:726:LYS:HG2	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:995:GLU:H	1:A:995:GLU:HG3	1.41	0.41
1:B:22:THR:HA	1:B:656:ASN:HD21	1.86	0.41
1:A:1551:THR:HG21	1:A:1644:TRP:CD1	2.56	0.41
1:B:469:TRP:CZ3	1:B:559:VAL:HG21	2.56	0.41
1:A:708:ASP:OD2	4:A:1702:EDO:O1	2.39	0.40
1:A:1008:ALA:HB3	1:A:1078:LEU:HD21	2.03	0.40
1:A:1034:PHE:CD2	1:A:1041:GLU:HG3	2.55	0.40
1:A:1564:SER:HB2	1:A:1582:LEU:HD11	2.04	0.40
1:B:166:PRO:HD3	1:B:199:TRP:CD1	2.56	0.40
1:B:518:PHE:HB3	1:B:521:ALA:HB3	2.03	0.40
1:A:765:ILE:HG13	1:A:767:SER:H	1.86	0.40
1:B:253:ARG:HG3	1:B:258:LYS:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	963/1676 (58%)	914 (95%)	49 (5%)	0	100	100
1	B	642/1676 (38%)	617 (96%)	25 (4%)	0	100	100
2	C	32/34 (94%)	28 (88%)	4 (12%)	0	100	100
All	All	1637/3386 (48%)	1559 (95%)	78 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	857/1484 (58%)	846 (99%)	11 (1%)	69	81
1	B	572/1484 (38%)	560 (98%)	12 (2%)	53	71
2	C	25/25 (100%)	24 (96%)	1 (4%)	31	51
All	All	1454/2993 (49%)	1430 (98%)	24 (2%)	62	76

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	696	LYS
1	A	737	GLN
1	A	760	VAL
1	A	761	SER
1	A	782	ARG
1	A	869	GLU
1	A	995	GLU
1	A	1323	LEU
1	A	1587	THR
1	A	1654	CYS
1	A	1664	LEU
1	B	61	ASP
1	B	307	VAL
1	B	367	ILE
1	B	369	TYR
1	B	447	GLN
1	B	471	ASP
1	B	531	THR
1	B	549	GLU
1	B	623	VAL
1	B	625	GLN
1	B	626	PHE
1	B	660	ASP
2	C	9	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	D	1	3,1	14,14,15	0.42	0	17,19,21	0.46	0
3	NAG	D	2	3	14,14,15	0.50	0	17,19,21	0.78	1 (5%)
3	BMA	D	3	3	11,11,12	0.51	0	15,15,17	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	1/6/23/26	0/1/1/1
3	BMA	D	3	3	-	1/2/19/22	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	2	NAG	C1-O5-C5	2.12	115.07	112.19

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	3	BMA	O5-C5-C6-O6

*Continued on next page...*


Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	2	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	EDO	A	1701	-	3,3,3	0.46	0	2,2,2	0.31	0
4	EDO	A	1702	-	3,3,3	0.46	0	2,2,2	0.28	0
5	CYS	A	1703	1	4,5,6	0.58	0	1,5,7	0.10	0
4	EDO	B	1701	-	3,3,3	0.47	0	2,2,2	0.28	0
6	TRS	B	1702	-	7,7,7	0.34	0	9,9,9	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	1701	-	-	0/1/1/1	-
4	EDO	A	1702	-	-	0/1/1/1	-
5	CYS	A	1703	1	-	0/1/4/6	-
4	EDO	B	1701	-	-	0/1/1/1	-
6	TRS	B	1702	-	-	6/9/9/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	1702	TRS	C2-C-C1-O1
6	B	1702	TRS	N-C-C1-O1
6	B	1702	TRS	C3-C-C1-O1
6	B	1702	TRS	N-C-C3-O3
6	B	1702	TRS	C1-C-C3-O3
6	B	1702	TRS	C2-C-C3-O3


There are no ring outliers.



3 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1702	EDO	2	0
4	B	1701	EDO	1	0
6	B	1702	TRS	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	971/1676 (57%)	0.44	39 (4%) 38 45	53, 86, 158, 220	0
1	B	646/1676 (38%)	0.60	54 (8%) 11 13	52, 108, 164, 213	0
2	C	34/34 (100%)	2.30	18 (52%) 0 0	144, 189, 210, 223	0
All	All	1651/3386 (48%)	0.54	111 (6%) 17 21	52, 92, 166, 223	0

All (111) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	753	HIS	7.1
2	C	33	ILE	5.9
1	B	266	TYR	5.4
1	A	744	HIS	5.2
1	B	256	TYR	5.0
2	C	28	ASN	5.0
1	B	474	LYS	4.9
1	B	96	GLN	4.6
1	B	423	ASN	4.5
2	C	14	TYR	4.3
1	B	475	ALA	4.3
1	B	363	LEU	4.2
2	C	9	CYS	4.0
1	B	486	VAL	3.9
2	C	30	GLY	3.8
1	B	522	SER	3.8
1	B	273	GLU	3.8
1	A	965	LEU	3.7
2	C	2	CYS	3.6
1	A	996	GLY	3.6
2	C	8	GLU	3.5
1	A	755	LYS	3.5
1	A	1356	LEU	3.5

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	C	15	GLY	3.4
1	A	1307	LEU	3.4
1	A	950	TYR	3.4
1	B	421	VAL	3.3
1	B	293	ILE	3.3
2	C	10	GLY	3.2
1	B	393	GLN	3.2
1	B	369	TYR	3.1
1	B	328	THR	3.1
2	C	18	CYS	3.1
1	B	265	VAL	3.0
2	C	26	PHE	3.0
1	A	748	GLN	3.0
1	B	278	ASP	3.0
1	B	292	LEU	3.0
1	A	1518	LYS	3.0
1	A	738	LEU	2.9
2	C	31	PRO	2.9
1	A	749	LEU	2.9
2	C	5	GLY	2.9
1	A	1627	ILE	2.8
1	B	336	PHE	2.8
1	B	470	THR	2.8
1	A	691	LYS	2.8
1	A	1585	TYR	2.7
1	A	685	GLU	2.7
1	A	1634	ARG	2.7
1	A	1656	SER	2.7
1	B	518	PHE	2.7
1	B	263	ALA	2.7
1	B	623	VAL	2.7
1	A	754	MET	2.6
2	C	6	TRP	2.6
1	B	54	ILE	2.6
1	B	368	PRO	2.6
1	B	223	VAL	2.6
1	B	310	LEU	2.6
1	A	1131	GLY	2.6
1	A	1190	ILE	2.5
1	A	747	MET	2.5
1	A	1306	GLN	2.5
2	C	17	ALA	2.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	248	ILE	2.5
1	A	1236	ASP	2.5
1	B	312	TYR	2.5
1	A	686	ILE	2.5
1	A	692	HIS	2.4
1	B	419	SER	2.4
1	B	327	VAL	2.4
1	B	611	GLY	2.4
1	B	352	TYR	2.4
1	B	99	VAL	2.4
1	B	588	VAL	2.4
1	A	1336	ARG	2.4
1	A	944	LEU	2.3
1	B	395	ILE	2.3
1	A	1335	GLY	2.3
2	C	3	PRO	2.3
1	B	267	ILE	2.3
1	B	271	ILE	2.3
1	B	349	LEU	2.2
1	A	1357	ALA	2.2
1	B	252	ALA	2.2
1	B	484	ILE	2.2
1	B	454	ALA	2.2
1	B	224	LEU	2.2
1	B	318	LEU	2.2
1	A	765	ILE	2.1
1	A	987	ILE	2.1
1	A	949	ILE	2.1
1	A	1150	ILE	2.1
1	B	526	ILE	2.1
2	C	4	GLU	2.1
1	B	250	ILE	2.1
1	B	392	ALA	2.1
1	B	367	ILE	2.1
2	C	16	TYR	2.1
1	A	1264	ILE	2.1
1	B	229	VAL	2.1
1	A	752	LEU	2.0
1	B	431	LEU	2.0
1	A	1271	ILE	2.0
1	A	1676	CYS	2.0
1	B	262	GLU	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	433	PHE	2.0
1	B	449	ARG	2.0
1	A	1514	ILE	2.0
1	B	356	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	BMA	D	3	11/12	0.64	0.17	139,153,157,158	0
3	NAG	D	2	14/15	0.88	0.16	113,126,138,148	0
3	NAG	D	1	14/15	0.93	0.18	90,101,122,125	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	TRS	B	1702	8/8	0.63	0.41	90,115,131,146	0
4	EDO	A	1701	4/4	0.74	0.30	96,124,137,155	0
4	EDO	A	1702	4/4	0.86	0.43	101,104,121,151	0
4	EDO	B	1701	4/4	0.95	0.50	76,80,81,115	0
5	CYS	A	1703	6/7	0.96	0.19	122,126,130,141	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


**Electron density around TRS B 1702:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)


**Electron density around EDO A 1701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









## 6.5 Other polymers [i](#)

There are no such residues in this entry.