



Full wwPDB EM Validation Report ⓘ

Feb 27, 2023 – 06:40 pm GMT

PDB ID : 8AGZ
EMDB ID : EMD-15428
Title : Yeast RQC complex in state with the RING domain of Ltn1 in the OUT position
Authors : Tesina, P.; Buschauer, R.; Beckmann, R.
Deposited on : 2022-07-20
Resolution : 2.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	204	
2	B	199	
3	C	184	
4	D	186	
5	E	189	
6	F	172	
7	G	160	























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	H	121	
9	I	137	
10	J	155	
11	K	142	
12	L	127	
13	M	136	
14	N	149	
15	O	59	
16	P	105	
17	Q	113	
18	R	130	
19	S	107	
20	T	121	
21	U	120	
22	V	100	
23	W	88	
24	X	78	
25	Y	51	
26	Z	128	
27	b	106	
28	c	92	
29	d	25	
30	f	3395	
31	h	121	
32	i	158	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	j	254	 97%
34	k	387	 99%
35	l	362	 99%
36	m	297	 98%
37	n	176	 94% 5%
38	o	244	 91% 9%
39	p	256	 89% 9%
40	q	191	 98%
41	r	221	 98%
42	s	174	 94%
43	t	199	 96%
44	u	138	 97%
45	a	1038	 21% 81% 18%
46	e	1562	 16% 92% 6%
47	g	245	 91% 8%
48	v	157	 39% 89% 10%
49	w	217	 88% 99%
50	x	76	 5% 66% 30%
50	y	76	 67% 25%
51	z	165	 89% 10%
52	0	312	 30% 7% 61%
53	1	18	 78% 22%

2 Entry composition [i](#)

There are 56 unique types of molecules in this entry. The entry contains 151339 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	203	1720	1077	361	281	1	0	0

- Molecule 2 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	197	1555	1003	289	262	1	197	0

- Molecule 3 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	C	183	1416	879	284	253	0	0

- Molecule 4 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	185	1441	908	290	241	2	0	0

- Molecule 5 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	E	156	1258	781	265	212	0	0

- Molecule 6 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	171	1437	925	266	243	3	0	0

- Molecule 7 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	159	1272	802	245	221	4	0	0

- Molecule 8 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	H	100	796	516	131	149	0	0

- Molecule 9 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	136	1003	628	189	179	7	0	0

- Molecule 10 is a protein called 60S ribosomal protein L24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	63	518	333	102	82	1	0	0

- Molecule 11 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	K	121	964	620	169	173	2	0	0

- Molecule 12 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	L	125	984	620	191	173	0	0

- Molecule 13 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
13	M	135	1080	701	199	180	0	0

- Molecule 14 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	N	148	1169	747	231	188	3	0	0

- Molecule 15 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	O	58	462	289	100	73		0	0

- Molecule 16 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	P	96	737	476	123	137	1	0	0

- Molecule 17 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	Q	109	876	556	167	152	1	0	0

- Molecule 18 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	R	127	1013	642	205	165	1	0	0

- Molecule 19 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	S	106	850	540	165	144	1	0	0

- Molecule 20 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	T	112	880	545	179	152	4	0	0

- Molecule 21 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 22 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	99	Total	C	N	O	S	0	0
			766	478	154	132	2		

- Molecule 23 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	W	81	Total	C	N	O	S	0	0
			645	393	141	106	5		

- Molecule 24 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	X	77	Total	C	N	O	0	0
			612	391	115	106		

- Molecule 25 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 26 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	52	Total	C	N	O	S	0	0
			410	254	86	65	5		

- Molecule 27 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	103	Total	C	N	O	S	0	0
			824	517	167	135	5		

- Molecule 28 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	c	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 29 is a protein called 60S ribosomal protein L41-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	22	Total	C	N	O	S	0	0
			207	127	56	23	1		

- Molecule 30 is a RNA chain called 25S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	f	3216	Total	C	N	O	P	0	0
			68782	30723	12389	22454	3216		

- Molecule 31 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	h	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 32 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	i	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 33 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	j	246	Total	C	N	O	S	0	0
			1874	1168	380	325	1		

- Molecule 34 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	k	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

- Molecule 35 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	l	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 36 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	m	294	Total	C	N	O	S	0	0
			2351	1484	410	455	2		

- Molecule 37 is a protein called 60S ribosomal protein L6-B.

Mol	Chain	Residues	Atoms				AltConf	Trace
37	n	167	Total	C	N	O	0	0
			1307	843	234	230		

- Molecule 38 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	o	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 39 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	p	233	Total	C	N	O	S	0	0
			1804	1151	323	327	3		

- Molecule 40 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	q	191	Total	C	N	O	S	0	0
			1508	957	274	273	4		

- Molecule 41 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	r	218	Total	C	N	O	S	0	0
			1764	1117	334	306	7		

- Molecule 42 is a protein called 60S ribosomal protein L11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	s	169	1346	843	252	247	4	0	0

- Molecule 43 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	t	193	1543	962	315	266		0	0

- Molecule 44 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	u	136	1053	675	199	177	2	0	0

- Molecule 45 is a protein called RQC2 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	a	848	6579	4194	1142	1226	17	0	0

- Molecule 46 is a protein called E3 ubiquitin-protein ligase listerin.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	e	1527	11506	7350	1937	2181	38	0	0

- Molecule 47 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	g	225	1651	1030	282	332	7	0	0

- Molecule 48 is a protein called Eukaryotic translation initiation factor 5A-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	v	142	1085	676	183	217	9	0	0

- Molecule 49 is a protein called 60S ribosomal protein L1-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	w	216	1709	1092	298	310	9	0	0

- Molecule 50 is a RNA chain called Ala tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
50	x	74	1579	702	277	526	74	0	0
50	y	73	1556	692	272	519	73	0	0

- Molecule 51 is a protein called 60S ribosomal protein L12-B.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
51	z	148	728	432	148	148	0	0

- Molecule 52 is a protein called 60S acidic ribosomal protein P0.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	0	121	961	618	167	173	3	0	0

- Molecule 53 is a protein called CAT-tailed nascent chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
53	1	18	90	54	18	18	0	0

- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
54	A	1	Total	Mg	0
			1	1	
54	C	1	Total	Mg	0
			1	1	
54	E	1	Total	Mg	0
			1	1	
54	I	1	Total	Mg	0
			1	1	
54	R	1	Total	Mg	0
			1	1	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
54	T	1	Total 1	Mg 1	0
54	f	3	Total 3	Mg 3	0
54	h	1	Total 1	Mg 1	0
54	j	2	Total 2	Mg 2	0
54	k	1	Total 1	Mg 1	0

- Molecule 55 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
55	T	1	Total 1	Zn 1	0
55	W	1	Total 1	Zn 1	0
55	Z	1	Total 1	Zn 1	0
55	b	1	Total 1	Zn 1	0
55	c	1	Total 1	Zn 1	0
55	e	2	Total 2	Zn 2	0

- Molecule 56 is SPERMIDINE (three-letter code: SPD) (formula: C₇H₁₉N₃).




Mol	Chain	Residues	Atoms			AltConf
56	f	1	Total	C	N	0
			10	7	3	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 60S ribosomal protein L15-A




- Molecule 2: 60S ribosomal protein L16-A




- Molecule 3: 60S ribosomal protein L17-A



- Molecule 4: 60S ribosomal protein L18-A




- Molecule 5: 60S ribosomal protein L19-A





GLU
ASP
ALA

• Molecule 6: 60S ribosomal protein L20-A




• Molecule 7: 60S ribosomal protein L21-A




• Molecule 8: 60S ribosomal protein L22-A





• Molecule 9: 60S ribosomal protein L23-A




• Molecule 10: 60S ribosomal protein L24-A




• Molecule 11: 60S ribosomal protein L25



• Molecule 12: 60S ribosomal protein L26-A

Chain L:  92% 6%




- Molecule 13: 60S ribosomal protein L27-A

Chain M:  92% 7%





- Molecule 14: 60S ribosomal protein L28

Chain N:  92% 7%




- Molecule 15: 60S ribosomal protein L29

Chain O:  83% 12%





- Molecule 16: 60S ribosomal protein L30

Chain P:  86% 6% 9%



- Molecule 17: 60S ribosomal protein L31-A

Chain Q:  80% 17%




- Molecule 18: 60S ribosomal protein L32

Chain R:  92% 6%





- Molecule 19: 60S ribosomal protein L33-A

Chain S:  93% 6%



- Molecule 20: 60S ribosomal protein L34-A

Chain T:  88% 5% 7%




- Molecule 21: 60S ribosomal protein L35-A

Chain U:  93% 6%




- Molecule 22: 60S ribosomal protein L36-A

Chain V:  93% 6%





- Molecule 23: 60S ribosomal protein L37-A

Chain W:  85% 7% 8%



- Molecule 24: 60S ribosomal protein L38

Chain X:  88% 10%



- Molecule 25: 60S ribosomal protein L39

Chain Y:  98%




- Molecule 26: Ubiquitin-60S ribosomal protein L40



MET GLN ILE PHE VAL LYS THR LEU THR LEU GLY LYS THR ILE THR LEU GLU VAL GLU SER SER THR ASP THR ILE ASP ASN VAL LYS SER SER LYS ILE GLN ASP LYS GLU ILE PRO PRO ASP GLN ARG ARG LEU PHE ILE PHE ALA GLY LYS GLN LEU LEU ASP ASP ARG ARG THR LEU SER ASP TYR ASN

ILE GLN LYS SER THR LEU HIS LEU VAL LEU ARG ARG ARG GLY I77 K128

- Molecule 27: 60S ribosomal protein L42-A




MET V2 L104 GLN PHE

- Molecule 28: 60S ribosomal protein L43-A



MET A2 A92

- Molecule 29: 60S ribosomal protein L41-A



M4 K22 V23 R24 A25 ARG SER LYS

- Molecule 30: 25S rRNA



G U U3 A6 A13 U14 A26 C36 A40 A43 A49 G59 A60 A65 A66 U78 U87 G92 U97 G98 A99 A109 C110 C111 U112 C113 A116 G120 A121 A122 U133 U134 C135 G136 C142 U149 G156 A157 A165


C166 G172 G173 A187 U190 U191 C192 C200 G206 U210 A211 A212 A213 G218 A219 G234 U240 G241 G242 U244 G243 G244 U245 U249 U252 G269 U270 G282 G283 U286 A295 U305 C315 A323 U329 C339 C350 U354

A374 A375 G376 A398 A399 G400 U401 A402 C403 G406 U411 G421 A422 C439 A440 U441 G442 G443 G444 G445 U446 U447 U448 U449 U449 G450 U451 G C C C U U C U C C U U U G C C C U U U G C C C U U U G C C C U U U C

U C C A486 U487 U488 U489 C490 G494 G518 A519 U520 A521 A522 A523 U524 G535 U536 C543 C544 U545 C546 G547 U548 G548 A551 G552 U555 U556 A557 U558 A559 A578 G579 A589 G597 G604 G608 G609 G610 A611 U620 A621 A622 C637 C638 U679


A649 A660 A677 U681 G684 A690 A691 A705 G712 A715 A716 U719 A720 C758 G763 U764 C765 U766 U767 U776 U777 A780 G781 G785 A786 A806 A817 A830 C835 A846 C849 U850 C861 U865 U874 U879

U885	U1028	A1217	G1349	A1566	A1760	U	C	A2223	A2404	U2505	U2652	U2818	C3034
U890	A1036	U1218	A1350	U1567	C1761	G	U	A2224	C2405	U2514	A2656	C2821	A3048
A896	U1041	C1219	A1352	U1569	U1764	A	A	U2225	U2411	A2515	A2674	G2834	U3056
G907	A1047	G1222	G1353	U1572	U1765	G	G	A2226	A2419	G2522	A2677	U2835	U3058
G908	A1048	A1225	A1355	G1573	G1766	C	C	C2235	G2437	C2526	A2678	C2836	G3059
A914	C1049	A1226	A1356	C1574	G1770	U	U	G2249	G2444	C2531	A2689	U2842	U3078
A915	G1063	G1227	A1357	A1575	G1775	A	A	U2254	A2445	U2537	G2690	C2844	U3079
A917	A1064	U1235	A1358	G1576	G1780	C	C	A	U2446	A2540	A2691	A2845	G3080
A920	A1065	G1236	A1359	G1577	A1797	U	U	U	A2447	U2541	A2694	U2846	A3086
A921	G1072	G1237	G1400	A1580	A1814	A	A	A	G2450	U2542	A2695	C2849	C3092
U922	U1081	G1238	A1392	C1581	U1815	C	C	C	G2451	U2543	A2696	U2850	U3104
C923	U1087	C1239	A1399	C1582	A1816	U	U	U	G2452	U2544	A2704	C2857	A3113
G924	G1087	A1240	G1400	A1589	U1819	C	C	A	G2453	U2547	G2714	G2871	A3122
A925	A1088	G1242	U1425	G1590	U1820	A	A	A	G2454	C2548	U2719	A2872	U3130
A926	A1093	G1243	G1434	C1597	U1821	C	C	U	A2455	G2549	U2726	U2873	A3131
A937	U1094	A1244	U1094	G1604	U1821	U	U	U	A2456	U2550	C2726	G2874	U3131
U937	U1095	A1245	A1437	A1605	A1835	G	G	A	A2458	C2552	U2728	U2875	A3142
C944	U1096	A1251	U1446	U1606	A1839	U	U	U	A2459	U2553	U2729	A2887	C3143
U954	A1098	C1254	G1447	C1608	U1840	C	C	A	A2460	U2554	A2740	G2898	U3148
C959	U1103	G1258	U1448	U1607	U1841	U	U	U	A2461	U2555	U2752	C2899	U3151
U960	G1104	A1259	G1450	C1608	U1842	C	C	U	A2462	G2556	G2753	A2911	U3152
C969	G1115	U1258	G1450	U1620	A1846	A	A	U	A2463	U2557	G2754	G2914	C3154
U981	U1117	A1263	A1481	U1629	C1849	C	C	U	A2464	U2558	A2467	U2914	U3155
C982	G1116	G1264	A1482	C1639	A1850	U	U	U	A2467	U2559	A2474	G2914	U3156
U985	U1131	U1265	G1483	A1642	C1856	G	G	A	G2475	G2560	U2471	U2923	U3157
U986	G1131	U1269	U1487	A1643	A1867	C	C	U	G2476	U2561	U2472	U2935	U3157
G991	U1144	C1272	G1488	C1644	C1872	U	U	U	C2477	U2562	C2473	A2936	A3165
G994	A1153	C1277	U1488	U1645	G1878	G	G	U	C2479	U2563	A2485	G2941	A3170
U995	A1159	A1278	U1488	C1657	U1879	U	U	U	A2480	C2564	A2486	C2942	G3173
G1001	C1160	C1279	U1502	A1683	U1880	C	C	U	A2481	G2565	U2487	A2971	A3174
A1002	U1177	G1282	C1508	U1688	A1881	A	A	U	A2482	C2566	A2488	C2983	U3175
G1010	G1191	G1285	G1525	U1716	A1893	G	G	U	A2484	A2373	A2489	G2983	G3176
U1015	U1191	A1286	U1554	U1717	G1906	U	U	U	A2485	G2335	A2490	G2990	U3179
C1016	A1181	A1287	U1555	U1724	C1907	C	C	U	A2486	U2336	A2491	A2991	A3180
C1017	U1181	A1287	U1557	C1725	G1943	U	U	U	A2487	U2336	A2492	U2992	C3181
G1018	A1190	G1295	A1557	U1732	C1943	C	C	U	A2488	U2338	A2493	C2997	A3186
G1021	U1191	G1307	U1557	G1736	G1951	U	U	U	A2489	G2339	A2494	U2997	A3187
G1024	A1197	A1308	U1557	A1741	G1952	A	A	U	C2496	U2339	A2495	C3006	U3196
A1025	C1201	A1309	U1560	A1750	G1953	C	C	U	U2497	U2339	C2496	G2814	U3207
A1026	A1202	U1309	A1561	G1751	G1954	C	C	U	U2499	U2340	C2497	G2815	G3208
A1027	U1208	A1348	C1562	U1751	U1955	U	U	U	U2501	A2402	A2402	A2817	A3209



- Molecule 31: 5S rRNA

Chain h: 85% 15%




- Molecule 32: 5.8S rRNA

Chain i: 78% 20%




- Molecule 33: 60S ribosomal protein L2-A

Chain j: 97%



- Molecule 34: 60S ribosomal protein L3

Chain k: 99%




- Molecule 35: 60S ribosomal protein L4-A

Chain l: 99%




- Molecule 36: 60S ribosomal protein L5

Chain m: 98%





- Molecule 37: 60S ribosomal protein L6-B

Chain n:  94% 5%





- Molecule 38: 60S ribosomal protein L7-A

Chain o:  91% 9%




- Molecule 39: 60S ribosomal protein L8-A

Chain p:  89% 9%



- Molecule 40: 60S ribosomal protein L9-A

Chain q:  98%



- Molecule 41: 60S ribosomal protein L10

Chain r:  98%



- Molecule 42: 60S ribosomal protein L11-A

Chain s:  94%



- Molecule 43: 60S ribosomal protein L13-A



Chain t:  96%





• Molecule 44: 60S ribosomal protein L14-A




• Molecule 45: RQC2 isoform 1




• Molecule 46: E3 ubiquitin-protein ligase listerin







• Molecule 47: Eukaryotic translation initiation factor 6




• Molecule 48: Eukaryotic translation initiation factor 5A-1




• Molecule 49: 60S ribosomal protein L1-A








• Molecule 50: Ala tRNA




• Molecule 50: Ala tRNA



• Molecule 51: 60S ribosomal protein L12-B




• Molecule 52: 60S acidic ribosomal protein P0



LEU ALA VAL ILE ALA ALA SER TYR HIS TYR PRO GLU ILE GLU ASP LEU VAL ASP ARG ILE GLU ASN PRO GLU LYS TYR ALA ALA ALA PRO ALA ALA THR SER ALA ALA SER GLY ASP ALA PRO ALA GLU GLU ALA ALA GLU GLU GLU SER SER ASP ASP PRO ALA MET

GLY PHE GLY LEU PHE ASP

- Molecule 53: CAT-tailed nascent chain

Chain 1:  78% 22%

X41 X42 X43 X44 X45 X58

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	79267	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	46	Depositor
Minimum defocus (nm)	400	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	3.680	Depositor
Minimum map value	-0.672	Depositor
Average map value	0.021	Depositor
Map value standard deviation	0.131	Depositor
Recommended contour level	0.4	Depositor
Map size (Å)	476.55002, 476.55002, 476.55002	wwPDB
Map dimensions	450, 450, 450	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.059, 1.059, 1.059	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 5CT, SPD, MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/1757	0.70	1/2354 (0.0%)
2	B	0.39	0/1585	0.64	1/2128 (0.0%)
3	C	0.37	0/1439	0.71	2/1938 (0.1%)
4	D	0.34	0/1465	0.67	1/1965 (0.1%)
5	E	0.37	0/1275	0.67	1/1702 (0.1%)
6	F	0.38	0/1473	0.65	0/1980
7	G	0.36	0/1296	0.62	0/1739
8	H	0.39	0/812	0.69	3/1099 (0.3%)
9	I	0.35	0/1018	0.64	0/1369
10	J	0.36	0/530	0.63	0/703
11	K	0.41	0/979	0.69	1/1321 (0.1%)
12	L	0.35	0/995	0.67	1/1329 (0.1%)
13	M	0.36	0/1106	0.61	0/1485
14	N	0.40	0/1200	0.62	0/1607
15	O	0.32	0/473	0.72	2/629 (0.3%)
16	P	0.35	0/745	0.68	0/1001
17	Q	0.39	0/890	0.77	2/1196 (0.2%)
18	R	0.32	0/1034	0.59	0/1385
19	S	0.38	0/868	0.61	0/1168
20	T	0.35	0/890	0.67	0/1189
21	U	0.34	0/978	0.65	1/1301 (0.1%)
22	V	0.34	0/772	0.66	0/1026
23	W	0.39	0/660	0.69	0/875
24	X	0.33	0/618	0.78	1/826 (0.1%)
25	Y	0.33	0/443	0.65	0/588
26	Z	0.33	0/416	0.70	0/553
27	b	0.36	0/836	0.65	0/1104
28	c	0.36	0/701	0.66	0/934
29	d	0.26	0/208	0.84	0/267
30	f	0.61	0/76989	1.03	301/120031 (0.3%)
31	h	0.53	0/2883	0.98	9/4491 (0.2%)
32	i	0.60	0/3746	0.96	7/5832 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	j	0.37	0/1908	0.67	0/2564
34	k	0.37	0/3146	0.64	1/4228 (0.0%)
35	l	0.36	0/2800	0.65	2/3790 (0.1%)
36	m	0.34	0/2400	0.66	4/3239 (0.1%)
37	n	0.36	0/1329	0.67	0/1794
38	o	0.37	0/1821	0.61	0/2451
39	p	0.34	0/1836	0.62	2/2481 (0.1%)
40	q	0.37	0/1529	0.68	2/2060 (0.1%)
41	r	0.33	0/1801	0.64	0/2416
42	s	0.36	0/1367	0.70	3/1834 (0.2%)
43	t	0.36	0/1568	0.69	1/2106 (0.0%)
44	u	0.34	0/1068	0.66	1/1438 (0.1%)
45	a	0.31	0/6689	0.57	3/9023 (0.0%)
46	e	0.37	0/11705	0.57	1/15895 (0.0%)
47	g	0.32	0/1672	0.63	0/2281
48	v	0.31	0/1084	0.62	1/1456 (0.1%)
49	w	0.33	0/1736	0.65	0/2332
50	x	0.36	0/1760	1.02	8/2738 (0.3%)
50	y	0.40	0/1734	1.10	7/2697 (0.3%)
51	z	0.37	0/726	0.60	0/1006
52	0	0.33	0/976	0.55	0/1313
All	All	0.50	0/161735	0.88	370/236257 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
15	O	0	1
21	U	0	1
34	k	0	1
35	l	0	2
39	p	0	3
40	q	0	1
44	u	0	1
46	e	0	1
47	g	0	1
All	All	0	12

There are no bond length outliers.

All (370) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	3217	C	N1-C2-O2	12.11	126.17	118.90
30	f	3217	C	C2-N1-C1'	11.31	131.25	118.80
50	y	75	C	C6-N1-C2	-10.30	116.18	120.30
30	f	3217	C	N3-C2-O2	-9.73	115.09	121.90
11	K	134	ASP	CB-CG-OD1	9.72	127.05	118.30
30	f	922	U	C2-N1-C1'	9.30	128.86	117.70
17	Q	84	ASP	CB-CG-OD1	9.26	126.64	118.30
50	y	75	C	C5-C6-N1	9.09	125.55	121.00
30	f	2531	C	N1-C2-O2	8.89	124.23	118.90
30	f	922	U	N1-C2-O2	8.84	128.99	122.80
30	f	3278	C	N1-C2-O2	8.70	124.12	118.90
30	f	3181	C	N1-C2-O2	8.69	124.11	118.90
30	f	3181	C	C2-N1-C1'	8.47	128.12	118.80
30	f	2836	C	N3-C2-O2	-8.26	116.12	121.90
30	f	1279	C	C5-C6-N1	8.24	125.12	121.00
30	f	2836	C	C2-N1-C1'	8.19	127.81	118.80
36	m	230	ASP	CB-CG-OD1	8.12	125.61	118.30
30	f	1496	C	C2-N1-C1'	8.10	127.71	118.80
30	f	922	U	N3-C2-O2	-8.00	116.60	122.20
30	f	406	G	O4'-C1'-N9	7.98	114.58	108.20
30	f	1645	U	N3-C2-O2	-7.86	116.70	122.20
4	D	41	ASP	CB-CG-OD1	7.84	125.36	118.30
30	f	2205	U	N1-C2-O2	7.84	128.29	122.80
30	f	2444	C	C2-N1-C1'	7.82	127.40	118.80
30	f	3217	C	C6-N1-C2	-7.79	117.18	120.30
30	f	3217	C	C6-N1-C1'	-7.76	111.48	120.80
30	f	2983	C	C2-N1-C1'	7.74	127.31	118.80
30	f	1208	U	N1-C2-O2	7.73	128.21	122.80
30	f	3306	U	N3-C2-O2	-7.71	116.80	122.20
30	f	2652	U	N3-C2-O2	-7.66	116.84	122.20
30	f	3278	C	N3-C2-O2	-7.58	116.60	121.90
30	f	2541	U	P-O3'-C3'	7.53	128.74	119.70
30	f	3278	C	C2-N1-C1'	7.53	127.09	118.80
30	f	3306	U	C2-N1-C1'	7.53	126.74	117.70
30	f	2205	U	N3-C2-O2	-7.51	116.94	122.20
30	f	758	C	C2-N1-C1'	7.42	126.97	118.80
30	f	1277	C	C2-N1-C1'	7.41	126.95	118.80
30	f	1645	U	N1-C2-O2	7.41	127.98	122.80
30	f	2836	C	N1-C2-O2	7.40	123.34	118.90
30	f	2502	A	OP2-P-O3'	7.39	121.46	105.20
30	f	2235	C	C2-N1-C1'	7.38	126.92	118.80
30	f	3181	C	N3-C2-O2	-7.31	116.78	121.90
30	f	1556	C	N1-C2-O2	7.31	123.28	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	1239	C	C2-N1-C1'	7.26	126.78	118.80
30	f	1349	G	N3-C4-C5	-7.22	124.99	128.60
15	O	36	ASP	CB-CG-OD1	7.22	124.80	118.30
30	f	2531	C	C2-N1-C1'	7.18	126.70	118.80
42	s	170	ASP	CB-CG-OD1	7.18	124.76	118.30
30	f	2923	U	N1-C2-O2	7.15	127.81	122.80
39	p	158	ASP	CB-CG-OD1	7.13	124.72	118.30
30	f	2502	A	P-O3'-C3'	7.13	128.25	119.70
30	f	1227	C	C2-N1-C1'	7.12	126.64	118.80
30	f	1277	C	N1-C2-O2	7.11	123.17	118.90
30	f	2205	U	C2-N1-C1'	7.11	126.24	117.70
30	f	78	U	N3-C2-O2	-7.11	117.22	122.20
30	f	1227	C	N1-C2-O2	7.09	123.15	118.90
30	f	1307	G	P-O3'-C3'	7.07	128.19	119.70
30	f	1604	G	C4-N9-C1'	7.07	135.69	126.50
30	f	982	C	C2-N1-C1'	7.06	126.57	118.80
30	f	1815	U	P-O3'-C3'	7.06	128.17	119.70
30	f	14	U	O5'-P-OP2	-7.03	99.37	105.70
30	f	1645	U	C2-N1-C1'	7.01	126.11	117.70
30	f	36	C	N1-C2-O2	7.01	123.11	118.90
30	f	1872	C	N1-C2-O2	6.97	123.08	118.90
30	f	2405	C	C6-N1-C2	-6.97	117.51	120.30
30	f	1272	C	N1-C2-O2	6.96	123.07	118.90
30	f	1208	U	C2-N1-C1'	6.93	126.02	117.70
30	f	1349	G	C4-N9-C1'	6.93	135.51	126.50
50	x	25	C	N3-C2-O2	-6.92	117.05	121.90
30	f	3306	U	N1-C2-O2	6.90	127.63	122.80
30	f	1227	C	C5-C6-N1	6.86	124.43	121.00
30	f	3217	C	C5-C6-N1	6.86	124.43	121.00
30	f	3275	U	OP1-P-O3'	6.84	120.26	105.20
30	f	3235	C	C2-N1-C1'	6.83	126.32	118.80
30	f	2923	U	N3-C2-O2	-6.81	117.43	122.20
30	f	2846	U	C2-N1-C1'	6.80	125.86	117.70
30	f	2846	U	N3-C2-O2	-6.78	117.45	122.20
30	f	1227	C	C6-N1-C2	-6.78	117.59	120.30
30	f	270	U	N1-C2-O2	6.76	127.53	122.80
12	L	11	ASP	CB-CG-OD1	6.76	124.38	118.30
30	f	2537	U	P-O3'-C3'	6.67	127.71	119.70
50	x	28	U	N3-C4-O4	6.67	124.07	119.40
30	f	2983	C	N3-C2-O2	-6.66	117.23	121.90
30	f	2189	U	N1-C2-O2	6.66	127.46	122.80
30	f	2836	C	C6-N1-C2	-6.65	117.64	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	h	26	C	N1-C2-O2	6.65	122.89	118.90
30	f	270	U	N3-C2-O2	-6.64	117.55	122.20
30	f	2531	C	N3-C2-O2	-6.64	117.25	121.90
30	f	3058	U	C2-N1-C1'	6.61	125.63	117.70
30	f	2112	U	OP2-P-O3'	6.60	119.72	105.20
30	f	1239	C	N1-C2-O2	6.54	122.83	118.90
2	B	27[A]	LEU	CB-CG-CD2	-6.54	99.88	111.00
30	f	2189	U	N3-C2-O2	-6.52	117.64	122.20
30	f	2235	C	C6-N1-C2	-6.51	117.70	120.30
30	f	3214	U	C2-N1-C1'	6.51	125.51	117.70
32	i	64	U	N3-C2-O2	-6.49	117.66	122.20
30	f	1208	U	N3-C2-O2	-6.49	117.66	122.20
30	f	2101	C	P-O3'-C3'	6.47	127.46	119.70
30	f	3034	C	N1-C2-O2	6.46	122.78	118.90
30	f	2112	U	P-O3'-C3'	6.46	127.45	119.70
30	f	524	U	N1-C2-O2	6.40	127.28	122.80
44	u	47	ASP	CB-CG-OD1	6.40	124.06	118.30
30	f	2550	U	N3-C2-O2	-6.38	117.73	122.20
35	l	155	ASP	CB-CG-OD1	6.38	124.04	118.30
30	f	1556	C	N3-C2-O2	-6.38	117.44	121.90
30	f	1269	U	C2-N1-C1'	6.37	125.34	117.70
30	f	1269	U	N1-C2-O2	6.34	127.24	122.80
30	f	2983	C	N1-C2-O2	6.34	122.70	118.90
31	h	105	C	N1-C2-O2	6.33	122.70	118.90
30	f	865	U	N3-C2-O2	-6.33	117.77	122.20
21	U	79	ASP	CB-CG-OD1	6.32	123.99	118.30
30	f	986	U	N3-C2-O2	-6.32	117.78	122.20
30	f	2274	U	N1-C2-O2	6.31	127.22	122.80
30	f	3058	U	N1-C2-O2	6.31	127.22	122.80
30	f	524	U	N3-C2-O2	-6.29	117.80	122.20
30	f	2617	U	N3-C2-O2	-6.29	117.80	122.20
36	m	137	ASP	CB-CG-OD1	6.28	123.95	118.30
30	f	922	U	C6-N1-C1'	-6.27	112.42	121.20
30	f	2726	C	N3-C2-O2	-6.27	117.51	121.90
30	f	2464	U	C2-N1-C1'	6.26	125.21	117.70
30	f	1496	C	C6-N1-C2	-6.26	117.80	120.30
1	A	153	ASP	CB-CG-OD1	6.25	123.92	118.30
45	a	697	LEU	CA-CB-CG	6.25	129.67	115.30
30	f	36	C	N3-C2-O2	-6.22	117.54	121.90
30	f	1097	G	P-O3'-C3'	6.22	127.17	119.70
30	f	1269	U	N3-C2-O2	-6.22	117.85	122.20
30	f	2444	C	C6-N1-C2	-6.21	117.82	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	2726	C	C2-N1-C1'	6.21	125.62	118.80
30	f	1349	G	N3-C4-N9	6.20	129.72	126.00
30	f	192	C	C2-N1-C1'	6.19	125.61	118.80
30	f	1716	U	P-O3'-C3'	6.18	127.11	119.70
30	f	1878	G	C4-N9-C1'	6.18	134.53	126.50
40	q	42	ASP	CB-CG-OD1	6.18	123.86	118.30
30	f	3104	U	N1-C2-O2	6.17	127.12	122.80
30	f	637	C	P-O3'-C3'	6.14	127.07	119.70
30	f	915	A	C2-N3-C4	6.14	113.67	110.60
30	f	2846	U	N1-C2-O2	6.13	127.09	122.80
30	f	2550	U	C2-N1-C1'	6.13	125.05	117.70
30	f	2388	U	N3-C2-O2	-6.12	117.92	122.20
30	f	1115	G	C4-N9-C1'	6.09	134.41	126.50
30	f	2842	U	N1-C2-O2	6.08	127.06	122.80
30	f	2923	U	C2-N1-C1'	6.07	124.98	117.70
30	f	3104	U	N3-C2-O2	-6.06	117.96	122.20
30	f	995	U	N1-C2-O2	6.06	127.04	122.80
30	f	1064	A	P-O3'-C3'	6.04	126.95	119.70
30	f	2553	U	C2-N1-C1'	6.04	124.95	117.70
30	f	1872	C	N3-C2-O2	-6.04	117.67	121.90
30	f	3300	U	N3-C2-O2	-6.03	117.98	122.20
30	f	1604	G	C8-N9-C1'	-6.03	119.17	127.00
30	f	2274	U	C2-N1-C1'	6.03	124.93	117.70
30	f	2132	C	N3-C2-O2	-6.02	117.69	121.90
31	h	26	C	C6-N1-C2	-6.02	117.89	120.30
30	f	2204	C	C6-N1-C2	-6.01	117.90	120.30
30	f	3131	U	C2-N1-C1'	5.98	124.87	117.70
30	f	1907	C	N1-C2-O2	5.97	122.48	118.90
30	f	2585	G	N3-C4-C5	-5.97	125.61	128.60
30	f	2405	C	N3-C2-O2	-5.96	117.72	121.90
30	f	985	U	N3-C2-O2	-5.96	118.03	122.20
8	H	51	GLY	C-N-CA	5.95	136.59	121.70
30	f	1604	G	N3-C4-N9	5.95	129.57	126.00
8	H	18	ASP	CB-CG-OD1	5.94	123.65	118.30
34	k	87	VAL	CG1-CB-CG2	-5.94	101.39	110.90
30	f	969	C	C6-N1-C2	-5.94	117.92	120.30
30	f	2132	C	C6-N1-C2	-5.94	117.92	120.30
30	f	2652	U	N1-C2-O2	5.94	126.96	122.80
30	f	1355	A	P-O3'-C3'	5.94	126.82	119.70
30	f	3181	C	C6-N1-C1'	-5.93	113.68	120.80
30	f	1556	C	C2-N1-C1'	5.93	125.32	118.80
32	i	100	U	C2-N1-C1'	5.91	124.79	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	3048	A	O4'-C1'-N9	5.91	112.92	108.20
30	f	1425	U	N3-C2-O2	-5.90	118.07	122.20
30	f	865	U	N1-C2-O2	5.90	126.93	122.80
30	f	1279	C	C6-N1-C2	-5.88	117.95	120.30
30	f	1820	U	P-O3'-C3'	5.87	126.75	119.70
30	f	1562	C	P-O3'-C3'	5.87	126.74	119.70
30	f	3214	U	N3-C2-O2	-5.86	118.10	122.20
30	f	1525	G	C4-N9-C1'	5.86	134.11	126.50
30	f	1272	C	N3-C2-O2	-5.84	117.81	121.90
30	f	1437	C	C2-N1-C1'	5.83	125.21	118.80
30	f	1604	G	N3-C4-C5	-5.82	125.69	128.60
30	f	3316	A	P-O3'-C3'	5.82	126.68	119.70
30	f	2531	C	C6-N1-C2	-5.81	117.97	120.30
30	f	142	C	N1-C2-O2	5.80	122.38	118.90
30	f	835	G	O4'-C1'-N9	5.79	112.83	108.20
30	f	1577	G	N1-C6-O6	-5.79	116.42	119.90
30	f	2204	C	C5-C6-N1	5.79	123.90	121.00
42	s	9	MET	CA-CB-CG	5.79	123.14	113.30
30	f	2638	C	N1-C2-O2	5.78	122.37	118.90
30	f	3350	C	C6-N1-C2	-5.78	117.99	120.30
30	f	2274	U	N3-C2-O2	-5.75	118.18	122.20
30	f	2531	C	C5-C6-N1	5.74	123.87	121.00
30	f	3228	C	P-O3'-C3'	5.74	126.58	119.70
45	a	117	PHE	N-CA-CB	-5.73	100.29	110.60
30	f	270	U	C2-N1-C1'	5.72	124.57	117.70
30	f	2132	C	N1-C2-O2	5.71	122.32	118.90
30	f	2622	C	N1-C2-O2	5.71	122.32	118.90
30	f	3218	A	P-O3'-C3'	5.70	126.54	119.70
30	f	1190	A	C4-N9-C1'	5.70	136.56	126.30
30	f	282	G	P-O3'-C3'	5.69	126.53	119.70
30	f	354	U	N1-C2-O2	5.68	126.78	122.80
30	f	2992	U	N3-C2-O2	-5.68	118.22	122.20
8	H	50	LEU	CA-CB-CG	5.67	128.33	115.30
30	f	916	G	P-O3'-C3'	5.66	126.50	119.70
30	f	2899	C	N3-C2-O2	-5.66	117.94	121.90
30	f	97	U	N3-C2-O2	-5.65	118.24	122.20
30	f	3034	C	N3-C2-O2	-5.65	117.94	121.90
30	f	142	C	C6-N1-C2	-5.65	118.04	120.30
30	f	2899	C	C2-N1-C1'	5.65	125.02	118.80
30	f	1277	C	N3-C2-O2	-5.65	117.95	121.90
30	f	2366	C	C2-N1-C1'	5.65	125.01	118.80
30	f	2553	U	C6-N1-C1'	-5.64	113.30	121.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	2842	U	N3-C2-O2	-5.62	118.27	122.20
30	f	113	C	C2-N1-C1'	5.62	124.98	118.80
30	f	3058	U	N3-C2-O2	-5.61	118.27	122.20
31	h	26	C	N3-C2-O2	-5.61	117.98	121.90
30	f	1448	U	N3-C2-O2	-5.60	118.28	122.20
30	f	2378	C	C2-N1-C1'	5.60	124.96	118.80
30	f	1349	G	C8-N9-C1'	-5.60	119.72	127.00
50	x	25	C	N1-C2-O2	5.59	122.25	118.90
30	f	2137	U	C2-N1-C1'	5.59	124.40	117.70
32	i	64	U	N1-C2-O2	5.58	126.71	122.80
30	f	1496	C	C5-C6-N1	5.58	123.79	121.00
30	f	2726	C	N1-C2-O2	5.58	122.25	118.90
3	C	53	ASP	CB-CG-OD1	5.58	123.32	118.30
50	y	70	U	N1-C2-O2	5.56	126.69	122.80
40	q	107	ASP	CB-CG-OD1	5.56	123.30	118.30
32	i	125	U	C2-N1-C1'	5.55	124.37	117.70
50	x	70	U	N1-C2-O2	5.55	126.69	122.80
30	f	2552	C	N1-C2-O2	5.55	122.23	118.90
30	f	2983	C	C6-N1-C2	-5.55	118.08	120.30
30	f	758	C	C6-N1-C2	-5.55	118.08	120.30
30	f	1496	C	N1-C2-O2	5.54	122.22	118.90
30	f	3269	U	P-O3'-C3'	5.54	126.34	119.70
30	f	2764	C	N1-C2-O2	5.53	122.22	118.90
30	f	3057	U	N3-C2-O2	-5.53	118.33	122.20
50	x	28	U	C5-C4-O4	-5.53	122.58	125.90
30	f	3214	U	N1-C2-O2	5.53	126.67	122.80
30	f	777	U	N3-C2-O2	-5.53	118.33	122.20
30	f	982	C	N1-C2-O2	5.51	122.20	118.90
30	f	995	U	N3-C2-O2	-5.50	118.35	122.20
30	f	1554	U	P-O3'-C3'	5.49	126.29	119.70
30	f	1688	U	N3-C2-O2	-5.49	118.36	122.20
30	f	2366	C	C5-C6-N1	5.49	123.74	121.00
31	h	35	C	N1-C2-O2	5.48	122.19	118.90
31	h	52	G	P-O3'-C3'	5.48	126.28	119.70
30	f	283	G	C4-N9-C1'	5.47	133.62	126.50
24	X	14	LEU	CA-CB-CG	5.46	127.86	115.30
50	x	25	C	C6-N1-C2	-5.46	118.12	120.30
30	f	3355	U	C2-N1-C1'	5.46	124.25	117.70
30	f	315	C	C2-N1-C1'	5.44	124.79	118.80
30	f	986	U	N1-C2-O2	5.44	126.61	122.80
30	f	982	C	C6-N1-C2	-5.44	118.12	120.30
30	f	2585	G	N3-C4-N9	5.43	129.26	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	411	U	N3-C2-O2	-5.43	118.40	122.20
30	f	3153	U	C2-N1-C1'	5.43	124.21	117.70
50	y	72	C	C2-N1-C1'	5.43	124.77	118.80
30	f	283	G	N3-C4-N9	5.42	129.25	126.00
45	a	439	LEU	CA-CB-CG	-5.42	102.83	115.30
30	f	2783	U	N3-C2-O2	-5.42	118.41	122.20
30	f	1732	U	N1-C2-O2	5.42	126.59	122.80
30	f	1878	G	C8-N9-C1'	-5.41	119.96	127.00
30	f	3350	C	P-O3'-C3'	5.41	126.20	119.70
30	f	2210	G	N3-C4-C5	-5.41	125.89	128.60
30	f	1349	G	C2-N3-C4	5.40	114.60	111.90
30	f	2552	C	C2-N1-C1'	5.40	124.74	118.80
30	f	78	U	N1-C2-O2	5.40	126.58	122.80
30	f	1425	U	N1-C2-O2	5.40	126.58	122.80
30	f	2444	C	N1-C2-O2	5.40	122.14	118.90
3	C	114	VAL	CG1-CB-CG2	-5.39	102.27	110.90
30	f	2500	A	P-O3'-C3'	5.39	126.17	119.70
30	f	142	C	N3-C2-O2	-5.37	118.14	121.90
30	f	1437	C	C6-N1-C2	-5.37	118.15	120.30
30	f	890	C	N1-C2-O2	5.36	122.11	118.90
30	f	1277	C	C6-N1-C2	-5.36	118.16	120.30
30	f	1496	C	C6-N1-C1'	-5.36	114.37	120.80
30	f	2336	U	N3-C2-O2	-5.36	118.45	122.20
30	f	2366	C	C6-N1-C2	-5.35	118.16	120.30
30	f	1525	G	C8-N9-C1'	-5.35	120.05	127.00
30	f	2497	U	N3-C2-O2	-5.34	118.46	122.20
30	f	3057	U	N1-C2-O2	5.33	126.53	122.80
30	f	915	A	C4-N9-C1'	5.33	135.90	126.30
30	f	1190	A	C2-N3-C4	5.33	113.26	110.60
30	f	3181	C	C6-N1-C2	-5.33	118.17	120.30
30	f	3278	C	C6-N1-C1'	-5.33	114.41	120.80
50	y	26	G	N3-C4-N9	5.32	129.19	126.00
30	f	3235	C	N1-C2-O2	5.32	122.09	118.90
30	f	2114	C	C6-N1-C2	-5.31	118.17	120.30
30	f	1608	C	C2-N1-C1'	5.31	124.64	118.80
30	f	2836	C	C6-N1-C1'	-5.31	114.43	120.80
30	f	982	C	C5-C6-N1	5.30	123.65	121.00
30	f	1115	G	C8-N9-C1'	-5.30	120.11	127.00
30	f	2622	C	N3-C2-O2	-5.30	118.19	121.90
30	f	2726	C	C6-N1-C2	-5.30	118.18	120.30
30	f	1732	U	N3-C2-O2	-5.29	118.50	122.20
43	t	136	GLU	CA-CB-CG	5.28	125.02	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	1907	C	N3-C2-O2	-5.28	118.20	121.90
30	f	2622	C	C6-N1-C2	-5.27	118.19	120.30
30	f	1560	G	N3-C4-N9	-5.27	122.84	126.00
30	f	3148	U	N3-C2-O2	-5.26	118.52	122.20
31	h	105	C	N3-C2-O2	-5.25	118.22	121.90
30	f	2444	C	C5-C6-N1	5.24	123.62	121.00
30	f	2568	C	O4'-C1'-N1	5.24	112.40	108.20
48	v	50	GLY	N-CA-C	-5.24	99.99	113.10
32	i	125	U	N1-C2-O2	5.24	126.47	122.80
46	e	437	LYS	N-CA-C	-5.24	96.85	111.00
30	f	2496	C	C2-N1-C1'	5.24	124.56	118.80
30	f	2585	G	C4-N9-C1'	5.24	133.31	126.50
30	f	890	C	N3-C2-O2	-5.23	118.24	121.90
42	s	108	GLU	CA-CB-CG	5.22	124.89	113.40
30	f	1239	C	C6-N1-C1'	-5.21	114.54	120.80
30	f	1608	C	C5-C6-N1	5.21	123.60	121.00
30	f	2235	C	N1-C2-O2	5.21	122.02	118.90
30	f	192	C	C6-N1-C2	-5.19	118.22	120.30
30	f	2405	C	N1-C2-O2	5.18	122.01	118.90
30	f	758	C	N1-C2-O2	5.18	122.01	118.90
30	f	3349	C	C6-N1-C2	-5.18	118.23	120.30
30	f	1563	C	C6-N1-C1'	5.18	127.01	120.80
50	x	70	U	N3-C2-O2	-5.17	118.58	122.20
30	f	149	U	N3-C2-O2	-5.17	118.58	122.20
30	f	2983	C	C6-N1-C1'	-5.17	114.60	120.80
50	y	23	C	C6-N1-C2	-5.17	118.23	120.30
30	f	1237	G	N3-C4-N9	5.17	129.10	126.00
30	f	915	A	C8-N9-C4	-5.16	103.73	105.80
30	f	1597	C	C5-C6-N1	5.16	123.58	121.00
30	f	969	C	N3-C2-O2	-5.16	118.29	121.90
30	f	637	C	OP1-P-O3'	5.16	116.55	105.20
30	f	1608	C	C6-N1-C2	-5.16	118.24	120.30
30	f	2446	U	O4'-C1'-N1	5.16	112.33	108.20
30	f	2405	C	C2-N1-C1'	5.15	124.47	118.80
30	f	2772	C	N1-C2-O2	5.15	121.99	118.90
30	f	1951	C	C2-N1-C1'	5.15	124.47	118.80
31	h	18	C	C2-N1-C1'	5.15	124.46	118.80
30	f	2899	C	N1-C2-O2	5.14	121.99	118.90
30	f	166	C	C2-N1-C1'	5.12	124.44	118.80
50	x	23	C	C6-N1-C2	-5.12	118.25	120.30
30	f	849	C	P-O3'-C3'	5.10	125.83	119.70
50	y	70	U	N3-C2-O2	-5.10	118.63	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	f	2235	C	C5-C6-N1	5.10	123.55	121.00
30	f	87	U	N1-C2-O2	5.09	126.37	122.80
30	f	954	U	N3-C2-O2	-5.09	118.64	122.20
32	i	157	U	N1-C2-O2	5.09	126.36	122.80
35	l	4	PRO	C-N-CA	5.08	134.41	121.70
30	f	2638	C	N3-C2-O2	-5.08	118.34	121.90
30	f	2873	U	C2-N1-C1'	5.08	123.79	117.70
17	Q	42	LEU	CA-CB-CG	5.07	126.96	115.30
30	f	1097	G	OP2-P-O3'	5.07	116.35	105.20
30	f	2444	C	C6-N1-C1'	-5.07	114.72	120.80
36	m	222	LEU	CA-CB-CG	5.07	126.95	115.30
30	f	2550	U	N1-C2-O2	5.06	126.34	122.80
32	i	100	U	N1-C2-O2	5.06	126.34	122.80
30	f	1562	C	N3-C2-O2	-5.06	118.36	121.90
30	f	885	U	N3-C2-O2	-5.05	118.66	122.20
30	f	969	C	N1-C2-O2	5.05	121.93	118.90
15	O	21	ILE	CG1-CB-CG2	-5.04	100.30	111.40
39	p	79	GLN	CA-CB-CG	5.04	124.49	113.40
30	f	3355	U	N1-C2-O2	5.04	126.33	122.80
30	f	2873	U	N3-C2-O2	-5.03	118.68	122.20
30	f	2836	C	O4'-C1'-N1	5.03	112.22	108.20
30	f	354	U	N3-C2-O2	-5.03	118.68	122.20
31	h	39	C	N1-C2-O2	5.03	121.92	118.90
30	f	1820	U	OP2-P-O3'	5.02	116.25	105.20
30	f	1272	C	C6-N1-C2	-5.02	118.29	120.30
30	f	2497	U	N1-C2-O2	5.02	126.31	122.80
30	f	3306	U	O4'-C1'-N1	5.01	112.21	108.20
5	E	10	LEU	CB-CG-CD1	5.01	119.52	111.00
30	f	283	G	C8-N9-C1'	-5.01	120.48	127.00
36	m	146	LEU	CB-CG-CD1	-5.01	102.48	111.00
30	f	1355	A	OP2-P-O3'	5.01	116.21	105.20
30	f	2899	C	C6-N1-C2	-5.00	118.30	120.30
30	f	282	G	C2'-C3'-O3'	5.00	121.71	113.70

There are no chirality outliers.

All (12) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
15	O	20	GLY	Peptide
21	U	83	LYS	Peptide
46	e	392	GLY	Peptide
47	g	8	GLU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
34	k	141	GLY	Peptide
35	l	13	GLY	Peptide
35	l	318	LEU	Peptide
39	p	158	ASP	Peptide
39	p	30	THR	Peptide
39	p	76	ALA	Peptide
40	q	21	LYS	Peptide
44	u	12	TRP	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1720	0	1779	9	0
2	B	1555	0	1659	13	0
3	C	1416	0	1433	11	0
4	D	1441	0	1543	7	0
5	E	1258	0	1342	6	0
6	F	1437	0	1475	14	0
7	G	1272	0	1312	10	0
8	H	796	0	812	8	0
9	I	1003	0	1048	8	0
10	J	518	0	542	3	0
11	K	964	0	1025	1	0
12	L	984	0	1075	4	0
13	M	1080	0	1122	5	0
14	N	1169	0	1211	7	0
15	O	462	0	491	5	0
16	P	737	0	792	3	0
17	Q	876	0	912	9	0
18	R	1013	0	1077	5	0
19	S	850	0	880	3	0
20	T	880	0	942	3	0
21	U	969	0	1078	3	0
22	V	766	0	844	4	0
23	W	645	0	645	3	0
24	X	612	0	682	3	0
25	Y	436	0	475	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
26	Z	410	0	442	0	0
27	b	824	0	888	0	0
28	c	694	0	734	0	0
29	d	207	0	250	0	0
30	f	68782	0	34563	0	0
31	h	2579	0	1304	0	0
32	i	3353	0	1695	0	0
33	j	1874	0	1943	0	0
34	k	3075	0	3142	0	0
35	l	2748	0	2859	0	0
36	m	2351	0	2294	0	0
37	n	1307	0	1377	0	0
38	o	1784	0	1862	0	0
39	p	1804	0	1877	0	0
40	q	1508	0	1572	0	0
41	r	1764	0	1804	0	0
42	s	1346	0	1370	0	0
43	t	1543	0	1608	0	0
44	u	1053	0	1149	0	0
45	a	6579	0	6482	0	0
46	e	11506	0	10754	0	0
47	g	1651	0	1613	0	0
48	v	1085	0	1086	0	0
49	w	1709	0	1799	0	0
50	x	1579	0	798	0	0
50	y	1556	0	788	0	0
51	z	728	0	337	0	0
52	0	961	0	979	12	0
53	1	90	0	23	3	0
54	A	1	0	0	0	0
54	C	1	0	0	0	0
54	E	1	0	0	0	0
54	I	1	0	0	0	0
54	R	1	0	0	0	0
54	T	1	0	0	0	0
54	f	3	0	0	0	0
54	h	1	0	0	0	0
54	j	2	0	0	0	0
54	k	1	0	0	0	0
55	T	1	0	0	0	0
55	W	1	0	0	0	0
55	Z	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
55	b	1	0	0	0	0
55	c	1	0	0	0	0
55	e	2	0	0	0	0
56	f	10	0	19	0	0
All	All	151339	0	113607	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
15:O:16:ALA:O	15:O:20:GLY:HA3	1.69	0.90
15:O:16:ALA:O	15:O:20:GLY:CA	2.36	0.73
23:W:21:ARG:HE	23:W:39:TYR:HB2	1.58	0.69
52:O:26:PHE:HB2	52:O:87:VAL:HB	1.73	0.69
2:B:46[A]:GLU:HB3	2:B:49[A]:ARG:HG3	1.75	0.68
53:1:44:UNK:O	53:1:45:UNK:C	2.43	0.67
7:G:84:TYR:HB2	15:O:24:PRO:HD3	1.78	0.65
2:B:27[A]:LEU:HD21	2:B:102[A]:LEU:HB2	1.80	0.63
13:M:27:LYS:HB3	13:M:42:LEU:HB2	1.81	0.62
9:I:14:SER:O	9:I:81:GLN:NE2	2.33	0.62
52:O:192:ASP:HB2	52:O:197:PHE:HE2	1.67	0.60
6:F:80:ARG:HH21	6:F:87:THR:HG21	1.66	0.59
6:F:8:GLN:HB3	6:F:64:ILE:HD11	1.84	0.59
1:A:183:THR:HG22	1:A:187:ARG:HB2	1.85	0.59
21:U:5:LYS:HB2	21:U:8:GLU:HG2	1.84	0.58
6:F:77:VAL:HG22	6:F:126:VAL:HG23	1.86	0.58
52:O:43:LYS:HA	52:O:46:ARG:HG2	1.87	0.57
11:K:50:ALA:HB1	21:U:66:VAL:HG11	1.86	0.57
17:Q:4:LEU:O	17:Q:79:ARG:NH2	2.38	0.56
17:Q:55:LEU:HB2	17:Q:95:PRO:HD3	1.86	0.56
20:T:87:GLU:OE2	20:T:91:ARG:NH1	2.39	0.55
18:R:19:ARG:HD3	18:R:33:ARG:HB2	1.89	0.55
52:O:42:ARG:HG2	52:O:51:VAL:HG11	1.89	0.55
8:H:19:VAL:HG12	8:H:105:LEU:HD22	1.89	0.55
2:B:157[A]:GLU:OE2	2:B:160[A]:ARG:NH2	2.40	0.55
53:1:43:UNK:C	53:1:45:UNK:H2	2.20	0.54
8:H:56:VAL:HG12	8:H:65:VAL:HG22	1.88	0.54
17:Q:9:THR:HG23	17:Q:109:VAL:HG23	1.88	0.54
7:G:17:ARG:HG2	7:G:22:HIS:HA	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:N:95:SER:OG	14:N:98:THR:OG1	2.25	0.53
10:J:6:ASP:OD1	10:J:32:GLN:N	2.40	0.53
2:B:75[A]:ALA:HB3	2:B:78[A]:ARG:HG2	1.90	0.53
6:F:96:ASP:OD1	6:F:97:VAL:N	2.38	0.53
10:J:47:ARG:HH21	10:J:58:HIS:HB2	1.73	0.52
8:H:44:GLU:OE2	8:H:49:ASN:ND2	2.41	0.52
2:B:61[A]:ALA:HA	2:B:70[A]:PRO:HD2	1.90	0.52
6:F:77:VAL:HG11	6:F:106:LEU:HD22	1.92	0.52
6:F:80:ARG:HB2	6:F:122:HIS:HB2	1.91	0.52
3:C:118:GLN:NE2	3:C:147:GLU:OE2	2.39	0.52
4:D:36:LEU:O	4:D:40:THR:OG1	2.27	0.52
9:I:94:TYR:OH	10:J:41:LYS:NZ	2.39	0.52
14:N:100:PRO:HG2	14:N:123:VAL:HG23	1.93	0.51
7:G:136:ARG:HD2	7:G:139:ARG:HH12	1.74	0.51
1:A:103:GLU:HG3	1:A:160:GLU:HB2	1.93	0.50
3:C:107:LEU:HD12	3:C:152:GLU:HG3	1.92	0.50
15:O:23:LYS:HG3	15:O:24:PRO:HD2	1.93	0.50
2:B:74[A]:ARG:O	2:B:142[A]:SER:OG	2.23	0.50
3:C:60:PHE:HB3	3:C:64:ASN:HB3	1.93	0.49
17:Q:77:ARG:HD2	17:Q:89:LEU:HD13	1.94	0.49
2:B:46[A]:GLU:HG3	2:B:48[A]:PHE:H	1.77	0.49
7:G:99:SER:HG	7:G:101:CYS:HG	1.59	0.49
16:P:30:THR:HG23	16:P:91:SER:HB2	1.95	0.49
6:F:155:ARG:HB2	6:F:172:TYR:HD1	1.77	0.49
17:Q:80:ASN:OD1	17:Q:81:GLU:N	2.45	0.49
14:N:94:ALA:HA	14:N:121:VAL:HG23	1.95	0.49
16:P:9:SER:OG	16:P:10:ILE:N	2.38	0.49
4:D:131:ALA:HB1	4:D:135:GLN:H	1.78	0.48
7:G:108:ARG:O	7:G:112:ASN:HB2	2.12	0.48
19:S:49:ILE:HD11	19:S:71:VAL:HG22	1.96	0.48
13:M:133:LYS:HE3	13:M:135:ARG:HD3	1.95	0.48
4:D:102:ALA:HA	4:D:122:ILE:O	2.14	0.48
6:F:93:GLU:HG3	6:F:140:VAL:HG11	1.95	0.48
3:C:22:LEU:HD12	3:C:146:ILE:HD12	1.97	0.47
17:Q:75:ILE:HG12	17:Q:93:VAL:HG22	1.96	0.47
13:M:23:VAL:HG12	13:M:45:GLY:HA3	1.94	0.47
52:O:26:PHE:HZ	52:O:93:LEU:HA	1.80	0.47
4:D:19:PRO:HB3	4:D:53:PHE:HA	1.96	0.47
5:E:21:LYS:HE3	5:E:55:VAL:HA	1.97	0.47
1:A:5:LYS:HE2	22:V:40:VAL:HG21	1.97	0.47
4:D:170:ARG:HD2	14:N:57:GLY:HA3	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:I:18:PRO:HA	9:I:51:ALA:HA	1.97	0.47
5:E:151:ARG:NH2	5:E:152:GLU:OE2	2.44	0.47
3:C:67:ILE:HD11	3:C:80:LYS:HB3	1.97	0.46
5:E:68:GLN:OE1	5:E:71:ARG:NH2	2.43	0.46
14:N:96:LYS:HB2	14:N:96:LYS:HE2	1.70	0.46
15:O:55:ALA:O	15:O:59:LYS:HB3	2.16	0.46
12:L:55:GLU:HB2	12:L:108:LYS:HB3	1.98	0.46
12:L:74:TYR:HB3	12:L:77:LYS:HB2	1.98	0.46
18:R:60:ASN:HB3	18:R:63:THR:HB	1.97	0.46
13:M:28:PRO:O	13:M:29:HIS:ND1	2.48	0.46
18:R:9:ILE:HG12	18:R:63:THR:HG23	1.97	0.46
6:F:22:PRO:O	7:G:146:ASN:ND2	2.38	0.46
2:B:39[A]:GLU:HG2	2:B:40[A]:GLU:HG2	1.97	0.45
17:Q:44:MET:O	17:Q:77:ARG:NH1	2.49	0.45
1:A:159:ARG:HB3	1:A:164:LEU:HB2	1.98	0.45
8:H:90:ARG:O	8:H:91:ASP:HB2	2.16	0.45
19:S:14:LEU:HD11	19:S:31:LYS:HB2	1.98	0.45
13:M:22:LYS:NZ	13:M:132:SER:O	2.47	0.45
22:V:53:TYR:HA	22:V:56:ARG:HG2	1.99	0.45
9:I:38:ALA:HB3	9:I:59:MET:HB2	1.99	0.44
9:I:10:LYS:NZ	9:I:56:ASP:OD1	2.41	0.44
24:X:10:GLN:HA	24:X:13:GLU:HG2	1.99	0.44
6:F:80:ARG:HG3	6:F:124:LEU:HD21	1.99	0.44
9:I:129:VAL:O	9:I:133:SER:HB3	2.17	0.44
14:N:36:GLY:HA3	14:N:40:HIS:CE1	2.53	0.44
2:B:127[A]:LEU:HD22	6:F:156:VAL:HG13	2.00	0.44
6:F:80:ARG:HD2	7:G:155:PRO:HA	2.00	0.43
7:G:68:THR:OG1	7:G:69:LYS:N	2.51	0.43
17:Q:46:THR:HG22	17:Q:48:ASP:H	1.82	0.43
8:H:20:SER:HA	8:H:23:THR:HG22	2.00	0.43
52:0:15:LEU:O	52:0:19:LEU:HG	2.18	0.43
52:0:45:LEU:HB3	52:0:49:ALA:HB3	1.99	0.43
53:1:42:UNK:O	53:1:43:UNK:C	2.66	0.43
23:W:58:THR:OG1	23:W:59:THR:N	2.51	0.43
9:I:117:PRO:HA	9:I:135:VAL:HG13	2.00	0.43
20:T:95:ILE:HG21	20:T:95:ILE:HD13	1.81	0.43
23:W:27:PHE:HA	23:W:34:CYS:HA	2.01	0.43
1:A:68:ARG:HA	1:A:98:LEU:HD21	2.00	0.43
4:D:124:LEU:HD13	4:D:127:LEU:HD23	2.01	0.43
4:D:161:LYS:HA	4:D:161:LYS:HD3	1.82	0.43
52:0:75:LYS:O	52:0:78:PRO:HD2	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
52:0:67:LEU:HD22	52:0:67:LEU:HA	1.85	0.43
1:A:158:HIS:HB3	1:A:161:ALA:HB3	2.00	0.43
3:C:56:ARG:NH2	3:C:75:GLU:OE2	2.51	0.43
5:E:102:LEU:HD22	5:E:138:LEU:HD22	2.01	0.43
24:X:2:ALA:N	24:X:51:LEU:O	2.52	0.43
3:C:179:GLN:HA	3:C:182:ILE:HG22	2.00	0.42
6:F:95:ARG:HB2	6:F:140:VAL:HG23	2.00	0.42
8:H:81:LYS:HD2	8:H:90:ARG:NH1	2.33	0.42
52:0:14:LYS:HE3	52:0:52:LEU:HD11	2.00	0.42
2:B:54[A]:TYR:OH	2:B:73[A]:PHE:O	2.37	0.42
12:L:86:THR:OG1	12:L:94:SER:OG	2.36	0.42
18:R:3:SER:OG	18:R:4:LEU:N	2.51	0.42
21:U:78:LYS:HA	21:U:81:ARG:HG2	2.00	0.42
6:F:32:SER:HB2	6:F:36:ILE:HD12	2.01	0.42
9:I:80:ARG:HB2	9:I:99:ALA:HB3	2.00	0.42
52:0:70:LEU:HB3	52:0:73:PHE:CD1	2.55	0.42
3:C:182:ILE:HD12	3:C:182:ILE:HA	1.85	0.42
8:H:41:ILE:HG21	8:H:54:VAL:HG21	2.02	0.42
52:0:61:ARG:HA	52:0:61:ARG:HD2	1.92	0.42
7:G:102:ARG:HD2	7:G:102:ARG:HA	1.77	0.42
3:C:116:HIS:HB3	3:C:149:VAL:HB	2.02	0.41
12:L:63:LYS:HA	12:L:63:LYS:HD3	1.92	0.41
24:X:33:LYS:HA	24:X:33:LYS:HD3	1.84	0.41
16:P:73:GLY:N	16:P:76:GLU:OE1	2.42	0.41
1:A:98:LEU:HD22	1:A:128:LYS:HD2	2.02	0.41
8:H:107:PHE:O	8:H:108:TYR:C	2.58	0.41
2:B:8[A]:VAL:HG12	2:B:117[A]:ARG:HG3	2.02	0.41
3:C:131:ARG:HG3	3:C:137:ASN:ND2	2.36	0.41
14:N:75:LEU:HD23	14:N:75:LEU:HA	1.92	0.41
22:V:5:THR:HG23	22:V:12:ASN:HB2	2.03	0.41
1:A:18:VAL:HG13	1:A:19:LEU:HD12	2.01	0.41
5:E:7:GLN:NE2	5:E:35:ALA:O	2.53	0.41
2:B:121[A]:PRO:HA	2:B:124[A]:LEU:HD12	2.03	0.41
3:C:122:ALA:HB3	3:C:143:PRO:HB2	2.02	0.41
17:Q:20:LEU:HD11	17:Q:32:ALA:HB2	2.03	0.41
1:A:9:GLU:HG3	22:V:44:VAL:HG21	2.03	0.40
7:G:73:GLY:HA2	7:G:89:LEU:O	2.21	0.40
18:R:4:LEU:HD12	18:R:5:PRO:HD2	2.02	0.40
5:E:31:GLU:HA	5:E:34:GLN:HB2	2.03	0.40
20:T:93:PHE:HD2	20:T:94:LEU:HD22	1.86	0.40
2:B:189[A]:ASP:OD1	2:B:190[A]:VAL:N	2.53	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
19:S:37:THR:HG23	19:S:40:ASP:H	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	201/204 (98%)	190 (94%)	11 (6%)	0	100	100
2	B	195/199 (98%)	192 (98%)	3 (2%)	0	100	100
3	C	181/184 (98%)	172 (95%)	9 (5%)	0	100	100
4	D	183/186 (98%)	176 (96%)	7 (4%)	0	100	100
5	E	154/189 (82%)	151 (98%)	3 (2%)	0	100	100
6	F	169/172 (98%)	163 (96%)	6 (4%)	0	100	100
7	G	157/160 (98%)	149 (95%)	8 (5%)	0	100	100
8	H	98/121 (81%)	93 (95%)	5 (5%)	0	100	100
9	I	134/137 (98%)	132 (98%)	2 (2%)	0	100	100
10	J	61/155 (39%)	61 (100%)	0	0	100	100
11	K	119/142 (84%)	118 (99%)	1 (1%)	0	100	100
12	L	123/127 (97%)	119 (97%)	4 (3%)	0	100	100
13	M	133/136 (98%)	126 (95%)	7 (5%)	0	100	100
14	N	146/149 (98%)	136 (93%)	10 (7%)	0	100	100
15	O	56/59 (95%)	52 (93%)	3 (5%)	1 (2%)	8	16
16	P	94/105 (90%)	93 (99%)	1 (1%)	0	100	100
17	Q	107/113 (95%)	98 (92%)	9 (8%)	0	100	100
18	R	125/130 (96%)	123 (98%)	2 (2%)	0	100	100
19	S	104/107 (97%)	101 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
20	T	110/121 (91%)	108 (98%)	2 (2%)	0	100	100
21	U	117/120 (98%)	112 (96%)	5 (4%)	0	100	100
22	V	97/100 (97%)	93 (96%)	4 (4%)	0	100	100
23	W	79/88 (90%)	75 (95%)	4 (5%)	0	100	100
24	X	75/78 (96%)	74 (99%)	1 (1%)	0	100	100
25	Y	48/51 (94%)	46 (96%)	2 (4%)	0	100	100
26	Z	50/128 (39%)	47 (94%)	3 (6%)	0	100	100
27	b	101/106 (95%)	95 (94%)	6 (6%)	0	100	100
28	c	89/92 (97%)	85 (96%)	4 (4%)	0	100	100
29	d	20/25 (80%)	19 (95%)	1 (5%)	0	100	100
33	j	244/254 (96%)	226 (93%)	18 (7%)	0	100	100
34	k	384/387 (99%)	363 (94%)	21 (6%)	0	100	100
35	l	359/362 (99%)	329 (92%)	29 (8%)	1 (0%)	41	64
36	m	292/297 (98%)	277 (95%)	15 (5%)	0	100	100
37	n	163/176 (93%)	154 (94%)	9 (6%)	0	100	100
38	o	220/244 (90%)	207 (94%)	13 (6%)	0	100	100
39	p	231/256 (90%)	220 (95%)	11 (5%)	0	100	100
40	q	189/191 (99%)	174 (92%)	14 (7%)	1 (0%)	29	52
41	r	216/221 (98%)	206 (95%)	10 (5%)	0	100	100
42	s	167/174 (96%)	161 (96%)	5 (3%)	1 (1%)	25	47
43	t	191/199 (96%)	174 (91%)	16 (8%)	1 (0%)	29	52
44	u	134/138 (97%)	125 (93%)	9 (7%)	0	100	100
45	a	842/1038 (81%)	827 (98%)	15 (2%)	0	100	100
46	e	1519/1562 (97%)	1501 (99%)	16 (1%)	2 (0%)	51	75
47	g	223/245 (91%)	215 (96%)	8 (4%)	0	100	100
48	v	139/157 (88%)	139 (100%)	0	0	100	100
49	w	214/217 (99%)	211 (99%)	3 (1%)	0	100	100
51	z	144/165 (87%)	134 (93%)	9 (6%)	1 (1%)	22	43
52	0	117/312 (38%)	116 (99%)	0	1 (1%)	17	35
All	All	9314/10279 (91%)	8958 (96%)	347 (4%)	9 (0%)	54	75

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
51	z	88	PRO
35	l	4	PRO
40	q	107	ASP
42	s	108	GLU
46	e	437	LYS
52	o	93	LEU
46	e	350	PRO
15	O	21	ILE
43	t	47	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	175/176 (99%)	175 (100%)	0	100	100
2	B	160/162 (99%)	160 (100%)	0	100	100
3	C	138/146 (94%)	138 (100%)	0	100	100
4	D	150/151 (99%)	149 (99%)	1 (1%)	84	94
5	E	129/154 (84%)	129 (100%)	0	100	100
6	F	155/156 (99%)	155 (100%)	0	100	100
7	G	135/137 (98%)	134 (99%)	1 (1%)	84	94
8	H	87/107 (81%)	85 (98%)	2 (2%)	50	75
9	I	104/105 (99%)	104 (100%)	0	100	100
10	J	54/129 (42%)	54 (100%)	0	100	100
11	K	104/118 (88%)	104 (100%)	0	100	100
12	L	108/110 (98%)	108 (100%)	0	100	100
13	M	112/116 (97%)	112 (100%)	0	100	100
14	N	117/119 (98%)	117 (100%)	0	100	100
15	O	46/47 (98%)	45 (98%)	1 (2%)	52	76
16	P	81/88 (92%)	81 (100%)	0	100	100
17	Q	92/97 (95%)	92 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	R	107/111 (96%)	107 (100%)	0	100	100
19	S	90/91 (99%)	90 (100%)	0	100	100
20	T	95/103 (92%)	94 (99%)	1 (1%)	73	88
21	U	104/105 (99%)	104 (100%)	0	100	100
22	V	80/82 (98%)	80 (100%)	0	100	100
23	W	67/71 (94%)	67 (100%)	0	100	100
24	X	68/69 (99%)	66 (97%)	2 (3%)	42	68
25	Y	45/46 (98%)	45 (100%)	0	100	100
26	Z	45/116 (39%)	45 (100%)	0	100	100
27	b	87/91 (96%)	87 (100%)	0	100	100
28	c	71/72 (99%)	71 (100%)	0	100	100
29	d	20/23 (87%)	20 (100%)	0	100	100
33	j	189/196 (96%)	189 (100%)	0	100	100
34	k	321/323 (99%)	319 (99%)	2 (1%)	86	95
35	l	288/289 (100%)	288 (100%)	0	100	100
36	m	241/245 (98%)	241 (100%)	0	100	100
37	n	139/155 (90%)	138 (99%)	1 (1%)	84	94
38	o	186/205 (91%)	186 (100%)	0	100	100
39	p	187/208 (90%)	187 (100%)	0	100	100
40	q	168/171 (98%)	168 (100%)	0	100	100
41	r	185/187 (99%)	183 (99%)	2 (1%)	73	88
42	s	145/150 (97%)	142 (98%)	3 (2%)	53	77
43	t	154/159 (97%)	154 (100%)	0	100	100
44	u	107/109 (98%)	107 (100%)	0	100	100
45	a	678/949 (71%)	675 (100%)	3 (0%)	91	97
46	e	1149/1451 (79%)	1057 (92%)	92 (8%)	12	24
47	g	180/211 (85%)	180 (100%)	0	100	100
48	v	119/132 (90%)	118 (99%)	1 (1%)	81	92
49	w	197/198 (100%)	196 (100%)	1 (0%)	88	96
52	0	104/254 (41%)	95 (91%)	9 (9%)	10	20
All	All	7563/8690 (87%)	7441 (98%)	122 (2%)	64	82

All (122) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	D	12	ARG
7	G	83	ARG
8	H	92	TRP
8	H	108	TYR
15	O	33	LYS
20	T	106	LYS
24	X	9	LYS
24	X	63	LYS
34	k	332	ARG
34	k	369	ARG
37	n	8	LYS
41	r	112	GLN
41	r	144	ASN
42	s	29	ARG
42	s	55	ARG
42	s	60	ARG
45	a	98	ASP
45	a	136	ARG
45	a	893	LYS
46	e	30	PHE
46	e	77	ASN
46	e	105	VAL
46	e	125	ILE
46	e	156	THR
46	e	178	LEU
46	e	229	VAL
46	e	254	ASN
46	e	264	VAL
46	e	277	MET
46	e	299	THR
46	e	309	VAL
46	e	327	THR
46	e	354	PHE
46	e	372	ASP
46	e	380	PHE
46	e	387	ARG
46	e	412	PHE
46	e	710	LYS
46	e	731	LEU
46	e	737	TYR
46	e	738	PHE
46	e	743	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
46	e	754	ILE
46	e	757	CYS
46	e	760	THR
46	e	764	PHE
46	e	770	ILE
46	e	782	TYR
46	e	785	SER
46	e	799	THR
46	e	807	LYS
46	e	826	LEU
46	e	844	LEU
46	e	858	LEU
46	e	861	ASP
46	e	862	PHE
46	e	867	PHE
46	e	869	HIS
46	e	895	THR
46	e	902	ASN
46	e	924	VAL
46	e	933	LEU
46	e	951	ASP
46	e	954	TYR
46	e	955	LEU
46	e	979	LEU
46	e	987	ILE
46	e	989	GLU
46	e	998	LYS
46	e	1000	LEU
46	e	1006	LEU
46	e	1028	PHE
46	e	1033	LYS
46	e	1075	LEU
46	e	1077	GLU
46	e	1079	LEU
46	e	1094	TYR
46	e	1095	LEU
46	e	1102	CYS
46	e	1123	TYR
46	e	1164	LEU
46	e	1175	PHE
46	e	1179	LEU
46	e	1189	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
46	e	1195	THR
46	e	1239	LYS
46	e	1258	GLU
46	e	1294	LEU
46	e	1300	ILE
46	e	1303	MET
46	e	1342	GLU
46	e	1367	THR
46	e	1372	LEU
46	e	1379	LEU
46	e	1400	PHE
46	e	1408	ASP
46	e	1409	ARG
46	e	1421	LEU
46	e	1422	ASN
46	e	1428	VAL
46	e	1439	LEU
46	e	1454	ILE
46	e	1470	LYS
46	e	1477	GLN
46	e	1480	ILE
46	e	1508	CYS
46	e	1512	TYR
46	e	1527	CYS
46	e	1539	LEU
46	e	1551	CYS
46	e	1555	ARG
48	v	54	HIS
49	w	92	LYS
52	0	30	VAL
52	0	51	VAL
52	0	52	LEU
52	0	67	LEU
52	0	76	LEU
52	0	80	VAL
52	0	93	LEU
52	0	95	GLU
52	0	189	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
45	a	121	ASN
46	e	13	ASN
46	e	174	GLN
46	e	189	ASN
46	e	254	ASN
46	e	368	HIS
46	e	397	ASN
46	e	795	HIS
46	e	805	ASN
46	e	810	GLN
46	e	832	ASN
46	e	902	ASN
46	e	1141	GLN
46	e	1189	ASN
46	e	1288	GLN
46	e	1457	ASN
47	g	9	ASN
48	v	52	HIS
52	0	36	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
30	f	3212/3395 (94%)	591 (18%)	0
31	h	120/121 (99%)	12 (10%)	0
32	i	157/158 (99%)	32 (20%)	0
50	x	72/76 (94%)	21 (29%)	0
50	y	71/76 (93%)	20 (28%)	0
All	All	3632/3826 (94%)	676 (18%)	0

All (676) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
30	f	6	A
30	f	13	A
30	f	14	U
30	f	26	A
30	f	40	A
30	f	43	A
30	f	49	A
30	f	59	G
30	f	60	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	65	A
30	f	66	A
30	f	92	G
30	f	99	A
30	f	109	A
30	f	110	G
30	f	111	C
30	f	116	A
30	f	120	G
30	f	121	A
30	f	122	A
30	f	133	U
30	f	134	U
30	f	135	C
30	f	136	G
30	f	156	G
30	f	157	A
30	f	165	A
30	f	166	C
30	f	172	G
30	f	173	G
30	f	187	A
30	f	190	U
30	f	191	U
30	f	200	C
30	f	206	G
30	f	210	U
30	f	211	A
30	f	213	A
30	f	218	G
30	f	219	A
30	f	234	G
30	f	240	U
30	f	241	G
30	f	242	C
30	f	243	G
30	f	245	U
30	f	249	U
30	f	252	U
30	f	269	G
30	f	283	G
30	f	286	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	295	A
30	f	305	U
30	f	323	A
30	f	329	U
30	f	339	C
30	f	350	C
30	f	374	A
30	f	376	G
30	f	398	A
30	f	399	A
30	f	401	U
30	f	402	A
30	f	403	C
30	f	421	G
30	f	422	A
30	f	439	C
30	f	440	A
30	f	441	U
30	f	442	G
30	f	443	G
30	f	445	G
30	f	446	U
30	f	447	U
30	f	448	U
30	f	450	G
30	f	487	U
30	f	488	U
30	f	489	U
30	f	490	C
30	f	494	G
30	f	518	G
30	f	520	U
30	f	521	A
30	f	523	A
30	f	535	G
30	f	536	U
30	f	543	C
30	f	544	C
30	f	546	C
30	f	547	G
30	f	548	G
30	f	551	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	552	G
30	f	555	U
30	f	557	A
30	f	559	A
30	f	578	A
30	f	579	G
30	f	589	A
30	f	597	G
30	f	604	G
30	f	608	A
30	f	609	G
30	f	611	A
30	f	620	U
30	f	621	A
30	f	622	A
30	f	637	C
30	f	638	C
30	f	649	A
30	f	660	A
30	f	677	A
30	f	681	U
30	f	684	G
30	f	690	A
30	f	691	A
30	f	705	A
30	f	712	G
30	f	715	A
30	f	716	A
30	f	719	U
30	f	720	A
30	f	758	C
30	f	763	G
30	f	764	U
30	f	765	C
30	f	766	U
30	f	767	U
30	f	776	U
30	f	777	U
30	f	780	A
30	f	781	G
30	f	785	G
30	f	786	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	806	A
30	f	817	A
30	f	830	A
30	f	846	A
30	f	849	C
30	f	850	U
30	f	861	C
30	f	874	U
30	f	879	U
30	f	896	A
30	f	907	G
30	f	908	G
30	f	914	A
30	f	916	G
30	f	917	A
30	f	920	A
30	f	921	A
30	f	924	G
30	f	925	A
30	f	937	G
30	f	944	C
30	f	959	C
30	f	960	U
30	f	981	U
30	f	982	C
30	f	991	G
30	f	994	G
30	f	1001	G
30	f	1002	A
30	f	1010	G
30	f	1015	U
30	f	1016	C
30	f	1017	C
30	f	1018	G
30	f	1021	G
30	f	1024	G
30	f	1025	A
30	f	1028	U
30	f	1036	A
30	f	1041	U
30	f	1047	A
30	f	1049	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	1063	G
30	f	1064	A
30	f	1065	A
30	f	1072	G
30	f	1081	U
30	f	1087	G
30	f	1093	A
30	f	1094	U
30	f	1095	U
30	f	1097	G
30	f	1098	A
30	f	1103	A
30	f	1104	G
30	f	1117	G
30	f	1131	G
30	f	1144	U
30	f	1153	A
30	f	1159	A
30	f	1160	C
30	f	1177	G
30	f	1180	A
30	f	1181	U
30	f	1192	C
30	f	1193	A
30	f	1196	C
30	f	1197	A
30	f	1201	C
30	f	1202	A
30	f	1208	U
30	f	1217	A
30	f	1218	U
30	f	1219	C
30	f	1222	G
30	f	1225	A
30	f	1227	C
30	f	1235	U
30	f	1236	G
30	f	1238	C
30	f	1241	U
30	f	1242	G
30	f	1244	A
30	f	1245	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	1251	A
30	f	1252	A
30	f	1254	C
30	f	1258	U
30	f	1259	A
30	f	1263	A
30	f	1264	G
30	f	1265	U
30	f	1269	U
30	f	1272	C
30	f	1277	C
30	f	1278	A
30	f	1279	C
30	f	1282	G
30	f	1285	G
30	f	1286	A
30	f	1287	A
30	f	1295	G
30	f	1307	G
30	f	1308	A
30	f	1309	U
30	f	1313	G
30	f	1330	A
30	f	1348	U
30	f	1349	G
30	f	1351	U
30	f	1352	A
30	f	1354	G
30	f	1355	A
30	f	1356	U
30	f	1357	G
30	f	1386	A
30	f	1392	G
30	f	1399	A
30	f	1400	G
30	f	1419	A
30	f	1434	G
30	f	1437	C
30	f	1446	A
30	f	1450	G
30	f	1481	A
30	f	1482	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	1483	G
30	f	1487	G
30	f	1488	G
30	f	1502	C
30	f	1508	C
30	f	1536	G
30	f	1539	A
30	f	1555	U
30	f	1556	C
30	f	1557	A
30	f	1560	G
30	f	1562	C
30	f	1563	C
30	f	1566	A
30	f	1568	U
30	f	1569	U
30	f	1572	U
30	f	1573	G
30	f	1575	A
30	f	1576	G
30	f	1580	A
30	f	1581	C
30	f	1582	C
30	f	1583	A
30	f	1589	A
30	f	1590	G
30	f	1605	A
30	f	1607	U
30	f	1620	U
30	f	1629	U
30	f	1639	C
30	f	1642	A
30	f	1643	A
30	f	1645	U
30	f	1657	C
30	f	1683	A
30	f	1716	U
30	f	1717	U
30	f	1724	U
30	f	1725	C
30	f	1736	G
30	f	1741	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	1750	A
30	f	1751	G
30	f	1760	A
30	f	1761	C
30	f	1764	U
30	f	1765	U
30	f	1766	G
30	f	1770	G
30	f	1775	G
30	f	1780	G
30	f	1797	A
30	f	1814	A
30	f	1816	A
30	f	1819	U
30	f	1820	U
30	f	1821	U
30	f	1835	A
30	f	1839	A
30	f	1840	U
30	f	1841	A
30	f	1842	A
30	f	1846	C
30	f	1849	C
30	f	1850	A
30	f	1866	C
30	f	1867	A
30	f	1880	U
30	f	1881	A
30	f	1893	A
30	f	1906	G
30	f	1943	C
30	f	1952	G
30	f	1953	G
30	f	1954	G
30	f	2094	C
30	f	2101	C
30	f	2102	U
30	f	2111	G
30	f	2112	U
30	f	2113	A
30	f	2114	C
30	f	2121	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	2122	G
30	f	2131	A
30	f	2134	G
30	f	2140	U
30	f	2144	A
30	f	2158	A
30	f	2160	G
30	f	2169	G
30	f	2176	U
30	f	2201	G
30	f	2206	G
30	f	2207	A
30	f	2208	A
30	f	2209	U
30	f	2222	A
30	f	2223	A
30	f	2225	U
30	f	2228	A
30	f	2249	G
30	f	2272	G
30	f	2273	G
30	f	2274	U
30	f	2281	A
30	f	2282	U
30	f	2288	G
30	f	2307	G
30	f	2308	C
30	f	2310	U
30	f	2313	A
30	f	2314	U
30	f	2315	G
30	f	2334	U
30	f	2335	G
30	f	2336	U
30	f	2373	A
30	f	2374	C
30	f	2375	G
30	f	2385	G
30	f	2388	U
30	f	2393	G
30	f	2397	A
30	f	2402	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	2403	G
30	f	2404	A
30	f	2411	U
30	f	2419	A
30	f	2437	G
30	f	2446	U
30	f	2447	A
30	f	2450	G
30	f	2461	A
30	f	2463	G
30	f	2464	U
30	f	2468	A
30	f	2469	G
30	f	2470	C
30	f	2471	U
30	f	2472	U
30	f	2474	G
30	f	2479	C
30	f	2480	A
30	f	2484	A
30	f	2486	A
30	f	2487	U
30	f	2488	A
30	f	2494	A
30	f	2495	C
30	f	2496	C
30	f	2499	U
30	f	2501	U
30	f	2502	A
30	f	2503	G
30	f	2505	U
30	f	2514	U
30	f	2515	A
30	f	2522	G
30	f	2526	C
30	f	2531	C
30	f	2537	U
30	f	2538	U
30	f	2539	C
30	f	2540	A
30	f	2541	U
30	f	2542	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	2544	U
30	f	2547	A
30	f	2548	C
30	f	2549	G
30	f	2552	C
30	f	2554	A
30	f	2555	G
30	f	2561	A
30	f	2569	A
30	f	2570	U
30	f	2571	U
30	f	2572	C
30	f	2573	G
30	f	2581	U
30	f	2585	G
30	f	2593	A
30	f	2594	C
30	f	2606	G
30	f	2607	G
30	f	2614	G
30	f	2648	G
30	f	2651	G
30	f	2652	U
30	f	2656	A
30	f	2674	A
30	f	2677	G
30	f	2678	A
30	f	2689	A
30	f	2691	A
30	f	2694	A
30	f	2696	A
30	f	2704	A
30	f	2714	G
30	f	2719	U
30	f	2728	G
30	f	2729	U
30	f	2740	A
30	f	2752	U
30	f	2753	G
30	f	2755	C
30	f	2772	C
30	f	2773	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	2777	G
30	f	2778	G
30	f	2788	C
30	f	2796	G
30	f	2800	G
30	f	2801	A
30	f	2803	A
30	f	2810	C
30	f	2814	G
30	f	2816	G
30	f	2817	A
30	f	2818	U
30	f	2821	C
30	f	2834	G
30	f	2842	U
30	f	2844	C
30	f	2845	A
30	f	2849	C
30	f	2860	U
30	f	2867	C
30	f	2871	G
30	f	2872	A
30	f	2875	U
30	f	2887	A
30	f	2898	G
30	f	2899	C
30	f	2911	A
30	f	2914	G
30	f	2923	U
30	f	2935	U
30	f	2936	A
30	f	2941	A
30	f	2942	C
30	f	2947	G
30	f	2971	A
30	f	2983	C
30	f	2990	G
30	f	2992	U
30	f	2996	U
30	f	2997	G
30	f	3006	A
30	f	3012	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	3056	U
30	f	3059	G
30	f	3078	U
30	f	3079	U
30	f	3080	G
30	f	3086	A
30	f	3092	C
30	f	3104	U
30	f	3113	A
30	f	3122	A
30	f	3130	A
30	f	3131	U
30	f	3142	A
30	f	3143	C
30	f	3151	U
30	f	3154	C
30	f	3155	U
30	f	3156	U
30	f	3157	U
30	f	3165	A
30	f	3170	A
30	f	3173	G
30	f	3174	A
30	f	3175	U
30	f	3176	G
30	f	3179	U
30	f	3181	C
30	f	3186	A
30	f	3187	A
30	f	3196	U
30	f	3207	U
30	f	3209	A
30	f	3217	C
30	f	3218	A
30	f	3219	G
30	f	3228	C
30	f	3229	G
30	f	3243	A
30	f	3245	A
30	f	3247	G
30	f	3259	U
30	f	3263	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	3269	U
30	f	3270	U
30	f	3273	A
30	f	3276	G
30	f	3281	U
30	f	3287	U
30	f	3288	G
30	f	3289	G
30	f	3294	A
30	f	3295	A
30	f	3303	G
30	f	3304	U
30	f	3307	A
30	f	3313	U
30	f	3316	A
30	f	3317	U
30	f	3318	G
30	f	3319	U
30	f	3320	A
30	f	3341	U
30	f	3342	A
30	f	3345	G
30	f	3351	U
30	f	3352	U
30	f	3353	G
30	f	3354	U
30	f	3355	U
30	f	3369	G
30	f	3375	A
30	f	3378	C
30	f	3382	U
30	f	3383	G
30	f	3386	G
30	f	3389	U
30	f	3390	G
30	f	3396	U
31	h	7	G
31	h	29	C
31	h	53	U
31	h	54	U
31	h	55	A
31	h	65	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	h	73	C
31	h	74	C
31	h	95	A
31	h	102	A
31	h	112	G
31	h	121	U
32	i	23	U
32	i	34	U
32	i	35	C
32	i	39	G
32	i	48	A
32	i	52	A
32	i	53	A
32	i	59	A
32	i	62	C
32	i	63	G
32	i	80	A
32	i	81	U
32	i	82	U
32	i	83	C
32	i	84	C
32	i	85	G
32	i	86	U
32	i	87	G
32	i	90	U
32	i	95	G
32	i	104	A
32	i	105	A
32	i	106	C
32	i	111	A
32	i	113	U
32	i	125	U
32	i	126	A
32	i	138	A
32	i	151	C
32	i	152	G
32	i	157	U
32	i	158	U
50	x	5	G
50	x	9	G
50	x	15	G
50	x	16	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
50	x	17	C
50	x	18	G
50	x	22	G
50	x	28	U
50	x	33	U
50	x	34	I
50	x	35	G
50	x	37	A
50	x	38	U
50	x	39	G
50	x	46	G
50	x	48	C
50	x	56	C
50	x	57	G
50	x	58	A
50	x	60	U
50	x	74	C
50	y	7	G
50	y	9	G
50	y	13	U
50	y	17	C
50	y	23	C
50	y	26	G
50	y	34	I
50	y	35	G
50	y	36	C
50	y	38	U
50	y	43	G
50	y	45	G
50	y	46	G
50	y	47	U
50	y	48	C
50	y	56	C
50	y	58	A
50	y	61	C
50	y	75	C
50	y	76	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
48	5CT	v	51	48	13,14,15	0.76	0	9,15,17	1.28	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
48	5CT	v	51	48	-	9/13/14/16	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	v	51	5CT	C4-C3-C2	-2.20	108.84	113.47

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
48	v	51	5CT	NZ-C1-C2-C3
48	v	51	5CT	O1-C2-C3-C4
48	v	51	5CT	C2-C3-C4-N1
48	v	51	5CT	C-CA-CB-CG
48	v	51	5CT	N-CA-CB-CG
48	v	51	5CT	NZ-C1-C2-O1
48	v	51	5CT	C1-C2-C3-C4
48	v	51	5CT	CE-CD-CG-CB
48	v	51	5CT	C2-C1-NZ-CE

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 20 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
56	SPD	f	3401	-	9,9,9	0.32	0	8,8,8	0.86	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	SPD	f	3401	-	-	5/7/7/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
56	f	3401	SPD	C3-C4-C5-N6
56	f	3401	SPD	N6-C7-C8-C9
56	f	3401	SPD	C2-C3-C4-C5
56	f	3401	SPD	C8-C7-N6-C5
56	f	3401	SPD	C4-C5-N6-C7

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-15428. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 225




Y Index: 225




Z Index: 225


6.2.2 Raw map



X Index: 225



Y Index: 225




Z Index: 225


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 219




Y Index: 237




Z Index: 231


6.3.2 Raw map



X Index: 219



Y Index: 237




Z Index: 231

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1851 nm³; this corresponds to an approximate mass of 1672 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.385 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.385 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.55	2.94	2.60
Unmasked-calculated*	3.25	4.65	3.34

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.25 differs from the reported value 2.6 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-15428 and PDB model 8AGZ. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary









































The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9190	 0.5120
0	 0.8470	 0.2900
1	 1.0000	 0.4020
A	 0.9927	 0.6120
B	 0.9789	 0.5890
C	 0.9635	 0.5890
D	 0.9821	 0.5850
E	 0.9390	 0.5500
F	 0.9813	 0.5800
G	 0.9684	 0.5650
H	 0.9220	 0.4640
I	 0.9684	 0.5780
J	 0.9661	 0.5780
K	 0.9660	 0.5740
L	 0.9770	 0.5700
M	 0.9556	 0.5210
N	 0.9807	 0.5940
O	 0.9580	 0.5420
P	 0.9393	 0.5230
Q	 0.9259	 0.5490
R	 0.9818	 0.5990
S	 0.9915	 0.6150
T	 0.9766	 0.5760
U	 0.9671	 0.5580
V	 0.9595	 0.5300
W	 1.0000	 0.6280
X	 0.9215	 0.4970
Y	 1.0000	 0.6020
Z	 0.9698	 0.5760
a	 0.5854	 0.2180
b	 0.9640	 0.5730
c	 0.9716	 0.5700
d	 0.7606	 0.4030
e	 0.6976	 0.2570
f	 0.9824	 0.5700



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
g	 0.8440	 0.4880
h	 0.9992	 0.5720
i	 0.9967	 0.5980
j	 0.9906	 0.6050
k	 0.9786	 0.5880
l	 0.9780	 0.5770
m	 0.9401	 0.4870
n	 0.9500	 0.5290
o	 0.9690	 0.5710
p	 0.9458	 0.5210
q	 0.9608	 0.5500
r	 0.9614	 0.5470
s	 0.9297	 0.4480
t	 0.9711	 0.5610
u	 0.9698	 0.5500
v	 0.4605	 0.3610
w	 0.1234	 0.2290
x	 0.7467	 0.2550
y	 0.8689	 0.2310
z	 0.9093	 0.2990