



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 23, 2021 – 11:25 PM GMT

PDB ID : 7AIF
Title : HIV-1 REVERSE TRANSCRIPTASE COMPLEX WITH DNA AND L-GLUTAMATE TENOFOVIR WITH BOUND MANGANESE
Authors : Gu, W.; Martinez, S.E.; Nguyen, H.; Xu, H.; Herdewijn, P.; de Jonghe, S.; Das, K.
Deposited on : 2020-09-27
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.16
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.16


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	556	
1	C	556	
2	B	428	
2	D	428	
3	E	27	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	T	27	
4	F	21	
4	P	21	

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 17898 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gag-Pol polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	555	Total	C	N	O	S	0	0	0
			4513	2922	751	832	8			
1	C	556	Total	C	N	O	S	0	0	0
			4521	2927	752	833	9			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P03366
A	0	VAL	-	expression tag	UNP P03366
A	258	CYS	GLN	engineered mutation	UNP P03366
A	280	SER	CYS	engineered mutation	UNP P03366
A	498	ASN	ASP	engineered mutation	UNP P03366
C	-1	MET	-	initiating methionine	UNP P03366
C	0	VAL	-	expression tag	UNP P03366
C	258	CYS	GLN	engineered mutation	UNP P03366
C	280	SER	CYS	engineered mutation	UNP P03366
C	498	ASN	ASP	engineered mutation	UNP P03366

- Molecule 2 is a protein called Gag-Pol polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	411	Total	C	N	O	S	0	0	0
			3401	2215	563	616	7			
2	D	412	Total	C	N	O	S	0	0	0
			3400	2212	563	619	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	280	SER	CYS	engineered mutation	UNP P03366
D	280	SER	CYS	engineered mutation	UNP P03366

- Molecule 3 is a DNA chain called DNA (5'-D(P*GP*GP*TP*CP*GP*GP*CP*GP*CP*CP*CP*GP*AP*AP*CP*AP*GP*GP*GP*AP*CP*TP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	T	23	Total	C	N	O	P	0	0	0
			477	223	95	136	23			
3	E	24	Total	C	N	O	P	0	0	0
			494	233	97	141	23			


- Molecule 4 is a DNA chain called DNA (5'-D(*CP*AP*GP*TP*CP*CP*CP*TP*GP*TP*TP*CP*GP*GP*(MRG)P*CP*GP*CP*CP*(DDG))-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	P	20	Total	C	N	O	P	0	0	0
			403	192	72	120	19			
4	F	20	Total	C	N	O	P	0	0	0
			403	192	72	120	19			

- Molecule 5 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Mn	0	0
			2	2		
5	C	2	Total	Mn	0	0
			2	2		

- Molecule 6 is L-Glutamate Tenofovir (three-letter code: RE5) (formula: C₁₄H₂₁N₆O₇P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			28	14	6	7	1		
6	C	1	Total	C	N	O	P	0	0
			28	14	6	7	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	70	Total	O	0	0
			70	70		
7	B	64	Total	O	0	0
			64	64		
7	C	44	Total	O	0	0
			44	44		
7	D	30	Total	O	0	0
			30	30		
7	T	5	Total	O	0	0
			5	5		
7	P	6	Total	O	0	0
			6	6		
7	E	3	Total	O	0	0
			3	3		
7	F	4	Total	O	0	0
			4	4		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Gag-Pol polyprotein




- Molecule 1: Gag-Pol polyprotein





- Molecule 2: Gag-Pol polyprotein







- Molecule 2: Gag-Pol polyprotein



- Molecule 3: DNA (5'-D(P*GP*GP*TP*CP*GP*GP*CP*GP*CP*CP*GP*AP*AP*CP*A P*GP*GP*GP*AP*CP*TP*G)-3')



- Molecule 3: DNA (5'-D(P*GP*GP*TP*CP*GP*GP*CP*GP*CP*CP*GP*AP*AP*CP*A P*GP*GP*GP*AP*CP*TP*G)-3')



- Molecule 4: DNA (5'-D(*CP*AP*GP*TP*CP*CP*CP*TP*GP*TP*TP*CP*GP*GP*(MRG) P*CP*GP*CP*CP*(DDG))-3')



- Molecule 4: DNA (5'-D(*CP*AP*GP*TP*CP*CP*CP*TP*GP*TP*TP*CP*GP*GP*(MRG) P*CP*GP*CP*CP*(DDG))-3')



DA	C803	A804	G805	T806	C814	G815	G816	G817	C818	G819	C820	C821	G822
----	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	89.65Å 132.70Å 138.77Å 90.00° 98.65° 90.00°	Depositor
Resolution (Å)	80.14 – 2.75 80.14 – 2.75	Depositor EDS
% Data completeness (in resolution range)	98.3 (80.14-2.75) 98.3 (80.14-2.75)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.75 (at 2.73Å)	Xtrriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.218 , 0.249 0.218 , 0.249	Depositor DCC
R_{free} test set	2570 reflections (3.13%)	wwPDB-VP
Wilson B-factor (Å ²)	63.4	Xtrriage
Anisotropy	0.163	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 57.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	17898	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MRG, DDG, MN, RE5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/4631	0.40	0/6293
1	C	0.23	0/4639	0.40	0/6303
2	B	0.23	0/3499	0.40	0/4752
2	D	0.23	0/3497	0.40	0/4751
3	E	0.49	0/555	0.79	0/856
3	T	0.46	0/536	0.76	0/826
4	F	0.55	0/400	0.88	0/612
4	P	0.54	0/400	0.89	0/612
All	All	0.27	0/18157	0.47	0/25005

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4513	0	4578	36	0
1	C	4521	0	4587	38	0
2	B	3401	0	3431	24	0
2	D	3400	0	3433	33	0
3	E	494	0	269	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	T	477	0	256	4	0
4	F	403	0	224	8	0
4	P	403	0	224	3	0
5	A	2	0	0	0	0
5	C	2	0	0	0	0
6	A	28	0	0	1	0
6	C	28	0	0	0	0
7	A	70	0	0	2	0
7	B	64	0	0	0	0
7	C	44	0	0	0	0
7	D	30	0	0	1	0
7	E	3	0	0	0	0
7	F	4	0	0	1	0
7	P	6	0	0	0	0
7	T	5	0	0	0	0
All	All	17898	0	17002	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:172:LYS:HE2	1:C:180:ILE:HB	1.80	0.64
2:B:390:LYS:NZ	2:B:415:GLU:OE2	2.29	0.63
1:C:125:ARG:HE	1:C:147:ASN:HA	1.64	0.63
1:A:181:TYR:HB2	1:A:188:TYR:HB3	1.79	0.62
2:D:209:LEU:HB3	2:D:214:LEU:HB2	1.82	0.62
1:A:343:GLN:HG3	1:A:349:LEU:HD11	1.82	0.61
1:C:181:TYR:HB2	1:C:188:TYR:HB3	1.83	0.61
1:A:308:GLU:HG3	1:A:311:LYS:HZ1	1.66	0.60
2:D:390:LYS:NZ	2:D:415:GLU:OE2	2.32	0.59
1:A:503:LEU:HD22	1:A:535:TRP:HB2	1.86	0.58
1:C:503:LEU:HD22	1:C:535:TRP:HB2	1.86	0.57
2:B:209:LEU:HB3	2:B:228:LEU:HD22	1.86	0.57
1:A:172:LYS:HE2	1:A:180:ILE:HB	1.86	0.56
1:C:122:GLU:OE1	1:C:125:ARG:NH1	2.39	0.56
1:C:50:ILE:HD11	1:C:143:ARG:HB2	1.87	0.55
2:D:56:TYR:HE2	2:D:126:LYS:HE2	1.72	0.55
1:C:342:TYR:HB3	1:C:348:ASN:HA	1.89	0.55
2:D:246:LEU:HD11	2:D:264:LEU:HD21	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:21:VAL:HB	2:B:59:PRO:HD3	1.89	0.54
1:A:443:ASP:OD1	1:A:444:GLY:N	2.39	0.54
1:C:84:THR:HB	1:C:154:LYS:HD3	1.89	0.54
2:D:73:LYS:NZ	2:D:146:TYR:OH	2.37	0.54
2:D:28:GLU:HG2	2:D:32:LYS:HE2	1.89	0.53
2:D:359:GLY:O	2:D:367:GLN:NE2	2.41	0.53
3:E:718:DA:H1'	3:E:719:DG:C8	2.44	0.53
2:D:263:LYS:HG3	2:D:425:LEU:HG	1.91	0.52
2:D:125:ARG:NH1	2:D:147:ASN:O	2.43	0.52
1:A:21:VAL:HB	1:A:59:PRO:HD3	1.90	0.52
1:A:46:LYS:HD3	1:A:116:PHE:HB3	1.91	0.52
2:D:356:ARG:HD2	2:D:360:ALA:HB1	1.92	0.52
2:D:421:PRO:HB2	2:D:423:VAL:HG23	1.92	0.51
2:B:79:GLU:HG3	2:B:83:ARG:HE	1.74	0.51
1:C:80:LEU:O	1:C:84:THR:OG1	2.28	0.51
1:C:402:TRP:O	2:D:331:LYS:NZ	2.35	0.51
2:D:254:VAL:HG13	2:D:283:LEU:HD22	1.93	0.51
1:A:437:ALA:O	7:A:701:HOH:O	2.19	0.50
2:B:422:LEU:HD12	2:B:423:VAL:H	1.77	0.50
1:C:469:LEU:HD12	1:C:477:THR:HG22	1.94	0.50
2:B:63:ILE:HD13	2:B:74:LEU:HD22	1.94	0.50
1:A:84:THR:HB	1:A:154:LYS:HE2	1.94	0.49
1:A:469:LEU:HD12	1:A:477:THR:HG22	1.94	0.49
1:A:397:THR:HG21	1:A:424:LYS:HA	1.94	0.49
1:A:72:ARG:NH2	6:A:603:RE5:O11	2.46	0.49
2:D:258:GLN:NE2	7:D:504:HOH:O	2.43	0.49
2:D:21:VAL:HB	2:D:59:PRO:HD3	1.95	0.48
2:D:100:LEU:HG	2:D:381:VAL:HG13	1.96	0.48
1:C:114:ALA:HB1	1:C:160:PHE:CZ	2.49	0.48
1:A:111:VAL:HB	1:A:185:ASP:HB2	1.96	0.48
2:B:282:LEU:HD21	2:B:295:LEU:HA	1.96	0.48
2:D:54:ASN:HB3	2:D:143:ARG:HH21	1.79	0.48
1:C:442:VAL:HG12	1:C:457:TYR:HB3	1.96	0.47
2:B:54:ASN:HB3	2:B:143:ARG:HH21	1.80	0.47
1:A:363:ASN:HA	1:A:511:ASP:OD1	2.14	0.47
1:C:46:LYS:HD3	1:C:116:PHE:HB3	1.96	0.47
4:F:818:DC:H2'	4:F:819:DG:C8	2.50	0.47
1:A:19:PRO:HD3	1:A:80:LEU:HD13	1.95	0.47
1:A:543:GLY:N	2:B:283:LEU:O	2.41	0.47
3:T:713:DC:H2'	3:T:714:DG:C8	2.50	0.47
2:D:208:HIS:CD2	2:D:211:ARG:HH22	2.33	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:58:THR:HG21	1:A:77:PHE:CD1	2.50	0.47
1:C:19:PRO:HG3	1:C:80:LEU:HB2	1.98	0.46
2:D:101:LYS:HD3	2:D:382:ILE:HG23	1.97	0.46
4:F:820:DC:N4	7:F:902:HOH:O	2.48	0.46
2:B:60:VAL:HG22	2:B:75:VAL:HG22	1.97	0.46
2:B:365:VAL:HG11	2:B:401:TRP:HB2	1.98	0.46
1:C:364:ASP:OD1	1:C:512:LYS:NZ	2.43	0.46
3:T:711:DC:H2'	3:T:712:DC:C6	2.51	0.46
2:D:91:GLN:HG2	2:D:92:LEU:HG	1.98	0.45
2:D:191:SER:OG	2:D:198:HIS:ND1	2.39	0.45
1:C:19:PRO:HD3	1:C:80:LEU:HD13	1.97	0.45
1:C:405:TYR:CE2	1:C:407:GLN:HB2	2.51	0.45
3:E:711:DC:H2'	3:E:712:DC:C6	2.52	0.45
1:A:249:LYS:NZ	7:A:714:HOH:O	2.49	0.45
1:C:261:VAL:HG13	1:C:276:VAL:HG11	1.99	0.45
1:A:442:VAL:HB	1:A:481:ALA:HB1	1.98	0.44
2:B:191:SER:OG	2:B:198:HIS:ND1	2.44	0.44
2:B:64:LYS:HE3	2:B:71:TRP:CE2	2.52	0.44
2:B:154:LYS:HG2	2:B:184:MET:SD	2.56	0.44
1:C:199:ARG:HH12	1:C:223:LYS:HB3	1.82	0.44
1:A:80:LEU:O	1:A:84:THR:OG1	2.24	0.44
1:C:288:ALA:HB3	1:C:291:GLU:HB2	2.00	0.44
3:E:713:DC:H2'	3:E:714:DG:C8	2.53	0.44
2:D:365:VAL:HG11	2:D:401:TRP:HB2	2.00	0.44
4:P:818:DC:H2'	4:P:819:DG:C8	2.52	0.44
1:A:406:TRP:CD1	1:A:407:GLN:HG2	2.53	0.44
1:C:115:TYR:HD2	1:C:151:GLN:HG2	1.82	0.44
4:F:814:DC:H2''	4:F:815:DG:H8	1.83	0.43
4:F:804:DA:H4'	4:F:805:DG:OP1	2.18	0.43
1:A:279:LEU:HD23	1:A:299:ALA:HB1	2.00	0.43
4:F:805:DG:H2''	4:F:806:DT:O5'	2.18	0.43
1:C:276:VAL:HG23	1:C:353:LYS:HE2	2.01	0.43
1:A:451:LYS:NZ	4:P:808:DC:OP1	2.51	0.43
1:A:408:ALA:O	2:B:393:ILE:HG13	2.18	0.43
2:D:138:GLU:HG2	2:D:139:THR:HG23	2.01	0.43
1:A:495:ILE:HB	1:A:533:LEU:HD23	2.00	0.43
1:C:17:ASP:O	1:C:83:ARG:HD3	2.19	0.43
1:A:114:ALA:HB1	1:A:160:PHE:CZ	2.54	0.43
1:A:541:GLY:HA2	1:A:546:GLU:HB2	2.00	0.43
1:A:91:GLN:O	3:T:708:DG:H4'	2.19	0.43
1:C:58:THR:HG21	1:C:77:PHE:CD1	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:289:LEU:HD11	4:F:817:MRG:H4'	2.01	0.43
1:C:34:LEU:HD21	1:C:62:ALA:HB2	2.00	0.42
2:B:358:ARG:NH2	2:B:405:TYR:O	2.37	0.42
2:B:260:LEU:HD21	2:B:303:LEU:HD13	2.02	0.42
2:D:17:ASP:O	2:D:83:ARG:HD3	2.19	0.42
2:B:100:LEU:HG	2:B:381:VAL:HG13	2.02	0.42
2:B:229:TRP:CG	2:B:230:MET:N	2.88	0.42
4:F:817:MRG:H2'	4:F:818:DC:C6	2.54	0.42
1:A:542:ILE:HG23	2:B:283:LEU:HD13	2.02	0.42
3:E:709:DC:H2'	3:E:710:DG:C8	2.54	0.42
4:F:818:DC:H2'	4:F:819:DG:H8	1.84	0.42
2:B:17:ASP:O	2:B:83:ARG:HD3	2.20	0.42
1:C:254:VAL:HG21	1:C:286:THR:HG21	2.01	0.42
1:C:317:VAL:HG23	1:C:349:LEU:HD23	2.02	0.42
2:B:422:LEU:HG	2:B:422:LEU:H	1.57	0.41
1:C:443:ASP:OD1	1:C:444:GLY:N	2.52	0.41
1:A:250:ASP:N	1:A:250:ASP:OD1	2.54	0.41
2:B:332:GLN:HB2	2:B:336:GLN:HB2	2.02	0.41
1:C:494:ASN:HB3	2:D:289:LEU:HD12	2.01	0.41
1:C:408:ALA:HB1	2:D:364:ASP:HB3	2.02	0.41
2:D:185:ASP:OD1	2:D:185:ASP:N	2.53	0.41
1:A:115:TYR:HD2	1:A:151:GLN:HG2	1.85	0.41
3:E:706:DC:H2'	3:E:707:DG:C8	2.55	0.41
1:C:308:GLU:HA	1:C:311:LYS:HE2	2.03	0.41
2:D:193:LEU:HB3	2:D:197:GLN:HG3	2.01	0.41
1:A:545:ASN:HA	1:A:548:VAL:HG12	2.02	0.41
2:D:64:LYS:HE3	2:D:71:TRP:CE2	2.55	0.41
1:A:34:LEU:HD21	1:A:62:ALA:HB2	2.02	0.41
1:C:111:VAL:HB	1:C:185:ASP:HB2	2.02	0.41
1:C:406:TRP:CZ2	2:D:420:PRO:HG3	2.56	0.41
1:C:279:LEU:HD23	1:C:299:ALA:HB1	2.03	0.41
1:C:317:VAL:HG11	1:C:347:LYS:HB3	2.03	0.40
1:A:547:GLN:N	1:A:547:GLN:OE1	2.54	0.40
2:D:395:LYS:HG3	2:D:416:PHE:CE2	2.56	0.40
2:D:418:ASN:N	2:D:418:ASN:OD1	2.55	0.40
2:D:50:ILE:HD13	2:D:145:GLN:HB3	2.02	0.40
3:T:707:DG:H2'	3:T:708:DG:C8	2.57	0.40
1:A:458:VAL:HG12	2:B:286:THR:HG21	2.03	0.40
1:C:20:LYS:HG2	1:C:56:TYR:HA	2.02	0.40
4:P:818:DC:H2'	4:P:819:DG:H8	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	553/556 (100%)	539 (98%)	13 (2%)	1 (0%)	47	69
1	C	554/556 (100%)	537 (97%)	17 (3%)	0	100	100
2	B	407/428 (95%)	388 (95%)	19 (5%)	0	100	100
2	D	408/428 (95%)	388 (95%)	20 (5%)	0	100	100
All	All	1922/1968 (98%)	1852 (96%)	69 (4%)	1 (0%)	51	75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	332	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	496/497 (100%)	493 (99%)	3 (1%)	86	90
1	C	497/497 (100%)	496 (100%)	1 (0%)	93	96
2	B	373/390 (96%)	372 (100%)	1 (0%)	92	95
2	D	374/390 (96%)	370 (99%)	4 (1%)	73	84
All	All	1740/1774 (98%)	1731 (100%)	9 (0%)	88	92

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	TRP
1	A	109	LEU
1	A	296	THR
2	B	422	LEU
1	C	109	LEU
2	D	185	ASP
2	D	418	ASN
2	D	423	VAL
2	D	424	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MRG	F	817	3,4	18,24,29	1.19	2 (11%)	19,35,42	2.61	4 (21%)
4	DDG	P	822	3,4	17,23,24	1.03	1 (5%)	15,33,36	2.31	6 (40%)
4	MRG	P	817	3,4	18,24,29	1.19	2 (11%)	19,35,42	2.61	4 (21%)
4	DDG	F	822	3,4	17,23,24	1.04	1 (5%)	15,33,36	2.32	6 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MRG	F	817	3,4	-	0/3/21/27	0/3/3/3
4	DDG	P	822	3,4	-	1/3/18/19	0/3/3/3
4	MRG	P	817	3,4	-	0/3/21/27	0/3/3/3
4	DDG	F	822	3,4	-	0/3/18/19	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	P	817	MRG	C6-N1	3.88	1.39	1.33
4	F	817	MRG	C6-N1	3.87	1.39	1.33
4	P	822	DDG	C8-N7	-2.31	1.30	1.34
4	F	822	DDG	C8-N7	-2.30	1.30	1.34
4	F	817	MRG	C8-N7	-2.13	1.30	1.34
4	P	817	MRG	C8-N7	-2.11	1.30	1.34

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	817	MRG	C5-C6-N1	-8.57	111.71	123.43
4	P	817	MRG	C5-C6-N1	-8.57	111.72	123.43
4	F	817	MRG	C6-N1-C2	5.64	124.89	115.93
4	P	817	MRG	C6-N1-C2	5.63	124.88	115.93
4	F	822	DDG	C2-N3-C4	5.02	121.08	115.36
4	P	822	DDG	C2-N3-C4	5.01	121.08	115.36
4	F	822	DDG	N3-C2-N1	-3.98	121.91	127.22
4	P	822	DDG	N3-C2-N1	-3.98	121.92	127.22
4	P	822	DDG	C5-C6-N1	-3.70	118.37	123.43
4	F	822	DDG	C5-C6-N1	-3.69	118.39	123.43
4	P	817	MRG	C2-N3-C4	-3.08	111.84	115.36
4	F	817	MRG	C2-N3-C4	-3.07	111.85	115.36
4	P	822	DDG	C6-N1-C2	2.78	120.34	115.93
4	F	822	DDG	C6-N1-C2	2.77	120.32	115.93
4	P	817	MRG	N3-C2-N1	-2.44	123.97	127.22
4	F	817	MRG	N3-C2-N1	-2.43	123.98	127.22
4	F	822	DDG	C6-C5-C4	-2.43	118.48	120.80
4	P	822	DDG	C6-C5-C4	-2.39	118.52	120.80
4	P	822	DDG	C4-C5-N7	-2.08	107.23	109.40
4	F	822	DDG	C4-C5-N7	-2.07	107.24	109.40

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	P	822	DDG	O4'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	817	MRG	2	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	RE5	C	603	5	17,29,29	2.64	4 (23%)	11,41,41	1.22	1 (9%)
6	RE5	A	603	5	17,29,29	2.66	4 (23%)	11,41,41	1.20	1 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	RE5	C	603	5	-	4/12/24/24	0/2/2/2
6	RE5	A	603	5	-	5/12/24/24	0/2/2/2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	603	RE5	P02-C13	9.43	1.94	1.80
6	C	603	RE5	P02-C13	9.39	1.94	1.80
6	C	603	RE5	C21-N22	2.69	1.38	1.33
6	A	603	RE5	C21-N22	2.68	1.38	1.33
6	A	603	RE5	C08-C04	2.65	1.56	1.53
6	A	603	RE5	P02-O28	-2.48	1.50	1.56
6	C	603	RE5	P02-O28	-2.48	1.50	1.56
6	C	603	RE5	C08-C04	2.36	1.56	1.53

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	603	RE5	O28-P02-O01	2.79	119.77	112.36
6	A	603	RE5	O28-P02-O01	2.68	119.48	112.36

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	603	RE5	C05-C04-C08-C09
6	A	603	RE5	O14-C13-P02-O28
6	C	603	RE5	C04-C08-C09-C10
6	A	603	RE5	N03-C04-C08-C09
6	A	603	RE5	O14-C13-P02-O01
6	C	603	RE5	O14-C13-P02-O01
6	C	603	RE5	C08-C04-N03-P02
6	A	603	RE5	C16-C15-O14-C13
6	C	603	RE5	C16-C15-O14-C13


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	603	RE5	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	555/556 (99%)	0.39	31 (5%) 24 29	31, 73, 138, 187	0
1	C	556/556 (100%)	0.76	80 (14%) 2 2	33, 97, 163, 198	0
2	B	411/428 (96%)	0.25	9 (2%) 62 70	27, 63, 119, 154	0
2	D	412/428 (96%)	0.53	29 (7%) 16 19	35, 80, 133, 167	0
3	E	24/27 (88%)	-0.28	2 (8%) 11 13	75, 126, 194, 203	0
3	T	23/27 (85%)	-0.54	1 (4%) 35 42	62, 107, 172, 191	0
4	F	18/21 (85%)	-0.78	0 100 100	69, 108, 172, 189	0
4	P	18/21 (85%)	-0.73	0 100 100	62, 92, 162, 164	0
All	All	2017/2064 (97%)	0.45	152 (7%) 14 17	27, 76, 149, 203	0

All (152) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	4	PRO	11.7
1	C	142	ILE	9.3
2	D	361	HIS	8.2
1	C	138	GLU	7.9
1	C	246	LEU	6.5
1	C	137	ASN	6.4
1	A	138	GLU	6.2
1	C	132	ILE	5.8
1	C	136	ASN	5.6
1	C	30	LYS	5.5
1	A	140	PRO	5.2
1	C	205	LEU	5.2
2	D	215	THR	4.9
3	E	702	DT	4.9
1	C	144	TYR	4.8
1	C	49	LYS	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	133	PRO	4.7
1	A	26	LEU	4.7
1	C	214	LEU	4.7
2	D	231	GLY	4.7
1	A	131	THR	4.6
1	C	124	PHE	4.6
2	D	214	LEU	4.6
1	C	252	TRP	4.5
1	C	293	ILE	4.5
1	C	276	VAL	4.5
2	B	85	GLN	4.5
1	C	74	LEU	4.4
1	A	134	SER	4.4
2	B	89	GLU	4.3
1	A	73	LYS	4.2
1	C	62	ALA	4.2
2	D	211	ARG	4.2
1	C	247	PRO	4.2
1	C	61	PHE	4.1
1	C	24	TRP	4.1
1	A	283	LEU	4.1
1	C	-1	MET	4.1
1	C	109	LEU	4.0
2	B	88	TRP	4.0
1	A	282	LEU	4.0
1	A	133	PRO	3.9
1	C	52	PRO	3.9
1	C	228	LEU	3.9
1	C	295	LEU	3.9
1	C	309	ILE	3.8
1	C	210	LEU	3.8
1	C	67	ASP	3.8
2	D	358	ARG	3.6
1	A	28	GLU	3.6
1	C	28	GLU	3.6
1	C	34	LEU	3.6
1	C	47	ILE	3.5
1	C	26	LEU	3.5
3	E	703	DG	3.5
2	D	174	GLN	3.5
1	A	109	LEU	3.5
1	C	292	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	141	GLY	3.4
1	C	25	PRO	3.4
1	A	128	THR	3.3
1	A	136	ASN	3.3
1	C	23	GLN	3.2
1	A	193	LEU	3.2
2	B	87	PHE	3.2
1	A	142	ILE	3.2
2	D	173	LYS	3.1
1	C	310	LEU	3.1
2	D	115	TYR	3.1
1	A	290	THR	3.1
2	D	212	TRP	3.0
2	B	4	PRO	3.0
1	A	551	LEU	3.0
1	A	135	ILE	3.0
1	C	27	THR	2.9
1	A	292	VAL	2.9
1	C	35	VAL	2.9
1	C	131	THR	2.9
1	C	120	LEU	2.9
2	B	209	LEU	2.9
1	C	143	ARG	2.9
1	C	106	VAL	2.9
2	D	420	PRO	2.8
2	D	89	GLU	2.8
1	A	137	ASN	2.8
1	C	134	SER	2.8
1	C	127	TYR	2.8
2	D	6	GLU	2.8
1	C	130	PHE	2.8
1	A	249	LYS	2.7
1	A	286	THR	2.7
1	C	0	VAL	2.7
1	A	124	PHE	2.7
1	C	115	TYR	2.6
1	C	234	LEU	2.6
1	A	130	PHE	2.6
1	C	108	VAL	2.6
2	D	422	LEU	2.6
1	C	146	TYR	2.6
1	C	140	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	167	ILE	2.5
2	D	209	LEU	2.5
1	C	48	SER	2.5
1	C	229	TRP	2.5
1	C	243	PRO	2.5
1	A	74	LEU	2.5
1	C	188	TYR	2.5
2	D	232	TYR	2.5
1	C	248	GLU	2.5
2	B	92	LEU	2.5
1	C	75	VAL	2.5
1	C	220	LYS	2.4
1	A	132	ILE	2.4
1	C	128	THR	2.4
1	C	245	VAL	2.4
2	D	86	ASP	2.4
2	D	178	ILE	2.4
1	C	73	LYS	2.4
1	C	186	ASP	2.3
1	C	209	LEU	2.3
2	D	425	LEU	2.3
1	C	202	ILE	2.3
1	A	252	TRP	2.3
1	C	59	PRO	2.3
1	C	187	LEU	2.3
1	A	295	LEU	2.3
2	D	426	TRP	2.3
1	C	22	LYS	2.3
2	D	193	LEU	2.3
1	C	60	VAL	2.3
1	C	299	ALA	2.3
1	A	552	VAL	2.3
2	D	85	GLN	2.2
2	D	154	LYS	2.2
2	D	87	PHE	2.2
1	C	118	VAL	2.2
1	C	55	PRO	2.2
1	C	32	LYS	2.2
1	C	221	HIS	2.1
2	D	120	LEU	2.1
2	B	232	TYR	2.1
1	A	61	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	211	ARG	2.1
1	C	294	PRO	2.1
1	A	187	LEU	2.0
2	D	202	ILE	2.0
2	B	212	TRP	2.0
2	D	124	PHE	2.0
1	C	179	VAL	2.0
1	C	244	ILE	2.0
3	T	703	DG	2.0
2	D	92	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MRG	F	817	22/27	0.89	0.10	97,124,160,168	0
4	DDG	F	822	21/22	0.90	0.14	79,97,112,118	0
4	MRG	P	817	22/27	0.92	0.12	70,91,120,138	0
4	DDG	P	822	21/22	0.96	0.17	48,64,69,73	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	RE5	C	603	28/28	0.83	0.19	91,111,133,138	0
5	MN	C	602	1/1	0.88	0.19	85,85,85,85	0
5	MN	C	601	1/1	0.91	0.07	133,133,133,133	0
6	RE5	A	603	28/28	0.93	0.19	57,81,101,117	0

Continued on next page...




Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	MN	A	602	1/1	0.93	0.26	155,155,155,155	0
5	MN	A	601	1/1	0.97	0.17	83,83,83,83	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around RE5 C 603:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.