



Full wwPDB EM Validation Report ⓘ

Dec 18, 2022 – 03:31 pm GMT

PDB ID : 7AOF
EMDB ID : EMD-11843
Title : Atomic structure of the poxvirus transcription late pre-initiation complex
Authors : Grimm, C.; Bartuli, J.; Fischer, U.
Deposited on : 2020-10-14
Resolution : 2.98 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1286	
2	B	1164	
3	C	305	
4	E	185	
5	F	164	
6	G	161	
7	I	795	
8	J	63	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	S	259	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into four segments: a small red segment at the beginning labeled '6%', a large green segment labeled '57%', a small yellow segment labeled '8%', and a grey segment at the end labeled '36%'.</p>

2 Entry composition i

There are 11 unique types of molecules in this entry. The entry contains 32727 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-directed RNA polymerase 147 kDa polypeptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1268	Total	C	N	O	S	0	0
			10188	6556	1679	1908	45		

- Molecule 2 is a protein called DNA-directed RNA polymerase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	1129	Total	C	N	O	S	0	0
			9091	5794	1554	1695	48		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	6	ASN	ASP	conflict	UNP Q49PH2

- Molecule 3 is a protein called DNA-directed RNA polymerase 35 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	304	Total	C	N	O	S	0	0
			2484	1608	399	464	13		

- Molecule 4 is a protein called DNA-directed RNA polymerase subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	E	184	Total	C	N	O	S	0	0
			1495	966	248	276	5		

- Molecule 5 is a protein called DNA-directed RNA polymerase 19 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	F	103	Total	C	N	O	S	0	0
			849	545	148	153	3		

- Molecule 6 is a protein called DNA-directed RNA polymerase 18 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	G	153	Total	C	N	O	S	0	0
			1192	753	198	235	6		

- Molecule 7 is a protein called Protein H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	I	665	Total	C	N	O	S	0	0
			5573	3649	891	1012	21		

- Molecule 8 is a protein called DNA-directed RNA polymerase 7 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	J	61	Total	C	N	O	S	0	0
			490	310	88	88	4		

- Molecule 9 is a protein called DNA-directed RNA polymerase 30 kDa polypeptide.

Mol	Chain	Residues	Atoms					AltConf	Trace	
9	S	167	Total	C	N	O	P	S	0	0
			1360	849	219	285	3	4		

- Molecule 10 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
10	A	1	Total	Mg	0
			1	1	


- Molecule 11 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
11	A	2	Total	Zn	0
			2	2	
11	B	1	Total	Zn	0
			1	1	
11	I	1	Total	Zn	0
			1	1	


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA-directed RNA polymerase 147 kDa polypeptide





- Molecule 2: DNA-directed RNA polymerase








• Molecule 3: DNA-directed RNA polymerase 35 kDa subunit




• Molecule 4: DNA-directed RNA polymerase subunit





• Molecule 5: DNA-directed RNA polymerase 19 kDa subunit




• Molecule 6: DNA-directed RNA polymerase 18 kDa subunit




• Molecule 7: Protein H4






• Molecule 8: DNA-directed RNA polymerase 7 kDa subunit



• Molecule 9: DNA-directed RNA polymerase 30 kDa polypeptide



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	88828	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	78.90	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.121	Depositor
Minimum map value	-0.040	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.0163	Depositor
Map size (Å)	340.32, 340.32, 340.32	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0635, 1.0635, 1.0635	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SEP, MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/10394	0.41	0/14052
2	B	0.25	0/9281	0.41	0/12537
3	C	0.26	0/2540	0.44	1/3440 (0.0%)
4	E	0.25	0/1522	0.47	1/2069 (0.0%)
5	F	0.24	0/863	0.38	0/1158
6	G	0.25	0/1209	0.44	0/1639
7	I	0.25	0/5703	0.39	0/7712
8	J	0.23	0/494	0.40	0/663
9	S	0.24	0/1352	0.40	0/1817
All	All	0.25	0/33358	0.41	2/45087 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
4	E	170	VAL	CG1-CB-CG2	6.94	122.00	110.90
3	C	111	VAL	CG1-CB-CG2	6.70	121.62	110.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	10188	0	10312	94	0
2	B	9091	0	9146	81	0
3	C	2484	0	2470	24	0
4	E	1495	0	1548	16	0
5	F	849	0	874	7	0
6	G	1192	0	1181	14	0
7	I	5573	0	5618	46	0
8	J	490	0	530	7	0
9	S	1360	0	1316	12	0
10	A	1	0	0	0	0
11	A	2	0	0	0	0
11	B	1	0	0	0	0
11	I	1	0	0	0	0
All	All	32727	0	32995	274	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (274) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:527:ASP:O	9:S:210:GLN:NE2	2.16	0.78
2:B:542:PRO:HA	2:B:545:ILE:HD13	1.66	0.77
4:E:11:LYS:NZ	4:E:103:ASP:OD2	2.18	0.77
7:I:320:ARG:NH1	7:I:322:GLU:OE1	2.17	0.76
1:A:976:GLU:OE2	1:A:1149:ASN:ND2	2.18	0.76
6:G:90:ASN:ND2	6:G:92:GLU:OE2	2.21	0.74
7:I:320:ARG:NH1	7:I:322:GLU:O	2.20	0.74
3:C:173:VAL:O	3:C:177:ILE:N	2.21	0.74
3:C:34:LEU:HD12	3:C:182:VAL:HG12	1.70	0.73
6:G:92:GLU:N	6:G:92:GLU:OE1	2.21	0.73
2:B:610:ARG:NH2	2:B:622:GLU:OE1	2.23	0.72
1:A:992:LYS:NZ	1:A:1031:GLU:OE1	2.16	0.72
1:A:799:ASP:OD1	9:S:216:LYS:NZ	2.23	0.72
6:G:86:ARG:NH1	6:G:138:THR:OG1	2.23	0.71
3:C:50:GLU:OE1	3:C:50:GLU:N	2.23	0.71
8:J:17:GLU:OE1	8:J:17:GLU:N	2.23	0.71
1:A:817:TRP:O	1:A:821:LYS:N	2.23	0.70
7:I:250:GLU:OE2	7:I:280:SER:OG	2.08	0.70
3:C:39:ILE:HG13	3:C:173:VAL:HG21	1.74	0.70
2:B:686:ARG:NH2	2:B:888:SER:O	2.26	0.69
1:A:851:GLU:OE1	1:A:899:ARG:NE	2.24	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:J:18:ARG:NH2	8:J:47:GLN:OE1	2.25	0.69
1:A:334:VAL:HG13	1:A:366:VAL:HG13	1.73	0.69
2:B:477:GLU:N	2:B:477:GLU:OE1	2.25	0.69
7:I:160:GLU:N	7:I:160:GLU:OE1	2.26	0.69
7:I:689:LYS:NZ	7:I:723:ASP:OD2	2.26	0.69
2:B:431:HIS:HB3	2:B:701:LEU:HD21	1.75	0.69
2:B:96:ALA:HB3	2:B:128:ILE:HB	1.75	0.68
6:G:86:ARG:NE	6:G:136:GLU:OE2	2.25	0.68
3:C:164:GLU:N	3:C:164:GLU:OE1	2.29	0.66
1:A:852:ASP:OD1	1:A:853:ASN:N	2.28	0.66
6:G:30:ALA:O	6:G:34:THR:HG22	1.96	0.66
7:I:582:GLN:NE2	7:I:583:ARG:O	2.29	0.66
2:B:785:GLU:N	2:B:785:GLU:OE1	2.29	0.65
2:B:218:GLU:N	2:B:218:GLU:OE1	2.28	0.65
1:A:181:GLU:OE1	1:A:181:GLU:N	2.29	0.65
1:A:398:GLU:N	1:A:398:GLU:OE1	2.29	0.65
1:A:1180:GLN:N	1:A:1180:GLN:OE1	2.29	0.65
2:B:229:ILE:HG23	2:B:311:MET:SD	2.35	0.65
1:A:81:GLU:HG3	1:A:1225:LEU:HD21	1.79	0.64
4:E:91:GLY:O	4:E:150:LYS:NZ	2.30	0.64
1:A:398:GLU:O	1:A:403:LYS:NZ	2.29	0.64
1:A:66:VAL:HG11	1:A:228:VAL:HG22	1.78	0.64
1:A:903:GLU:N	1:A:903:GLU:OE1	2.29	0.64
2:B:763:GLN:OE1	2:B:763:GLN:N	2.31	0.64
7:I:457:GLU:OE1	7:I:457:GLU:N	2.29	0.64
7:I:542:GLU:N	7:I:542:GLU:OE1	2.30	0.64
1:A:553:GLU:N	1:A:553:GLU:OE1	2.31	0.64
2:B:887:THR:O	2:B:888:SER:OG	2.14	0.64
2:B:1110:ASN:ND2	7:I:110:ASN:OD1	2.31	0.63
1:A:140:GLN:OE1	1:A:153:ASN:ND2	2.32	0.63
4:E:77:ASP:OD1	4:E:78:TYR:N	2.32	0.62
1:A:317:VAL:HG11	1:A:360:LEU:HB2	1.81	0.62
7:I:648:LEU:HD11	7:I:705:TYR:CE2	2.34	0.62
1:A:1038:GLU:OE1	9:S:119:ARG:NH1	2.32	0.62
2:B:303:THR:OG1	2:B:305:ASN:O	2.18	0.62
7:I:370:ILE:HG22	7:I:372:ILE:HG22	1.82	0.62
6:G:34:THR:HG23	6:G:35:TYR:CD2	2.36	0.61
1:A:764:GLU:OE1	2:B:1058:ARG:NH2	2.33	0.61
1:A:489:GLU:OE1	1:A:489:GLU:N	2.33	0.61
6:G:93:ASP:OD1	6:G:94:GLU:N	2.34	0.61
1:A:74:VAL:HG22	1:A:190:PHE:CE1	2.36	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:I:113:ASP:OD1	7:I:117:ASN:ND2	2.34	0.60
1:A:149:VAL:HG21	1:A:242:LYS:HB2	1.84	0.60
6:G:127:ASN:O	6:G:127:ASN:ND2	2.35	0.60
4:E:129:GLN:O	5:F:70:LYS:NZ	2.32	0.59
1:A:1077:PRO:O	1:A:1081:ASN:ND2	2.36	0.59
7:I:361:ALA:O	7:I:369:ASN:ND2	2.35	0.59
2:B:479:GLY:O	2:B:482:VAL:HG23	2.03	0.59
2:B:579:ARG:NE	2:B:633:GLU:OE2	2.34	0.59
7:I:592:VAL:HG23	7:I:592:VAL:O	2.03	0.59
2:B:350:ASP:OD1	2:B:351:ARG:N	2.35	0.59
1:A:741:GLN:O	1:A:745:ILE:HG23	2.02	0.58
1:A:163:SER:OG	7:I:183:ARG:NH2	2.36	0.58
2:B:898:ASP:OD1	2:B:899:GLU:N	2.37	0.58
3:C:132:ARG:NH2	7:I:593:GLU:O	2.37	0.58
2:B:121:GLU:N	2:B:121:GLU:OE1	2.36	0.58
4:E:116:LEU:HD11	4:E:163:ARG:NH2	2.19	0.58
2:B:242:ARG:NH2	2:B:284:ASP:OD2	2.37	0.57
1:A:41:LEU:O	1:A:62:HIS:N	2.36	0.57
2:B:301:GLN:N	2:B:301:GLN:OE1	2.37	0.57
7:I:431:ASN:OD1	7:I:501:ASN:ND2	2.36	0.57
6:G:109:SER:OG	6:G:111:ASP:OD1	2.17	0.57
2:B:34:GLN:NE2	2:B:169:ASN:OD1	2.38	0.57
4:E:117:ASP:OD1	4:E:118:THR:N	2.37	0.56
5:F:76:ARG:O	5:F:132:LYS:NZ	2.39	0.56
1:A:329:LEU:HD22	1:A:334:VAL:HG21	1.87	0.56
2:B:398:ASN:O	2:B:401:VAL:HG22	2.06	0.56
1:A:386:ARG:NH1	1:A:448:ASP:OD1	2.39	0.56
1:A:943:LEU:O	1:A:944:SER:OG	2.18	0.56
1:A:517:LEU:HD12	1:A:517:LEU:H	1.71	0.56
3:C:132:ARG:NH1	7:I:591:ASP:O	2.40	0.55
2:B:129:LYS:N	2:B:408:ASN:OD1	2.37	0.55
1:A:16:GLU:O	2:B:1105:ARG:NH2	2.40	0.55
3:C:80:LEU:HD11	3:C:142:ILE:HD11	1.88	0.55
1:A:991:VAL:HG21	1:A:1138:LEU:HD21	1.88	0.55
7:I:586:LEU:HD23	7:I:586:LEU:H	1.70	0.55
2:B:1120:THR:O	2:B:1125:LYS:NZ	2.39	0.55
5:F:100:LEU:N	5:F:120:GLU:OE2	2.39	0.55
7:I:328:HIS:CE1	7:I:366:CYS:SG	2.99	0.55
1:A:100:GLU:OE1	1:A:100:GLU:N	2.38	0.54
4:E:33:LEU:O	4:E:33:LEU:HD12	2.08	0.54
1:A:1060:ILE:O	9:S:130:LYS:NZ	2.38	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:107:ASP:OD1	3:C:108:THR:N	2.40	0.54
1:A:1029:ARG:NH2	9:S:144:TYR:OH	2.37	0.54
1:A:1075:VAL:O	1:A:1081:ASN:ND2	2.40	0.54
1:A:261:ASN:OD1	1:A:263:SER:OG	2.25	0.54
1:A:934:LEU:O	1:A:1171:TYR:OH	2.26	0.54
1:A:223:LEU:HD13	1:A:247:TYR:HA	1.89	0.53
1:A:317:VAL:HG12	1:A:317:VAL:O	2.08	0.53
1:A:303:MET:O	1:A:308:ARG:NH2	2.42	0.53
2:B:92:TYR:OH	2:B:140:ASN:ND2	2.41	0.53
1:A:36:VAL:HG21	1:A:224:LEU:HB3	1.90	0.52
3:C:25:GLY:HA3	3:C:223:LEU:HD21	1.90	0.52
7:I:738:ARG:HH21	7:I:747:VAL:HG12	1.74	0.52
9:S:117:PHE:CE2	9:S:121:LEU:HD11	2.44	0.52
2:B:545:ILE:HG22	2:B:546:CYS:N	2.23	0.52
2:B:468:LEU:HD23	2:B:635:PHE:CZ	2.45	0.52
2:B:653:ASP:OD1	2:B:654:GLU:N	2.42	0.52
4:E:129:GLN:HG2	4:E:136:THR:HG22	1.92	0.52
1:A:460:ASP:OD2	2:B:916:ASN:ND2	2.34	0.52
2:B:536:LEU:HD23	2:B:537:VAL:N	2.25	0.52
7:I:598:GLU:C	7:I:599:LEU:HD22	2.30	0.52
3:C:170:TYR:HA	3:C:173:VAL:HG22	1.90	0.52
1:A:71:THR:HG23	1:A:237:GLU:HG2	1.91	0.51
1:A:836:THR:HB	1:A:888:ILE:HD11	1.92	0.51
1:A:74:VAL:HG21	1:A:151:PHE:HE2	1.76	0.51
1:A:318:ASN:ND2	5:F:94:GLN:OE1	2.43	0.51
2:B:399:ILE:HG22	2:B:400:HIS:H	1.76	0.51
2:B:546:CYS:SG	2:B:572:ARG:NH2	2.80	0.51
1:A:475:CYS:SG	1:A:476:LEU:N	2.84	0.51
9:S:117:PHE:CZ	9:S:121:LEU:HD11	2.46	0.51
1:A:1160:ARG:NH1	1:A:1183:ASP:OD1	2.44	0.51
7:I:354:ILE:HG23	7:I:361:ALA:HB1	1.93	0.51
2:B:912:ASP:OD2	8:J:9:THR:OG1	2.28	0.51
7:I:703:ASN:O	7:I:704:SER:OG	2.19	0.51
1:A:849:THR:OG1	1:A:850:THR:N	2.44	0.51
1:A:1262:MET:O	6:G:24:LYS:NZ	2.44	0.51
1:A:919:THR:O	5:F:76:ARG:NH2	2.45	0.50
2:B:212:LEU:HD13	2:B:220:LEU:HD13	1.93	0.50
2:B:875:ARG:NH1	2:B:1024:ASP:OD1	2.44	0.50
6:G:94:GLU:O	6:G:110:ARG:NH1	2.45	0.50
9:S:109:GLY:O	9:S:110:THR:OG1	2.28	0.50
1:A:1224:ALA:HB2	2:B:1136:VAL:HG13	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:56:VAL:HG21	3:C:141:LEU:HD13	1.93	0.50
2:B:1100:ILE:O	2:B:1100:ILE:HD12	2.10	0.50
1:A:591:LEU:O	1:A:595:ASN:ND2	2.45	0.50
2:B:999:GLU:OE1	3:C:270:ARG:NH1	2.44	0.50
1:A:776:ILE:HG23	1:A:777:GLY:H	1.77	0.50
1:A:978:ILE:N	1:A:978:ILE:HD12	2.27	0.50
7:I:604:LEU:O	7:I:605:LYS:HB2	2.11	0.50
7:I:331:ARG:NH2	7:I:352:GLU:OE2	2.45	0.49
7:I:675:LEU:HD12	7:I:675:LEU:O	2.12	0.49
2:B:56:LEU:HD11	2:B:382:ARG:HB2	1.94	0.49
2:B:282:ASN:OD1	2:B:285:THR:N	2.43	0.49
3:C:173:VAL:HA	3:C:176:ILE:HG22	1.94	0.49
2:B:124:ASP:O	2:B:125:SER:OG	2.28	0.49
2:B:861:LEU:HD22	2:B:865:VAL:HG22	1.94	0.49
2:B:662:ASP:OD1	2:B:663:PHE:N	2.45	0.49
3:C:39:ILE:CG1	3:C:173:VAL:HG21	2.43	0.48
4:E:83:ILE:N	4:E:83:ILE:HD12	2.29	0.48
9:S:81:ASP:OD2	9:S:83:ARG:NH1	2.47	0.48
1:A:517:LEU:HD11	1:A:539:LEU:HD22	1.95	0.47
1:A:29:ASN:ND2	1:A:33:ILE:O	2.45	0.47
1:A:925:PRO:HB2	1:A:928:ILE:HG22	1.96	0.47
2:B:886:ARG:NH2	2:B:931:GLU:OE1	2.46	0.47
1:A:598:LYS:HD2	9:S:151:LEU:HD13	1.96	0.47
4:E:116:LEU:HD11	4:E:163:ARG:HH21	1.78	0.47
7:I:363:CYS:SG	7:I:365:VAL:N	2.88	0.47
6:G:132:ASP:OD1	6:G:133:ASN:N	2.47	0.47
7:I:237:LEU:O	7:I:241:GLY:N	2.48	0.47
1:A:36:VAL:HG21	1:A:224:LEU:CB	2.45	0.47
2:B:587:LEU:HD12	2:B:632:ILE:HD12	1.97	0.47
2:B:651:SER:OG	2:B:653:ASP:OD1	2.18	0.47
2:B:399:ILE:HG22	2:B:400:HIS:N	2.29	0.47
8:J:35:VAL:HG21	8:J:44:LEU:HD12	1.95	0.47
3:C:254:ASN:HA	3:C:271:LEU:O	2.14	0.47
1:A:872:ARG:HB2	1:A:882:ILE:HD11	1.96	0.46
2:B:309:TYR:OH	7:I:725:GLU:OE2	2.29	0.46
7:I:772:VAL:HG21	7:I:777:TRP:CG	2.50	0.46
1:A:86:LEU:HD21	1:A:165:ILE:HG23	1.98	0.46
1:A:376:ILE:HB	1:A:394:ILE:HD11	1.98	0.46
1:A:1252:TYR:OH	5:F:81:GLU:OE2	2.27	0.46
1:A:590:LYS:NZ	1:A:644:GLU:OE2	2.44	0.46
7:I:142:VAL:HG13	7:I:164:ILE:HG21	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:I:658:ILE:HD11	7:I:717:PHE:CZ	2.50	0.46
1:A:179:LEU:HD23	1:A:179:LEU:O	2.16	0.46
1:A:98:SER:OG	1:A:100:GLU:OE1	2.25	0.46
1:A:150:CYS:SG	1:A:238:GLN:NE2	2.88	0.45
2:B:1057:GLU:OE1	2:B:1057:GLU:N	2.42	0.45
7:I:511:MET:HG3	7:I:518:VAL:HG22	1.98	0.45
3:C:15:GLU:OE1	3:C:15:GLU:N	2.43	0.45
2:B:863:ASP:OD1	2:B:863:ASP:N	2.50	0.45
4:E:2:ASN:O	4:E:3:GLN:HB3	2.17	0.45
7:I:104:THR:OG1	7:I:105:ASP:N	2.50	0.45
3:C:52:TRP:HH2	3:C:94:ILE:HD12	1.82	0.45
2:B:108:THR:OG1	2:B:110:GLU:OE1	2.26	0.44
2:B:133:LEU:HD11	2:B:155:GLY:HA2	1.98	0.44
2:B:722:ILE:HD12	2:B:723:VAL:N	2.32	0.44
2:B:134:ILE:HD12	2:B:156:VAL:CG2	2.47	0.44
8:J:7:CYS:SG	8:J:9:THR:O	2.76	0.44
3:C:150:ILE:HD12	3:C:150:ILE:N	2.32	0.44
7:I:105:ASP:N	7:I:105:ASP:OD1	2.51	0.44
7:I:111:LEU:C	7:I:111:LEU:HD23	2.38	0.44
3:C:80:LEU:HD12	3:C:144:PHE:CE2	2.53	0.44
1:A:118:ARG:NH2	1:A:121:ASP:OD2	2.51	0.44
2:B:997:ASP:O	2:B:1001:ASP:N	2.46	0.44
7:I:228:ASP:OD1	7:I:229:PHE:N	2.44	0.43
1:A:884:PHE:CD1	4:E:171:THR:HG23	2.53	0.43
1:A:935:SER:HA	1:A:938:PHE:CE2	2.54	0.43
2:B:302:LEU:HD12	2:B:302:LEU:H	1.82	0.43
1:A:304:PRO:HD2	1:A:307:ILE:HD12	1.98	0.43
2:B:801:LEU:HD23	2:B:821:ARG:HG3	2.00	0.43
1:A:211:ASP:OD1	1:A:212:SER:N	2.51	0.43
1:A:881:ASN:ND2	1:A:883:ASP:OD2	2.47	0.43
1:A:774:VAL:HG23	1:A:785:ALA:HA	1.99	0.43
2:B:388:ASN:O	2:B:392:ARG:N	2.41	0.43
2:B:723:VAL:O	2:B:886:ARG:NH2	2.43	0.43
2:B:1029:ARG:NH1	2:B:1048:GLY:O	2.51	0.43
7:I:330:ILE:N	7:I:330:ILE:HD12	2.34	0.43
1:A:198:PRO:HB2	1:A:202:ILE:HD11	2.00	0.43
1:A:850:THR:O	1:A:850:THR:OG1	2.36	0.43
1:A:134:GLU:OE1	7:I:215:TYR:OH	2.37	0.43
1:A:1054:TRP:O	1:A:1054:TRP:CE3	2.72	0.43
1:A:651:GLN:NE2	1:A:655:ASP:OD2	2.52	0.43
3:C:34:LEU:HD21	3:C:184:ARG:HD2	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:505:LEU:HD23	2:B:582:ILE:HB	1.99	0.42
6:G:20:THR:HG22	6:G:21:LEU:H	1.84	0.42
1:A:937:LYS:HG2	1:A:1178:LEU:HD11	2.00	0.42
7:I:738:ARG:O	7:I:742:LEU:N	2.43	0.42
1:A:613:VAL:HG13	1:A:620:PRO:HG3	2.00	0.42
3:C:6:GLU:N	3:C:6:GLU:OE1	2.52	0.42
1:A:850:THR:HG23	1:A:852:ASP:OD1	2.19	0.42
2:B:744:ILE:HG22	2:B:913:VAL:HB	2.01	0.42
3:C:289:LYS:NZ	3:C:293:ASP:OD1	2.52	0.42
2:B:812:PHE:CD1	3:C:176:ILE:HD13	2.55	0.42
8:J:39:CYS:SG	8:J:40:CYS:N	2.92	0.42
2:B:505:LEU:HD21	2:B:566:VAL:HG22	2.01	0.42
6:G:91:ILE:HG23	6:G:97:VAL:HG22	2.01	0.42
9:S:90:ASN:OD1	9:S:91:LYS:N	2.52	0.42
2:B:704:ASP:OD1	8:J:53:ASN:ND2	2.50	0.42
4:E:113:PHE:CG	4:E:148:VAL:HG13	2.55	0.42
7:I:667:LYS:O	7:I:677:ILE:HD12	2.19	0.42
7:I:604:LEU:O	7:I:605:LYS:CB	2.67	0.42
1:A:742:SER:O	1:A:745:ILE:HG12	2.20	0.41
1:A:56:GLU:O	2:B:1039:ARG:NH2	2.53	0.41
2:B:489:SER:OG	2:B:492:SER:OG	2.37	0.41
2:B:212:LEU:HD23	2:B:342:ILE:CD1	2.50	0.41
2:B:249:ARG:NH2	2:B:268:ILE:HG21	2.35	0.41
2:B:1051:ILE:N	2:B:1051:ILE:HD12	2.36	0.41
2:B:388:ASN:ND2	2:B:396:ALA:O	2.53	0.41
1:A:404:ILE:HB	1:A:408:ILE:HD11	2.02	0.41
1:A:1180:GLN:HB2	1:A:1181:PRO:HD3	2.03	0.41
2:B:320:ASN:OD1	2:B:320:ASN:O	2.38	0.41
4:E:13:LEU:O	4:E:50:VAL:HG21	2.21	0.41
9:S:106:MET:CE	9:S:119:ARG:HB3	2.51	0.41
1:A:790:ILE:HG22	1:A:791:LEU:N	2.34	0.41
2:B:958:ASN:ND2	2:B:960:THR:O	2.54	0.41
2:B:1139:LYS:NZ	2:B:1141:ASP:OD1	2.54	0.41
2:B:360:LEU:HD22	2:B:364:LYS:HB3	2.03	0.40
4:E:28:ASN:N	4:E:28:ASN:OD1	2.54	0.40
4:E:66:GLU:OE2	4:E:89:GLN:NE2	2.44	0.40
1:A:91:ILE:H	1:A:91:ILE:HD13	1.86	0.40
1:A:1113:ASP:OD1	1:A:1114:PHE:N	2.46	0.40
2:B:1068:ASN:HA	2:B:1071:THR:HG22	2.02	0.40
7:I:653:ASP:OD1	7:I:653:ASP:N	2.55	0.40
7:I:517:THR:HG22	7:I:518:VAL:N	2.37	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:316:PHE:O	1:A:321:THR:OG1	2.35	0.40
1:A:325:VAL:O	1:A:329:LEU:HD23	2.21	0.40
2:B:28:TYR:OH	2:B:438:ILE:HD11	2.22	0.40
2:B:933:ILE:HG23	2:B:989:ILE:O	2.22	0.40
2:B:940:ALA:O	2:B:976:SER:OG	2.38	0.40
5:F:121:ILE:HG23	5:F:139:VAL:HG21	2.04	0.40
7:I:204:LYS:O	7:I:205:LYS:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1266/1286 (98%)	1211 (96%)	55 (4%)	0	100	100
2	B	1123/1164 (96%)	1075 (96%)	48 (4%)	0	100	100
3	C	302/305 (99%)	284 (94%)	18 (6%)	0	100	100
4	E	182/185 (98%)	171 (94%)	11 (6%)	0	100	100
5	F	101/164 (62%)	98 (97%)	3 (3%)	0	100	100
6	G	149/161 (92%)	141 (95%)	8 (5%)	0	100	100
7	I	655/795 (82%)	619 (94%)	34 (5%)	2 (0%)	41	74
8	J	59/63 (94%)	53 (90%)	6 (10%)	0	100	100
9	S	160/259 (62%)	147 (92%)	13 (8%)	0	100	100
All	All	3997/4382 (91%)	3799 (95%)	196 (5%)	2 (0%)	54	83

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	I	605	LYS
7	I	604	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1139/1157 (98%)	1122 (98%)	17 (2%)	65	86
2	B	1030/1064 (97%)	1013 (98%)	17 (2%)	60	84
3	C	286/287 (100%)	277 (97%)	9 (3%)	40	73
4	E	174/175 (99%)	171 (98%)	3 (2%)	60	84
5	F	94/151 (62%)	94 (100%)	0	100	100
6	G	136/144 (94%)	135 (99%)	1 (1%)	84	93
7	I	633/755 (84%)	618 (98%)	15 (2%)	49	78
8	J	60/62 (97%)	55 (92%)	5 (8%)	11	37
9	S	152/237 (64%)	150 (99%)	2 (1%)	69	88
All	All	3704/4032 (92%)	3635 (98%)	69 (2%)	59	82

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	90	CYS
1	A	91	ILE
1	A	98	SER
1	A	145	SER
1	A	147	LYS
1	A	238	GLN
1	A	256	ASN
1	A	327	GLN
1	A	360	LEU
1	A	385	HIS
1	A	510	GLU
1	A	555	ILE
1	A	606	TYR
1	A	791	LEU
1	A	836	THR
1	A	961	PHE
1	A	1171	TYR
2	B	52	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	65	ARG
2	B	110	GLU
2	B	115	THR
2	B	146	LYS
2	B	147	TYR
2	B	153	ILE
2	B	159	ASN
2	B	166	VAL
2	B	186	ASN
2	B	206	ARG
2	B	243	VAL
2	B	320	ASN
2	B	545	ILE
2	B	645	GLN
2	B	719	GLU
2	B	801	LEU
3	C	18	LEU
3	C	80	LEU
3	C	111	VAL
3	C	112	THR
3	C	119	GLU
3	C	187	PHE
3	C	211	CYS
3	C	255	ASP
3	C	289	LYS
4	E	33	LEU
4	E	36	THR
4	E	72	THR
6	G	20	THR
7	I	168	MET
7	I	197	HIS
7	I	220	LEU
7	I	300	LYS
7	I	302	LYS
7	I	317	ARG
7	I	408	ARG
7	I	439	PHE
7	I	463	PHE
7	I	567	HIS
7	I	569	GLN
7	I	638	THR
7	I	643	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	I	678	GLU
7	I	738	ARG
8	J	3	PHE
8	J	7	CYS
8	J	10	CYS
8	J	21	LEU
8	J	39	CYS
9	S	97	ASN
9	S	243	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	SEP	S	228	9	8,9,10	1.55	1 (12%)	8,12,14	1.57	2 (25%)
9	SEP	S	232	9	8,9,10	1.55	1 (12%)	8,12,14	1.50	2 (25%)
9	SEP	S	237	9	8,9,10	1.57	1 (12%)	8,12,14	1.66	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	SEP	S	228	9	-	3/5/8/10	-
9	SEP	S	232	9	-	4/5/8/10	-
9	SEP	S	237	9	-	2/5/8/10	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	S	237	SEP	P-O1P	3.42	1.61	1.50
9	S	232	SEP	P-O1P	3.37	1.61	1.50
9	S	228	SEP	P-O1P	3.36	1.61	1.50

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	S	237	SEP	P-OG-CB	-3.04	109.93	118.30
9	S	237	SEP	OG-CB-CA	3.03	111.09	108.14
9	S	232	SEP	OG-CB-CA	2.85	110.92	108.14
9	S	228	SEP	P-OG-CB	-2.83	110.51	118.30
9	S	228	SEP	OG-CB-CA	2.82	110.89	108.14
9	S	232	SEP	P-OG-CB	-2.48	111.45	118.30

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	S	228	SEP	CB-OG-P-O3P
9	S	232	SEP	CA-CB-OG-P
9	S	232	SEP	CB-OG-P-O2P
9	S	232	SEP	CB-OG-P-O1P
9	S	228	SEP	CB-OG-P-O2P
9	S	232	SEP	CB-OG-P-O3P
9	S	237	SEP	CA-CB-OG-P
9	S	237	SEP	N-CA-CB-OG
9	S	228	SEP	CB-OG-P-O1P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 5 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11843. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160



Y Index: 160




Z Index: 160

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 167



Y Index: 136



Z Index: 151

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0163. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 367 nm³; this corresponds to an approximate mass of 331 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.336 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11843 and PDB model 7AOF. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0163 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0163).





















9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.0163) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9370	 0.5050
A	 0.9541	 0.5200
B	 0.9658	 0.5300
C	 0.9714	 0.5210
E	 0.9659	 0.5290
F	 0.9771	 0.5400
G	 0.9412	 0.5110
I	 0.8610	 0.4310
J	 0.9896	 0.5330
S	 0.7858	 0.4400

