



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2020 – 12:24 am BST

PDB ID : 6AQP
Title : *Aspergillus fumigatus* Cytosolic Thiolase: Acetylated enzyme in complex with CoA and potassium ions
Authors : Marshall, A.C.; Bond, C.S.; Bruning, J.B.
Deposited on : 2017-08-21
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	399	 92% 7%
1	B	399	 91% 8%
1	C	399	 94% 6%
1	D	399	 93% 7%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 14289 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	397	2831	1780	488	551	12	0	1	0
1	B	396	2874	1810	495	557	12	0	6	0
1	C	399	2901	1835	497	557	12	0	8	0
1	D	397	2866	1805	492	557	12	0	6	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q4WCL5
B	0	GLY	-	expression tag	UNP Q4WCL5
C	0	GLY	-	expression tag	UNP Q4WCL5
D	0	GLY	-	expression tag	UNP Q4WCL5

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: $C_{21}H_{36}N_7O_{16}P_3S$) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
2	A	1	48	21	7	16	3	1	0	1
2	B	1	48	21	7	16	3	1	0	1
2	D	1	48	21	7	16	3	1	0	1

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K) (labeled as "Ligand of Interest" by author).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	3	Total 3 K 3	0	0
3	A	3	Total 3 K 3	0	0
3	D	3	Total 3 K 3	0	0
3	C	3	Total 3 K 3	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl) (labeled as "Ligand of Interest" by author).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total 1 Cl 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cl 1 1	0	0
4	D	1	Total Cl 1 1	0	0
4	C	1	Total Cl 1 1	0	0

- Molecule 5 is ACETYL COENZYME *A (three-letter code: ACO) (formula: $C_{23}H_{38}N_7O_{17}P_3S$) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
5	C	1	51	23	7	17	3	1	0	1

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	518	Total O 519 519	0	1
6	B	476	Total O 477 477	0	1
6	C	803	Total O 803 803	0	0
6	D	806	Total O 807 807	0	1

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.37Å 106.98Å 111.09Å 90.00° 104.18° 90.00°	Depositor
Resolution (Å)	47.91 – 1.80 107.71 – 1.80	Depositor EDS
% Data completeness (in resolution range)	100.0 (47.91-1.80) 100.0 (107.71-1.80)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.03 (at 1.80Å)	Xtrriage
Refinement program	PHENIX dev_2747	Depositor
R, R_{free}	0.175 , 0.219 0.172 , 0.215	Depositor DCC
R_{free} test set	7586 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	13.2	Xtrriage
Anisotropy	0.337	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 58.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14289	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, SCY, K, ACO, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/2864	0.50	0/3887
1	B	0.31	0/2922	0.50	0/3961
1	C	0.39	0/2957	0.55	0/4008
1	D	0.40	0/2911	0.57	0/3950
All	All	0.36	0/11654	0.53	0/15806

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2831	0	2855	17	0
1	B	2874	0	2937	20	0
1	C	2901	0	2982	14	0
1	D	2866	0	2910	18	0
2	A	48	0	32	3	0
2	B	48	0	32	3	0
2	D	48	0	32	1	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	3	0	0	0	0
3	D	3	0	0	0	0
4	A	1	0	0	1	0
4	B	1	0	0	1	0
4	C	1	0	0	1	0
4	D	1	0	0	0	0
5	C	51	0	5	2	0
6	A	519	0	0	9	1
6	B	477	0	0	7	0
6	C	803	0	0	3	4
6	D	807	0	0	11	3
All	All	14289	0	11785	75	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:401[A]:COA:O4B	2:A:401[A]:COA:C1B	1.64	1.25
2:D:401[A]:COA:C1B	2:D:401[A]:COA:O4B	1.64	1.20
2:B:401[A]:COA:C1B	2:B:401[A]:COA:O4B	1.64	1.19
6:A:779:HOH:O	4:B:405:CL:CL	2.26	0.88
4:A:405:CL:CL	6:B:742:HOH:O	2.39	0.78
1:D:270:LEU:HD12	1:D:275:LEU:HB2	1.67	0.76
1:B:354:HIS:NE2	6:B:502[A]:HOH:O	2.22	0.72
1:B:92[B]:SCY:OCD	1:B:386:GLY:N	2.23	0.69
1:C:244:SER:OG	6:C:501:HOH:O	2.13	0.67
1:A:131:ASN:OD1	6:A:501:HOH:O	2.13	0.67
1:D:135:GLY:O	6:D:501:HOH:O	2.12	0.66
1:D:213:GLY:N	6:D:503:HOH:O	2.31	0.64
2:A:401[A]:COA:S1P	6:A:533[A]:HOH:O	2.54	0.64
1:A:131:ASN:ND2	6:A:505:HOH:O	2.29	0.64
1:B:157[B]:LYS:NZ	6:B:507:HOH:O	2.31	0.62
4:C:404:CL:CL	6:D:876:HOH:O	2.53	0.61
1:B:141:GLN:HG3	1:D:132:LEU:HD21	1.88	0.56
1:B:227:ASN:ND2	6:B:505:HOH:O	2.30	0.54
1:B:323:GLU:HB3	1:B:350:VAL:HG23	1.91	0.53
1:A:218:THR:OG1	6:A:502:HOH:O	2.18	0.52
1:B:249:ALA:HB2	2:B:401[A]:COA:H121	1.91	0.52
1:D:38:LYS:NZ	6:D:514:HOH:O	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:157:LYS:HG2	6:D:705:HOH:O	2.11	0.50
1:A:320:GLU:HG3	1:A:367:LEU:HB2	1.93	0.50
1:B:229:ASN:HB3	2:B:401[A]:COA:H2A	1.94	0.50
1:B:20:PHE:HE2	1:C:137[A]:LYS:HG3	1.77	0.50
1:B:284:TRP:HB3	1:B:393:LEU:HD12	1.94	0.49
1:C:362:ARG:O	1:C:365[B]:THR:HG22	2.13	0.49
1:A:38:LYS:NZ	6:A:507:HOH:O	2.31	0.48
1:D:92[B]:SCY:OCD	1:D:386:GLY:N	2.35	0.48
1:B:162:GLY:HA3	1:B:240:PHE:CZ	2.49	0.47
1:A:162:GLY:HA3	1:A:240:PHE:CZ	2.49	0.47
1:D:362:ARG:O	1:D:365[B]:THR:HG22	2.16	0.46
1:D:88[B]:VAL:HG21	1:D:98:ALA:HB2	1.96	0.46
1:D:284:TRP:HB3	1:D:393:LEU:HD12	1.98	0.46
1:A:1:MET:HE2	6:A:528:HOH:O	2.15	0.46
1:A:128:TYR:OH	1:A:150:ASP:OD2	2.31	0.46
1:B:112:ASP:HB3	1:B:269:LYS:HG3	1.98	0.46
1:A:141:GLN:HG3	1:C:132:LEU:HD21	1.98	0.46
1:D:375[A]:LYS:NZ	6:D:520:HOH:O	2.47	0.45
1:B:270:LEU:HD12	1:B:275:LEU:HB2	1.98	0.45
1:C:234:ARG:NH1	6:C:531:HOH:O	2.48	0.45
1:B:299:ALA:HA	1:B:336:LEU:HD21	1.98	0.44
1:C:270:LEU:HD12	1:C:275:LEU:HB2	1.99	0.44
1:C:92[A]:SCY:OCD	1:C:386:GLY:N	2.42	0.44
1:B:372:LYS:NZ	6:B:519:HOH:O	2.47	0.43
1:A:270:LEU:HD12	1:A:275:LEU:HB2	2.00	0.43
1:C:162:GLY:HA3	1:C:240:PHE:CZ	2.54	0.43
1:C:6:ALA:HB1	1:C:280:LYS:HE2	2.00	0.43
1:C:345[A]:LEU:HD23	1:C:374:LYS:HG2	2.01	0.43
1:A:316:ILE:O	1:A:342:LYS:NZ	2.42	0.43
1:B:230:PRO:O	1:B:234:ARG:HG3	2.19	0.43
1:D:166:GLU:O	1:D:170:GLN:HG3	2.20	0.42
1:D:207:GLN:HB3	6:D:626:HOH:O	2.18	0.42
1:D:374:LYS:HE3	6:D:1071:HOH:O	2.19	0.42
1:B:132:LEU:HD21	1:D:141:GLN:HG3	2.01	0.42
1:A:228:LEU:HA	2:A:401[A]:COA:H61A	1.85	0.42
1:D:48:LYS:NZ	6:D:531:HOH:O	2.52	0.42
1:C:4:LEU:HD23	6:C:909:HOH:O	2.19	0.41
1:B:56:PHE:O	1:B:116:ALA:HA	2.21	0.41
1:C:162:GLY:HA3	1:C:240:PHE:CE1	2.55	0.41
1:D:152:LEU:O	1:D:161:MET:HG2	2.20	0.41
1:A:280:LYS:NZ	6:A:528:HOH:O	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:55:VAL:HA	1:A:115:VAL:O	2.20	0.41
1:A:306:LEU:HB3	1:A:311:VAL:O	2.21	0.41
1:A:298:PRO:HD3	1:A:384:CYS:HB3	2.04	0.40
1:A:133:ARG:HA	1:C:136:ALA:O	2.22	0.40
1:C:386:GLY:H	5:C:405[B]:ACO:HH33	1.86	0.40
1:B:81:GLU:OE1	6:B:501:HOH:O	2.22	0.40
1:D:384:CYS:SG	6:D:512[B]:HOH:O	2.62	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:C:784:HOH:O	6:D:1022:HOH:O[1_455]	2.10	0.10
6:A:707:HOH:O	6:C:919:HOH:O[2_748]	2.11	0.09
6:C:1004:HOH:O	6:D:520:HOH:O[1_455]	2.14	0.06
6:C:1006:HOH:O	6:D:1006:HOH:O[1_455]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	392/399 (98%)	381 (97%)	10 (3%)	1 (0%)	41 27
1	B	396/399 (99%)	385 (97%)	10 (2%)	1 (0%)	41 27
1	C	403/399 (101%)	394 (98%)	8 (2%)	1 (0%)	47 33
1	D	397/399 (100%)	390 (98%)	6 (2%)	1 (0%)	41 27
All	All	1588/1596 (100%)	1550 (98%)	34 (2%)	4 (0%)	41 27

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	91	VAL
1	B	91	VAL
1	C	91	VAL
1	D	91	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/297 (97%)	284 (99%)	3 (1%)	76	71
1	B	297/297 (100%)	295 (99%)	2 (1%)	84	81
1	C	299/297 (101%)	293 (98%)	6 (2%)	55	44
1	D	294/297 (99%)	293 (100%)	1 (0%)	92	91
All	All	1177/1188 (99%)	1165 (99%)	12 (1%)	78	71

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	PHE
1	A	186	THR
1	A	393	LEU
1	B	57	PHE
1	B	273	LEU
1	C	57	PHE
1	C	137[A]	LYS
1	C	137[B]	LYS
1	C	141	GLN
1	C	186	THR
1	C	372	LYS
1	D	57	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 16 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	COA	B	401[A]	-	41,50,50	3.93	8 (19%)	52,75,75	1.55	6 (11%)
2	COA	D	401[A]	-	41,50,50	3.84	8 (19%)	52,75,75	1.55	7 (13%)
2	COA	A	401[A]	-	41,50,50	3.96	8 (19%)	52,75,75	1.68	9 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	B	401[A]	-	-	19/44/64/64	0/3/3/3
2	COA	D	401[A]	-	-	7/44/64/64	0/3/3/3
2	COA	A	401[A]	-	-	9/44/64/64	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401[A]	COA	O4B-C1B	17.10	1.64	1.41
2	B	401[A]	COA	O4B-C1B	16.66	1.64	1.41
2	D	401[A]	COA	O4B-C1B	16.58	1.64	1.41
2	B	401[A]	COA	C2B-C1B	-14.28	1.32	1.53
2	A	401[A]	COA	C2B-C1B	-14.21	1.32	1.53
2	D	401[A]	COA	C2B-C1B	-13.53	1.33	1.53
2	B	401[A]	COA	O4B-C4B	-6.37	1.30	1.45
2	A	401[A]	COA	O4B-C4B	-6.20	1.31	1.45
2	D	401[A]	COA	O4B-C4B	-6.03	1.31	1.45
2	A	401[A]	COA	C9P-N8P	5.70	1.46	1.33
2	B	401[A]	COA	C9P-N8P	5.62	1.45	1.33
2	D	401[A]	COA	C9P-N8P	5.52	1.45	1.33
2	B	401[A]	COA	C5P-N4P	4.97	1.44	1.33
2	D	401[A]	COA	C5P-N4P	4.79	1.44	1.33
2	A	401[A]	COA	C5P-N4P	4.62	1.43	1.33
2	A	401[A]	COA	C2A-N3A	3.47	1.37	1.32
2	D	401[A]	COA	C2A-N3A	3.45	1.37	1.32
2	B	401[A]	COA	C2A-N3A	3.28	1.37	1.32
2	A	401[A]	COA	O3B-C3B	-2.97	1.33	1.44
2	B	401[A]	COA	O3B-C3B	-2.94	1.33	1.44
2	D	401[A]	COA	O3B-C3B	-2.93	1.33	1.44
2	A	401[A]	COA	C6A-N6A	2.47	1.43	1.34
2	B	401[A]	COA	C6A-N6A	2.46	1.43	1.34
2	D	401[A]	COA	C6A-N6A	2.39	1.42	1.34

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401[A]	COA	N3A-C2A-N1A	-5.42	120.20	128.68
2	A	401[A]	COA	N3A-C2A-N1A	-5.31	120.38	128.68
2	B	401[A]	COA	C5A-C6A-N6A	5.25	128.32	120.35
2	A	401[A]	COA	C5A-C6A-N6A	5.19	128.23	120.35
2	D	401[A]	COA	C5A-C6A-N6A	4.86	127.75	120.35
2	D	401[A]	COA	N3A-C2A-N1A	-4.83	121.12	128.68
2	D	401[A]	COA	N6A-C6A-N1A	-3.50	111.31	118.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401[A]	COA	N6A-C6A-N1A	-3.49	111.33	118.57
2	A	401[A]	COA	N6A-C6A-N1A	-3.47	111.37	118.57
2	A	401[A]	COA	C2P-C3P-N4P	-3.46	104.41	112.31
2	B	401[A]	COA	P2A-O3A-P1A	-3.11	122.15	132.83
2	A	401[A]	COA	C7P-C6P-C5P	-3.08	107.23	112.36
2	A	401[A]	COA	C6P-C7P-N8P	-3.07	105.70	111.90
2	D	401[A]	COA	C2P-C3P-N4P	-2.74	106.05	112.31
2	A	401[A]	COA	C3P-N4P-C5P	-2.67	117.89	122.84
2	A	401[A]	COA	P2A-O3A-P1A	-2.56	124.05	132.83
2	D	401[A]	COA	C1B-N9A-C4A	-2.47	122.30	126.64
2	A	401[A]	COA	C1B-N9A-C4A	-2.42	122.39	126.64
2	D	401[A]	COA	P2A-O3A-P1A	-2.40	124.59	132.83
2	B	401[A]	COA	C1B-N9A-C4A	-2.39	122.44	126.64
2	B	401[A]	COA	CAP-C9P-N8P	2.05	120.66	116.58
2	D	401[A]	COA	C3B-C2B-C1B	2.01	104.34	99.89

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401[A]	COA	C5B-O5B-P1A-O2A
2	A	401[A]	COA	CCP-O6A-P2A-O3A
2	A	401[A]	COA	CCP-O6A-P2A-O5A
2	A	401[A]	COA	CDP-CBP-CCP-O6A
2	A	401[A]	COA	CAP-CBP-CCP-O6A
2	D	401[A]	COA	CCP-O6A-P2A-O3A
2	D	401[A]	COA	CEP-CBP-CCP-O6A
2	D	401[A]	COA	CAP-CBP-CCP-O6A
2	B	401[A]	COA	C5B-O5B-P1A-O1A
2	B	401[A]	COA	C5B-O5B-P1A-O2A
2	B	401[A]	COA	CCP-O6A-P2A-O3A
2	B	401[A]	COA	CDP-CBP-CCP-O6A
2	B	401[A]	COA	CEP-CBP-CCP-O6A
2	B	401[A]	COA	CAP-CBP-CCP-O6A
2	B	401[A]	COA	OAP-CAP-CBP-CCP
2	B	401[A]	COA	C9P-CAP-CBP-CCP
2	B	401[A]	COA	OAP-CAP-CBP-CEP
2	B	401[A]	COA	C9P-CAP-CBP-CEP
2	B	401[A]	COA	O4B-C4B-C5B-O5B
2	B	401[A]	COA	C3B-C4B-C5B-O5B
2	A	401[A]	COA	CEP-CBP-CCP-O6A
2	D	401[A]	COA	CDP-CBP-CCP-O6A

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	B	401[A]	COA	OAP-CAP-CBP-CDP
2	B	401[A]	COA	C9P-CAP-CBP-CDP
2	A	401[A]	COA	C5B-O5B-P1A-O3A
2	B	401[A]	COA	C5B-O5B-P1A-O3A
2	D	401[A]	COA	P2A-O3A-P1A-O2A
2	A	401[A]	COA	C5B-O5B-P1A-O1A
2	A	401[A]	COA	CCP-O6A-P2A-O4A
2	D	401[A]	COA	CCP-O6A-P2A-O4A
2	D	401[A]	COA	CCP-O6A-P2A-O5A
2	B	401[A]	COA	CCP-O6A-P2A-O4A
2	B	401[A]	COA	CCP-O6A-P2A-O5A
2	B	401[A]	COA	C3B-O3B-P3B-O7A
2	B	401[A]	COA	C3B-O3B-P3B-O8A


There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401[A]	COA	3	0
2	D	401[A]	COA	1	0
2	A	401[A]	COA	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	396/399 (99%)	-0.35	5 (1%) 77 74	12, 22, 40, 64	0
1	B	395/399 (98%)	-0.23	7 (1%) 68 64	14, 27, 47, 67	0
1	C	398/399 (99%)	-0.53	7 (1%) 68 64	5, 10, 26, 52	0
1	D	396/399 (99%)	-0.54	5 (1%) 77 74	5, 10, 26, 66	0
All	All	1585/1596 (99%)	-0.41	24 (1%) 73 70	5, 17, 41, 67	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	SER	9.1
1	A	1	MET	5.6
1	D	215	PRO	3.8
1	C	4	LEU	3.3
1	A	209	PRO	3.3
1	C	0	GLY	3.2
1	C	213	GLY	3.1
1	C	211	PHE	2.9
1	C	1	MET	2.9
1	C	2	SER	2.7
1	B	236	ILE	2.7
1	D	213	GLY	2.7
1	B	1	MET	2.5
1	D	1	MET	2.5
1	B	242	PRO	2.4
1	C	3	SER	2.4
1	B	2	SER	2.4
1	D	136	ALA	2.3
1	A	3	SER	2.2
1	B	244	SER	2.2
1	B	4	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	2	SER	2.1
1	A	0	GLY	2.0
1	B	314	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SCY	B	92[B]	9/10	0.94	0.14	18,20,44,44	3
1	SCY	D	92[B]	9/10	0.95	0.10	5,5,16,19	3
1	SCY	A	92[B]	9/10	0.96	0.10	15,16,26,27	3
1	SCY	C	92[A]	9/10	0.96	0.10	6,7,16,17	3

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	COA	A	401[A]	48/48	0.82	0.16	20,54,65,69	48
2	COA	B	401[A]	48/48	0.82	0.16	28,54,67,70	48
5	ACO	C	405[B]	51/51	0.93	0.10	4,19,42,48	51
2	COA	D	401[A]	48/48	0.93	0.11	6,19,39,45	48
4	CL	A	405	1/1	0.94	0.07	19,19,19,19	1
3	K	A	402	1/1	0.95	0.07	24,24,24,24	1
3	K	B	402	1/1	0.96	0.07	28,28,28,28	1
4	CL	B	405	1/1	0.96	0.08	28,28,28,28	1
3	K	B	404	1/1	0.97	0.07	38,38,38,38	0
4	CL	C	404	1/1	0.97	0.08	12,12,12,12	1
3	K	B	403	1/1	0.98	0.05	26,26,26,26	1

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	K	A	404	1/1	0.98	0.06	23,23,23,23	1
3	K	A	403	1/1	0.99	0.05	24,24,24,24	1
3	K	D	402	1/1	0.99	0.10	9,9,9,9	1
3	K	D	404	1/1	0.99	0.07	17,17,17,17	1
3	K	C	401	1/1	0.99	0.07	12,12,12,12	1
4	CL	D	405	1/1	0.99	0.06	13,13,13,13	1
3	K	C	403	1/1	0.99	0.06	12,12,12,12	1
3	K	D	403	1/1	0.99	0.08	9,9,9,9	1
3	K	C	402	1/1	1.00	0.07	14,14,14,14	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





Electron density around COA B 401 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around COA D 401 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL A 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL B 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K B 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL C 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K A 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K A 403:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around K D 402:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around K C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL D 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K C 403:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around K D 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.