



Full wwPDB X-ray Structure Validation Report ⓘ

May 24, 2022 – 10:11 am BST

PDB ID : 7AVO
Title : Structure of marine actinobacteria clade rhodopsin (MacR) in orange form in P1211 space group
Authors : Gushchin, I.; Polovinkin, V.; Kovalev, K.; Shevchenko, V.; Gordeliy, V.
Deposited on : 2020-11-05
Resolution : 1.70 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.28.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.28.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	220	 6% 81% 16% ..
1	B	220	 6% 82% 15% ..

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 3841 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bacteriorhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	217	Total 1737	C 1147	N 274	O 303	S 13	0	9	0
1	B	217	Total 1706	C 1126	N 269	O 299	S 12	3	6	0

- Molecule 2 is EICOSANE (three-letter code: LFA) (formula: C₂₀H₄₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 10	C 10	0	0
2	A	1	Total 16	C 16	0	0
2	A	1	Total 10	C 10	0	0
2	A	1	Total 10	C 10	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 16 16	0	0
2	A	1	Total C 16 16	0	0
2	A	1	Total C 8 8	0	0
2	A	1	Total C 8 8	0	0
2	A	1	Total C 6 6	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 6 6	0	0
2	B	1	Total C 10 10	0	0
2	B	1	Total C 16 16	0	0
2	B	1	Total C 14 14	0	0
2	B	1	Total C 5 5	0	0
2	B	1	Total C 9 9	0	0
2	B	1	Total C 16 16	0	0
2	B	1	Total C 8 8	0	0
2	B	1	Total C 12 12	0	0
2	B	1	Total C 16 16	0	0
2	B	1	Total C 10 10	0	0
2	B	1	Total C 10 10	0	0
2	B	1	Total C 6 6	0	0

- Molecule 3 is (2S)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLB) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
3	A	1	15	11	4	0	0

- Molecule 4 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	B	1	10	6	4	0	0


- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	56	Total O 56 56	0	0
5	B	59	Total O 59 59	0	1

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Bacteriorhodopsin

Chain A: 



- Molecule 1: Bacteriorhodopsin

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	40.69Å 102.01Å 56.60Å 90.00° 99.75° 90.00°	Depositor
Resolution (Å)	48.94 – 1.70 48.94 – 1.70	Depositor EDS
% Data completeness (in resolution range)	97.8 (48.94-1.70) 97.9 (48.94-1.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 1.70Å)	Xtrriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.197 , 0.222 0.207 , 0.230	Depositor DCC
R_{free} test set	2481 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	22.8	Xtrriage
Anisotropy	0.314	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.58$, $\langle L^2 \rangle = 0.43$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3841	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.41 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.5334e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OLB, LFA, LYR, OLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/1770	0.63	0/2407
1	B	0.63	0/1733	0.62	0/2360
All	All	0.63	0/3503	0.62	0/4767

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1737	0	1760	39	0
1	B	1706	0	1712	37	0
2	A	126	0	237	18	0
2	B	132	0	249	8	0
3	A	15	0	19	2	0
4	B	10	0	9	4	0
5	A	56	0	0	10	0
5	B	59	0	0	10	0
All	All	3841	0	3986	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143:LEU:HD23	5:A:424:HOH:O	1.43	1.17
4:B:313:OLC:O25	5:B:401:HOH:O	1.67	1.10
2:A:304:LFA:C1	2:A:309:LFA:H11	1.79	1.10
2:A:304:LFA:H11	2:A:309:LFA:H11	1.32	1.10
1:A:209[A]:GLN:HE21	2:A:306:LFA:C16	1.71	1.02
1:B:143:LEU:HD23	5:B:433[B]:HOH:O	1.64	0.97
1:A:166[A]:LEU:HG	5:A:424:HOH:O	1.62	0.97
2:A:304:LFA:C1	2:A:309:LFA:C1	2.49	0.90
1:B:36:ARG:HG3	2:B:302:LFA:H13	1.54	0.87
1:B:69[A]:ARG:NH2	1:B:189:GLU:OE2	2.09	0.86
1:A:54:LYS:HZ2	2:A:311:LFA:H41	1.46	0.81
2:A:304:LFA:H12	2:A:309:LFA:H11	1.63	0.81
2:A:305:LFA:H51	2:B:306:LFA:H82	1.66	0.76
2:A:304:LFA:H11	2:A:309:LFA:C1	2.13	0.73
2:A:304:LFA:H12	2:A:309:LFA:C1	2.18	0.72
1:B:51:HIS:NE2	4:B:313:OLC:H24A	2.04	0.71
1:B:51:HIS:NE2	4:B:313:OLC:C24	2.53	0.71
1:A:188:ARG:NH2	5:A:403:HOH:O	2.27	0.66
1:B:6:TYR:CE1	1:B:60:GLU:HG2	2.31	0.65
1:A:189[B]:GLU:OE2	5:A:401:HOH:O	2.08	0.65
2:A:305:LFA:H51	2:B:306:LFA:C8	2.26	0.64
1:A:24:LEU:O	1:A:27:SER:OG	2.12	0.63
1:A:209[A]:GLN:HG2	5:A:442:HOH:O	1.99	0.62
1:A:54:LYS:NZ	2:A:311:LFA:H41	2.15	0.61
1:B:24:LEU:O	1:B:27:SER:OG	2.12	0.61
1:B:132:ALA:HB3	1:B:200:LYR:H142	1.83	0.61
1:A:132:ALA:HB3	1:A:200:LYR:H142	1.84	0.60
2:A:305:LFA:C5	2:B:306:LFA:H82	2.32	0.59
1:B:200:LYR:H9	1:B:200:LYR:H183	1.85	0.59
1:A:212:ARG:HH21	2:A:312:LFA:C8	2.17	0.57
1:A:200:LYR:H9	1:A:200:LYR:H183	1.87	0.57
1:B:178:ALA:HB3	1:B:179:PRO:HD3	1.87	0.56
1:A:188:ARG:HD3	5:A:413:HOH:O	2.06	0.56
1:A:54:LYS:HA	1:A:54:LYS:HE2	1.88	0.56
1:B:188:ARG:NH2	5:B:404:HOH:O	2.39	0.55
1:B:118:SER:O	5:B:402:HOH:O	2.18	0.55
1:A:178:ALA:HB3	1:A:179:PRO:HD3	1.87	0.54
1:A:205:VAL:HG11	2:A:306:LFA:H142	1.90	0.53
1:B:6:TYR:CE1	1:B:60:GLU:CG	2.92	0.53
1:A:166[A]:LEU:CD2	5:A:424:HOH:O	2.56	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:132:ALA:CB	1:B:200:LYR:H142	2.39	0.52
1:B:104:ALA:O	1:B:135:THR:HG21	2.12	0.50
1:A:132:ALA:CB	1:A:200:LYR:H142	2.42	0.50
1:B:101:TRP:CZ2	1:B:142:ASN:HB3	2.46	0.50
1:A:104:ALA:O	1:A:135:THR:HG21	2.11	0.50
1:A:118:SER:O	5:A:402:HOH:O	2.20	0.50
1:A:99:ARG:NH1	1:A:100:ASN:OD1	2.45	0.49
1:B:25:ALA:CB	2:B:303:LFA:H112	2.42	0.49
1:A:189[B]:GLU:HG2	5:A:432:HOH:O	2.12	0.49
1:A:69[B]:ARG:NH1	1:A:189[B]:GLU:OE1	2.44	0.48
1:B:51:HIS:NE2	4:B:313:OLC:H24	2.26	0.48
1:A:144:GLN:NE2	3:A:313:OLB:O25	2.44	0.48
1:B:10[B]:MET:HG3	5:B:452:HOH:O	2.13	0.48
1:B:25:ALA:HB1	2:B:303:LFA:H112	1.95	0.48
2:A:312:LFA:C8	5:A:442:HOH:O	2.62	0.47
1:B:164:LEU:HD12	2:B:306:LFA:H71	1.95	0.47
1:A:200:LYR:H183	1:A:200:LYR:C9	2.44	0.47
1:B:34:HIS:HE1	5:B:450:HOH:O	1.98	0.46
1:B:69[A]:ARG:HD3	1:B:73:TRP:CZ2	2.50	0.46
1:B:200:LYR:H183	1:B:200:LYR:C9	2.45	0.46
1:B:80:MET:O	1:B:83:GLU:HG2	2.16	0.46
1:A:174:LEU:CD2	3:A:313:OLB:H19	2.46	0.46
1:B:40:ILE:HD13	1:B:82:VAL:HG12	1.97	0.46
1:A:101:TRP:CZ2	1:A:142:ASN:HB3	2.51	0.45
1:A:1[B]:MET:HG3	1:A:4:LEU:HB3	1.98	0.45
1:B:209[B]:GLN:HG2	5:B:437:HOH:O	2.16	0.45
1:B:51:HIS:HB3	1:B:55:MET:HE3	2.00	0.44
1:B:10[B]:MET:CG	5:B:452:HOH:O	2.65	0.44
1:A:6:TYR:CE1	1:A:60:GLU:CG	3.01	0.44
1:A:200:LYR:H9	1:A:200:LYR:H192	1.99	0.44
1:B:15:GLY:CA	2:B:309:LFA:H82	2.48	0.44
1:B:34:HIS:HD2	5:B:436:HOH:O	2.01	0.43
1:A:40:ILE:HD13	1:A:82:VAL:HG12	1.99	0.43
1:A:80:MET:O	1:A:83:GLU:HG2	2.18	0.43
1:A:200:LYR:H81	1:A:200:LYR:H10	1.77	0.43
1:A:17:LEU:HB2	1:A:49:TRP:CD1	2.54	0.43
1:B:200:LYR:H10	1:B:200:LYR:H81	1.81	0.43
1:A:8:LEU:HD23	1:A:8:LEU:HA	1.85	0.42
1:A:138:TRP:CD2	2:A:310:LFA:H52	2.55	0.42
1:A:209[A]:GLN:NE2	2:A:306:LFA:C16	2.56	0.42
1:A:8:LEU:CD1	1:A:190:VAL:HG13	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:304:LFA:H12	2:A:309:LFA:H12	2.01	0.41
1:B:200:LYR:H9	1:B:200:LYR:H192	2.02	0.41
1:B:200:LYR:H6	1:B:200:LYR:H41	1.90	0.41
1:B:187:ILE:CD1	1:B:191:LEU:CD1	2.99	0.41
1:B:10[B]:MET:SD	5:B:452:HOH:O	2.61	0.41
1:A:176:TYR:O	1:A:179:PRO:HD2	2.21	0.40
1:B:50:TYR:CZ	1:B:54:LYS:HE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	222/220 (101%)	221 (100%)	1 (0%)	0	100	100
1	B	220/220 (100%)	220 (100%)	0	0	100	100
All	All	442/440 (100%)	441 (100%)	1 (0%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	172/172 (100%)	170 (99%)	2 (1%)	71	59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	167/172 (97%)	164 (98%)	3 (2%)	59	43
All	All	339/344 (98%)	334 (98%)	5 (2%)	71	51

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1[A]	MET
1	A	1[B]	MET
1	B	187	ILE
1	B	188	ARG
1	B	208	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	ASN
1	A	142	ASN
1	A	144	GLN
1	B	34	HIS
1	B	142	ASN
1	B	154	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	LYR	A	200	1	27,29,30	1.27	4 (14%)	30,37,39	1.89	8 (26%)
1	LYR	B	200	1	27,29,30	1.39	4 (14%)	30,37,39	1.87	7 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LYR	A	200	1	-	2/22/40/42	0/1/1/1
1	LYR	B	200	1	-	2/22/40/42	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	200	LYR	C7-C80	3.80	1.40	1.35
1	A	200	LYR	C7-C80	3.02	1.39	1.35
1	B	200	LYR	C2-C3	2.49	1.40	1.33
1	B	200	LYR	C12-C11	2.42	1.38	1.34
1	A	200	LYR	C12-C11	2.40	1.38	1.34
1	A	200	LYR	C1-C2	-2.37	1.37	1.48
1	B	200	LYR	C1-C2	-2.30	1.37	1.48
1	A	200	LYR	C2-C3	2.20	1.39	1.33

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	200	LYR	C1-NZ-CE	5.34	121.80	113.33
1	A	200	LYR	C1-NZ-CE	4.77	120.88	113.33
1	A	200	LYR	C13-C12-C11	-3.69	120.38	124.53
1	B	200	LYR	C10-C9-C80	-3.39	121.11	126.23
1	A	200	LYR	C10-C9-C80	-3.31	121.24	126.23
1	B	200	LYR	C13-C12-C11	-3.20	120.94	124.53
1	B	200	LYR	C7-C6-C5	-3.14	113.42	123.22
1	A	200	LYR	C7-C6-C5	-3.13	113.46	123.22
1	B	200	LYR	C15-C14-C12	-3.01	108.71	114.08
1	A	200	LYR	C15-C14-C12	-2.78	109.11	114.08
1	B	200	LYR	C8-C80-C7	-2.72	119.11	122.92
1	A	200	LYR	C16-C15-C14	-2.72	105.31	111.38
1	A	200	LYR	C6-C7-C80	-2.39	123.89	127.31
1	B	200	LYR	C17-C11-C10	2.23	122.10	115.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	200	LYR	C17-C11-C10	2.17	121.92	115.78

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	200	LYR	C2-C1-NZ-CE
1	B	200	LYR	CD-CE-NZ-C1
1	A	200	LYR	CD-CE-NZ-C1
1	B	200	LYR	C2-C1-NZ-CE

There are no ring outliers.

2 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	200	LYR	6	0
1	B	200	LYR	7	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	LFA	A	301	-	9,9,19	0.30	0	8,8,18	0.40	0
2	LFA	B	301	-	9,9,19	0.30	0	8,8,18	0.59	0
2	LFA	B	307	-	7,7,19	0.39	0	6,6,18	0.49	0
2	LFA	A	310	-	9,9,19	0.33	0	8,8,18	0.59	0
2	LFA	A	306	-	15,15,19	0.35	0	14,14,18	0.51	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LFA	B	306	-	15,15,19	0.29	0	14,14,18	0.52	0
2	LFA	A	302	-	15,15,19	0.27	0	14,14,18	0.68	0
2	LFA	A	305	-	15,15,19	0.35	0	14,14,18	0.68	0
2	LFA	A	311	-	9,9,19	0.37	0	8,8,18	0.51	0
2	LFA	B	302	-	15,15,19	0.43	0	14,14,18	0.44	0
2	LFA	A	304	-	9,9,19	0.35	0	8,8,18	0.54	0
2	LFA	B	304	-	4,4,19	0.39	0	3,3,18	0.39	0
2	LFA	B	309	-	15,15,19	0.43	0	14,14,18	0.45	0
2	LFA	A	312	-	5,5,19	0.39	0	4,4,18	0.32	0
2	LFA	A	303	-	9,9,19	0.29	0	8,8,18	0.52	0
2	LFA	A	308	-	7,7,19	0.38	0	6,6,18	0.41	0
2	LFA	B	312	-	5,5,19	0.36	0	4,4,18	0.42	0
3	OLB	A	313	-	14,14,24	1.14	1 (7%)	15,15,25	0.99	1 (6%)
4	OLC	B	313	-	9,9,24	1.47	1 (11%)	10,10,25	1.45	1 (10%)
2	LFA	B	305	-	8,8,19	0.31	0	7,7,18	0.47	0
2	LFA	B	310	-	9,9,19	0.38	0	8,8,18	0.45	0
2	LFA	B	311	-	9,9,19	0.31	0	8,8,18	0.66	0
2	LFA	A	307	-	7,7,19	0.36	0	6,6,18	0.46	0
2	LFA	B	308	-	11,11,19	0.38	0	10,10,18	0.44	0
2	LFA	B	303	-	13,13,19	0.27	0	12,12,18	0.66	0
2	LFA	A	309	-	5,5,19	0.30	0	4,4,18	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	A	301	-	-	4/7/7/17	-
2	LFA	B	301	-	-	2/7/7/17	-
2	LFA	B	307	-	-	2/5/5/17	-
2	LFA	A	310	-	-	4/7/7/17	-
2	LFA	A	306	-	-	8/13/13/17	-
2	LFA	B	306	-	-	7/13/13/17	-
2	LFA	A	302	-	-	8/13/13/17	-
2	LFA	A	305	-	-	7/13/13/17	-
2	LFA	A	311	-	-	4/7/7/17	-
2	LFA	B	302	-	-	7/13/13/17	-
2	LFA	A	304	-	-	4/7/7/17	-
2	LFA	B	304	-	-	0/2/2/17	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	B	309	-	-	8/13/13/17	-
2	LFA	A	312	-	-	1/3/3/17	-
2	LFA	A	303	-	-	3/7/7/17	-
2	LFA	A	308	-	-	2/5/5/17	-
2	LFA	B	312	-	-	1/3/3/17	-
3	OLB	A	313	-	-	7/14/14/24	-
4	OLC	B	313	-	-	4/9/9/24	-
2	LFA	B	305	-	-	5/6/6/17	-
2	LFA	B	310	-	-	3/7/7/17	-
2	LFA	B	311	-	-	3/7/7/17	-
2	LFA	A	307	-	-	2/5/5/17	-
2	LFA	B	308	-	-	4/9/9/17	-
2	LFA	B	303	-	-	6/11/11/17	-
2	LFA	A	309	-	-	0/3/3/17	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	313	OLC	O20-C1	4.25	1.45	1.33
3	A	313	OLB	O20-C1	4.10	1.45	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	313	OLC	O20-C1-C2	3.77	121.28	111.38
3	A	313	OLB	O20-C1-C2	2.47	119.66	111.91

There are no chirality outliers.

All (106) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	313	OLB	O20-C21-C22-O23
3	A	313	OLB	O20-C21-C22-C24
2	B	301	LFA	C2-C3-C4-C5
4	B	313	OLC	O20-C21-C22-O23
3	A	313	OLB	C1-C2-C3-C4
3	A	313	OLB	C2-C1-O20-C21
2	A	305	LFA	C3-C4-C5-C6
4	B	313	OLC	O20-C21-C22-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	302	LFA	C2-C3-C4-C5
2	B	309	LFA	C12-C13-C14-C15
2	A	306	LFA	C10-C11-C12-C13
2	B	305	LFA	C4-C5-C6-C7
2	B	310	LFA	C5-C6-C7-C8
2	A	306	LFA	C7-C8-C9-C10
2	B	302	LFA	C6-C7-C8-C9
2	B	308	LFA	C4-C5-C6-C7
2	A	310	LFA	C4-C5-C6-C7
2	A	306	LFA	C2-C3-C4-C5
2	A	302	LFA	C3-C4-C5-C6
2	A	304	LFA	C2-C3-C4-C5
2	B	306	LFA	C5-C6-C7-C8
2	B	310	LFA	C6-C7-C8-C9
2	A	302	LFA	C9-C10-C11-C12
2	B	303	LFA	C3-C4-C5-C6
2	B	309	LFA	C9-C10-C11-C12
2	B	310	LFA	C2-C3-C4-C5
3	A	313	OLB	O19-C1-O20-C21
2	A	303	LFA	C6-C7-C8-C9
2	A	310	LFA	C2-C3-C4-C5
2	B	303	LFA	C2-C3-C4-C5
2	A	306	LFA	C11-C10-C9-C8
2	B	309	LFA	C4-C5-C6-C7
2	B	303	LFA	C10-C11-C12-C13
2	A	301	LFA	C5-C6-C7-C8
2	B	308	LFA	C6-C7-C8-C9
2	B	309	LFA	C5-C6-C7-C8
2	A	306	LFA	C4-C5-C6-C7
2	A	305	LFA	C10-C11-C12-C13
2	B	305	LFA	C2-C3-C4-C5
2	B	306	LFA	C7-C8-C9-C10
2	B	311	LFA	C3-C4-C5-C6
2	A	305	LFA	C4-C5-C6-C7
2	A	311	LFA	C6-C7-C8-C9
2	B	302	LFA	C3-C4-C5-C6
2	A	307	LFA	C4-C5-C6-C7
2	A	311	LFA	C3-C4-C5-C6
2	A	302	LFA	C6-C7-C8-C9
2	B	303	LFA	C6-C7-C8-C9
2	A	308	LFA	C3-C4-C5-C6
2	A	310	LFA	C6-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	306	LFA	C13-C14-C15-C16
2	A	302	LFA	C1-C2-C3-C4
2	A	306	LFA	C1-C2-C3-C4
2	A	301	LFA	C7-C8-C9-C10
2	A	306	LFA	C11-C12-C13-C14
2	A	305	LFA	C2-C3-C4-C5
2	A	312	LFA	C5-C6-C7-C8
2	B	303	LFA	C11-C12-C13-C14
2	B	306	LFA	C4-C5-C6-C7
2	B	309	LFA	C3-C4-C5-C6
2	A	310	LFA	C3-C4-C5-C6
2	B	308	LFA	C3-C4-C5-C6
3	A	313	OLB	C2-C3-C4-C5
2	B	302	LFA	C4-C5-C6-C7
2	B	306	LFA	C11-C10-C9-C8
2	B	302	LFA	C7-C8-C9-C10
2	B	305	LFA	C6-C7-C8-C9
2	B	302	LFA	C10-C11-C12-C13
2	B	305	LFA	C3-C4-C5-C6
2	A	303	LFA	C4-C5-C6-C7
2	B	311	LFA	C7-C8-C9-C10
2	B	309	LFA	C1-C2-C3-C4
2	A	307	LFA	C2-C3-C4-C5
2	B	308	LFA	C7-C8-C9-C10
2	A	308	LFA	C5-C6-C7-C8
2	B	306	LFA	C12-C13-C14-C15
2	A	302	LFA	C2-C3-C4-C5
2	A	304	LFA	C6-C7-C8-C9
2	A	304	LFA	C1-C2-C3-C4
2	A	305	LFA	C5-C6-C7-C8
2	A	311	LFA	C7-C8-C9-C10
2	A	302	LFA	C13-C14-C15-C16
2	A	303	LFA	C5-C6-C7-C8
2	B	305	LFA	C5-C6-C7-C8
2	B	302	LFA	C9-C10-C11-C12
2	A	305	LFA	C1-C2-C3-C4
2	B	303	LFA	C11-C10-C9-C8
2	B	307	LFA	C5-C6-C7-C8
2	A	302	LFA	C4-C5-C6-C7
2	A	305	LFA	C11-C12-C13-C14
2	B	306	LFA	C11-C12-C13-C14
2	A	301	LFA	C6-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	306	LFA	C12-C13-C14-C15
2	B	309	LFA	C2-C3-C4-C5
2	B	311	LFA	C1-C2-C3-C4
2	B	307	LFA	C3-C4-C5-C6
2	A	304	LFA	C7-C8-C9-C10
2	A	301	LFA	C1-C2-C3-C4
2	A	311	LFA	C1-C2-C3-C4
2	A	302	LFA	C7-C8-C9-C10
3	A	313	OLB	C4-C5-C6-C7
4	B	313	OLC	C2-C1-O20-C21
2	B	301	LFA	C7-C8-C9-C10
2	B	312	LFA	C1-C2-C3-C4
2	B	309	LFA	C7-C8-C9-C10
4	B	313	OLC	O19-C1-O20-C21


There are no ring outliers.


13 monomers are involved in 29 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	310	LFA	1	0
2	A	306	LFA	3	0
2	B	306	LFA	4	0
2	A	305	LFA	3	0
2	A	311	LFA	2	0
2	B	302	LFA	1	0
2	A	304	LFA	7	0
2	B	309	LFA	1	0
2	A	312	LFA	2	0
3	A	313	OLB	2	0
4	B	313	OLC	4	0
2	B	303	LFA	2	0
2	A	309	LFA	7	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and



any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	216/220 (98%)	0.20	14 (6%) 18 21	14, 27, 52, 71	4 (1%)
1	B	216/220 (98%)	0.25	14 (6%) 18 21	14, 27, 56, 69	3 (1%)
All	All	432/440 (98%)	0.23	28 (6%) 18 21	14, 27, 53, 71	7 (1%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	181	VAL	8.4
1	A	181	VAL	7.3
1	B	184	PHE	6.8
1	A	1[A]	MET	5.8
1	A	184	PHE	5.1
1	B	1	MET	4.6
1	A	4	LEU	4.2
1	A	182	GLY	4.2
1	A	183	ASP	3.9
1	B	64	TYR	3.9
1	B	182	GLY	3.6
1	B	183	ASP	3.5
1	B	63	SER	3.4
1	B	62	GLY	3.3
1	A	217	GLU	3.3
1	B	4	LEU	3.3
1	A	2	GLU	3.1
1	A	59	TRP	3.1
1	B	59	TRP	3.0
1	B	60	GLU	3.0
1	B	178	ALA	2.9
1	B	217	GLU	2.8
1	B	32	PRO	2.7
1	A	92	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	6	TYR	2.4
1	A	64	TYR	2.3
1	A	30	VAL	2.2
1	A	63	SER	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	LYR	A	200	29/30	0.95	0.09	14,16,19,19	0
1	LYR	B	200	29/30	0.95	0.10	14,17,19,20	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	LFA	A	307	8/20	0.55	0.28	49,51,52,53	0
2	LFA	A	312	6/20	0.67	0.16	49,56,57,59	0
2	LFA	A	311	10/20	0.70	0.20	42,61,78,78	0
2	LFA	B	312	6/20	0.70	0.18	55,56,58,62	0
3	OLB	A	313	15/25	0.74	0.17	53,61,75,75	0
2	LFA	B	307	8/20	0.76	0.24	45,50,56,59	0
2	LFA	B	310	10/20	0.77	0.17	50,55,68,68	0
2	LFA	A	308	8/20	0.77	0.19	36,45,50,50	0
2	LFA	B	309	16/20	0.77	0.19	37,50,54,57	0
2	LFA	A	306	16/20	0.78	0.20	38,46,70,70	0
2	LFA	B	302	16/20	0.79	0.19	31,46,55,56	0
2	LFA	A	305	16/20	0.79	0.18	33,38,50,51	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	LFA	B	303	14/20	0.81	0.23	41,44,51,52	0
2	LFA	A	302	16/20	0.81	0.21	42,46,57,59	0
2	LFA	B	305	9/20	0.83	0.19	34,40,44,47	0
2	LFA	B	308	12/20	0.83	0.20	39,48,56,57	0
2	LFA	B	311	10/20	0.84	0.20	36,55,58,58	0
2	LFA	A	310	10/20	0.84	0.14	41,47,60,61	0
2	LFA	A	304	10/20	0.84	0.18	41,43,48,48	0
4	OLC	B	313	10/25	0.84	0.16	27,42,47,62	0
2	LFA	A	303	10/20	0.86	0.17	37,43,48,48	0
2	LFA	B	306	16/20	0.87	0.15	36,39,46,49	0
2	LFA	A	301	10/20	0.88	0.16	37,38,46,50	0
2	LFA	A	309	6/20	0.89	0.16	36,37,42,44	0
2	LFA	B	304	5/20	0.91	0.18	38,41,43,46	0
2	LFA	B	301	10/20	0.92	0.15	35,38,41,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around LFA A 312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 311:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLB A 313:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around LFA B 310:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 311:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around OLC B 313:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA B 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LFA A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.