

Full wwPDB X-ray Structure Validation Report (i)

Aug 16, 2023 – 06:03 PM EDT

PDB ID	:	2B3Y
Title	:	Structure of a monoclinic crystal form of human cytosolic aconitase (IRP1)
Authors	:	Dupuy, J.; Fontecilla-Camps, J.C.; Volbeda, A.
Deposited on	:	2005-09-22
Resolution	:	1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution
IVIETIC	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	888	% 8 4%	15%	
1	В	888	83%	16%	•

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACT	А	890	-	-	Х	-
2	ACT	В	890	-	-	Х	-
2	ACT	В	891	-	-	Х	-
5	FMT	В	1001	-	-	Х	-



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 14870 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Iron-responsive element binding protein 1.

Mol	Chain	Residues		А	toms			ZeroOcc	AltConf	Trace
1	А	888	Total 6929	C 4431	N 1183	O 1286	S 29	0	1	0
1	В	888	Total 6928	C 4431	N 1183	O 1285	S 29	0	0	0

• Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 3 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe_4S_4).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	TotalFeS844	0	0
3	В	1	TotalFeS844	0	0

• Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0



• Molecule 5 is FORMIC ACID (three-letter code: FMT) (formula: CH_2O_2).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	520	Total O 520 520	0	0
6	В	450	Total O 450 450	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.









P845 T592 Q850 D594 K853 D594 K853 A598 F865 A598 F865 A598 F861 G614 K804 G614 K804 G614 K704 S638 K704 S638 K704 S779 K758 A776 K758 A776 K758 S779 K759 K768 K758 K768 K759 S7776 S777 S7776 S777 S7776 S777 S7776 S777 S777 S779 S777 S779 S771 S779 S77



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	63.91Å 215.47 Å 64.01 Å	Demositer
a, b, c, α , β , γ	90.00° 72.00° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	29.50 - 1.85	Depositor
Resolution (A)	29.29 - 1.85	EDS
% Data completeness	94.0 (29.50-1.85)	Depositor
(in resolution range)	98.8 (29.29-1.85)	EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.86 (at 1.85 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
P. P.	0.211 , 0.261	Depositor
n, n_{free}	0.214 , 0.264	DCC
R_{free} test set	6949 reflections $(5.03%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	20.0	Xtriage
Anisotropy	0.601	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , 45.4	EDS
L-test for twinning ²	$< L >=0.39, < L^2>=0.22$	Xtriage
Estimated twinning fraction	0.408 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14870	wwPDB-VP
Average B, all atoms $(Å^2)$	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 7.22% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, SF4, GOL, FMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Chain		Bond lengths		Bond angles	
Moi Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.55	0/7095	0.65	1/9634~(0.0%)
1	В	0.54	0/7089	0.62	1/9626~(0.0%)
All	All	0.54	0/14184	0.64	2/19260~(0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	887	MET	CG-SD-CE	5.71	109.33	100.20
1	В	871	LEU	CA-CB-CG	5.04	126.89	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	6929	0	6921	107	0
1	В	6928	0	6920	115	0
2	А	4	0	3	2	0
2	В	8	0	6	11	0
3	А	8	0	0	0	0
3	В	8	0	0	0	0
4	А	12	0	16	1	0



001000	contract from process page.						
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes	
5	В	3	0	1	10	0	
6	А	520	0	0	21	0	
6	В	450	0	0	15	0	
All	All	14870	0	13867	229	0	

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (229) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:B:891:ACT:CH3	5:B:1001:FMT:H	1.72	1.17	
1:B:450:GLY:HA3	1:B:487:VAL:HG11	1.33	1.09	
1:A:450:GLY:HA3	1:A:487:VAL:HG11	1.36	1.08	
1:B:450:GLY:CA	1:B:487:VAL:HG11	1.85	1.06	
1:A:450:GLY:CA	1:A:487:VAL:HG11	1.85	1.05	
2:B:891:ACT:CH3	5:B:1001:FMT:C	2.37	1.03	
2:B:891:ACT:H3	5:B:1001:FMT:H	1.41	0.98	
2:B:890:ACT:H2	2:B:891:ACT:H2	1.46	0.94	
1:A:222:GLY:HA3	1:A:807:ASN:HD21	1.35	0.91	
2:B:891:ACT:H2	5:B:1001:FMT:H	1.50	0.91	
1:B:345:ASP:H	1:B:351:GLN:HE22	1.22	0.83	
1:B:222:GLY:HA3	1:B:807:ASN:HD21	1.45	0.82	
2:B:891:ACT:H2	5:B:1001:FMT:C	2.05	0.81	
1:B:845:PRO:HD3	6:B:1384:HOH:O	1.80	0.80	
1:A:539:GLU:HG3	1:A:728:ARG:HD3	1.62	0.79	
1:B:838:ILE:HD11	1:B:852:LYS:HD3	1.65	0.77	
1:B:748:GLU:OE1	1:B:758:ARG:NH1	2.16	0.77	
1:B:102:ASP:O	1:B:106:LYS:HG2	1.85	0.76	
1:A:135:ARG:NH2	6:A:1104:HOH:O	2.18	0.76	
2:B:890:ACT:H2	2:B:891:ACT:CH3	2.16	0.76	
1:B:450:GLY:CA	1:B:487:VAL:CG1	2.65	0.74	
1:B:598:ALA:O	1:B:602:GLN:HG2	1.88	0.73	
1:A:345:ASP:H	1:A:351:GLN:HE22	1.36	0.73	
1:A:112:GLU:OE2	1:A:632:LYS:HD2	1.87	0.72	
1:A:842:ASN:HB3	6:A:1519:HOH:O	1.90	0.72	
1:A:58:GLN:OE1	6:A:1017:HOH:O	2.08	0.71	
1:A:251:PRO:O	1:A:593:ARG:NH2	2.22	0.71	
1:B:375:ARG:HD3	1:B:399:PHE:CD2	2.26	0.71	
1:B:865:PHE:HB2	1:B:871:LEU:HD23	1.72	0.71	
1:B:593:ARG:HG2	1:B:597:GLN:NE2	2.06	0.70	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:742:ILE:HG12	1:B:749:ILE:CD1	2.22	0.70	
1:B:865:PHE:CB	1:B:871:LEU:HD23	2.22	0.70	
1:A:841:GLU:HB3	6:A:1416:HOH:O	1.93	0.69	
1:B:742:ILE:HG12	1:B:749:ILE:HD12	1.75	0.69	
1:A:450:GLY:C	1:A:487:VAL:HG11	2.13	0.69	
1:B:450:GLY:C	1:B:487:VAL:HG11	2.15	0.68	
1:B:698:ASN:ND2	6:B:1315:HOH:O	2.27	0.67	
1:B:779:SER:H	5:B:1001:FMT:C	2.08	0.66	
1:A:324:GLY:O	1:A:610:LYS:HE3	1.95	0.66	
1:A:344:ARG:HH11	1:A:351:GLN:HE21	1.44	0.65	
1:B:421:GLU:OE1	1:B:421:GLU:N	2.29	0.65	
4:A:1001:GOL:H2	6:A:1194:HOH:O	1.95	0.65	
1:A:733:PHE:O	6:A:1365:HOH:O	2.14	0.65	
1:A:454:LYS:HD2	1:A:490:TYR:CE1	2.33	0.64	
1:B:357:GLN:OE1	6:B:1148:HOH:O	2.15	0.64	
1:A:422:PHE:CZ	1:A:465:PRO:HD2	2.33	0.64	
1:B:455:LYS:CB	1:B:589:ILE:HG23	2.29	0.63	
1:A:776:ALA:HA	1:A:801:GLU:HG3	1.81	0.63	
1:A:262:LEU:HG	1:A:371:SER:OG	1.97	0.63	
1:A:455:LYS:HD2	1:A:589:ILE:HA	1.80	0.62	
1:A:450:GLY:CA	1:A:487:VAL:CG1	2.70	0.62	
1:A:655:ASP:OD2	6:A:1345:HOH:O	2.16	0.62	
1:B:838:ILE:HD12	1:B:838:ILE:N	2.16	0.61	
1:B:205:ASP:HA	5:B:1001:FMT:O1	2.00	0.60	
1:B:115:ASN:ND2	1:B:165:HIS:H	1.99	0.60	
1:B:375:ARG:NH1	6:B:1199:HOH:O	2.22	0.60	
1:B:569:ASP:OD2	1:B:571:GLU:HG2	2.00	0.60	
1:A:107:LEU:HD13	1:A:654:LEU:HD13	1.84	0.60	
1:B:456:ALA:HA	1:B:589:ILE:HD13	1.82	0.60	
2:B:891:ACT:H3	5:B:1001:FMT:C	2.21	0.60	
1:B:131:ASP:O	6:B:1057:HOH:O	2.17	0.59	
1:B:461:LEU:HD12	1:B:589:ILE:CD1	2.32	0.59	
1:A:267:HIS:CE1	1:A:359:VAL:CG1	2.86	0.58	
1:B:405:ALA:HB3	1:B:408:HIS:HD2	1.67	0.58	
1:B:455:LYS:HB3	1:B:589:ILE:HG23	1.85	0.58	
1:B:52:GLU:OE1	1:B:57:LYS:N	2.36	0.58	
1:B:267:HIS:CE1	1:B:359:VAL:CG1	2.87	0.58	
1:A:247:LEU:HD12	1:A:285:VAL:HG22	1.85	0.57	
2:B:890:ACT:CH3	2:B:891:ACT:H2	2.29	0.57	
1:A:106:LYS:HD2	6:A:1092:HOH:O	2.05	0.57	
1:A:192:GLN:HE22	1:B:630:SER:HB2	1.70	0.56	



			Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:688:ARG:CZ	1:A:703:PRO:HG2	2.35	0.56
1:B:345:ASP:H	1:B:351:GLN:NE2	1.96	0.56
1:B:201:LEU:O	1:B:218:GLY:HA2	2.06	0.56
1:A:115:ASN:ND2	1:A:165:HIS:H	2.04	0.56
1:A:322:GLN:NE2	6:A:1161:HOH:O	2.39	0.55
1:B:106:LYS:HD3	1:B:106:LYS:N	2.21	0.55
1:A:778:SER:OG	2:A:890:ACT:H3	2.06	0.55
1:B:416:ILE:O	1:B:416:ILE:HG13	2.07	0.55
1:A:17:PRO:O	1:A:20:LYS:HE3	2.07	0.54
1:B:206:SER:N	5:B:1001:FMT:O1	2.33	0.54
1:A:823:ASN:ND2	1:A:826:ALA:H	2.04	0.54
1:B:529:VAL:HG22	1:B:548:ALA:HB3	1.89	0.54
1:A:454:LYS:NZ	6:A:1229:HOH:O	2.41	0.54
1:B:19:LYS:HE2	1:B:191:ASP:OD1	2.08	0.53
1:A:748:GLU:OE2	1:A:758:ARG:NH2	2.41	0.53
1:A:248:MET:HG3	1:A:362:ASP:HA	1.91	0.53
1:A:529:VAL:HG22	1:A:548:ALA:HB3	1.89	0.53
1:A:748:GLU:CD	1:A:758:ARG:HH12	2.12	0.53
1:A:487:VAL:HG12	1:A:487:VAL:O	2.09	0.53
1:A:539:GLU:HG2	6:A:1204:HOH:O	2.09	0.53
1:A:593:ARG:HD3	1:A:597:GLN:OE1	2.09	0.52
1:B:776:ALA:HA	1:B:801:GLU:HG3	1.91	0.52
1:B:251:PRO:O	1:B:593:ARG:NH1	2.41	0.52
1:B:105:LYS:HB2	1:B:111:PRO:HG3	1.91	0.52
1:A:688:ARG:NH2	1:A:703:PRO:HG2	2.24	0.52
1:B:597:GLN:O	1:B:601:ARG:HB2	2.09	0.52
1:B:541:ARG:O	1:B:541:ARG:HG2	2.09	0.51
1:A:190:PHE:O	1:A:196:TYR:HA	2.10	0.51
1:A:243:ILE:HD12	1:A:357:GLN:HG2	1.92	0.51
1:B:450:GLY:C	1:B:487:VAL:CG1	2.79	0.51
1:B:140:GLN:NE2	1:B:144:ASP:OD1	2.43	0.51
1:B:375:ARG:HD3	1:B:399:PHE:CG	2.45	0.51
1:A:374:LYS:HE2	6:A:1231:HOH:O	2.11	0.51
1:B:246:ARG:HB3	1:B:360:GLU:HG2	1.93	0.50
1:B:269:ARG:HG2	1:B:303:TYR:HA	1.93	0.50
1:B:450:GLY:O	1:B:487:VAL:HG13	2.11	0.50
1:A:222:GLY:HA3	1:A:807:ASN:ND2	2.16	0.50
1:B:541:ARG:NH2	6:B:1180:HOH:O	2.45	0.50
1:A:406:PRO:HD2	1:A:407:GLU:OE2	2.11	0.50
1:B:126:HIS:NE2	2:B:890:ACT:H1	2.27	0.50
1:A:454:LYS:HD2	1:A:490:TYR:CZ	2.46	0.49



			Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:543:HIS:HE1	1:A:545:ASN:HD22	1.60	0.49
1:B:190:PHE:O	1:B:196:TYR:HA	2.11	0.49
1:A:251:PRO:HG2	1:A:593:ARG:HH21	1.77	0.49
1:B:696:LEU:HD22	1:B:701:LEU:HD12	1.94	0.49
1:B:455:LYS:HD2	1:B:589:ILE:O	2.11	0.49
1:A:435:THR:O	1:A:436:SER:HB3	2.12	0.49
1:B:569:ASP:O	1:B:573:GLU:HG3	2.12	0.49
1:B:614:GLN:HG3	6:B:1242:HOH:O	2.12	0.49
1:B:770:ALA:O	1:B:797:ALA:HA	2.13	0.49
1:B:115:ASN:HD22	1:B:165:HIS:H	1.58	0.48
1:B:593:ARG:HG2	1:B:597:GLN:HE21	1.75	0.48
1:A:530:GLY:O	1:A:549:ASN:HA	2.14	0.48
1:B:865:PHE:HB2	1:B:871:LEU:CD2	2.43	0.48
1:A:768:VAL:HB	1:A:795:VAL:HG22	1.96	0.48
1:A:317:ILE:O	1:A:321:VAL:HG12	2.13	0.48
1:A:362:ASP:OD1	1:A:364:LYS:HG2	2.14	0.48
1:B:838:ILE:HD12	1:B:838:ILE:H	1.79	0.47
1:B:530:GLY:O	1:B:549:ASN:HA	2.14	0.47
1:B:488:MET:HE3	1:B:488:MET:O	2.15	0.47
1:A:450:GLY:C	1:A:487:VAL:CG1	2.82	0.47
1:B:778:SER:OG	2:B:891:ACT:H3	2.15	0.47
1:A:418:ASP:OD2	6:A:1247:HOH:O	2.20	0.47
1:B:507:ILE:O	1:B:507:ILE:HG13	2.15	0.47
1:B:8:LEU:HD11	1:B:27:LEU:CD1	2.45	0.47
1:B:19:LYS:HD2	1:B:19:LYS:HA	1.52	0.46
1:A:69:THR:HB	1:A:74:ILE:HD12	1.98	0.46
1:A:539:GLU:HG3	1:A:728:ARG:CD	2.39	0.46
1:B:115:ASN:ND2	1:B:164:PHE:HA	2.31	0.46
1:B:161:SER:HA	1:B:167:MET:HE2	1.97	0.46
1:B:345:ASP:N	1:B:351:GLN:HE22	2.02	0.45
1:A:201:LEU:O	1:A:218:GLY:HA2	2.15	0.45
1:B:435:THR:O	1:B:436:SER:CB	2.65	0.45
1:B:317:ILE:O	1:B:321:VAL:HG12	2.17	0.45
1:A:8:LEU:HD11	1:A:27:LEU:HD11	1.99	0.45
1:A:487:VAL:CG1	1:A:487:VAL:O	2.65	0.45
1:A:426:HIS:HB2	1:A:567:ARG:NH1	2.31	0.44
1:A:704:ARG:HG3	6:A:1500:HOH:O	2.17	0.44
1:A:689:ASN:OD1	1:A:689:ASN:N	2.47	0.44
1:A:287:GLN:HG2	6:A:1157:HOH:O	2.16	0.44
1:B:514:PRO:HG2	1:B:517:VAL:CG2	2.48	0.44
1:B:871:LEU:O	1:B:875:LEU:HG	2.17	0.44



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:450:GLY:O	1:A:487:VAL:HG13	2.17	0.44
1:A:704:ARG:CG	6:A:1500:HOH:O	2.66	0.44
1:B:312:VAL:HG13	1:B:316:SER:HB2	1.99	0.44
1:B:452:LEU:C	1:B:452:LEU:HD23	2.38	0.44
1:A:20:LYS:HD2	6:A:1024:HOH:O	2.16	0.44
1:A:344:ARG:HD2	1:A:351:GLN:NE2	2.33	0.44
1:A:463:VAL:HG23	1:A:494:LEU:HD22	1.99	0.44
1:A:161:SER:HA	1:A:167:MET:HE2	2.00	0.44
1:A:839:ILE:HA	1:A:840:PRO:HD3	1.85	0.44
1:B:181:ASN:HA	1:B:185:LEU:HB2	1.99	0.44
1:B:507:ILE:HD12	1:B:541:ARG:NH2	2.33	0.44
1:A:845:PRO:HG3	1:A:871:LEU:HD12	2.00	0.43
1:B:778:SER:OG	5:B:1001:FMT:H	2.18	0.43
1:B:839:ILE:HA	1:B:840:PRO:HD3	1.80	0.43
1:B:593:ARG:O	1:B:597:GLN:HG3	2.18	0.43
1:A:840:PRO:HD2	1:A:843:LEU:CD2	2.48	0.43
1:B:455:LYS:HB2	1:B:589:ILE:HG23	1.99	0.43
1:A:269:ARG:HG2	1:A:303:TYR:HA	2.01	0.43
1:B:376:PRO:HD3	1:B:538:PHE:CE1	2.53	0.43
1:B:704:ARG:NH1	6:B:1272:HOH:O	2.52	0.43
1:A:192:GLN:HE22	1:B:630:SER:CB	2.31	0.43
1:B:602:GLN:HB3	6:B:1422:HOH:O	2.17	0.43
1:B:515:GLU:N	1:B:516:PRO:CD	2.82	0.43
1:A:452:LEU:HD23	1:A:452:LEU:C	2.38	0.43
1:A:776:ALA:CA	1:A:801:GLU:HG3	2.48	0.43
1:A:868:ASP:O	1:A:872:THR:HG23	2.18	0.43
1:B:461:LEU:CD1	1:B:589:ILE:CD1	2.96	0.43
1:A:575:LEU:CD1	1:A:589:ILE:HD11	2.49	0.43
1:A:51:ASP:O	1:A:52:GLU:HB2	2.19	0.43
1:B:463:VAL:HG23	1:B:494:LEU:HD22	2.01	0.43
1:B:106:LYS:HE2	6:B:1405:HOH:O	2.19	0.42
1:A:134:ARG:HG3	1:A:495:GLY:HA2	2.01	0.42
1:A:543:HIS:CG	1:A:544:PRO:HD2	2.54	0.42
1:A:97:PHE:HB3	1:A:164:PHE:CZ	2.55	0.42
1:A:115:ASN:HD21	1:A:164:PHE:HA	1.84	0.42
1:A:178:HIS:CE1	1:A:208:THR:HA	2.55	0.42
1:B:357:GLN:HB2	6:B:1155:HOH:O	2.18	0.42
1:B:254:LEU:HB2	6:B:1142:HOH:O	2.18	0.42
1:B:426:HIS:HB2	1:B:567:ARG:NH1	2.33	0.42
1:A:24:LEU:HA	1:A:27:LEU:HD13	2.02	0.42
$1:A:513:LEU:H\overline{G}$	1:A:543:HIS:CE1	2.54	0.42



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:45:ALA:O	1:B:49:ASN:HB2	2.20	0.42
1:A:144:ASP:O	1:A:148:GLU:HG3	2.20	0.42
1:A:312:VAL:HG13	1:A:316:SER:HB2	2.02	0.42
1:A:875:LEU:CD1	6:A:1496:HOH:O	2.68	0.42
1:B:175:GLY:HA2	1:B:501:TYR:HB3	2.02	0.42
1:B:222:GLY:HA3	1:B:807:ASN:ND2	2.24	0.42
1:B:115:ASN:HD21	1:B:164:PHE:HA	1.85	0.42
1:A:267:HIS:HE1	1:A:359:VAL:CG1	2.32	0.41
1:A:465:PRO:HG2	6:A:1256:HOH:O	2.20	0.41
1:A:630:SER:HB2	1:B:192:GLN:HE22	1.85	0.41
1:A:704:ARG:HG3	1:A:704:ARG:H	1.47	0.41
1:A:8:LEU:HD11	1:A:27:LEU:CD1	2.50	0.41
1:B:140:GLN:HB2	6:B:1087:HOH:O	2.19	0.41
1:B:422:PHE:CZ	1:B:465:PRO:HD2	2.55	0.41
1:B:442:ASN:HB3	1:B:445:VAL:HG22	2.02	0.41
1:A:192:GLN:NE2	6:A:1070:HOH:O	2.53	0.41
1:A:770:ALA:O	1:A:797:ALA:HA	2.20	0.41
1:A:541:ARG:HA	1:A:541:ARG:HD2	1.90	0.41
1:A:845:PRO:HD3	6:A:1326:HOH:O	2.20	0.41
1:A:485:SER:HA	1:A:603:TYR:CZ	2.55	0.41
1:B:153:ARG:HD2	1:B:711:SER:O	2.21	0.41
1:B:247:LEU:HD12	1:B:285:VAL:HG22	2.01	0.41
1:B:106:LYS:CE	6:B:1405:HOH:O	2.69	0.41
1:B:151:ARG:O	1:B:155:GLU:HG3	2.21	0.41
1:B:19:LYS:HB3	1:B:196:TYR:CE2	2.56	0.41
1:B:450:GLY:HA3	1:B:487:VAL:CG1	2.23	0.41
1:A:97:PHE:HB3	1:A:164:PHE:CE2	2.56	0.40
1:A:181:ASN:HA	1:A:185:LEU:HB2	2.02	0.40
1:A:115:ASN:HD22	1:A:165:HIS:H	1.69	0.40
1:A:778:SER:OG	2:A:890:ACT:CH3	2.69	0.40
1:B:412:HIS:HB2	1:B:423:THR:HG22	2.03	0.40
1:A:115:ASN:ND2	1:A:164:PHE:HA	2.35	0.40
1:B:594:ASP:HB2	6:B:1425:HOH:O	2.21	0.40
1:B:105:LYS:HG2	1:B:106:LYS:HD3	2.03	0.40
1:B:759:TYR:CG	1:B:766:LEU:HD21	2.57	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	887/888~(100%)	857~(97%)	28 (3%)	2(0%)	47	33
1	В	886/888~(100%)	857~(97%)	27 (3%)	2(0%)	47	33
All	All	1773/1776 (100%)	1714 (97%)	55 (3%)	4 (0%)	47	33

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	436	SER
1	В	436	SER
1	В	177	ILE
1	А	177	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	752/751~(100%)	731~(97%)	21 (3%)	43	27
1	В	751/751~(100%)	719~(96%)	32 (4%)	29	12
All	All	1503/1502~(100%)	1450~(96%)	53~(4%)	36	18

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	86	GLN
1	А	88	PHE



Mol	Chain	Res	Type
1	А	147	PHE
1	А	201	LEU
1	А	233	GLN
1	А	262	LEU
1	А	266	LYS
1	А	321	VAL
1	А	331	LYS
1	А	387	LYS
1	А	462	ASN
1	А	480	TYR
1	А	525	ASP
1	А	541	ARG
1	А	592	THR
1	А	610	LYS
1	А	669	LEU
1	А	678	ASP
1	А	689	ASN
1	А	704	ARG
1	А	823	ASN
1	В	2	SER
1	В	19	LYS
1	В	27	LEU
1	В	86	GLN
1	В	88	PHE
1	В	135	ARG
1	В	147	PHE
1	В	201	LEU
1	В	262	LEU
1	В	266	LYS
1	В	287	GLN
1	В	321	VAL
1	В	331	LYS
1	B	354	ASP
1	В	375	ARG
1	B	387	LYS
1	B	390	GLU
1	В	413	LYS
1	В	462	ASN
1	В	480	TYR
1	В	519	GLU
1	В	522	THR
1	В	523	GLN



Contr	Continuea front prettous page								
Mol	Chain	\mathbf{Res}	Type						
1	В	573	GLU						
1	В	592	THR						
1	В	601	ARG						
1	В	608	MET						
1	В	638	SER						
1	В	669	LEU						
1	В	841	GLU						
1	В	850	GLN						
1	В	889	LYS						

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	16	GLN
1	А	25	ASN
1	А	115	ASN
1	А	192	GLN
1	А	233	GLN
1	А	322	GLN
1	А	351	GLN
1	А	397	GLN
1	А	408	HIS
1	А	462	ASN
1	А	493	GLN
1	А	523	GLN
1	А	545	ASN
1	А	549	ASN
1	А	602	GLN
1	А	807	ASN
1	А	823	ASN
1	А	832	GLN
1	В	16	GLN
1	В	25	ASN
1	В	115	ASN
1	В	192	GLN
1	В	233	GLN
1	В	322	GLN
1	В	351	GLN
1	В	357	GLN
1	В	397	GLN
1	В	408	HIS
1	В	462	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	В	493	GLN
1	В	545	ASN
1	В	549	ASN
1	В	597	GLN
1	В	602	GLN
1	В	698	ASN
1	В	807	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tiple	B	ond leng	$_{ m gths}$	E	Bond ang	gles
IVIOI	туре	Unain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
3	SF4	В	1000	2,6,1	0,12,12	-	-	-		
5	FMT	В	1001	-	2,2,2	0.91	0	$1,\!1,\!1$	0.31	0
3	SF4	A	1000	6,1	0,12,12	-	-	-		
2	ACT	А	890	-	3,3,3	0.97	0	3,3,3	1.43	0
2	ACT	В	891	-	$3,\!3,\!3$	1.01	0	$3,\!3,\!3$	1.82	1 (33%)
4	GOL	A	1002	-	$5,\!5,\!5$	0.34	0	$5,\!5,\!5$	0.24	0
2	ACT	В	890	3	3,3,3	0.68	0	3,3,3	1.24	0



Mal	Type	Chain	Dog	Link	B	ond leng	gths	В	Sond ang	gles
	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
4	GOL	А	1001	-	$5,\!5,\!5$	0.40	0	$5,\!5,\!5$	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	А	1002	-	-	4/4/4/4	-
4	GOL	А	1001	-	-	4/4/4/4	-
3	SF4	В	1000	$2,\!6,\!1$	-	-	0/6/5/5
3	SF4	А	1000	6,1	-	-	0/6/5/5

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	pe Atoms Z C		$Observed(^{o})$	$Ideal(^{o})$
2	В	891	ACT	OXT-C-O	-2.51	112.80	122.05

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	А	1001	GOL	O1-C1-C2-O2
4	А	1001	GOL	O1-C1-C2-C3
4	А	1001	GOL	C1-C2-C3-O3
4	А	1002	GOL	O1-C1-C2-O2
4	А	1002	GOL	O1-C1-C2-C3
4	А	1002	GOL	C1-C2-C3-O3
4	А	1001	GOL	O2-C2-C3-O3
4	А	1002	GOL	O2-C2-C3-O3

There are no ring outliers.

5 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	В	1001	FMT	10	0
2	А	890	ACT	2	0
2	В	891	ACT	10	0
2	В	890	ACT	4	0



Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	А	1001	GOL	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	888/888~(100%)	-0.27	9 (1%) 82 82	16, 26, 40, 58	6~(0%)
1	В	888/888~(100%)	0.06	54 (6%) 21 20	17, 26, 40, 58	7~(0%)
All	All	1776/1776~(100%)	-0.10	63 (3%) 44 41	16, 26, 40, 58	13 (0%)

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	581	GLY	11.1
1	В	410	ASN	7.2
1	В	580	LYS	5.9
1	А	579	ALA	5.9
1	В	524	GLY	5.8
1	В	412	HIS	4.9
1	В	540	GLY	4.9
1	В	425	ALA	4.5
1	В	525	ASP	4.0
1	А	580	LYS	4.0
1	В	414	THR	3.9
1	В	520	ALA	3.9
1	В	538	PHE	3.9
1	В	407	GLU	3.9
1	В	423	THR	3.8
1	В	542	VAL	3.6
1	В	527	VAL	3.6
1	В	429	VAL	3.5
1	В	427	GLY	3.5
1	В	575	LEU	3.4
1	В	526	LEU	3.4
1	В	422	PHE	3.4
1	В	548	ALA	3.3
1	В	415	PHE	3.3



2B3Y

Mol	Chain	Res	Type	RSRZ	
1	В	579	ALA	3.3	
1	В	574	PRO	3.3	
1	В	397	GLN	3.2	
1	В	539	GLU	3.2	
1	А	416	ILE	3.2	
1	В	546	THR	3.2	
1	В	521	ILE	3.1	
1	В	545	ASN	3.1	
1	В	576	GLY	3.0	
1	А	581	GLY	2.9	
1	В	605	ILE	2.9	
1	В	582	GLN	2.8	
1	В	566	ILE	2.7	
1	В	406	PRO	2.7	
1	В	589	ILE	2.6	
1	В	547	ARG	2.6	
1	В	394	GLY	2.5	
1	В	517	VAL	2.5	
1	В	577	VAL	2.5	
1	А	582	GLN	2.5	
1	В	598	ALA	2.4	
1	А	2	SER	2.4	
1	В	416	ILE	2.4	
1	В	461	LEU	2.3	
1	В	421	GLU	2.3	
1	А	577	VAL	2.3	
1	А	53	PHE	2.2	
1	В	572	LYS	2.2	
1	В	402	PHE	2.1	
1	А	541	ARG	2.1	
1	В	404	VAL	2.1	
1	В	393	LEU	2.1	
1	В	405	ALA	2.1	
1	В	588	ASP	2.1	
1	В	457	VAL	2.1	
1	В	578	ASN	2.1	
1	В	411	A11 ASP		
1	В	543	HIS	2.1	
1	В	523	GLN	2.0	

Continued from previous page...



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
4	GOL	А	1002	6/6	0.79	0.33	50,51,53,54	0
4	GOL	А	1001	6/6	0.90	0.34	48,48,51,54	0
2	ACT	А	890	4/4	0.94	0.08	26,29,31,31	0
2	ACT	В	890	4/4	0.95	0.12	19,30,31,33	0
2	ACT	В	891	4/4	0.95	0.09	22,22,24,26	0
3	SF4	В	1000	8/8	0.97	0.07	22,25,30,31	0
5	FMT	В	1001	3/3	0.98	0.08	28,28,30,33	0
3	SF4	А	1000	8/8	0.99	0.03	21,22,25,26	0

6.5 Other polymers (i)

There are no such residues in this entry.

