

Full wwPDB X-ray Structure Validation Report (i)

Mar 10, 2021 - 12:05 pm GMT

PDB ID	:	7B51
Title	:	Crystal structure of human CRM1 covalently modified by 2-mercaptoethanol
		at Cys528
Authors	:	Shaikhqasem, A.; Ficner, R.
Deposited on	:	2020-12-03
Resolution	:	2.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	÷	4.02b-467
Mogul	÷	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.17.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.17.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	3676 (2.60-2.56)
Clashscore	141614	4049 (2.60-2.56)
Ramachandran outliers	138981	3979 (2.60-2.56)
Sidechain outliers	138945	3979 (2.60-2.56)
RSRZ outliers	127900	3614(2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	В	182	% • 79%	16%	•••
2	А	1060	^{2%} 7 9%	16%	•••



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 9786 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called GTP-binding nuclear protein Ran.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	В	174	Total 1414	C 919	N 247	O 243	${ m S}{ m 5}$	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Actual Comment		
В	-1	MET	-	initiating methionine	UNP P62826	
В	0	GLY	-	expression tag	UNP P62826	
В	69	LEU	GLN	engineered mutation	UNP P62826	

• Molecule 2 is a protein called Exportin-1.

Mol	Chain	Residues		Α	toms			ZeroOcc	AltConf	Trace
2	А	1013	Total 8199	C 5266	N 1374	O 1506	S 53	0	0	0

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-13	MET	-	initiating methionine	UNP 014980
А	-12	ALA	-	expression tag	UNP 014980
А	-11	SER	-	expression tag	UNP 014980
А	-10	MET	-	expression tag	UNP 014980
А	-9	THR	-	expression tag	UNP 014980
A	-8	GLY	-	expression tag	UNP 014980
А	-7	GLY	-	expression tag	UNP 014980
A	-6	GLN	-	expression tag	UNP 014980
А	-5	GLN	-	expression tag	UNP 014980
А	-4	MET	-	expression tag	UNP 014980
A	-3	GLY	-	expression tag	UNP 014980
А	-2	ARG	-	expression tag	UNP 014980
А	-1	GLY	-	expression tag	UNP 014980



Chain	Residue	Modelled	Actual	Actual Comment	
А	0	SER	-	expression tag	UNP 014980
A	430	ALA	VAL	engineered mutation	UNP 014980
A	431	ALA	LEU	engineered mutation	UNP 014980
А	432	ALA	VAL	engineered mutation	UNP 014980
A	1037	ARG	-	expression tag	UNP 014980
А	1038	SER	-	expression tag	UNP 014980
A	1039	ARG	-	expression tag	UNP 014980
A	1040	SER	-	expression tag	UNP 014980
A	1041	HIS	-	expression tag	UNP 014980
А	1042	HIS	-	expression tag	UNP 014980
A	1043	HIS	-	expression tag	UNP 014980
A	1044	HIS	-	expression tag	UNP 014980
A	1045	HIS	-	expression tag	UNP 014980
A	1046	HIS	_	expression tag	UNP 014980

• Molecule 3 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	В	1	Total	С	Ν	Ο	Р	0	0
J	D	T	32	10	5	14	3	0	0

• Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	1	TotalMg11	0	0

• Molecule 5 is BETA-MERCAPTOETHANOL (three-letter code: BME) (formula: C₂H₆OS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	А	1	Total 4	$\begin{array}{c} \mathrm{C} \\ 2 \end{array}$	0 1	${ m S}$ 1	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	В	25	Total O 25 25	0	0
6	А	111	Total O 111 111	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: GTP-binding nuclear protein Ran

4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants	121.11Å 150.59Å 231.97Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	126.31 - 2.58	Depositor
Resolution (A)	126.31 - 2.58	EDS
% Data completeness	$97.5\ (126.31-2.58)$	Depositor
(in resolution range)	$97.5\ (126.31 - 2.58)$	EDS
R_{merge}	0.08	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.08 (at 2.58 \text{\AA})$	Xtriage
Refinement program	REFMAC 5	Depositor
B B.	0.214 , 0.250	Depositor
n, n_{free}	0.213 , 0.249	DCC
R_{free} test set	3237 reflections $(4.96%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	63.9	Xtriage
Anisotropy	0.433	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33 , 31.6	EDS
L-test for twinning ²	$ < L >=0.50, < L^2>=0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9786	wwPDB-VP
Average B, all atoms $(Å^2)$	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.11% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



 $^{^1 {\}rm Intensities}$ estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GTP, BME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
	Cham	RMSZ	# Z > 5	RMSZ	# Z > 5
1	В	0.42	0/1449	0.80	0/1957
2	А	0.42	0/8369	0.78	0/11341
All	All	0.42	0/9818	0.79	0/13298

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	1414	0	1438	20	0
2	А	8199	0	8253	124	0
3	В	32	0	12	1	0
4	В	1	0	0	0	0
5	А	4	0	5	0	0
6	А	111	0	0	11	0
6	В	25	0	0	1	0
All	All	9786	0	9708	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.



B51
B51

	A +	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:A:723:CYS:HB3	6:A:1295:HOH:O	1.34	1.26	
2:A:30:ASN:HB3	6:A:1281:HOH:O	1.60	1.02	
2:A:607:VAL:HA	6:A:1275:HOH:O	1.59	1.01	
2:A:303:ASN:OD1	2:A:305:ARG:HG2	1.67	0.94	
2:A:916:GLN:HE21	2:A:959:SER:HB2	1.33	0.93	
2:A:84:GLU:HG2	2:A:88:LYS:HE3	1.48	0.92	
2:A:88:LYS:HE2	2:A:136:GLN:NE2	1.84	0.91	
2:A:607:VAL:HG12	6:A:1275:HOH:O	1.75	0.85	
2:A:73:MET:HG3	2:A:123:GLU:CD	1.97	0.84	
2:A:339:LYS:HE3	6:A:1223:HOH:O	1.76	0.84	
2:A:95:PRO:HG2	2:A:98:GLN:HG3	1.63	0.80	
2:A:10:ASP:OD2	2:A:14:ARG:HD2	1.83	0.79	
2:A:60:TRP:HB3	2:A:86:VAL:HG21	1.64	0.78	
2:A:628:GLN:HG3	6:A:1219:HOH:O	1.83	0.78	
2:A:288:THR:HG22	2:A:289:LEU:HD12	1.66	0.77	
2:A:84:GLU:CG	2:A:88:LYS:HE3	2.16	0.75	
2:A:756:LEU:HB3	2:A:803:THR:HG21	1.67	0.75	
2:A:172:LYS:HG3	2:A:231:ARG:HG3	1.69	0.73	
2:A:545:MET:HE3	2:A:583:MET:HG2	1.72	0.72	
2:A:219:ALA:HB3	2:A:220:PRO:HD3	1.73	0.71	
2:A:962:LEU:HG	2:A:964:PRO:HD2	1.74	0.70	
2:A:1033:LEU:O	2:A:1033:LEU:HG	1.93	0.69	
1:B:139:HIS:HB2	1:B:144:LEU:HB2	1.73	0.69	
2:A:285:THR:HG23	2:A:289:LEU:HD13	1.73	0.69	
2:A:303:ASN:OD1	2:A:305:ARG:CG	2.41	0.67	
1:B:105:HIS:CE1	1:B:142:LYS:HD2	2.29	0.67	
2:A:73:MET:HG3	2:A:123:GLU:OE1	1.95	0.65	
1:B:30:HIS:HB3	1:B:50:LEU:HD21	1.78	0.65	
1:B:12:LYS:H	1:B:84:GLN:NE2	1.96	0.62	
2:A:545:MET:HE3	2:A:583:MET:CG	2.29	0.62	
2:A:88:LYS:CE	2:A:136:GLN:NE2	2.61	0.62	
2:A:402:VAL:HG11	2:A:407:GLN:OE1	1.99	0.61	
2:A:781:LEU:O	2:A:786:ILE:HG13	2.01	0.60	
2:A:732:ILE:HD12	2:A:795:ALA:HB2	1.83	0.60	
2:A:303:ASN:ND2	2:A:305:ARG:CZ	2.64	0.60	
1:B:125:ASP:HB3	1:B:153:SER:OG	2.01	0.59	
2:A:485:ASN:OD1	2:A:487:THR:HB	2.02	0.59	
2:A:916:GLN:NE2	2:A:959:SER:HB2	2.12	0.59	
2:A:964:PRO:C	2:A:966:ASN:H	2.06	0.59	
2:A:55:GLU:HG2	6:A:1253:HOH:O	2.02	0.59	

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:142:LYS:HG2	6:B:313:HOH:O	2.02	0.58
2:A:168:MET:HE2	2:A:225:THR:HG23	1.85	0.58
2:A:869:THR:O	2:A:873:LEU:HD13	2.03	0.58
1:B:117:ILE:HB	1:B:144:LEU:HD22	1.87	0.57
2:A:556:ARG:NH1	2:A:594:LYS:O	2.37	0.57
1:B:12:LYS:H	1:B:84:GLN:HE21	1.54	0.56
1:B:13:LEU:C	1:B:13:LEU:HD23	2.25	0.56
2:A:986:PHE:HB2	2:A:989:LEU:CD1	2.36	0.55
2:A:70:SER:OG	2:A:75:THR:HB	2.07	0.54
2:A:303:ASN:HD21	2:A:305:ARG:CZ	2.21	0.54
2:A:263:VAL:HG23	2:A:264:SEB:N	2 23	0.54
2:A:88:LYS:HE2	2:A:136:GLN:HE22	1 72	0.54
1:B:75:LEU:HD13	2:A:35:LEU:HD21	1.89	0.53
2:A:675:ASN:ND2	2:A:677:ASP:HB2	2.24	0.53
2:A:482:ASN:HD22	2:A:487:THB:HB	1 74	0.53
2:A:545:MET:CE	2:A:583:MET:HB3	2.39	0.53
2:A:672:ALA:HA	2:A:678:ILE:HD11	1.91	0.52
1:B:75:LEU:CD1	2:A:35:LEU:HD21	2 41	0.51
1:B:75:LEU:HD13	2:A:35:LEU:CD2	2.41	0.50
2:A:631:HIS:HB3	2:A:697:ARG:HG3	1.93	0.50
2:A:879:ILE:HA	2:A:882:PHE:CE2	2.47	0.50
2:A:545:MET:HE1	2:A:583:MET:HB3	1.92	0.50
2:A:73:MET:HG3	2:A:123:GLU:OE2	2.12	0.50
2:A:67:LEU:HD13	2:A:109:LEU:HD21	1.94	0.50
2:A:900:LEU:C	2:A:900:LEU:HD23	2.33	0.49
2:A:856:ASN:HB2	2:A:863:PHE:HE2	1.77	0.49
2:A:986:PHE:HB2	2:A:989:LEU:HD12	1.94	0.49
2:A:249:THR:O	2:A:253:LYS:HB2	2.12	0.49
2:A:607:VAL:CG1	6:A:1275:HOH:O	2.42	0.49
1:B:28:LYS:NZ	1:B:36:GLU:OE2	2.46	0.49
2:A:760:SER:O	2:A:764:SER:OG	2.31	0.49
1:B:56:ARG:HD3	1:B:171:ASP:OD2	2.13	0.48
2:A:573:MET:HB3	2:A:625:LEU:HD21	1.94	0.48
2:A:789:GLN:HB2	2:A:825:ALA:O	2.13	0.48
2:A:782:ASP:OD1	2:A:782:ASP:O	2.31	0.48
2:A:607:VAL:HG23	2:A:608:MET:H	1.78	0.48
2:A:964:PRO:C	2:A:966:ASN:N	2.66	0.48
2:A:978:VAL:O	2:A:981:LEU:HB3	2.13	0.48
2:A:30:ASN:CB	6:A:1281:HOH:O	2.34	0.47
2:A:641:ILE:HD12	2:A:657:TYR:CD2	2.49	0.47
2:A:904:VAL:HG11	2:A:914:PHE:CD2	2.48	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:25:THR:HG21	1:B:35:PHE:CE1	2.49	0.47
2:A:84:GLU:CD	2:A:88:LYS:HE3	2.34	0.47
2:A:841:TYR:O	2:A:845:ARG:HG3	2.13	0.47
1:B:75:LEU:CD1	2:A:35:LEU:CD2	2.93	0.47
2:A:544:ILE:O	2:A:548:VAL:HG13	2.14	0.47
2:A:285:THR:HG23	2:A:289:LEU:CD1	2.40	0.47
2:A:354:MET:CE	2:A:369:CYS:HA	2.46	0.47
2:A:962:LEU:HB2	2:A:973:PHE:CE1	2.50	0.46
2:A:675:ASN:HD21	2:A:677:ASP:HB2	1.80	0.46
2:A:202:PHE:CZ	2:A:236:ILE:HG21	2.51	0.46
2:A:586:ASP:O	2:A:589:ILE:HG22	2.16	0.46
1:B:123:LYS:HG2	3:B:201:GTP:C6	2.51	0.45
2:A:351:LEU:HD11	2:A:409:TYR:CE1	2.51	0.45
2:A:304:ILE:HD12	2:A:356:LEU:HB3	1.99	0.45
2:A:288:THR:CG2	2:A:289:LEU:HD12	2.43	0.45
2:A:139:LYS:HE3	2:A:186:ILE:HD11	1.97	0.44
2:A:247:ILE:O	2:A:251:ILE:HG13	2.17	0.44
2:A:261:ARG:HD2	2:A:318:PHE:CD1	2.52	0.44
2:A:672:ALA:CA	2:A:678:ILE:HD11	2.47	0.44
1:B:14:VAL:O	1:B:86:ALA:HA	2.18	0.43
2:A:109:LEU:O	2:A:113:THR:HG23	2.18	0.43
2:A:789:GLN:OE1	2:A:825:ALA:HA	2.18	0.43
2:A:861:PRO:HA	2:A:864:LEU:HD12	2.00	0.43
2:A:962:LEU:HD23	2:A:965:GLY:HA3	2.00	0.43
2:A:25:ILE:HD11	2:A:65:THR:HG22	2.00	0.43
2:A:660:LEU:HB2	2:A:661:PRO:HD3	2.00	0.43
2:A:517:LEU:O	2:A:521:ILE:HG12	2.19	0.43
2:A:60:TRP:HA	2:A:63:VAL:HG23	2.00	0.42
2:A:904:VAL:HG13	2:A:911:ALA:HA	2.01	0.42
2:A:263:VAL:CG2	2:A:264:SER:N	2.81	0.42
2:A:603:GLN:O	2:A:606:GLU:HB2	2.19	0.42
2:A:682:PRO:HG2	6:A:1311:HOH:O	2.19	0.42
1:B:81:ILE:HD11	2:A:77:TYR:CD1	2.54	0.42
2:A:930:VAL:HG22	2:A:942:HIS:HB3	2.01	0.42
2:A:479:LYS:NZ	6:A:1203:HOH:O	2.53	0.42
2:A:887:ARG:HA	2:A:887:ARG:HD2	1.66	0.41
2:A:241:ILE:CG2	2:A:271:ILE:HG12	2.51	0.41
2:A:287:PHE:HB2	2:A:329:PHE:CZ	2.55	0.41
2:A:303:ASN:ND2	2:A:305:ARG:NH1	2.68	0.41
2:A:427:PRO:HB3	2:A:454:TYR:CZ	2.55	0.41
2:A:308:TYR:CE2	2:A:316:GLN:HB3	2.55	0.41



Atom-1	Atom-2	Interatomic	Clash
Atom-1	At0111-2	distance (Å)	overlap (Å)
2:A:704:HIS:HB3	2:A:705:PRO:HD3	2.02	0.41
2:A:962:LEU:HB2	2:A:973:PHE:CZ	2.56	0.41
2:A:31:VAL:HG12	2:A:50:LEU:HD11	2.03	0.41
2:A:103:LYS:HG2	2:A:146:TRP:CZ3	2.55	0.41
2:A:323:SER:HB3	2:A:357:VAL:HG11	2.03	0.41
2:A:685:VAL:HG12	2:A:747:SER:OG	2.21	0.41
2:A:10:ASP:OD1	2:A:45:MET:HG3	2.21	0.40
2:A:297:MET:H	2:A:297:MET:HG2	1.52	0.40
2:A:676:VAL:O	2:A:679:LEU:HB2	2.21	0.40
2:A:740:THR:HA	2:A:745:ILE:HG21	2.02	0.40
2:A:887:ARG:HH12	2:A:935:HIS:CD2	2.39	0.40
2:A:602:VAL:HG22	2:A:609:PRO:HD3	2.02	0.40
1:B:23:LYS:HB2	1:B:23:LYS:HE2	1.94	0.40
2:A:797:GLU:HA	2:A:798:PRO:HD2	1.83	0.40
2:A:354:MET:HE3	2:A:369:CYS:HA	2.03	0.40
2:A:517:LEU:HD23	2:A:517:LEU:HA	1.85	0.40
2:A:882:PHE:HA	2:A:890:ALA:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{ntiles}
1	В	172/182~(94%)	166~(96%)	6 (4%)	0	100	100
2	А	1009/1060~(95%)	979~(97%)	30~(3%)	0	100	100
All	All	1181/1242~(95%)	1145 (97%)	36~(3%)	0	100	100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	В	153/157~(98%)	145~(95%)	8 (5%)	23 44
2	А	921/960~(96%)	893~(97%)	28 (3%)	41 65
All	All	1074/1117~(96%)	1038 (97%)	36 (3%)	37 60

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	В	31	LEU
1	В	132	LYS
1	В	134	LYS
1	В	148	ASP
1	В	153	SER
1	В	154	ASN
1	В	167	LYS
1	В	179	MET
2	А	8	LEU
2	А	33	ASN
2	А	39	GLU
2	А	96	ARG
2	А	141	GLU
2	А	162	SER
2	А	278	GLN
2	А	297	MET
2	А	312	LYS
2	А	313	ASP
2	А	363	THR
2	А	387	SER
2	А	441	VAL
2	А	487	THR
2	А	548	VAL
2	А	555	LEU
2	А	678	ILE
2	А	739	VAL
2	А	764	SER



Contr	naca jion	i previe	as paye
Mol	Chain	\mathbf{Res}	Type
2	А	781	LEU
2	А	824	ASP
2	А	832	ASN
2	А	840	GLU
2	А	887	ARG
2	А	974	LEU
2	А	984	SER
2	А	1019	LEU
2	А	1031	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	30	HIS
1	В	84	GLN
1	В	105	HIS
2	А	165	GLN
2	А	188	GLN
2	А	204	GLN
2	А	293	GLN
2	А	310	ASN
2	А	352	HIS
2	А	481	HIS
2	А	482	ASN
2	А	530	GLN
2	А	675	ASN
2	А	727	ASN
2	А	856	ASN
2	А	916	GLN
2	А	924	GLN
2	А	935	HIS
2	А	951	ASN
2	А	966	ASN
2	А	1006	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type Chain Res		Tink	Bond lengths			Bond angles			
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GTP	В	201	4	26,34,34	1.10	1 (3%)	$33,\!54,\!54$	2.01	4 (12%)
5	BME	А	1101	2	3,3,3	0.14	0	1,2,2	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	\mathbf{Res}	Link	Chirals	Torsions	Rings
3	GTP	В	201	4	-	1/18/38/38	0/3/3/3
5	BME	А	1101	2	-	1/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
3	В	201	GTP	C6-N1	4.12	1.40	1.33

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	В	201	GTP	C5-C6-N1	-8.41	111.92	123.43



7B3	51
-----	----

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	В	201	GTP	C6-N1-C2	5.42	124.54	115.93
3	В	201	GTP	N3-C2-N1	-2.65	123.69	127.22
3	В	201	GTP	C2-N3-C4	-2.31	112.72	115.36

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	А	1101	BME	O1-C1-C2-S2
3	В	201	GTP	O4'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	201	GTP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	$\# RSRZ {>}2$	$OWAB(A^2)$	$\mathbf{Q}{<}0.9$
1	В	174/182~(95%)	0.44	1 (0%) 89 89	35, 51, 85, 159	0
2	А	1013/1060~(95%)	0.42	26 (2%) 56 52	36,60,89,191	0
All	All	1187/1242~(95%)	0.42	27 (2%) 60 57	35, 58, 89, 191	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	А	967	PRO	3.7
2	А	958	ILE	3.2
2	А	738	MET	3.2
2	А	739	VAL	3.1
2	А	906	GLN	3.0
2	А	1032	ASP	3.0
2	А	305	ARG	2.9
2	А	429	GLU	2.9
2	А	142	TRP	2.8
2	А	749	ARG	2.8
2	А	964	PRO	2.7
2	А	968	VAL	2.7
2	А	908	GLU	2.7
2	А	104	LYS	2.6
2	А	90	ARG	2.6
2	А	904	VAL	2.5
2	А	444	PHE	2.4
2	А	963	ASN	2.3
2	А	263	VAL	2.3
2	А	1031	SER	2.3
2	A	43	GLN	2.3
2	А	966	ASN	2.2
2	А	494	LEU	2.2
2	А	735	ASN	2.2



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	А	736	GLY	2.1
2	А	71	GLN	2.1
1	В	177	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	$\mathbf{Q} < 0.9$
5	BME	А	1101	4/4	0.86	0.25	96,97,99,106	0
4	MG	В	202	1/1	0.87	0.26	52,52,52,52	0
3	GTP	В	201	32/32	0.99	0.18	37,42,51,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers (i)

There are no such residues in this entry.

