



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 27, 2022 – 04:30 pm BST

PDB ID : 7B6T
Title : Sheep Polyomavirus VP1 in complex with 10 mM globo-N-tetraose
Authors : Rustmeier, N.H.; Stehle, T.
Deposited on : 2020-12-08
Resolution : 1.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	276	 90% 5% 5%
1	BBB	276	 93% 5% .
1	CCC	276	 91% . 6%
1	DDD	276	 95% . .
1	EEE	276	 90% . 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	FFF	276	 % 92% • 5%
1	GGG	276	 % 93% • •
1	HHH	276	 % 91% • 5%
1	III	276	 % 93% 5% •
1	JJJ	276	 % 92% • 6%
2	AaA	3	 33% 67%
2	CaC	3	 100%
2	FaF	3	 33% 67%
2	HaH	3	 100%
3	BaB	2	 100%
3	DaD	2	 50% 50%
3	JaJ	2	 50% 50%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 24010 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	AAA	262	2011	1286	337	376	12	0	0	0
1	BBB	271	2087	1325	351	397	14	0	0	0
1	CCC	260	2006	1280	338	376	12	0	0	0
1	DDD	271	2088	1326	351	397	14	0	0	0
1	EEE	259	1989	1269	335	373	12	0	0	0
1	FFF	261	2005	1281	337	375	12	0	1	0
1	GGG	270	2075	1321	348	393	13	0	0	0
1	HHH	261	2015	1285	338	380	12	0	2	0
1	III	270	2070	1320	347	390	13	0	0	0
1	JJJ	260	1997	1275	335	375	12	0	0	0

There are 50 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	16	GLY	-	expression tag	UNP A0A0E3ZCF3
AAA	17	SER	-	expression tag	UNP A0A0E3ZCF3
AAA	18	HIS	-	expression tag	UNP A0A0E3ZCF3
AAA	19	MET	-	expression tag	UNP A0A0E3ZCF3
AAA	95	SER	CYS	conflict	UNP A0A0E3ZCF3
BBB	16	GLY	-	expression tag	UNP A0A0E3ZCF3
BBB	17	SER	-	expression tag	UNP A0A0E3ZCF3
BBB	18	HIS	-	expression tag	UNP A0A0E3ZCF3
BBB	19	MET	-	expression tag	UNP A0A0E3ZCF3


Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
BBB	95	SER	CYS	conflict	UNP A0A0E3ZCF3
CCC	16	GLY	-	expression tag	UNP A0A0E3ZCF3
CCC	17	SER	-	expression tag	UNP A0A0E3ZCF3
CCC	18	HIS	-	expression tag	UNP A0A0E3ZCF3
CCC	19	MET	-	expression tag	UNP A0A0E3ZCF3
CCC	95	SER	CYS	conflict	UNP A0A0E3ZCF3
DDD	19	GLY	-	expression tag	UNP A0A0E3ZCF3
DDD	20	SER	-	expression tag	UNP A0A0E3ZCF3
DDD	21	HIS	-	expression tag	UNP A0A0E3ZCF3
DDD	22	MET	-	expression tag	UNP A0A0E3ZCF3
DDD	98	SER	CYS	conflict	UNP A0A0E3ZCF3
EEE	16	GLY	-	expression tag	UNP A0A0E3ZCF3
EEE	17	SER	-	expression tag	UNP A0A0E3ZCF3
EEE	18	HIS	-	expression tag	UNP A0A0E3ZCF3
EEE	19	MET	-	expression tag	UNP A0A0E3ZCF3
EEE	95	SER	CYS	conflict	UNP A0A0E3ZCF3
FFF	16	GLY	-	expression tag	UNP A0A0E3ZCF3
FFF	17	SER	-	expression tag	UNP A0A0E3ZCF3
FFF	18	HIS	-	expression tag	UNP A0A0E3ZCF3
FFF	19	MET	-	expression tag	UNP A0A0E3ZCF3
FFF	95	SER	CYS	conflict	UNP A0A0E3ZCF3
GGG	16	GLY	-	expression tag	UNP A0A0E3ZCF3
GGG	17	SER	-	expression tag	UNP A0A0E3ZCF3
GGG	18	HIS	-	expression tag	UNP A0A0E3ZCF3
GGG	19	MET	-	expression tag	UNP A0A0E3ZCF3
GGG	95	SER	CYS	conflict	UNP A0A0E3ZCF3
HHH	16	GLY	-	expression tag	UNP A0A0E3ZCF3
HHH	17	SER	-	expression tag	UNP A0A0E3ZCF3
HHH	18	HIS	-	expression tag	UNP A0A0E3ZCF3
HHH	19	MET	-	expression tag	UNP A0A0E3ZCF3
HHH	95	SER	CYS	conflict	UNP A0A0E3ZCF3
III	16	GLY	-	expression tag	UNP A0A0E3ZCF3
III	17	SER	-	expression tag	UNP A0A0E3ZCF3
III	18	HIS	-	expression tag	UNP A0A0E3ZCF3
III	19	MET	-	expression tag	UNP A0A0E3ZCF3
III	95	SER	CYS	conflict	UNP A0A0E3ZCF3
JJJ	16	GLY	-	expression tag	UNP A0A0E3ZCF3
JJJ	17	SER	-	expression tag	UNP A0A0E3ZCF3
JJJ	18	HIS	-	expression tag	UNP A0A0E3ZCF3
JJJ	19	MET	-	expression tag	UNP A0A0E3ZCF3
JJJ	95	SER	CYS	conflict	UNP A0A0E3ZCF3


- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-a

lpha-D-galactopyranose-(1-4)-beta-D-galactopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	AaA	3	37	20	1	16	0	0	0
2	CaC	3	37	20	1	16	0	0	0
2	FaF	3	37	20	1	16	0	0	0
2	HaH	3	37	20	1	16	0	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	BaB	2	26	14	1	11	0	0	0
3	DaD	2	26	14	1	11	0	0	0
3	JaJ	2	26	14	1	11	0	0	0

- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	AAA	1	Total C O 7 4 3	0	0
4	CCC	1	Total C O 7 4 3	0	0
4	CCC	1	Total C O 7 4 3	0	0
4	DDD	1	Total C O 7 4 3	0	0
4	EEE	1	Total C O 7 4 3	0	0
4	FFF	1	Total C O 7 4 3	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	AAA	1	Total Mg 1 1	0	0
5	BBB	1	Total Mg 1 1	0	0
5	CCC	1	Total Mg 1 1	0	0
5	DDD	1	Total Mg 1 1	0	0
5	EEE	1	Total Mg 1 1	0	0
5	FFF	1	Total Mg 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	GGG	2	Total Mg 2 2	0	0
5	HHH	1	Total Mg 1 1	0	0
5	III	2	Total Mg 2 2	0	0
5	JJJ	1	Total Mg 1 1	0	0

- Molecule 6 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	AAA	1	Total K 1 1	0	0
6	BBB	1	Total K 1 1	0	0
6	CCC	1	Total K 1 1	0	0
6	DDD	1	Total K 1 1	0	0
6	EEE	1	Total K 1 1	0	0
6	FFF	1	Total K 1 1	0	0
6	HHH	1	Total K 1 1	0	0
6	III	1	Total K 1 1	0	0
6	JJJ	1	Total K 1 1	0	0

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	BBB	1	Total C O 4 2 2	0	0
7	BBB	1	Total C O 4 2 2	0	0
7	CCC	1	Total C O 4 2 2	0	0
7	CCC	1	Total C O 4 2 2	0	0
7	CCC	1	Total C O 4 2 2	0	0
7	EEE	1	Total C O 4 2 2	0	0
7	FFF	1	Total C O 4 2 2	0	0
7	FFF	1	Total C O 4 2 2	0	0
7	FFF	1	Total C O 4 2 2	0	0
7	HHH	1	Total C O 4 2 2	0	0
7	HHH	1	Total C O 4 2 2	0	0
7	HHH	1	Total C O 4 2 2	0	0
7	HHH	1	Total C O 4 2 2	0	0
7	III	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	III	1	Total C O 4 2 2	0	0
7	III	1	Total C O 4 2 2	0	0
7	JJJ	1	Total C O 4 2 2	0	0
7	JJJ	1	Total C O 4 2 2	0	0

- Molecule 8 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	BBB	1	Total C O 8 5 3	0	0
8	BBB	1	Total C O 8 5 3	0	0
8	BBB	1	Total C O 10 6 4	0	0

- Molecule 9 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	EEE	1	Total C O 8 6 2	0	0
9	GGG	1	Total C O 8 6 2	0	0
9	III	1	Total C O 8 6 2	0	0

- Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	AAA	320	Total O 326 326	0	6
10	BBB	327	Total O 330 330	0	3
10	CCC	318	Total O 319 319	0	1
10	DDD	333	Total O 339 339	0	6
10	EEE	318	Total O 321 321	0	3
10	FFF	317	Total O 325 325	0	8
10	GGG	341	Total O 347 347	0	6
10	HHH	315	Total O 323 323	0	8
10	III	338	Total O 346 346	0	8

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	JJJ	276	Total 280	O 280	0	5


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1



- Molecule 2: 2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain FaF:  33% 67%

GAL1
GAL2
NGA3

- Molecule 2: 2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain HaH:  100%

GAL1
GAL2
NGA3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose

Chain BaB:  100%

GAL1
NGA2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose

Chain DaD:  50% 50%

GAL3
NGA2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose

Chain JaJ:  50% 50%

GAL3
NGA2

4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	130.27Å 130.27Å 222.15Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.91 – 1.70 48.91 – 1.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.91-1.70) 100.0 (48.91-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.143 , 0.165 0.149 , 0.170	Depositor DCC
R_{free} test set	4628 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å ²)	20.4	Xtriage
Anisotropy	0.131	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.046 for -h,-k,l 0.219 for h,-h-k,-l 0.047 for -k,-h,-l	Xtriage
Reported twinning fraction	0.792 for H, K, L 0.208 for K, H, -L	Depositor
Outliers	0 of 462791 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	24010	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NGA, EDO, PGE, MG, MPD, GAL, K, PEG, GLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AAA	0.74	0/2061	0.86	0/2801
1	BBB	0.73	0/2140	0.88	0/2910
1	CCC	0.71	0/2056	0.87	0/2794
1	DDD	0.71	0/2141	0.88	0/2911
1	EEE	0.69	0/2039	0.87	0/2772
1	FFF	0.71	0/2058	0.86	0/2797
1	GGG	0.72	0/2128	0.87	0/2894
1	HHH	0.70	0/2069	0.85	0/2813
1	III	0.73	0/2123	0.85	0/2889
1	JJJ	0.72	0/2047	0.86	0/2782
All	All	0.72	0/20862	0.86	0/28363

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	2011	0	1922	8	0
1	BBB	2087	0	1995	12	0
1	CCC	2006	0	1923	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	DDD	2088	0	1996	8	0
1	EEE	1989	0	1892	7	0
1	FFF	2005	0	1909	6	0
1	GGG	2075	0	1984	9	0
1	HHH	2015	0	1918	8	0
1	III	2070	0	1976	10	0
1	JJJ	1997	0	1900	4	0
2	AaA	37	0	33	0	0
2	CaC	37	0	33	0	0
2	FaF	37	0	33	0	0
2	HaH	37	0	33	0	0
3	BaB	26	0	24	0	0
3	DaD	26	0	24	0	0
3	JaJ	26	0	24	0	0
4	AAA	7	0	10	0	0
4	CCC	14	0	20	0	0
4	DDD	7	0	10	1	0
4	EEE	7	0	10	0	0
4	FFF	7	0	10	0	0
5	AAA	1	0	0	0	0
5	BBB	1	0	0	0	0
5	CCC	1	0	0	0	0
5	DDD	1	0	0	0	0
5	EEE	1	0	0	0	0
5	FFF	1	0	0	0	0
5	GGG	2	0	0	0	0
5	HHH	1	0	0	0	0
5	III	2	0	0	0	0
5	JJJ	1	0	0	0	0
6	AAA	1	0	0	0	0
6	BBB	1	0	0	0	0
6	CCC	1	0	0	0	0
6	DDD	1	0	0	0	0
6	EEE	1	0	0	0	0
6	FFF	1	0	0	0	0
6	HHH	1	0	0	0	0
6	III	1	0	0	0	0
6	JJJ	1	0	0	0	0
7	BBB	8	0	12	1	0
7	CCC	12	0	18	1	0
7	EEE	4	0	6	0	0
7	FFF	12	0	18	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	HHH	16	0	24	1	0
7	III	12	0	18	3	0
7	JJJ	8	0	12	1	0
8	BBB	26	0	32	1	0
9	EEE	8	0	14	0	0
9	GGG	8	0	14	1	0
9	III	8	0	14	0	0
10	AAA	326	0	0	3	0
10	BBB	330	0	0	4	0
10	CCC	319	0	0	2	0
10	DDD	339	0	0	3	0
10	EEE	321	0	0	2	0
10	FFF	325	0	0	2	0
10	GGG	347	0	0	5	0
10	HHH	323	0	0	2	0
10	III	346	0	0	0	0
10	JJJ	280	0	0	0	0
All	All	24010	0	19861	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 71 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:EEE:281:ARG:NH2	10:EEE:601:HOH:O	2.20	0.74
1:CCC:281:ARG:NH1	10:CCC:401:HOH:O	2.20	0.73
1:FFF:281:ARG:NH2	10:FFF:501:HOH:O	2.22	0.72
1:BBB:89:LEU:H	1:BBB:89:LEU:HD23	1.53	0.71
1:JJJ:170:ALA:O	7:JJJ:401:EDO:H12	1.91	0.70

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	256/276 (93%)	244 (95%)	12 (5%)	0	100	100
1	BBB	269/276 (98%)	258 (96%)	11 (4%)	0	100	100
1	CCC	254/276 (92%)	243 (96%)	11 (4%)	0	100	100
1	DDD	269/276 (98%)	259 (96%)	10 (4%)	0	100	100
1	EEE	253/276 (92%)	243 (96%)	10 (4%)	0	100	100
1	FFF	256/276 (93%)	245 (96%)	10 (4%)	1 (0%)	34	18
1	GGG	268/276 (97%)	256 (96%)	11 (4%)	1 (0%)	34	18
1	HHH	259/276 (94%)	247 (95%)	12 (5%)	0	100	100
1	III	268/276 (97%)	258 (96%)	10 (4%)	0	100	100
1	JJJ	254/276 (92%)	243 (96%)	11 (4%)	0	100	100
All	All	2606/2760 (94%)	2496 (96%)	108 (4%)	2 (0%)	51	33

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	FFF	182	VAL
1	GGG	182	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	211/234 (90%)	209 (99%)	2 (1%)	78	70
1	BBB	223/234 (95%)	221 (99%)	2 (1%)	78	70
1	CCC	213/234 (91%)	212 (100%)	1 (0%)	88	83
1	DDD	223/234 (95%)	223 (100%)	0	100	100
1	EEE	209/234 (89%)	208 (100%)	1 (0%)	88	83
1	FFF	210/234 (90%)	210 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	GGG	220/234 (94%)	220 (100%)	0	100	100
1	HHH	212/234 (91%)	212 (100%)	0	100	100
1	III	218/234 (93%)	218 (100%)	0	100	100
1	JJJ	209/234 (89%)	209 (100%)	0	100	100
All	All	2148/2340 (92%)	2142 (100%)	6 (0%)	92	89

5 of 6 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	BBB	274	ARG
1	CCC	97	THR
1	EEE	274	ARG
1	AAA	274	ARG
1	AAA	109	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

18 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GAL	AaA	1	2	12,12,12	0.41	0	17,17,17	1.07	0
2	GLA	AaA	2	2	11,11,12	0.72	0	15,15,17	1.47	3 (20%)
2	NGA	AaA	3	2	14,14,15	0.48	0	17,19,21	1.33	1 (5%)
3	GLA	BaB	1	3	12,12,12	0.60	0	17,17,17	1.25	1 (5%)
3	NGA	BaB	2	3	14,14,15	0.47	0	17,19,21	0.99	1 (5%)
2	GAL	CaC	1	2	12,12,12	0.64	0	17,17,17	1.16	2 (11%)
2	GLA	CaC	2	2	11,11,12	0.48	0	15,15,17	1.43	4 (26%)
2	NGA	CaC	3	2	14,14,15	0.55	0	17,19,21	1.33	1 (5%)
3	GLA	DaD	1	3	12,12,12	0.57	0	17,17,17	0.94	0
3	NGA	DaD	2	3	14,14,15	0.43	0	17,19,21	1.20	1 (5%)
2	GAL	FaF	1	2	12,12,12	0.46	0	17,17,17	0.70	0
2	GLA	FaF	2	2	11,11,12	0.62	0	15,15,17	1.31	2 (13%)
2	NGA	FaF	3	2	14,14,15	0.55	0	17,19,21	1.16	2 (11%)
2	GAL	HaH	1	2	12,12,12	0.53	0	17,17,17	1.29	3 (17%)
2	GLA	HaH	2	2	11,11,12	0.47	0	15,15,17	1.18	1 (6%)
2	NGA	HaH	3	2	14,14,15	0.66	0	17,19,21	1.09	1 (5%)
3	GLA	JaJ	1	3	12,12,12	0.49	0	17,17,17	0.56	0
3	NGA	JaJ	2	3	14,14,15	0.43	0	17,19,21	1.69	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	AaA	1	2	-	0/2/22/22	0/1/1/1
2	GLA	AaA	2	2	-	1/2/19/22	0/1/1/1
2	NGA	AaA	3	2	-	0/6/23/26	0/1/1/1
3	GLA	BaB	1	3	-	1/2/22/22	0/1/1/1
3	NGA	BaB	2	3	-	0/6/23/26	0/1/1/1
2	GAL	CaC	1	2	-	2/2/22/22	0/1/1/1
2	GLA	CaC	2	2	-	1/2/19/22	0/1/1/1
2	NGA	CaC	3	2	-	0/6/23/26	0/1/1/1
3	GLA	DaD	1	3	-	1/2/22/22	0/1/1/1
3	NGA	DaD	2	3	-	1/6/23/26	0/1/1/1
2	GAL	FaF	1	2	-	0/2/22/22	0/1/1/1
2	GLA	FaF	2	2	-	1/2/19/22	0/1/1/1
2	NGA	FaF	3	2	-	0/6/23/26	0/1/1/1
2	GAL	HaH	1	2	-	1/2/22/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLA	HaH	2	2	-	1/2/19/22	0/1/1/1
2	NGA	HaH	3	2	-	0/6/23/26	0/1/1/1
3	GLA	JaJ	1	3	-	1/2/22/22	0/1/1/1
3	NGA	JaJ	2	3	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 25 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	JaJ	2	NGA	C1-O5-C5	5.51	119.65	112.19
2	AaA	3	NGA	C1-O5-C5	4.45	118.22	112.19
2	CaC	3	NGA	C1-O5-C5	4.18	117.86	112.19
2	AaA	2	GLA	O3-C3-C2	-3.78	102.76	109.99
3	BaB	1	GLA	C1-O5-C5	3.70	120.64	113.66

There are no chirality outliers.



5 of 11 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	HaH	1	GAL	O5-C5-C6-O6
3	BaB	1	GLA	O5-C5-C6-O6
2	FaF	2	GLA	O5-C5-C6-O6
2	CaC	1	GAL	C4-C5-C6-O6
2	AaA	2	GLA	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

Of 51 ligands modelled in this entry, 21 are monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	PGE	BBB	403	-	7,7,9	0.23	0	6,6,8	0.14	0
4	PEG	AAA	401	-	6,6,6	0.26	0	5,5,5	0.12	0
7	EDO	FFF	402	-	3,3,3	0.42	0	2,2,2	0.60	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	EDO	BBB	401	-	3,3,3	0.25	0	2,2,2	0.25	0
9	MPD	EEE	503	-	7,7,7	0.26	0	9,10,10	0.40	0
7	EDO	III	304	-	3,3,3	0.08	0	2,2,2	0.27	0
7	EDO	EEE	502	-	3,3,3	0.14	0	2,2,2	0.39	0
4	PEG	EEE	501	-	6,6,6	0.16	0	5,5,5	0.09	0
4	PEG	FFF	403	-	6,6,6	0.14	0	5,5,5	0.13	0
7	EDO	JJJ	401	-	3,3,3	0.20	0	2,2,2	0.37	0
7	EDO	BBB	405	-	3,3,3	0.12	0	2,2,2	0.36	0
7	EDO	CCC	303	-	3,3,3	0.09	0	2,2,2	0.31	0
7	EDO	JJJ	402	-	3,3,3	0.21	0	2,2,2	0.19	0
8	PGE	BBB	404	-	9,9,9	0.21	0	8,8,8	0.18	0
9	MPD	III	302	-	7,7,7	0.27	0	9,10,10	0.59	0
4	PEG	CCC	301	-	6,6,6	0.24	0	5,5,5	0.50	0
7	EDO	HHH	401	-	3,3,3	0.15	0	2,2,2	0.38	0
7	EDO	CCC	305	-	3,3,3	0.22	0	2,2,2	0.91	0
7	EDO	CCC	302	-	3,3,3	0.05	0	2,2,2	0.32	0
8	PGE	BBB	402	-	7,7,9	0.30	0	6,6,8	0.17	0
9	MPD	GGG	301	-	7,7,7	0.17	0	9,10,10	0.69	0
7	EDO	HHH	404	-	3,3,3	0.13	0	2,2,2	0.25	0
7	EDO	III	303	-	3,3,3	0.09	0	2,2,2	0.36	0
4	PEG	DDD	401	-	6,6,6	0.17	0	5,5,5	0.12	0
7	EDO	HHH	402	-	3,3,3	0.10	0	2,2,2	0.30	0
7	EDO	FFF	401	-	3,3,3	0.24	0	2,2,2	0.12	0
7	EDO	III	301	-	3,3,3	0.07	0	2,2,2	0.15	0
4	PEG	CCC	304	-	6,6,6	0.12	0	5,5,5	0.13	0
7	EDO	HHH	403	-	3,3,3	0.09	0	2,2,2	0.33	0
7	EDO	FFF	404	-	3,3,3	0.20	0	2,2,2	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	PGE	BBB	403	-	-	2/5/5/7	-
4	PEG	AAA	401	-	-	1/4/4/4	-
7	EDO	FFF	402	-	-	1/1/1/1	-
7	EDO	BBB	401	-	-	1/1/1/1	-
9	MPD	EEE	503	-	-	2/5/5/5	-
7	EDO	III	304	-	-	1/1/1/1	-
7	EDO	EEE	502	-	-	1/1/1/1	-
4	PEG	EEE	501	-	-	3/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	FFF	403	-	-	3/4/4/4	-
7	EDO	JJJ	401	-	-	0/1/1/1	-
7	EDO	BBB	405	-	-	1/1/1/1	-
7	EDO	CCC	303	-	-	1/1/1/1	-
7	EDO	JJJ	402	-	-	1/1/1/1	-
8	PGE	BBB	404	-	-	3/7/7/7	-
9	MPD	III	302	-	-	2/5/5/5	-
4	PEG	CCC	301	-	-	2/4/4/4	-
7	EDO	HHH	401	-	-	0/1/1/1	-
7	EDO	CCC	305	-	-	1/1/1/1	-
7	EDO	CCC	302	-	-	1/1/1/1	-
8	PGE	BBB	402	-	-	5/5/5/7	-
9	MPD	GGG	301	-	-	0/5/5/5	-
7	EDO	HHH	404	-	-	1/1/1/1	-
7	EDO	III	303	-	-	1/1/1/1	-
4	PEG	DDD	401	-	-	4/4/4/4	-
7	EDO	HHH	402	-	-	0/1/1/1	-
7	EDO	FFF	401	-	-	1/1/1/1	-
7	EDO	III	301	-	-	0/1/1/1	-
4	PEG	CCC	304	-	-	0/4/4/4	-
7	EDO	HHH	403	-	-	1/1/1/1	-
7	EDO	FFF	404	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 41 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	EEE	503	MPD	C2-C3-C4-O4
4	CCC	301	PEG	C1-C2-O2-C3
4	DDD	401	PEG	O2-C3-C4-O4
8	BBB	402	PGE	O1-C1-C2-O2
8	BBB	404	PGE	O1-C1-C2-O2

There are no ring outliers.

9 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	FFF	402	EDO	1	0
7	BBB	401	EDO	1	0
7	JJJ	401	EDO	1	0
8	BBB	404	PGE	1	0
7	CCC	305	EDO	1	0
9	GGG	301	MPD	1	0
7	III	303	EDO	3	0
4	DDD	401	PEG	1	0
7	HHH	403	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	262/276 (94%)	-0.61	4 (1%) 73 77	15, 20, 40, 65	0
1	BBB	271/276 (98%)	-0.66	1 (0%) 92 93	14, 19, 35, 51	0
1	CCC	260/276 (94%)	-0.59	3 (1%) 79 82	15, 20, 40, 66	0
1	DDD	271/276 (98%)	-0.68	0 100 100	16, 21, 34, 50	0
1	EEE	259/276 (93%)	-0.58	2 (0%) 86 88	15, 22, 42, 64	0
1	FFF	261/276 (94%)	-0.61	2 (0%) 86 88	15, 21, 41, 64	0
1	GGG	270/276 (97%)	-0.68	2 (0%) 87 90	14, 21, 35, 58	0
1	HHH	261/276 (94%)	-0.64	2 (0%) 86 88	15, 20, 40, 63	0
1	III	270/276 (97%)	-0.65	2 (0%) 87 90	16, 22, 37, 59	0
1	JJJ	260/276 (94%)	-0.61	3 (1%) 79 82	15, 22, 43, 66	0
All	All	2645/2760 (95%)	-0.63	21 (0%) 86 88	14, 21, 39, 66	0

The worst 5 of 21 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	III	291	ASN	4.5
1	CCC	89	LEU	4.4
1	III	31	PRO	4.2
1	EEE	89	LEU	3.3
1	GGG	31	PRO	3.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NGA	BaB	2	14/15	0.62	0.25	29,30,31,32	14
3	NGA	JaJ	2	14/15	0.62	0.22	24,27,31,33	14
3	GLA	BaB	1	12/12	0.71	0.26	28,32,34,34	12
2	GAL	CaC	1	12/12	0.74	0.23	30,37,39,43	12
3	GLA	JaJ	1	12/12	0.78	0.20	29,33,35,36	12
3	GLA	DaD	1	12/12	0.79	0.19	31,35,36,37	12
3	NGA	DaD	2	14/15	0.81	0.14	27,28,31,31	14
2	NGA	HaH	3	14/15	0.81	0.17	22,24,25,26	14
2	GAL	HaH	1	12/12	0.81	0.16	28,32,36,38	12
2	GLA	AaA	2	11/12	0.85	0.13	22,25,28,30	11
2	GAL	FaF	1	12/12	0.85	0.14	23,32,37,40	12
2	GLA	HaH	2	11/12	0.86	0.13	21,23,25,25	11
2	GAL	AaA	1	12/12	0.86	0.20	24,34,38,40	12
2	NGA	CaC	3	14/15	0.87	0.15	22,26,28,30	14
2	GLA	CaC	2	11/12	0.88	0.12	24,29,32,35	11
2	NGA	AaA	3	14/15	0.88	0.14	22,24,26,27	14
2	GLA	FaF	2	11/12	0.89	0.08	22,27,28,28	11
2	NGA	FaF	3	14/15	0.93	0.09	23,25,26,29	14

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain AaA:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain CaC:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain FaF:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain HaH:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain BaB:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain DaD:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	PEG	AAA	401	7/7	0.62	0.19	41,51,56,58	0
4	PEG	CCC	304	7/7	0.77	0.13	48,53,57,58	0
4	PEG	EEE	501	7/7	0.77	0.10	61,61,66,67	0
7	EDO	III	301	4/4	0.77	0.16	56,56,58,62	0
7	EDO	JJJ	401	4/4	0.77	0.23	35,37,38,44	0
7	EDO	HHH	403	4/4	0.81	0.13	46,48,51,51	0
8	PGE	BBB	403	8/10	0.81	0.14	47,53,55,57	0
7	EDO	CCC	305	4/4	0.82	0.15	25,30,30,35	0
7	EDO	FFF	402	4/4	0.82	0.25	36,36,38,39	0
4	PEG	DDD	401	7/7	0.83	0.14	54,56,60,60	0
7	EDO	HHH	402	4/4	0.83	0.10	49,51,51,52	0
7	EDO	HHH	401	4/4	0.84	0.14	50,50,51,52	0
7	EDO	EEE	502	4/4	0.84	0.20	53,55,55,57	0
9	MPD	III	302	8/8	0.85	0.17	30,40,44,45	0
8	PGE	BBB	404	10/10	0.86	0.17	53,56,57,58	0
4	PEG	CCC	301	7/7	0.86	0.25	39,42,43,45	0
4	PEG	FFF	403	7/7	0.87	0.09	69,69,72,73	0
7	EDO	CCC	303	4/4	0.87	0.13	51,51,55,60	0
8	PGE	BBB	402	8/10	0.87	0.15	30,42,49,49	0
7	EDO	CCC	302	4/4	0.88	0.08	52,53,54,58	0
9	MPD	EEE	503	8/8	0.88	0.13	27,38,41,43	0
9	MPD	GGG	301	8/8	0.88	0.18	26,40,46,46	0
7	EDO	FFF	401	4/4	0.88	0.19	35,38,39,42	0
7	EDO	III	303	4/4	0.89	0.23	38,39,43,46	0
7	EDO	HHH	404	4/4	0.89	0.24	45,45,45,46	0
7	EDO	BBB	401	4/4	0.90	0.20	32,34,37,38	0
7	EDO	JJJ	402	4/4	0.90	0.11	35,38,38,42	0
7	EDO	FFF	404	4/4	0.90	0.17	39,40,42,48	0
7	EDO	III	304	4/4	0.90	0.22	42,46,49,53	0
5	MG	III	305	1/1	0.93	0.05	39,39,39,39	0
5	MG	EEE	504	1/1	0.93	0.08	34,34,34,34	0
6	K	DDD	403	1/1	0.95	0.11	51,51,51,51	0
7	EDO	BBB	405	4/4	0.95	0.15	44,44,44,51	0
5	MG	DDD	402	1/1	0.97	0.05	32,32,32,32	0
6	K	III	307	1/1	0.97	0.07	42,42,42,42	0
5	MG	GGG	303	1/1	0.98	0.04	31,31,31,31	0
6	K	FFF	406	1/1	0.98	0.06	44,44,44,44	0
6	K	HHH	406	1/1	0.98	0.09	44,44,44,44	0
5	MG	GGG	302	1/1	0.98	0.07	35,35,35,35	0
5	MG	JJJ	403	1/1	0.98	0.04	32,32,32,32	0
6	K	BBB	407	1/1	0.98	0.12	40,40,40,40	0
6	K	CCC	307	1/1	0.98	0.03	36,36,36,36	0
6	K	AAA	403	1/1	0.99	0.05	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	MG	CCC	306	1/1	0.99	0.05	30,30,30,30	0
5	MG	AAA	402	1/1	0.99	0.04	28,28,28,28	0
5	MG	HHH	405	1/1	0.99	0.03	34,34,34,34	0
5	MG	BBB	406	1/1	0.99	0.02	34,34,34,34	0
5	MG	III	306	1/1	0.99	0.07	29,29,29,29	0
5	MG	FFF	405	1/1	0.99	0.07	34,34,34,34	0
6	K	JJJ	404	1/1	0.99	0.07	44,44,44,44	0
6	K	EEE	505	1/1	1.00	0.06	39,39,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.