



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 27, 2022 – 04:40 pm BST

PDB ID : 7B6U
Title : Sheep Polyomavirus VP1 in complex with 5 mM Forssman antigen pentaose and 20 mM 6'-sialyllactosamine
Authors : Rustmeier, N.H.; Stehle, T.
Deposited on : 2020-12-08
Resolution : 1.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	276	 92% 5% .
1	BBB	276	 92% . 5%
1	CCC	276	 93% . .
1	DDD	276	 91% 7% .
1	EEE	276	 90% 5% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	FFF	276	 % 91% 5%
1	GGG	276	 % 89% 6% 5%
1	HHH	276	 % 95%
1	III	276	 % 90% 5%
1	JJJ	276	 % 91% 7%
2	AaA	3	 % 33% 67%
2	DaD	3	 % 33% 67%
2	FaF	3	 % 33% 67%
2	HaH	3	 % 100%
2	JaJ	3	 % 33% 67%
3	AdA	4	 % 100%
3	BbB	4	 % 50% 50%
3	CaC	4	 % 100%
3	DdD	4	 % 25% 75%
3	EaE	4	 % 100%
3	FdF	4	 % 100%
3	GaG	4	 % 100%
3	HdH	4	 % 100%
3	IaI	4	 % 100%
3	JdJ	4	 % 25% 75%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 23317 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	AAA	269	Total 2065	C 1316	N 347	O 389	S 13	0	0	0
1	BBB	263	Total 2021	C 1288	N 341	O 380	S 12	0	0	0
1	CCC	264	Total 2020	C 1288	N 343	O 377	S 12	0	0	0
1	DDD	269	Total 2077	C 1323	N 348	O 393	S 13	0	1	0
1	EEE	263	Total 2024	C 1290	N 342	O 380	S 12	0	0	0
1	FFF	262	Total 2015	C 1284	N 340	O 379	S 12	0	1	0
1	GGG	263	Total 2017	C 1287	N 340	O 378	S 12	0	0	0
1	HHH	270	Total 2073	C 1320	N 349	O 390	S 14	0	0	0
1	III	261	Total 2007	C 1282	N 337	O 376	S 12	0	0	0
1	JJJ	270	Total 2074	C 1319	N 350	O 391	S 14	0	0	0

There are 50 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	16	GLY	-	expression tag	UNP A0A0E3ZCF3
AAA	17	SER	-	expression tag	UNP A0A0E3ZCF3
AAA	18	HIS	-	expression tag	UNP A0A0E3ZCF3
AAA	19	MET	-	expression tag	UNP A0A0E3ZCF3
AAA	95	SER	CYS	conflict	UNP A0A0E3ZCF3
BBB	16	GLY	-	expression tag	UNP A0A0E3ZCF3
BBB	17	SER	-	expression tag	UNP A0A0E3ZCF3
BBB	18	HIS	-	expression tag	UNP A0A0E3ZCF3
BBB	19	MET	-	expression tag	UNP A0A0E3ZCF3


Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
BBB	95	SER	CYS	conflict	UNP A0A0E3ZCF3
CCC	16	GLY	-	expression tag	UNP A0A0E3ZCF3
CCC	17	SER	-	expression tag	UNP A0A0E3ZCF3
CCC	18	HIS	-	expression tag	UNP A0A0E3ZCF3
CCC	19	MET	-	expression tag	UNP A0A0E3ZCF3
CCC	95	SER	CYS	conflict	UNP A0A0E3ZCF3
DDD	16	GLY	-	expression tag	UNP A0A0E3ZCF3
DDD	17	SER	-	expression tag	UNP A0A0E3ZCF3
DDD	18	HIS	-	expression tag	UNP A0A0E3ZCF3
DDD	19	MET	-	expression tag	UNP A0A0E3ZCF3
DDD	95	SER	CYS	conflict	UNP A0A0E3ZCF3
EEE	16	GLY	-	expression tag	UNP A0A0E3ZCF3
EEE	17	SER	-	expression tag	UNP A0A0E3ZCF3
EEE	18	HIS	-	expression tag	UNP A0A0E3ZCF3
EEE	19	MET	-	expression tag	UNP A0A0E3ZCF3
EEE	95	SER	CYS	conflict	UNP A0A0E3ZCF3
FFF	16	GLY	-	expression tag	UNP A0A0E3ZCF3
FFF	17	SER	-	expression tag	UNP A0A0E3ZCF3
FFF	18	HIS	-	expression tag	UNP A0A0E3ZCF3
FFF	19	MET	-	expression tag	UNP A0A0E3ZCF3
FFF	95	SER	CYS	conflict	UNP A0A0E3ZCF3
GGG	16	GLY	-	expression tag	UNP A0A0E3ZCF3
GGG	17	SER	-	expression tag	UNP A0A0E3ZCF3
GGG	18	HIS	-	expression tag	UNP A0A0E3ZCF3
GGG	19	MET	-	expression tag	UNP A0A0E3ZCF3
GGG	95	SER	CYS	conflict	UNP A0A0E3ZCF3
HHH	16	GLY	-	expression tag	UNP A0A0E3ZCF3
HHH	17	SER	-	expression tag	UNP A0A0E3ZCF3
HHH	18	HIS	-	expression tag	UNP A0A0E3ZCF3
HHH	19	MET	-	expression tag	UNP A0A0E3ZCF3
HHH	95	SER	CYS	conflict	UNP A0A0E3ZCF3
III	16	GLY	-	expression tag	UNP A0A0E3ZCF3
III	17	SER	-	expression tag	UNP A0A0E3ZCF3
III	18	HIS	-	expression tag	UNP A0A0E3ZCF3
III	19	MET	-	expression tag	UNP A0A0E3ZCF3
III	95	SER	CYS	conflict	UNP A0A0E3ZCF3
JJJ	16	GLY	-	expression tag	UNP A0A0E3ZCF3
JJJ	17	SER	-	expression tag	UNP A0A0E3ZCF3
JJJ	18	HIS	-	expression tag	UNP A0A0E3ZCF3
JJJ	19	MET	-	expression tag	UNP A0A0E3ZCF3
JJJ	95	SER	CYS	conflict	UNP A0A0E3ZCF3


- Molecule 2 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galacto

pyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	AaA	3	Total	C	N	O	0	0	0
			46	25	2	19			
2	DaD	3	Total	C	N	O	0	0	0
			46	25	2	19			
2	FaF	3	Total	C	N	O	0	0	0
			46	25	2	19			
2	HaH	3	Total	C	N	O	0	0	0
			46	25	2	19			
2	JaJ	3	Total	C	N	O	0	0	0
			46	25	2	19			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	AdA	4	Total	C	N	O	0	0	0
			51	28	2	21			
3	BbB	4	Total	C	N	O	0	0	0
			51	28	2	21			
3	CaC	4	Total	C	N	O	0	0	0
			51	28	2	21			
3	DdD	4	Total	C	N	O	0	0	0
			51	28	2	21			
3	EaE	4	Total	C	N	O	0	0	0
			51	28	2	21			
3	FdF	4	Total	C	N	O	0	0	0
			51	28	2	21			
3	GaG	4	Total	C	N	O	0	0	0
			51	28	2	21			
3	HdH	4	Total	C	N	O	0	0	0
			51	28	2	21			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
3	IaI	4	Total	C	N	O	0	0	0
			51	28	2	21			
3	JdJ	4	Total	C	N	O	0	0	0
			51	28	2	21			

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	AAA	1	Total	C	O	0	0
			4	2	2		
4	BBB	1	Total	C	O	0	0
			4	2	2		
4	EEE	1	Total	C	O	0	0
			4	2	2		
4	FFF	1	Total	C	O	0	0
			4	2	2		
4	GGG	1	Total	C	O	0	0
			4	2	2		
4	III	1	Total	C	O	0	0
			4	2	2		
4	III	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	AAA	1	Total C O 7 4 3	0	0
5	BBB	1	Total C O 7 4 3	0	0
5	BBB	1	Total C O 7 4 3	0	0
5	CCC	1	Total C O 7 4 3	0	0
5	DDD	1	Total C O 7 4 3	0	0
5	EEE	1	Total C O 7 4 3	0	0
5	FFF	1	Total C O 7 4 3	0	0
5	GGG	1	Total C O 7 4 3	0	0
5	HHH	1	Total C O 7 4 3	0	0
5	HHH	1	Total C O 7 4 3	0	0
5	III	1	Total C O 7 4 3	0	0
5	JJJ	1	Total C O 7 4 3	0	0

- Molecule 6 is N-acetyl-alpha-neuraminic acid (three-letter code: SIA) (formula: C₁₁H₁₉NO₉) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
6	BBB	1	21	11	1	9	0	0

- Molecule 7 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
7	GGG	1	10	6	4	0	0
7	HHH	1	10	6	4	0	0

- Molecule 8 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	AAA	214	Total 215	O 215	0	1
8	BBB	190	Total 190	O 190	0	0
8	CCC	204	Total 205	O 205	0	1
8	DDD	233	Total 234	O 234	0	1
8	EEE	201	Total 202	O 202	0	1
8	FFF	179	Total 179	O 179	0	0
8	GGG	186	Total 188	O 188	0	2
8	HHH	208	Total 209	O 209	0	1
8	III	202	Total 203	O 203	0	1
8	JJJ	206	Total 206	O 206	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Capsid protein VP1

Chain AAA: 




- Molecule 1: Capsid protein VP1

Chain BBB: 



- Molecule 1: Capsid protein VP1

Chain CCC: 




- Molecule 1: Capsid protein VP1

Chain DDD: 




- Molecule 1: Capsid protein VP1


Chain EEE: 



- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1



- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain FaF:  33% 67%

NAG1
GAL2
SIA3

- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain HaH:  100%

NAG1
GAL2
SIA3

- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain JaJ:  33% 67%

NAG1
GAL2
SIA3

- Molecule 3: 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain AdA:  100%

GAL1
GLA2
NGA3
A2C4

- Molecule 3: 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain BbB:  50% 50%

GAL1
GLA2
NGA3
A2C4

- Molecule 3: 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain CaC:  100%


GAL1
GLA2
NGA3
A2C4

- Molecule 3: 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain DdD:  25% 75%

GAL1
GLA2
NGA3
A2G4

- Molecule 3: 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain EaE:  100%

GAL1
GLA2
NGA3
A2G4

- Molecule 3: 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain FdF:  100%

GAL1
GLA2
NGA3
A2G4

- Molecule 3: 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain GaG:  100%

GAL1
GLA2
NGA3
A2G4

- Molecule 3: 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain HdH:  100%

GAL1
GLA2
NGA3
A2G4

- Molecule 3: 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain IaI:  100%

GAL1
GLA2
NGA3
A2G4

- Molecule 3: 2-acetamido-2-deoxy-alpha-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-galactopyranose-(1-3)-alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain JdJ:  25%  75%

GAL1
GLA2
NGA3
A2G4

4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	129.65Å 129.65Å 220.43Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.47 – 1.90 49.47 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.47-1.90) 99.8 (49.47-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.99 (at 1.90Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.146 , 0.173 0.151 , 0.177	Depositor DCC
R_{free} test set	3252 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å ²)	25.4	Xtrriage
Anisotropy	0.259	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.25$	Xtrriage
Estimated twinning fraction	0.044 for -h,-k,l 0.288 for h,-h-k,-l 0.046 for -k,-h,-l	Xtrriage
Reported twinning fraction	0.726 for H, K, L 0.274 for K, H, -L	Depositor
Outliers	0 of 325151 reflections	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	23317	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A2G, NAG, GLA, SIA, NGA, GAL, PEG, PGE, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AAA	0.73	0/2118	0.85	0/2883
1	BBB	0.69	0/2072	0.84	0/2818
1	CCC	0.70	0/2071	0.85	0/2817
1	DDD	0.71	0/2133	0.86	0/2903
1	EEE	0.71	0/2076	0.87	0/2824
1	FFF	0.71	0/2069	0.85	0/2814
1	GGG	0.72	0/2068	0.86	0/2812
1	HHH	0.70	0/2126	0.85	0/2893
1	III	0.71	0/2057	0.86	0/2795
1	JJJ	0.71	0/2127	0.86	0/2895
All	All	0.71	0/20917	0.86	0/28454

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	2065	0	1972	10	0
1	BBB	2021	0	1922	7	0
1	CCC	2020	0	1929	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	DDD	2077	0	1992	11	0
1	EEE	2024	0	1933	10	0
1	FFF	2015	0	1915	6	0
1	GGG	2017	0	1928	10	0
1	HHH	2073	0	1978	6	0
1	III	2007	0	1924	10	0
1	JJJ	2074	0	1978	13	0
2	AaA	46	0	40	0	0
2	DaD	46	0	40	0	0
2	FaF	46	0	40	0	0
2	HaH	46	0	40	0	0
2	JaJ	46	0	40	0	0
3	AdA	51	0	44	0	0
3	BbB	51	0	44	0	0
3	CaC	51	0	44	0	0
3	DdD	51	0	44	0	0
3	EaE	51	0	44	0	0
3	FdF	51	0	44	0	0
3	GaG	51	0	44	0	0
3	HdH	51	0	44	0	0
3	IaI	51	0	44	0	0
3	JdJ	51	0	44	0	0
4	AAA	4	0	6	0	0
4	BBB	4	0	6	0	0
4	EEE	4	0	6	0	0
4	FFF	4	0	6	0	0
4	GGG	4	0	6	0	0
4	III	8	0	12	0	0
5	AAA	7	0	10	0	0
5	BBB	14	0	20	0	0
5	CCC	7	0	10	0	0
5	DDD	7	0	10	0	0
5	EEE	7	0	10	0	0
5	FFF	7	0	10	0	0
5	GGG	7	0	10	0	0
5	HHH	14	0	20	0	0
5	III	7	0	10	0	0
5	JJJ	7	0	10	0	0
6	BBB	21	0	18	1	0
7	GGG	10	0	14	0	0
7	HHH	10	0	14	0	0
8	AAA	215	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	BBB	190	0	0	0	0
8	CCC	205	0	0	2	0
8	DDD	234	0	0	1	0
8	EEE	202	0	0	1	0
8	FFF	179	0	0	1	0
8	GGG	188	0	0	0	0
8	HHH	209	0	0	1	0
8	III	203	0	0	1	0
8	JJJ	206	0	0	1	0
All	All	23317	0	20319	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 76 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:JJJ:27:VAL:HG11	1:JJJ:285:ARG:HD2	1.83	0.61
1:GGG:229:THR:HG22	1:HHH:217:GLN:HG3	1.83	0.61
1:EEE:281:ARG:NH1	8:EEE:601:HOH:O	2.35	0.60
1:BBB:62:VAL:O	6:BBB:301:SIA:H91	2.01	0.60
1:FFF:217:GLN:CB	8:FFF:771:HOH:O	2.52	0.58

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	AAA	267/276 (97%)	254 (95%)	13 (5%)	0	100 100
1	BBB	259/276 (94%)	247 (95%)	12 (5%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	CCC	260/276 (94%)	248 (95%)	12 (5%)	0	100	100
1	DDD	268/276 (97%)	256 (96%)	11 (4%)	1 (0%)	34	24
1	EEE	259/276 (94%)	246 (95%)	13 (5%)	0	100	100
1	FFF	259/276 (94%)	248 (96%)	11 (4%)	0	100	100
1	GGG	259/276 (94%)	248 (96%)	11 (4%)	0	100	100
1	HHH	268/276 (97%)	255 (95%)	13 (5%)	0	100	100
1	III	255/276 (92%)	243 (95%)	12 (5%)	0	100	100
1	JJJ	268/276 (97%)	258 (96%)	10 (4%)	0	100	100
All	All	2622/2760 (95%)	2503 (96%)	118 (4%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	DDD	74	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	218/234 (93%)	218 (100%)	0	100	100
1	BBB	212/234 (91%)	211 (100%)	1 (0%)	88	89
1	CCC	212/234 (91%)	211 (100%)	1 (0%)	88	89
1	DDD	222/234 (95%)	221 (100%)	1 (0%)	88	89
1	EEE	214/234 (92%)	213 (100%)	1 (0%)	88	89
1	FFF	211/234 (90%)	211 (100%)	0	100	100
1	GGG	212/234 (91%)	212 (100%)	0	100	100
1	HHH	219/234 (94%)	218 (100%)	1 (0%)	88	89
1	III	212/234 (91%)	210 (99%)	2 (1%)	78	79
1	JJJ	220/234 (94%)	219 (100%)	1 (0%)	88	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	2152/2340 (92%)	2144 (100%)	8 (0%)	91 91

5 of 8 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	JJJ	132	GLU
1	III	284	LEU
1	HHH	139	GLU
1	EEE	139	GLU
1	III	90	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

55 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	AaA	1	2	15,15,15	0.54	0	21,21,21	1.28	2 (9%)
2	GAL	AaA	2	2	11,11,12	0.50	0	15,15,17	0.81	0
2	SIA	AaA	3	2	20,20,21	0.90	0	24,28,31	1.45	5 (20%)
3	GAL	AdA	1	3	12,12,12	0.46	0	17,17,17	0.91	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GLA	AdA	2	3	11,11,12	0.40	0	15,15,17	1.33	3 (20%)
3	NGA	AdA	3	3	14,14,15	0.88	0	17,19,21	1.06	1 (5%)
3	A2G	AdA	4	3	14,14,15	0.57	0	17,19,21	1.35	2 (11%)
3	GAL	BbB	1	3	12,12,12	0.54	0	17,17,17	1.21	1 (5%)
3	GLA	BbB	2	3	11,11,12	0.55	0	15,15,17	1.07	0
3	NGA	BbB	3	3	14,14,15	0.69	0	17,19,21	0.83	0
3	A2G	BbB	4	3	14,14,15	0.79	0	17,19,21	1.39	2 (11%)
3	GAL	CaC	1	3	12,12,12	0.52	0	17,17,17	1.19	1 (5%)
3	GLA	CaC	2	3	11,11,12	0.98	1 (9%)	15,15,17	1.33	2 (13%)
3	NGA	CaC	3	3	14,14,15	0.83	1 (7%)	17,19,21	1.26	2 (11%)
3	A2G	CaC	4	3	14,14,15	0.45	0	17,19,21	1.17	2 (11%)
2	NAG	DaD	1	2	15,15,15	0.44	0	21,21,21	1.29	3 (14%)
2	GAL	DaD	2	2	11,11,12	0.44	0	15,15,17	0.89	0
2	SIA	DaD	3	2	20,20,21	0.98	1 (5%)	24,28,31	1.65	4 (16%)
3	GAL	DdD	1	3	12,12,12	0.60	0	17,17,17	1.50	4 (23%)
3	GLA	DdD	2	3	11,11,12	0.75	0	15,15,17	1.75	6 (40%)
3	NGA	DdD	3	3	14,14,15	0.74	0	17,19,21	1.08	0
3	A2G	DdD	4	3	14,14,15	1.03	1 (7%)	17,19,21	1.46	3 (17%)
3	GAL	EaE	1	3	12,12,12	0.61	0	17,17,17	1.03	1 (5%)
3	GLA	EaE	2	3	11,11,12	0.84	1 (9%)	15,15,17	1.27	2 (13%)
3	NGA	EaE	3	3	14,14,15	0.78	0	17,19,21	1.12	1 (5%)
3	A2G	EaE	4	3	14,14,15	0.74	1 (7%)	17,19,21	1.50	3 (17%)
2	NAG	FaF	1	2	15,15,15	0.48	0	21,21,21	1.71	4 (19%)
2	GAL	FaF	2	2	11,11,12	0.51	0	15,15,17	1.06	0
2	SIA	FaF	3	2	20,20,21	0.81	1 (5%)	24,28,31	1.12	1 (4%)
3	GAL	FdF	1	3	12,12,12	0.49	0	17,17,17	1.18	1 (5%)
3	GLA	FdF	2	3	11,11,12	0.73	0	15,15,17	1.45	3 (20%)
3	NGA	FdF	3	3	14,14,15	0.69	0	17,19,21	1.07	2 (11%)
3	A2G	FdF	4	3	14,14,15	0.79	0	17,19,21	1.41	2 (11%)
3	GAL	GaG	1	3	12,12,12	0.87	0	17,17,17	1.75	3 (17%)
3	GLA	GaG	2	3	11,11,12	0.70	0	15,15,17	1.36	3 (20%)
3	NGA	GaG	3	3	14,14,15	0.85	1 (7%)	17,19,21	0.61	0
3	A2G	GaG	4	3	14,14,15	0.78	1 (7%)	17,19,21	1.07	2 (11%)
2	NAG	HaH	1	2	15,15,15	0.48	0	21,21,21	1.13	1 (4%)
2	GAL	HaH	2	2	11,11,12	0.47	0	15,15,17	1.10	1 (6%)
2	SIA	HaH	3	2	20,20,21	0.69	0	24,28,31	1.39	6 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GAL	HdH	1	3	12,12,12	0.53	0	17,17,17	1.02	1 (5%)
3	GLA	HdH	2	3	11,11,12	0.58	0	15,15,17	1.41	4 (26%)
3	NGA	HdH	3	3	14,14,15	0.77	0	17,19,21	0.90	1 (5%)
3	A2G	HdH	4	3	14,14,15	0.68	0	17,19,21	1.63	3 (17%)
3	GAL	IaI	1	3	12,12,12	0.68	0	17,17,17	1.23	2 (11%)
3	GLA	IaI	2	3	11,11,12	0.63	0	15,15,17	1.57	3 (20%)
3	NGA	IaI	3	3	14,14,15	0.91	0	17,19,21	1.24	3 (17%)
3	A2G	IaI	4	3	14,14,15	0.44	0	17,19,21	0.97	1 (5%)
2	NAG	JaJ	1	2	15,15,15	0.50	0	21,21,21	1.21	2 (9%)
2	GAL	JaJ	2	2	11,11,12	0.33	0	15,15,17	0.79	0
2	SIA	JaJ	3	2	20,20,21	0.86	0	24,28,31	1.48	4 (16%)
3	GAL	JdJ	1	3	12,12,12	0.69	0	17,17,17	1.14	2 (11%)
3	GLA	JdJ	2	3	11,11,12	0.47	0	15,15,17	1.27	3 (20%)
3	NGA	JdJ	3	3	14,14,15	0.49	0	17,19,21	0.89	0
3	A2G	JdJ	4	3	14,14,15	0.65	0	17,19,21	1.46	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	AaA	1	2	-	0/6/26/26	0/1/1/1
2	GAL	AaA	2	2	-	0/2/19/22	0/1/1/1
2	SIA	AaA	3	2	-	4/18/34/38	0/1/1/1
3	GAL	AdA	1	3	-	2/2/22/22	0/1/1/1
3	GLA	AdA	2	3	-	1/2/19/22	0/1/1/1
3	NGA	AdA	3	3	-	0/6/23/26	0/1/1/1
3	A2G	AdA	4	3	-	0/6/23/26	0/1/1/1
3	GAL	BbB	1	3	-	1/2/22/22	0/1/1/1
3	GLA	BbB	2	3	-	1/2/19/22	0/1/1/1
3	NGA	BbB	3	3	-	0/6/23/26	0/1/1/1
3	A2G	BbB	4	3	-	0/6/23/26	0/1/1/1
3	GAL	CaC	1	3	-	1/2/22/22	0/1/1/1
3	GLA	CaC	2	3	-	1/2/19/22	0/1/1/1
3	NGA	CaC	3	3	-	0/6/23/26	0/1/1/1
3	A2G	CaC	4	3	-	0/6/23/26	0/1/1/1
2	NAG	DaD	1	2	-	0/6/26/26	0/1/1/1
2	GAL	DaD	2	2	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SIA	DaD	3	2	-	4/18/34/38	0/1/1/1
3	GAL	DdD	1	3	-	2/2/22/22	0/1/1/1
3	GLA	DdD	2	3	-	1/2/19/22	0/1/1/1
3	NGA	DdD	3	3	-	0/6/23/26	0/1/1/1
3	A2G	DdD	4	3	-	1/6/23/26	0/1/1/1
3	GAL	EaE	1	3	-	1/2/22/22	0/1/1/1
3	GLA	EaE	2	3	-	1/2/19/22	0/1/1/1
3	NGA	EaE	3	3	-	0/6/23/26	0/1/1/1
3	A2G	EaE	4	3	-	0/6/23/26	0/1/1/1
2	NAG	FaF	1	2	-	2/6/26/26	0/1/1/1
2	GAL	FaF	2	2	-	0/2/19/22	0/1/1/1
2	SIA	FaF	3	2	-	3/18/34/38	0/1/1/1
3	GAL	FdF	1	3	-	0/2/22/22	0/1/1/1
3	GLA	FdF	2	3	-	1/2/19/22	0/1/1/1
3	NGA	FdF	3	3	-	0/6/23/26	0/1/1/1
3	A2G	FdF	4	3	-	0/6/23/26	0/1/1/1
3	GAL	GaG	1	3	-	1/2/22/22	0/1/1/1
3	GLA	GaG	2	3	-	1/2/19/22	0/1/1/1
3	NGA	GaG	3	3	-	0/6/23/26	0/1/1/1
3	A2G	GaG	4	3	-	0/6/23/26	0/1/1/1
2	NAG	HaH	1	2	-	0/6/26/26	0/1/1/1
2	GAL	HaH	2	2	-	0/2/19/22	0/1/1/1
2	SIA	HaH	3	2	-	4/18/34/38	0/1/1/1
3	GAL	HdH	1	3	-	2/2/22/22	0/1/1/1
3	GLA	HdH	2	3	-	1/2/19/22	0/1/1/1
3	NGA	HdH	3	3	-	0/6/23/26	0/1/1/1
3	A2G	HdH	4	3	-	1/6/23/26	0/1/1/1
3	GAL	IaI	1	3	-	1/2/22/22	0/1/1/1
3	GLA	IaI	2	3	-	1/2/19/22	0/1/1/1
3	NGA	IaI	3	3	-	0/6/23/26	0/1/1/1
3	A2G	IaI	4	3	-	1/6/23/26	0/1/1/1
2	NAG	JaJ	1	2	-	2/6/26/26	0/1/1/1
2	GAL	JaJ	2	2	-	0/2/19/22	0/1/1/1
2	SIA	JaJ	3	2	-	2/18/34/38	0/1/1/1
3	GAL	JdJ	1	3	-	1/2/22/22	0/1/1/1
3	GLA	JdJ	2	3	-	1/2/19/22	0/1/1/1
3	NGA	JdJ	3	3	-	0/6/23/26	0/1/1/1
3	A2G	JdJ	4	3	-	0/6/23/26	0/1/1/1

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	CaC	3	NGA	O5-C1	-2.74	1.39	1.43
2	DaD	3	SIA	C2-C1	-2.72	1.50	1.52
3	EaE	2	GLA	O5-C1	-2.50	1.39	1.43
3	CaC	2	GLA	O2-C2	-2.34	1.38	1.43
3	DdD	4	A2G	O5-C1	2.29	1.47	1.43

The worst 5 of 112 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	GaG	1	GAL	C3-C4-C5	-4.43	102.33	110.24
3	HdH	4	A2G	O5-C5-C6	4.36	114.04	107.20
3	DdD	4	A2G	O5-C5-C6	4.08	113.60	107.20
2	DaD	3	SIA	O6-C2-C1	4.06	115.66	107.70
3	JdJ	4	A2G	C1-O5-C5	3.83	117.39	112.19

There are no chirality outliers.



5 of 46 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	DdD	1	GAL	O5-C5-C6-O6
2	FaF	1	NAG	O5-C5-C6-O6
3	AdA	1	GAL	O5-C5-C6-O6
3	DdD	1	GAL	C4-C5-C6-O6
2	AaA	3	SIA	O7-C7-C8-C9



There are no ring outliers.



No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.






















5.6 Ligand geometry [i](#)

22 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	PEG	JJJ	501	-	6,6,6	0.16	0	5,5,5	0.17	0
7	PGE	HHH	501	-	9,9,9	0.25	0	8,8,8	0.15	0
5	PEG	GGG	503	-	6,6,6	0.17	0	5,5,5	0.08	0
6	SIA	BBB	301	-	21,21,21	1.54	4 (19%)	25,31,31	2.35	8 (32%)
4	EDO	BBB	303	-	3,3,3	0.31	0	2,2,2	0.53	0
4	EDO	III	501	-	3,3,3	0.12	0	2,2,2	0.13	0
5	PEG	HHH	502	-	6,6,6	0.11	0	5,5,5	0.20	0
5	PEG	DDD	501	-	6,6,6	0.11	0	5,5,5	0.08	0
5	PEG	FFF	501	-	6,6,6	0.32	0	5,5,5	0.20	0
4	EDO	FFF	502	-	3,3,3	0.13	0	2,2,2	0.43	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PEG	BBB	302	-	6,6,6	0.20	0	5,5,5	0.17	0
4	EDO	EEE	501	-	3,3,3	0.14	0	2,2,2	0.29	0
7	PGE	GGG	501	-	9,9,9	0.16	0	8,8,8	0.13	0
5	PEG	BBB	304	-	6,6,6	0.19	0	5,5,5	0.10	0
5	PEG	CCC	501	-	6,6,6	0.14	0	5,5,5	0.12	0
4	EDO	AAA	501	-	3,3,3	0.26	0	2,2,2	0.13	0
5	PEG	AAA	502	-	6,6,6	0.19	0	5,5,5	0.19	0
5	PEG	III	502	-	6,6,6	0.21	0	5,5,5	0.08	0
4	EDO	III	503	-	3,3,3	0.10	0	2,2,2	0.21	0
5	PEG	EEE	502	-	6,6,6	0.19	0	5,5,5	0.17	0
5	PEG	HHH	503	-	6,6,6	0.16	0	5,5,5	0.09	0
4	EDO	GGG	502	-	3,3,3	0.07	0	2,2,2	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	JJJ	501	-	-	2/4/4/4	-
7	PGE	HHH	501	-	-	3/7/7/7	-
5	PEG	GGG	503	-	-	3/4/4/4	-
6	SIA	BBB	301	-	-	9/20/38/38	0/1/1/1
4	EDO	BBB	303	-	-	1/1/1/1	-
4	EDO	III	501	-	-	0/1/1/1	-
5	PEG	HHH	502	-	-	3/4/4/4	-
5	PEG	DDD	501	-	-	3/4/4/4	-
5	PEG	FFF	501	-	-	3/4/4/4	-
4	EDO	FFF	502	-	-	1/1/1/1	-
5	PEG	BBB	302	-	-	1/4/4/4	-
4	EDO	EEE	501	-	-	1/1/1/1	-
7	PGE	GGG	501	-	-	5/7/7/7	-
5	PEG	BBB	304	-	-	2/4/4/4	-
5	PEG	CCC	501	-	-	1/4/4/4	-
4	EDO	AAA	501	-	-	0/1/1/1	-
5	PEG	AAA	502	-	-	3/4/4/4	-
5	PEG	III	502	-	-	0/4/4/4	-
4	EDO	III	503	-	-	0/1/1/1	-
5	PEG	EEE	502	-	-	2/4/4/4	-
5	PEG	HHH	503	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	GGG	502	-	-	0/1/1/1	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	BBB	301	SIA	O2-C2	3.47	1.44	1.39
6	BBB	301	SIA	C2-C1	-2.84	1.49	1.53
6	BBB	301	SIA	C3-C2	2.65	1.55	1.51
6	BBB	301	SIA	C5-N5	2.13	1.49	1.45

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	BBB	301	SIA	O2-C2-C1	-6.89	96.76	110.76
6	BBB	301	SIA	O1A-C1-C2	-4.99	116.03	123.59
6	BBB	301	SIA	O6-C6-C5	4.08	113.75	109.78
6	BBB	301	SIA	O2-C2-C3	3.51	114.47	109.40
6	BBB	301	SIA	C4-C5-N5	2.52	115.36	110.38

There are no chirality outliers.

5 of 45 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	BBB	301	SIA	O1A-C1-C2-O2
6	BBB	301	SIA	O1A-C1-C2-O6
6	BBB	301	SIA	O1B-C1-C2-O6
6	BBB	301	SIA	C6-C7-C8-C9
6	BBB	301	SIA	O7-C7-C8-C9


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	BBB	301	SIA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	269/276 (97%)	-0.35	0 100 100	21, 26, 44, 61	0
1	BBB	263/276 (95%)	-0.31	3 (1%) 80 82	19, 28, 51, 65	0
1	CCC	264/276 (95%)	-0.33	3 (1%) 80 82	18, 25, 49, 73	0
1	DDD	269/276 (97%)	-0.34	0 100 100	18, 25, 45, 59	0
1	EEE	263/276 (95%)	-0.30	3 (1%) 80 82	20, 25, 48, 75	0
1	FFF	262/276 (94%)	-0.30	4 (1%) 73 76	20, 28, 51, 68	0
1	GGG	263/276 (95%)	-0.28	2 (0%) 86 87	19, 25, 46, 64	0
1	HHH	270/276 (97%)	-0.32	1 (0%) 92 93	18, 24, 45, 68	0
1	III	261/276 (94%)	-0.32	0 100 100	19, 25, 46, 69	0
1	JJJ	270/276 (97%)	-0.32	1 (0%) 92 93	20, 26, 44, 60	0
All	All	2654/2760 (96%)	-0.32	17 (0%) 89 90	18, 26, 47, 75	0

The worst 5 of 17 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	HHH	31	PRO	3.0
1	EEE	31	PRO	2.8
1	FFF	97	THR	2.8
1	JJJ	31	PRO	2.8
1	EEE	98	ILE	2.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	DaD	1	15/15	0.87	0.23	49,57,61,61	0
2	NAG	FaF	1	15/15	0.88	0.20	55,63,67,72	0
2	GAL	AaA	2	11/12	0.90	0.12	38,50,54,56	0
2	GAL	FaF	2	11/12	0.90	0.15	49,57,62,66	0
2	NAG	HaH	1	15/15	0.90	0.30	50,55,61,65	0
2	NAG	JaJ	1	15/15	0.91	0.21	51,54,59,62	0
2	NAG	AaA	1	15/15	0.92	0.18	48,53,57,58	0
2	GAL	JaJ	2	11/12	0.92	0.17	37,53,61,64	0
3	GAL	AdA	1	12/12	0.92	0.09	36,48,51,52	0
3	GAL	JdJ	1	12/12	0.92	0.10	36,42,50,50	0
3	GAL	DdD	1	12/12	0.93	0.09	33,41,49,49	0
3	GAL	GaG	1	12/12	0.93	0.09	29,34,38,42	0
2	GAL	HaH	2	11/12	0.93	0.16	38,45,56,60	0
3	GAL	BbB	1	12/12	0.95	0.10	36,46,50,55	0
3	GAL	FdF	1	12/12	0.95	0.09	34,40,48,49	0
3	GAL	CaC	1	12/12	0.96	0.11	23,29,36,47	0
2	SIA	AaA	3	20/21	0.96	0.09	26,29,35,36	0
3	GAL	EaE	1	12/12	0.96	0.09	27,33,39,44	0
2	GAL	DaD	2	11/12	0.96	0.09	32,40,48,48	0
3	GLA	FdF	2	11/12	0.96	0.09	27,30,31,33	0
3	A2G	AdA	4	14/15	0.96	0.10	25,28,31,37	0
3	A2G	GaG	4	14/15	0.96	0.09	21,25,30,31	0
3	GAL	IaI	1	12/12	0.96	0.11	28,33,39,41	0
2	SIA	FaF	3	20/21	0.96	0.09	28,34,37,38	0
3	GLA	AdA	2	11/12	0.97	0.08	24,27,30,33	0
3	NGA	FdF	3	14/15	0.97	0.09	27,29,32,32	0
3	GLA	DdD	2	11/12	0.97	0.10	22,26,27,30	0
3	GLA	BbB	2	11/12	0.97	0.09	26,29,31,33	0
3	GAL	HdH	1	12/12	0.97	0.09	31,37,41,43	0
3	GLA	HdH	2	11/12	0.97	0.09	22,24,27,28	0
3	A2G	HdH	4	14/15	0.97	0.09	19,25,35,39	0
3	A2G	EaE	4	14/15	0.97	0.10	24,26,28,34	0
3	A2G	IaI	4	14/15	0.97	0.08	24,26,30,34	0
2	SIA	DaD	3	20/21	0.97	0.09	20,29,34,35	0
3	GLA	JdJ	2	11/12	0.97	0.08	27,31,34,35	0
3	NGA	JdJ	3	14/15	0.97	0.09	26,27,28,29	0
3	A2G	JdJ	4	14/15	0.97	0.08	26,29,38,42	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SIA	JaJ	3	20/21	0.98	0.07	23,31,35,40	0
3	GLA	GaG	2	11/12	0.98	0.09	20,22,25,26	0
3	NGA	AdA	3	14/15	0.98	0.08	24,27,30,33	0
3	NGA	DdD	3	14/15	0.98	0.09	20,23,26,28	0
3	A2G	DdD	4	14/15	0.98	0.08	23,24,27,28	0
3	NGA	HdH	3	14/15	0.98	0.10	19,23,24,25	0
3	A2G	BbB	4	14/15	0.98	0.08	24,26,33,38	0
3	NGA	EaE	3	14/15	0.98	0.09	22,25,27,29	0
3	GLA	IaI	2	11/12	0.98	0.08	23,24,25,26	0
3	NGA	IaI	3	14/15	0.98	0.09	22,23,27,27	0
2	SIA	HaH	3	20/21	0.98	0.08	21,28,35,36	0
3	GLA	CaC	2	11/12	0.98	0.09	19,22,23,23	0
3	NGA	CaC	3	14/15	0.98	0.10	20,23,26,27	0
3	A2G	CaC	4	14/15	0.98	0.08	20,22,25,33	0
3	A2G	FdF	4	14/15	0.98	0.08	26,28,35,37	0
3	GLA	EaE	2	11/12	0.99	0.09	21,24,25,26	0
3	NGA	GaG	3	14/15	0.99	0.07	20,23,26,27	0
3	NGA	BbB	3	14/15	0.99	0.08	22,24,26,27	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain AaA:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain DaD:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain FaF:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain HaH:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain JaJ:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain AdA:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain BbB:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain CaC:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain DdD:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain EaE:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain FdF:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain GaG:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain HdH:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain IaI:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PEG	BBB	302	7/7	0.80	0.13	50,53,59,60	0
5	PEG	BBB	304	7/7	0.82	0.14	49,54,63,66	0
5	PEG	FFF	501	7/7	0.83	0.15	46,48,50,50	0
4	EDO	GGG	502	4/4	0.86	0.14	48,49,49,53	0
5	PEG	HHH	503	7/7	0.86	0.10	68,68,71,72	0
7	PGE	GGG	501	10/10	0.87	0.16	45,50,53,53	0
7	PGE	HHH	501	10/10	0.87	0.17	45,53,58,59	0
5	PEG	HHH	502	7/7	0.88	0.11	47,51,54,54	0
5	PEG	III	502	7/7	0.88	0.14	44,47,54,56	0
4	EDO	FFF	502	4/4	0.89	0.14	45,46,47,47	0
6	SIA	BBB	301	21/21	0.89	0.19	27,43,56,60	0
5	PEG	AAA	502	7/7	0.89	0.14	50,51,53,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	PEG	CCC	501	7/7	0.89	0.15	54,58,60,60	0
4	EDO	BBB	303	4/4	0.91	0.13	39,42,46,49	0
5	PEG	GGG	503	7/7	0.91	0.10	60,62,67,67	0
5	PEG	JJJ	501	7/7	0.92	0.08	54,55,58,59	0
5	PEG	EEE	502	7/7	0.92	0.14	45,49,51,55	0
4	EDO	EEE	501	4/4	0.92	0.10	50,53,54,55	0
5	PEG	DDD	501	7/7	0.92	0.14	55,58,63,70	0
4	EDO	AAA	501	4/4	0.93	0.11	43,45,47,47	0
4	EDO	III	501	4/4	0.95	0.13	45,49,50,57	0
4	EDO	III	503	4/4	0.96	0.07	44,44,44,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.