



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 11, 2023 – 08:08 am GMT

PDB ID : 4BAB
Title : Redesign of a Phenylalanine Aminomutase into a beta-Phenylalanine Ammonia Lyase
Authors : Bartsch, S.; Wybenga, G.G.; Jansen, M.; Heberling, M.M.; Wu, B.; Dijkstra, B.W.; Janssen, D.B.
Deposited on : 2012-09-12
Resolution : 2.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1279 (2.58-2.54)
Clashscore	141614	1327 (2.58-2.54)
Ramachandran outliers	138981	1312 (2.58-2.54)
Sidechain outliers	138945	1312 (2.58-2.54)
RSRZ outliers	127900	1269 (2.58-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	705	 3% 79% 7% 13%
1	B	705	 2% 80% 8% 12%
1	C	705	 2% 79% 8% 13%
1	D	705	 5% 81% 6% 12%

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 19216 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHENYLALANINE AMINOMUTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	612	4760	3029	814	895	22	0	0	0
1	B	620	4828	3067	828	911	22	0	0	0
1	C	616	4790	3045	822	901	22	0	0	1
1	D	617	4802	3054	823	903	22	0	0	0

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP Q68G84
A	-18	GLY	-	expression tag	UNP Q68G84
A	-17	SER	-	expression tag	UNP Q68G84
A	-16	SER	-	expression tag	UNP Q68G84
A	-15	HIS	-	expression tag	UNP Q68G84
A	-14	HIS	-	expression tag	UNP Q68G84
A	-13	HIS	-	expression tag	UNP Q68G84
A	-12	HIS	-	expression tag	UNP Q68G84
A	-11	HIS	-	expression tag	UNP Q68G84
A	-10	HIS	-	expression tag	UNP Q68G84
A	-9	SER	-	expression tag	UNP Q68G84
A	-8	SER	-	expression tag	UNP Q68G84
A	-7	GLY	-	expression tag	UNP Q68G84
A	-6	LEU	-	expression tag	UNP Q68G84
A	-5	VAL	-	expression tag	UNP Q68G84
A	-4	PRO	-	expression tag	UNP Q68G84
A	-3	ARG	-	expression tag	UNP Q68G84
A	-2	GLY	-	expression tag	UNP Q68G84
A	-1	SER	-	expression tag	UNP Q68G84
A	0	HIS	-	expression tag	UNP Q68G84
A	175	MDO	ALA	chromophore	UNP Q68G84

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	175	MDO	SER	chromophore	UNP Q68G84
A	175	MDO	GLY	chromophore	UNP Q68G84
B	-19	MET	-	expression tag	UNP Q68G84
B	-18	GLY	-	expression tag	UNP Q68G84
B	-17	SER	-	expression tag	UNP Q68G84
B	-16	SER	-	expression tag	UNP Q68G84
B	-15	HIS	-	expression tag	UNP Q68G84
B	-14	HIS	-	expression tag	UNP Q68G84
B	-13	HIS	-	expression tag	UNP Q68G84
B	-12	HIS	-	expression tag	UNP Q68G84
B	-11	HIS	-	expression tag	UNP Q68G84
B	-10	HIS	-	expression tag	UNP Q68G84
B	-9	SER	-	expression tag	UNP Q68G84
B	-8	SER	-	expression tag	UNP Q68G84
B	-7	GLY	-	expression tag	UNP Q68G84
B	-6	LEU	-	expression tag	UNP Q68G84
B	-5	VAL	-	expression tag	UNP Q68G84
B	-4	PRO	-	expression tag	UNP Q68G84
B	-3	ARG	-	expression tag	UNP Q68G84
B	-2	GLY	-	expression tag	UNP Q68G84
B	-1	SER	-	expression tag	UNP Q68G84
B	0	HIS	-	expression tag	UNP Q68G84
B	175	MDO	ALA	chromophore	UNP Q68G84
B	175	MDO	SER	chromophore	UNP Q68G84
B	175	MDO	GLY	chromophore	UNP Q68G84
C	-19	MET	-	expression tag	UNP Q68G84
C	-18	GLY	-	expression tag	UNP Q68G84
C	-17	SER	-	expression tag	UNP Q68G84
C	-16	SER	-	expression tag	UNP Q68G84
C	-15	HIS	-	expression tag	UNP Q68G84
C	-14	HIS	-	expression tag	UNP Q68G84
C	-13	HIS	-	expression tag	UNP Q68G84
C	-12	HIS	-	expression tag	UNP Q68G84
C	-11	HIS	-	expression tag	UNP Q68G84
C	-10	HIS	-	expression tag	UNP Q68G84
C	-9	SER	-	expression tag	UNP Q68G84
C	-8	SER	-	expression tag	UNP Q68G84
C	-7	GLY	-	expression tag	UNP Q68G84
C	-6	LEU	-	expression tag	UNP Q68G84
C	-5	VAL	-	expression tag	UNP Q68G84
C	-4	PRO	-	expression tag	UNP Q68G84
C	-3	ARG	-	expression tag	UNP Q68G84

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	expression tag	UNP Q68G84
C	-1	SER	-	expression tag	UNP Q68G84
C	0	HIS	-	expression tag	UNP Q68G84
C	175	MDO	ALA	chromophore	UNP Q68G84
C	175	MDO	SER	chromophore	UNP Q68G84
C	175	MDO	GLY	chromophore	UNP Q68G84
D	-19	MET	-	expression tag	UNP Q68G84
D	-18	GLY	-	expression tag	UNP Q68G84
D	-17	SER	-	expression tag	UNP Q68G84
D	-16	SER	-	expression tag	UNP Q68G84
D	-15	HIS	-	expression tag	UNP Q68G84
D	-14	HIS	-	expression tag	UNP Q68G84
D	-13	HIS	-	expression tag	UNP Q68G84
D	-12	HIS	-	expression tag	UNP Q68G84
D	-11	HIS	-	expression tag	UNP Q68G84
D	-10	HIS	-	expression tag	UNP Q68G84
D	-9	SER	-	expression tag	UNP Q68G84
D	-8	SER	-	expression tag	UNP Q68G84
D	-7	GLY	-	expression tag	UNP Q68G84
D	-6	LEU	-	expression tag	UNP Q68G84
D	-5	VAL	-	expression tag	UNP Q68G84
D	-4	PRO	-	expression tag	UNP Q68G84
D	-3	ARG	-	expression tag	UNP Q68G84
D	-2	GLY	-	expression tag	UNP Q68G84
D	-1	SER	-	expression tag	UNP Q68G84
D	0	HIS	-	expression tag	UNP Q68G84
D	175	MDO	ALA	chromophore	UNP Q68G84
D	175	MDO	SER	chromophore	UNP Q68G84
D	175	MDO	GLY	chromophore	UNP Q68G84


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	10	Total O 10 10	0	0
2	B	17	Total O 17 17	0	0
2	C	5	Total O 5 5	0	0
2	D	4	Total O 4 4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: PHENYLALANINE AMINOMUTASE





- Molecule 1: PHENYLALANINE AMINOMUTASE



- Molecule 1: PHENYLALANINE AMINOMUTASE



● Molecule 1: PHENYLALANINE AMINOMUTASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	94.14Å 132.09Å 110.03Å 90.00° 95.52° 90.00°	Depositor
Resolution (Å)	109.52 – 2.56 49.52 – 2.56	Depositor EDS
% Data completeness (in resolution range)	97.0 (109.52-2.56) 97.2 (49.52-2.56)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 2.58Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.214 , 0.251 0.208 , 0.242	Depositor DCC
R_{free} test set	4212 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	46.7	Xtrriage
Anisotropy	0.217	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 26.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	19216	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	1/4828 (0.0%)	0.49	0/6551
1	B	0.40	0/4897	0.49	0/6644
1	C	0.38	0/4859	0.49	0/6593
1	D	0.39	1/4871 (0.0%)	0.49	0/6609
All	All	0.39	2/19455 (0.0%)	0.49	0/26397

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	294	TRP	CD2-CE2	5.03	1.47	1.41
1	D	149	TRP	CD2-CE2	5.03	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4760	0	4819	27	0
1	B	4828	0	4883	29	0
1	C	4790	0	4850	26	0
1	D	4802	0	4866	25	0
2	A	10	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	17	0	0	0	0
2	C	5	0	0	0	0
2	D	4	0	0	0	0
All	All	19216	0	19418	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:GLN:HE22	1:B:222:GLN:NE2	1.44	1.15
1:B:70:GLN:NE2	1:B:222:GLN:NE2	1.99	1.10
1:A:145:SER:O	1:A:224:LYS:HE3	1.55	1.07
1:B:70:GLN:NE2	1:B:222:GLN:HE21	1.64	0.84
1:B:70:GLN:HE22	1:B:222:GLN:HE21	0.84	0.83
1:C:506:VAL:HG21	1:C:599:VAL:HG21	1.59	0.82
1:B:506:VAL:HG21	1:B:599:VAL:HG21	1.61	0.82
1:A:224:LYS:O	1:A:224:LYS:CG	2.30	0.78
1:D:455:GLU:HG2	1:D:459:GLN:HG3	1.66	0.76
1:D:455:GLU:HG3	1:D:455:GLU:O	1.86	0.75
1:A:145:SER:O	1:A:224:LYS:CE	2.35	0.71
1:B:70:GLN:NE2	1:B:222:GLN:HE22	1.89	0.69
1:D:486:HIS:O	1:D:490:MET:HG2	1.96	0.66
1:A:224:LYS:O	1:A:224:LYS:HG2	1.98	0.62
1:A:429:LEU:HD23	1:C:110:ALA:HB1	1.82	0.62
1:C:227:LEU:O	1:C:231:ASN:HB2	2.00	0.62
1:A:224:LYS:O	1:A:224:LYS:HG3	2.01	0.60
1:D:114:THR:HG1	1:D:122:ASP:N	1.99	0.60
1:D:224:LYS:HE3	1:D:356:PRO:HD2	1.82	0.60
1:B:294:TRP:CH2	1:B:624:LYS:HE2	2.36	0.60
1:A:55:ALA:O	1:A:59:ARG:HB3	2.02	0.59
1:C:446:PRO:HD3	1:D:446:PRO:HD3	1.85	0.58
1:A:446:PRO:HD3	1:B:446:PRO:HD3	1.88	0.56
1:B:403:ILE:HG12	1:D:456:GLN:HG2	1.90	0.54
1:B:227:LEU:O	1:B:231:ASN:HB2	2.08	0.54
1:A:227:LEU:O	1:A:231:ASN:HB2	2.09	0.53
1:D:455:GLU:O	1:D:455:GLU:CG	2.55	0.53
1:B:58:CYS:HA	1:B:61:ARG:HE	1.74	0.52
1:C:43:LEU:HD22	1:C:134:LEU:HD22	1.92	0.52
1:B:560:PHE:HB2	1:C:560:PHE:HB2	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:178:ASP:HB3	1:C:181:PRO:HG2	1.92	0.51
1:D:437:SER:O	1:D:441:GLN:HG2	2.10	0.51
1:B:29:VAL:HG12	1:B:141:THR:HG21	1.91	0.51
1:B:437:SER:O	1:B:441:GLN:HG2	2.11	0.50
1:D:384:ARG:HG2	1:D:444:ALA:HA	1.94	0.50
1:D:227:LEU:O	1:D:231:ASN:HB2	2.13	0.49
1:A:384:ARG:HG2	1:A:444:ALA:HA	1.94	0.49
1:B:671:HIS:O	1:B:674:GLN:HG2	2.12	0.49
1:C:182:LEU:HD23	1:C:185:ILE:HD12	1.93	0.49
1:A:437:SER:O	1:A:441:GLN:HG2	2.13	0.49
1:A:29:VAL:HG12	1:A:141:THR:HG21	1.94	0.48
1:B:114:THR:HG23	1:B:122:ASP:HB2	1.96	0.48
1:A:111:GLY:O	1:C:650:GLN:HG3	2.13	0.48
1:C:224:LYS:HE2	1:C:356:PRO:HD2	1.95	0.48
1:D:43:LEU:HD22	1:D:134:LEU:HD22	1.96	0.48
1:C:437:SER:O	1:C:441:GLN:HG2	2.14	0.47
1:B:51:VAL:HG21	1:B:159:LEU:HD13	1.95	0.47
1:C:29:VAL:HG12	1:C:141:THR:HG21	1.96	0.47
1:B:545:CYS:SG	1:B:589:SER:HA	2.54	0.47
1:D:182:LEU:HD21	1:D:234:SER:HB2	1.97	0.47
1:A:178:ASP:HB3	1:A:181:PRO:HG2	1.97	0.47
1:D:261:PHE:N	1:D:490:MET:HE3	2.31	0.46
1:C:51:VAL:HG21	1:C:159:LEU:HD13	1.97	0.46
1:C:407:SER:HB2	1:C:410:LEU:HB2	1.96	0.46
1:A:51:VAL:HG21	1:A:159:LEU:HD13	1.98	0.46
1:C:506:VAL:CG2	1:C:599:VAL:HG21	2.40	0.46
1:C:384:ARG:HG2	1:C:444:ALA:HA	1.98	0.45
1:B:531:VAL:O	1:B:535:VAL:HG12	2.16	0.45
1:D:407:SER:HB2	1:D:410:LEU:HB2	1.98	0.45
1:C:537:VAL:HA	1:C:540:TYR:CE2	2.52	0.45
1:B:384:ARG:HG2	1:B:444:ALA:HA	1.99	0.45
1:A:322:TYR:CZ	1:B:459:GLN:HG2	2.52	0.45
1:C:182:LEU:HD21	1:C:234:SER:HB2	2.00	0.44
1:A:346:GLU:HA	1:A:349:VAL:HG22	1.99	0.44
1:C:524:THR:HG22	1:C:562:THR:OG1	2.18	0.44
1:B:231:ASN:HD22	1:B:231:ASN:HA	1.67	0.44
1:D:531:VAL:O	1:D:535:VAL:HG22	2.18	0.44
1:A:250:LEU:HD12	1:A:476:LEU:HD22	2.00	0.43
1:B:255:GLU:HG2	1:B:331:LEU:HD13	2.00	0.43
1:B:597:THR:HG23	1:B:600:ARG:HH21	1.83	0.43
1:B:429:LEU:HD23	1:D:110:ALA:HB1	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:250:LEU:HD12	1:D:476:LEU:HD22	2.00	0.42
1:D:136:ARG:HD3	1:D:182:LEU:HD22	2.01	0.42
1:A:43:LEU:HD21	1:A:159:LEU:HD22	2.00	0.42
1:A:182:LEU:HD23	1:A:185:ILE:HD12	2.01	0.42
1:A:416:LEU:HD23	1:A:642:SER:HB3	2.00	0.42
1:C:131:SER:HB2	1:C:238:ALA:HB1	2.00	0.42
1:A:500:GLU:HG3	1:A:537:VAL:HG12	2.01	0.42
1:D:135:LEU:HD23	1:D:237:THR:HB	2.02	0.41
1:B:178:ASP:HB3	1:B:181:PRO:HG2	2.02	0.41
1:A:499:LEU:HD11	1:A:600:ARG:HA	2.02	0.41
1:B:8:ARG:H	1:B:8:ARG:HG2	1.75	0.41
1:B:316:LYS:HA	1:B:317:PRO:HD3	1.94	0.41
1:D:455:GLU:O	1:D:456:GLN:HB2	2.21	0.41
1:A:316:LYS:HA	1:A:317:PRO:HD3	1.93	0.41
1:C:33:THR:HA	1:C:34:PRO:HD3	1.92	0.41
1:C:535:VAL:HA	1:C:536:PRO:HD3	1.85	0.41
1:A:524:THR:HG23	1:A:562:THR:HG21	2.02	0.41
1:C:55:ALA:O	1:C:59:ARG:HB3	2.21	0.41
1:C:351:SER:HB2	1:D:280:LYS:HA	2.03	0.41
1:C:499:LEU:HD21	1:C:600:ARG:HG3	2.01	0.41
1:B:501:GLU:OE2	1:B:619:ARG:NH1	2.54	0.41
1:C:507:VAL:HG22	1:C:592:LEU:HD11	2.03	0.40
1:A:374:SER:HA	1:A:463:SER:HB2	2.03	0.40
1:A:559:CYS:HB3	1:D:560:PHE:CE1	2.56	0.40
1:D:29:VAL:HG12	1:D:141:THR:HG21	2.03	0.40
1:D:387:VAL:HG13	1:D:479:LEU:HD22	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	597/705 (85%)	583 (98%)	14 (2%)	0	100	100
1	B	607/705 (86%)	591 (97%)	16 (3%)	0	100	100
1	C	603/705 (86%)	593 (98%)	10 (2%)	0	100	100
1	D	604/705 (86%)	592 (98%)	12 (2%)	0	100	100
All	All	2411/2820 (86%)	2359 (98%)	52 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	520/592 (88%)	508 (98%)	12 (2%)	50	64
1	B	528/592 (89%)	514 (97%)	14 (3%)	44	58
1	C	524/592 (88%)	508 (97%)	16 (3%)	40	52
1	D	525/592 (89%)	515 (98%)	10 (2%)	57	71
All	All	2097/2368 (89%)	2045 (98%)	52 (2%)	47	61

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	GLN
1	A	59	ARG
1	A	107	CYS
1	A	122	ASP
1	A	144	CYS
1	A	231	ASN
1	A	268	ARG
1	A	334	LEU
1	A	353	ASN
1	A	392	LYS
1	A	481	LEU
1	A	618	VAL
1	B	8	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	59	ARG
1	B	107	CYS
1	B	224	LYS
1	B	231	ASN
1	B	268	ARG
1	B	279	VAL
1	B	334	LEU
1	B	353	ASN
1	B	392	LYS
1	B	455	GLU
1	B	481	LEU
1	B	555	LEU
1	B	618	VAL
1	C	59	ARG
1	C	107	CYS
1	C	231	ASN
1	C	268	ARG
1	C	279	VAL
1	C	312	ASP
1	C	334	LEU
1	C	353	ASN
1	C	392	LYS
1	C	481	LEU
1	C	535	VAL
1	C	553	LEU
1	C	555	LEU
1	C	568	LYS
1	C	602	LEU
1	C	618	VAL
1	D	231	ASN
1	D	268	ARG
1	D	334	LEU
1	D	353	ASN
1	D	392	LYS
1	D	455	GLU
1	D	481	LEU
1	D	553	LEU
1	D	555	LEU
1	D	602	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	231	ASN
1	A	408	ASN
1	B	222	GLN
1	B	231	ASN
1	B	621	GLN
1	C	231	ASN
1	C	362	ASN
1	C	557	GLN
1	D	231	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	MDO	A	175	1	12,13,14	2.80	6 (50%)	15,18,20	3.32	4 (26%)
1	MDO	C	175	1	12,13,14	2.83	6 (50%)	15,18,20	3.32	4 (26%)
1	MDO	B	175	1	12,13,14	2.82	6 (50%)	15,18,20	3.28	4 (26%)
1	MDO	D	175	1	12,13,14	2.86	6 (50%)	15,18,20	3.49	5 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MDO	A	175	1	-	2/4/23/24	0/1/1/1
1	MDO	C	175	1	-	0/4/23/24	0/1/1/1
1	MDO	B	175	1	-	1/4/23/24	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MDO	D	175	1	-	2/4/23/24	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	175	MDO	O2-C2	6.36	1.36	1.23
1	B	175	MDO	O2-C2	6.35	1.36	1.23
1	C	175	MDO	O2-C2	6.32	1.36	1.23
1	A	175	MDO	O2-C2	6.29	1.36	1.23
1	C	175	MDO	O3-C3	4.19	1.43	1.19
1	A	175	MDO	O3-C3	4.17	1.43	1.19
1	D	175	MDO	O3-C3	4.15	1.43	1.19
1	B	175	MDO	O3-C3	4.14	1.43	1.19
1	D	175	MDO	CA1-C1	3.35	1.56	1.51
1	C	175	MDO	CA1-C1	3.25	1.55	1.51
1	B	175	MDO	CA1-C1	3.13	1.55	1.51
1	A	175	MDO	CA1-C1	3.04	1.55	1.51
1	C	175	MDO	C2-N3	-2.97	1.32	1.39
1	D	175	MDO	C2-N3	-2.91	1.33	1.39
1	B	175	MDO	CA2-N2	-2.89	1.33	1.39
1	B	175	MDO	C2-N3	-2.86	1.33	1.39
1	A	175	MDO	C2-N3	-2.86	1.33	1.39
1	D	175	MDO	CA2-N2	-2.84	1.33	1.39
1	C	175	MDO	CA2-N2	-2.79	1.34	1.39
1	A	175	MDO	CA2-N2	-2.65	1.34	1.39
1	D	175	MDO	CA2-C2	-2.25	1.38	1.43
1	C	175	MDO	CA2-C2	-2.13	1.38	1.43
1	A	175	MDO	CA2-C2	-2.03	1.39	1.43
1	B	175	MDO	CA2-C2	-2.01	1.39	1.43

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	175	MDO	CA2-C2-N3	8.40	107.34	103.37
1	D	175	MDO	O2-C2-CA2	-8.19	126.36	130.96
1	B	175	MDO	CA2-C2-N3	8.16	107.23	103.37
1	C	175	MDO	CA2-C2-N3	8.06	107.18	103.37
1	D	175	MDO	CA2-C2-N3	7.99	107.15	103.37
1	A	175	MDO	O2-C2-CA2	-7.28	126.87	130.96
1	C	175	MDO	O2-C2-CA2	-7.22	126.90	130.96
1	B	175	MDO	O2-C2-CA2	-6.87	127.10	130.96
1	D	175	MDO	O3-C3-CA3	-5.38	110.16	126.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	175	MDO	O3-C3-CA3	-5.33	110.29	126.39
1	C	175	MDO	O3-C3-CA3	-5.12	110.93	126.39
1	A	175	MDO	O3-C3-CA3	-5.00	111.30	126.39
1	D	175	MDO	N3-C1-N2	-3.24	109.21	111.45
1	C	175	MDO	N3-C1-N2	-3.13	109.29	111.45
1	B	175	MDO	N3-C1-N2	-2.76	109.54	111.45
1	A	175	MDO	N3-C1-N2	-2.60	109.65	111.45
1	D	175	MDO	CA2-N2-C1	2.00	107.21	105.40

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	175	MDO	N2-C1-CA1-CB
1	D	175	MDO	N2-C1-CA1-CB
1	B	175	MDO	C3-CA3-N3-C2
1	A	175	MDO	N3-C1-CA1-CB
1	D	175	MDO	N3-C1-CA1-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	611/705 (86%)	0.22	20 (3%) 46 56	30, 51, 85, 102	0
1	B	619/705 (87%)	0.21	15 (2%) 59 67	31, 50, 75, 87	0
1	C	615/705 (87%)	0.21	16 (2%) 56 64	33, 52, 78, 102	0
1	D	616/705 (87%)	0.34	35 (5%) 23 30	32, 54, 85, 101	0
All	All	2461/2820 (87%)	0.25	86 (3%) 44 53	30, 51, 81, 102	0

All (86) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	515	ALA	5.1
1	D	566	LEU	5.1
1	D	565	ALA	4.6
1	A	566	LEU	4.3
1	A	577	LEU	4.2
1	C	28	THR	3.9
1	D	520	LEU	3.7
1	D	201	ASP	3.4
1	D	314	LEU	3.4
1	D	554	GLY	3.4
1	D	511	VAL	3.3
1	D	514	LEU	3.2
1	D	100	LEU	3.1
1	D	577	LEU	3.1
1	D	521	PRO	3.1
1	A	449	THR	3.0
1	D	584	PHE	3.0
1	D	562	THR	3.0
1	C	449	THR	3.0
1	D	524	THR	3.0
1	D	561	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	100	LEU	2.9
1	D	523	ASP	2.9
1	A	71	ARG	2.8
1	C	451	VAL	2.8
1	B	314	LEU	2.8
1	A	579	ASP	2.8
1	D	575	ASP	2.8
1	C	298	SER	2.8
1	B	361	ALA	2.8
1	A	443	LEU	2.8
1	A	451	VAL	2.8
1	A	605	LYS	2.8
1	A	565	ALA	2.8
1	B	584	PHE	2.7
1	D	518	CYS	2.7
1	B	587	ARG	2.7
1	D	591	ARG	2.7
1	B	564	LEU	2.7
1	A	442	TYR	2.6
1	A	545	CYS	2.5
1	B	523	ASP	2.5
1	C	581	LEU	2.5
1	D	586	LYS	2.5
1	C	314	LEU	2.5
1	D	582	ALA	2.5
1	D	581	LEU	2.5
1	B	565	ALA	2.4
1	C	443	LEU	2.4
1	A	560	PHE	2.4
1	D	580	ARG	2.4
1	D	388	ALA	2.4
1	A	202	ASP	2.4
1	C	438	SER	2.4
1	C	202	ASP	2.4
1	D	55	ALA	2.4
1	C	57	GLN	2.3
1	A	57	GLN	2.3
1	A	445	ASN	2.3
1	B	444	ALA	2.3
1	D	557	GLN	2.3
1	A	576	THR	2.3
1	B	640	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	582	ALA	2.2
1	C	568	LYS	2.2
1	D	519	GLY	2.2
1	B	442	TYR	2.2
1	C	523	ASP	2.2
1	D	202	ASP	2.2
1	C	221	LEU	2.2
1	B	527	ARG	2.2
1	D	578	VAL	2.2
1	A	602	LEU	2.2
1	B	514	LEU	2.2
1	A	552	LEU	2.1
1	A	567	HIS	2.1
1	A	47	HIS	2.1
1	B	449	THR	2.1
1	D	442	TYR	2.1
1	B	450	HIS	2.1
1	D	564	LEU	2.1
1	D	588	LEU	2.1
1	D	579	ASP	2.0
1	C	585	GLU	2.0
1	B	561	ASP	2.0
1	D	57	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	MDO	C	175	13/14	0.90	0.19	46,49,51,53	0
1	MDO	B	175	13/14	0.93	0.17	36,38,38,38	0
1	MDO	D	175	13/14	0.93	0.18	47,51,52,52	0
1	MDO	A	175	13/14	0.95	0.16	36,38,39,39	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.