

Full wwPDB X-ray Structure Validation Report (i)

Dec 17, 2023 – 02:03 pm GMT

PDB ID	:	4BIH
Title	:	Crystal structure of the conserved staphylococcal antigen 1A, Csa1A
Authors	:	Malito, E.; Bottomley, M.J.; Spraggon, G.; Schluepen, C.; Liberatori, S.
Deposited on	:	2013-04-10
Resolution	:	2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Qu	ality of chai	in		
1	А	250	43%	24%	•	31%	
1	В	250	40%	24%	·	34%	
1	С	250	40%	28%	•	29%	_
1	D	250	42%	20%	•	35%	



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 5826 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace	
1	Δ	179	Total	С	Ν	0	S	0	0	0	
	A	172	1454	933	233	282	6	0		0	
1	Р	166	Total	С	Ν	0	S	0	0	0	
	D	100	1401	901	225	270	70 5	0	0	0	
1	C	С	177	Total	С	Ν	0	S	0	0	0
	111	1494	957	241	290	6	0	0	U		
1 D	163	Total	С	Ν	0	S	0	0	0		
		1373	883	221	263	6		0	0		

• Molecule 1 is a protein called UNCHARACTERIZED LIPOPROTEIN SAOUHSC_00053.

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	6	MET	-	expression tag	UNP Q2G1Q1
А	7	GLY	-	expression tag	UNP Q2G1Q1
А	8	SER	-	expression tag	UNP Q2G1Q1
А	9	SER	-	expression tag	UNP Q2G1Q1
А	10	HIS	-	expression tag	UNP Q2G1Q1
А	11	HIS	-	expression tag	UNP Q2G1Q1
А	12	HIS	-	expression tag	UNP Q2G1Q1
А	13	HIS	-	expression tag	UNP Q2G1Q1
А	14	HIS	-	expression tag	UNP Q2G1Q1
А	15	HIS	-	expression tag	UNP Q2G1Q1
А	16	GLU	-	expression tag	UNP Q2G1Q1
А	17	ASN	-	expression tag	UNP Q2G1Q1
А	18	LEU	-	expression tag	UNP Q2G1Q1
А	19	TYR	-	expression tag	UNP Q2G1Q1
А	20	PHE	-	expression tag	UNP Q2G1Q1
А	21	GLN	-	expression tag	UNP Q2G1Q1
А	22	GLY	-	expression tag	UNP Q2G1Q1
В	6	MET	-	expression tag	UNP Q2G1Q1
В	7	GLY	-	expression tag	UNP Q2G1Q1
В	8	SER	-	expression tag	UNP Q2G1Q1
В	9	SER	-	expression tag	UNP Q2G1Q1



Chain	Residue	Modelled	Actual	Comment	Reference
В	10	HIS	-	expression tag	UNP Q2G1Q1
В	11	HIS	_	expression tag	UNP Q2G1Q1
В	12	HIS	-	expression tag	UNP Q2G1Q1
В	13	HIS	-	expression tag	UNP Q2G1Q1
В	14	HIS	-	expression tag	UNP Q2G1Q1
В	15	HIS	-	expression tag	UNP Q2G1Q1
В	16	GLU	-	expression tag	UNP Q2G1Q1
В	17	ASN	-	expression tag	UNP Q2G1Q1
В	18	LEU	-	expression tag	UNP Q2G1Q1
В	19	TYR	-	expression tag	UNP Q2G1Q1
В	20	PHE	-	expression tag	UNP Q2G1Q1
В	21	GLN	-	expression tag	UNP Q2G1Q1
В	22	GLY	-	expression tag	UNP Q2G1Q1
С	6	MET	-	expression tag	UNP Q2G1Q1
С	7	GLY	-	expression tag	UNP Q2G1Q1
С	8	SER	-	expression tag	UNP Q2G1Q1
С	9	SER	-	expression tag	UNP Q2G1Q1
С	10	HIS	-	expression tag	UNP Q2G1Q1
С	11	HIS	-	expression tag	UNP Q2G1Q1
С	12	HIS	-	expression tag	UNP Q2G1Q1
С	13	HIS	-	expression tag	UNP Q2G1Q1
С	14	HIS	-	expression tag	UNP Q2G1Q1
С	15	HIS	-	expression tag	UNP Q2G1Q1
С	16	GLU	-	expression tag	UNP Q2G1Q1
С	17	ASN	-	expression tag	UNP Q2G1Q1
С	18	LEU	-	expression tag	UNP Q2G1Q1
С	19	TYR	-	expression tag	UNP Q2G1Q1
С	20	PHE	-	expression tag	UNP Q2G1Q1
C	21	GLN	-	expression tag	UNP Q2G1Q1
C	22	GLY	-	expression tag	UNP Q2G1Q1
D	6	MET	-	expression tag	UNP Q2G1Q1
D	7	GLY	-	expression tag	UNP Q2G1Q1
D	8	SER	-	expression tag	UNP Q2G1Q1
D	9	SER	-	expression tag	UNP Q2G1Q1
D	10	HIS	-	expression tag	UNP Q2G1Q1
D	11	HIS	-	expression tag	UNP Q2G1Q1
D	12	HIS	-	expression tag	UNP Q2G1Q1
D	13	HIS	-	expression tag	UNP Q2G1Q1
D	14	HIS	-	expression tag	UNP Q2G1Q1
D	15	HIS	-	expression tag	UNP Q2G1Q1
D	16	GLU	-	expression tag	UNP Q2G1Q1
D	17	ASN	-	expression tag	UNP $Q2G1Q1$

Continued from previous page...



00.000.00	$J \cdots J \cdots J \cdots J \cdots J \cdots$						
Chain	Residue	Modelled	Actual	Comment	Reference		
D	18	LEU	-	expression tag	UNP Q2G1Q1		
D	19	TYR	-	expression tag	UNP Q2G1Q1		
D	20	PHE	-	expression tag	UNP Q2G1Q1		
D	21	GLN	-	expression tag	UNP Q2G1Q1		
D	22	GLY	-	expression tag	UNP Q2G1Q1		

• Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total Ca 1 1	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	32	$\begin{array}{cc} \text{Total} & \text{O} \\ 32 & 32 \end{array}$	0	0
3	В	20	TotalO2020	0	0
3	С	32	TotalO3232	0	0
3	D	19	Total O 19 19	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: UNCHARACTERIZED LIPOPROTEIN SAOUHSC_00053







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	71.13Å 49.25Å 137.37Å	Deperitor
a, b, c, α , β , γ	90.00° 89.99° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	68.69 - 2.46	Depositor
Resolution (A)	68.68 - 2.46	EDS
% Data completeness	93.5 (68.69-2.46)	Depositor
(in resolution range)	93.3(68.68-2.46)	EDS
R _{merge}	0.10	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.73 (at 2.45 \text{\AA})$	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
P. P.	0.207 , 0.256	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.200 , 0.246	DCC
R_{free} test set	1644 reflections $(5.00%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	37.2	Xtriage
Anisotropy	0.227	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33, 31.0	EDS
L-test for twinning ²	$< L > = 0.50, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.467 for h,-k,-l	Xtriage
Reported twinning fraction	0.490 for h,-k,-l	Depositor
Outliers	0 of 32840 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5826	wwPDB-VP
Average B, all atoms $(Å^2)$	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.20% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.43	0/1480	0.59	0/1981	
1	В	0.43	0/1425	0.58	0/1907	
1	С	0.43	0/1520	0.63	0/2035	
1	D	0.43	0/1396	0.59	0/1868	
All	All	0.43	0/5821	0.60	0/7791	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1454	0	1444	35	0
1	В	1401	0	1399	41	0
1	С	1494	0	1487	41	0
1	D	1373	0	1378	40	0
2	А	1	0	0	0	0
3	А	32	0	0	0	0
3	В	20	0	0	1	1
3	С	32	0	0	1	1
3	D	19	0	0	0	0
All	All	5826	0	5708	152	1



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:125:TYR:HD2	1:C:140:ILE:HG21	1.41	0.84	
1:D:189:ASN:OD1	1:D:198:ARG:NH2	2.13	0.81	
1:B:70:TRP:HB2	1:B:94:MET:HB2	1.68	0.76	
1:C:122:GLU:O	1:D:124:ARG:NH2	2.18	0.75	
1:D:185:TYR:HB2	1:D:211:LEU:HB3	1.69	0.73	
1:B:78:ILE:HG22	1:B:80:PRO:HD3	1.70	0.71	
1:C:50:ASP:O	1:C:54:LYS:NZ	2.25	0.70	
1:B:64:LYS:HD3	1:C:212:LEU:HD21	1.73	0.70	
1:C:80:PRO:HG2	1:C:83:GLU:HB2	1.75	0.69	
1:A:79:GLN:HG3	1:A:85:MET:HB2	1.73	0.68	
1:A:142:ASP:OD1	1:A:145:ILE:N	2.26	0.68	
1:D:185:TYR:O	1:D:211:LEU:N	2.28	0.66	
1:B:128:LYS:HG3	1:B:135:ILE:HG13	1.78	0.65	
1:D:227:LYS:N	1:D:248:ASP:OD1	2.30	0.64	
1:A:52:TYR:HH	1:A:101:THR:HG1	1.46	0.63	
1:D:227:LYS:HG2	1:D:247:LEU:O	1.99	0.62	
1:B:125:TYR:HD2	1:B:140:ILE:HD12	1.64	0.62	
1:A:78:ILE:HG23	1:A:241:ILE:HD12	1.81	0.61	
1:D:139:GLU:OE2	1:D:141:LYS:NZ	2.34	0.61	
1:B:198:ARG:NH1	1:B:205:THR:O	2.23	0.61	
1:D:142:ASP:OD2	1:D:144:LYS:HG3	2.02	0.60	
1:D:87:ALA:HB3	1:D:108:ASP:HB3	1.83	0.59	
1:B:142:ASP:OD1	1:B:144:LYS:HD3	2.02	0.59	
1:A:91:VAL:HG23	1:A:106:TYR:HE2	1.69	0.58	
1:A:102:ASN:HA	1:A:128:LYS:HA	1.86	0.58	
1:A:198:ARG:NH2	1:A:207:LYS:O	2.34	0.57	
1:D:79:GLN:HB2	1:D:85:MET:HB2	1.87	0.57	
1:C:59:ASP:HB3	1:C:61:GLN:H	1.69	0.57	
1:C:185:TYR:HB2	1:C:211:LEU:HB3	1.88	0.56	
1:D:66:ASP:HB2	1:D:97:ASN:HD21	1.70	0.56	
1:A:193:ASN:O	1:A:197:LEU:HG	2.05	0.55	
1:B:67:LYS:H	1:B:97:ASN:HD21	1.53	0.55	
1:D:79:GLN:O	1:D:79:GLN:HG3	2.07	0.55	
1:B:73:ASN:O	1:B:245:ASP:HA	2.06	0.55	
1:C:125:TYR:CD2	1:C:140:ILE:HG21	2.33	0.55	
1:C:196:GLN:HG2	1:C:200:ARG:HE	1.72	0.54	
1:C:43:TYR:OH	1:C:227:LYS:NZ	2.26	0.54	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:196:GLN:OE1	1:D:200:ARG:NH2	2.37	0.53
1:D:185:TYR:N	1:D:211:LEU:O	2.30	0.53
1:A:52:TYR:OH	1:A:101:THR:OG1	2.19	0.53
1:C:95:ASN:CG	1:C:98:THR:HG22	2.30	0.53
1:D:98:THR:OG1	1:D:100:THR:HG22	2.09	0.52
1:B:101:THR:HB	1:B:129:MET:HB3	1.92	0.52
1:D:185:TYR:CD2	1:D:211:LEU:HD23	2.45	0.52
1:B:207:LYS:HG2	1:B:233:PHE:O	2.09	0.52
1:D:72:ILE:HD11	1:D:94:MET:SD	2.50	0.52
1:A:144:LYS:HE2	1:D:237:LYS:NZ	2.26	0.51
1:C:204:PRO:HD2	1:C:241:ILE:HD13	1.93	0.51
1:D:76:MET:HE2	1:D:243:PHE:HD1	1.76	0.51
1:D:45:ILE:O	1:D:47:ASN:N	2.43	0.51
1:D:66:ASP:HB2	1:D:97:ASN:ND2	2.27	0.50
1:B:43:TYR:HB3	1:B:159:GLY:O	2.12	0.50
1:C:51:LEU:HD23	1:C:54:LYS:HG3	1.92	0.50
1:C:58:ARG:NH2	1:C:63:ASP:O	2.44	0.50
1:D:105:TYR:HB3	1:D:125:TYR:HB2	1.92	0.50
1:A:142:ASP:OD1	1:A:144:LYS:N	2.45	0.50
1:A:90:MET:HG3	1:A:105:TYR:HA	1.93	0.49
1:C:122:GLU:OE2	1:C:124:ARG:NE	2.40	0.49
1:C:203:ILE:HG23	1:C:241:ILE:HG21	1.94	0.49
1:D:183:ALA:HB3	1:D:213:LEU:HB2	1.94	0.49
1:B:251:LYS:HD2	1:B:251:LYS:O	2.12	0.49
1:B:148:GLU:HG2	3:B:2005:HOH:O	2.12	0.48
1:D:211:LEU:HD11	1:D:213:LEU:HD21	1.95	0.48
1:B:125:TYR:CD2	1:B:140:ILE:HD12	2.47	0.48
1:C:160:ASP:OD1	1:C:161:PHE:N	2.47	0.48
1:B:146:LYS:O	1:B:150:GLU:HG2	2.14	0.48
1:B:162:LYS:HB3	1:B:162:LYS:HE2	1.64	0.47
1:A:147:LYS:HA	1:A:147:LYS:HD2	1.64	0.47
1:B:80:PRO:HG2	1:B:83:GLU:HB2	1.96	0.47
1:A:91:VAL:HG23	1:A:106:TYR:CE2	2.49	0.47
1:A:92:LEU:HG	1:A:101:THR:HG22	1.95	0.47
1:C:55:GLU:OE1	1:C:249:TYR:OH	2.13	0.47
1:D:43:TYR:HA	1:D:44:PRO:HA	1.68	0.47
1:D:49:GLU:O	1:D:52:TYR:HB2	2.15	0.47
1:A:198:ARG:NH1	1:A:205:THR:O	2.47	0.47
1:A:101:THR:HB	1:A:129:MET:HB3	1.97	0.46
1:C:123:LYS:HG3	1:C:125:TYR:CE1	2.49	0.46
1:A:128:LYS:HZ2	1:A:135:ILE:HB	1.80	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:47:ASN:HB3	1:B:50:ASP:OD2	2.15	0.46
1:C:94:MET:HA	1:C:101:THR:HG22	1.97	0.46
1:C:232:THR:HA	1:C:242:TYR:HB3	1.97	0.46
1:C:248:ASP:OD2	1:C:250:LYS:HE2	2.16	0.46
1:A:63:ASP:OD1	1:A:64:LYS:N	2.49	0.46
1:D:78:ILE:HG12	1:D:241:ILE:HG23	1.98	0.46
1:B:155:PHE:HA	1:B:158:TYR:CZ	2.50	0.45
1:A:227:LYS:NZ	1:A:246:SER:HA	2.31	0.45
1:B:233:PHE:HB2	1:B:241:ILE:HB	1.98	0.45
1:B:64:LYS:HE3	1:B:64:LYS:HB2	1.75	0.45
1:C:67:LYS:HB2	1:C:97:ASN:OD1	2.17	0.45
1:C:137:THR:HG23	1:C:138:LYS:HD2	1.97	0.45
1:C:210:LYS:HG2	1:C:232:THR:HB	1.97	0.45
1:A:144:LYS:HE2	1:D:237:LYS:HZ2	1.81	0.45
1:B:47:ASN:HA	1:B:132:ASN:OD1	2.17	0.45
1:B:90:MET:HE2	1:B:105:TYR:HB2	1.99	0.45
1:B:56:GLY:HA3	1:B:249:TYR:CG	2.53	0.44
1:A:92:LEU:HD22	1:A:154:PHE:HE2	1.81	0.44
1:B:187:LEU:HD11	1:B:211:LEU:HB2	2.00	0.44
1:C:41:SER:HA	3:C:2001:HOH:O	2.17	0.44
1:C:236:LYS:HA	1:C:236:LYS:HD2	1.79	0.44
1:A:90:MET:SD	1:A:134:ILE:HD13	2.58	0.44
1:A:155:PHE:HB2	1:A:243:PHE:HZ	1.82	0.44
1:D:43:TYR:CE2	1:D:156:VAL:HA	2.53	0.44
1:D:47:ASN:HD21	1:D:49:GLU:HB2	1.82	0.44
1:B:154:PHE:HB2	1:B:157:GLN:OE1	2.17	0.44
1:C:101:THR:OG1	1:C:129:MET:O	2.36	0.44
1:C:184:LYS:HA	1:C:211:LEU:O	2.18	0.44
1:B:67:LYS:HE2	1:B:96:ARG:HB3	1.99	0.43
1:D:140:ILE:HG12	1:D:146:LYS:HB2	2.00	0.43
1:A:227:LYS:HZ3	1:A:246:SER:HA	1.83	0.43
1:B:214:LYS:HD2	1:B:227:LYS:HA	2.00	0.43
1:B:45:ILE:N	1:B:156:VAL:O	2.35	0.43
1:B:64:LYS:HD2	1:C:210:LYS:HD2	2.00	0.43
1:C:84:ASP:OD2	1:C:111:LYS:HE3	2.19	0.43
1:B:130:VAL:HG22	1:B:135:ILE:HD11	2.01	0.43
1:C:127:VAL:HG12	1:C:136:PRO:HA	2.00	0.43
1:C:155:PHE:HA	1:C:158:TYR:CE1	2.53	0.43
1:D:70:TRP:CH2	1:D:249:TYR:HB2	2.53	0.43
1:B:189:ASN:ND2	1:B:206:SER:O	2.50	0.43
1:A:92:LEU:HG	1:A:101:THR:CG2	2.49	0.42



A 4 1	A + 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:67:LYS:O	1:A:96:ARG:NH1	2.52	0.42
1:B:98:THR:HB	1:B:100:THR:OG1	2.19	0.42
1:A:95:ASN:OD1	1:A:97:ASN:HB2	2.19	0.42
1:A:126:PRO:HB2	1:A:137:THR:OG1	2.19	0.42
1:C:197:LEU:HD12	1:C:201:TYR:CD2	2.55	0.42
1:A:108:ASP:HB2	1:A:122:GLU:HG3	2.01	0.42
1:B:67:LYS:HE2	1:B:67:LYS:HB3	1.66	0.42
1:B:70:TRP:CZ3	1:B:249:TYR:HB2	2.54	0.42
1:A:81:ASN:HA	1:A:238:GLU:O	2.20	0.42
1:B:69:THR:OG1	1:B:252:SER:HA	2.20	0.42
1:C:67:LYS:N	1:C:97:ASN:OD1	2.47	0.42
1:C:101:THR:OG1	1:C:129:MET:HB3	2.20	0.41
1:B:213:LEU:HG	1:B:229:ILE:HG22	2.03	0.41
1:A:73:ASN:ND2	1:A:90:MET:O	2.48	0.41
1:A:191:ASP:O	1:A:195:LYS:HE2	2.21	0.41
1:B:65:ASN:OD1	1:B:65:ASN:N	2.53	0.41
1:D:49:GLU:OE2	1:D:131:ASP:HA	2.21	0.41
1:D:127:VAL:HA	1:D:136:PRO:HA	2.03	0.41
1:C:205:THR:HG21	1:C:234:VAL:HG23	2.02	0.41
1:A:227:LYS:HE2	1:A:227:LYS:HB2	1.75	0.41
1:B:132:ASN:O	1:B:132:ASN:ND2	2.53	0.41
1:C:191:ASP:OD1	1:C:193:ASN:HB2	2.21	0.41
1:D:40:LEU:N	1:D:42:MET:HG2	2.35	0.41
1:D:183:ALA:N	1:D:213:LEU:O	2.50	0.41
1:D:211:LEU:HD21	1:D:213:LEU:HD11	2.03	0.41
1:A:90:MET:HE3	1:A:105:TYR:HD1	1.86	0.41
1:B:70:TRP:HA	1:B:248:ASP:O	2.20	0.41
1:D:185:TYR:O	1:D:210:LYS:HG3	2.21	0.40
1:D:207:LYS:HA	1:D:207:LYS:HD3	1.79	0.40
1:C:81:ASN:HA	1:C:238:GLU:O	2.21	0.40
1:C:196:GLN:HG3	1:C:199:LYS:HD2	2.03	0.40
1:C:43:TYR:HA	1:C:44:PRO:HA	1.89	0.40
1:D:73:ASN:ND2	1:D:91:VAL:HG13	2.37	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic}\\ {\rm distance}~({\rm \AA}) \end{array}$	Clash overlap (Å)
3:B:2017:HOH:O	3:C:2029:HOH:O[1_655]	2.15	0.05



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	164/250~(66%)	158 (96%)	6 (4%)	0	100	100
1	В	156/250~(62%)	142 (91%)	14 (9%)	0	100	100
1	С	169/250~(68%)	158~(94%)	11 (6%)	0	100	100
1	D	153/250~(61%)	144 (94%)	9~(6%)	0	100	100
All	All	642/1000~(64%)	602 (94%)	40 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	164/229~(72%)	140 (85%)	24 (15%)	3	2
1	В	158/229~(69%)	143~(90%)	15 (10%)	8	9
1	С	169/229~(74%)	148 (88%)	21 (12%)	4	4
1	D	156/229~(68%)	141 (90%)	15 (10%)	8	8
All	All	647/916~(71%)	572 (88%)	75 (12%)	5	5

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	40	LEU
1	А	41	SER



Mol	Chain	Res	Type
1	А	58	ARG
1	А	62	PHE
1	А	83	GLU
1	А	84	ASP
1	А	92	LEU
1	А	98	THR
1	A	110	THR
1	А	123	LYS
1	А	128	LYS
1	А	130	VAL
1	A	147	LYS
1	А	150	GLU
1	А	187	LEU
1	А	190	ASP
1	А	202	ASP
1	А	211	LEU
1	А	213	LEU
1	А	227	LYS
1	А	232	THR
1	А	239	GLU
1	А	244	SER
1	А	252	SER
1	В	49	GLU
1	В	72	ILE
1	В	98	THR
1	В	99	LYS
1	В	121	ASN
1	В	135	ILE
1	В	144	LYS
1	В	160	ASP
1	В	207	LYS
1	В	214	LYS
1	В	229	ILE
1	В	235	GLU
1	В	238	GLU
1	В	247	LEU
1	В	251	LYS
1	С	39	THR
1	С	40	LEU
1	С	42	MET
1	С	46	LYS
1	С	60	ASP



Mol	Chain	Res	Type
1	С	67	LYS
1	С	72	ILE
1	С	81	ASN
1	С	108	ASP
1	С	110	THR
1	С	162	LYS
1	С	164	LEU
1	С	182	SER
1	С	187	LEU
1	С	190	ASP
1	С	196	GLN
1	С	197	LEU
1	С	199	LYS
1	С	200	ARG
1	С	244	SER
1	С	252	SER
1	D	40	LEU
1	D	41	SER
1	D	48	LEU
1	D	49	GLU
1	D	66	ASP
1	D	72	ILE
1	D	79	GLN
1	D	91	VAL
1	D	127	VAL
1	D	130	VAL
1	D	139	GLU
1	D	144	LYS
1	D	150	GLU
1	D	235	GLU
1	D	244	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	172/250~(68%)	-0.56	1 (0%) 89 89	19, 29, 60, 68	2 (1%)
1	В	166/250~(66%)	-0.49	0 100 100	20, 36, 57, 71	0
1	С	177/250~(70%)	-0.54	1 (0%) 89 89	19, 32, 57, 74	1 (0%)
1	D	163/250~(65%)	-0.53	0 100 100	23, 37, 60, 69	0
All	All	678/1000 ($67%$)	-0.53	2 (0%) 94 94	19, 34, 59, 74	3 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	111	LYS	3.3
1	С	112	ASP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	CA	А	1253	1/1	0.96	0.09	46,46,46,46	0

6.5 Other polymers (i)

There are no such residues in this entry.

