

Full wwPDB X-ray Structure Validation Report (i)

Feb 4, 2023 – 10:16 am GMT

LIFLODACIN WITH S.AUREUS DNA GYRASE
rren, A.J.
1

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as 541 be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.32.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.32.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain								
1	BBB	189	78%	21%							
1	DDD	189	% 76%	23%	••						
2	AAA	490	83%	14%	••						
2	CCC	490	81%	16%	••						
3	EEE	20	35% 5% 60%		_						



Mol	Chain	Length		Quality of chain							
3	EbE	20	40%		20%	40%					
3	FFF	20	25%	15%		60%					
3	FbF	20	15%	45%	0	40%					



2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 11777 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	BBB	180	Total	С	Ν	0	S	0	0	0
	I BBB	109	1470	922	256	283	9	0	0	0
1	מממ	180	Total	С	Ν	0	S	0	0	0
	189	1468	925	255	279	9	0	0	0	

• Molecule 1 is a protein called DNA gyrase subunit B.

Chain	Residue	Modelled	Actual	Comment	Reference
BBB	?	-	LEU	deletion	UNP P66937
BBB	?	-	TYR	deletion	UNP P66937
BBB	?	-	LYS	deletion	UNP P66937
BBB	?	-	LEU	deletion	UNP P66937
BBB	?	-	THR	deletion	UNP P66937
BBB	?	-	GLN	deletion	UNP P66937
BBB	?	-	GLY	deletion	UNP P66937
BBB	?	-	LYS	deletion	UNP P66937
BBB	?	-	GLN	deletion	UNP P66937
BBB	?	-	LYS	deletion	UNP P66937
BBB	?	-	TYR	deletion	UNP P66937
BBB	?	-	TYR	deletion	UNP P66937
BBB	?	-	VAL	deletion	UNP P66937
BBB	?	-	TYR	deletion	UNP P66937
BBB	?	-	ASN	deletion	UNP P66937
BBB	?	-	ASP	deletion	UNP P66937
BBB	?	-	ARG	deletion	UNP P66937
BBB	?	-	GLU	deletion	UNP P66937
BBB	?	-	LEU	deletion	UNP P66937
BBB	?	-	ASP	deletion	UNP P66937
BBB	?	-	LYS	deletion	UNP P66937
BBB	?	-	LEU	deletion	UNP P66937
BBB	?	-	LYS	deletion	UNP P66937
BBB	?	-	SER	deletion	UNP P66937
BBB	?	-	GLU	deletion	UNP P66937

There are 76 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
BBB	?	-	LEU	deletion	UNP P66937
BBB	?	-	ASN	deletion	UNP P66937
BBB	?	-	PRO	deletion	UNP P66937
BBB	?	-	THR	deletion	UNP P66937
BBB	?	-	PRO	deletion	UNP P66937
BBB	?	-	LYS	deletion	UNP P66937
BBB	?	-	TRP	deletion	UNP P66937
BBB	?	-	SER	deletion	UNP P66937
BBB	?	-	ILE	deletion	UNP P66937
BBB	?	-	ALA	deletion	UNP P66937
BBB	?	-	ARG	deletion	UNP P66937
BBB	544	THR	-	linker	UNP P66937
BBB	545	GLY	-	linker	UNP P66937
DDD	?	-	LEU	deletion	UNP P66937
DDD	?	-	TYR	deletion	UNP P66937
DDD	?	-	LYS	deletion	UNP P66937
DDD	?	-	LEU	deletion	UNP P66937
DDD	?	-	THR	deletion	UNP P66937
DDD	?	-	GLN	deletion	UNP P66937
DDD	?	-	GLY	deletion	UNP P66937
DDD	?	-	LYS	deletion	UNP P66937
DDD	?	-	GLN	deletion	UNP P66937
DDD	?	-	LYS	deletion	UNP P66937
DDD	?	-	TYR	deletion	UNP P66937
DDD	?	-	TYR	deletion	UNP P66937
DDD	?	-	VAL	deletion	UNP P66937
DDD	?	-	TYR	deletion	UNP P66937
DDD	?	-	ASN	deletion	UNP P66937
DDD	?	-	ASP	deletion	UNP P66937
DDD	?	-	ARG	deletion	UNP P66937
DDD	?	-	GLU	deletion	UNP P66937
DDD	?	-	LEU	deletion	UNP P66937
DDD	?	-	ASP	deletion	UNP P66937
DDD	?	-	LYS	deletion	UNP P66937
DDD	?	-	LEU	deletion	UNP P66937
DDD	?	-	LYS	deletion	UNP P66937
DDD	?	-	SER	deletion	UNP P66937
DDD	?	-	GLU	deletion	UNP P66937
DDD	?	-	LEU	deletion	UNP P66937
DDD	?	-	ASN	deletion	UNP P66937
DDD	?	-	PRO	deletion	UNP P66937
DDD	?	-	THR	deletion	UNP P66937



8BP2

Continu	Continueu front previous page											
Chain	Residue	Modelled	Actual	Comment	Reference							
DDD	?	-	PRO	deletion	UNP P66937							
DDD	?	-	LYS	deletion	UNP P66937							
DDD	?	-	TRP	deletion	UNP P66937							
DDD	?	-	SER	deletion	UNP P66937							
DDD	?	-	ILE	deletion	UNP P66937							
DDD	?	-	ALA	deletion	UNP P66937							
DDD	?	-	ARG	deletion	UNP P66937							
DDD	544	THR	-	linker	UNP P66937							
DDD	545	GLY	-	linker	UNP P66937							

• Molecule 2 is a protein called DNA gyrase subunit A.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
2	AAA	482	Total 3805	C 2367	N 693	0 729	S 16	0	0	0
2	CCC	481	Total 3831	C 2382	N 698	O 735	S 16	0	3	0

• Molecule 3 is a DNA chain called DNA (20-MER).

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
3	FFF	8	Total	С	Ν	Ο	Р	0	0	0
0		8	163	78	33	45	7	0	0	0
3	FLF	19	Total	С	Ν	0	Р	0	1	0
0	LOL	12	265	126	45	81	13	0	1	0
2		0	Total	С	Ν	Ο	Р	0	0	0
0	ГГГ	0	163	78	33	45	7	0	0	0
2	2 ELE	19	Total	С	Ν	Ο	Р	0	9	0
5 FDF	12	255	116	43	82	14		Z	U	

• Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	BBB	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
4	AAA	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
4	AAA	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
4	AAA	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
4	AAA	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
4	CCC	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
4	FbF	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0

• Molecule 5 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	BBB	1	Total Mn 1 1	0	0
5	DDD	1	Total Mn 1 1	0	0
5	CCC	1	Total Mn 1 1	0	0

• Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	AAA	1	Total Na 1 1	0	0

• Molecule 7 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C₈H₁₉NO₅).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf		
7	CCC	1	Total 14	C 8	N 1	O 5	0	0

• Molecule 8 is Zoliflodacin (three-letter code: R8U) (formula: $C_{22}H_{22}FN_5O_7$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues		Ato	\mathbf{ms}			ZeroOcc	AltConf
8	FLF	1	Total	С	F	Ν	Ο	0	0
0	EDE	I	35	22	1	5	7	0	0
0	FLF	1	Total	С	F	Ν	0	0	0
0	FDF	L	35	22	1	5	$\overline{7}$	0	0

• Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	BBB	22	Total O 22 22	0	0
9	AAA	76	Total O 76 76	0	0
9	DDD	15	Total O 15 15	0	0
9	CCC	66	Total O 66 66	0	0
9	EEE	11	Total O 11 11	0	0
9	EbE	8	Total O 8 8	0	0
9	FFF	11	Total O 11 11	0	0
9	FbF	18	Total O 18 18	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: DNA gyrase subunit B

• Molecule 2: DNA gyrase subunit A



Chain CCC:



ALA Ha66 ALA 1192 GU 206 ALG 201 GU 203 MU 204 MU 205 MU 205 MU 206 MU 207 MU 208 MU

• Molecule 3: DNA (20-MER)

Chain EEE:	35%	5%		60%	
6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	01 04 05 07 07				
• Molecule 3:	DNA (20-ME	ER)			
Chain EbE:	40%		20%	40%	
DG DA DG DC DC DC C2009 C2010	C2011 C2012 C2016 C2016 C2017 T2020				
• Molecule 3:	DNA (20-MB	ER)			
Chain FFF:	25%	15%		60%	
G G G G G G G G G G G G G G G G G G G	DG DA DC DT DT				
• Molecule 3:	DNA (20-MB	ER)			
Chain FbF:	15%	45%		40%	
DG DA DG DC DC DA DC DC DC C2009	C2012 C2013 T2014 A2015 C2016 G2017 C2018 T2019 T2020				



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 61	Depositor
Cell constants	94.54Å 94.54 Å 417.13 Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	24.85 - 2.80	Depositor
Resolution (A)	24.85 - 2.80	EDS
% Data completeness	99.4 (24.85-2.80)	Depositor
(in resolution range)	99.5(24.85 - 2.80)	EDS
R _{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.31 (at 2.80 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
D D.	0.191 , 0.231	Depositor
Π, Π_{free}	0.189 , 0.230	DCC
R_{free} test set	2538 reflections $(4.94%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	76.5	Xtriage
Anisotropy	0.470	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , 44.3	EDS
L-test for twinning ²	L-test for twinning ² $< L > = 0.42, < L^2 > = 0.25$	
Estimated twinning fraction	ng fraction 0.127 for h,-h-k,-l	
F_o, F_c correlation	0.96	EDS
Total number of atoms	11777	wwPDB-VP
Average B, all atoms $(Å^2)$	93.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.90% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, NA, GOL, R8U, BTB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	Bond angles	
INIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	BBB	0.37	0/1493	0.73	1/2016~(0.0%)
1	DDD	0.37	0/1492	0.72	0/2015
2	AAA	0.45	0/3853	0.77	1/5196~(0.0%)
2	CCC	0.43	0/3879	0.80	0/5228
3	EEE	0.91	0/183	1.56	1/281~(0.4%)
3	EbE	0.92	0/294	1.41	5/449~(1.1%)
3	\mathbf{FFF}	0.86	0/183	1.43	1/281~(0.4%)
3	FbF	2.68	13/280 (4.6%)	2.38	21/429 (4.9%)
All	All	0.62	13/11657~(0.1%)	0.91	30/15895~(0.2%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	FbF	2019[A]	DT	O3'-P	21.35	1.86	1.61
3	FbF	2019[B]	DT	O3'-P	21.35	1.86	1.61
3	FbF	2020[A]	DT	P-OP1	9.78	1.65	1.49
3	FbF	2020[B]	DT	P-OP1	9.78	1.65	1.49
3	FbF	2020[A]	DT	P-OP2	7.96	1.62	1.49
3	FbF	2020[B]	DT	P-OP2	7.96	1.62	1.49
3	FbF	2020[A]	DT	P-O5'	7.46	1.67	1.59
3	FbF	2020[B]	DT	P-O5'	7.46	1.67	1.59
3	FbF	2017	DG	C6-N1	6.63	1.44	1.39
3	FbF	2019[A]	DT	C5-C7	-5.62	1.46	1.50
3	FbF	2019[B]	DT	C5-C7	-5.62	1.46	1.50
3	FbF	2017	DG	C3'-C2'	5.09	1.58	1.52
3	FbF	2018	DC	P-O5'	5.00	1.64	1.59

All (30) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	FbF	2019[A]	DT	P-O3'-C3'	-15.81	100.72	119.70
3	FbF	2019[B]	DT	P-O3'-C3'	-15.81	100.72	119.70
3	FbF	2018	DC	N3-C4-C5	-10.11	117.86	121.90
3	FbF	2018	DC	C6-N1-C2	-9.29	116.58	120.30
3	FbF	2014	DT	P-O3'-C3'	-7.70	110.46	119.70
3	FbF	2017	DG	C5-C6-N1	-7.18	107.91	111.50
3	FbF	2019[A]	DT	O3'-P-O5'	-6.83	91.02	104.00
3	FbF	2019[B]	DT	O3'-P-O5'	-6.83	91.02	104.00
3	FbF	2016	DC	P-O3'-C3'	-6.77	111.58	119.70
3	FFF	5	DG	O3'-P-O5'	-6.43	91.79	104.00
3	FbF	2015	DA	P-O3'-C3'	-6.32	112.11	119.70
3	FbF	2020[A]	DT	O5'-P-OP2	-6.20	100.12	105.70
3	FbF	2020[B]	DT	O5'-P-OP2	-6.20	100.12	105.70
3	EbE	2016	DC	C1'-O4'-C4'	-5.91	104.19	110.10
3	EbE	2011	DC	P-O3'-C3'	-5.67	112.90	119.70
2	AAA	19	ARG	CG-CD-NE	-5.54	100.16	111.80
3	FbF	2009	DG	P-O3'-C3'	-5.53	113.06	119.70
3	FbF	2017	DG	N1-C6-O6	5.52	123.21	119.90
3	FbF	2017	DG	C6-N1-C2	5.45	128.37	125.10
3	FbF	2019[A]	DT	C4-C5-C7	-5.38	115.77	119.00
3	FbF	2019[B]	DT	C4-C5-C7	-5.38	115.77	119.00
1	BBB	468	ARG	CG-CD-NE	5.36	123.06	111.80
3	EbE	2011	DC	OP2-P-O3'	5.33	116.92	105.20
3	EbE	2017	DG	C8-N9-C4	-5.31	104.28	106.40
3	EEE	3	DG	OP1-P-OP2	5.30	127.56	119.60
3	FbF	2014	DT	O5'-P-OP1	-5.29	100.94	105.70
3	EbE	2012	DC	O4'-C4'-C3'	-5.24	102.40	104.50
3	FbF	2019[A]	DT	OP1-P-O3'	5.16	116.55	105.20
3	FbF	2019[B]	DT	OP1-P-O3'	5.16	116.55	105.20
3	FbF	2012	DC	P-O3'-C3'	-5.09	113.59	119.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



8BP2

Mol	Chain	Non-H	${ m H}({ m model})$	H(added)	Clashes	Symm-Clashes
1	BBB	1470	0	1439	29	0
1	DDD	1468	0	1439	31	0
2	AAA	3805	0	3832	50	0
2	CCC	3831	0	3866	48	0
3	EEE	163	0	91	0	0
3	EbE	265	0	149	0	0
3	\mathbf{FFF}	163	0	91	1	0
3	FbF	255	0	134	0	0
4	AAA	24	0	32	1	0
4	BBB	6	0	8	1	0
4	CCC	6	0	8	0	0
4	FbF	6	0	8	0	0
5	BBB	1	0	0	0	0
5	CCC	1	0	0	0	0
5	DDD	1	0	0	0	0
6	AAA	1	0	0	0	0
7	CCC	14	0	15	0	0
8	EbE	35	0	0	0	0
8	FbF	35	0	0	0	0
9	AAA	76	0	0	3	0
9	BBB	22	0	0	0	0
9	CCC	66	0	0	2	0
9	DDD	15	0	0	0	0
9	EEE	11	0	0	0	0
9	EbE	8	0	0	0	0
9	\mathbf{FFF}	11	0	0	0	0
9	FbF	18	0	0	0	0
All	All	11777	0	11112	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic}\\ {\rm distance}~({\rm \AA}) \end{array}$	Clash overlap (Å)
2:CCC:183:ILE:HG12	2:CCC:335:MET:HG2	1.63	0.80
1:DDD:495:LEU:H	1:DDD:495:LEU:HD12	1.47	0.80
1:DDD:632:PHE:HE1	2:CCC:19:ARG:HH11	1.33	0.76
2:AAA:277:ILE:HG12	2:AAA:325:THR:HG21	1.68	0.76
1:BBB:443:THR:HG22	1:BBB:454:ILE:CD1	2.20	0.71
1:DDD:604:LEU:HA	2:CCC:10:ASN:O	1.93	0.68
1:BBB:463:ASN:HD22	1:BBB:466:LYS:HE2	1.59	0.65



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:AAA:270:LYS:NZ	2:AAA:294:ASP:OD2	2.29	0.65
2:AAA:415:PHE:O	2:AAA:416:LYS:HB2	1.97	0.65
1:BBB:461:ILE:HD13	1:BBB:520:LEU:HD23	1.79	0.64
1:BBB:501:HIS:HA	1:BBB:536:TYR:CD2	2.33	0.64
2:CCC:64:TYR:HB3	2:CCC:125:GLU:HB3	1.78	0.64
1:BBB:493:PHE:CE1	1:BBB:530:PRO:HB2	2.33	0.63
2:CCC:15:THR:O	2:CCC:19:ARG:HG3	1.99	0.62
1:DDD:522:THR:HA	1:DDD:618:PHE:CE1	2.34	0.62
1:BBB:581:LYS:HG2	1:BBB:585:GLU:HB2	1.80	0.61
1:BBB:418:LEU:HD11	1:BBB:453:ALA:HB1	1.82	0.60
1:DDD:457:LEU:HD23	1:DDD:461:ILE:HG21	1.83	0.59
2:CCC:115:GLY:HA3	2:CCC:269:ASN:HD21	1.67	0.58
2:AAA:321:LEU:O	2:AAA:325:THR:OG1	2.22	0.58
2:AAA:179:MET:SD	4:AAA:504:GOL:H31	2.44	0.57
2:AAA:298:LEU:HB2	2:AAA:299:ARG:NH1	2.19	0.57
2:AAA:445:TYR:CE2	2:AAA:449:LEU:HD11	2.41	0.56
2:CCC:448:LEU:O	2:CCC:452:ILE:HG13	2.06	0.56
2:AAA:176:ALA:HB3	2:AAA:179:MET:O	2.06	0.56
2:AAA:245:SER:OG	2:AAA:265:PRO:HD3	2.05	0.56
2:CCC:192:ILE:HG21	2:CCC:477:ARG:HB2	1.88	0.56
2:AAA:151:ASP:OD1	2:AAA:153:ASN:HB2	2.05	0.55
2:AAA:432:ARG:HH11	2:AAA:432:ARG:HG3	1.70	0.54
2:CCC:137:ARG:NH2	9:CCC:1002:HOH:O	2.40	0.54
1:BBB:613:GLU:HG2	2:AAA:15:THR:HG21	1.91	0.53
1:DDD:526:ARG:NH1	1:DDD:615:ASP:OD1	2.31	0.53
2:CCC:445:TYR:CE2	2:CCC:449:LEU:HD11	2.44	0.53
1:BBB:463:ASN:ND2	1:BBB:466:LYS:HE2	2.24	0.52
1:BBB:443:THR:HG22	1:BBB:454:ILE:HD13	1.91	0.52
1:BBB:443:THR:HG22	1:BBB:454:ILE:HD11	1.92	0.52
2:CCC:186:HIS:HB2	2:CCC:191:LEU:HD11	1.91	0.52
2:CCC:219:PRO:HA	2:CCC:485:ARG:HH11	1.75	0.52
2:AAA:180:ALA:HB1	9:AAA:668:HOH:O	2.10	0.51
1:DDD:493:PHE:CE2	1:DDD:530:PRO:HB2	2.44	0.51
2:AAA:115:GLY:HA3	2:AAA:269:ASN:ND2	2.26	0.51
2:CCC:450:ASN:O	2:CCC:454:GLU:HG3	2.11	0.51
2:AAA:299:ARG:NH2	1:DDD:592:TRP:CG	2.78	0.51
2:AAA:436:LEU:HB2	2:CCC:402:ASP:O	2.10	0.51
2:AAA:204:ILE:HG12	2:AAA:208:GLU:HB2	1.93	0.51
2:AAA:427:ASP:OD1	2:CCC:431[A]:ARG:NH1	2.43	0.51
2:CCC:115:GLY:HA3	2:CCC:269:ASN:ND2	2.26	0.51
2:CCC:173:SER:HB3	9:CCC:1019:HOH:O	2.11	0.51



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
3:FFF:1:DG:H4'	3:FFF:2:DA:OP1	2.11	0.51
1:BBB:519:LEU:HD23	1:BBB:622:MET:HE1	1.93	0.51
2:AAA:390:HIS:O	2:AAA:394:ILE:HG12	2.10	0.50
1:DDD:430:GLU:HB3	1:DDD:502:LYS:HB2	1.93	0.50
2:CCC:37:ASP:HA	2:CCC:338:LEU:HB2	1.93	0.50
2:CCC:259:ILE:HB	2:CCC:306:ILE:HB	1.93	0.50
1:BBB:461:ILE:HD13	1:BBB:520:LEU:CD2	2.42	0.49
1:DDD:482:ILE:HD12	1:DDD:489:ILE:HG21	1.95	0.49
2:AAA:369:TYR:CE2	2:AAA:373:LYS:HE3	2.47	0.49
1:BBB:519:LEU:HD23	1:BBB:622:MET:CE	2.43	0.49
2:CCC:100:ARG:HG3	2:CCC:101:TYR:CE2	2.48	0.49
1:BBB:465:GLU:O	1:BBB:465:GLU:HG3	2.13	0.49
1:DDD:530:PRO:HA	1:DDD:533:GLU:OE2	2.13	0.48
2:AAA:429:ARG:NH1	2:CCC:427:ASP:O	2.47	0.48
1:DDD:608:LEU:N	1:DDD:608:LEU:HD23	2.28	0.48
2:CCC:388:LEU:HD13	2:CCC:438:ARG:HG2	1.95	0.48
2:AAA:164:PHE:HB2	2:AAA:165:PRO:HD2	1.95	0.48
1:DDD:501:HIS:HA	1:DDD:536:TYR:CE2	2.49	0.48
1:BBB:473:LEU:HD21	1:BBB:489:ILE:HD11	1.96	0.48
1:DDD:447:ARG:HD2	1:DDD:449:SER:HA	1.95	0.48
2:AAA:299:ARG:NH2	1:DDD:592:TRP:CD1	2.82	0.47
2:AAA:38:VAL:HA	2:AAA:167:LEU:HD22	1.97	0.47
1:BBB:461:ILE:CD1	1:BBB:520:LEU:HD23	2.45	0.47
2:CCC:237:GLY:HA2	2:CCC:335:MET:HE2	1.96	0.47
1:DDD:587:ASN:HB2	1:DDD:590:GLN:HG2	1.97	0.47
2:CCC:58:MET:SD	2:CCC:65:LYS:HB2	2.54	0.47
1:DDD:517:ARG:NH2	2:CCC:17:GLU:OE2	2.44	0.47
2:CCC:402:ASP:OD1	2:CCC:402:ASP:N	2.48	0.47
2:CCC:297:SER:C	2:CCC:299:ARG:H	2.18	0.47
1:DDD:457:LEU:HD21	1:DDD:520:LEU:HD21	1.98	0.46
2:AAA:58:MET:SD	2:AAA:65:LYS:HB2	2.56	0.46
1:DDD:418:LEU:HB2	1:DDD:455:LEU:HD13	1.96	0.46
1:BBB:421:CYS:HG	1:BBB:429:CYS:HG	1.54	0.46
2:AAA:45:VAL:O	2:AAA:49:ILE:HG13	2.15	0.46
2:AAA:251:GLU:H	2:AAA:251:GLU:HG2	1.58	0.46
2:CCC:234:TYR:O	2:CCC:347:ASN:HB2	2.15	0.46
2:CCC:391:ILE:O	2:CCC:395:ILE:HG12	2.15	0.46
1:BBB:442:SER:OG	2:CCC:109:ASN:HB2	2.16	0.45
2:AAA:432:ARG:HG3	2:AAA:432:ARG:NH1	2.31	0.45
2:CCC:113:MET:HE2	2:CCC:264:ILE:HD11	1.98	0.45
2:CCC:149:ASN:ND2	2:CCC:151:ASP:OD1	2.48	0.45



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:AAA:215:GLY:HA2	2:AAA:234:TYR:OH	2.15	0.45
2:CCC:238:ARG:HA	2:CCC:333:VAL:O	2.16	0.45
1:BBB:522:THR:HA	1:BBB:618:PHE:CE1	2.51	0.45
1:BBB:592:TRP:CD1	1:BBB:593:GLU:HG2	2.51	0.45
2:CCC:206:ILE:HG21	2:CCC:235:GLU:HG3	1.97	0.45
2:AAA:196:LEU:O	2:AAA:200:LYS:HG3	2.17	0.45
2:AAA:191:LEU:O	2:AAA:195:VAL:HG23	2.17	0.45
2:CCC:272:ARG:O	2:CCC:275[B]:GLU:HG2	2.17	0.45
1:DDD:468:ARG:O	1:DDD:472:ILE:HG13	2.17	0.45
2:CCC:164:PHE:HB2	2:CCC:165:PRO:HD2	1.98	0.45
2:CCC:381:LEU:HD23	2:CCC:384:LEU:HD12	2.00	0.44
2:AAA:299:ARG:NH2	1:DDD:592:TRP:CD2	2.83	0.44
2:AAA:313:ASN:O	2:AAA:317:ILE:HG13	2.17	0.44
2:CCC:254:GLY:O	2:CCC:310:LYS:HE2	2.18	0.44
1:BBB:501:HIS:HA	1:BBB:536:TYR:CE2	2.52	0.44
1:DDD:469:LEU:O	1:DDD:473:LEU:HG	2.18	0.44
2:AAA:417:LEU:HD13	2:AAA:425:ILE:HD12	2.00	0.44
2:AAA:9:ILE:O	2:AAA:10:ASN:HB3	2.18	0.44
2:CCC:285:LYS:HB3	2:CCC:285:LYS:HE3	1.74	0.43
2:AAA:180:ALA:CB	9:AAA:668:HOH:O	2.64	0.43
2:AAA:191:LEU:HD12	2:AAA:191:LEU:HA	1.82	0.43
2:AAA:391:ILE:O	2:AAA:395:ILE:HG12	2.17	0.43
1:DDD:474:ASN:HA	1:DDD:479:ARG:NH2	2.34	0.43
2:CCC:408:MET:HG2	2:CCC:426:LEU:HD12	2.00	0.43
1:DDD:421:CYS:HG	1:DDD:429:CYS:HG	1.61	0.43
1:DDD:583:LEU:HD22	1:DDD:591:LEU:HD21	2.01	0.43
2:CCC:251:GLU:O	2:CCC:251:GLU:HG3	2.18	0.43
1:BBB:475:ASN:HA	4:BBB:701:GOL:H12	2.00	0.43
2:CCC:93:MET:HG2	2:CCC:99:TYR:CZ	2.54	0.43
2:AAA:64:TYR:HB3	2:AAA:125:GLU:HB3	1.99	0.43
1:BBB:482:ILE:CD1	1:BBB:489:ILE:HG21	2.49	0.43
2:AAA:149:ASN:ND2	2:AAA:151:ASP:OD1	2.47	0.42
1:BBB:466:LYS:HG3	1:BBB:622:MET:O	2.18	0.42
1:BBB:636:ASN:N	1:BBB:636:ASN:OD1	2.53	0.42
1:DDD:529:ARG:N	1:DDD:530:PRO:CD	2.83	0.42
1:DDD:540:ALA:O	1:DDD:541:GLN:HG2	2.20	0.42
2:CCC:401:SER:HB3	2:CCC:406:VAL:HG12	2.01	0.42
2:AAA:204:ILE:CG1	2:AAA:208:GLU:HB2	2.50	0.41
2:AAA:237:GLY:HA2	2:AAA:335:MET:HE2	2.02	0.41
1:BBB:443:THR:HG23	1:BBB:596:MET:SD	2.59	0.41
2:AAA:380:ILE:HD12	2:AAA:424:ALA:HB2	2.01	0.41



8BP2

Atom-1	Atom-2	Interatomic $(\overset{\bullet}{\lambda})$	Clash
		uistance (A)	overlap (A)
2:CCC:366:ARG:HE	2:CCC:366:ARG:HB3	1.75	0.41
1:BBB:511:VAL:HG11	2:AAA:28:SER:HB2	2.03	0.41
2:AAA:373:LYS:HA	2:AAA:373:LYS:HD3	1.83	0.41
2:AAA:436:LEU:CB	2:CCC:402:ASP:O	2.67	0.41
1:BBB:421:CYS:SG	1:BBB:429:CYS:HB3	2.60	0.41
2:AAA:299:ARG:NH1	9:AAA:606:HOH:O	2.53	0.41
2:CCC:397:THR:CG2	2:CCC:410:SER:HB3	2.51	0.41
2:AAA:186:HIS:HB2	2:AAA:191:LEU:HD22	2.03	0.41
1:DDD:482:ILE:HD12	1:DDD:489:ILE:CG2	2.51	0.41
1:DDD:482:ILE:O	1:DDD:486:GLY:N	2.48	0.41
1:DDD:495:LEU:H	1:DDD:495:LEU:CD1	2.18	0.40
2:AAA:323:LYS:HG3	2:AAA:324:GLN:HG3	2.02	0.40
1:DDD:632:PHE:HE1	2:CCC:19:ARG:NH1	2.10	0.40
2:CCC:113:MET:HE2	2:CCC:113:MET:HB3	1.96	0.40
2:AAA:390:HIS:HD2	2:AAA:415:PHE:CD1	2.39	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	BBB	187/189~(99%)	174 (93%)	11 (6%)	2(1%)	14	41
1	DDD	187/189~(99%)	174 (93%)	12 (6%)	1 (0%)	29	61
2	AAA	480/490~(98%)	459~(96%)	20 (4%)	1 (0%)	47	78
2	CCC	482/490~(98%)	462 (96%)	19 (4%)	1 (0%)	47	78
All	All	1336/1358~(98%)	1269 (95%)	62 (5%)	5 (0%)	34	66

All (5) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
2	AAA	33	ARG
2	CCC	33	ARG
1	BBB	599	GLU
1	DDD	495	LEU
1	BBB	486	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	BBB	153/158~(97%)	146~(95%)	7(5%)	27 60
1	DDD	151/158~(96%)	144 (95%)	7 (5%)	27 60
2	AAA	408/423~(96%)	398~(98%)	10 (2%)	47 80
2	CCC	413/423~(98%)	398~(96%)	15 (4%)	35 69
All	All	1125/1162~(97%)	1086 (96%)	39 (4%)	37 70

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	BBB	479	ARG
1	BBB	494	ASP
1	BBB	495	LEU
1	BBB	511	VAL
1	BBB	587	ASN
1	BBB	595	THR
1	BBB	600	HIS
2	AAA	88	GLU
2	AAA	121	MET
2	AAA	143	THR
2	AAA	299	ARG
2	AAA	323	LYS
2	AAA	404	ASP
2	AAA	416	LYS
2	AAA	433	LEU
2	AAA	465	LEU
2	AAA	490	LEU



Mol	Chain	Res	Type
1	DDD	451	THR
1	DDD	468	ARG
1	DDD	477	GLU
1	DDD	492	ASP
1	DDD	495	LEU
1	DDD	593	GLU
1	DDD	615	ASP
2	CCC	66	LYS
2	CCC	85	SER
2	CCC	107	GLN
2	CCC	139	ILE
2	CCC	147	ILE
2	CCC	279	GLU
2	CCC	283	ASP
2	CCC	285	LYS
2	CCC	357	GLU
2	CCC	402	ASP
2	CCC	408	MET
2	CCC	423	GLN
2	CCC	431[A]	ARG
2	CCC	431[B]	ARG
2	CCC	436	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 14 ligands modelled in this entry, 4 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	\mathbf{ths}	В	ond ang	les
1VIOI	туре	Unam	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
4	GOL	AAA	504	-	$5,\!5,\!5$	0.14	0	$5,\!5,\!5$	0.38	0
8	R8U	EbE	2101	-	36,40,40	0.94	1 (2%)	44,64,64	1.11	3 (6%)
4	GOL	BBB	701	-	$5,\!5,\!5$	0.10	0	$5,\!5,\!5$	0.37	0
4	GOL	FbF	2101	-	$5,\!5,\!5$	0.13	0	$5,\!5,\!5$	0.39	0
4	GOL	AAA	505	-	$5,\!5,\!5$	0.14	0	$5,\!5,\!5$	0.38	0
7	BTB	CCC	902	5	13,13,13	1.39	2 (15%)	7,16,16	0.76	0
4	GOL	CCC	903	-	$5,\!5,\!5$	0.12	0	$5,\!5,\!5$	0.43	0
4	GOL	AAA	501	-	$5,\!5,\!5$	0.11	0	$5,\!5,\!5$	0.39	0
4	GOL	AAA	503	-	$5,\!5,\!5$	0.10	0	$5,\!5,\!5$	0.31	0
8	R8U	FbF	2102	-	36,40,40	1.00	1 (2%)	44,64,64	0.96	2 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	AAA	504	-	-	4/4/4/4	-
8	R8U	EbE	2101	-	-	0/0/68/68	0/6/6/6
4	GOL	BBB	701	-	-	0/4/4/4	-
4	GOL	FbF	2101	-	-	0/4/4/4	-
4	GOL	AAA	505	-	-	3/4/4/4	-
7	BTB	CCC	902	5	-	2/21/21/21	-
4	GOL	CCC	903	-	-	2/4/4/4	-
4	GOL	AAA	501	-	-	2/4/4/4	-
4	GOL	AAA	503	-	-	0/4/4/4	-
8	R8U	FbF	2102	-	-	0/0/68/68	0/6/6/6

All (4) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
8	FbF	2102	R8U	C7-C22	3.75	1.40	1.37
8	EbE	2101	R8U	C7-C22	3.74	1.40	1.37
7	CCC	902	BTB	C2-N	3.64	1.55	1.48
7	CCC	902	BTB	C5-N	2.42	1.51	1.48

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
8	EbE	2101	R8U	C19-C18-C20	-3.32	111.00	113.77
8	EbE	2101	R8U	C9-C10-C13	-2.80	101.97	108.24
8	FbF	2102	R8U	C6-N1-C7	2.66	124.88	118.93
8	EbE	2101	R8U	F1-C22-C7	2.62	121.83	119.57
8	FbF	2102	R8U	C9-C10-C13	-2.62	102.37	108.24

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	AAA	505	GOL	O1-C1-C2-O2
4	AAA	505	GOL	O1-C1-C2-C3
4	CCC	903	GOL	O2-C2-C3-O3
4	AAA	501	GOL	C1-C2-C3-O3
4	AAA	504	GOL	O1-C1-C2-C3
4	AAA	504	GOL	C1-C2-C3-O3
4	CCC	903	GOL	C1-C2-C3-O3
7	CCC	902	BTB	N-C5-C6-O6
4	AAA	505	GOL	C1-C2-C3-O3
4	AAA	504	GOL	O1-C1-C2-O2
7	CCC	902	BTB	N-C7-C8-O8
4	AAA	501	GOL	O2-C2-C3-O3
4	AAA	504	GOL	O2-C2-C3-O3

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	AAA	504	GOL	1	0
4	BBB	701	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will



also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and similar rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	FbF	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	FbF	2019[A]:DT	O3'	2020[A]:DT	Р	1.86



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	BBB	189/189~(100%)	-0.02	2 (1%) 80 75	87, 117, 160, 190	0
1	DDD	189/189~(100%)	-0.11	2 (1%) 80 75	89, 113, 147, 160	0
2	AAA	482/490~(98%)	-0.23	0 100 100	56, 84, 112, 163	0
2	CCC	481/490~(98%)	-0.23	0 100 100	57, 81, 112, 141	0
3	EEE	8/20~(40%)	-0.37	0 100 100	72, 77, 83, 89	0
3	EbE	12/20~(60%)	-0.44	0 100 100	72, 86, 110, 151	0
3	FFF	8/20~(40%)	-0.37	0 100 100	67, 73, 96, 121	1 (12%)
3	FbF	12/20~(60%)	-0.41	0 100 100	72, 81, 115, 116	0
All	All	1381/1438~(96%)	-0.19	4 (0%) 94 93	56, 90, 136, 190	1 (0%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	600	HIS	2.9
1	DDD	539	ILE	2.3
1	DDD	639	TYR	2.1
1	BBB	485	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
4	GOL	AAA	501	6/6	0.84	0.30	90,90,90,90	0
4	GOL	AAA	503	6/6	0.87	0.21	89,90,90,90	0
4	GOL	FbF	2101	6/6	0.88	0.13	87,90,90,90	0
4	GOL	AAA	504	6/6	0.89	0.44	82,90,90,90	0
4	GOL	CCC	903	6/6	0.90	0.28	90,90,90,90	0
4	GOL	BBB	701	6/6	0.90	0.17	81,85,87,90	0
4	GOL	AAA	505	6/6	0.92	0.30	90,90,90,90	0
7	BTB	CCC	902	14/14	0.96	0.27	77,88,90,90	14
6	NA	AAA	502	1/1	0.97	0.04	$68,\!68,\!68,\!68$	0
8	R8U	EbE	2101	35/35	0.98	0.14	71,84,90,90	0
8	R8U	FbF	2102	35/35	0.98	0.14	64,82,90,90	0
5	MN	BBB	702	1/1	0.99	0.16	87,87,87,87	0
5	MN	DDD	701	1/1	1.00	0.18	84,84,84,84	0
5	MN	CCC	901	1/1	1.00	0.06	90,90,90,90	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers (i)

There are no such residues in this entry.

