

# Full wwPDB X-ray Structure Validation Report (i)

#### Mar 28, 2023 – 04:46 pm BST

PDB ID	:	8BS7
Title	:	Multimerisation domain of Borna disease virus 1
Authors	:	Whitehead, J.D.; Grimes, J.M.; Keown, J.R.
Deposited on	:	2022-11-24
Resolution	:	3.20  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity		4 02h-467
Mon robity	·	1.020-101
Xtriage (Phenix)	:	1.13
EDS	:	2.32.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.32.2

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Qu	ality of chain
1	А	217	6%	0%	60%
			7%	370	0970
1	В	217	28%	7%	65%
1	С	217	29%	8%	63%
1	р	217	13%	99/	620/
		211	6%	070	0570
1	Ε	217	25%	8%	67%



$\alpha \cdot \cdot \cdot \cdot$	C		
Continued	from	previous	page

Mol	Chain	Length			Quality of chain	
1	F	017	7%			
	F	217	2	28% 69	66%	
			6%			
1	G	217	2	7% •	69%	
			10%			
1	Н	217	25	i% 8%	67%	



## 2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 9095 atoms, of which 4570 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms					ZeroOcc	AltConf	Trace
1	Δ	68	Total	С	Η	Ν	0	S	0	0	0
L	Π	08	1047	316	524	92	109	6	0	0	0
1	В	76	Total	С	Η	Ν	Ο	$\mathbf{S}$	0	0	0
	D	10	1167	354	585	99	121	8	0	0	0
1	C	81	Total	С	Η	Ν	Ο	$\mathbf{S}$	0	0	0
1		01	1270	384	643	107	128	8	0	0	0
1	п	80	Total	С	Η	Ν	Ο	$\mathbf{S}$	0	0	0
	D	00	1234	375	621	103	127	8	0	0	0
1	F	71	Total	С	Η	Ν	Ο	$\mathbf{S}$	0	0	0
L	Ľ	11	1092	330	547	95	114	6	0	0	0
1	F	74	Total	С	Η	Ν	Ο	$\mathbf{S}$	0	0	0
1	Г	14	1149	347	579	99	117	7	0	0	0
1	C	68	Total	С	Η	Ν	Ο	$\mathbf{S}$	0	0	0
1	G	08	1031	313	514	89	109	6	0	0	0
1	Ц	71	Total	С	Н	Ν	0	S	0	0	0
	11	11	1105	333	557	96	112	7		0	U

• Molecule 1 is a protein called Phosphoprotein.

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-15	MET	-	initiating methionine	UNP P0C799
А	-14	HIS	-	expression tag	UNP P0C799
А	-13	HIS	-	expression tag	UNP P0C799
А	-12	HIS	-	expression tag	UNP P0C799
А	-11	HIS	-	expression tag	UNP P0C799
А	-10	HIS	-	expression tag	UNP P0C799
А	-9	HIS	-	expression tag	UNP P0C799
А	-8	HIS	-	expression tag	UNP P0C799
А	-7	HIS	-	expression tag	UNP P0C799
А	-6	GLU	-	expression tag	UNP P0C799
А	-5	ASN	-	expression tag	UNP P0C799
А	-4	LEU	-	expression tag	UNP P0C799
А	-3	TYR	-	expression tag	UNP P0C799



Chain	Residue	Modelled	Actual	Comment	Reference
А	-2	PHE	-	expression tag	UNP P0C799
А	-1	GLN	-	expression tag	UNP P0C799
А	0	GLY	-	expression tag	UNP P0C799
В	-15	MET	-	initiating methionine	UNP P0C799
В	-14	HIS	-	expression tag	UNP P0C799
В	-13	HIS	-	expression tag	UNP P0C799
В	-12	HIS	-	expression tag	UNP P0C799
В	-11	HIS	-	expression tag	UNP P0C799
В	-10	HIS	-	expression tag	UNP P0C799
В	-9	HIS	-	expression tag	UNP P0C799
В	-8	HIS	-	expression tag	UNP P0C799
В	-7	HIS	-	expression tag	UNP P0C799
В	-6	GLU	-	expression tag	UNP P0C799
В	-5	ASN	-	expression tag	UNP P0C799
В	-4	LEU	-	expression tag	UNP P0C799
В	-3	TYR	-	expression tag	UNP P0C799
В	-2	PHE	-	expression tag	UNP P0C799
В	-1	GLN	-	expression tag	UNP P0C799
В	0	GLY	-	expression tag	UNP P0C799
С	-15	MET	-	initiating methionine	UNP P0C799
С	-14	HIS	-	expression tag	UNP P0C799
С	-13	HIS	-	expression tag	UNP P0C799
С	-12	HIS	-	expression tag	UNP P0C799
C	-11	HIS	-	expression tag	UNP P0C799
C	-10	HIS	-	expression tag	UNP P0C799
C	-9	HIS	-	expression tag	UNP P0C799
C	-8	HIS	-	expression tag	UNP P0C799
С	-7	HIS	-	expression tag	UNP P0C799
C	-6	GLU	-	expression tag	UNP P0C799
C	-5	ASN	-	expression tag	UNP P0C799
C	-4	LEU	-	expression tag	UNP P0C799
C	-3	TYR	-	expression tag	UNP P0C799
С	-2	PHE	-	expression tag	UNP P0C799
C	-1	GLN	-	expression tag	UNP P0C799
C	0	GLY	-	expression tag	UNP P0C799
D	-15	MET	-	initiating methionine	UNP P0C799
D	-14	HIS	-	expression tag	UNP P0C799
D	-13	HIS	-	expression tag	UNP P0C799
D	-12	HIS	-	expression tag	UNP P0C799
D	-11	HIS	-	expression tag	UNP P0C799
D	-10	HIS	-	expression tag	UNP P0C799
D	-9	HIS	-	expression tag	UNP P0C799



Chain	Residue	Modelled	Actual	Comment	Reference
D	-8	HIS	-	expression tag	UNP P0C799
D	-7	HIS	-	expression tag	UNP P0C799
D	-6	GLU	-	expression tag	UNP P0C799
D	-5	ASN	-	expression tag	UNP P0C799
D	-4	LEU	-	expression tag	UNP P0C799
D	-3	TYR	-	expression tag	UNP P0C799
D	-2	PHE	-	expression tag	UNP P0C799
D	-1	GLN	-	expression tag	UNP P0C799
D	0	GLY	-	expression tag	UNP P0C799
E	-15	MET	-	initiating methionine	UNP P0C799
Ε	-14	HIS	-	expression tag	UNP P0C799
E	-13	HIS	-	expression tag	UNP P0C799
Ε	-12	HIS	-	expression tag	UNP P0C799
E	-11	HIS	-	expression tag	UNP P0C799
E	-10	HIS	-	expression tag	UNP P0C799
E	-9	HIS	-	expression tag	UNP P0C799
E	-8	HIS	-	expression tag	UNP P0C799
E	-7	HIS	-	expression tag	UNP P0C799
E	-6	GLU	-	expression tag	UNP P0C799
E	-5	ASN	-	expression tag	UNP P0C799
E	-4	LEU	-	expression tag	UNP P0C799
E	-3	TYR	-	expression tag	UNP P0C799
E	-2	PHE	-	expression tag	UNP P0C799
E	-1	GLN	-	expression tag	UNP P0C799
E	0	GLY	-	expression tag	UNP P0C799
F	-15	MET	-	initiating methionine	UNP P0C799
F	-14	HIS	-	expression tag	UNP P0C799
F	-13	HIS	-	expression tag	UNP P0C799
F	-12	HIS	-	expression tag	UNP P0C799
F	-11	HIS	-	expression tag	UNP P0C799
F	-10	HIS	-	expression tag	UNP P0C799
F	-9	HIS	-	expression tag	UNP P0C799
F	-8	HIS	-	expression tag	UNP P0C799
F	-7	HIS	-	expression tag	UNP P0C799
F	-6	GLU	-	expression tag	UNP P0C799
F	-5	ASN	-	expression tag	UNP P0C799
F	-4	LEU	-	expression tag	UNP P0C799
F	-3	TYR	-	expression tag	UNP P0C799
F	-2	PHE	-	expression tag	UNP P0C799
F	-1	GLN	-	expression tag	UNP P0C799
F	0	GLY	-	expression tag	UNP P0C799
G	-15	MET	-	initiating methionine	UNP P0C799



Chain	Residue	Modelled	Actual	Comment	Reference
G	-14	HIS	-	expression tag	UNP P0C799
G	-13	HIS	-	expression tag	UNP P0C799
G	-12	HIS	-	expression tag	UNP P0C799
G	-11	HIS	-	expression tag	UNP P0C799
G	-10	HIS	-	expression tag	UNP P0C799
G	-9	HIS	-	expression tag	UNP P0C799
G	-8	HIS	-	expression tag	UNP P0C799
G	-7	HIS	-	expression tag	UNP P0C799
G	-6	GLU	-	expression tag	UNP P0C799
G	-5	ASN	-	expression tag	UNP P0C799
G	-4	LEU	-	expression tag	UNP P0C799
G	-3	TYR	-	expression tag	UNP P0C799
G	-2	PHE	-	expression tag	UNP P0C799
G	-1	GLN	-	expression tag	UNP P0C799
G	0	GLY	-	expression tag	UNP P0C799
Н	-15	MET	-	initiating methionine	UNP P0C799
Н	-14	HIS	-	expression tag	UNP P0C799
Н	-13	HIS	-	expression tag	UNP P0C799
Н	-12	HIS	-	expression tag	UNP P0C799
Н	-11	HIS	-	expression tag	UNP P0C799
Н	-10	HIS	-	expression tag	UNP P0C799
Н	-9	HIS	-	expression tag	UNP P0C799
Н	-8	HIS	-	expression tag	UNP P0C799
Н	-7	HIS	-	expression tag	UNP P0C799
Н	-6	GLU	-	expression tag	UNP P0C799
Н	-5	ASN	-	expression tag	UNP P0C799
Н	-4	LEU	-	expression tag	UNP P0C799
Н	-3	TYR	-	expression tag	UNP P0C799
Н	-2	PHE	-	expression tag	UNP P0C799
Н	-1	GLN	-	expression tag	UNP P0C799
Н	0	GLY	-	expression tag	UNP P0C799



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Phosphoprotein















## 4 Data and refinement statistics (i)

Property	Value	Source			
Space group	P 1	Depositor			
Cell constants	34.87Å 35.15Å 153.12Å	Deperitor			
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$89.97^{\circ}$ $90.01^{\circ}$ $90.54^{\circ}$	Depositor			
Besolution(A)	51.04 - 3.20	Depositor			
Resolution (A)	51.04 - 2.79	EDS			
% Data completeness	93.3(51.04-3.20)	Depositor			
(in resolution range)	68.4(51.04-2.79)	EDS			
$R_{merge}$	(Not available)	Depositor			
$R_{sym}$	(Not available)	Depositor			
$< I/\sigma(I) > 1$	$2.38 (at 2.81 \text{\AA})$	Xtriage			
Refinement program	PHENIX 1.20.1_4487	Depositor			
B B c	0.335 , $0.387$	Depositor			
It, It <sub>free</sub>	0.337 , $0.382$	DCC			
$R_{free}$ test set	589 reflections $(4.10\%)$	wwPDB-VP			
Wilson B-factor $(Å^2)$	33.5	Xtriage			
Anisotropy	0.230	Xtriage			
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.36 , -1.8	EDS			
L-test for $twinning^2$	$<  L  > = 0.51, < L^2 > = 0.35$	Xtriage			
	0.367 for -k,h,l				
	0.367 for k,-h,l				
	0.397 for h,-k,-l				
Estimated twinning fraction	0.367 for -h,k,-l	Xtriage			
	0.377 for -h,-k,l				
	0.377 for -k,-h,-l				
	0.378 for k,h,-l				
$F_o, F_c$ correlation	0.88	EDS			
Total number of atoms	9095	wwPDB-VP			
Average B, all atoms $(Å^2)$	47.0	wwPDB-VP			

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 28.46 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8354e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond	angles
	Ullalli	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.24	0/524	0.48	0/700
1	В	0.24	0/583	0.45	0/777
1	С	0.24	0/628	0.48	0/838
1	D	0.24	0/614	0.46	0/820
1	Ε	0.24	0/546	0.50	0/730
1	F	0.25	0/571	0.49	0/762
1	G	0.24	0/518	0.46	0/693
1	Н	0.23	0/549	0.50	0/732
All	All	0.24	0/4533	0.48	0/6052

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	523	524	524	20	0
1	В	582	585	585	16	0
1	С	627	643	642	21	0
1	D	613	621	620	26	0
1	Е	545	547	546	16	0
1	F	570	579	579	15	0
1	G	517	514	513	14	0
1	Н	548	557	557	17	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4525	4570	4566	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:141:LEU:HD22	1:C:141:LEU:HD21	1.52	0.92
1:E:141:LEU:HD21	1:H:141:LEU:HD23	1.56	0.86
1:C:109:GLU:OE1	1:H:132:ARG:NH1	2.19	0.75
1:A:147:THR:O	1:A:151:THR:HG23	1.89	0.73
1:C:99:ASP:OD1	1:C:100:ILE:N	2.22	0.72
1:G:147:THR:O	1:G:151:THR:HG23	1.92	0.69
1:E:134:LEU:HD23	1:F:134:LEU:HD21	1.76	0.67
1:D:84:GLU:O	1:D:88:ILE:HD12	1.95	0.67
1:A:134:LEU:HD21	1:D:138:ILE:HD13	1.77	0.66
1:C:134:LEU:HD23	1:D:134:LEU:HD21	1.77	0.66
1:B:117:GLU:O	1:B:121:THR:HG23	1.97	0.64
1:C:141:LEU:HD23	1:D:141:LEU:CD1	2.27	0.64
1:F:134:LEU:HD23	1:G:134:LEU:CD1	2.27	0.64
1:A:134:LEU:HD21	1:D:138:ILE:CD1	2.29	0.63
1:F:147:THR:O	1:F:151:THR:HG23	2.01	0.61
1:D:89:GLU:O	1:D:93:VAL:HG23	2.01	0.59
1:D:158:LYS:HA	1:D:161:LEU:HD23	1.86	0.58
1:B:115:GLN:HB3	1:C:114:LEU:HD22	1.85	0.58
1:C:141:LEU:HD23	1:D:141:LEU:HD13	1.85	0.58
1:H:147:THR:O	1:H:151:THR:HG23	2.04	0.58
1:E:141:LEU:CD2	1:H:141:LEU:HD23	2.32	0.57
1:G:119:ILE:HD12	1:H:117:GLU:HG2	1.86	0.56
1:H:92:GLU:OE2	1:H:93:VAL:HG23	2.06	0.56
1:D:147:THR:O	1:D:151:THR:HG23	2.07	0.55
1:E:134:LEU:CD2	1:F:134:LEU:HD21	2.36	0.55
1:A:134:LEU:HD11	1:D:134:LEU:HD23	1.88	0.55
1:B:154:LEU:HD12	1:E:87:MET:SD	2.48	0.54
1:E:141:LEU:HD21	1:H:141:LEU:CD2	2.33	0.54
1:F:134:LEU:HD23	1:G:134:LEU:HD11	1.88	0.54
1:C:145:MET:HE3	1:D:141:LEU:HD22	1.89	0.53
1:B:136:GLU:OE2	1:B:140:ILE:HD11	2.08	0.53
1:D:146:LYS:O	1:D:149:MET:HG2	2.09	0.53
1:A:138:ILE:CD1	1:B:138:ILE:HD11	2.40	0.52



	io de pagem	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:E:147:THR:O	1:E:151:THR:HG23	2.09	0.52	
1:F:134:LEU:HD23	1:G:134:LEU:HD13	1.91	0.52	
1:B:99:ASP:OD2	1:B:103:ARG:NH2	2.42	0.51	
1:A:141:LEU:HD23	1:B:141:LEU:CD1	2.40	0.51	
1:C:108:PHE:HD1	1:D:111:LEU:HD11	1.75	0.51	
1:C:112:SER:O	1:C:116:VAL:HG23	2.11	0.51	
1:F:119:ILE:HD12	1:G:117:GLU:HG2	1.93	0.51	
1:B:100:ILE:O	1:B:104:ILE:HG13	2.10	0.50	
1:C:114:LEU:O	1:C:114:LEU:HD23	2.11	0.50	
1:G:131:ILE:HG21	1:H:130:SER:HB3	1.94	0.50	
1:C:137:ASN:HA	1:C:140:ILE:HD12	1.93	0.50	
1:E:116:VAL:HG12	1:E:120:GLN:OE1	2.12	0.50	
1:D:84:GLU:HG2	1:D:88:ILE:HD11	1.93	0.49	
1:B:97:LEU:HD22	1:C:100:ILE:CD1	2.42	0.49	
1:C:134:LEU:CD2	1:D:134:LEU:HD21	2.44	0.48	
1:A:134:LEU:HD23	1:A:134:LEU:O	2.14	0.48	
1:G:111:LEU:HB3	1:H:111:LEU:HD11	1.94	0.48	
1:E:125:CYS:SG	1:H:125:CYS:HB2	2.54	0.47	
1:C:145:MET:CE	1:D:141:LEU:HD22	2.43	0.47	
1:G:119:ILE:HD12	1:H:117:GLU:CG	2.45	0.47	
1:A:141:LEU:HD23	1:B:141:LEU:HD13	1.97	0.47	
1:A:134:LEU:CD1	1:D:134:LEU:HD23	2.45	0.47	
1:A:117:GLU:HG2	1:D:119:ILE:HD11	1.97	0.47	
1:F:113:ALA:O	1:F:116:VAL:HG22	2.15	0.47	
1:C:99:ASP:OD1	1:C:99:ASP:C	2.53	0.46	
1:A:115:GLN:HE22	1:B:115:GLN:HG3	1.80	0.46	
1:A:125:CYS:HB2	1:B:125:CYS:HG	1.81	0.46	
1:E:134:LEU:HD23	1:F:134:LEU:CD2	2.44	0.46	
1:F:141:LEU:HD23	1:G:141:LEU:CD2	2.46	0.46	
1:E:151:THR:OG1	1:E:152:MET:N	2.49	0.46	
1:D:88:ILE:HD12	1:D:88:ILE:H	1.82	0.45	
1:F:107:GLY:O	1:F:111:LEU:HD23	2.17	0.44	
1:A:90:ALA:O	1:A:93:VAL:HG12	2.17	0.44	
1:A:91:GLU:O	1:A:94:ARG:HG2	2.18	0.44	
1:A:138:ILE:HD13	1:B:138:ILE:HD11	2.00	0.44	
1:E:134:LEU:CD1	1:H:135:GLY:HA2	2.48	0.44	
1:F:141:LEU:HD23	1:G:141:LEU:HD21	1.99	0.44	
1:C:141:LEU:HD23	1:D:141:LEU:HD11	1.98	0.44	
1:A:114:LEU:HD21	1:D:116:VAL:HG23	2.00	0.43	
1:G:135:GLY:HA2	1:H:134:LEU:CD1	2.48	0.43	
1:G:141:LEU:CD2	1:H:141:LEU:HD21	2.47	0.43	



	A.t.a.m. 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:C:138:ILE:CD1	1:D:138:ILE:HD11	2.48	0.43
1:F:82:LEU:O	1:F:82:LEU:HD23	2.18	0.43
1:H:89:GLU:O	1:H:92:GLU:HG3	2.19	0.43
1:D:142:ASP:HA	1:D:145:MET:HG3	2.01	0.43
1:E:112:SER:O	1:E:116:VAL:HG23	2.18	0.42
1:H:148:MET:O	1:H:152:MET:HG2	2.18	0.42
1:F:90:ALA:O	1:F:93:VAL:HG12	2.19	0.42
1:A:145:MET:HE1	1:B:141:LEU:HD21	2.00	0.42
1:E:129:ASP:O	1:E:133:ILE:HG13	2.19	0.42
1:F:115:GLN:HE21	1:G:111:LEU:HD22	1.84	0.42
1:D:93:VAL:HG12	1:D:97:LEU:HD13	2.01	0.41
1:E:89:GLU:O	1:E:93:VAL:HG23	2.20	0.41
1:A:134:LEU:HD23	1:A:134:LEU:C	2.40	0.41
1:B:113:ALA:O	1:B:117:GLU:HG3	2.21	0.41
1:C:115:GLN:OE1	1:D:111:LEU:HD22	2.20	0.41
1:A:132:ARG:HG3	1:A:133:ILE:N	2.36	0.41
1:A:134:LEU:CD2	1:D:138:ILE:HD13	2.47	0.40
1:C:85:ASN:O	1:C:89:GLU:HG2	2.21	0.40
1:C:161:LEU:HD23	1:C:161:LEU:N	2.36	0.40
1:E:134:LEU:CD1	1:H:138:ILE:HD12	2.52	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	А	66/217~(30%)	66 (100%)	0	0	100	100
1	В	74/217~(34%)	74 (100%)	0	0	100	100
1	С	79/217~(36%)	78~(99%)	1 (1%)	0	100	100
1	D	78/217~(36%)	77~(99%)	0	1 (1%)	12	47



			<b>F</b> 1			Б	
Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	Е	69/217~(32%)	68~(99%)	1 (1%)	0	100	100
1	F	72/217~(33%)	72 (100%)	0	0	100	100
1	G	66/217~(30%)	66 (100%)	0	0	100	100
1	Н	69/217~(32%)	69 (100%)	0	0	100	100
All	All	573/1736~(33%)	570 (100%)	2~(0%)	1 (0%)	47	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	161	LEU

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	59/196~(30%)	56~(95%)	3~(5%)	24	60
1	В	65/196~(33%)	64~(98%)	1 (2%)	65	85
1	С	71/196~(36%)	71~(100%)	0	100	100
1	D	69/196~(35%)	69~(100%)	0	100	100
1	Ε	61/196~(31%)	58~(95%)	3~(5%)	25	61
1	F	64/196~(33%)	64 (100%)	0	100	100
1	G	58/196~(30%)	58 (100%)	0	100	100
1	Н	62/196~(32%)	61 (98%)	1 (2%)	62	84
All	All	509/1568~(32%)	501 (98%)	8 (2%)	62	84

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	92	GLU
1	А	110	SER
1	А	146	LYS



Continued from previous page...

Mol	Chain	Res	Type
1	В	128	SER
1	Ε	101	SER
1	Е	143	ARG
1	Е	149	MET
1	Н	146	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

There are no ligands in this entry.

#### 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSR	$\mathbf{Z}>2$	2	$OWAB(Å^2)$	Q<0.9
1	А	68/217~(31%)	1.33	14 (20%)	1	1	30, 37, 52, 58	3 0
1	В	76/217~(35%)	1.03	16 (21%)	1	1	28, 39, 61, 73	3 0
1	С	81/217~(37%)	0.94	10 (12%)	4	2	31, 40, 62, 68	3 0
1	D	80/217~(36%)	1.79	28~(35%)	0	0	26, 41, 68, 88	3 0
1	Е	71/217~(32%)	1.31	14 (19%)	1	1	28, 39, 63, 94	4 O
1	F	74/217~(34%)	1.29	15 (20%)	1	1	33, 41, 67, 84	£ 0
1	G	68/217~(31%)	0.91	12 (17%)	1	1	28, 38, 50, 54	4 O
1	Н	71/217~(32%)	1.63	22 (30%)	0	0	28, 40, 61, 82	0
All	All	589/1736~(33%)	1.28	131 (22%)	0	0	26, 40, 64, 94	4 0

All (131) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	125	CYS	13.4
1	Н	125	CYS	12.8
1	Н	121	THR	9.3
1	D	84	GLU	8.0
1	Е	82	LEU	7.9
1	А	127	HIS	7.6
1	F	127	HIS	7.6
1	Н	122	ALA	7.1
1	D	159	VAL	7.0
1	А	126	ASP	7.0
1	С	137	ASN	6.9
1	D	99	ASP	6.8
1	Е	131	ILE	6.7
1	F	104	ILE	6.7
1	А	128	SER	6.4
1	Е	85	ASN	6.4



Mol	Chain	Res	Type	RSRZ
1	Е	129	ASP	6.1
1	Н	152	MET	5.7
1	D	157	GLU	5.5
1	Н	143	ARG	5.4
1	А	96	THR	5.4
1	F	119	ILE	5.2
1	А	131	ILE	5.2
1	G	149	MET	5.2
1	G	138	ILE	5.1
1	Е	84	GLU	5.0
1	Н	136	GLU	5.0
1	D	121	THR	5.0
1	F	86	SER	5.0
1	D	156	MET	5.0
1	С	155	MET	4.9
1	Н	112	SER	4.8
1	G	89	GLU	4.7
1	Е	138	ILE	4.5
1	Н	124	ARG	4.5
1	Н	94	ARG	4.4
1	G	142	ASP	4.4
1	А	138	ILE	4.4
1	F	101	SER	4.4
1	В	90	ALA	4.3
1	D	155	MET	4.2
1	В	97	LEU	4.1
1	Н	101	SER	3.9
1	D	153	LYS	3.9
1	В	154	LEU	3.9
1	Н	118	THR	3.8
1	F	126	ASP	3.7
1	Н	88	ILE	3.6
1	C	152	MET	3.5
1	В	158	LYS	3.5
1	D	135	GLY	3.5
1	D	122	ALA	3.5
1	F	118	THR	3.4
1	В	115	GLN	3.4
1	G	102	ALA	3.4
1	А	100	ILE	3.4
1	F	97	LEU	3.3
1	Е	102	ALA	3.3



Mol	Chain	Res	Type	RSRZ
1	D	137	ASN	3.3
1	С	159	VAL	3.3
1	С	140	ILE	3.3
1	D	136	GLU	3.2
1	В	83	ALA	3.2
1	Н	132	ARG	3.2
1	G	125	CYS	3.2
1	G	139	LYS	3.2
1	Н	104	ILE	3.2
1	D	96	THR	3.2
1	В	86	SER	3.2
1	В	99	ASP	3.1
1	D	160	ASP	3.1
1	В	98	GLY	3.1
1	D	127	HIS	3.1
1	А	142	ASP	3.0
1	D	138	ILE	3.0
1	В	134	LEU	2.9
1	D	129	ASP	2.9
1	А	120	GLN	2.9
1	Е	120	GLN	2.8
1	С	124	ARG	2.8
1	F	152	MET	2.8
1	D	95	GLY	2.8
1	F	90	ALA	2.8
1	D	134	LEU	2.8
1	D	86	SER	2.7
1	F	88	ILE	2.7
1	G	91	GLU	2.7
1	Н	153	LYS	2.7
1	D	83	ALA	2.6
1	D	103	ARG	2.6
1	F	83	ALA	2.6
1	В	87	MET	2.6
1	С	151	THR	2.6
1	E	86	SER	2.6
1	A	98	GLY	2.5
1	A	145	MET	2.5
1	D	118	THR	2.5
1	D	100	ILE	2.5
1	G	131	ILE	2.5
1	Е	134	LEU	2.5



Mol	Chain	Res	Type	RSRZ
1	Е	106	ALA	2.5
1	Е	115	GLN	2.5
1	В	118	THR	2.4
1	В	127	HIS	2.4
1	А	88	ILE	2.4
1	В	108	PHE	2.3
1	D	108	PHE	2.3
1	F	136	GLU	2.3
1	Н	155	MET	2.3
1	G	141	LEU	2.3
1	Е	89	GLU	2.3
1	В	94	ARG	2.3
1	F	99	ASP	2.3
1	А	125	CYS	2.2
1	С	118	THR	2.2
1	Н	116	VAL	2.1
1	Н	139	LYS	2.1
1	D	152	MET	2.1
1	G	87	MET	2.1
1	Н	129	ASP	2.1
1	F	134	LEU	2.1
1	А	149	MET	2.1
1	G	148	MET	2.1
1	D	124	ARG	2.1
1	В	141	LEU	2.1
1	Н	115	GLN	2.1
1	Н	127	HIS	2.1
1	Е	133	ILE	2.0
1	С	111	LEU	2.0
1	Н	108	PHE	2.0
1	С	109	GLU	2.0

Continued from previous page...

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



## 6.4 Ligands (i)

There are no ligands in this entry.

## 6.5 Other polymers (i)

There are no such residues in this entry.

