



wwPDB X-ray Structure Validation Summary Report

Mar 28, 2023 – 04:46 pm BST

PDB ID : 8BS7
Title : Multimerisation domain of Bornavirus 1
Authors : Whitehead, J.D.; Grimes, J.M.; Keown, J.R.
Deposited on : 2022-11-24
Resolution : 3.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.32.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	217	
1	B	217	
1	C	217	
1	D	217	
1	E	217	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	217	 <p>7% 28% 6% 66%</p>
1	G	217	 <p>6% 27% 6% 69%</p>
1	H	217	 <p>10% 25% 8% 67%</p>

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 9095 atoms, of which 4570 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoprotein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	68	1047	316	524	92	109	6	0	0	0
1	B	76	1167	354	585	99	121	8	0	0	0
1	C	81	1270	384	643	107	128	8	0	0	0
1	D	80	1234	375	621	103	127	8	0	0	0
1	E	71	1092	330	547	95	114	6	0	0	0
1	F	74	1149	347	579	99	117	7	0	0	0
1	G	68	1031	313	514	89	109	6	0	0	0
1	H	71	1105	333	557	96	112	7	0	0	0

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-15	MET	-	initiating methionine	UNP P0C799
A	-14	HIS	-	expression tag	UNP P0C799
A	-13	HIS	-	expression tag	UNP P0C799
A	-12	HIS	-	expression tag	UNP P0C799
A	-11	HIS	-	expression tag	UNP P0C799
A	-10	HIS	-	expression tag	UNP P0C799
A	-9	HIS	-	expression tag	UNP P0C799
A	-8	HIS	-	expression tag	UNP P0C799
A	-7	HIS	-	expression tag	UNP P0C799
A	-6	GLU	-	expression tag	UNP P0C799
A	-5	ASN	-	expression tag	UNP P0C799
A	-4	LEU	-	expression tag	UNP P0C799
A	-3	TYR	-	expression tag	UNP P0C799

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	PHE	-	expression tag	UNP P0C799
A	-1	GLN	-	expression tag	UNP P0C799
A	0	GLY	-	expression tag	UNP P0C799
B	-15	MET	-	initiating methionine	UNP P0C799
B	-14	HIS	-	expression tag	UNP P0C799
B	-13	HIS	-	expression tag	UNP P0C799
B	-12	HIS	-	expression tag	UNP P0C799
B	-11	HIS	-	expression tag	UNP P0C799
B	-10	HIS	-	expression tag	UNP P0C799
B	-9	HIS	-	expression tag	UNP P0C799
B	-8	HIS	-	expression tag	UNP P0C799
B	-7	HIS	-	expression tag	UNP P0C799
B	-6	GLU	-	expression tag	UNP P0C799
B	-5	ASN	-	expression tag	UNP P0C799
B	-4	LEU	-	expression tag	UNP P0C799
B	-3	TYR	-	expression tag	UNP P0C799
B	-2	PHE	-	expression tag	UNP P0C799
B	-1	GLN	-	expression tag	UNP P0C799
B	0	GLY	-	expression tag	UNP P0C799
C	-15	MET	-	initiating methionine	UNP P0C799
C	-14	HIS	-	expression tag	UNP P0C799
C	-13	HIS	-	expression tag	UNP P0C799
C	-12	HIS	-	expression tag	UNP P0C799
C	-11	HIS	-	expression tag	UNP P0C799
C	-10	HIS	-	expression tag	UNP P0C799
C	-9	HIS	-	expression tag	UNP P0C799
C	-8	HIS	-	expression tag	UNP P0C799
C	-7	HIS	-	expression tag	UNP P0C799
C	-6	GLU	-	expression tag	UNP P0C799
C	-5	ASN	-	expression tag	UNP P0C799
C	-4	LEU	-	expression tag	UNP P0C799
C	-3	TYR	-	expression tag	UNP P0C799
C	-2	PHE	-	expression tag	UNP P0C799
C	-1	GLN	-	expression tag	UNP P0C799
C	0	GLY	-	expression tag	UNP P0C799
D	-15	MET	-	initiating methionine	UNP P0C799
D	-14	HIS	-	expression tag	UNP P0C799
D	-13	HIS	-	expression tag	UNP P0C799
D	-12	HIS	-	expression tag	UNP P0C799
D	-11	HIS	-	expression tag	UNP P0C799
D	-10	HIS	-	expression tag	UNP P0C799
D	-9	HIS	-	expression tag	UNP P0C799

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-8	HIS	-	expression tag	UNP P0C799
D	-7	HIS	-	expression tag	UNP P0C799
D	-6	GLU	-	expression tag	UNP P0C799
D	-5	ASN	-	expression tag	UNP P0C799
D	-4	LEU	-	expression tag	UNP P0C799
D	-3	TYR	-	expression tag	UNP P0C799
D	-2	PHE	-	expression tag	UNP P0C799
D	-1	GLN	-	expression tag	UNP P0C799
D	0	GLY	-	expression tag	UNP P0C799
E	-15	MET	-	initiating methionine	UNP P0C799
E	-14	HIS	-	expression tag	UNP P0C799
E	-13	HIS	-	expression tag	UNP P0C799
E	-12	HIS	-	expression tag	UNP P0C799
E	-11	HIS	-	expression tag	UNP P0C799
E	-10	HIS	-	expression tag	UNP P0C799
E	-9	HIS	-	expression tag	UNP P0C799
E	-8	HIS	-	expression tag	UNP P0C799
E	-7	HIS	-	expression tag	UNP P0C799
E	-6	GLU	-	expression tag	UNP P0C799
E	-5	ASN	-	expression tag	UNP P0C799
E	-4	LEU	-	expression tag	UNP P0C799
E	-3	TYR	-	expression tag	UNP P0C799
E	-2	PHE	-	expression tag	UNP P0C799
E	-1	GLN	-	expression tag	UNP P0C799
E	0	GLY	-	expression tag	UNP P0C799
F	-15	MET	-	initiating methionine	UNP P0C799
F	-14	HIS	-	expression tag	UNP P0C799
F	-13	HIS	-	expression tag	UNP P0C799
F	-12	HIS	-	expression tag	UNP P0C799
F	-11	HIS	-	expression tag	UNP P0C799
F	-10	HIS	-	expression tag	UNP P0C799
F	-9	HIS	-	expression tag	UNP P0C799
F	-8	HIS	-	expression tag	UNP P0C799
F	-7	HIS	-	expression tag	UNP P0C799
F	-6	GLU	-	expression tag	UNP P0C799
F	-5	ASN	-	expression tag	UNP P0C799
F	-4	LEU	-	expression tag	UNP P0C799
F	-3	TYR	-	expression tag	UNP P0C799
F	-2	PHE	-	expression tag	UNP P0C799
F	-1	GLN	-	expression tag	UNP P0C799
F	0	GLY	-	expression tag	UNP P0C799
G	-15	MET	-	initiating methionine	UNP P0C799

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-14	HIS	-	expression tag	UNP P0C799
G	-13	HIS	-	expression tag	UNP P0C799
G	-12	HIS	-	expression tag	UNP P0C799
G	-11	HIS	-	expression tag	UNP P0C799
G	-10	HIS	-	expression tag	UNP P0C799
G	-9	HIS	-	expression tag	UNP P0C799
G	-8	HIS	-	expression tag	UNP P0C799
G	-7	HIS	-	expression tag	UNP P0C799
G	-6	GLU	-	expression tag	UNP P0C799
G	-5	ASN	-	expression tag	UNP P0C799
G	-4	LEU	-	expression tag	UNP P0C799
G	-3	TYR	-	expression tag	UNP P0C799
G	-2	PHE	-	expression tag	UNP P0C799
G	-1	GLN	-	expression tag	UNP P0C799
G	0	GLY	-	expression tag	UNP P0C799
H	-15	MET	-	initiating methionine	UNP P0C799
H	-14	HIS	-	expression tag	UNP P0C799
H	-13	HIS	-	expression tag	UNP P0C799
H	-12	HIS	-	expression tag	UNP P0C799
H	-11	HIS	-	expression tag	UNP P0C799
H	-10	HIS	-	expression tag	UNP P0C799
H	-9	HIS	-	expression tag	UNP P0C799
H	-8	HIS	-	expression tag	UNP P0C799
H	-7	HIS	-	expression tag	UNP P0C799
H	-6	GLU	-	expression tag	UNP P0C799
H	-5	ASN	-	expression tag	UNP P0C799
H	-4	LEU	-	expression tag	UNP P0C799
H	-3	TYR	-	expression tag	UNP P0C799
H	-2	PHE	-	expression tag	UNP P0C799
H	-1	GLN	-	expression tag	UNP P0C799
H	0	GLY	-	expression tag	UNP P0C799

4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	34.87Å 35.15Å 153.12Å 89.97° 90.01° 90.54°	Depositor
Resolution (Å)	51.04 – 3.20 51.04 – 2.79	Depositor EDS
% Data completeness (in resolution range)	93.3 (51.04-3.20) 68.4 (51.04-2.79)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 2.81Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.335 , 0.387 0.337 , 0.382	Depositor DCC
R_{free} test set	589 reflections (4.10%)	wwPDB-VP
Wilson B-factor (Å ²)	33.5	Xtrriage
Anisotropy	0.230	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , -1.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.367 for -k,h,l 0.367 for k,-h,l 0.397 for h,-k,-l 0.367 for -h,k,-l 0.377 for -h,-k,l 0.377 for -k,-h,-l 0.378 for k,h,-l	Xtrriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	9095	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 28.46 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8354e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/524	0.48	0/700
1	B	0.24	0/583	0.45	0/777
1	C	0.24	0/628	0.48	0/838
1	D	0.24	0/614	0.46	0/820
1	E	0.24	0/546	0.50	0/730
1	F	0.25	0/571	0.49	0/762
1	G	0.24	0/518	0.46	0/693
1	H	0.23	0/549	0.50	0/732
All	All	0.24	0/4533	0.48	0/6052

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	523	524	524	20	0
1	B	582	585	585	16	0
1	C	627	643	642	21	0
1	D	613	621	620	26	0
1	E	545	547	546	16	0
1	F	570	579	579	15	0
1	G	517	514	513	14	0
1	H	548	557	557	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4525	4570	4566	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 94 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:141:LEU:HD22	1:C:141:LEU:HD21	1.52	0.92
1:E:141:LEU:HD21	1:H:141:LEU:HD23	1.56	0.86
1:C:109:GLU:OE1	1:H:132:ARG:NH1	2.19	0.75
1:A:147:THR:O	1:A:151:THR:HG23	1.89	0.73
1:C:99:ASP:OD1	1:C:100:ILE:N	2.22	0.72

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	66/217 (30%)	66 (100%)	0	0	100	100
1	B	74/217 (34%)	74 (100%)	0	0	100	100
1	C	79/217 (36%)	78 (99%)	1 (1%)	0	100	100
1	D	78/217 (36%)	77 (99%)	0	1 (1%)	12	47
1	E	69/217 (32%)	68 (99%)	1 (1%)	0	100	100
1	F	72/217 (33%)	72 (100%)	0	0	100	100
1	G	66/217 (30%)	66 (100%)	0	0	100	100
1	H	69/217 (32%)	69 (100%)	0	0	100	100
All	All	573/1736 (33%)	570 (100%)	2 (0%)	1 (0%)	47	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	161	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	59/196 (30%)	56 (95%)	3 (5%)	24	60
1	B	65/196 (33%)	64 (98%)	1 (2%)	65	85
1	C	71/196 (36%)	71 (100%)	0	100	100
1	D	69/196 (35%)	69 (100%)	0	100	100
1	E	61/196 (31%)	58 (95%)	3 (5%)	25	61
1	F	64/196 (33%)	64 (100%)	0	100	100
1	G	58/196 (30%)	58 (100%)	0	100	100
1	H	62/196 (32%)	61 (98%)	1 (2%)	62	84
All	All	509/1568 (32%)	501 (98%)	8 (2%)	62	84

5 of 8 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	146	LYS
1	E	149	MET
1	E	101	SER
1	B	128	SER
1	E	143	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9	
1	A	68/217 (31%)	1.33	14 (20%)	1 1	30, 37, 52, 58	0
1	B	76/217 (35%)	1.03	16 (21%)	1 1	28, 39, 61, 73	0
1	C	81/217 (37%)	0.94	10 (12%)	4 2	31, 40, 62, 68	0
1	D	80/217 (36%)	1.79	28 (35%)	0 0	26, 41, 68, 88	0
1	E	71/217 (32%)	1.31	14 (19%)	1 1	28, 39, 63, 94	0
1	F	74/217 (34%)	1.29	15 (20%)	1 1	33, 41, 67, 84	0
1	G	68/217 (31%)	0.91	12 (17%)	1 1	28, 38, 50, 54	0
1	H	71/217 (32%)	1.63	22 (30%)	0 0	28, 40, 61, 81	0
All	All	589/1736 (33%)	1.28	131 (22%)	0 0	26, 40, 64, 94	0

The worst 5 of 131 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	125	CYS	13.4
1	H	125	CYS	12.8
1	H	121	THR	9.3
1	D	84	GLU	8.0
1	E	82	LEU	7.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.