

Full wwPDB X-ray Structure Validation Report (i)

Dec 18, 2023 – 01:13 am GMT

PDB ID	:	4BTX
Title	:	Crystal structure of human vascular adhesion protein-1 in complex with pyri-
		dazinone inhibitors
Authors	:	Bligt-Linden, E.; Pihlavisto, M.; Szatmari, I.; Otwinowski, Z.; Smith, D.J.;
		Lazar, L.; Fulop, F.; Salminen, T.A.
Deposited on	:	2013-06-19
Resolution	:	2.78 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	4107 (2.80-2.76)
Clashscore	141614	4575 (2.80-2.76)
Ramachandran outliers	138981	4487 (2.80-2.76)
Sidechain outliers	138945	4489 (2.80-2.76)
RSRZ outliers	127900	4027 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	737	3% 72%	20%	• •
1	В	737	3% 69%	23%	•••
2	С	3	33% 67%		
3	D	3	67%	33%	



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	NAG	А	1770	-	-	-	Х
6	NAG	В	1772	-	-	-	Х
6	NAG	В	1773	-	-	-	Х
8	MAN	В	1768	-	-	-	Х



4BTX

2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 11686 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		\mathbf{A}^{\dagger}	toms			ZeroOcc	AltConf	Trace
1	А	709	Total 5592	C 3589	N 966	O 1017	S 20	0	0	0
1	В	706	Total 5564	C 3573	N 958	0 1013	S 20	0	0	0

• Molecule 1 is a protein called MEMBRANE PRIMARY AMINE OXIDASE.

• Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	I	Aton	ns		ZeroOcc	AltConf	Trace
2	С	3	Total 39	C 22	N 2	0 15	0	0	0

• Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxybeta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	A	toms		ZeroOcc	AltConf	Trace
3	D	3	Total 39	C N 22 2	O 15	0	0	0

• Molecule 4 is COPPER (II) ION (three-letter code: CU) (formula: Cu).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Cu 1 1	0	0
4	В	1	Total Cu 1 1	0	0

• Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	2	Total Ca 2 2	0	0
5	В	2	Total Ca 2 2	0	0

• Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	Total C N O 14 8 1 5	0	0
6	А	1	Total C N O 14 8 1 5	0	0
6	А	1	Total C N O 14 8 1 5	0	0
6	В	1	Total C N O 14 8 1 5	0	0
6	В	1	Total C N O 14 8 1 5	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	В	1	Total 14	C 8	N 1	O 5	0	0
6	В	1	Total 14	C 8	N 1	O 5	0	0

• Molecule 7 is 5-isopropylamino-2-phenyl-6-(1H-1,2,4-triazol-5-yl)-3(2H)-pyridazinone (three-letter code: WF8) (formula: $C_{15}H_{16}N_6O$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	Λ	1	Total	С	Ν	0	0	0
1	1 A	1	22	15	6	1	0	0
7	В	1	Total	С	Ν	0	0	0
'	D		22	15	6	1	0	

• Molecule 8 is alpha-D-mannopyranose (three-letter code: MAN) (formula: $C_6H_{12}O_6$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	В	1	Total 12	С 6	O 6	0	0

• Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	А	159	Total O 159 159	0	0
9	В	133	Total O 133 133	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: MEMBRANE PRIMARY AMINE OXIDASE





NAG MAN

T/14 TS83 Y 471 V352 7/24 8564 473 V360 7/24 N552 4473 V360 7/24 N552 4473 V360 7/24 N552 4473 V360 7/24 N552 4486 7476 7/25 N603 1486 1480 7/24 N603 1480 7337 7/26 E613 749 7337 7/26 E613 7493 7337 7/26 E613 7493 7337 7/27 E613 7493 7336 7/27 E613 7493 7334 7/27 E613 7493 7334 7/27 E613 7493 7334 7/27 E613 7493 7334 7/27 E614 7433 7406 7/28 E614 7518 7406 7/27 E644 7518 7406

• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:	33%	67%
NAG1 NAG2 BMA3		

• Molecule 3: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:	67%	33%



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants	226.35Å 226.35Å 217.23Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
$\mathbf{Posolution} \left(\overset{\circ}{\mathbf{A}} \right)$	49.05 - 2.78	Depositor
Resolution (A)	49.01 - 2.78	EDS
% Data completeness	80.4 (49.05-2.78)	Depositor
(in resolution range)	80.4 (49.01-2.78)	EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.39 (at 2.77 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
B B.	0.181 , 0.237	Depositor
II, II free	0.182 , 0.233	DCC
R_{free} test set	3319 reflections $(5.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	40.2	Xtriage
Anisotropy	0.618	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , 49.0	EDS
L-test for $twinning^2$	$ \langle L \rangle = 0.50, \langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11686	wwPDB-VP
Average B, all atoms $(Å^2)$	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.25% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, TPQ, NAG, MAN, WF8, CU, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
Moi Chain		$ RMSZ \qquad \# Z > 5$		RMSZ	# Z > 5	
1	А	0.73	3/5756~(0.1%)	0.91	10/7848~(0.1%)	
1	В	0.69	0/5727	0.86	5/7811~(0.1%)	
All	All	0.71	3/11483~(0.0%)	0.88	15/15659~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	5
1	В	0	4
All	All	0	9

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	А	666	ASN	C-N	-9.39	1.12	1.34
1	А	665	ASN	C-N	9.10	1.54	1.34
1	А	207	ASN	CG-OD1	5.10	1.35	1.24

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	537	ASN	C-N-CA	13.35	155.07	121.70
1	А	537	ASN	O-C-N	-10.38	106.09	122.70
1	А	538	TRP	O-C-N	9.91	138.56	122.70
1	А	538	TRP	CA-C-N	-9.76	95.72	117.20
1	А	442	ARG	NE-CZ-NH1	7.47	124.04	120.30
1	В	223	ARG	NE-CZ-NH1	7.27	123.94	120.30



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	В	442	ARG	NE-CZ-NH2	-6.77	116.92	120.30
1	В	223	ARG	NE-CZ-NH2	-6.63	116.99	120.30
1	А	538	TRP	C-N-CA	-6.27	106.02	121.70
1	В	544	MET	CG-SD-CE	-5.28	91.75	100.20
1	А	759	GLY	N-CA-C	5.21	126.12	113.10
1	А	706	ARG	NE-CZ-NH2	-5.19	117.70	120.30
1	В	65	ARG	NE-CZ-NH1	5.15	122.87	120.30
1	А	449	SER	C-N-CA	5.14	134.56	121.70
1	А	537	ASN	CA-C-N	5.14	128.50	117.20

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	203	HIS	Peptide
1	А	213	THR	Peptide
1	А	448	TYR	Peptide
1	А	537	ASN	Mainchain
1	А	538	TRP	Mainchain
1	В	202	LYS	Peptide
1	В	213	THR	Peptide
1	В	298	GLY	Peptide
1	В	94	ASN	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5592	0	5339	118	0
1	В	5564	0	5301	142	0
2	С	39	0	34	0	0
3	D	39	0	34	2	0
4	А	1	0	0	0	0
4	В	1	0	0	0	0
5	А	2	0	0	0	0
5	В	2	0	0	0	0
6	A	42	0	38	1	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	В	56	0	52	2	0
7	А	22	0	16	0	0
7	В	22	0	16	2	0
8	В	12	0	12	0	0
9	А	159	0	0	8	0
9	В	133	0	0	6	0
All	All	11686	0	10842	241	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (241) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:214:ALA:HB2	1:A:382:THR:HA	1.54	0.89
1:B:492:THR:HG23	1:B:694:THR:O	1.73	0.88
1:B:360:VAL:HG12	1:B:530:LEU:HD23	1.58	0.83
1:B:214:ALA:HB2	1:B:382:THR:HG23	1.60	0.82
1:B:95:CYS:HB3	1:B:129:PHE:HB2	1.61	0.80
1:B:381:THR:HG22	9:B:2037:HOH:O	1.82	0.80
1:A:613:GLU:HG3	9:B:2112:HOH:O	1.82	0.80
1:A:538:TRP:CZ3	1:A:592:ASN:HB2	2.19	0.77
1:A:441:ARG:HA	1:B:492:THR:HG21	1.67	0.77
1:A:666:ASN:O	1:A:666:ASN:ND2	2.15	0.77
1:A:86:ALA:HA	1:A:95:CYS:SG	2.25	0.76
1:B:214:ALA:HB3	1:B:215:PRO:HD2	1.68	0.75
1:B:214:ALA:CB	1:B:215:PRO:CD	2.64	0.75
1:B:478:VAL:HG13	1:B:486:GLU:HB3	1.68	0.75
1:A:492:THR:HG21	1:B:441:ARG:HA	1.65	0.75
1:B:212:THR:HG21	1:B:216:ARG:NH2	2.04	0.73
1:A:680:ALA:HB1	1:A:701:VAL:HG13	1.70	0.72
1:A:623:ARG:HB2	9:A:2136:HOH:O	1.90	0.71
1:B:271:TYR:CE2	1:B:277:LEU:HD13	2.25	0.71
7:B:2000:WF8:NAK	9:B:2036:HOH:O	2.25	0.69
1:B:214:ALA:CB	1:B:215:PRO:HD2	2.21	0.69
1:B:501:PHE:O	1:B:502:GLY:O	2.09	0.69
1:A:538:TRP:HA	9:A:2116:HOH:O	1.92	0.69
1:B:101:LEU:HD23	1:B:103:LEU:HD23	1.75	0.68
1:B:223:ARG:HG3	1:B:223:ARG:HH11	1.59	0.68
1:A:449:SER:HA	1:A:450:HIS:HB2	1.75	0.67
1:B:115:ARG:O	1:B:117:SER:N	2.27	0.67



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:214:ALA:HB1	1:B:215:PRO:CD	2.25	0.66
1:B:360:VAL:CG1	1:B:530:LEU:HD23	2.26	0.66
1:B:381:THR:HG22	1:B:381:THR:O	1.98	0.64
1:B:573:GLU:OE2	1:B:666:ASN:HA	1.98	0.64
1:B:352:VAL:HB	1:B:360:VAL:HG22	1.81	0.63
1:A:214:ALA:CB	1:A:382:THR:HA	2.28	0.62
1:A:191:ALA:HA	1:A:278:GLU:CG	2.30	0.62
1:A:371:ILE:O	1:A:520:HIS:HA	1.99	0.62
1:B:250:ASN:C	1:B:250:ASN:HD22	2.03	0.62
1:A:536:GLU:HG2	9:A:2114:HOH:O	1.99	0.62
1:B:349:ILE:HD11	1:B:363:ILE:HB	1.82	0.62
1:A:494:TYR:HA	1:A:495:ILE:HD12	1.82	0.61
1:A:377:PRO:HB3	1:B:553:TRP:CZ3	2.35	0.61
1:B:514:HIS:N	9:B:2094:HOH:O	2.22	0.61
1:A:573:GLU:OE2	1:A:666:ASN:HA	2.00	0.61
1:B:175:GLU:O	1:B:179:ILE:HG13	2.01	0.61
1:A:214:ALA:HB1	1:A:215:PRO:HD2	1.83	0.60
1:A:191:ALA:HA	1:A:278:GLU:HG2	1.84	0.60
1:B:298:GLY:HA2	1:B:301:SER:O	2.01	0.60
1:A:232:ASN:ND2	6:A:1768:NAG:H83	2.18	0.59
1:A:495:ILE:HD11	1:A:690:ASP:O	2.03	0.59
1:B:714:ASP:OD2	1:B:716:SER:OG	2.15	0.59
1:B:337:PHE:CE2	1:B:479:PHE:CE2	2.91	0.58
1:B:251:HIS:HA	1:B:259:TRP:CD1	2.39	0.58
7:B:2000:WF8:HAA3	7:B:2000:WF8:HAJ	1.85	0.58
1:A:689:GLU:O	1:B:714:ASP:HB2	2.03	0.58
1:B:125:LEU:HD23	1:B:125:LEU:C	2.24	0.58
1:A:303:LYS:HG2	1:B:724:TYR:CD2	2.39	0.58
1:A:573:GLU:OE2	1:A:666:ASN:CA	2.52	0.58
1:B:440:LEU:HD22	1:B:481:PRO:HG2	1.86	0.57
1:B:212:THR:HG22	1:B:213:THR:N	2.19	0.57
1:B:438:LEU:HD22	1:B:439:PRO:HD2	1.87	0.57
1:A:59:LEU:HD23	1:A:59:LEU:H	1.68	0.57
1:B:214:ALA:CB	1:B:382:THR:HA	2.34	0.57
1:B:349:ILE:CD1	1:B:363:ILE:HB	2.34	0.57
1:B:386:ASP:HB3	1:B:468:LEU:HD13	1.86	0.57
1:B:224:ALA:HB1	1:B:248:LEU:HD11	1.87	0.56
1:B:638:LYS:NZ	1:B:667:GLU:OE2	2.38	0.56
1:A:179:ILE:HD11	1:A:251:HIS:ND1	2.21	0.56
1:B:556:GLU:HA	1:B:556:GLU:OE1	2.05	0.56
1:B:214:ALA:HB1	1:B:383:ARG:H	1.71	0.55



A + a 1	A + a == 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:250:ASN:C	1:B:250:ASN:ND2	2.60	0.55
1:A:544:MET:CE	1:B:683:LEU:HD13	2.36	0.55
1:B:478:VAL:CG1	1:B:486:GLU:HB3	2.37	0.55
1:A:544:MET:HE2	1:B:683:LEU:HD13	1.88	0.54
1:A:714:ASP:HB2	1:B:689:GLU:O	2.07	0.54
1:B:152:MET:HG3	1:B:153:ARG:N	2.22	0.54
1:A:74:PHE:O	1:A:78:ARG:HD3	2.08	0.54
1:A:678:VAL:HG11	1:A:703:PHE:CD2	2.43	0.54
1:A:489:PHE:C	1:A:489:PHE:CD1	2.82	0.54
1:B:108:ALA:HB1	1:B:120:PRO:HG3	1.89	0.53
1:B:195:LEU:HB3	1:B:201:TYR:HB2	1.89	0.53
1:A:381:THR:HG23	9:A:2044:HOH:O	2.07	0.53
1:A:495:ILE:HD12	1:A:495:ILE:N	2.24	0.53
1:B:383:ARG:N	1:B:383:ARG:HD2	2.24	0.53
1:B:381:THR:O	1:B:381:THR:CG2	2.56	0.53
1:B:669:ILE:HG22	1:B:674:LEU:HD22	1.90	0.52
1:A:318:PRO:HB3	1:A:747:ALA:CB	2.40	0.52
1:B:447:LEU:O	1:B:449:SER:N	2.36	0.52
1:A:71:VAL:HG13	1:A:143:VAL:HG11	1.90	0.52
1:B:487:ILE:O	1:B:702:GLY:HA3	2.09	0.52
1:A:328:SER:O	1:A:338:SER:HA	2.10	0.51
1:B:564:VAL:HG12	1:B:565:THR:N	2.25	0.51
1:A:117:SER:HB3	1:A:118:PRO:HD2	1.91	0.51
1:A:440:LEU:HD23	1:A:455:LEU:HD23	1.93	0.51
1:B:163:PRO:HB3	3:D:1:NAG:H82	1.93	0.51
1:A:225:THR:HB	1:A:227:PHE:CE1	2.46	0.51
1:A:212:THR:OG1	1:A:213:THR:N	2.44	0.51
1:B:214:ALA:CB	1:B:383:ARG:H	2.23	0.51
1:B:271:TYR:CD2	1:B:277:LEU:HD13	2.46	0.51
1:A:396:THR:OG1	1:B:442:ARG:NH2	2.40	0.51
1:A:572:GLU:OE1	1:A:665:ASN:OD1	2.29	0.51
1:B:378:ALA:O	1:B:382:THR:OG1	2.21	0.51
1:A:61:ALA:O	1:A:101:LEU:HD22	2.11	0.50
1:A:88:GLN:HA	1:A:174:GLN:HG2	1.93	0.50
1:B:457:GLU:OE2	1:B:480:HIS:ND1	2.44	0.50
1:A:250:ASN:OD1	1:A:250:ASN:C	2.48	0.50
1:B:511:VAL:HG13	1:B:691:ILE:HD11	1.91	0.50
1:B:502:GLY:O	1:B:503:ALA:HB3	2.11	0.50
1:A:241:HIS:NE2	1:A:299:SER:O	2.43	0.50
1:A:344:PHE:HA	1:A:390:GLY:HA2	1.94	0.50
1:A:478:VAL:HG13	1:A:486:GLU:HB3	1.93	0.50



A 4 a ma 1		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:129:PHE:CZ	1:B:169:ARG:HB2	2.47	0.50
1:A:510:GLN:HG2	1:B:597:TRP:HB3	1.94	0.49
1:A:88:GLN:HA	1:A:174:GLN:CG	2.42	0.49
1:A:189:PRO:C	1:A:191:ALA:H	2.16	0.49
1:B:492:THR:CG2	1:B:694:THR:O	2.52	0.49
1:B:214:ALA:HB3	1:B:215:PRO:CD	2.35	0.49
1:A:573:GLU:OE2	1:A:666:ASN:N	2.46	0.49
1:B:95:CYS:CB	1:B:129:PHE:HB2	2.37	0.49
1:A:403:ASP:OD1	1:B:442:ARG:HG3	2.13	0.48
1:A:369:LEU:HD12	1:A:384:TYR:O	2.13	0.48
1:A:683:LEU:HD13	1:B:544:MET:HE2	1.95	0.48
1:A:693:ASN:ND2	9:A:2146:HOH:O	2.42	0.48
1:B:366:GLN:HB3	1:B:644:SER:HB3	1.96	0.47
1:A:278:GLU:OE1	1:A:278:GLU:HA	2.15	0.47
1:A:492:THR:CG2	1:B:441:ARG:HA	2.41	0.47
1:A:559:LEU:HD23	1:A:559:LEU:O	2.14	0.47
1:B:212:THR:HG22	1:B:213:THR:O	2.14	0.47
1:B:350:PHE:CE1	1:B:362:GLU:HG3	2.50	0.47
1:B:659:ASP:C	1:B:659:ASP:OD1	2.52	0.47
1:A:544:MET:HE3	1:B:521:THR:HG22	1.97	0.47
1:B:122:ARG:O	1:B:146:LEU:HD12	2.14	0.47
1:B:187:GLU:HB3	1:B:274:LEU:HD12	1.96	0.47
1:A:214:ALA:HB1	1:A:215:PRO:CD	2.44	0.47
1:A:102:GLN:HE21	1:A:103:LEU:N	2.13	0.46
1:A:282:GLU:C	1:A:284:GLY:H	2.19	0.46
1:A:268:GLY:HA3	1:A:501:PHE:CE2	2.51	0.46
1:A:403:ASP:HB3	1:A:465:MET:CE	2.46	0.46
1:A:525:HIS:CE1	1:A:644:SER:HG	2.30	0.46
1:A:395:THR:HG22	9:A:2079:HOH:O	2.15	0.46
1:B:445:SER:HB3	1:B:451:TYR:CE1	2.50	0.46
1:B:746:ALA:HB3	1:B:747:ALA:HA	1.98	0.46
1:A:286:VAL:HG12	1:A:288:VAL:HG23	1.98	0.46
1:A:449:SER:CA	1:A:450:HIS:HB2	2.43	0.46
1:B:492:THR:HG22	1:B:493:GLY:H	1.81	0.46
1:A:538:TRP:CH2	1:A:592:ASN:HB2	2.50	0.46
1:B:323:PHE:CD1	1:B:323:PHE:C	2.89	0.46
1:A:453:GLY:HA3	1:B:302:LEU:HD13	1.98	0.46
1:B:79:LEU:O	1:B:80:GLY:O	2.34	0.46
1:A:212:THR:OG1	1:A:216:ARG:NH2	2.49	0.45
1:A:67:GLU:O	1:A:71:VAL:HG23	2.15	0.45
1:B:256:PRO:HA	1:B:259:TRP:CE2	2.51	0.45



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:501:PHE:HB3	9:B:2046:HOH:O	2.16	0.45
1:A:472:ASP:OD1	1:B:443:HIS:ND1	2.35	0.45
1:A:539:VAL:CG1	1:A:669:ILE:HD12	2.46	0.45
1:B:542:GLU:HA	1:B:565:THR:O	2.16	0.45
1:B:745:ALA:HA	1:B:746:ALA:C	2.36	0.45
1:A:307:PRO:HA	1:A:308:PRO:HD2	1.82	0.45
1:B:438:LEU:CD2	1:B:439:PRO:HD2	2.46	0.45
1:A:352:VAL:HB	1:A:360:VAL:HG23	1.99	0.45
1:A:395:THR:CG2	9:A:2079:HOH:O	2.64	0.45
1:A:539:VAL:HG11	1:A:669:ILE:HD12	1.98	0.45
1:B:163:PRO:HB3	3:D:1:NAG:C8	2.47	0.45
1:B:683:LEU:HD12	1:B:684:HIS:N	2.32	0.45
1:A:525:HIS:ND1	1:A:644:SER:OG	2.39	0.44
1:B:400:ARG:HD3	1:B:406:TYR:O	2.17	0.44
1:B:417:LEU:O	1:B:418:GLU:C	2.56	0.44
1:A:69:THR:HG23	9:A:2012:HOH:O	2.16	0.44
1:B:623:ARG:NH1	1:B:661:SER:OG	2.50	0.44
1:B:214:ALA:HB2	1:B:382:THR:HA	1.98	0.44
1:B:445:SER:CB	1:B:451:TYR:CE1	3.01	0.44
1:B:474:VAL:HB	1:B:490:TYR:HB2	1.99	0.44
1:B:465:MET:HG2	1:B:474:VAL:HG22	1.99	0.44
1:A:374:GLY:HA2	1:A:507:TYR:HB3	2.00	0.43
1:A:606:GLN:HG2	1:A:704:PHE:HB2	2.00	0.43
1:A:194:LEU:CD2	1:A:277:LEU:HD21	2.48	0.43
1:A:687:HIS:CD2	1:A:687:HIS:N	2.86	0.43
1:B:214:ALA:HB1	1:B:383:ARG:N	2.34	0.43
1:A:128:VAL:HG11	1:A:130:PHE:CZ	2.54	0.43
1:A:613:GLU:CG	9:B:2112:HOH:O	2.55	0.43
1:B:188:LEU:N	1:B:189:PRO:CD	2.81	0.43
1:A:742:LEU:N	1:A:743:PRO:HD2	2.34	0.43
1:B:108:ALA:CB	1:B:120:PRO:HG3	2.49	0.43
1:A:494:TYR:CA	1:A:495:ILE:HD12	2.48	0.43
1:B:492:THR:HG22	1:B:493:GLY:N	2.34	0.43
1:A:323:PHE:CE2	1:A:431:VAL:HG12	2.54	0.43
1:A:663:PHE:N	1:A:663:PHE:CD1	2.87	0.43
1:A:374:GLY:O	1:B:561:ARG:NH2	2.45	0.42
1:B:212:THR:HG21	1:B:216:ARG:HH21	1.81	0.42
1:B:298:GLY:HA2	1:B:301:SER:H	1.84	0.42
1:A:171:VAL:HG13	1:A:175:GLU:HB3	2.00	0.42
1:A:544:MET:HE2	1:B:683:LEU:HD22	2.02	0.42
1:B:451:TYR:HA	1:B:726:ARG:HA	2.01	0.42



A 4 1	A 4 arra 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:214:ALA:HB3	1:B:382:THR:HA	2.02	0.42
1:A:492:THR:CG2	1:A:694:THR:O	2.67	0.42
1:A:193:GLY:N	1:A:278:GLU:OE2	2.53	0.42
1:B:94:ASN:HA	1:B:129:PHE:O	2.19	0.42
1:A:381:THR:HG23	1:A:381:THR:O	2.19	0.42
1:B:407:LEU:HD21	1:B:752:LEU:HD23	2.02	0.42
1:A:447:LEU:O	1:A:448:TYR:HB2	2.19	0.42
1:A:538:TRP:CZ2	1:A:671:GLY:HA3	2.55	0.42
1:B:645:SER:OG	1:B:646:SER:N	2.53	0.42
1:B:294:ASN:HA	1:B:300:TRP:CZ3	2.55	0.42
1:A:610:PHE:O	1:A:611:ALA:C	2.57	0.42
1:B:214:ALA:HB2	1:B:382:THR:CG2	2.40	0.42
1:B:101:LEU:CD2	1:B:103:LEU:HD23	2.46	0.41
1:B:125:LEU:HD23	1:B:126:ALA:N	2.35	0.41
1:B:312:PRO:CB	1:B:313:PRO:CD	2.98	0.41
1:A:166:TYR:O	1:A:169:ARG:HD3	2.20	0.41
1:A:189:PRO:O	1:A:191:ALA:N	2.52	0.41
1:A:525:HIS:CE1	1:A:644:SER:OG	2.74	0.41
1:A:416:LEU:HD13	1:A:421:ALA:C	2.41	0.41
1:B:214:ALA:CB	1:B:383:ARG:N	2.83	0.41
1:B:746:ALA:N	1:B:747:ALA:HB2	2.35	0.41
1:A:264:VAL:HG12	1:A:265:PHE:N	2.35	0.41
1:B:240:LEU:O	1:B:515:THR:HG21	2.20	0.41
1:A:544:MET:CE	1:B:521:THR:HG22	2.50	0.41
1:B:245:LEU:HD12	1:B:265:PHE:O	2.21	0.41
1:B:451:TYR:N	1:B:451:TYR:CD1	2.89	0.41
1:A:396:THR:HG21	1:A:467:THR:HB	2.03	0.41
1:B:231:TYR:HE2	1:B:291:ILE:HG22	1.86	0.41
1:B:389:PHE:HB3	1:B:394:TYR:CE2	2.56	0.41
1:B:502:GLY:O	1:B:503:ALA:CB	2.69	0.41
1:A:79:LEU:HD12	1:A:79:LEU:HA	1.95	0.41
1:A:538:TRP:HZ3	1:A:592:ASN:HB2	1.79	0.41
1:B:209:VAL:CG2	6:B:1769:NAG:H82	2.50	0.41
1:B:525:HIS:CE1	1:B:644:SER:HG	2.38	0.41
1:A:117:SER:HB3	1:A:118:PRO:CD	2.50	0.41
1:B:325:VAL:HG22	1:B:330:VAL:HG22	2.03	0.41
1:B:525:HIS:CE1	1:B:644:SER:OG	2.74	0.41
1:B:547:VAL:HA	1:B:548:PRO:HD2	1.98	0.41
1:B:668:THR:HG22	1:B:672:LYS:HD2	2.01	0.41
1:A:200:PHE:CD1	1:A:200:PHE:N	2.88	0.40
1:A:683:LEU:HD13	1:B:544:MET:CE	2.50	0.40



4B]	ГΧ

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)	
1:B:404:CYS:HB2	1:B:410:TYR:OH	2.21	0.40	
1:A:251:HIS:N	1:A:251:HIS:CD2	2.90	0.40	
1:A:564:VAL:HG12	1:A:565:THR:N	2.36	0.40	
1:B:500:LEU:HD12	1:B:504:THR:HG21	2.02	0.40	
1:B:588:TYR:HB3	1:B:604:ARG:HA	2.03	0.40	
1:B:209:VAL:HG23	6:B:1769:NAG:H82	2.03	0.40	
1:A:443:HIS:ND1	1:B:472:ASP:OD1	2.52	0.40	
1:B:74:PHE:HE2	1:B:152:MET:HB3	1.86	0.40	
1:A:75:LEU:O	1:A:76:THR:C	2.60	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perc	entiles
1	А	706/737~(96%)	634 (90%)	58 (8%)	14 (2%)	7	22
1	В	703/737~(95%)	640 (91%)	51 (7%)	12 (2%)	9	27
All	All	1409/1474~(96%)	1274 (90%)	109 (8%)	26~(2%)	8	25

All (26) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	203	HIS
1	А	450	HIS
1	А	504	THR
1	А	666	ASN
1	В	116	GLY
1	В	214	ALA
1	В	502	GLY
1	А	190	GLN
1	А	214	ALA



Mol	Chain	Res	Type
1	А	232	ASN
1	А	283	ALA
1	В	80	GLY
1	В	83	LEU
1	В	333	SER
1	В	418	GLU
1	В	448	TYR
1	В	618	ASN
1	В	199	CYS
1	А	448	TYR
1	А	749	ALA
1	А	206	ARG
1	В	202	LYS
1	А	743	PRO
1	А	308	PRO
1	А	612	GLY
1	В	749	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	588/610~(96%)	541 (92%)	47 (8%)	12	31
1	В	584/610~(96%)	532 (91%)	52 (9%)	9	26
All	All	1172/1220~(96%)	1073~(92%)	99~(8%)	11	29

All (99) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	65	ARG
1	А	78	ARG
1	А	79	LEU
1	А	132	ARG
1	А	133	GLN
1	А	181	GLN



Mol	Chain	Res	Type
1	А	192	SER
1	А	204	ARG
1	А	212	THR
1	А	251	HIS
1	А	260	THR
1	А	278	GLU
1	А	302	LEU
1	А	303	LYS
1	А	319	GLN
1	А	325	VAL
1	А	329	ARG
1	А	336	THR
1	А	341	LEU
1	А	345	SER
1	Α	360	VAL
1	А	381	THR
1	А	383	ARG
1	А	442	ARG
1	А	459	VAL
1	А	464	SER
1	А	478	VAL
1	А	489	PHE
1	А	492	THR
1	А	496	SER
1	А	559	LEU
1	А	573	GLU
1	А	583	THR
1	А	596	LYS
1	А	604	ARG
1	А	613	GLU
1	А	635	THR
1	А	637	ARG
1	A	640	GLU
1	A	644	SER
1	A	666	ASN
1	A	701	VAL
1	A	716	SER
1	A	722	SER
1	A	729	GLN
1	A	741	CYS
1	А	748	CYS
1	В	59	LEU



Mol	Chain	Res	Type
1	В	88	GLN
1	В	90	ARG
1	В	95	CYS
1	В	115	ARG
1	В	152	MET
1	В	170	PRO
1	В	177	LEU
1	В	181	GLN
1	В	195	LEU
1	В	198	CYS
1	В	204	ARG
1	В	207	ASN
1	В	209	VAL
1	В	223	ARG
1	В	229	LEU
1	В	234	SER
1	В	243	VAL
1	В	250	ASN
1	В	260	THR
1	В	263	LYS
1	В	376	SER
1	В	383	ARG
1	В	395	THR
1	В	400	ARG
1	В	405	PRO
1	В	409	THR
1	В	438	LEU
1	В	442	ARG
1	В	459	VAL
1	В	489	PHE
1	В	515	THR
1	В	518	THR
1	В	539	VAL
1	В	542	GLU
1	В	559	LEU
1	В	565	THR
1	В	583	THR
1	В	585	ARG
1	В	592	ASN
1	В	603	TYR
1	В	608	LEU
1	В	613	GLU



Mol	Chain	Res	Type
1	В	626	SER
1	В	635	THR
1	В	640	GLU
1	В	646	SER
1	В	659	ASP
1	В	668	THR
1	В	672	LYS
1	В	713	GLU
1	В	748	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	ths	B	ond ang	les
INIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
1	TPQ	А	471	1	13,14,15	1.40	3 (23%)	15,19,21	1.52	3 (20%)
1	TPQ	В	471	1	13,14,15	1.37	2 (15%)	15,19,21	1.48	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPQ	А	471	1	-	0/5/22/24	0/1/1/1



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPQ	В	471	1	-	2/5/22/24	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
1	А	471	TPQ	C3-C4	2.58	1.39	1.35
1	А	471	TPQ	C3-C2	-2.32	1.38	1.44
1	В	471	TPQ	C3-C2	-2.28	1.38	1.44
1	А	471	TPQ	C6-C1	2.25	1.40	1.34
1	В	471	TPQ	C6-C1	2.05	1.40	1.34

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	471	TPQ	CB-CA-C	-3.34	105.21	111.47
1	А	471	TPQ	CB-CA-C	-3.27	105.34	111.47
1	А	471	TPQ	C6-C1-C2	2.64	120.66	118.64
1	В	471	TPQ	O5-C5-C4	2.39	123.30	119.38
1	А	471	TPQ	O5-C5-C4	2.26	123.08	119.38
1	В	471	TPQ	C6-C1-C2	2.19	120.32	118.64

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	В	471	TPQ	N-CA-CB-C1
1	В	471	TPQ	C-CA-CB-C1

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



Mol 7	Tuno	Chain	Res	Link	Bo	Bond lengths			Bond angles		
WIOI	туре				Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
2	NAG	С	1	1,2	$14,\!14,\!15$	0.64	0	17,19,21	1.19	3 (17%)	
2	NAG	С	2	2	14,14,15	0.52	0	17,19,21	1.51	4 (23%)	
2	BMA	С	3	2	11,11,12	0.62	0	$15,\!15,\!17$	1.05	0	
3	NAG	D	1	1,3	$14,\!14,\!15$	0.72	0	17,19,21	1.28	3 (17%)	
3	NAG	D	2	3	$14,\!14,\!15$	0.65	0	17,19,21	1.52	3 (17%)	
3	MAN	D	3	3	11,11,12	0.64	0	$15,\!15,\!17$	1.95	3 (20%)	

expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	С	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	С	2	2	-	1/6/23/26	0/1/1/1
2	BMA	С	3	2	-	0/2/19/22	0/1/1/1
3	NAG	D	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
3	MAN	D	3	3	-	2/2/19/22	1/1/1/1

There are no bond length outliers.

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	D	3	MAN	C1-C2-C3	-4.39	104.27	109.67
3	D	3	MAN	C1-O5-C5	3.65	117.14	112.19
3	D	2	NAG	O5-C1-C2	-3.44	105.86	111.29
3	D	2	NAG	C1-C2-N2	3.15	115.87	110.49
3	D	3	MAN	O2-C2-C1	2.94	115.17	109.15
2	С	2	NAG	C4-C3-C2	-2.56	107.26	111.02
2	С	1	NAG	O3-C3-C2	2.53	114.70	109.47
2	С	2	NAG	C3-C4-C5	-2.42	105.92	110.24
2	С	2	NAG	C1-C2-N2	2.40	114.59	110.49
3	D	1	NAG	O5-C5-C6	2.25	110.73	107.20
3	D	1	NAG	O7-C7-C8	-2.23	117.91	122.06
2	С	2	NAG	O7-C7-C8	-2.20	117.98	122.06
3	D	2	NAG	O4-C4-C3	-2.19	105.28	110.35

All (16) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	С	1	NAG	C1-O5-C5	2.18	115.15	112.19
3	D	1	NAG	O4-C4-C3	-2.18	105.31	110.35
2	С	1	NAG	O4-C4-C3	-2.08	105.53	110.35

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	3	MAN	O5-C5-C6-O6
3	D	3	MAN	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
3	D	1	NAG	O5-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
2	С	2	NAG	O5-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	3	MAN	C1-C2-C3-C4-C5-O5

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	1	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry (i)

Of 16 ligands modelled in this entry, 6 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Tuno	Chain	Dog	Link	Bo	ond leng	ths	Bond angles		
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
6	NAG	А	1770	1	$14,\!14,\!15$	0.83	0	17,19,21	3.45	6 (35%)
8	MAN	В	1768	-	12,12,12	0.57	0	17,17,17	1.26	3 (17%)
6	NAG	В	1769	1	14,14,15	0.59	0	17,19,21	1.50	3 (17%)
6	NAG	А	1768	1	14,14,15	0.88	0	17,19,21	1.93	5 (29%)
7	WF8	А	2000	-	21,24,24	2.33	5 (23%)	23,33,33	2.53	6 (26%)
6	NAG	В	1771	1	14,14,15	0.85	0	17,19,21	2.71	7 (41%)
6	NAG	А	1772	-	14,14,15	0.46	0	17,19,21	1.26	2 (11%)
7	WF8	В	2000	-	21,24,24	1.58	4 (19%)	23,33,33	2.25	6 (26%)
6	NAG	В	1772	1	14,14,15	0.85	1 (7%)	17,19,21	2.08	4 (23%)
6	NAG	В	1773	1	14,14,15	0.59	0	17,19,21	1.33	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	А	1770	1	-	2/6/23/26	0/1/1/1
8	MAN	В	1768	-	-	1/2/22/22	0/1/1/1
6	NAG	В	1769	1	-	2/6/23/26	0/1/1/1
6	NAG	А	1768	1	-	4/6/23/26	0/1/1/1
7	WF8	А	2000	-	-	2/8/12/12	0/3/3/3
6	NAG	В	1771	1	-	2/6/23/26	0/1/1/1
6	NAG	А	1772	-	-	2/6/23/26	0/1/1/1
7	WF8	В	2000	-	-	2/8/12/12	0/3/3/3
6	NAG	В	1772	1	-	3/6/23/26	0/1/1/1
6	NAG	В	1773	1	-	4/6/23/26	0/1/1/1



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	А	2000	WF8	NAO-NAL	-7.51	1.21	1.37
7	В	2000	WF8	CAP-NAV	-4.72	1.34	1.43
7	А	2000	WF8	CAP-NAV	-4.28	1.34	1.43
7	А	2000	WF8	NAV-NAM	-4.09	1.27	1.38
7	В	2000	WF8	NAO-NAL	-2.84	1.31	1.37
7	А	2000	WF8	CAS-NAM	2.33	1.35	1.31
7	А	2000	WF8	CAJ-CAR	2.21	1.41	1.36
6	В	1772	NAG	C1-C2	2.12	1.55	1.52
7	В	2000	WF8	NAV-NAM	-2.03	1.32	1.38
7	В	2000	WF8	CAS-NAM	2.03	1.35	1.31

All (10) bond length outliers are listed below:

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	А	1770	NAG	C1-O5-C5	10.80	126.83	112.19
7	А	2000	WF8	NAK-CAQ-NAL	-9.93	106.49	114.72
6	В	1771	NAG	O5-C1-C2	-7.10	100.08	111.29
7	В	2000	WF8	NAK-CAQ-NAL	-7.08	108.85	114.72
6	А	1770	NAG	O5-C5-C6	5.42	115.69	107.20
6	В	1772	NAG	C1-C2-N2	5.22	119.41	110.49
6	В	1771	NAG	C1-O5-C5	4.44	118.21	112.19
6	А	1768	NAG	O5-C5-C6	4.23	113.84	107.20
7	В	2000	WF8	CAJ-CAT-NAV	4.21	119.04	111.83
6	В	1772	NAG	C2-N2-C7	4.08	128.71	122.90
6	В	1771	NAG	C1-C2-N2	3.79	116.97	110.49
6	В	1771	NAG	O5-C5-C6	3.73	113.06	107.20
6	А	1770	NAG	C8-C7-N2	3.72	122.40	116.10
6	В	1773	NAG	O5-C5-C6	3.72	113.04	107.20
6	А	1768	NAG	C3-C4-C5	-3.70	103.64	110.24
6	А	1770	NAG	O7-C7-C8	-3.58	115.40	122.06
6	А	1770	NAG	C4-C3-C2	-3.44	105.98	111.02
6	В	1772	NAG	C1-O5-C5	3.36	116.75	112.19
6	В	1769	NAG	O5-C5-C6	3.32	112.41	107.20
7	А	2000	WF8	CAJ-CAT-NAV	3.14	117.20	111.83
6	А	1772	NAG	O5-C1-C2	-3.04	106.48	111.29
7	В	2000	WF8	OAC-CAT-CAJ	-2.95	118.17	125.72
7	В	2000	WF8	CAA-CAU-NAN	2.94	115.70	109.79
6	А	1768	NAG	O4-C4-C5	2.92	116.55	109.30
7	А	2000	WF8	CAJ-CAR-NAN	-2.89	123.43	125.87
6	В	1769	NAG	C1-O5-C5	2.78	115.96	112.19
6	А	1768	NAG	C8-C7-N2	2.60	120.51	116.10
6	В	1772	NAG	O5-C5-C6	2.45	111.05	107.20



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	А	1768	NAG	O7-C7-N2	-2.44	117.46	121.95
6	А	1772	NAG	C2-N2-C7	-2.42	119.45	122.90
7	В	2000	WF8	CAA-CAU-CAB	-2.41	106.23	111.58
6	В	1771	NAG	C6-C5-C4	2.32	118.43	113.00
8	В	1768	MAN	C4-C3-C2	2.29	114.83	110.82
6	А	1770	NAG	O3-C3-C2	2.29	114.20	109.47
6	В	1771	NAG	O6-C6-C5	2.28	119.12	111.29
7	А	2000	WF8	CAQ-NAL-NAO	2.24	110.23	104.86
7	А	2000	WF8	CAS-CAQ-NAL	2.24	129.93	123.28
7	В	2000	WF8	CAS-CAQ-NAL	2.19	129.78	123.28
6	В	1769	NAG	O4-C4-C5	2.13	114.59	109.30
8	В	1768	MAN	C3-C4-C5	2.13	114.04	110.24
8	В	1768	MAN	O5-C5-C6	2.07	111.57	106.44
6	В	1771	NAG	O7-C7-C8	-2.06	118.24	122.06
6	В	1773	NAG	O5-C1-C2	2.02	114.47	111.29
7	А	2000	WF8	OAC-CAT-CAJ	-2.00	120.59	125.72

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	А	1772	NAG	C8-C7-N2-C2
6	А	1772	NAG	O7-C7-N2-C2
6	В	1772	NAG	C1-C2-N2-C7
6	В	1773	NAG	C8-C7-N2-C2
6	В	1773	NAG	O7-C7-N2-C2
7	А	2000	WF8	CAS-CAR-NAN-CAU
7	А	2000	WF8	CAA-CAU-NAN-CAR
7	В	2000	WF8	CAA-CAU-NAN-CAR
6	В	1771	NAG	C4-C5-C6-O6
6	В	1773	NAG	O5-C5-C6-O6
6	В	1772	NAG	O5-C5-C6-O6
6	В	1773	NAG	C4-C5-C6-O6
6	А	1768	NAG	O5-C5-C6-O6
6	В	1771	NAG	O5-C5-C6-O6
6	А	1768	NAG	C8-C7-N2-C2
6	А	1768	NAG	O7-C7-N2-C2
6	А	1770	NAG	C8-C7-N2-C2
6	А	1770	NAG	O7-C7-N2-C2
6	В	1769	NAG	O5-C5-C6-O6
8	В	1768	MAN	C4-C5-C6-O6
6	A	1768	NAG	C4-C5-C6-O6



Mol	Chain	Res	Type	Atoms
6	В	1769	NAG	C4-C5-C6-O6
6	В	1772	NAG	C4-C5-C6-O6
7	В	2000	WF8	CAS-CAR-NAN-CAU

Continued from previous page...

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	В	1769	NAG	2	0
6	А	1768	NAG	1	0
7	В	2000	WF8	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	А	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	666:ASN	С	667:GLU	N	1.12



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	708/737~(96%)	-0.22	23 (3%) 47 42	20, 37, 62, 116	0
1	В	705/737~(95%)	-0.19	20 (2%) 53 48	21, 37, 66, 168	0
All	All	1413/1474~(95%)	-0.21	43 (3%) 50 45	20, 37, 64, 168	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	745	ALA	10.4
1	В	746	ALA	9.6
1	В	744	GLN	7.9
1	В	748	CYS	6.0
1	А	203	HIS	5.3
1	В	762	HIS	5.1
1	В	743	PRO	4.7
1	А	204	ARG	4.1
1	В	747	ALA	3.9
1	В	735	GLU	3.9
1	А	745	ALA	3.5
1	В	81	PRO	3.5
1	А	744	GLN	3.4
1	А	762	HIS	3.3
1	В	82	GLY	3.2
1	А	202	LYS	3.0
1	А	735	GLU	2.9
1	А	284	GLY	2.8
1	В	134	PRO	2.7
1	В	749	ALA	2.7
1	А	747	ALA	2.6
1	А	556	GLU	2.6
1	A	283	ALA	2.5
1	A	282	GLU	2.5



Mol	Chain	Res	Type	RSRZ
1	В	76	THR	2.5
1	В	698	GLY	2.4
1	А	80	GLY	2.4
1	А	81	PRO	2.4
1	А	205	GLY	2.4
1	В	736	VAL	2.4
1	А	82	GLY	2.4
1	А	582	ALA	2.3
1	В	80	GLY	2.3
1	А	734	CYS	2.2
1	В	132	ARG	2.2
1	В	734	CYS	2.2
1	В	751	ASP	2.1
1	А	132	ARG	2.1
1	А	538	TRP	2.1
1	А	743	PRO	2.1
1	А	748	CYS	2.1
1	А	593	HIS	2.0
1	В	77	GLN	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
1	TPQ	А	471	14/15	0.97	0.18	23,29,34,39	0
1	TPQ	В	471	14/15	0.97	0.23	$28,\!30,\!34,\!35$	0

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
3	MAN	D	3	11/12	0.71	0.27	82,98,106,106	0
2	BMA	С	3	11/12	0.76	0.34	86,101,105,106	0



	j	I Process	r					
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	NAG	С	2	14/15	0.90	0.24	$50,\!68,\!86,\!100$	0
3	NAG	D	2	14/15	0.92	0.23	52,69,79,92	0
2	NAG	С	1	14/15	0.96	0.15	42,49,53,59	0
3	NAG	D	1	14/15	0.97	0.12	35,37,40,52	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
6	NAG	В	1773	14/15	0.60	0.42	81,93,100,100	0
6	NAG	В	1772	14/15	0.62	0.55	92,104,116,117	0
6	NAG	А	1772	14/15	0.62	0.35	97,126,130,139	0
8	MAN	В	1768	12/12	0.65	0.45	108,123,131,133	0
6	NAG	А	1770	14/15	0.66	0.51	72,94,105,107	0
6	NAG	В	1771	14/15	0.71	0.27	66,92,104,107	0
6	NAG	В	1769	14/15	0.85	0.18	54,64,74,76	0
6	NAG	А	1768	14/15	0.87	0.16	46,50,53,54	0
5	CA	A	1764	1/1	0.95	0.06	46,46,46,46	0
7	WF8	А	2000	22/22	0.96	0.15	$36,\!49,\!55,\!57$	0
5	CA	В	1764	1/1	0.98	0.04	40,40,40,40	0
7	WF8	В	2000	22/22	0.98	0.11	27,28,34,36	0
5	CA	A	1763	1/1	0.98	0.06	33,33,33,33	0
4	CU	A	1762	1/1	0.99	0.15	34,34,34,34	0



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	CA	В	1763	1/1	1.00	0.05	30,30,30,30	0
4	CU	В	1762	1/1	1.00	0.16	27,27,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

