



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 1, 2023 – 04:26 pm BST

PDB ID : 8BTS
Title : Nitrogenase MoFe protein from *A. vinelandii* alpha double mutant C45A/L158C
Authors : Wagner, T.; Maslac, N.
Deposited on : 2022-11-29
Resolution : 3.03 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.33
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.33


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2752 (3.08-3.00)
Clashscore	141614	3096 (3.08-3.00)
Ramachandran outliers	138981	2986 (3.08-3.00)
Sidechain outliers	138945	2988 (3.08-3.00)
RSRZ outliers	127900	2636 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	500	91% 5%
1	C	500	89% 6% 5%
1	H	500	92% 5%
1	J	500	87% 8% 5%
2	B	523	94% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	523	 96%
2	I	523	 93% 7%
2	L	523	 93% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	SO4	D	704	-	-	X	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 32158 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitrogenase protein alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	477	3787	2407	647	708	25	0	0	0
1	C	477	3787	2407	647	708	25	0	0	0
1	H	477	3787	2407	647	708	25	0	0	0
1	J	477	3787	2407	647	708	25	0	0	0

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP C1DGZ7
A	-6	THR	-	expression tag	UNP C1DGZ7
A	-5	HIS	-	expression tag	UNP C1DGZ7
A	-4	HIS	-	expression tag	UNP C1DGZ7
A	-3	HIS	-	expression tag	UNP C1DGZ7
A	-2	HIS	-	expression tag	UNP C1DGZ7
A	-1	HIS	-	expression tag	UNP C1DGZ7
A	0	HIS	-	expression tag	UNP C1DGZ7
A	1	HIS	-	expression tag	UNP C1DGZ7
A	2	HIS	-	expression tag	UNP C1DGZ7
A	45	ALA	CYS	engineered mutation	UNP C1DGZ7
A	158	CYS	LEU	engineered mutation	UNP C1DGZ7
C	-7	MET	-	initiating methionine	UNP C1DGZ7
C	-6	THR	-	expression tag	UNP C1DGZ7
C	-5	HIS	-	expression tag	UNP C1DGZ7
C	-4	HIS	-	expression tag	UNP C1DGZ7
C	-3	HIS	-	expression tag	UNP C1DGZ7
C	-2	HIS	-	expression tag	UNP C1DGZ7
C	-1	HIS	-	expression tag	UNP C1DGZ7
C	0	HIS	-	expression tag	UNP C1DGZ7
C	1	HIS	-	expression tag	UNP C1DGZ7

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	2	HIS	-	expression tag	UNP C1DGZ7
C	45	ALA	CYS	engineered mutation	UNP C1DGZ7
C	158	CYS	LEU	engineered mutation	UNP C1DGZ7
H	-7	MET	-	initiating methionine	UNP C1DGZ7
H	-6	THR	-	expression tag	UNP C1DGZ7
H	-5	HIS	-	expression tag	UNP C1DGZ7
H	-4	HIS	-	expression tag	UNP C1DGZ7
H	-3	HIS	-	expression tag	UNP C1DGZ7
H	-2	HIS	-	expression tag	UNP C1DGZ7
H	-1	HIS	-	expression tag	UNP C1DGZ7
H	0	HIS	-	expression tag	UNP C1DGZ7
H	1	HIS	-	expression tag	UNP C1DGZ7
H	2	HIS	-	expression tag	UNP C1DGZ7
H	45	ALA	CYS	engineered mutation	UNP C1DGZ7
H	158	CYS	LEU	engineered mutation	UNP C1DGZ7
J	-7	MET	-	initiating methionine	UNP C1DGZ7
J	-6	THR	-	expression tag	UNP C1DGZ7
J	-5	HIS	-	expression tag	UNP C1DGZ7
J	-4	HIS	-	expression tag	UNP C1DGZ7
J	-3	HIS	-	expression tag	UNP C1DGZ7
J	-2	HIS	-	expression tag	UNP C1DGZ7
J	-1	HIS	-	expression tag	UNP C1DGZ7
J	0	HIS	-	expression tag	UNP C1DGZ7
J	1	HIS	-	expression tag	UNP C1DGZ7
J	2	HIS	-	expression tag	UNP C1DGZ7
J	45	ALA	CYS	engineered mutation	UNP C1DGZ7
J	158	CYS	LEU	engineered mutation	UNP C1DGZ7

- Molecule 2 is a protein called Nitrogenase molybdenum-iron protein beta chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	522	4174	2666	705	775	28	0	0	0
2	D	522	4174	2666	705	775	28	0	0	0
2	I	522	4174	2666	705	775	28	0	0	0
2	L	522	4174	2666	705	775	28	0	0	0

- Molecule 3 is 3-HYDROXY-3-CARBOXY-ADIPIC ACID (three-letter code: HCA) (formula: C₇H₁₀O₇) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 14 7 7	0	0
3	C	1	Total C O 14 7 7	0	0
3	H	1	Total C O 14 7 7	0	0
3	J	1	Total C O 14 7 7	0	0

- Molecule 4 is iron-sulfur-molybdenum cluster with interstitial carbon (three-letter code: ICS) (formula: CFe_7MoS_9) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	A	1	Total	C	Fe	Mo	S	0	0
			18	1	7	1	9		
4	C	1	Total	C	Fe	Mo	S	0	0
			18	1	7	1	9		
4	H	1	Total	C	Fe	Mo	S	0	0
			18	1	7	1	9		
4	J	1	Total	C	Fe	Mo	S	0	0
			18	1	7	1	9		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	C O	0	0
			6	3 3		
5	A	1	Total	C O	0	0
			6	3 3		
5	B	1	Total	C O	0	0
			6	3 3		
5	B	1	Total	C O	0	0
			6	3 3		
5	B	1	Total	C O	0	0
			6	3 3		
5	B	1	Total	C O	0	0
			6	3 3		
5	C	1	Total	C O	0	0
			6	3 3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	J	1	Total	C	O	0	0
			6	3	3		
5	L	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	H	1	Total	O	S	0	0
			5	4	1		
6	I	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	J	1	Total	O	S	0	0
			5	4	1		
6	L	1	Total	O	S	0	0
			5	4	1		
6	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is FE(8)-S(7) CLUSTER, OXIDIZED (three-letter code: 1CL) (formula: Fe₈S₇) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	Fe	S	0	0
			15	8	7		
7	D	1	Total	Fe	S	0	0
			15	8	7		
7	I	1	Total	Fe	S	0	0
			15	8	7		
7	L	1	Total	Fe	S	0	0
			15	8	7		


- Molecule 8 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Fe	0	0
			1	1		
8	D	1	Total	Fe	0	0
			1	1		


Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	I	1	Total 1	Fe 1	0	0
8	L	1	Total 1	Fe 1	0	0





● Molecule 2: Nitrogenase molybdenum-iron protein beta chain



● Molecule 2: Nitrogenase molybdenum-iron protein beta chain



● Molecule 2: Nitrogenase molybdenum-iron protein beta chain



● Molecule 2: Nitrogenase molybdenum-iron protein beta chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	148.39Å 73.44Å 211.25Å 90.00° 104.76° 90.00°	Depositor
Resolution (Å)	95.50 – 3.03 204.28 – 3.03	Depositor EDS
% Data completeness (in resolution range)	46.2 (95.50-3.03) 46.2 (204.28-3.03)	Depositor EDS
R_{merge}	0.30	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 3.01Å)	Xtrriage
Refinement program	PHENIX 1.20.1-4487, BUSTER 2.10.4	Depositor
R, R_{free}	0.204 , 0.223 0.203 , 0.223	Depositor DCC
R_{free} test set	1947 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	25.2	Xtrriage
Anisotropy	0.315	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 20.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	32158	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HCA, GOL, 1CL, FE, SO4, ICS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/3875	0.52	0/5225
1	C	0.27	0/3875	0.51	0/5225
1	H	0.27	0/3875	0.51	0/5225
1	J	0.29	0/3875	0.53	0/5225
2	B	0.28	0/4280	0.49	0/5786
2	D	0.27	0/4280	0.50	0/5786
2	I	0.27	0/4280	0.49	0/5786
2	L	0.28	0/4280	0.49	0/5786
All	All	0.28	0/32620	0.50	0/44044

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3787	0	3725	14	0
1	C	3787	0	3725	18	0
1	H	3787	0	3725	9	0
1	J	3787	0	3725	23	0
2	B	4174	0	4087	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	4174	0	4089	18	0
2	I	4174	0	4087	19	0
2	L	4174	0	4088	18	0
3	A	14	0	6	2	0
3	C	14	0	7	0	0
3	H	14	0	7	0	0
3	J	14	0	6	2	0
4	A	18	0	0	1	0
4	C	18	0	0	0	0
4	H	18	0	0	0	0
4	J	18	0	0	1	0
5	A	12	0	16	0	0
5	B	30	0	40	0	0
5	C	6	0	8	2	0
5	D	12	0	16	1	0
5	J	6	0	8	0	0
5	L	6	0	8	0	0
6	A	5	0	0	0	0
6	B	10	0	0	0	0
6	C	5	0	0	0	0
6	D	5	0	0	2	0
6	H	5	0	0	0	0
6	I	5	0	0	0	0
6	J	5	0	0	0	0
6	L	10	0	0	0	0
7	B	15	0	0	0	0
7	D	15	0	0	2	0
7	I	15	0	0	0	0
7	L	15	0	0	1	0
8	B	1	0	0	0	0
8	D	1	0	0	0	0
8	I	1	0	0	0	0
8	L	1	0	0	0	0
All	All	32158	0	31373	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:85:PRO:HB2	7:L:701:1CL:S2B	2.48	0.53
1:A:442:HIS:CG	3:A:601:HCA:H52	2.44	0.53
2:D:188:SER:OG	7:D:701:1CL:S2B	2.62	0.52
1:A:477:ALA:HB3	1:A:480:GLU:HG3	1.93	0.51
2:D:188:SER:CB	7:D:701:1CL:S2B	2.99	0.51
2:L:22:ASP:O	2:L:26:LYS:HG3	2.11	0.50
1:A:62:CYS:HB3	2:B:94:GLY:HA3	1.93	0.50
2:D:394:LEU:HD12	2:D:422:TYR:HB2	1.92	0.50
2:I:95:CYS:HB3	2:I:99:PHE:CZ	2.47	0.50
2:B:352:VAL:O	2:B:356:THR:HG23	2.12	0.49
1:C:6:ARG:HG3	1:C:34:VAL:HG11	1.94	0.49
1:J:12:LEU:HD13	1:J:415:ARG:HG3	1.95	0.49
1:A:433:LYS:NZ	2:B:263:THR:O	2.35	0.49
2:D:70:CYS:HB2	2:D:188:SER:HB2	1.95	0.49
3:J:601:HCA:O2	3:J:601:HCA:O7	2.30	0.49
1:J:62:CYS:HB3	2:L:94:GLY:HA3	1.94	0.48
1:C:123:ILE:HG23	1:C:159:ILE:HD11	1.96	0.48
1:C:429:PHE:O	1:C:433:LYS:HG2	2.14	0.48
1:J:213:ASP:OD1	1:J:215:THR:HG23	2.13	0.48
2:D:336:SER:HB2	5:D:702:GOL:H32	1.95	0.48
2:D:394:LEU:HD11	2:D:425:LYS:HB2	1.95	0.48
1:A:275:CYS:HA	1:A:358:LEU:HD22	1.96	0.48
1:C:196:HIS:NE2	5:C:603:GOL:H11	2.28	0.48
2:B:194:VAL:HB	2:B:297:HIS:CG	2.49	0.47
2:I:16:LEU:O	2:I:21:LYS:HE3	2.14	0.47
2:I:88:TYR:O	2:I:149:VAL:HA	2.14	0.47
1:C:196:HIS:CE1	5:C:603:GOL:H31	2.50	0.47
2:I:198:ASP:HB2	2:I:297:HIS:O	2.15	0.47
2:L:27:LYS:NZ	2:L:32:GLU:OE2	2.43	0.47
2:L:47:THR:HA	2:L:52:TYR:CG	2.50	0.46
1:J:12:LEU:CD1	1:J:415:ARG:HG3	2.46	0.46
1:H:440:GLN:NE2	1:H:445:ASP:OD1	2.48	0.46
2:L:445:ASN:HB2	2:L:472:PRO:O	2.15	0.46
2:D:139:LYS:HA	2:D:144:PRO:HD2	1.97	0.46
2:B:139:LYS:HA	2:B:144:PRO:HD2	1.97	0.46
1:H:6:ARG:NH2	1:H:396:ASP:OD1	2.47	0.46
1:C:106:VAL:HG21	2:D:44:PHE:HB2	1.97	0.46
1:A:213:ASP:OD1	1:A:215:THR:HG23	2.15	0.46
1:C:258:SER:O	1:C:261:GLU:HG2	2.16	0.46
1:C:354:TYR:CZ	1:C:404:VAL:HG12	2.51	0.46
2:I:170:LYS:HG2	2:I:177:ASP:HA	1.97	0.46
2:L:215:ASP:OD1	2:L:215:ASP:N	2.42	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:194:VAL:HB	2:I:297:HIS:CG	2.51	0.45
2:B:153:CYS:HB3	2:B:188:SER:OG	2.16	0.45
2:L:394:LEU:HD11	2:L:425:LYS:HB2	1.99	0.45
1:J:332:LYS:HA	1:J:335:TRP:NE1	2.31	0.45
1:H:51:LYS:HG2	1:H:189:VAL:HG12	1.98	0.45
2:L:216:LYS:HG3	2:L:285:PRO:HB2	1.98	0.45
1:A:356:GLY:HA3	4:A:602:ICS:S4B	2.57	0.45
2:D:399:ASN:HB2	6:D:704:SO4:S	2.57	0.45
1:H:100:TYR:CE1	1:H:110:VAL:HB	2.51	0.45
1:J:440:GLN:HB2	1:J:445:ASP:OD1	2.17	0.45
2:I:477:HIS:HB3	2:I:478:HIS:CD2	2.52	0.45
2:B:445:ASN:HB2	2:B:472:PRO:O	2.15	0.45
1:C:447:SER:OG	1:C:448:GLY:N	2.50	0.45
1:A:298:ASN:HA	1:A:362:HIS:NE2	2.32	0.45
2:I:84:LYS:HD3	2:I:145:ASP:OD2	2.17	0.44
2:I:262:ASP:OD2	2:I:481:ARG:NH2	2.50	0.44
1:J:100:TYR:CE1	1:J:110:VAL:HB	2.52	0.44
1:J:190:SER:HB2	1:J:381:PHE:HB3	1.98	0.44
2:L:379:LEU:HD21	2:L:443:ILE:HG21	2.00	0.44
1:A:123:ILE:HG23	1:A:159:ILE:HD11	1.98	0.44
2:I:368:ALA:O	2:I:442:MET:HA	2.18	0.44
2:I:247:MET:HB2	2:I:249:VAL:HG23	2.00	0.44
1:J:442:HIS:CG	3:J:601:HCA:H52	2.53	0.44
2:L:390:PRO:O	2:L:419:ALA:HB2	2.17	0.44
1:H:253:TRP:HA	1:H:254:SER:HA	1.78	0.44
1:C:274:HIS:CE1	1:C:451:HIS:CE1	3.06	0.44
2:D:194:VAL:HB	2:D:297:HIS:CG	2.53	0.44
2:I:237:PHE:O	2:I:241:LYS:HG3	2.18	0.44
2:L:394:LEU:HD12	2:L:422:TYR:HB2	1.99	0.44
1:C:253:TRP:HA	1:C:254:SER:HA	1.77	0.43
2:I:458:LYS:HG2	2:I:462:PHE:CD2	2.52	0.43
1:A:234:ASP:HB3	1:A:451:HIS:ND1	2.33	0.43
1:C:382:ALA:HB1	1:C:386:ASP:HB2	2.01	0.43
2:B:390:PRO:HB2	2:B:393:ILE:HD11	2.01	0.43
2:D:88:TYR:O	2:D:149:VAL:HA	2.19	0.43
2:L:194:VAL:HB	2:L:297:HIS:CG	2.54	0.43
2:B:198:ASP:HB2	2:B:297:HIS:O	2.19	0.42
1:H:62:CYS:HB3	2:I:94:GLY:HA3	2.01	0.42
1:A:213:ASP:OD1	1:A:213:ASP:C	2.57	0.42
2:B:247:MET:HB2	2:B:249:VAL:HG23	2.00	0.42
2:B:509:THR:O	2:B:516:ASP:HA	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:231:GLU:HB3	2:L:237:PHE:CZ	2.54	0.42
2:L:239:VAL:O	2:L:243:MET:HG3	2.18	0.42
2:L:254:LEU:O	2:L:255:SER:HB3	2.19	0.42
2:I:213:MET:HE1	2:I:309:TRP:HA	2.00	0.42
1:J:70:VAL:HA	1:J:96:ARG:NH1	2.35	0.42
1:J:234:ASP:HB3	1:J:451:HIS:ND1	2.34	0.42
1:J:253:TRP:HA	1:J:254:SER:HA	1.81	0.42
1:C:139:GLU:HG3	1:C:174:LEU:HD22	2.00	0.42
2:D:390:PRO:HB2	2:D:393:ILE:HD11	2.02	0.42
1:J:356:GLY:HA3	4:J:602:ICS:S3B	2.60	0.42
1:J:440:GLN:CD	1:J:443:SER:HG	2.22	0.42
2:B:358:SER:HB3	2:D:477:HIS:ND1	2.34	0.42
1:C:34:VAL:HG12	1:C:397:SER:HA	2.01	0.42
2:D:221:ASN:OD1	2:D:287:ALA:HA	2.20	0.42
2:I:136:GLN:HG3	2:I:174:PHE:O	2.20	0.41
2:D:331:LYS:HA	2:D:331:LYS:HD3	1.93	0.41
1:A:442:HIS:ND1	3:A:601:HCA:H52	2.35	0.41
2:B:504:ARG:O	2:B:508:GLU:HG3	2.19	0.41
2:D:399:ASN:HB2	6:D:704:SO4:O3	2.20	0.41
2:I:180:PRO:HA	2:I:207:TYR:OH	2.21	0.41
1:J:139:GLU:HG3	1:J:174:LEU:HD22	2.03	0.41
2:L:487:TYR:O	2:L:491:MET:HG3	2.21	0.41
1:J:447:SER:OG	1:J:448:GLY:N	2.51	0.41
1:C:234:ASP:HB3	1:C:451:HIS:ND1	2.35	0.41
1:C:253:TRP:CZ2	1:C:262:ILE:HG23	2.56	0.41
1:J:106:VAL:O	1:J:144:LEU:HB2	2.20	0.41
1:C:10:GLU:HG3	1:C:34:VAL:HG21	2.03	0.41
2:L:88:TYR:O	2:L:149:VAL:HA	2.21	0.41
2:B:243:MET:O	2:B:247:MET:HG3	2.21	0.41
1:H:355:ILE:O	1:H:380:GLU:HG3	2.20	0.41
2:I:88:TYR:OH	2:I:116:ASP:HB3	2.21	0.41
1:J:10:GLU:HG3	1:J:34:VAL:HG21	2.02	0.41
1:J:355:ILE:HG22	1:J:356:GLY:H	1.85	0.41
2:L:247:MET:HB2	2:L:249:VAL:HG23	2.03	0.41
2:B:284:ALA:N	2:B:285:PRO:CD	2.85	0.40
1:J:382:ALA:HB1	1:J:386:ASP:HB2	2.03	0.40
1:A:82:SER:HB3	1:A:153:GLU:OE2	2.21	0.40
1:J:121:LYS:HE2	1:J:121:LYS:HB3	1.89	0.40
1:A:433:LYS:HZ3	2:D:353:ASP:CG	2.24	0.40
2:B:390:PRO:O	2:B:419:ALA:HB2	2.21	0.40
2:B:520:ASP:OD1	1:C:99:TYR:OH	2.38	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:429:PHE:O	1:H:433:LYS:HG2	2.20	0.40
1:J:354:TYR:CZ	1:J:404:VAL:HG12	2.57	0.40
2:D:370:TRP:HA	2:D:394:LEU:O	2.22	0.40
1:H:359:ARG:N	1:H:360:PRO:CD	2.84	0.40
2:I:139:LYS:HA	2:I:144:PRO:HD2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	475/500 (95%)	452 (95%)	22 (5%)	1 (0%)	47	80
1	C	475/500 (95%)	453 (95%)	21 (4%)	1 (0%)	47	80
1	H	475/500 (95%)	455 (96%)	19 (4%)	1 (0%)	47	80
1	J	475/500 (95%)	455 (96%)	19 (4%)	1 (0%)	47	80
2	B	520/523 (99%)	507 (98%)	12 (2%)	1 (0%)	47	80
2	D	520/523 (99%)	507 (98%)	13 (2%)	0	100	100
2	I	520/523 (99%)	507 (98%)	13 (2%)	0	100	100
2	L	520/523 (99%)	508 (98%)	11 (2%)	1 (0%)	47	80
All	All	3980/4092 (97%)	3844 (97%)	130 (3%)	6 (0%)	47	80

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	255	SER
2	B	255	SER
1	C	355	ILE
1	H	355	ILE
1	J	355	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	355	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/422 (96%)	403 (99%)	3 (1%)	84	93
1	C	406/422 (96%)	403 (99%)	3 (1%)	84	93
1	H	406/422 (96%)	404 (100%)	2 (0%)	88	95
1	J	406/422 (96%)	403 (99%)	3 (1%)	84	93
2	B	454/455 (100%)	452 (100%)	2 (0%)	91	96
2	D	454/455 (100%)	454 (100%)	0	100	100
2	I	454/455 (100%)	453 (100%)	1 (0%)	93	98
2	L	454/455 (100%)	454 (100%)	0	100	100
All	All	3440/3508 (98%)	3426 (100%)	14 (0%)	91	96

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	85	PRO
1	A	401	TYR
1	A	409	PHE
2	B	88	TYR
2	B	258	GLU
1	C	165	SER
1	C	401	TYR
1	C	445	ASP
1	H	401	TYR
1	H	409	PHE
2	I	258	GLU
1	J	165	SER
1	J	214	THR
1	J	401	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 38 ligands modelled in this entry, 4 are monoatomic - leaving 34 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	SO4	H	603	-	4,4,4	0.14	0	6,6,6	0.08	0
5	GOL	C	603	-	5,5,5	0.85	0	5,5,5	0.91	0
3	HCA	A	601	-	13,13,13	0.95	0	14,18,18	1.83	4 (28%)
5	GOL	L	702	-	5,5,5	0.97	0	5,5,5	0.90	0
3	HCA	C	601	-	13,13,13	1.22	1 (7%)	14,18,18	1.40	2 (14%)
7	1CL	B	701	1,2	0,22,22	-	-	-	-	-
6	SO4	B	708	-	4,4,4	0.40	0	6,6,6	0.05	0
6	SO4	B	707	-	4,4,4	0.13	0	6,6,6	0.09	0
6	SO4	I	702	-	4,4,4	0.14	0	6,6,6	0.10	0
5	GOL	A	603	-	5,5,5	0.91	0	5,5,5	1.00	0
5	GOL	D	702	-	5,5,5	0.08	0	5,5,5	0.31	0
4	ICS	H	602	1	18,30,30	2.37	9 (50%)	-	-	-
6	SO4	D	704	-	4,4,4	0.40	0	6,6,6	0.05	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	B	704	-	5,5,5	0.08	0	5,5,5	0.32	0
5	GOL	B	703	-	5,5,5	0.09	0	5,5,5	0.31	0
6	SO4	L	703	-	4,4,4	0.14	0	6,6,6	0.11	0
4	ICS	A	602	1	18,30,30	2.49	10 (55%)	-	-	-
4	ICS	J	602	1	18,30,30	2.55	10 (55%)	-	-	-
7	1CL	I	701	1,2	0,22,22	-	-	-	-	-
7	1CL	D	701	1,2	0,22,22	-	-	-	-	-
7	1CL	L	701	1,2	0,22,22	-	-	-	-	-
5	GOL	D	703	-	5,5,5	0.09	0	5,5,5	0.32	0
5	GOL	A	604	-	5,5,5	0.86	0	5,5,5	0.89	0
6	SO4	J	604	-	4,4,4	0.15	0	6,6,6	0.06	0
5	GOL	J	603	-	5,5,5	1.09	0	5,5,5	0.79	0
4	ICS	C	602	1	18,30,30	2.35	10 (55%)	-	-	-
5	GOL	B	705	-	5,5,5	0.09	0	5,5,5	0.32	0
5	GOL	B	702	-	5,5,5	0.92	0	5,5,5	0.89	0
6	SO4	A	605	-	4,4,4	0.14	0	6,6,6	0.09	0
6	SO4	C	604	-	4,4,4	0.14	0	6,6,6	0.13	0
6	SO4	L	704	-	4,4,4	0.14	0	6,6,6	0.10	0
3	HCA	H	601	-	13,13,13	1.00	0	14,18,18	1.58	1 (7%)
3	HCA	J	601	-	13,13,13	0.98	0	14,18,18	1.84	4 (28%)
5	GOL	B	706	-	5,5,5	0.09	0	5,5,5	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	C	603	-	-	0/4/4/4	-
3	HCA	A	601	-	-	11/17/17/17	-
5	GOL	L	702	-	-	4/4/4/4	-
3	HCA	C	601	-	-	5/17/17/17	-
7	1CL	B	701	1,2	-	-	0/10/8/8
5	GOL	A	603	-	-	1/4/4/4	-
5	GOL	D	702	-	-	2/4/4/4	-
5	GOL	B	704	-	-	4/4/4/4	-
5	GOL	B	703	-	-	0/4/4/4	-
7	1CL	I	701	1,2	-	-	0/10/8/8
7	1CL	D	701	1,2	-	-	0/10/8/8
7	1CL	L	701	1,2	-	-	0/10/8/8

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	D	703	-	-	0/4/4/4	-
5	GOL	A	604	-	-	2/4/4/4	-
5	GOL	J	603	-	-	2/4/4/4	-
5	GOL	B	705	-	-	0/4/4/4	-
5	GOL	B	702	-	-	2/4/4/4	-
3	HCA	H	601	-	-	6/17/17/17	-
3	HCA	J	601	-	-	10/17/17/17	-
5	GOL	B	706	-	-	2/4/4/4	-

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	J	602	ICS	S3B-FE6	-4.19	2.22	2.32
4	J	602	ICS	S4B-FE7	-4.15	2.22	2.32
4	A	602	ICS	S4B-FE7	-4.06	2.22	2.32
4	C	602	ICS	S4B-FE7	-4.02	2.22	2.32
4	A	602	ICS	S3B-FE6	-4.01	2.22	2.32
4	C	602	ICS	S3B-FE6	-3.95	2.22	2.32
4	H	602	ICS	S3B-FE6	-3.94	2.22	2.32
4	H	602	ICS	S4B-FE7	-3.85	2.22	2.32
4	J	602	ICS	S1B-FE6	-3.66	2.23	2.32
4	J	602	ICS	S3B-FE7	-3.56	2.23	2.32
4	H	602	ICS	S1B-FE6	-3.36	2.24	2.32
4	A	602	ICS	S1B-FE6	-3.28	2.24	2.32
4	C	602	ICS	S1B-FE6	-3.24	2.24	2.32
4	A	602	ICS	S2A-FE2	-3.09	2.24	2.32
4	A	602	ICS	S2B-FE6	-3.04	2.17	2.24
4	A	602	ICS	S3B-FE7	-3.02	2.24	2.32
4	H	602	ICS	S3B-FE7	-3.02	2.24	2.32
4	J	602	ICS	S4A-FE3	-2.95	2.25	2.32
4	H	602	ICS	S4B-FE5	-2.84	2.25	2.32
4	C	602	ICS	S3B-FE7	-2.83	2.25	2.32
4	C	602	ICS	S2B-FE6	-2.71	2.18	2.24
4	J	602	ICS	S2B-FE6	-2.71	2.18	2.24
4	H	602	ICS	S2B-FE6	-2.70	2.18	2.24
4	A	602	ICS	S4A-FE3	-2.66	2.25	2.32
4	C	602	ICS	S4B-FE5	-2.62	2.25	2.32
4	J	602	ICS	S4B-FE5	-2.62	2.25	2.32
4	H	602	ICS	S2A-FE2	-2.61	2.25	2.32
4	H	602	ICS	S4A-FE3	-2.61	2.25	2.32
4	C	602	ICS	S2A-FE2	-2.60	2.25	2.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	602	ICS	S4A-FE3	-2.60	2.26	2.32
4	J	602	ICS	S2A-FE2	-2.55	2.26	2.32
4	A	602	ICS	S1B-FE5	-2.54	2.26	2.32
4	J	602	ICS	S1A-FE2	-2.48	2.26	2.32
4	A	602	ICS	S4B-FE5	-2.40	2.26	2.32
4	A	602	ICS	S1A-FE2	-2.39	2.26	2.32
4	C	602	ICS	S1A-FE2	-2.28	2.26	2.32
4	H	602	ICS	S1A-FE2	-2.22	2.26	2.32
3	C	601	HCA	C3-C7	2.21	1.55	1.53
4	J	602	ICS	S1B-FE5	-2.18	2.27	2.32
4	C	602	ICS	S1B-FE5	-2.00	2.27	2.32

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	601	HCA	O6-C7-C3	4.67	121.16	113.05
3	A	601	HCA	O6-C7-C3	4.62	121.07	113.05
3	H	601	HCA	O6-C7-C3	3.92	119.86	113.05
3	C	601	HCA	O5-C7-C3	-3.21	117.71	122.25
3	A	601	HCA	O4-C6-C5	2.38	121.69	114.03
3	C	601	HCA	O6-C7-C3	2.34	117.11	113.05
3	A	601	HCA	O2-C1-C2	2.32	121.79	114.35
3	J	601	HCA	O4-C6-C5	2.27	121.32	114.03
3	J	601	HCA	O2-C1-C2	2.22	121.49	114.35
3	J	601	HCA	O2-C1-O1	-2.05	118.20	123.30
3	A	601	HCA	O2-C1-O1	-2.01	118.30	123.30

There are no chirality outliers.

All (51) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	601	HCA	C2-C3-C4-C5
3	C	601	HCA	C1-C2-C3-C4
3	C	601	HCA	C1-C2-C3-C7
3	C	601	HCA	C3-C4-C5-C6
3	H	601	HCA	C2-C3-C4-C5
3	H	601	HCA	O7-C3-C4-C5
3	J	601	HCA	C2-C3-C4-C5
5	A	604	GOL	O1-C1-C2-C3
5	B	704	GOL	C1-C2-C3-O3
5	B	704	GOL	O2-C2-C3-O3
5	D	702	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	J	601	HCA	C1-C2-C3-C4
3	J	601	HCA	C1-C2-C3-C7
3	C	601	HCA	C1-C2-C3-O7
3	H	601	HCA	C1-C2-C3-C4
3	H	601	HCA	C1-C2-C3-C7
5	B	702	GOL	O1-C1-C2-C3
5	B	704	GOL	O1-C1-C2-C3
5	B	706	GOL	O1-C1-C2-C3
5	J	603	GOL	O1-C1-C2-C3
5	L	702	GOL	O1-C1-C2-C3
5	L	702	GOL	C1-C2-C3-O3
5	B	702	GOL	O1-C1-C2-O2
5	B	704	GOL	O1-C1-C2-O2
3	H	601	HCA	C7-C3-C4-C5
5	B	706	GOL	O1-C1-C2-O2
5	L	702	GOL	O2-C2-C3-O3
3	J	601	HCA	C1-C2-C3-O7
3	A	601	HCA	C4-C3-C7-O5
3	A	601	HCA	C4-C3-C7-O6
3	J	601	HCA	C4-C3-C7-O5
5	A	604	GOL	O1-C1-C2-O2
3	C	601	HCA	C4-C3-C7-O6
3	J	601	HCA	C4-C3-C7-O6
3	A	601	HCA	C1-C2-C3-C7
3	A	601	HCA	C1-C2-C3-C4
3	A	601	HCA	C2-C3-C7-O5
3	J	601	HCA	O2-C1-C2-C3
3	A	601	HCA	C7-C3-C4-C5
3	J	601	HCA	O1-C1-C2-C3
5	A	603	GOL	O1-C1-C2-O2
5	L	702	GOL	O1-C1-C2-O2
3	A	601	HCA	O7-C3-C4-C5
3	H	601	HCA	C1-C2-C3-O7
3	A	601	HCA	C2-C3-C7-O6
3	A	601	HCA	O1-C1-C2-C3
3	J	601	HCA	C4-C5-C6-O3
3	A	601	HCA	O2-C1-C2-C3
3	J	601	HCA	C4-C5-C6-O4
5	D	702	GOL	O2-C2-C3-O3
5	J	603	GOL	O1-C1-C2-O2


There are no ring outliers.


9 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	603	GOL	2	0
3	A	601	HCA	2	0
5	D	702	GOL	1	0
6	D	704	SO4	2	0
4	A	602	ICS	1	0
4	J	602	ICS	1	0
7	D	701	1CL	2	0
7	L	701	1CL	1	0
3	J	601	HCA	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	477/500 (95%)	-0.61	0 100 100	10, 20, 35, 55	0
1	C	477/500 (95%)	-0.12	2 (0%) 92 79	27, 48, 74, 88	0
1	H	477/500 (95%)	-0.05	6 (1%) 77 51	28, 51, 90, 103	0
1	J	477/500 (95%)	-0.60	0 100 100	9, 24, 41, 56	0
2	B	522/523 (99%)	-0.69	0 100 100	9, 20, 34, 40	0
2	D	522/523 (99%)	-0.42	0 100 100	12, 38, 68, 78	0
2	I	522/523 (99%)	-0.26	5 (0%) 82 59	14, 45, 78, 87	0
2	L	522/523 (99%)	-0.67	0 100 100	10, 22, 40, 49	0
All	All	3996/4092 (97%)	-0.43	13 (0%) 94 83	9, 31, 69, 103	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	37	PRO	4.0
1	H	36	ASP	2.8
1	H	41	GLN	2.7
2	I	133	ASP	2.5
2	I	126	GLY	2.4
2	I	122	ALA	2.4
1	H	40	THR	2.4
2	I	125	PHE	2.3
1	H	37	PRO	2.3
1	H	69	GLY	2.2
1	C	38	ALA	2.2
2	I	119	THR	2.2
1	H	38	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	C	603	6/6	0.85	0.18	55,55,55,55	0
6	SO4	B	707	5/5	0.86	0.26	72,72,72,72	0
5	GOL	A	603	6/6	0.87	0.27	28,28,28,28	0
5	GOL	B	706	6/6	0.89	0.29	20,20,20,20	0
5	GOL	B	703	6/6	0.90	0.29	31,31,31,31	0
6	SO4	L	704	5/5	0.90	0.37	89,89,89,89	0
8	FE	L	705	1/1	0.90	0.11	77,77,77,77	0
3	HCA	C	601	14/14	0.91	0.33	36,36,36,36	0
6	SO4	I	702	5/5	0.91	0.23	79,79,79,79	0
5	GOL	D	702	6/6	0.92	0.27	20,20,20,20	0
3	HCA	H	601	14/14	0.93	0.27	51,51,51,51	0
5	GOL	L	702	6/6	0.93	0.16	24,24,24,24	0
5	GOL	B	705	6/6	0.94	0.15	20,20,20,20	0
6	SO4	C	604	5/5	0.95	0.15	66,66,66,66	0
6	SO4	D	704	5/5	0.95	0.34	30,30,30,30	0
5	GOL	J	603	6/6	0.95	0.14	26,26,26,26	0
6	SO4	L	703	5/5	0.95	0.14	58,58,58,58	0
3	HCA	J	601	14/14	0.95	0.19	16,16,16,16	0
7	1CL	I	701	15/15	0.95	0.11	73,74,74,74	0
8	FE	B	709	1/1	0.95	0.07	54,54,54,54	0
8	FE	D	705	1/1	0.95	0.14	59,59,59,59	0
5	GOL	B	704	6/6	0.95	0.17	24,24,24,24	0
5	GOL	B	702	6/6	0.96	0.15	25,25,25,25	0
6	SO4	J	604	5/5	0.96	0.11	65,65,65,65	0
7	1CL	D	701	15/15	0.97	0.11	61,61,62,62	0
5	GOL	A	604	6/6	0.97	0.12	13,13,13,13	0
3	HCA	A	601	14/14	0.97	0.15	10,10,11,11	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	D	703	6/6	0.97	0.12	20,20,20,20	0
7	1CL	B	701	15/15	0.97	0.15	17,18,18,18	0
6	SO4	B	708	5/5	0.98	0.20	30,30,30,30	0
4	ICS	C	602	18/18	0.98	0.10	56,56,56,56	0
4	ICS	H	602	18/18	0.98	0.09	61,62,62,62	0
6	SO4	H	603	5/5	0.98	0.12	60,60,60,60	0
7	1CL	L	701	15/15	0.98	0.14	16,16,17,17	0
4	ICS	J	602	18/18	0.98	0.16	15,15,15,15	0
6	SO4	A	605	5/5	0.98	0.09	41,41,41,41	0
4	ICS	A	602	18/18	0.98	0.16	12,12,12,12	0
8	FE	I	703	1/1	0.99	0.16	53,53,53,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around HCA H 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HCA J 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 1CL I 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 1CL D 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HCA A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 1CL B 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ICS C 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ICS H 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 1CL L 701:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ICS J 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.