



## wwPDB EM Validation Summary Report ⓘ

Nov 6, 2022 – 08:30 AM EST

PDB ID : 6BU8  
EMDB ID : EMD-7289  
Title : 70S ribosome with S1 domains 1 and 2 (Class 1)  
Authors : Loveland, A.B.; Korostelev, A.A.  
Deposited on : 2017-12-08  
Resolution : 3.50 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	04	271	50% 48% .
2	05	209	58% 42%
3	06	201	51% 48% .
4	07	177	42% 57% ..
5	08	176	13% 61% 38% .
6	09	149	26% 50% 46% .
7	10	131	38% 58% .


























*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	11	141	
9	12	142	
10	13	122	
11	14	143	
12	15	136	
13	16	120	
14	17	116	
15	18	114	
16	19	117	
17	20	103	
18	21	110	
19	22	93	
20	23	102	
21	24	94	
22	25	75	
23	26	77	
24	27	63	
25	28	58	
26	29	66	
27	30	56	
28	31	50	
29	32	46	
30	33	64	
31	34	38	
32	B	225	




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	C	206	
34	D	205	
35	E	157	
36	F	126	
37	G	151	
38	H	129	
39	I	127	
40	J	98	
41	K	116	
42	L	123	
43	M	114	
44	N	100	
45	O	88	
46	P	82	
47	Q	80	
48	R	65	
49	S	79	
50	T	85	
51	U	65	
52	03	223	
53	A	1539	
54	01	2903	
55	02	120	
56	W	77	
56	X	77	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
57	V	27	 <p>48% 19% 33%</p>
58	Y	76	 <p>19% 63% 29% 8%</p>
59	Z	554	 <p>19% 19% 9% 72%</p>

## 2 Entry composition [i](#)

There are 60 unique types of molecules in this entry. The entry contains 152151 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	04	271	2083	1288	423	365	7	0	0

- Molecule 2 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	05	209	1565	979	288	294	4	0	0

- Molecule 3 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	06	201	1552	974	283	290	5	0	0

- Molecule 4 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	07	177	1411	899	249	257	6	0	0

- Molecule 5 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	08	176	1323	832	243	246	2	0	0

- Molecule 6 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	09	149	1111	699	197	214	1	0	0

- Molecule 7 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	10	131	989	625	175	184	5	0	0

- Molecule 8 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	11	141	1032	651	179	196	6	0	0

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	12	142	1129	714	212	199	4	0	0

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	13	122	939	587	180	166	6	0	0

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	14	143	1045	649	206	189	1	0	0

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	15	136	1074	686	205	177	6	0	0

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	16	120	961	593	196	167	5	0	0

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	17	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	18	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	19	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	20	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	21	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	22	93	Total	C	N	O	S	0	0
			739	466	139	132	2		

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	23	102	Total	C	N	O	0	0
			780	492	146	142		

- Molecule 21 is a protein called 50S ribosomal protein L25.



Mol	Chain	Residues	Atoms					AltConf	Trace
21	24	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	25	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	26	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	27	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	28	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	29	66	Total	C	N	O	S	0	0
			523	323	99	95	6		

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	30	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	31	50	Total	C	N	O	0	0
			410	263	75	72		

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	32	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	33	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	34	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 32 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	B	225	Total	C	N	O	S	0	0
			1757	1111	315	323	8		

- Molecule 33 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	C	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 34 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	D	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 35 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	E	157	1157	719	218	214	6	0	0

- Molecule 36 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	F	126	1028	638	189	194	7	0	0

- Molecule 37 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	G	151	1182	735	227	216	4	0	0

- Molecule 38 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	H	129	979	616	173	184	6	0	0

- Molecule 39 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	I	127	1022	634	206	179	3	0	0

- Molecule 40 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	J	98	787	493	150	143	1	0	0

- Molecule 41 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	K	116	870	535	173	159	3	0	0

- Molecule 42 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	L	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 43 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	M	114	Total	C	N	O	S	0	0
			884	546	178	157	3		

- Molecule 44 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	N	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 45 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	O	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 46 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	P	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 47 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Q	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 48 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	R	65	Total	C	N	O	S	0	0
			536	339	100	96	1		

- Molecule 49 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	S	79	638	408	120	108	2	0	0

- Molecule 50 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	T	85	665	411	137	114	3	0	0

- Molecule 51 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	U	65	545	335	117	92	1	0	0

- Molecule 52 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	03	134	1027	645	186	194	2	0	0

- Molecule 53 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
53	A	1539	33012	14725	6052	10697	1538	0	0

- Molecule 54 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
54	01	2903	62317	27801	11468	20146	2902	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
01	747	C	U	SEE REMARK 999	GB 802133627

- Molecule 55 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
55	02	120	2568	1145	471	833	119	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
02	120	A	-	SEE REMARK 999	GB 1266961702

- Molecule 56 is a RNA chain called tRNAfMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
56	X	77	1640	732	297	535	76	0	0
56	W	77	1640	732	297	535	76	0	0

- Molecule 57 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
57	V	18	388	175	76	120	17	0	0


- Molecule 58 is a RNA chain called tRNAPhe.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
58	Y	76	1622	723	290	533	76	0	0

- Molecule 59 is a protein called 30S ribosomal protein S1.

Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
59	Z	156	1204	760	209	235	0	0

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: C<sub>6</sub>H<sub>11</sub>NO<sub>3</sub>S).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	W	1	10	6	1	2	1	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L2




- Molecule 2: 50S ribosomal protein L3




- Molecule 3: 50S ribosomal protein L4









• Molecule 4: 50S ribosomal protein L5



• Molecule 5: 50S ribosomal protein L6




• Molecule 6: 50S ribosomal protein L9





• Molecule 7: 50S ribosomal protein L10







- Molecule 8: 50S ribosomal protein L11



- Molecule 9: 50S ribosomal protein L13




- Molecule 10: 50S ribosomal protein L14




- Molecule 11: 50S ribosomal protein L15







- Molecule 12: 50S ribosomal protein L16




- Molecule 13: 50S ribosomal protein L17



- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19




- Molecule 16: 50S ribosomal protein L20

Chain 19: 




- Molecule 17: 50S ribosomal protein L21

Chain 20: 




- Molecule 18: 50S ribosomal protein L22

Chain 21: 




- Molecule 19: 50S ribosomal protein L23

Chain 22: 




- Molecule 20: 50S ribosomal protein L24


Chain 23: 




- Molecule 21: 50S ribosomal protein L25




- Molecule 22: 50S ribosomal protein L27




- Molecule 23: 50S ribosomal protein L28




- Molecule 24: 50S ribosomal protein L29



- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L31



- Molecule 27: 50S ribosomal protein L32






- Molecule 28: 50S ribosomal protein L33



- Molecule 29: 50S ribosomal protein L34





- Molecule 30: 50S ribosomal protein L35



- Molecule 31: 50S ribosomal protein L36




- Molecule 32: 30S ribosomal protein S2




- Molecule 33: 30S ribosomal protein S3







• Molecule 34: 30S ribosomal protein S4



• Molecule 35: 30S ribosomal protein S5




• Molecule 36: 30S ribosomal protein S6



• Molecule 37: 30S ribosomal protein S7









• Molecule 38: 30S ribosomal protein S8




• Molecule 39: 30S ribosomal protein S9



• Molecule 40: 30S ribosomal protein S10




• Molecule 41: 30S ribosomal protein S11




• Molecule 42: 30S ribosomal protein S12





• Molecule 43: 30S ribosomal protein S13




• Molecule 44: 30S ribosomal protein S14



• Molecule 45: 30S ribosomal protein S15



• Molecule 46: 30S ribosomal protein S16




• Molecule 47: 30S ribosomal protein S17




• Molecule 48: 30S ribosomal protein S18




• Molecule 49: 30S ribosomal protein S19





• Molecule 50: 30S ribosomal protein S20




• Molecule 51: 30S ribosomal protein S21




• Molecule 52: 50S ribosomal protein L1







• Molecule 53: 16S ribosomal RNA







• Molecule 54: 23S ribosomal RNA









• Molecule 55: 5S ribosomal RNA



• Molecule 56: tRNAfMet



• Molecule 56: tRNAfMet



• Molecule 57: mRNA



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	10289	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; CTFFIND3 was used to determine CTF values. FREALIGN applied CTF correction.	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	1.0	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	5000	Depositor
Magnification	60976	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.062	Depositor
Minimum map value	-0.023	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.01	Depositor
Map size ( $\text{\AA}$ )	393.6, 393.6, 393.6	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.82, 0.82, 0.82	Depositor



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	04	0.26	0/2122	0.56	0/2852
2	05	0.29	0/1586	0.51	0/2134
3	06	0.28	0/1571	0.51	0/2113
4	07	0.30	0/1435	0.53	0/1926
5	08	0.26	0/1343	0.51	0/1816
6	09	0.29	0/1122	0.55	0/1515
7	10	0.30	0/1002	0.58	0/1350
8	11	0.28	0/1046	0.53	0/1410
9	12	0.27	0/1152	0.51	0/1551
10	13	0.26	0/948	0.55	0/1268
11	14	0.27	0/1054	0.52	0/1403
12	15	0.30	0/1093	0.53	0/1460
13	16	0.29	0/974	0.51	0/1301
14	17	0.27	0/902	0.47	0/1209
15	18	0.29	0/929	0.54	0/1242
16	19	0.30	0/960	0.46	0/1278
17	20	0.31	0/829	0.59	1/1107 (0.1%)
18	21	0.25	0/864	0.53	0/1156
19	22	0.26	0/745	0.51	0/994
20	23	0.29	0/788	0.51	0/1051
21	24	0.29	0/766	0.50	0/1025
22	25	0.32	0/582	0.51	0/769
23	26	0.29	0/635	0.53	0/848
24	27	0.27	0/510	0.44	0/677
25	28	0.27	0/453	0.55	0/605
26	29	0.31	0/532	0.54	0/709
27	30	0.26	0/450	0.52	0/599
28	31	0.31	0/417	0.52	0/554
29	32	0.31	0/380	0.49	0/498
30	33	0.30	0/513	0.53	0/676
31	34	0.26	0/303	0.51	0/397
32	B	0.29	0/1788	0.53	0/2408

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	C	0.27	0/1652	0.52	0/2225
34	D	0.27	0/1665	0.50	0/2227
35	E	0.28	0/1170	0.53	0/1573
36	F	0.38	0/1048	0.53	0/1413
37	G	0.26	0/1196	0.51	0/1602
38	H	0.27	0/989	0.53	0/1326
39	I	0.28	0/1034	0.53	0/1375
40	J	0.26	0/797	0.56	0/1077
41	K	0.28	0/886	0.54	0/1195
42	L	0.27	0/969	0.61	0/1300
43	M	0.24	0/893	0.50	0/1193
44	N	0.28	0/817	0.46	0/1088
45	O	0.27	0/722	0.47	0/964
46	P	0.31	0/659	0.50	0/884
47	Q	0.28	0/658	0.59	0/881
48	R	0.29	0/545	0.51	0/731
49	S	0.31	0/653	0.52	0/877
50	T	0.27	0/671	0.44	0/888
51	U	0.30	0/551	0.53	0/728
52	03	0.26	0/1034	0.51	0/1387
53	A	0.30	0/36963	0.66	0/57662
54	01	0.29	0/69796	0.65	0/108888
55	02	0.28	0/2872	0.66	0/4479
56	W	0.28	0/1832	0.65	0/2855
56	X	0.30	0/1832	0.65	0/2855
57	V	0.28	0/436	0.63	0/679
58	Y	0.34	0/1812	0.67	0/2823
59	Z	0.44	0/1215	0.45	0/1635
All	All	0.29	0/165161	0.62	1/246711 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	20	50	GLY	N-CA-C	-5.75	98.73	113.10

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	04	2083	0	2157	128	0
2	05	1565	0	1616	78	0
3	06	1552	0	1619	97	0
4	07	1411	0	1447	100	0
5	08	1323	0	1374	69	0
6	09	1111	0	1148	72	0
7	10	989	0	1025	82	0
8	11	1032	0	1088	83	0
9	12	1129	0	1162	77	0
10	13	939	0	1012	56	0
11	14	1045	0	1117	69	0
12	15	1074	0	1157	64	0
13	16	961	0	1000	57	0
14	17	892	0	923	49	0
15	18	917	0	965	68	0
16	19	947	0	1022	66	0
17	20	816	0	839	51	0
18	21	857	0	922	64	0
19	22	739	0	807	36	0
20	23	780	0	834	37	0
21	24	753	0	780	31	0
22	25	575	0	592	23	0
23	26	625	0	655	22	0
24	27	509	0	543	26	0
25	28	449	0	491	28	0
26	29	523	0	524	24	0
27	30	444	0	461	43	0
28	31	410	0	440	21	0
29	32	377	0	418	19	0
30	33	504	0	574	20	0
31	34	302	0	343	22	0
32	B	1757	0	1787	81	0
33	C	1625	0	1699	89	0
34	D	1643	0	1710	120	0
35	E	1157	0	1199	98	0
36	F	1028	0	1002	61	0
37	G	1182	0	1240	66	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	H	979	0	1034	63	0
39	I	1022	0	1070	69	0
40	J	787	0	828	61	0
41	K	870	0	878	64	0
42	L	955	0	1019	72	0
43	M	884	0	944	66	0
44	N	805	0	847	57	0
45	O	714	0	737	28	0
46	P	649	0	666	64	0
47	Q	649	0	691	45	0
48	R	536	0	552	39	0
49	S	638	0	665	33	0
50	T	665	0	714	39	0
51	U	545	0	579	62	0
52	03	1027	0	1092	68	0
53	A	33012	0	16618	507	0
54	01	62317	0	31346	1010	0
55	02	2568	0	1303	47	0
56	W	1640	0	836	12	0
56	X	1640	0	837	19	0
57	V	388	0	196	3	0
58	Y	1622	0	821	16	0
59	Z	1204	0	1221	59	0
60	W	10	0	10	0	0
All	All	152151	0	103196	4269	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

The worst 5 of 4269 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
15:18:59:THR:HG22	15:18:72:VAL:HG12	1.33	1.10
54:01:45:G:H5''	54:01:46:G:H5'	1.22	1.09
14:17:29:HIS:HB3	14:17:36:TYR:HB2	1.37	1.04
52:03:174:THR:HG21	54:01:2124:G:H4'	1.39	1.04
43:M:97:ARG:HB2	43:M:99:GLN:HE22	1.23	1.03

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	04	269/271 (99%)	225 (84%)	33 (12%)	11 (4%)	3	23
2	05	207/209 (99%)	175 (84%)	31 (15%)	1 (0%)	29	68
3	06	199/201 (99%)	164 (82%)	29 (15%)	6 (3%)	4	30
4	07	175/177 (99%)	140 (80%)	31 (18%)	4 (2%)	6	36
5	08	174/176 (99%)	155 (89%)	17 (10%)	2 (1%)	14	52
6	09	147/149 (99%)	111 (76%)	27 (18%)	9 (6%)	1	15
7	10	129/131 (98%)	98 (76%)	25 (19%)	6 (5%)	2	20
8	11	139/141 (99%)	118 (85%)	18 (13%)	3 (2%)	6	37
9	12	140/142 (99%)	122 (87%)	13 (9%)	5 (4%)	3	26
10	13	120/122 (98%)	103 (86%)	15 (12%)	2 (2%)	9	42
11	14	141/143 (99%)	120 (85%)	19 (14%)	2 (1%)	11	46
12	15	134/136 (98%)	103 (77%)	26 (19%)	5 (4%)	3	26
13	16	118/120 (98%)	83 (70%)	30 (25%)	5 (4%)	3	23
14	17	114/116 (98%)	95 (83%)	14 (12%)	5 (4%)	2	21
15	18	112/114 (98%)	89 (80%)	18 (16%)	5 (4%)	2	21
16	19	115/117 (98%)	94 (82%)	17 (15%)	4 (4%)	3	27
17	20	101/103 (98%)	86 (85%)	11 (11%)	4 (4%)	3	24
18	21	108/110 (98%)	87 (81%)	17 (16%)	4 (4%)	3	26
19	22	91/93 (98%)	78 (86%)	13 (14%)	0	100	100
20	23	100/102 (98%)	81 (81%)	15 (15%)	4 (4%)	3	24
21	24	92/94 (98%)	78 (85%)	11 (12%)	3 (3%)	4	28
22	25	73/75 (97%)	65 (89%)	8 (11%)	0	100	100
23	26	75/77 (97%)	67 (89%)	7 (9%)	1 (1%)	12	48
24	27	61/63 (97%)	48 (79%)	10 (16%)	3 (5%)	2	19
25	28	56/58 (97%)	49 (88%)	7 (12%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	29	64/66 (97%)	53 (83%)	9 (14%)	2 (3%)	4	30
27	30	54/56 (96%)	46 (85%)	6 (11%)	2 (4%)	3	26
28	31	48/50 (96%)	42 (88%)	6 (12%)	0	100	100
29	32	44/46 (96%)	29 (66%)	11 (25%)	4 (9%)	1	8
30	33	62/64 (97%)	50 (81%)	7 (11%)	5 (8%)	1	9
31	34	36/38 (95%)	29 (81%)	7 (19%)	0	100	100
32	B	223/225 (99%)	193 (86%)	26 (12%)	4 (2%)	8	41
33	C	204/206 (99%)	167 (82%)	29 (14%)	8 (4%)	3	25
34	D	203/205 (99%)	157 (77%)	32 (16%)	14 (7%)	1	12
35	E	155/157 (99%)	123 (79%)	24 (16%)	8 (5%)	2	18
36	F	124/126 (98%)	101 (82%)	17 (14%)	6 (5%)	2	20
37	G	149/151 (99%)	125 (84%)	21 (14%)	3 (2%)	7	39
38	H	127/129 (98%)	109 (86%)	16 (13%)	2 (2%)	9	43
39	I	125/127 (98%)	101 (81%)	16 (13%)	8 (6%)	1	14
40	J	96/98 (98%)	82 (85%)	11 (12%)	3 (3%)	4	30
41	K	114/116 (98%)	92 (81%)	19 (17%)	3 (3%)	5	33
42	L	121/123 (98%)	93 (77%)	20 (16%)	8 (7%)	1	13
43	M	112/114 (98%)	88 (79%)	20 (18%)	4 (4%)	3	26
44	N	98/100 (98%)	70 (71%)	24 (24%)	4 (4%)	3	23
45	O	86/88 (98%)	64 (74%)	20 (23%)	2 (2%)	6	36
46	P	80/82 (98%)	62 (78%)	17 (21%)	1 (1%)	12	48
47	Q	78/80 (98%)	61 (78%)	14 (18%)	3 (4%)	3	25
48	R	63/65 (97%)	50 (79%)	8 (13%)	5 (8%)	1	10
49	S	77/79 (98%)	63 (82%)	9 (12%)	5 (6%)	1	14
50	T	83/85 (98%)	74 (89%)	8 (10%)	1 (1%)	13	50
51	U	63/65 (97%)	42 (67%)	19 (30%)	2 (3%)	4	29
52	03	130/223 (58%)	114 (88%)	13 (10%)	3 (2%)	6	36
59	Z	150/554 (27%)	126 (84%)	21 (14%)	3 (2%)	7	39
All	All	6159/6758 (91%)	5040 (82%)	912 (15%)	207 (3%)	6	28

5 of 207 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	04	261	ARG
3	06	84	THR
4	07	175	PRO
6	09	10	ALA
7	10	58	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	04	216/216 (100%)	215 (100%)	1 (0%)	88	94
2	05	164/164 (100%)	163 (99%)	1 (1%)	86	94
3	06	165/165 (100%)	165 (100%)	0	100	100
4	07	148/148 (100%)	147 (99%)	1 (1%)	84	93
5	08	137/137 (100%)	137 (100%)	0	100	100
6	09	114/114 (100%)	114 (100%)	0	100	100
7	10	100/100 (100%)	100 (100%)	0	100	100
8	11	109/109 (100%)	108 (99%)	1 (1%)	78	90
9	12	116/116 (100%)	116 (100%)	0	100	100
10	13	103/103 (100%)	103 (100%)	0	100	100
11	14	102/102 (100%)	101 (99%)	1 (1%)	76	88
12	15	109/109 (100%)	109 (100%)	0	100	100
13	16	100/100 (100%)	100 (100%)	0	100	100
14	17	86/86 (100%)	86 (100%)	0	100	100
15	18	99/99 (100%)	99 (100%)	0	100	100
16	19	89/89 (100%)	89 (100%)	0	100	100
17	20	84/84 (100%)	84 (100%)	0	100	100
18	21	93/93 (100%)	92 (99%)	1 (1%)	73	88
19	22	80/80 (100%)	80 (100%)	0	100	100
20	23	83/83 (100%)	82 (99%)	1 (1%)	71	87

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	24	78/78 (100%)	77 (99%)	1 (1%)	69	86
22	25	57/57 (100%)	57 (100%)	0	100	100
23	26	67/67 (100%)	66 (98%)	1 (2%)	65	84
24	27	55/55 (100%)	55 (100%)	0	100	100
25	28	48/48 (100%)	48 (100%)	0	100	100
26	29	59/59 (100%)	59 (100%)	0	100	100
27	30	47/47 (100%)	47 (100%)	0	100	100
28	31	45/45 (100%)	45 (100%)	0	100	100
29	32	38/38 (100%)	38 (100%)	0	100	100
30	33	51/51 (100%)	51 (100%)	0	100	100
31	34	34/34 (100%)	34 (100%)	0	100	100
32	B	186/186 (100%)	185 (100%)	1 (0%)	88	94
33	C	170/170 (100%)	170 (100%)	0	100	100
34	D	172/172 (100%)	169 (98%)	3 (2%)	60	82
35	E	119/119 (100%)	119 (100%)	0	100	100
36	F	108/108 (100%)	107 (99%)	1 (1%)	78	90
37	G	124/124 (100%)	124 (100%)	0	100	100
38	H	104/104 (100%)	104 (100%)	0	100	100
39	I	105/105 (100%)	104 (99%)	1 (1%)	76	88
40	J	86/86 (100%)	85 (99%)	1 (1%)	71	87
41	K	89/89 (100%)	89 (100%)	0	100	100
42	L	103/103 (100%)	103 (100%)	0	100	100
43	M	92/92 (100%)	92 (100%)	0	100	100
44	N	83/83 (100%)	83 (100%)	0	100	100
45	O	76/76 (100%)	76 (100%)	0	100	100
46	P	65/65 (100%)	64 (98%)	1 (2%)	65	84
47	Q	74/74 (100%)	74 (100%)	0	100	100
48	R	56/56 (100%)	56 (100%)	0	100	100
49	S	70/70 (100%)	70 (100%)	0	100	100
50	T	65/65 (100%)	65 (100%)	0	100	100
51	U	55/55 (100%)	54 (98%)	1 (2%)	59	81

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
52	03	110/174 (63%)	110 (100%)	0	100	100
59	Z	129/458 (28%)	120 (93%)	9 (7%)	15	46
All	All	5117/5510 (93%)	5090 (100%)	27 (0%)	89	94

5 of 27 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
39	I	60	LEU
51	U	62	GLU
59	Z	150	LYS
46	P	29	ASN
59	Z	66	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 127 such sidechains are listed below:

Mol	Chain	Res	Type
18	21	40	ASN
44	N	42	ASN
32	B	17	HIS
43	M	7	ASN
48	R	53	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
53	A	1538/1539 (99%)	135 (8%)	4 (0%)
54	01	2902/2903 (99%)	345 (11%)	10 (0%)
55	02	119/120 (99%)	12 (10%)	1 (0%)
56	W	76/77 (98%)	7 (9%)	0
56	X	76/77 (98%)	15 (19%)	0
57	V	17/27 (62%)	3 (17%)	0
58	Y	75/76 (98%)	14 (18%)	1 (1%)
All	All	4803/4819 (99%)	531 (11%)	16 (0%)

5 of 531 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
53	A	6	G
53	A	9	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
53	A	22	G
53	A	31	G
53	A	32	A

5 of 16 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
55	02	88	C
54	01	2391	G
54	01	1130	U
54	01	2326	C
54	01	1020	A

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
60	FME	W	101	56	8,9,10	0.72	0	7,9,11	1.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	FME	W	101	56	-	1/7/9/11	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	W	101	FME	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-7289. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 252



Y Index: 247



Z Index: 228

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [\(i\)](#)




The volume at the recommended contour level is 2139 nm<sup>3</sup>; this corresponds to an approximate mass of 1932 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of 0.286 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-7289 and PDB model 6BU8. Per-residue inclusion information can be found in section 3 on page 16.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary





















































The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9346	 0.3600
01	 0.9789	 0.3740
02	 0.9821	 0.3500
03	 0.8574	 0.2350
04	 0.8825	 0.4170
05	 0.8778	 0.4050
06	 0.8658	 0.3690
07	 0.8886	 0.3370
08	 0.8990	 0.3530
09	 0.7053	 0.2910
10	 0.5810	 0.1830
11	 0.6311	 0.2060
12	 0.8818	 0.3750
13	 0.8490	 0.4110
14	 0.8858	 0.3910
15	 0.8455	 0.4040
16	 0.9014	 0.3760
17	 0.9085	 0.3530
18	 0.8581	 0.3900
19	 0.8965	 0.3830
20	 0.8808	 0.3820
21	 0.8409	 0.3890
22	 0.8658	 0.3670
23	 0.9076	 0.3540
24	 0.8902	 0.3790
25	 0.9141	 0.4020
26	 0.8835	 0.3980
27	 0.8511	 0.3030
28	 0.9153	 0.3890
29	 0.8340	 0.3230
30	 0.9089	 0.3970
31	 0.8507	 0.3810
32	 0.8620	 0.4010
33	 0.8900	 0.4120
34	 0.9110	 0.4000



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
A	 0.9816	 0.3640
B	 0.8731	 0.3330
C	 0.8626	 0.3740
D	 0.8849	 0.3370
E	 0.8952	 0.3830
F	 0.7177	 0.2920
G	 0.8690	 0.3430
H	 0.8823	 0.3850
I	 0.8846	 0.3570
J	 0.8412	 0.3470
K	 0.8735	 0.3790
L	 0.8675	 0.3790
M	 0.9002	 0.3420
N	 0.8876	 0.3710
O	 0.8971	 0.3520
P	 0.9203	 0.3550
Q	 0.8768	 0.3460
R	 0.9068	 0.3730
S	 0.9164	 0.3500
T	 0.8954	 0.3300
U	 0.7741	 0.3060
V	 0.8222	 0.2680
W	 0.9352	 0.3480
X	 0.8646	 0.1800
Y	 0.9007	 0.2770
Z	 0.3094	 0.0490