

Full wwPDB X-ray Structure Validation Report (i)

Sep 26, 2023 – 03:30 AM EDT

PDB ID	:	6BV0
Title	:	Crystal structure of porcine aminopeptidase-N with Arginine
Authors	:	Chen, L.; Lin, YL.; Li, F.
Deposited on	:	2017-12-12
Resolution	:	1.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} {\rm Whole \ archive} \\ {\rm (\#Entries)} \end{array}$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries,\ resolution\ range(Å)}) \end{array}$
R _{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain					
1	А	902	12%	87% 11% ·				
2	В	3	33%	67%				
2	С	3	33%	67%				
2	F	3	67%	33%				
3	D	2	50%	50%				



Conti	nued fron	<i>i</i> previous	page						
Mol	Chain	Length	Quality of chain						
3	Е	2		100%					
3	G	2	50%	50%					
3	Н	2	50%	50%					
3	Ι	2		100%					
3	J	2		100%					

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	В	3	-	-	-	Х
2	NAG	С	3	-	-	-	Х
2	NAG	F	3	-	-	-	Х
3	NAG	Ε	2	-	-	-	Х
4	NAG	А	1020	-	-	-	Х
6	SO4	А	1026	-	-	Х	-
6	SO4	А	1027	-	-	Х	Х
6	SO4	A	1028	_	_	X	_
6	SO4	А	1034	-	-	Х	-



2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 8484 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Aminopeptidase N.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	902	Total 7241	C 4622	N 1210	O 1379	S 30	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	107	PHE	LEU	conflict	UNP P15145
А	964	SER	-	expression tag	UNP P15145

• Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	В	3	Total C N O 42 24 3 15	0	0	0
2	С	3	Total C N O 42 24 3 15	0	0	0
2	F	3	Total C N O 42 24 3 15	0	0	0

• Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	D	2	Total C N O 28 16 2 10	0	0	0
3	Е	2	Total C N O 28 16 2 10	0	0	0
3	G	2	Total C N O 28 16 2 10	0	0	0
3	Н	2	Total C N O 28 16 2 10	0	0	0
3	Ι	2	Total C N O 28 16 2 10	0	0	0
3	J	2	Total C N O 28 16 2 10	0	0	0

• Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	А	1	Total 14	C 8	N 1	O 5	0	0
4	А	1	Total 14	C 8	N 1	O 5	0	0

• Molecule 5 is ARGININE (three-letter code: ARG) (formula: $C_6H_{15}N_4O_2$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	А	1	Total 12	С 6	N 4	O 2	0	0

• Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 7 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	Total Zn 1 1	0	0

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	858	Total O 858 858	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Aminopeptidase N

 $\bullet \ {\rm Molecule \ 2: \ 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose}$

Chain B: 33% 67%

• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:

33%

67%



<mark>NAG1</mark> NAG2 NAG3

 $\bullet \ {\rm Molecule} \ 2: \ 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose \ (1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose \ (1-4)-2-acetamido-2-d$

Chain F:	67%	33%	
NAG1 NAG2 NAG3			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta-D	-glucopyranose-(1-4)-2-acetamid	o-2-deoxy-beta-D-gluc
Chain D:	50%	50%	
NAG1 NAG2			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta-D	-glucopyranose-(1-4)-2-acetamid	o-2-deoxy-beta-D-gluc
Chain E:	100)%	
NAG1 NAG2			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta-D	-glucopyranose-(1-4)-2-acetamid	o-2-deoxy-beta-D-gluc
Chain G:	50%	50%	
NAG1 NAG2			
• Molecule 3: opyranose	2-acetamido-2-deoxy-beta-D	-glucopyranose-(1-4)-2-acetamid	o-2-deoxy-beta-D-gluc

1903	Chain H:	50%	50%
	NAG1 NAG2		

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:

100%



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:

100%

NAG1 NAG2



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	260.65Å 62.87Å 81.72Å	Depositor
a, b, c, α , β , γ	90.00° 100.57° 90.00°	Depositor
Bosolution (Å)	50.00 - 1.86	Depositor
Resolution (A)	45.10 - 1.86	EDS
% Data completeness	97.9 (50.00-1.86)	Depositor
(in resolution range)	98.0 (45.10-1.86)	EDS
R _{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$< I/\sigma(I) > 1$	$1.58 (at 1.86 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
B B.	0.215 , 0.260	Depositor
Λ, Λ_{free}	0.220 , 0.263	DCC
R_{free} test set	5368 reflections (5.00%)	wwPDB-VP
Wilson B-factor $(Å^2)$	32.6	Xtriage
Anisotropy	0.024	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.38 , 37.2	EDS
L-test for $twinning^2$	$ < L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8484	wwPDB-VP
Average B, all atoms $(Å^2)$	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.22% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NAG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
IVIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.56	0/7429	0.54	0/10124

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers	
1	А	0	2	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	887	ASP	Peptide
1	А	920	LYS	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	7241	0	6994	98	1



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	В	42	0	37	1	0
2	С	42	0	37	1	0
2	F	42	0	37	0	1
3	D	28	0	25	0	0
3	Е	28	0	25	0	0
3	G	28	0	25	0	0
3	Н	28	0	25	1	0
3	Ι	28	0	25	4	0
3	J	28	0	25	2	0
4	А	28	0	26	0	0
5	А	12	0	12	3	0
6	А	50	0	0	12	1
7	А	1	0	0	0	0
8	A	858	0	0	33	4
All	All	8484	0	7293	114	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (114)	close	$\operatorname{contacts}$	within	the same	e asymmetric	unit	are	listed	below,	sorted	by	their	clash
magnitud	e.												

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:484:ASN:HB3	8:A:1538:HOH:O	1.25	1.28
6:A:1028:SO4:O1	8:A:1101:HOH:O	1.71	1.06
1:A:69:ARG:NH1	6:A:1034:SO4:O2	1.90	1.03
8:A:1717:HOH:O	3:J:2:NAG:H82	1.58	1.03
1:A:265:GLU:HG3	8:A:1793:HOH:O	1.61	0.99
6:A:1028:SO4:O2	8:A:1102:HOH:O	1.89	0.89
1:A:892:SER:O	1:A:893:PHE:HB2	1.72	0.87
6:A:1026:SO4:O2	8:A:1103:HOH:O	2.01	0.79
1:A:884:LEU:HD22	1:A:925:VAL:O	1.85	0.76
1:A:108:LEU:HB2	1:A:170:MET:HE2	1.67	0.76
8:A:1717:HOH:O	3:J:2:NAG:C8	2.26	0.76
1:A:637:ARG:HG2	8:A:1823:HOH:O	1.88	0.74
1:A:108:LEU:HD12	1:A:109:CYS:N	2.03	0.73
1:A:373:ASN:ND2	8:A:1113:HOH:O	2.16	0.73
1:A:176:GLU:OE1	8:A:1104:HOH:O	2.08	0.72
1:A:896:SER:HB2	8:A:1161:HOH:O	1.91	0.69
6:A:1031:SO4:O2	8:A:1107:HOH:O	2.11	0.69
1:A:770:LYS:HE2	8:A:1601:HOH:O	1.93	0.69
1:A:611:THR:HG21	8:A:1171:HOH:O	1.93	0.69



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:892:SER:OG	1:A:893:PHE:N	2.27	0.68
8:A:1108:HOH:O	3:I:1:NAG:O6	2.11	0.68
1:A:376:ARG:CZ	6:A:1027:SO4:O1	2.41	0.67
1:A:779:ASP:OD1	8:A:1109:HOH:O	2.12	0.67
6:A:1026:SO4:O1	8:A:1106:HOH:O	2.10	0.65
1:A:893:PHE:O	1:A:894:SER:HB2	1.97	0.63
1:A:933:ALA:HA	1:A:936:GLN:OE1	1.98	0.63
1:A:637:ARG:CG	8:A:1823:HOH:O	2.46	0.63
1:A:556:ASN:HD22	3:I:1:NAG:H83	1.64	0.62
1:A:896:SER:OG	1:A:933:ALA:HB2	2.00	0.62
1:A:448:HIS:HE1	1:A:468:ASP:OD2	1.84	0.61
1:A:849:ASP:OD1	8:A:1112:HOH:O	2.16	0.61
1:A:954:VAL:HG23	8:A:1344:HOH:O	2.01	0.61
1:A:883:LYS:HG2	1:A:883:LYS:O	2.02	0.60
1:A:108:LEU:CD1	1:A:109:CYS:N	2.65	0.60
1:A:735:LYS:HD2	1:A:739:GLU:CD	2.21	0.59
1:A:636:TRP:O	1:A:640:GLN:HG3	2.03	0.59
8:A:1753:HOH:O	3:H:2:NAG:H83	2.03	0.59
1:A:883:LYS:O	1:A:883:LYS:CG	2.49	0.59
1:A:881:TRP:C	1:A:883:LYS:H	2.07	0.58
5:A:1024:ARG:HA	8:A:1369:HOH:O	2.03	0.58
1:A:924:ASP:O	1:A:926:GLY:N	2.31	0.58
1:A:923:MET:O	1:A:924:ASP:HB2	2.03	0.58
1:A:884:LEU:HD12	1:A:895:PHE:CE1	2.38	0.57
1:A:415:LEU:HD22	1:A:427:LYS:HE3	1.87	0.57
1:A:415:LEU:CD2	1:A:427:LYS:HE3	2.36	0.56
1:A:376:ARG:NH2	6:A:1027:SO4:O1	2.38	0.56
5:A:1024:ARG:CA	8:A:1369:HOH:O	2.53	0.55
1:A:883:LYS:HD3	1:A:883:LYS:C	2.27	0.54
1:A:376:ARG:NH2	6:A:1027:SO4:O2	2.41	0.53
1:A:92:ASN:HB3	8:A:1143:HOH:O	2.08	0.53
1:A:108:LEU:HD22	1:A:170:MET:HG2	1.90	0.53
1:A:108:LEU:HD13	1:A:169:HIS:O	2.08	0.53
1:A:294:LEU:HD21	1:A:296:ARG:CZ	2.38	0.53
2:B:2:NAG:H61	2:B:3:NAG:O5	2.09	0.53
1:A:883:LYS:O	1:A:883:LYS:HD3	2.09	0.53
1:A:892:SER:O	1:A:893:PHE:CB	2.50	0.52
1:A:893:PHE:O	1:A:894:SER:CB	2.58	0.52
1:A:712:TYR:CE2	1:A:716:LYS:HD2	2.45	0.51
1:A:858:SER:HB2	8:A:1301:HOH:O	2.09	0.51
1:A:857:THR:HG23	8:A:1412:HOH:O	2.10	0.51



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:351:ASN:HB2	1:A:354:LEU:O	2.11	0.50
1:A:637:ARG:NH1	1:A:640:GLN:HE22	2.10	0.50
1:A:112:PRO:HD3	1:A:167:PRO:HG3	1.94	0.50
1:A:296:ARG:HD2	8:A:1198:HOH:O	2.11	0.49
1:A:563:LEU:HD11	1:A:570:VAL:CG2	2.42	0.49
8:A:1108:HOH:O	3:I:1:NAG:C6	2.61	0.49
1:A:108:LEU:HD12	1:A:109:CYS:O	2.13	0.49
1:A:916:GLU:OE2	1:A:938:LEU:HD22	2.13	0.49
1:A:283:GLN:OE1	8:A:1114:HOH:O	2.20	0.49
1:A:448:HIS:CE1	1:A:468:ASP:OD2	2.66	0.49
1:A:724:GLU:HB3	1:A:725:PRO:HD3	1.95	0.49
1:A:69:ARG:CZ	6:A:1034:SO4:O2	2.59	0.48
1:A:963:SER:O	1:A:964:SER:HB3	2.14	0.48
3:I:1:NAG:H62	3:I:2:NAG:C1	2.44	0.48
1:A:883:LYS:C	1:A:883:LYS:CD	2.82	0.48
1:A:208:GLN:HE21	1:A:209:SER:HA	1.79	0.47
1:A:247:LYS:HE2	6:A:1033:SO4:O1	2.14	0.47
1:A:637:ARG:NH1	1:A:678:ASP:OD2	2.47	0.47
1:A:888:TYR:CD1	8:A:1496:HOH:O	2.65	0.47
1:A:395:THR:O	1:A:506:ASN:HA	2.14	0.47
1:A:552:THR:HB	1:A:611:THR:HG22	1.97	0.47
1:A:754:ILE:HG22	1:A:792:THR:HG21	1.97	0.47
1:A:881:TRP:O	1:A:883:LYS:N	2.47	0.47
2:C:2:NAG:H61	2:C:3:NAG:O5	2.14	0.47
1:A:134:LEU:HD13	1:A:142:VAL:CG2	2.45	0.46
1:A:376:ARG:NH2	6:A:1027:SO4:S	2.88	0.46
1:A:900:GLN:HE22	1:A:904:ARG:HD3	1.80	0.46
1:A:787:PRO:HA	1:A:790:ARG:HD2	1.97	0.45
1:A:340:ALA:HB1	1:A:359:GLU:HA	1.98	0.45
1:A:374:LYS:HE2	8:A:1379:HOH:O	2.16	0.45
1:A:737:TRP:CZ3	1:A:754:ILE:HD11	2.52	0.45
1:A:963:SER:O	1:A:964:SER:CB	2.64	0.45
1:A:924:ASP:O	1:A:925:VAL:CG2	2.65	0.44
1:A:689:TYR:CD1	1:A:748:TYR:HB3	2.52	0.44
1:A:769:ALA:HA	1:A:793:ILE:HD12	1.98	0.44
5:A:1024:ARG:C	8:A:1369:HOH:O	2.56	0.44
1:A:637:ARG:HD3	1:A:640:GLN:OE1	2.17	0.43
1:A:371:ILE:HG13	1:A:744:LEU:HD12	2.00	0.43
1:A:637:ARG:HD3	1:A:637:ARG:HA	1.84	0.43
1:A:883:LYS:HE3	1:A:893:PHE:HE2	1.83	0.43
1:A:894:SER:OG	1:A:897:ASN:ND2	2.52	0.43



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:284:SER:HB3	1:A:298:TRP:CD2	2.54	0.42
1:A:134:LEU:HD13	1:A:142:VAL:HG22	2.00	0.42
1:A:108:LEU:HD12	1:A:108:LEU:C	2.39	0.42
1:A:708:ARG:HG2	1:A:867:VAL:CG2	2.49	0.42
1:A:900:GLN:NE2	1:A:904:ARG:HD3	2.35	0.42
1:A:750:GLU:HG2	1:A:754:ILE:HD12	2.02	0.42
1:A:916:GLU:O	1:A:920:LYS:HD3	2.20	0.42
1:A:735:LYS:O	1:A:738:THR:OG1	2.38	0.41
1:A:208:GLN:HA	1:A:209:SER:HA	1.82	0.41
1:A:883:LYS:O	1:A:883:LYS:CD	2.68	0.41
1:A:683:LEU:HD11	1:A:695:ALA:HB2	2.03	0.40
1:A:202:LEU:C	1:A:202:LEU:HD12	2.42	0.40
1:A:795:CYS:HB2	8:A:1513:HOH:O	2.20	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:1851:HOH:O	8:A:1851:HOH:O[2_556]	1.73	0.47
2:F:3:NAG:C8	8:A:1261:HOH:O[1_565]	1.82	0.38
8:A:1669:HOH:O	8:A:1858:HOH:O[2_556]	1.88	0.32
6:A:1029:SO4:O1	8:A:1523:HOH:O[2_556]	2.02	0.18
1:A:613:SER:OG	1:A:961:GLU:OE1[2_557]	2.12	0.08

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	900/902~(100%)	867~(96%)	27 (3%)	6 (1%)	22 9

All (6) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	А	882	LYS
1	А	893	PHE
1	А	894	SER
1	А	925	VAL
1	А	886	GLN
1	А	487	THR

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	797/797~(100%)	768~(96%)	29~(4%)	35 18

All (29) residues with a non-rotameric sidechain are listed below:

\mathbf{Mol}	Chain	Res	Type
1	А	94	ASP
1	А	108	LEU
1	А	134	LEU
1	А	277	TYR
1	А	286	ASN
1	А	335	LYS
1	А	437	ARG
1	А	513	TRP
1	А	525	SER
1	А	533	ARG
1	А	568	SER
1	А	602	SER
1	А	603	GLN
1	А	637	ARG
1	А	641	HIS
1	А	644	GLN
1	А	738	THR
1	A	742	GLU
1	A	744	LEU
1	A	852	ARG
1	А	858	SER



COULL	Continueu from pretious paye					
Mol	Chain	\mathbf{Res}	Type			
1	А	883	LYS			
1	А	884	LEU			
1	А	887	ASP			
1	А	892	SER			
1	А	893	PHE			
1	А	894	SER			
1	А	896	SER			
1	А	923	MET			

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	63	GLN
1	А	208	GLN
1	А	286	ASN
1	А	448	HIS
1	А	500	HIS
1	А	782	ASN
1	А	817	GLN
1	А	897	ASN
1	А	900	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

21 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



Mal	Tune	Chain	Dec	Tink	Bo	ond leng	ths	В	ond ang	jles
IVIOI	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	В	1	1,2	14,14,15	0.68	0	17,19,21	1.01	1 (5%)
2	NAG	В	2	2	14,14,15	0.54	0	17,19,21	1.58	4 (23%)
2	NAG	В	3	2	14,14,15	0.78	0	17,19,21	1.24	3 (17%)
2	NAG	С	1	1,2	14,14,15	0.43	0	17,19,21	1.03	0
2	NAG	С	2	2	14,14,15	0.98	1 (7%)	17,19,21	2.04	4 (23%)
2	NAG	С	3	2	14,14,15	0.92	1 (7%)	17,19,21	1.24	2 (11%)
3	NAG	D	1	1,3	14,14,15	0.74	0	17,19,21	0.91	0
3	NAG	D	2	3	14,14,15	0.71	0	$17,\!19,\!21$	1.39	3 (17%)
3	NAG	Е	1	1,3	14,14,15	0.42	0	17,19,21	1.50	3 (17%)
3	NAG	Е	2	3	14,14,15	0.71	0	17,19,21	1.52	2 (11%)
2	NAG	F	1	1,2	14,14,15	0.72	0	17,19,21	1.13	2 (11%)
2	NAG	F	2	2	14,14,15	0.65	0	17,19,21	1.72	4 (23%)
2	NAG	F	3	2	14,14,15	1.13	1 (7%)	17,19,21	1.69	4 (23%)
3	NAG	G	1	1,3	14,14,15	0.58	0	17,19,21	1.14	2 (11%)
3	NAG	G	2	3	14,14,15	0.84	0	17,19,21	1.00	0
3	NAG	Н	1	1,3	14,14,15	0.68	0	17,19,21	1.37	3 (17%)
3	NAG	Н	2	3	14,14,15	0.70	0	17,19,21	1.23	2 (11%)
3	NAG	Ι	1	1,3	14,14,15	0.48	0	17,19,21	1.30	2 (11%)
3	NAG	Ι	2	3	14,14,15	0.48	0	17,19,21	1.17	1 (5%)
3	NAG	J	1	1,3	14,14,15	0.54	0	17,19,21	1.03	1 (5%)
3	NAG	J	2	3	14,14,15	0.46	0	17,19,21	1.06	0

expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	В	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	В	2	2	-	4/6/23/26	0/1/1/1
2	NAG	В	3	2	-	2/6/23/26	0/1/1/1
2	NAG	С	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	С	2	2	-	2/6/23/26	0/1/1/1
2	NAG	С	3	2	-	4/6/23/26	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1



$6B^{V}$	V0
----------	----

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	NAG	Е	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Е	2	3	-	1/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	NAG	F	3	2	-	3/6/23/26	0/1/1/1
3	NAG	G	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	NAG	Н	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	Н	2	3	-	4/6/23/26	0/1/1/1
3	NAG	Ι	1	1,3	-	3/6/23/26	0/1/1/1
3	NAG	Ι	2	3	-	4/6/23/26	0/1/1/1
3	NAG	J	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	J	2	3	-	2/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
2	F	3	NAG	O7-C7	3.41	1.31	1.23
2	С	2	NAG	O7-C7	2.46	1.28	1.23
2	С	3	NAG	O7-C7	2.41	1.28	1.23

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	С	2	NAG	C1-O5-C5	-5.18	105.17	112.19
2	С	2	NAG	C4-C3-C2	4.58	117.73	111.02
2	F	3	NAG	C3-C4-C5	4.10	117.55	110.24
2	В	2	NAG	C4-C3-C2	3.97	116.83	111.02
2	F	2	NAG	C1-O5-C5	-3.85	106.98	112.19
2	F	2	NAG	C4-C3-C2	3.75	116.52	111.02
3	Е	2	NAG	C1-O5-C5	3.71	117.22	112.19
3	Е	2	NAG	C3-C4-C5	-3.29	104.36	110.24
3	D	2	NAG	C1-O5-C5	-3.20	107.85	112.19
3	Н	1	NAG	C2-N2-C7	-3.09	118.51	122.90
3	Ι	2	NAG	C3-C4-C5	-3.04	104.81	110.24
3	Н	1	NAG	C1-O5-C5	2.90	116.12	112.19
3	Ι	1	NAG	O5-C1-C2	-2.89	106.73	111.29
3	Е	1	NAG	C1-O5-C5	2.74	115.91	112.19
2	С	3	NAG	C1-C2-N2	-2.73	105.82	110.49



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	Е	1	NAG	O4-C4-C3	-2.72	104.07	110.35
2	В	2	NAG	O4-C4-C3	-2.71	104.09	110.35
2	F	1	NAG	O5-C1-C2	-2.64	107.13	111.29
2	F	3	NAG	C1-C2-N2	-2.61	106.02	110.49
3	J	1	NAG	O7-C7-C8	-2.61	117.20	122.06
3	Н	2	NAG	C2-N2-C7	-2.51	119.33	122.90
2	В	2	NAG	C2-N2-C7	-2.49	119.36	122.90
2	F	3	NAG	O5-C5-C4	2.48	116.86	110.83
2	F	3	NAG	C8-C7-N2	-2.44	111.96	116.10
2	С	2	NAG	O5-C5-C6	2.36	110.90	107.20
3	G	1	NAG	C1-O5-C5	2.34	115.36	112.19
2	С	2	NAG	C1-C2-N2	-2.31	106.54	110.49
3	Е	1	NAG	C2-N2-C7	2.28	126.14	122.90
3	D	2	NAG	O5-C1-C2	-2.26	107.71	111.29
2	В	3	NAG	C4-C3-C2	2.26	114.32	111.02
2	F	2	NAG	C1-C2-N2	-2.24	106.66	110.49
2	В	1	NAG	C1-O5-C5	2.22	115.20	112.19
2	С	3	NAG	C2-N2-C7	2.20	126.04	122.90
2	F	2	NAG	O5-C1-C2	-2.19	107.83	111.29
3	G	1	NAG	C4-C3-C2	2.19	114.22	111.02
3	D	2	NAG	C2-N2-C7	-2.14	119.86	122.90
3	Ι	1	NAG	C3-C4-C5	2.13	114.05	110.24
2	В	3	NAG	O5-C1-C2	2.13	114.65	111.29
2	F	1	NAG	C2-N2-C7	-2.09	119.92	122.90
2	В	3	NAG	O5-C5-C4	-2.07	105.80	110.83
3	Н	1	NAG	C1-C2-N2	-2.05	106.99	110.49
2	В	2	NAG	C1-O5-C5	-2.05	109.42	112.19
3	Н	2	NAG	O5-C1-C2	-2.01	108.12	111.29

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	3	NAG	C3-C2-N2-C7
3	G	2	NAG	C4-C5-C6-O6
3	Ι	2	NAG	C4-C5-C6-O6
2	В	3	NAG	O5-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
3	Ι	2	NAG	O5-C5-C6-O6
2	В	2	NAG	C8-C7-N2-C2
2	В	2	NAG	O7-C7-N2-C2
3	Н	2	NAG	C8-C7-N2-C2



Mol	Chain	Res	Type	Atoms
3	Н	2	NAG	O7-C7-N2-C2
3	Ι	1	NAG	C8-C7-N2-C2
3	Ι	1	NAG	O7-C7-N2-C2
3	Ι	2	NAG	C8-C7-N2-C2
3	Ι	2	NAG	O7-C7-N2-C2
2	В	2	NAG	C4-C5-C6-O6
2	В	2	NAG	O5-C5-C6-O6
2	F	3	NAG	O5-C5-C6-O6
2	В	3	NAG	C4-C5-C6-O6
2	С	2	NAG	C4-C5-C6-O6
2	F	3	NAG	C4-C5-C6-O6
2	С	2	NAG	O5-C5-C6-O6
2	С	3	NAG	C1-C2-N2-C7
3	Е	1	NAG	C4-C5-C6-O6
3	J	2	NAG	O5-C5-C6-O6
3	Е	2	NAG	O5-C5-C6-O6
2	С	3	NAG	O5-C5-C6-O6
2	С	3	NAG	C4-C5-C6-O6
3	J	2	NAG	C4-C5-C6-O6
3	Н	2	NAG	C4-C5-C6-O6
3	Е	1	NAG	O5-C5-C6-O6
3	Ι	1	NAG	C4-C5-C6-O6
2	С	3	NAG	C3-C2-N2-C7
3	Н	2	NAG	O5-C5-C6-O6

Continued from previous page...

There are no ring outliers.

9 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	3	NAG	1	0
2	F	3	NAG	0	1
2	С	3	NAG	1	0
2	В	2	NAG	1	0
3	Ι	2	NAG	1	0
2	С	2	NAG	1	0
3	Ι	1	NAG	4	0
3	J	2	NAG	2	0
3	Н	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.













































5.6 Ligand geometry (i)

Of 14 ligands modelled in this entry, 1 is monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol T	Turne	Chain	Dec	Link	Bo	ond leng	$_{\rm ths}$	Bond angles		
MOI	туре	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SO4	А	1033	-	4,4,4	1.51	1 (25%)	$6,\!6,\!6$	0.54	0
6	SO4	А	1027	-	4,4,4	1.80	2 (50%)	6,6,6	0.41	0
6	SO4	А	1028	-	4,4,4	1.55	1 (25%)	$6,\!6,\!6$	0.44	0



Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	Bond angles		
INIOI	туре	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	А	1023	1	14,14,15	0.78	0	17,19,21	1.31	3 (17%)
6	SO4	А	1030	-	4,4,4	0.70	0	6,6,6	0.48	0
6	SO4	А	1029	-	4,4,4	1.10	0	6,6,6	0.32	0
6	SO4	А	1031	-	$4,\!4,\!4$	1.76	1 (25%)	6,6,6	0.68	0
6	SO4	А	1025	-	$4,\!4,\!4$	1.30	1 (25%)	6,6,6	1.02	0
4	NAG	А	1020	1	$14,\!14,\!15$	0.90	0	17,19,21	1.70	4 (23%)
5	ARG	А	1024	-	10,11,11	1.06	1 (10%)	11,13,13	1.60	2 (18%)
6	SO4	А	1034	-	4,4,4	1.33	0	6,6,6	0.47	0
6	SO4	A	1032	-	4,4,4	1.25	0	6,6,6	0.43	0
6	SO4	A	1026	-	4,4,4	1.50	1 (25%)	6,6,6	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	\mathbf{Res}	Link	Chirals	Torsions	Rings
4	NAG	А	1023	1	-	1/6/23/26	0/1/1/1
4	NAG	А	1020	1	-	1/6/23/26	0/1/1/1
5	ARG	А	1024	-	-	4/11/11/11	-

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	А	1024	ARG	O-C	2.85	1.30	1.22
6	А	1027	SO4	O2-S	2.50	1.59	1.46
6	А	1025	SO4	O4-S	2.34	1.67	1.47
6	А	1033	SO4	O1-S	2.27	1.58	1.46
6	А	1028	SO4	O1-S	2.22	1.58	1.46
6	А	1031	SO4	O1-S	2.11	1.57	1.46
6	А	1027	SO4	O1-S	2.08	1.57	1.46
6	А	1026	SO4	O1-S	2.04	1.57	1.46

All (8) bond length outliers are listed below:

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
4	А	1020	NAG	C3-C4-C5	3.79	116.99	110.24
4	А	1020	NAG	C2-N2-C7	3.35	127.68	122.90
5	А	1024	ARG	CG-CB-CA	3.34	124.11	113.35
4	А	1023	NAG	O5-C5-C6	3.11	112.08	107.20



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	А	1024	ARG	CB-CA-N	-2.73	103.02	110.17
4	А	1020	NAG	O5-C1-C2	-2.67	107.07	111.29
4	А	1023	NAG	O5-C5-C4	-2.43	104.91	110.83
4	А	1023	NAG	C4-C3-C2	2.27	114.34	111.02
4	А	1020	NAG	C6-C5-C4	-2.24	107.75	113.00

Continued from previous page...

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
4	А	1020	NAG	C3-C2-N2-C7
5	А	1024	ARG	N-CA-CB-CG
5	А	1024	ARG	C-CA-CB-CG
5	А	1024	ARG	NE-CD-CG-CB
5	А	1024	ARG	CA-CB-CG-CD
4	А	1023	NAG	O5-C5-C6-O6

There are no ring outliers.

8 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	А	1033	SO4	1	0
6	А	1027	SO4	4	0
6	А	1028	SO4	2	0
6	А	1029	SO4	0	1
6	А	1031	SO4	1	0
5	А	1024	ARG	3	0
6	А	1034	SO4	2	0
6	А	1026	SO4	2	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	902/902~(100%)	0.66	111 (12%) 4 4	23, 33, 41, 45	0

All (111) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	885	PHE	13.3
1	А	889	GLY	11.6
1	А	888	TYR	10.7
1	А	893	PHE	8.5
1	А	93	ALA	8.5
1	А	925	VAL	8.5
1	А	890	GLY	8.5
1	А	927	PHE	7.2
1	А	891	GLY	6.7
1	А	964	SER	6.6
1	А	63	GLN	6.5
1	А	926	GLY	6.5
1	А	923	MET	5.4
1	А	892	SER	5.1
1	А	884	LEU	5.0
1	А	886	GLN	4.8
1	А	918	PHE	4.7
1	А	94	ASP	4.5
1	А	881	TRP	4.5
1	А	924	ASP	4.5
1	А	197	ASN	4.5
1	А	882	LYS	4.3
1	А	290	GLN	4.2
1	А	895	PHE	4.1
1	А	430	ILE	4.0
1	А	781	GLU	4.0
1	А	196	GLY	3.9



6B	V0
----	----

	Chain	D _c _c	T	DCD7
10101		nes		<u>572</u>
1	A	887	ASP	3.7
1	A	933	ALA	3.7
1	A	921	ASN	3.7
1	A	641	HIS	3.7
1	A	274	LEU	3.6
1	A	928	GLY	3.6
1	A	367	GLN	3.4
1	A	922	ASN	3.4
1	А	476	ALA	3.4
1	А	438	VAL	3.4
1	А	817	GLN	3.3
1	А	930	GLY	3.3
1	А	816	ALA	3.3
1	А	742	GLU	3.3
1	А	472	TYR	3.3
1	А	470	ILE	3.2
1	А	355	VAL	3.2
1	А	402	LEU	3.2
1	А	567	GLU	3.2
1	А	846	LEU	3.2
1	А	479	ILE	3.0
1	А	198	VAL	3.0
1	А	275	LEU	2.9
1	A	278	ILE	2.8
1	А	399	TRP	2.8
1	A	932	ARG	2.8
1	A	929	SER	2.7
1	А	343	ASP	2.7
1	A	409	ALA	2.7
1	A	931	THR	2.7
- 1	A	276	ALA	2.6
1	A	467	PHE	2.6
1	A	733	LEI	2.6
1	A	645	THR	2.6
1	Δ	580	ASN	2.0
1	Δ	852	ARG	2.0
1	Δ	010	LVS	2.5
1	Λ	207	MFT	2.0
1	Λ Λ	201 125	VAT	2.0
1	Λ Λ	400	VAL CFD	2.0
1	A	013 700	OLN CLN	2.0
1	A	128	GLN	2.4
1	A	404	I LEU	2.4



Mol	Chain	Res	Type	RSRZ
1	А	439	MET	2.4
1	А	469	SER	2.4
1	А	477	SER	2.4
1	А	644	GLN	2.4
1	А	273	TYR	2.4
1	А	352	TRP	2.4
1	А	396	LEU	2.4
1	А	403	TRP	2.4
1	А	936	GLN	2.4
1	А	218	CYS	2.4
1	А	920	LYS	2.3
1	А	212	ALA	2.3
1	А	913	GLN	2.3
1	А	349	MET	2.3
1	А	899	ILE	2.3
1	А	732	THR	2.3
1	А	482	LEU	2.3
1	А	471	SER	2.3
1	А	232	LEU	2.3
1	А	819	VAL	2.2
1	А	450	LEU	2.2
1	А	408	PHE	2.2
1	А	939	GLU	2.2
1	А	818	LEU	2.2
1	А	481	MET	2.2
1	А	394	VAL	2.2
1	А	934	LEU	2.2
1	А	390	PHE	2.2
1	А	95	GLY	2.2
1	А	230	ILE	2.1
1	А	412	VAL	2.1
1	А	429	LEU	2.1
1	А	204	THR	2.1
1	А	272	THR	2.1
1	A	242	SER	2.0
1	А	407	GLY	2.0
1	А	849	ASP	2.0
1	A	646	ASN	2.0
1	А	736	ASN	2.0
1	А	478	VAL	2.0
1	А	475	GLY	2.0
1	А	92	ASN	2.0

Continued from previous page...



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
2	NAG	С	3	14/15	0.42	0.53	34,36,41,41	0
2	NAG	F	3	14/15	0.58	0.54	34,36,39,40	0
2	NAG	F	2	14/15	0.59	0.29	31,34,38,39	0
3	NAG	G	2	14/15	0.68	0.34	32,34,39,41	0
3	NAG	G	1	14/15	0.74	0.28	31,35,36,38	0
2	NAG	В	3	14/15	0.77	0.43	34,36,38,39	0
3	NAG	Е	2	14/15	0.79	0.42	33,36,38,39	0
2	NAG	С	2	14/15	0.82	0.39	33,36,39,39	0
3	NAG	Е	1	14/15	0.83	0.16	32,34,39,39	0
2	NAG	В	2	14/15	0.84	0.29	30,34,39,39	0
3	NAG	Ι	2	14/15	0.84	0.40	33,35,40,41	0
2	NAG	С	1	14/15	0.86	0.12	31,32,36,36	0
3	NAG	Н	2	14/15	0.87	0.17	31,34,38,39	0
2	NAG	F	1	14/15	0.87	0.19	30,33,35,35	0
3	NAG	J	2	14/15	0.87	0.27	32,35,38,40	0
3	NAG	Ι	1	14/15	0.88	0.24	33,35,38,40	0
3	NAG	D	2	14/15	0.90	0.20	32,34,36,40	0
3	NAG	D	1	14/15	0.92	0.08	26,30,33,33	0
3	NAG	Н	1	14/15	0.92	0.10	$2\overline{9,31,32,33}$	0
3	NAG	J	1	14/15	0.93	0.09	$3\overline{1,}33,37,38$	0
2	NAG	В	1	14/15	0.93	0.09	$2\overline{9,31,33,34}$	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





























6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
5	ARG	А	1024	12/12	0.65	0.28	31,35,38,39	0
4	NAG	А	1020	14/15	0.74	0.58	33,36,39,39	0
6	SO4	А	1027	5/5	0.75	0.48	35,39,39,40	0
6	SO4	А	1025	5/5	0.80	0.39	33,36,37,40	0
4	NAG	А	1023	14/15	0.81	0.43	33,35,39,40	0
6	SO4	А	1031	5/5	0.83	0.45	34,36,38,38	0
6	SO4	А	1033	5/5	0.86	0.51	35,36,38,38	0
6	SO4	A	1034	5/5	0.86	0.56	37,37,39,39	0
6	SO4	А	1028	5/5	0.87	0.33	33,35,38,38	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
6	SO4	А	1032	5/5	0.89	0.39	36,38,38,40	0
6	SO4	А	1029	5/5	0.90	0.24	35,36,38,39	0
6	SO4	А	1026	5/5	0.92	0.45	31,35,38,38	0
6	SO4	А	1030	5/5	0.98	0.17	34,36,37,39	0
7	ZN	А	1035	1/1	1.00	0.17	$25,\!25,\!25,\!25$	0

Continued from previous page...

6.5 Other polymers (i)

There are no such residues in this entry.

