

wwPDB X-ray Structure Validation Summary Report (i)

Dec 14, 2023 – 05:23 pm GMT

PDB ID : 4BWC

Title : X-ray structure of a phospholiapse B like protein 1 from bovine kidneys Authors : Repo, H.; Kuokkanen, E.; Oksanen, E.; Goldman, A.; Heikinheimo, P.

Deposited on : 2013-07-01

Resolution : 1.89 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : FAILED
Xtriage (Phenix) : FAILED
EDS : FAILED

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\ DIFFRACTION$

The reported resolution of this entry is 1.89 Å.

There are no overall percentile quality scores available for this entry.



2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 4334 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called PHOSPHOLIPASE B-LIKE 1.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	A	170	Total 1376	C 893	N 226	O 250	S 7	0	0	0

• Molecule 2 is a protein called PHOSPHOLIPASE B-LIKE 1.


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
2	В	321	Total 2631	C 1699	N 431	O 487	S 14	0	2	0

• Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	С	2	Total C N O 28 16 2 10	0	0	0
3	D	2	Total C N O 28 16 2 10	0	0	0
3	E	2	Total C N O 28 16 2 10	0	0	0


• Molecule 4 is 1-ETHOXY-2-(2-ETHOXYETHOXY)ETHANE (three-letter code: P4G) (formula: C₈H₁₈O₃).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 11 8 3	0	0


 \bullet Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $\rm C_8H_{15}NO_6).$



N	/Iol	Chain	Residues	Atoms				ZeroOcc	AltConf
	5	В	1	Total 14			O 5	0	0
	5	В	1	Total 14	C 8	N 1	O 5	0	0



 \bullet Molecule 6 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: $\mathrm{C}_{12}\mathrm{H}_{26}\mathrm{O}_7).$



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	В	1	Total 19	C 12	O 7	0	0

• Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

ľ	Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
	7	В	1	Total Cl 1 1	0	0

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	50	Total O 50 50	0	0
8	В	134	Total O 134 134	0	0

 ${\tt SEQUENCE-PLOTS\ INFOmissing INFO}$



3 Data and refinement statistics (i)

Xtriage (Phenix) and EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source	
Space group	P 31 2 1	Depositor	
Cell constants	97.37Å 97.37Å 140.94Å	Depositor	
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor	
Resolution (Å)	46.98 - 1.89	Depositor	
% Data completeness	99.8 (46.98-1.89)	Depositor	
(in resolution range)	33.0 (40.30-1.03)		
R_{merge}	0.06	Depositor	
R_{sym}	(Not available)	Depositor	
Refinement program	REFMAC 5.6.0117	Depositor	
R, R_{free}	0.188 , 0.231	Depositor	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	4334	wwPDB-VP	
Average B, all atoms (Å ²)	34.0	wwPDB-VP	



4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.



4.5 Carbohydrates (i)

6 monosaccharides are modelled in this entry.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

4.6 Ligand geometry (i)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers (i)

There are no such residues in this entry.

4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



5 Fit of model and data (i)

5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

