

Full wwPDB X-ray Structure Validation Report (i)

Sep 27, 2023 – 01:38 AM EDT

PDB ID	:	6BYL
Title	:	Structure of 14-3-3 gamma bound to O-GlcNAcylated thr peptide
Authors	:	Schumacher, M.A.
Deposited on	:	2017-12-20
Resolution	:	3.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	1558 (3.42 - 3.30)
Clashscore	141614	1627 (3.42 - 3.30)
Ramachandran outliers	138981	1599 (3.42 - 3.30)
Sidechain outliers	138945	1598 (3.42 - 3.30)
RSRZ outliers	127900	1507 (3.42 - 3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
			5%		
1	А	240	83%	17%)
			6%		
1	В	240	78%	19%	••
			4%		
1	С	240	76%	22%	•
			6%		
1	D	240	74%	25%	•
			8%		
1	Ε	240	73%	24%	••



Mol	Chain	Length		Quality of chain				
			22%					
1	F	240			79%		17%	·
				55%		-		
2	G	20	15%		40%	10%	35%	
			25%					
2	Р	20	10%	25%		65%		
			20%					
2	Т	20	25%			75%		

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	G	601	-	-	Х	Х
3	NAG	Р	601	-	-	Х	Х
3	NAG	Т	601	-	-	Х	Х



6BYL

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 12854 atoms, of which 1167 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues			Atom	IS			ZeroOcc	AltConf	Trace
1	Δ	240	Total	С	Η	Ν	0	S	0	0	0
	A	240	2136	1205	197	330	395	9	0	0	0
1	В	227	Total	С	Н	Ν	0	S	0	0	0
	D	231	2112	1193	197	327	386	9	0	0	0
1	С	038	Total	С	Η	Ν	0	S	0	0	0
	U	230	2120	1197	197	328	389	9	0	0	0
1	Л	038	Total	С	Н	Ν	0	S	0	0	0
	D	230	2120	1197	197	328	389	9	0	0	U
1	F	237	Total	С	Η	Ν	Ο	\mathbf{S}	0	0	0
L L		231	2112	1193	197	327	386	9	0	0	0
1	F	020	Total	С	Н	Ν	Ο	S	0	0	0
	Ľ	232	2043	1158	182	320	374	9	0		U

• Molecule 1 is a protein called 14-3-3 protein gamma.

• Molecule 2 is a protein called TSASTTVPVTTATTTTSTW O-GlcNac peptide.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	G	13	Total C N O 87 53 13 21	0	0	0
2	Р	7	Total C N O 47 30 7 10	0	0	0
2	Т	5	Total C N O 35 23 5 7	0	0	0

• Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	G	1	Total C N O 14 8 1 5	0	0
3	Р	1	Total C N O 14 8 1 5	0	0
3	Т	1	Total C N O 14 8 1 5	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: 14-3-3 protein gamma









• Molecule 2: TSASTTVPVTTATTTTSTW O-GlcNac peptide





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants	121.20Å 121.20Å 310.90Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	112.92 - 3.35	Depositor
Resolution (A)	112.92 - 3.35	EDS
% Data completeness	93.6 (112.92-3.35)	Depositor
(in resolution range)	$93.6\ (112.92 - 3.35)$	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	0.09	Depositor
$< I/\sigma(I) > 1$	$1.37 (at 3.33 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
B B.	0.234 , 0.285	Depositor
Λ, Λ_{free}	0.240 , 0.293	DCC
R_{free} test set	2000 reflections $(6.23%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	115.0	Xtriage
Anisotropy	0.091	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , 80.1	EDS
L-test for $twinning^2$	$ < L >=0.45, < L^2>=0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12854	wwPDB-VP
Average B, all atoms $(Å^2)$	131.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.84% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.21	0/1967	0.34	0/2655	
1	В	0.21	0/1943	0.36	0/2622	
1	С	0.21	0/1951	0.35	0/2633	
1	D	0.21	0/1951	0.35	0/2633	
1	Е	0.21	0/1943	0.34	0/2622	
1	F	0.20	0/1889	0.34	0/2549	
2	G	0.49	0/87	0.74	0/123	
2	Р	0.68	0/47	0.65	0/66	
2	Т	0.35	0/35	0.65	0/49	
All	All	0.22	0/11813	0.35	0/15952	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1939	197	1891	35	0
1	В	1915	197	1879	36	0
1	С	1923	197	1883	62	0
1	D	1923	197	1883	49	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Ε	1915	197	1879	43	0
1	F	1861	182	1807	25	0
2	G	87	0	86	16	0
2	Р	47	0	49	14	0
2	Т	35	0	37	11	0
3	G	14	0	13	16	0
3	Р	14	0	13	15	0
3	Т	14	0	13	25	0
All	All	11687	1167	11433	268	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (268) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:132:ARG:NH2	3:T:601:NAG:O3	1.65	1.26
1:C:132:ARG:HH12	3:T:601:NAG:H4	1.21	1.06
1:C:132:ARG:HH22	3:T:601:NAG:C3	1.69	1.04
1:C:132:ARG:NH1	3:T:601:NAG:H4	1.79	0.97
2:G:507:ALA:HB2	3:G:601:NAG:H82	1.47	0.96
1:C:132:ARG:HH22	3:T:601:NAG:C4	1.78	0.96
1:C:132:ARG:HH12	3:T:601:NAG:C4	1.80	0.94
1:C:132:ARG:HH22	3:T:601:NAG:H4	1.37	0.88
1:C:132:ARG:NH2	3:T:601:NAG:C3	2.33	0.87
2:P:507:ALA:HB2	3:P:601:NAG:H81	1.57	0.86
1:C:132:ARG:NH2	3:T:601:NAG:C4	2.39	0.86
1:C:132:ARG:NH2	3:T:601:NAG:H4	1.90	0.86
2:G:507:ALA:HB2	3:G:601:NAG:C8	2.06	0.85
1:A:225:LEU:HD22	2:G:504:VAL:HG11	1.59	0.83
1:C:185:GLU:OE1	2:T:503:PRO:HD3	1.79	0.83
1:C:132:ARG:CZ	3:T:601:NAG:H4	2.12	0.80
1:A:197:ALA:HB3	1:A:230:LEU:HD21	1.62	0.80
1:C:132:ARG:NH1	3:T:601:NAG:C4	2.40	0.80
1:C:133:TYR:HE1	3:T:601:NAG:HO3	1.30	0.78
1:C:185:GLU:OE1	2:T:503:PRO:CD	2.32	0.76
1:F:69:LYS:HE2	1:F:69:LYS:HA	1.67	0.76
1:C:133:TYR:HE1	3:T:601:NAG:O3	1.67	0.75
1:A:10:LYS:HB2	1:D:81:MET:HE1	1.70	0.74
2:T:505:THR:HG21	3:T:601:NAG:H2	1.71	0.73
2:G:505:THR:HG21	3:G:601:NAG:H2	1.71	0.73



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:212:ASN:HB3	1:E:215:SER:HB3	1.71	0.73
1:D:28:LYS:HG3	1:D:103:LEU:HD11	1.72	0.71
2:P:505:THR:HG21	3:P:601:NAG:H2	1.70	0.71
1:D:225:LEU:HD22	2:P:504:VAL:HG21	1.72	0.70
1:C:109:ILE:HD13	1:C:124:LEU:HD23	1.71	0.70
1:E:169:HIS:CE1	1:E:171:ILE:HD13	2.29	0.68
1:B:166:GLN:HG3	1:B:167:PRO:HD2	1.76	0.66
1:A:104:LEU:HD23	1:A:108:LEU:HD12	1.77	0.65
1:C:132:ARG:NH1	3:T:601:NAG:O4	2.28	0.65
1:A:225:LEU:HD22	2:G:504:VAL:CG1	2.26	0.65
1:A:132:ARG:NH2	3:G:601:NAG:O3	2.30	0.64
1:C:132:ARG:CZ	3:T:601:NAG:C4	2.72	0.64
1:D:132:ARG:HH12	3:P:601:NAG:H4	1.61	0.64
1:D:158:HIS:CE1	1:D:162:LYS:HE3	2.33	0.64
2:P:505:THR:CG2	3:P:601:NAG:H2	2.25	0.63
1:B:28:LYS:HG3	1:B:103:LEU:HD11	1.81	0.63
1:B:104:LEU:HD23	1:B:108:LEU:HD12	1.79	0.62
2:G:505:THR:CG2	3:G:601:NAG:H2	2.29	0.62
1:A:132:ARG:HH12	3:G:601:NAG:H4	1.65	0.61
1:B:13:LEU:HD11	1:C:82:VAL:HG22	1.81	0.61
1:E:212:ASN:O	1:E:216:TYR:N	2.35	0.60
1:A:10:LYS:HB2	1:D:81:MET:CE	2.32	0.59
1:A:23:MET:HG2	1:A:48:ALA:HB2	1.85	0.59
1:E:116:GLN:O	1:E:120:LYS:HB2	2.02	0.59
1:B:10:LYS:HE3	1:C:85:TYR:CD1	2.37	0.59
1:C:4:ARG:NH1	1:C:35:GLU:HB2	2.18	0.59
1:E:104:LEU:HD23	1:E:108:LEU:HD12	1.83	0.58
1:A:86:ARG:O	1:A:90:GLU:HG3	2.04	0.58
1:C:185:GLU:OE1	2:T:503:PRO:HD2	2.04	0.58
1:D:23:MET:HG2	1:D:48:ALA:HB2	1.86	0.58
1:C:4:ARG:HH12	1:C:35:GLU:HB2	1.69	0.57
1:B:98:GLN:HG3	1:D:2:VAL:HG11	1.86	0.57
1:D:61:ARG:CZ	2:P:502:VAL:HG21	2.34	0.57
2:P:507:ALA:HB2	3:P:601:NAG:C8	2.31	0.57
1:A:132:ARG:HH12	3:G:601:NAG:C4	2.17	0.57
1:C:181:VAL:HG13	2:T:503:PRO:HG3	1.86	0.57
1:D:50:LYS:HZ1	3:P:601:NAG:HN2	1.53	0.56
1:D:167:PRO:HA	1:D:172:ARG:HD3	1.86	0.56
1:A:170:PRO:HG3	2:G:510:THR:HG21	1.88	0.56
1:B:13:LEU:HD12	1:C:81:MET:HE1	1.87	0.55
1:A:57:ARG:NH2	3:G:601:NAG:O4	2.38	0.55



	is us page	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:132:ARG:HG3	1:A:186:ILE:HG13	1.88	0.55	
1:F:108:LEU:HD13	1:F:123:TYR:CE1	2.41	0.55	
1:E:208:LEU:CD1	1:E:211:LEU:HD11	2.36	0.55	
2:P:502:VAL:HG13	3:P:601:NAG:C6	2.36	0.55	
1:B:189:ALA:HB1	1:B:191:GLU:OE2	2.07	0.55	
1:C:53:VAL:O	1:C:57:ARG:HG3	2.06	0.55	
1:A:189:ALA:HB1	1:A:191:GLU:OE1	2.06	0.54	
1:E:169:HIS:HE1	1:E:171:ILE:HD13	1.72	0.54	
1:A:104:LEU:HD13	1:A:127:LYS:HB2	1.90	0.54	
1:C:86:ARG:O	1:C:90:GLU:HG3	2.07	0.54	
1:A:130:TYR:HA	1:A:133:TYR:CD2	2.43	0.54	
1:C:31:THR:HG23	1:C:108:LEU:HD21	1.89	0.54	
1:D:228:ASP:O	1:D:232:LEU:HG	2.08	0.54	
1:E:97:CYS:HB2	1:E:134:LEU:HD21	1.90	0.54	
1:A:170:PRO:HG3	2:G:510:THR:CG2	2.39	0.53	
1:B:13:LEU:HD12	1:C:81:MET:CE	2.38	0.53	
1:A:57:ARG:HH22	3:G:601:NAG:C5	2.22	0.53	
1:B:132:ARG:O	1:B:136:GLU:HG3	2.09	0.53	
1:B:86:ARG:O	1:B:90:GLU:HG3	2.09	0.53	
1:D:124:LEU:HB3	1:D:157:ALA:HB2	1.90	0.53	
1:F:101:LEU:HD21	1:F:130:TYR:HB2	1.89	0.53	
1:E:101:LEU:HD13	1:E:131:TYR:CE1	2.44	0.53	
1:D:132:ARG:HH12	3:P:601:NAG:C4	2.21	0.53	
1:C:104:LEU:HD23	1:C:108:LEU:HD12	1.91	0.53	
1:D:3:ASP:HB3	1:D:6:GLN:HB2	1.91	0.53	
1:C:67:GLU:OE1	1:C:86:ARG:HD3	2.08	0.52	
1:A:10:LYS:CB	1:D:81:MET:HE1	2.37	0.52	
1:E:208:LEU:HD12	1:E:211:LEU:HD11	1.92	0.52	
2:T:505:THR:CG2	3:T:601:NAG:H2	2.29	0.52	
1:C:121:VAL:HG22	1:C:160:ILE:HB	1.92	0.52	
2:P:502:VAL:HG13	3:P:601:NAG:H62	1.91	0.52	
1:D:64:SER:O	1:D:68:GLN:HG2	2.10	0.52	
1:F:38:SER:O	1:F:42:ARG:HG3	2.09	0.51	
1:D:52:VAL:O	1:D:56:ARG:HD3	2.09	0.51	
1:F:7:LEU:HD13	1:F:29:ASN:HB2	1.92	0.51	
1:D:61:ARG:NH1	2:P:502:VAL:HG21	2.26	0.51	
1:D:87:GLU:O	1:D:91:LYS:HG3	2.11	0.51	
1:D:90:GLU:O	1:D:94:GLU:HG3	2.11	0.51	
1:D:91:LYS:NZ	1:D:91:LYS:HB3	2.26	0.51	
2:G:501:THR:HG23	2:G:501:THR:O	2.11	0.51	
1:D:221:LEU:HD23	1:D:221:LEU:O	2.11	0.51	



	,	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:F:97:CYS:HB2	1:F:134:LEU:HD21	1.92	0.51
1:F:212:ASN:O	1:F:216:TYR:HB3	2.11	0.51
1:C:201:PHE:CE2	1:C:205:ILE:HD11	2.46	0.50
1:C:132:ARG:HH22	3:T:601:NAG:C2	2.22	0.50
1:A:53:VAL:O	1:A:57:ARG:HG3	2.11	0.50
1:B:10:LYS:HE3	1:C:85:TYR:CE1	2.46	0.50
1:B:130:TYR:HA	1:B:133:TYR:CD2	2.46	0.50
1:C:42:ARG:HD2	1:C:122:PHE:CD2	2.46	0.50
2:G:502:VAL:CG1	3:G:601:NAG:H62	2.42	0.50
1:D:32:GLU:HA	1:D:107:TYR:CE1	2.46	0.50
1:C:23:MET:HG2	1:C:48:ALA:HB2	1.95	0.49
1:D:43:ASN:OD1	2:P:508:THR:HG23	2.11	0.49
2:T:502:VAL:CG1	3:T:601:NAG:H62	2.42	0.49
1:B:4:ARG:HG3	1:B:33:LEU:HD12	1.93	0.49
1:B:20:TYR:HA	1:B:23:MET:HB3	1.93	0.49
1:C:169:HIS:CE1	1:C:171:ILE:HD13	2.48	0.49
3:T:601:NAG:O3	3:T:601:NAG:O7	2.31	0.49
1:D:67:GLU:O	1:D:71:SER:HB2	2.12	0.49
1:E:161:SER:HB3	1:E:172:ARG:HG3	1.95	0.49
1:F:4:ARG:HE	1:F:30:VAL:HG13	1.77	0.48
1:A:132:ARG:HD3	1:A:182:PHE:HD1	1.78	0.48
1:E:221:LEU:O	1:E:225:LEU:HG	2.13	0.48
1:F:108:LEU:HD13	1:F:123:TYR:HE1	1.79	0.48
1:B:124:LEU:HB3	1:B:157:ALA:HB2	1.94	0.48
1:E:132:ARG:O	1:E:136:GLU:HG3	2.13	0.48
1:D:70:THR:O	1:D:79:ILE:HD11	2.14	0.48
1:E:138:ALA:O	1:E:143:ARG:HD2	2.14	0.48
1:D:31:THR:HG23	1:D:108:LEU:HD21	1.94	0.48
1:A:113:SER:OG	1:A:116:GLN:HG3	2.14	0.47
1:B:162:LYS:HD2	1:B:172:ARG:NH2	2.29	0.47
1:A:39:ASN:OD1	1:A:42:ARG:NH2	2.44	0.47
1:B:219:SER:O	1:B:223:MET:HG3	2.14	0.47
1:C:64:SER:O	1:C:68:GLN:HG3	2.14	0.47
1:F:183:TYR:O	1:F:189:ALA:N	2.42	0.47
1:C:186:ILE:HD12	1:C:186:ILE:N	2.30	0.47
1:F:167:PRO:HG2	1:F:207:GLU:OE1	2.14	0.47
2:G:502:VAL:HG13	2:G:503:PRO:HD2	1.96	0.47
1:C:169:HIS:HE1	1:C:171:ILE:HD13	1.80	0.47
1:E:131:TYR:CE2	1:E:149:SER:HB3	2.50	0.47
2:T:502:VAL:HG12	2:T:503:PRO:O	2.15	0.47
1:D:50:LYS:HD3	3:P:601:NAG:H83	1.97	0.47



	io ao pago	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:102:SER:O	1:A:106:ASN:HB2	2.15	0.47	
1:C:109:ILE:HD13	1:C:124:LEU:CD2	2.44	0.47	
1:F:227:ARG:NH2	1:F:228:ASP:OD1	2.48	0.47	
1:C:63:ILE:HD12	1:C:89:ILE:HD12	1.96	0.46	
1:E:110:LYS:O	1:E:110:LYS:HD3	2.15	0.46	
1:F:113:SER:O	1:F:120:LYS:HE3	2.15	0.46	
2:T:502:VAL:HG13	2:T:503:PRO:HD2	1.96	0.46	
1:B:184:TYR:CD1	1:B:190:PRO:HB3	2.50	0.46	
1:E:114:GLU:OE2	1:E:114:GLU:N	2.40	0.46	
1:E:186:ILE:HD12	1:E:186:ILE:N	2.30	0.46	
1:C:216:TYR:OH	1:C:217:LYS:HE2	2.15	0.46	
2:G:502:VAL:HG12	2:G:503:PRO:O	2.15	0.46	
1:B:98:GLN:HG3	1:D:2:VAL:HG21	1.97	0.46	
1:B:165:MET:O	1:B:172:ARG:NH1	2.45	0.46	
1:A:108:LEU:HD13	1:A:123:TYR:CE1	2.51	0.46	
1:F:52:VAL:O	1:F:56:ARG:HD3	2.15	0.46	
1:A:57:ARG:HH22	3:G:601:NAG:H5	1.81	0.45	
1:D:132:ARG:HH22	3:P:601:NAG:H4	1.82	0.45	
1:A:57:ARG:HH12	3:G:601:NAG:H5	1.81	0.45	
1:B:6:GLN:OE1	1:B:6:GLN:HA	2.16	0.45	
1:E:10:LYS:NZ	1:E:26:ALA:HB2	2.31	0.45	
2:P:504:VAL:HG22	2:P:505:THR:N	2.32	0.45	
1:E:179:TYR:O	1:E:182:PHE:HB3	2.16	0.45	
1:C:181:VAL:HG13	2:T:503:PRO:CG	2.44	0.45	
1:B:76:GLU:O	1:B:80:GLU:HB2	2.17	0.45	
1:B:168:THR:HB	1:B:211:LEU:HG	1.99	0.45	
1:C:219:SER:O	1:C:223:MET:HG3	2.17	0.45	
1:E:32:GLU:HA	1:E:107:TYR:CZ	2.51	0.45	
3:G:601:NAG:O3	3:G:601:NAG:O7	2.31	0.45	
1:B:179:TYR:O	1:B:182:PHE:HB3	2.17	0.45	
1:C:132:ARG:O	1:C:136:GLU:HG3	2.17	0.44	
1:D:204:ALA:HB3	1:D:223:MET:HE1	1.99	0.44	
1:D:205:ILE:HD13	1:D:223:MET:HE1	1.98	0.44	
1:E:37:LEU:N	1:E:37:LEU:HD12	2.32	0.44	
1:B:232:LEU:HD13	1:B:232:LEU:O	2.17	0.44	
1:C:63:ILE:HD12	1:C:89:ILE:CD1	2.48	0.44	
1:F:75:ASN:HB3	1:F:78:LYS:HZ1	1.82	0.44	
1:B:161:SER:HA	1:B:165:MET:HG3	2.00	0.44	
1:C:161:SER:HA	1:C:165:MET:HG3	1.99	0.44	
1:E:13:LEU:HD11	1:F:82:VAL:HG22	1.98	0.44	
1:E:198:LYS:HG3	1:E:202:ASP:OD2	2.18	0.44	



	ti a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:P:507:ALA:CB	3:P:601:NAG:H81	2.40	0.44
1:E:183:TYR:CB	1:E:193:ALA:HB2	2.48	0.44
1:A:219:SER:O	1:A:223:MET:HG3	2.18	0.44
1:B:31:THR:HG23	1:B:108:LEU:HD21	1.99	0.44
2:G:505:THR:HG21	3:G:601:NAG:C2	2.37	0.44
1:B:221:LEU:HD23	1:B:221:LEU:O	2.18	0.44
1:A:31:THR:HG23	1:A:108:LEU:HD21	1.99	0.43
1:B:184:TYR:CE1	1:B:190:PRO:HB3	2.54	0.43
2:G:511:THR:O	2:G:512:THR:OG1	2.27	0.43
2:P:502:VAL:HG13	3:P:601:NAG:H61	1.99	0.43
1:E:15:GLU:HB2	1:E:23:MET:SD	2.58	0.43
1:F:125:LYS:HD2	1:F:175:LEU:HA	2.00	0.43
1:F:101:LEU:HD13	1:F:131:TYR:CE2	2.54	0.43
1:F:116:GLN:HB3	1:F:119:SER:HB3	2.01	0.43
1:E:10:LYS:HA	1:E:13:LEU:HB2	2.01	0.43
1:E:71:SER:HA	1:E:79:ILE:HD11	1.99	0.43
1:A:184:TYR:HB2	1:A:193:ALA:CB	2.49	0.43
1:C:228:ASP:O	1:C:232:LEU:HD13	2.19	0.43
1:C:57:ARG:HH12	3:T:601:NAG:H3	1.83	0.43
1:D:5:GLU:O	1:D:9:GLN:HG3	2.19	0.43
1:C:183:TYR:HA	1:C:187:GLN:HB2	1.99	0.43
1:E:67:GLU:OE2	1:E:86:ARG:HD3	2.19	0.43
1:D:81:MET:HE2	1:D:81:MET:HB2	1.83	0.42
1:C:87:GLU:O	1:C:91:LYS:HG2	2.19	0.42
1:C:29:ASN:O	1:C:33:LEU:HG	2.20	0.42
1:C:179:TYR:HB3	1:C:196:LEU:HD21	2.01	0.42
1:E:138:ALA:C	1:E:143:ARG:HB2	2.40	0.42
1:A:93:LEU:C	1:A:93:LEU:HD23	2.39	0.42
1:B:32:GLU:HA	1:B:107:TYR:CE1	2.54	0.42
1:C:63:ILE:HD13	1:C:85:TYR:CD2	2.55	0.42
1:E:122:PHE:O	1:E:126:MET:HG3	2.19	0.42
1:E:171:ILE:N	1:E:171:ILE:HD12	2.35	0.42
1:D:50:LYS:HZ2	3:P:601:NAG:H83	1.84	0.42
1:D:129:ASP:OD1	1:D:154:TYR:OH	2.26	0.42
1:F:73:ASP:OD2	1:F:75:ASN:HB3	2.20	0.42
1:E:28:LYS:HG3	1:E:103:LEU:HD11	2.01	0.42
1:E:121:VAL:HG13	1:E:157:ALA:HB1	2.02	0.42
2:G:510:THR:O	2:G:510:THR:OG1	2.36	0.42
2:T:502:VAL:HG13	3:T:601:NAG:H62	2.02	0.42
1:E:53:VAL:O	1:E:57:ARG:HG3	2.20	0.42
1:F:69:LYS:HE2	1:F:69:LYS:CA	2.43	0.42



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:F:93:LEU:C	1:F:93:LEU:HD23	2.40	0.42	
1:A:46:SER:HA	1:A:126:MET:CE	2.49	0.41	
1:A:57:ARG:HH22	3:G:601:NAG:C6	2.33	0.41	
1:D:97:CYS:O	1:D:101:LEU:HG	2.19	0.41	
2:G:502:VAL:HG13	3:G:601:NAG:H62	2.02	0.41	
1:F:75:ASN:HB3	1:F:78:LYS:NZ	2.35	0.41	
1:D:15:GLU:HB2	1:D:23:MET:SD	2.59	0.41	
1:E:129:ASP:O	1:E:132:ARG:HB3	2.21	0.41	
1:E:208:LEU:HD11	1:E:211:LEU:HD11	2.02	0.41	
1:F:229:ASN:HB3	1:F:233:TRP:CH2	2.54	0.41	
1:B:63:ILE:CD1	1:C:13:LEU:HD11	2.50	0.41	
1:C:133:TYR:HE1	3:T:601:NAG:C3	2.34	0.41	
1:D:70:THR:C	1:D:79:ILE:HD11	2.41	0.41	
1:D:205:ILE:O	1:D:208:LEU:HB2	2.21	0.41	
1:D:191:GLU:OE1	1:D:191:GLU:HA	2.21	0.41	
1:A:169:HIS:ND1	1:A:170:PRO:HD2	2.35	0.41	
1:D:169:HIS:HA	1:D:170:PRO:HD3	1.89	0.41	
1:B:46:SER:HA	1:B:126:MET:CE	2.50	0.41	
1:D:70:THR:O	1:D:73:ASP:HB3	2.21	0.41	
1:E:110:LYS:HD3	1:E:110:LYS:C	2.42	0.41	
1:E:166:GLN:HA	1:E:167:PRO:HD3	1.93	0.41	
1:F:76:GLU:HA	1:F:79:ILE:HD12	2.03	0.41	
1:B:31:THR:HG21	1:B:103:LEU:HD22	2.03	0.40	
1:C:67:GLU:OE2	1:C:86:ARG:NH2	2.54	0.40	
1:B:165:MET:HE1	1:B:169:HIS:CE1	2.57	0.40	
1:D:104:LEU:HD23	1:D:108:LEU:HD12	2.03	0.40	
1:D:170:PRO:HG3	1:D:219:SER:HB3	2.02	0.40	
1:E:103:LEU:O	1:E:108:LEU:HG	2.21	0.40	
1:C:50:LYS:HD3	3:T:601:NAG:H83	2.04	0.40	
1:D:97:CYS:HB2	1:D:134:LEU:HD21	2.03	0.40	
1:D:132:ARG:HG3	1:D:186:ILE:HG13	2.03	0.40	
1:D:221:LEU:O	1:D:225:LEU:HG	2.21	0.40	
1:E:175:LEU:O	1:E:179:TYR:HB2	2.22	0.40	
1:E:183:TYR:HB3	1:E:193:ALA:HB2	2.03	0.40	
2:P:505:THR:HG21	3:P:601:NAG:C2	2.39	0.40	
1:B:142:LYS:HB3	1:B:142:LYS:NZ	2.36	0.40	
1:C:169:HIS:HA	1:C:170:PRO:HD3	1.93	0.40	
1:E:112:CYS:HB3	1:E:120:LYS:HG2	2.02	0.40	

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentil	\mathbf{es}
1	А	238/240~(99%)	229~(96%)	9~(4%)	0	100 100	0
1	В	235/240~(98%)	227~(97%)	8(3%)	0	100 100	0
1	С	236/240~(98%)	227~(96%)	9~(4%)	0	100 100	0
1	D	236/240~(98%)	227~(96%)	9~(4%)	0	100 100	0
1	Е	235/240~(98%)	224 (95%)	11 (5%)	0	100 100	0
1	F	230/240~(96%)	219~(95%)	11 (5%)	0	100 100	0
2	G	11/20~(55%)	7 (64%)	4(36%)	0	100 100	0
2	Р	5/20~(25%)	4 (80%)	1 (20%)	0	100 100	0
2	Т	3/20~(15%)	2 (67%)	1 (33%)	0	100 100	0
All	All	1429/1500~(95%)	1366 (96%)	63 (4%)	0	100 100	0

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	212/212~(100%)	208~(98%)	4 (2%)	57	79
1	В	209/212~(99%)	205~(98%)	4 (2%)	57	79
1	С	210/212~(99%)	208~(99%)	2(1%)	76	87
1	D	210/212~(99%)	206~(98%)	4 (2%)	57	79
1	Е	209/212~(99%)	201~(96%)	8 (4%)	33	63



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	F	199/212~(94%)	195~(98%)	4 (2%)	55	78
2	G	11/18~(61%)	8 (73%)	3(27%)	0	1
2	Р	6/18~(33%)	6 (100%)	0	100	100
2	Т	5/18~(28%)	3~(60%)	2(40%)	0	0
All	All	1271/1326~(96%)	1240 (98%)	31 (2%)	49	74

Continued from previous page...

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	2	VAL
1	А	78	LYS
1	А	81	MET
1	А	179	TYR
1	В	80	GLU
1	В	179	TYR
1	В	211	LEU
1	В	218	ASP
1	С	179	TYR
1	С	237	GLN
1	D	2	VAL
1	D	80	GLU
1	D	179	TYR
1	D	216	TYR
1	Е	4	ARG
1	Е	10	LYS
1	Е	117	TYR
1	Ε	131	TYR
1	Ε	179	TYR
1	Е	214	ASP
1	Ε	216	TYR
1	Е	227	ARG
1	F	4	ARG
1	F	114	GLU
1	F	129	ASP
1	F	179	TYR
2	G	504	VAL
2	G	506	THR
2	G	510	THR
2	Т	504	VAL
2	Т	506	THR



Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	158	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Type Cl		Chain	Chain Dea	Pog Link		Bond lengths			Bond angles		
IVIOI	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
3	NAG	Т	601	2	14,14,15	0.55	0	17,19,21	0.60	0	
3	NAG	G	601	2	14,14,15	0.56	0	17,19,21	0.60	0	
3	NAG	Р	601	2	14,14,15	0.36	0	17,19,21	0.47	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	Т	601	2	-	4/6/23/26	0/1/1/1
Continued on next page							

001000	e ontrinaca from process pagem							
Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings	
3	NAG	G	601	2	-	4/6/23/26	0/1/1/1	
3	NAG	Р	601	2	-	3/6/23/26	0/1/1/1	

Continued from previous page...

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
3	Р	601	NAG	C4-C5-C6-O6
3	Р	601	NAG	O5-C5-C6-O6
3	G	601	NAG	C1-C2-N2-C7
3	Т	601	NAG	C1-C2-N2-C7
3	G	601	NAG	O5-C5-C6-O6
3	Т	601	NAG	O5-C5-C6-O6
3	G	601	NAG	C4-C5-C6-O6
3	Т	601	NAG	C4-C5-C6-O6
3	Р	601	NAG	C1-C2-N2-C7
3	G	601	NAG	C3-C2-N2-C7
3	Т	601	NAG	C3-C2-N2-C7

There are no ring outliers.

3 monomers are involved in 56 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	Т	601	NAG	25	0
3	G	601	NAG	16	0
3	Р	601	NAG	15	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>	$\cdot 2$	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q<0.9
1	А	240/240~(100%)	0.79	12 (5%) 28	31	65, 108, 173, 250	0
1	В	237/240~(98%)	0.80	14 (5%) 22	25	61, 107, 197, 221	0
1	С	238/240~(99%)	0.76	10 (4%) 36	38	59, 105, 170, 190	0
1	D	238/240~(99%)	0.80	14 (5%) 22	25	64, 113, 187, 277	0
1	Е	237/240~(98%)	0.72	18 (7%) 13	16	76, 121, 186, 228	0
1	F	232/240~(96%)	1.31	53~(22%) 0	0	106, 183, 276, 380	0
2	G	13/20~(65%)	3.42	11 (84%) 0	0	198, 232, 262, 290	0
2	Р	7/20~(35%)	3.18	5~(71%) 0	0	194, 202, 229, 241	0
2	Т	5/20~(25%)	2.44	4 (80%) 0	0	196, 208, 230, 238	0
All	All	1447/1500~(96%)	0.90	141 (9%) 7	9	59, 120, 228, 380	0

All (141) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	G	510	THR	6.9
1	F	205	ILE	6.1
1	F	117	TYR	5.7
1	F	53	VAL	5.2
1	F	209	ASP	5.1
1	F	121	VAL	4.8
2	G	508	THR	4.5
1	F	201	PHE	4.5
1	F	220	THR	4.5
2	G	500	THR	4.5
2	Р	506	THR	4.5
2	G	501	THR	4.4
1	F	76	GLU	4.4
1	F	211	LEU	4.4
2	Р	505	THR	4.3



6BYL

Mol	Chain	Res	Type	RSRZ
1	F	210	THR	4.2
1	F	208	LEU	4.2
2	Р	508	THR	4.1
1	F	83	ARG	3.9
1	F	214	ASP	3.9
1	F	80	GLU	3.9
1	F	79	ILE	3.8
1	В	216	TYR	3.7
1	В	210	THR	3.7
1	D	121	VAL	3.7
2	G	504	VAL	3.7
2	Т	503	PRO	3.6
1	F	103	LEU	3.6
1	F	223	MET	3.6
1	F	179	TYR	3.5
2	Р	504	VAL	3.4
1	Е	7	LEU	3.3
1	F	173	LEU	3.3
1	С	192	GLN	3.3
1	D	134	LEU	3.3
1	F	221	LEU	3.3
1	В	83	ARG	3.3
2	Р	503	PRO	3.3
2	G	503	PRO	3.2
1	D	79	ILE	3.2
2	G	505	THR	3.2
1	F	4	ARG	3.2
1	F	124	LEU	3.2
1	А	238	GLN	3.1
1	A	70	THR	3.1
1	F	60	TRP	3.1
1	F	183	TYR	3.0
1	F	122	PHE	3.0
1	Ε	49	TYR	3.0
1	F	71	SER	3.0
1	F	141	GLU	2.9
2	G	509	THR	2.9
1	D	219	SER	2.9
2	G	507	ALA	2.8
1	А	205	ILE	2.8
1	F	216	TYR	2.8
1	F	196	LEU	2.7



6BYL

Mol	Chain	Res	Type	RSRZ
1	Е	205	ILE	2.7
1	А	45	LEU	2.7
1	F	36	PRO	2.7
1	F	127	LYS	2.6
1	С	121	VAL	2.6
1	F	111	ASN	2.6
2	G	512	THR	2.6
1	F	64	SER	2.6
1	Е	200	ALA	2.6
1	F	195	HIS	2.6
1	D	45	LEU	2.6
1	D	168	THR	2.6
1	С	114	GLU	2.6
1	F	131	TYR	2.6
1	В	66	ILE	2.6
1	А	204	ALA	2.6
1	А	63	ILE	2.6
1	С	216	TYR	2.6
1	F	222	ILE	2.6
1	А	37	LEU	2.5
1	Е	32	GLU	2.5
1	С	173	LEU	2.5
1	Е	4	ARG	2.5
1	Е	13	LEU	2.5
1	F	31	THR	2.5
1	F	120	LYS	2.5
1	F	168	THR	2.5
1	D	127	LYS	2.4
2	Т	504	VAL	2.4
1	D	186	ILE	2.4
1	F	207	GLU	2.4
1	В	121	VAL	2.4
1	Е	9	GLN	2.4
1	В	211	LEU	2.4
1	Е	30	VAL	2.4
1	Е	223	MET	2.4
1	F	123	TYR	2.4
1	F	105	ASP	2.4
1	Е	146	VAL	2.3
1	В	198	LYS	2.3
1	F	176	ALA	2.3
2	Т	502	VAL	2.3



Mol	Chain	Res	Type	RSRZ	
1	С	205	ILE	2.3	
1	С	230	LEU	2.3	
1	С	45	LEU	2.3	
1	D	13	LEU	2.3	
1	D	173	LEU	2.3	
1	F	225	LEU	2.3	
1	Е	45	LEU	2.2	
1	F	118	GLU	2.2	
1	В	45	LEU	2.2	
1	В	176	ALA	2.2	
1	D	216	TYR	2.2	
1	А	227	ARG	2.2	
1	Е	8	VAL	2.2	
1	F	181	VAL	2.2	
1	F	154	TYR	2.2	
1	Е	108	LEU	2.2	
1	F	42	ARG	2.2	
1	В	219	SER	2.1	
2	Т	506	THR	2.1	
1	F	84	ALA	2.1	
1	F	44	LEU	2.1	
1	А	201	PHE	2.1	
1	А	207	GLU	2.1	
1	А	73	ASP	2.1	
1	F	197	ALA	2.1	
1	F	52	VAL	2.1	
1	Е	52	VAL	2.1	
1	Е	93	LEU	2.1	
1	В	117	TYR	2.1	
1	В	184	TYR	2.0	
1	D	223	MET	2.0	
1	E	27	MET	2.0	
1	E	107	TYR	2.0	
1	С	175	LEU	2.0	
1	D	117	TYR	2.0	
1	D	131	TYR	2.0	
1	F	37	LEU	2.0	
1	A	8	VAL	2.0	
1	В	205	ILE	2.0	
2	G	506	THR	2.0	
1	С	97	CYS	2.0	
1	В	196	LEU	2.0	

Continued from previous page...



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
3	NAG	Р	601	14/15	0.58	0.87	233,238,240,241	0
3	NAG	G	601	14/15	0.60	0.77	211,215,222,224	0
3	NAG	Т	601	14/15	0.62	1.11	210,214,222,224	0

6.5 Other polymers (i)

There are no such residues in this entry.

