

# Full wwPDB X-ray Structure Validation Report (i)

#### May 24, 2020 - 05:59 pm BST

PDB ID	:	1C4R
Title	:	THE STRUCTURE OF THE LIGAND-BINDING DOMAIN OF NEUREXIN
		1BETA: REGULATION OF LNS DOMAIN FUNCTION BY ALTERNA-
		TIVE SPLICING
Authors	:	Rudenko, G.; Nguyen, T.; Chelliah, Y.; Sudhof, T.C.; Deisenhofer, J.
Deposited on	:	1999-09-28
Resolution	:	2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : $4.02b-467$	
Xtriage (Phenix) : <b>NOT EXECUTED</b>	
EDS : NOT EXECUTED	
$ \begin{tabular}{lllllllllllllllllllllllllllllllllll$	25 th 2019
Ideal geometry (proteins) : Engh & Huber (2001)	
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)	
Validation Pipeline (wwPDB-VP) : 2.11	

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
Clashscore	141614	3518 (2.60-2.60)		
Ramachandran outliers	138981	3455(2.60-2.60)		
Sidechain outliers	138945	3455(2.60-2.60)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain		
1	А	182	73%	23%	•••
1	В	182	79%	17%	••
1	С	182	79%	17%	•••
1	D	182	78%	16%	••
1	Е	182	75%	23%	••
1	F	182	76%	17%	•••
1	G	182	78%	20%	•••
1	Н	182	76%	18%	•••



# 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 11086 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	180	Total	С	Ν	Ο	$\mathbf{S}$	14	0	0
	л	100	1379	869	246	263	1	14	0	0
1	В	178	Total	С	Ν	Ο	S	15	0	0
	D	170	1363	859	244	259	1	10	0	0
1	С	180	Total	С	Ν	Ο	S	10	0	0
	U	100	1379	869	246	263	1	19	0	0
1	П	178	Total	С	Ν	Ο	S	15	0	0
	D		1363	859	244	259	1	10	0	U
1	F	181	Total	С	Ν	Ο	$\mathbf{S}$	91	0	0
L	Ľ	101	1386	874	247	264	1	21	0	0
1	F	177	Total	С	Ν	Ο	$\mathbf{S}$	20	0	0
	T,	111	1359	857	243	258	1	20	0	0
1	C	189	Total	С	Ν	Ο	$\mathbf{S}$	10	0	0
	G	102	1390	876	248	265	1	10	0	0
1	Ц	177	Total	С	Ν	Ο	S	14	0	0
	11	111	1359	857	243	258	1			U

• Molecule 1 is a protein called NEUREXIN-I BETA.

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	8	Total O 8 8	0	0
2	В	19	Total O 19 19	0	0
2	С	11	Total O 11 11	0	0
2	D	21	Total O 21 21	0	0
2	Ε	8	Total O 8 8	0	0
2	F	14	Total O 14 14	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	13	Total O 13 13	0	0
2	Н	14	Total         O           14         14	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are colorcoded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: NEUREXIN-I BETA



• Molecule 1: NEUREXIN-I BETA



#### L266 M271 M271 N275 N275 R285 R285 R285 R285 R291 V291 V291 V291

- Molecule 1: NEUREXIN-I BETA
- Chain F: 76% 17% •



- Molecule 1: NEUREXIN-I BETA
- Chain G: 78% 20% ••

# G81 G81 188 188 81 188 81 89 81 89 82 89 83 89 84 89 83 89 84 89 85 89 86 89 81 89 81 89 81 89 81 89 81 89 81 89 81

#### F254 Q257 L266 K267 K267 V285 V285 V285 V291

 $\bullet$  Molecule 1: NEUREXIN-I BETA





# 4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	116.60Å $195.90$ Å $103.61$ Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	20.00 - 2.60	Depositor
% Data completeness	98.9 (20.00-2.60)	Depositor
(in resolution range)	50.5 (20.00 2.00)	Depositor
$R_{merge}$	(Not available)	Depositor
R <sub>sym</sub>	(Not available)	Depositor
Refinement program	CNS	Depositor
$R, R_{free}$	0.249 , $0.279$	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	11086	wwPDB-VP
Average B, all atoms $(Å^2)$	33.0	wwPDB-VP



# 5 Model quality (i)

## 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.64	0/1405	0.81	2/1904~(0.1%)	
1	В	0.72	0/1389	0.88	1/1882~(0.1%)	
1	С	0.63	0/1405	0.85	1/1904~(0.1%)	
1	D	0.69	0/1389	0.88	1/1882~(0.1%)	
1	Е	0.67	1/1413~(0.1%)	0.83	0/1916	
1	F	0.66	0/1385	0.92	2/1877~(0.1%)	
1	G	0.74	1/1417~(0.1%)	0.88	1/1921~(0.1%)	
1	Н	0.67	0/1385	0.89	2/1877~(0.1%)	
All	All	0.68	2/11188~(0.0%)	0.87	10/15163~(0.1%)	

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
1	Ε	290	GLU	CD-OE1	5.66	1.31	1.25
1	G	290	GLU	CB-CG	5.29	1.62	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$\mathbf{Ideal}(^{o})$
1	С	139	LEU	CA-CB-CG	7.72	133.06	115.30
1	Н	126	LEU	CA-CB-CG	7.11	131.66	115.30
1	D	232	ARG	N-CA-C	-7.01	92.06	111.00
1	G	139	LEU	CA-CB-CG	6.03	129.18	115.30
1	Н	238	ASN	N-CA-C	5.90	126.94	111.00
1	F	126	LEU	CA-CB-CG	5.63	128.25	115.30
1	А	290	GLU	N-CA-C	5.49	125.83	111.00
1	F	197	ARG	NE-CZ-NH2	-5.25	117.67	120.30
1	В	169	ASN	N-CA-CB	-5.23	101.19	110.60
1	A	237	PHE	N-CA-C	-5.09	97.26	111.00

There are no chirality outliers.

There are no planarity outliers.



#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1379	0	1365	32	0
1	В	1363	0	1350	26	0
1	С	1379	0	1365	24	0
1	D	1363	0	1350	31	0
1	Е	1386	0	1372	31	0
1	F	1359	0	1347	29	0
1	G	1390	0	1375	27	0
1	Н	1359	0	1347	26	0
2	А	8	0	0	0	0
2	В	19	0	0	0	0
2	С	11	0	0	1	0
2	D	21	0	0	1	0
2	Е	8	0	0	0	0
2	F	14	0	0	0	0
2	G	13	0	0	0	0
2	Н	14	0	0	0	0
All	All	11086	0	10871	221	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (221) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:156:THR:HB	1:C:233:GLN:HG3	1.38	1.04
1:H:109:ARG:HG2	1:H:235:THR:HG23	1.49	0.94
1:A:192:TRP:HB3	1:A:193:PRO:HD2	1.49	0.92
1:D:166:ALA:HB3	1:D:192:TRP:CZ3	2.06	0.90
1:B:120:VAL:C	1:B:169:ASN:HD21	1.79	0.85
1:G:290:GLU:H	1:G:290:GLU:CD	1.82	0.82
1:D:94:GLY:HA3	1:D:285:VAL:HG23	1.62	0.82
1:E:235:THR:HG22	1:E:236:ILE:HG13	1.62	0.81
1:B:166:ALA:CB	1:B:192:TRP:CZ3	2.65	0.79
1:F:94:GLY:HA3	1:F:285:VAL:HG23	1.64	0.79
1:E:291:VAL:HG13	1:E:292:PRO:HD2	1.65	0.79



Interatomic Clash				
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:D:94:GLY:HA3	1:D:285:VAL:CG2	2.14	0.77	
1:H:94:GLY:HA3	1:H:285:VAL:HG23	1.66	0.77	
1:D:103:ASN:N	1:D:103:ASN:HD22	1.80	0.77	
1:A:94:GLY:HA3	1:A:285:VAL:HG23	1.67	0.76	
1:A:166:ALA:HB3	1:A:192:TRP:CZ3	2.21	0.74	
1:G:94:GLY:HA3	1:G:285:VAL:HG23	1.70	0.74	
1:G:88:ILE:HG12	1:G:257:GLN:HG2	1.71	0.73	
1:D:109:ARG:HD3	1:D:235:THR:HG21	1.69	0.73	
1:E:166:ALA:HB3	1:E:192:TRP:CZ3	2.24	0.72	
1:E:291:VAL:CG1	1:E:292:PRO:HD2	2.20	0.72	
1:B:166:ALA:HB1	1:B:192:TRP:CZ3	2.25	0.71	
1:H:117:PHE:CE1	1:H:168:ILE:HD13	2.25	0.71	
1:B:120:VAL:C	1:B:169:ASN:ND2	2.43	0.71	
1:D:156:THR:HG22	1:D:157:ASP:H	1.54	0.71	
1:A:101:PRO:HG2	1:A:104:ASP:HB2	1.73	0.70	
1:B:166:ALA:HB3	1:B:192:TRP:CZ3	2.27	0.69	
1:C:94:GLY:HA3	1:C:285:VAL:HG23	1.73	0.69	
1:B:94:GLY:HA3	1:B:285:VAL:CG2	2.22	0.69	
1:G:159:ILE:HD13	1:G:199:PRO:HG2	1.75	0.69	
1:B:94:GLY:HA3	1:B:285:VAL:HG23	1.74	0.68	
1:C:166:ALA:HB3	1:C:192:TRP:CZ3	2.27	0.68	
1:D:126:LEU:HD23	1:D:126:LEU:N	2.09	0.68	
1:E:94:GLY:HA3	1:E:285:VAL:HG23	1.75	0.68	
1:E:159:ILE:HD13	1:E:199:PRO:HG2	1.75	0.67	
1:F:109:ARG:HD3	1:F:235:THR:HG21	1.75	0.67	
1:A:170:ASP:OD2	1:A:172:LYS:HD2	1.96	0.66	
1:B:86:THR:N	1:B:289:GLY:O	2.28	0.66	
1:C:88:ILE:HG12	1:C:257:GLN:HG2	1.77	0.66	
1:B:165:ASN:O	1:B:166:ALA:HB2	1.95	0.65	
1:E:94:GLY:HA3	1:E:285:VAL:CG2	2.26	0.65	
1:H:94:GLY:HA3	1:H:285:VAL:CG2	2.27	0.65	
1:F:88:ILE:HG12	1:F:257:GLN:HG2	1.79	0.65	
1:D:166:ALA:CB	1:D:192:TRP:CZ3	2.78	0.65	
1:D:266:LEU:HB3	1:D:271:MET:CE	2.27	0.64	
1:F:94:GLY:HA3	1:F:285:VAL:CG2	2.26	0.64	
1:G:94:GLY:HA3	1:G:285:VAL:CG2	2.28	0.64	
1:F:120:VAL:HA	1:F:169:ASN:O	1.98	0.63	
1:C:266:LEU:HB3	1:C:271:MET:CE	2.28	0.63	
1:D:156:THR:HG22	1:D:157:ASP:N	2.13	0.63	
1:H:162:GLU:HG2	1:H:164:SER:OG	1.98	0.63	
1:H:88:ILE:HG12	1:H:257:GLN:HG2	1.81	0.62	



	<b>A</b>   <b>O</b>	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:C:94:GLY:HA3	1:C:285:VAL:CG2	2.29	0.62
1:D:88:ILE:HG12	1:D:257:GLN:HG2	1.80	0.62
1:F:166:ALA:CB	1:F:192:TRP:CZ3	2.82	0.62
1:E:88:ILE:HG12	1:E:257:GLN:HG2	1.82	0.62
1:F:109:ARG:HD3	1:F:235:THR:CG2	2.30	0.62
1:D:148:ILE:HG22	2:D:4045:HOH:O	1.99	0.61
1:F:170:ASP:OD1	1:F:172:LYS:HB2	1.99	0.61
1:B:166:ALA:HB1	1:B:192:TRP:CH2	2.36	0.61
1:B:88:ILE:HG12	1:B:257:GLN:HG2	1.81	0.61
1:E:89:PHE:CE1	1:E:258:LEU:HD12	2.35	0.61
1:H:82:HIS:HA	1:H:173:TYR:CE1	2.35	0.61
1:B:266:LEU:HB3	1:B:271:MET:HE1	1.83	0.61
1:A:94:GLY:HA3	1:A:285:VAL:CG2	2.29	0.61
1:D:109:ARG:HD3	1:D:235:THR:CG2	2.30	0.61
1:F:166:ALA:HB3	1:F:192:TRP:CZ3	2.36	0.60
1:B:266:LEU:HB3	1:B:271:MET:CE	2.32	0.60
1:C:275:ASN:HD22	1:C:275:ASN:N	2.01	0.59
1:E:102:PRO:HG3	1:F:103:ASN:ND2	2.18	0.59
1:D:126:LEU:HD22	1:D:254:PHE:CD1	2.38	0.59
1:A:88:ILE:HG12	1:A:257:GLN:HG2	1.85	0.59
1:E:266:LEU:HB3	1:E:271:MET:CE	2.34	0.58
1:D:103:ASN:N	1:D:103:ASN:ND2	2.51	0.58
1:E:139:LEU:HD13	1:E:152:PHE:HB3	1.85	0.58
1:H:287:LEU:HD12	1:H:288:VAL:H	1.69	0.58
1:B:126:LEU:HD22	1:B:254:PHE:CD1	2.40	0.57
1:C:184:ASN:OD1	1:C:198:TYR:HA	2.04	0.57
1:H:99:LYS:HG2	1:H:242:THR:HG22	1.85	0.57
1:D:266:LEU:HB3	1:D:271:MET:HE1	1.86	0.56
1:E:156:THR:HB	1:E:233:GLN:OE1	2.05	0.56
1:A:266:LEU:HB3	1:A:271:MET:CE	2.36	0.56
1:H:117:PHE:CZ	1:H:168:ILE:HD13	2.40	0.56
1:F:109:ARG:CD	1:F:235:THR:CG2	2.84	0.56
1:C:266:LEU:HB3	1:C:271:MET:HE1	1.89	0.55
1:F:166:ALA:O	1:F:167:ILE:HG23	2.06	0.55
1:H:123:GLU:O	1:H:124:ALA:HB2	2.06	0.55
1:F:266:LEU:HB3	1:F:271:MET:CE	2.37	0.55
1:H:156:THR:OG1	1:H:157:ASP:N	2.41	0.54
1:C:120:VAL:C	1:C:169:ASN:HD21	2.10	0.54
1:E:291:VAL:CG1	1:E:292:PRO:CD	2.84	0.54
1:E:147:LYS:HD2	1:E:164:SER:HA	1.89	0.54
1:G:156:THR:HB	1:G:233:GLN:OE1	2.06	0.54



Interatomic			Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:E:266:LEU:HB3	1:E:271:MET:HE1	1.90	0.53	
1:E:126:LEU:HD22	1:E:254:PHE:CD1	2.42	0.53	
1:D:123:GLU:O	1:D:124:ALA:HB2	2.09	0.53	
1:A:162:GLU:OE2	1:A:164:SER:HB3	2.08	0.52	
1:G:99:LYS:HG2	1:G:242:THR:HG22	1.90	0.52	
1:E:139:LEU:CD1	1:E:152:PHE:HB3	2.39	0.52	
1:G:266:LEU:HB3	1:G:271:MET:HE1	1.90	0.52	
1:H:266:LEU:HB3	1:H:271:MET:CE	2.40	0.52	
1:F:266:LEU:HB3	1:F:271:MET:HE1	1.91	0.52	
1:G:139:LEU:C	1:G:139:LEU:HD12	2.31	0.52	
1:E:160:ALA:O	1:E:197:ARG:HD3	2.10	0.52	
1:A:160:ALA:O	1:A:197:ARG:HD3	2.09	0.51	
1:F:109:ARG:CD	1:F:235:THR:HG21	2.39	0.51	
1:C:266:LEU:HB3	1:C:271:MET:HE3	1.92	0.51	
1:E:291:VAL:HG13	1:E:292:PRO:CD	2.38	0.51	
1:D:266:LEU:HB3	1:D:271:MET:HE3	1.93	0.50	
1:H:167:ILE:C	1:H:167:ILE:HD12	2.32	0.50	
1:A:126:LEU:HD13	1:A:258:LEU:HD21	1.92	0.50	
1:G:126:LEU:HD22	1:G:254:PHE:CD1	2.46	0.50	
1:G:266:LEU:HB3	1:G:271:MET:CE	2.40	0.50	
1:G:101:PRO:HG2	1:G:104:ASP:OD2	2.12	0.50	
1:A:99:LYS:HG2	1:A:242:THR:HG22	1.94	0.50	
1:D:268:VAL:HA	1:D:271:MET:HE2	1.92	0.49	
1:E:192:TRP:CD1	1:E:192:TRP:N	2.79	0.49	
1:G:160:ALA:O	1:G:197:ARG:HD3	2.12	0.49	
1:B:85:THR:OG1	1:B:270:ASN:ND2	2.46	0.49	
1:F:192:TRP:N	1:F:192:TRP:CD1	2.78	0.49	
1:A:288:VAL:HG12	1:A:289:GLY:O	2.13	0.49	
1:F:88:ILE:HG13	1:F:288:VAL:HG23	1.93	0.49	
1:H:109:ARG:HG2	1:H:235:THR:CG2	2.33	0.49	
1:A:163:GLU:HA	1:A:195:ILE:CD1	2.43	0.48	
1:A:161:ILE:HD12	1:A:197:ARG:HB3	1.95	0.48	
1:F:120:VAL:C	1:F:169:ASN:HD21	2.16	0.48	
1:A:123:GLU:O	1:A:124:ALA:HB2	2.14	0.48	
1:A:126:LEU:HD22	1:A:254:PHE:CD1	2.49	0.48	
1:G:183:GLY:O	1:G:199:PRO:HG2	2.14	0.48	
1:B:123:GLU:O	1:B:124:ALA:HB2	2.13	0.48	
1:C:162:GLU:HG2	1:C:164:SER:OG	2.14	0.48	
1:H:117:PHE:HE1	1:H:168:ILE:HD13	1.76	0.47	
1:D:146:GLY:O	1:D:167:ILE:HA	2.14	0.47	
1:D:165:ASN:O	1:D:166:ALA:HB2	2.13	0.47	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:267:LYS:C	1:G:271:MET:HE2	2.34	0.47
1:C:261:LEU:HD23	1:C:268:VAL:HB	1.95	0.47
1:D:192:TRP:CD1	1:D:192:TRP:N	2.81	0.47
1:G:81:GLY:HA3	1:G:173:TYR:CE2	2.49	0.47
1:A:157:ASP:OD2	1:F:197:ARG:NH1	2.48	0.47
1:C:270:ASN:O	1:C:274:GLU:HG3	2.14	0.47
1:F:85:THR:OG1	1:F:270:ASN:ND2	2.48	0.47
1:F:261:LEU:HD23	1:F:268:VAL:HB	1.98	0.46
1:A:192:TRP:N	1:A:192:TRP:CD1	2.82	0.46
1:A:266:LEU:HB3	1:A:271:MET:HE3	1.96	0.46
1:E:163:GLU:OE2	1:E:165:ASN:HB2	2.15	0.46
1:G:117:PHE:HA	1:G:257:GLN:O	2.16	0.46
1:C:117:PHE:HA	1:C:257:GLN:O	2.16	0.46
1:C:123:GLU:O	1:C:124:ALA:HB2	2.15	0.46
1:C:192:TRP:CD1	1:C:192:TRP:N	2.83	0.46
1:B:126:LEU:HD13	1:B:258:LEU:HD21	1.98	0.46
1:A:122:LYS:O	1:A:143:ILE:HG22	2.16	0.46
1:A:192:TRP:CB	1:A:193:PRO:HD2	2.31	0.46
1:B:274:GLU:OE2	1:G:109:ARG:NH2	2.47	0.45
1:C:148:ILE:HG22	2:C:4051:HOH:O	2.15	0.45
1:H:268:VAL:HA	1:H:271:MET:HE2	1.97	0.45
1:A:192:TRP:HB3	1:A:193:PRO:CD	2.34	0.45
1:B:126:LEU:HD23	1:B:126:LEU:N	2.31	0.45
1:C:156:THR:CB	1:C:233:GLN:HG3	2.28	0.45
1:A:167:ILE:HG23	1:A:169:ASN:OD1	2.17	0.45
1:A:159:ILE:HD13	1:A:199:PRO:HG3	1.97	0.45
1:G:162:GLU:HG2	1:G:164:SER:OG	2.17	0.45
1:C:126:LEU:HD13	1:C:258:LEU:HD21	1.99	0.45
1:G:88:ILE:HG12	1:G:257:GLN:CG	2.45	0.44
1:G:122:LYS:O	1:G:143:ILE:HG22	2.18	0.44
1:C:159:ILE:HD13	1:C:199:PRO:HG2	1.98	0.44
1:H:266:LEU:HB3	1:H:271:MET:HE1	1.99	0.44
1:F:137:ASP:HB3	1:F:237:PHE:CD1	2.52	0.44
1:A:266:LEU:HB3	1:A:271:MET:HE1	1.99	0.44
1:D:143:ILE:HA	1:D:147:LYS:O	2.18	0.44
1:G:137:ASP:HA	1:G:153:ASN:O	2.18	0.44
1:A:120:VAL:HA	1:A:169:ASN:O	2.17	0.43
1:H:192:TRP:CD1	1:H:192:TRP:N	2.84	0.43
1:F:109:ARG:HG2	1:F:235:THR:CG2	2.49	0.43
1:A:101:PRO:HA	1:A:102:PRO:HD3	1.84	0.43
1:F:125:VAL:HG22	1:F:142:HIS:HB3	2.00	0.43



Interate			Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:120:VAL:C	1:C:169:ASN:ND2	2.71	0.43
1:F:155:GLY:HA3	1:F:234:LEU:HD12	2.01	0.43
1:E:196:GLU:HB3	1:E:198:TYR:HE1	1.84	0.43
1:B:268:VAL:HA	1:B:271:MET:HE2	2.00	0.43
1:C:275:ASN:ND2	1:C:275:ASN:N	2.65	0.43
1:D:84:GLY:O	1:D:85:THR:C	2.57	0.43
1:F:99:LYS:O	1:F:278:ASN:HB3	2.18	0.43
1:H:89:PHE:CE1	1:H:258:LEU:HD12	2.54	0.43
1:E:159:ILE:HD11	1:E:233:GLN:HG3	2.01	0.43
1:B:167:ILE:HD12	1:B:167:ILE:HA	1.86	0.42
1:D:166:ALA:HB1	1:D:192:TRP:CH2	2.54	0.42
1:H:172:LYS:HG2	1:H:173:TYR:N	2.34	0.42
1:D:167:ILE:HD13	1:D:167:ILE:N	2.35	0.42
1:F:120:VAL:C	1:F:169:ASN:ND2	2.73	0.42
1:D:288:VAL:CG1	1:D:289:GLY:N	2.82	0.42
1:G:88:ILE:HG21	1:G:88:ILE:HD13	1.79	0.42
1:E:137:ASP:HA	1:E:153:ASN:O	2.19	0.42
1:F:166:ALA:C	1:F:167:ILE:HG12	2.39	0.42
1:D:287:LEU:HG	1:E:236:ILE:HD13	2.00	0.42
1:A:276:ASP:OD1	1:A:277:ALA:N	2.53	0.42
1:E:266:LEU:HB3	1:E:271:MET:HE3	2.01	0.42
1:B:88:ILE:HD12	1:H:234:LEU:HD11	2.00	0.42
1:H:261:LEU:HD23	1:H:268:VAL:HB	2.01	0.42
1:B:82:HIS:HA	1:B:173:TYR:CE1	2.55	0.41
1:A:268:VAL:HA	1:A:271:MET:HE2	2.01	0.41
1:E:101:PRO:O	1:E:102:PRO:C	2.59	0.41
1:G:90:SER:O	1:G:91:LYS:C	2.58	0.41
1:H:84:GLY:O	1:H:85:THR:C	2.59	0.41
1:B:267:LYS:C	1:B:271:MET:HE2	2.40	0.41
1:C:99:LYS:HG2	1:C:242:THR:HG22	2.02	0.41
1:D:126:LEU:N	1:D:126:LEU:CD2	2.82	0.41
1:E:170:ASP:N	1:E:170:ASP:OD1	2.53	0.41
1:E:159:ILE:HD13	1:E:199:PRO:CG	2.49	0.41
1:G:192:TRP:CD1	1:G:192:TRP:N	2.88	0.41
1:F:166:ALA:HB3	1:F:192:TRP:HZ3	1.81	0.41
1:H:235:THR:HG22	1:H:236:ILE:HG13	2.03	0.41
1:B:261:LEU:HB3	1:B:269:LEU:HG	2.03	0.41
1:D:156:THR:CG2	1:D:157:ASP:H	2.21	0.41
1:A:117:PHE:HA	1:A:257:GLN:O	2.20	0.41
1:E:196:GLU:HB3	1:E:198:TYR:CE1	2.56	0.41
1:G:184:ASN:OD1	1:G:199:PRO:HD2	2.21	0.41



Atom-1	Atom-2	Interatomic distance (Å)	$egin{array}{clash} { m overlap} \ ({ m \AA}) \end{array}$
1:A:99:LYS:O	1:A:278:ASN:HB3	2.21	0.40
1:H:266:LEU:HB3	1:H:271:MET:HE3	2.03	0.40
1:D:155:GLY:HA3	1:D:234:LEU:HD12	2.03	0.40
1:B:101:PRO:HA	1:B:102:PRO:HD3	1.87	0.40
1:G:159:ILE:HD13	1:G:199:PRO:CG	2.48	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perc	entiles
1	А	178/182~(98%)	165~(93%)	13~(7%)	0	100	100
1	В	176/182~(97%)	164 (93%)	11~(6%)	1 (1%)	25	47
1	С	178/182~(98%)	168 (94%)	9 (5%)	1 (1%)	25	47
1	D	176/182~(97%)	162~(92%)	12 (7%)	2 (1%)	14	30
1	Е	179/182~(98%)	168 (94%)	9(5%)	2 (1%)	14	30
1	F	175/182~(96%)	162~(93%)	10 (6%)	3 (2%)	9	18
1	G	180/182~(99%)	168 (93%)	11 (6%)	1 (1%)	25	47
1	Н	175/182~(96%)	161 (92%)	13 (7%)	1 (1%)	25	47
All	All	1417/1456~(97%)	1318 (93%)	88 (6%)	11 (1%)	19	39

All (11) Ramachandran outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	D	156	THR
1	G	85	THR
1	В	166	ALA
1	Е	83	ALA
1	F	102	PRO



Continued from previous page...

Mol	Chain	Res	Type
1	F	165	ASN
1	F	170	ASP
1	Н	124	ALA
1	D	124	ALA
1	Е	91	LYS
1	С	91	LYS

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	145/146~(99%)	138~(95%)	7(5%)	25	49
1	В	143/146~(98%)	136~(95%)	7 (5%)	25	48
1	С	145/146~(99%)	135~(93%)	10 (7%)	15	31
1	D	143/146~(98%)	135~(94%)	8 (6%)	21	42
1	Ε	146/146~(100%)	138~(94%)	8 (6%)	21	43
1	F	143/146~(98%)	133~(93%)	10 (7%)	15	30
1	G	146/146~(100%)	139~(95%)	7(5%)	25	49
1	Н	143/146~(98%)	136~(95%)	7(5%)	25	48
All	All	1154/1168~(99%)	1090 (94%)	64 (6%)	21	43

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	126	LEU
1	А	162	GLU
1	А	167	ILE
1	А	179	THR
1	А	186	THR
1	А	197	ARG
1	А	237	PHE
1	В	126	LEU
1	В	162	GLU



Mol	Chain	Res	Type
1	В	167	ILE
1	В	179	THR
1	В	186	THR
1	В	199	PRO
1	В	237	PHE
1	С	104	ASP
1	С	126	LEU
1	С	139	LEU
1	С	162	GLU
1	С	169	ASN
1	С	186	THR
1	С	197	ARG
1	С	233	GLN
1	C	237	PHE
1	С	275	ASN
1	D	103	ASN
1	D	126	LEU
1	D	139	LEU
1	D	162	GLU
1	D	167	ILE
1	D	186	THR
1	D	235	THR
1	D	237	PHE
1	E	162	GLU
1	E	179	THR
1	Ε	181	SER
1	E	186	THR
1	E	197	ARG
1	E	235	THR
1	E	275	ASN
1	E	286	ARG
1	F	82	HIS
1	F	90	SER
1	F	126	LEU
1	F	162	GLU
1	F	167	ILE
1	F	169	ASN
1	F	179	THR
1	F	186	THR
1	F	235	THR
1	F	237	PHE
1	G	139	LEU



Mol	Chain	Res	Type
1	G	162	GLU
1	G	179	THR
1	G	186	THR
1	G	197	ARG
1	G	290	GLU
1	G	291	VAL
1	Н	99	LYS
1	Н	126	LEU
1	Н	162	GLU
1	Н	179	THR
1	Н	186	THR
1	Н	235	THR
1	Н	237	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	270	ASN
1	В	169	ASN
1	В	238	ASN
1	В	270	ASN
1	С	169	ASN
1	С	270	ASN
1	С	275	ASN
1	D	103	ASN
1	D	238	ASN
1	D	270	ASN
1	Е	238	ASN
1	Е	270	ASN
1	F	103	ASN
1	F	270	ASN
1	G	270	ASN
1	Н	270	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 5.6 Ligand geometry (i)

There are no ligands in this entry.

#### 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



### 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

#### 6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

#### 6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

#### 6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

