



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 17, 2023 – 04:39 am GMT

PDB ID : 4C65
Title : Crystal structure of *A. niger* ochratoxinase
Authors : Dobritsch, D.; Wang, H.; Schneider, G.; Yu, S.
Deposited on : 2013-09-17
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	438	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">89% 11%</p>
1	B	438	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">89% 8% .</p>
1	C	438	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">89% 9% ..</p>
1	D	438	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 90%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">90% 10% .</p>
1	E	438	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">89% 10% ..</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	438	 4% 91% 8%
1	G	438	 9% 88% 9%
1	H	438	 9% 88% 10%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 27300 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called OCHRATOXINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	436	3281	2078	569	621	13	0	2	0
1	B	430	3250	2060	565	612	13	0	4	0
1	C	433	3274	2075	568	618	13	0	5	0
1	D	435	3264	2067	567	617	13	0	1	0
1	E	435	3267	2069	567	618	13	0	1	0
1	F	434	3260	2065	569	613	13	0	1	0
1	G	431	3236	2050	563	610	13	0	0	0
1	H	429	3228	2045	564	606	13	0	1	0

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	223	Total 225	O 225	0	2
2	B	175	Total 175	O 175	0	0
2	C	138	Total 138	O 138	0	0
2	D	128	Total 129	O 129	0	1
2	E	187	Total 187	O 187	0	0
2	F	154	Total 154	O 154	0	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	G	137	Total 137	O 137	0	0
2	H	95	Total 95	O 95	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: OCHRATOXINASE

Chain A: 





- Molecule 1: OCHRATOXINASE

Chain B: 




- Molecule 1: OCHRATOXINASE


Chain C: 




- Molecule 1: OCHRATOXINASE

Chain D: 










● Molecule 1: OCHRATOXINASE






● Molecule 1: OCHRATOXINASE




● Molecule 1: OCHRATOXINASE



● Molecule 1: OCHRATOXINASE





4 Data and refinement statistics i

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	210.85Å 78.92Å 217.00Å 90.00° 105.05° 90.00°	Depositor
Resolution (Å)	37.79 – 2.20 37.76 – 2.20	Depositor EDS
% Data completeness (in resolution range)	87.6 (37.79-2.20) 87.6 (37.76-2.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 2.20Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.213 , 0.245 0.217 , 0.250	Depositor DCC
R_{free} test set	7696 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	20.1	Xtrriage
Anisotropy	0.274	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 38.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.000 for l,-k,h	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	27300	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.80 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.4166e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.56	0/3359	0.75	6/4557 (0.1%)
1	B	0.54	0/3333	0.78	8/4521 (0.2%)
1	C	0.55	0/3360	0.75	8/4557 (0.2%)
1	D	0.55	0/3339	0.75	8/4531 (0.2%)
1	E	0.56	0/3342	0.74	5/4536 (0.1%)
1	F	0.55	0/3335	0.81	12/4525 (0.3%)
1	G	0.54	1/3307 (0.0%)	0.77	11/4487 (0.2%)
1	H	0.54	0/3302	0.84	12/4479 (0.3%)
All	All	0.55	1/26677 (0.0%)	0.77	70/36193 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	306	GLU	CD-OE1	5.46	1.31	1.25

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	138	ARG	NE-CZ-NH2	-14.20	113.20	120.30
1	H	138[A]	ARG	NE-CZ-NH2	-13.90	113.35	120.30
1	H	138[B]	ARG	NE-CZ-NH2	-13.90	113.35	120.30
1	F	138	ARG	NE-CZ-NH1	13.75	127.18	120.30
1	H	138[A]	ARG	NE-CZ-NH1	12.84	126.72	120.30
1	H	138[B]	ARG	NE-CZ-NH1	12.84	126.72	120.30
1	G	239	ARG	NE-CZ-NH2	-11.29	114.66	120.30
1	B	66	ARG	NE-CZ-NH1	9.95	125.28	120.30
1	E	279	ARG	NE-CZ-NH2	-8.36	116.12	120.30
1	D	138	ARG	NE-CZ-NH1	8.32	124.46	120.30
1	F	138	ARG	CG-CD-NE	-8.26	94.46	111.80
1	H	279	ARG	NE-CZ-NH2	-8.19	116.20	120.30
1	B	138	ARG	NE-CZ-NH1	8.17	124.38	120.30
1	G	239	ARG	NE-CZ-NH1	8.10	124.35	120.30
1	C	279	ARG	NE-CZ-NH2	-7.92	116.34	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	462	LEU	CB-CG-CD1	7.89	124.41	111.00
1	H	138[A]	ARG	CG-CD-NE	-7.83	95.36	111.80
1	H	138[B]	ARG	CG-CD-NE	-7.83	95.36	111.80
1	B	279	ARG	NE-CZ-NH2	-7.77	116.42	120.30
1	A	279	ARG	NE-CZ-NH2	-7.55	116.53	120.30
1	C	279	ARG	NE-CZ-NH1	7.54	124.07	120.30
1	G	476	ARG	NE-CZ-NH1	7.50	124.05	120.30
1	A	138	ARG	NE-CZ-NH1	7.45	124.02	120.30
1	D	279	ARG	NE-CZ-NH2	-7.33	116.63	120.30
1	F	279	ARG	NE-CZ-NH2	-7.13	116.73	120.30
1	D	138	ARG	NE-CZ-NH2	-6.89	116.86	120.30
1	A	279	ARG	NE-CZ-NH1	6.83	123.72	120.30
1	H	279	ARG	NE-CZ-NH1	6.65	123.62	120.30
1	E	279	ARG	NE-CZ-NH1	6.28	123.44	120.30
1	C	395	ARG	NE-CZ-NH1	6.13	123.37	120.30
1	G	306	GLU	OE1-CD-OE2	6.06	130.57	123.30
1	F	462	LEU	CA-CB-CG	6.03	129.18	115.30
1	F	279	ARG	NE-CZ-NH1	5.99	123.29	120.30
1	G	306	GLU	CG-CD-OE2	-5.93	106.45	118.30
1	F	138	ARG	CD-NE-CZ	5.92	131.89	123.60
1	A	138	ARG	NE-CZ-NH2	-5.85	117.37	120.30
1	D	279	ARG	NE-CZ-NH1	5.85	123.22	120.30
1	C	240	ARG	CG-CD-NE	5.82	124.01	111.80
1	D	65	LEU	CA-CB-CG	5.77	128.57	115.30
1	A	333	ILE	CG1-CB-CG2	-5.70	98.86	111.40
1	A	240	ARG	CG-CD-NE	5.67	123.71	111.80
1	C	126[A]	SER	N-CA-CB	5.67	119.01	110.50
1	C	126[B]	SER	N-CA-CB	5.67	119.01	110.50
1	G	426	ARG	NE-CZ-NH2	-5.65	117.47	120.30
1	E	333	ILE	CG1-CB-CG2	-5.65	98.97	111.40
1	E	476	ARG	NE-CZ-NH1	5.62	123.11	120.30
1	F	333	ILE	CG1-CB-CG2	-5.59	99.09	111.40
1	B	279	ARG	NE-CZ-NH1	5.59	123.09	120.30
1	B	333	ILE	CG1-CB-CG2	-5.53	99.24	111.40
1	H	333	ILE	CG1-CB-CG2	-5.48	99.34	111.40
1	G	48	LYS	CA-CB-CG	-5.46	101.39	113.40
1	D	333	ILE	CG1-CB-CG2	5.45	123.39	111.40
1	C	333	ILE	CG1-CB-CG2	-5.44	99.42	111.40
1	H	138[A]	ARG	CD-NE-CZ	5.40	131.16	123.60
1	H	138[B]	ARG	CD-NE-CZ	5.40	131.16	123.60
1	E	223	ILE	CB-CG1-CD1	5.34	128.86	113.90
1	G	223	ILE	CB-CG1-CD1	5.33	128.82	113.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	476	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	C	221	LEU	CA-CB-CG	-5.30	103.12	115.30
1	G	333	ILE	CG1-CB-CG2	5.24	122.92	111.40
1	B	332	VAL	CB-CA-C	-5.23	101.47	111.40
1	F	239[A]	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	F	239[B]	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	D	66	ARG	NE-CZ-NH1	5.18	122.89	120.30
1	G	426	ARG	NE-CZ-NH1	5.12	122.86	120.30
1	D	268	GLU	OE1-CD-OE2	-5.07	117.22	123.30
1	H	166	LYS	CD-CE-NZ	5.06	123.33	111.70
1	F	223	ILE	CB-CG1-CD1	5.05	128.03	113.90
1	B	138	ARG	NE-CZ-NH2	-5.04	117.78	120.30
1	G	345	VAL	CA-CB-CG2	-5.04	103.34	110.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3281	0	3261	29	1
1	B	3250	0	3238	22	0
1	C	3274	0	3263	23	1
1	D	3264	0	3243	19	0
1	E	3267	0	3244	27	1
1	F	3260	0	3245	24	1
1	G	3236	0	3214	20	1
1	H	3228	0	3212	22	1
2	A	225	0	0	2	0
2	B	175	0	0	1	0
2	C	138	0	0	2	0
2	D	129	0	0	1	0
2	E	187	0	0	3	0
2	F	154	0	0	3	0
2	G	137	0	0	1	0
2	H	95	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	27300	0	25920	172	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:65:LEU:HG	1:H:68:ALA:HB2	1.55	0.88
1:C:341:GLY:HA2	1:C:344:LEU:HD12	1.60	0.82
1:A:166:LYS:HE2	2:A:2077:HOH:O	1.81	0.79
1:H:462:LEU:HD23	1:H:468:ILE:HD11	1.69	0.75
1:A:206:TYR:CD2	1:A:221:LEU:HD23	2.21	0.75
1:H:430:GLU:OE1	2:H:2032:HOH:O	2.05	0.74
1:F:206:TYR:CD2	1:F:221:LEU:HD23	2.23	0.73
1:B:462:LEU:HD23	1:B:468:ILE:HD11	1.70	0.73
1:C:462:LEU:HD23	1:C:468:ILE:HD11	1.70	0.72
1:B:206:TYR:CD2	1:B:221:LEU:HD23	2.24	0.72
1:A:462:LEU:HD23	1:A:468:ILE:HD11	1.71	0.72
1:H:255:SER:OG	1:H:351:LYS:HE3	1.92	0.69
1:A:243:LYS:O	2:A:2136:HOH:O	2.11	0.67
1:H:462:LEU:HD23	1:H:468:ILE:CD1	2.25	0.67
1:C:341:GLY:CA	1:C:344:LEU:HD12	2.25	0.67
1:G:147:LEU:HD23	1:G:174:VAL:CG1	2.25	0.66
1:A:147:LEU:HD23	1:A:174:VAL:CG1	2.25	0.66
1:B:462:LEU:HD23	1:B:468:ILE:CD1	2.26	0.66
1:A:462:LEU:HD23	1:A:468:ILE:CD1	2.26	0.66
1:E:345:VAL:HG22	1:E:346:LYS:H	1.60	0.65
1:C:462:LEU:HD23	1:C:468:ILE:CD1	2.25	0.65
1:C:258:ASP:OD1	2:C:2060:HOH:O	2.15	0.65
1:E:477:ASN:CG	1:F:145:GLU:HG2	2.20	0.62
1:D:230:VAL:CG1	1:D:273:ILE:HG13	2.30	0.62
1:E:148:GLN:OE1	2:E:2060:HOH:O	2.16	0.60
1:E:344:LEU:HD11	1:E:352:LEU:HD12	1.83	0.59
1:H:313:GLU:HA	1:H:316:TRP:CE3	2.38	0.59
1:F:126:SER:CB	2:F:2030:HOH:O	2.50	0.58
1:G:147:LEU:CD2	1:G:174:VAL:HG13	2.34	0.58
1:B:451:LYS:HA	1:B:451:LYS:HE2	1.86	0.58
1:F:462:LEU:HD13	1:F:468:ILE:HD13	1.86	0.58
1:H:457:TRP:CE2	1:H:462:LEU:HD13	2.39	0.58
1:C:457:TRP:CE2	1:C:462:LEU:HD13	2.39	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:457:TRP:CE2	1:D:462:LEU:HD13	2.39	0.57
1:A:147:LEU:CD2	1:A:174:VAL:HG13	2.34	0.57
1:D:451:LYS:HE2	1:D:451:LYS:HA	1.86	0.57
1:E:457:TRP:CE2	1:E:462:LEU:HD13	2.38	0.57
1:A:457:TRP:CE2	1:A:462:LEU:HD13	2.40	0.57
1:A:313:GLU:HA	1:A:316:TRP:CE3	2.40	0.56
1:D:230:VAL:HG13	1:D:273:ILE:CG1	2.36	0.56
1:G:375:LEU:HD22	1:G:407:ALA:HB2	1.87	0.56
1:B:457:TRP:CE2	1:B:462:LEU:HD13	2.41	0.55
1:C:313:GLU:HA	1:C:316:TRP:CE3	2.41	0.55
1:C:206:TYR:CD2	1:C:221:LEU:HD11	2.42	0.55
1:D:341:GLY:HA2	1:D:344:LEU:HD12	1.89	0.54
1:E:477:ASN:ND2	1:F:145:GLU:HG2	2.23	0.54
1:G:313:GLU:HA	1:G:316:TRP:CE3	2.42	0.54
1:G:147:LEU:CD2	1:G:174:VAL:CG1	2.86	0.54
1:F:451:LYS:HA	1:F:451:LYS:HE2	1.89	0.54
1:A:341:GLY:HA2	1:A:344:LEU:HD12	1.91	0.53
1:A:147:LEU:CD2	1:A:174:VAL:CG1	2.86	0.53
1:E:313:GLU:HA	1:E:316:TRP:CE3	2.44	0.53
1:G:181:SER:HA	1:G:244:VAL:O	2.09	0.53
1:D:230:VAL:HG13	1:D:273:ILE:HG13	1.91	0.52
1:G:457:TRP:CE2	1:G:462:LEU:HD13	2.43	0.52
1:F:313:GLU:HA	1:F:316:TRP:CE3	2.44	0.52
1:H:462:LEU:CD2	1:H:468:ILE:CD1	2.87	0.52
1:D:313:GLU:HA	1:D:316:TRP:CE3	2.44	0.52
1:F:462:LEU:HD13	1:F:468:ILE:CD1	2.39	0.52
1:B:313:GLU:HA	1:B:316:TRP:CE3	2.45	0.52
1:D:181:SER:HA	1:D:244:VAL:O	2.10	0.52
1:C:462:LEU:CD2	1:C:468:ILE:CD1	2.88	0.52
1:B:48:LYS:NZ	2:B:2001:HOH:O	2.42	0.51
1:B:462:LEU:CD2	1:B:468:ILE:CD1	2.87	0.51
1:F:181:SER:HA	1:F:244:VAL:O	2.10	0.51
1:C:181:SER:HA	1:C:244:VAL:O	2.09	0.51
1:A:246[B]:LYS:NZ	1:A:306[B]:GLU:OE2	2.34	0.51
1:A:462:LEU:CD2	1:A:468:ILE:CD1	2.88	0.50
1:B:181:SER:HA	1:B:244:VAL:O	2.11	0.50
1:E:181:SER:HA	1:E:244:VAL:O	2.12	0.50
1:A:147:LEU:HD23	1:A:174:VAL:HG13	1.93	0.50
1:A:181:SER:HA	1:A:244:VAL:O	2.10	0.50
1:C:155:ARG:NH2	1:C:306:GLU:OE2	2.45	0.49
1:H:181:SER:HA	1:H:244:VAL:O	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:316:TRP:CZ2	1:E:365:GLY:HA3	2.47	0.49
1:G:407:ALA:HA	2:G:2012:HOH:O	2.12	0.49
1:H:462:LEU:HG	1:H:468:ILE:HD13	1.95	0.49
1:G:147:LEU:HD23	1:G:174:VAL:HG13	1.94	0.48
1:C:145[A]:GLU:HG2	1:D:477:ASN:CG	2.34	0.48
1:E:163:GLU:HG2	1:F:131:HIS:CG	2.48	0.48
1:A:316:TRP:CZ2	1:A:365:GLY:HA3	2.49	0.48
1:A:131:HIS:CG	1:B:163:GLU:HG2	2.49	0.47
1:D:316:TRP:CZ2	1:D:365:GLY:HA3	2.49	0.47
1:B:316:TRP:CZ2	1:B:365:GLY:HA3	2.48	0.47
1:E:145:GLU:HG2	1:F:477:ASN:CG	2.34	0.47
1:F:126:SER:HB3	2:F:2030:HOH:O	2.13	0.47
1:A:462:LEU:HG	1:A:468:ILE:HD13	1.96	0.47
1:G:435:ALA:HB3	1:G:455:HIS:HB2	1.97	0.47
1:H:426:ARG:NH1	1:H:429:TYR:OH	2.47	0.47
1:D:435:ALA:HB3	1:D:455:HIS:HB2	1.96	0.47
1:F:435:ALA:HB3	1:F:455:HIS:HB2	1.97	0.47
1:C:53:TYR:HB2	1:C:99:ARG:HG2	1.98	0.46
1:F:316:TRP:CZ2	1:F:365:GLY:HA3	2.49	0.46
1:H:316:TRP:CZ2	1:H:365:GLY:HA3	2.50	0.46
1:B:462:LEU:HG	1:B:468:ILE:HD13	1.96	0.46
1:C:462:LEU:HG	1:C:468:ILE:HD13	1.97	0.46
1:C:316:TRP:CZ2	1:C:365:GLY:HA3	2.50	0.46
1:G:163:GLU:HG2	1:H:131:HIS:CG	2.51	0.46
1:F:126:SER:HB2	2:F:2030:HOH:O	2.14	0.46
1:H:435:ALA:HB3	1:H:455:HIS:HB2	1.98	0.46
1:B:221:LEU:HG	1:B:222:CYS:N	2.30	0.46
1:G:477:ASN:CG	1:H:145:GLU:HG2	2.36	0.46
1:E:435:ALA:HB3	1:E:455:HIS:HB2	1.98	0.46
1:H:349:TRP:CE3	1:H:352:LEU:HD23	2.50	0.46
1:B:361:LYS:HA	1:B:361:LYS:HD3	1.75	0.45
1:G:316:TRP:CZ2	1:G:365:GLY:HA3	2.51	0.45
1:A:192:GLY:O	1:A:221:LEU:HD22	2.16	0.45
1:A:221:LEU:HD21	1:A:223:ILE:HD11	1.98	0.45
1:E:345:VAL:HG13	1:E:348:SER:H	1.81	0.45
1:C:435:ALA:HB3	1:C:455:HIS:HB2	1.98	0.45
1:B:192:GLY:O	1:B:221:LEU:HD22	2.17	0.44
1:G:202:VAL:HG12	1:G:223:ILE:HD12	1.98	0.44
1:B:435:ALA:HB3	1:B:455:HIS:HB2	1.98	0.44
1:F:192:GLY:O	1:F:221:LEU:HD22	2.17	0.44
1:C:131:HIS:CG	1:D:163:GLU:HG2	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:332:VAL:CG2	1:B:378:ASP:HB3	2.48	0.44
1:B:53:TYR:HB2	1:B:99[B]:ARG:HG2	1.99	0.44
1:G:395:ARG:HH11	1:G:395:ARG:HD3	1.60	0.44
1:F:202:VAL:HG12	1:F:223:ILE:HD12	1.99	0.44
1:A:254:MET:SD	1:A:352:LEU:HD11	2.59	0.43
1:A:435:ALA:HB3	1:A:455:HIS:HB2	1.99	0.43
1:E:323:GLY:HA2	2:E:2162:HOH:O	2.18	0.43
1:D:82[A]:SER:HB2	2:D:2007:HOH:O	2.18	0.43
1:G:131:HIS:CG	1:H:163:GLU:HG2	2.53	0.43
1:E:345:VAL:HG12	1:E:348:SER:HB2	2.00	0.43
1:F:221:LEU:HG	1:F:222:CYS:N	2.32	0.43
1:G:375:LEU:HD13	1:G:406:ALA:CB	2.48	0.43
1:A:88:LYS:HD2	1:A:91:LEU:HD12	2.00	0.43
1:E:202:VAL:HG12	1:E:223:ILE:HD12	2.00	0.43
1:A:246[B]:LYS:HG3	1:A:247:VAL:N	2.34	0.42
1:B:221:LEU:HD21	1:B:223:ILE:HD11	2.00	0.42
1:C:82:SER:HB2	2:C:2007:HOH:O	2.19	0.42
1:D:361:LYS:HB2	1:D:361:LYS:HE2	1.89	0.42
1:E:145:GLU:HG2	1:F:477:ASN:ND2	2.34	0.42
1:E:345:VAL:HG22	1:E:346:LYS:N	2.31	0.42
1:D:451:LYS:HA	1:D:451:LYS:CE	2.47	0.42
1:H:329:THR:HA	1:H:376:GLY:O	2.19	0.42
1:E:477:ASN:ND2	1:F:145:GLU:CG	2.83	0.42
1:A:221:LEU:HG	1:A:222:CYS:N	2.34	0.42
1:D:329:THR:HA	1:D:376:GLY:O	2.19	0.42
1:E:329:THR:HA	1:E:376:GLY:O	2.20	0.42
1:B:329:THR:HA	1:B:376:GLY:O	2.19	0.42
1:D:58:ILE:O	1:D:105:PRO:HD3	2.20	0.42
1:A:58:ILE:O	1:A:105:PRO:HD3	2.20	0.42
1:F:254:MET:HG2	1:F:254:MET:O	2.19	0.42
1:H:58:ILE:O	1:H:105:PRO:HD3	2.20	0.42
1:E:88:LYS:HD2	1:E:91:LEU:HD12	2.02	0.42
1:B:58:ILE:O	1:B:105:PRO:HD3	2.20	0.41
1:B:264:GLN:O	1:B:265:PHE:HB2	2.20	0.41
1:H:423:GLY:HA2	2:H:2005:HOH:O	2.19	0.41
1:C:285:SER:OG	1:C:306:GLU:OE2	2.38	0.41
1:G:329:THR:HA	1:G:376:GLY:O	2.20	0.41
1:A:264:GLN:O	1:A:265:PHE:HB2	2.20	0.41
1:A:329:THR:HA	1:A:376:GLY:O	2.20	0.41
1:C:329:THR:HA	1:C:376:GLY:O	2.20	0.41
1:F:329:THR:HA	1:F:376:GLY:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:53:TYR:CD1	1:H:83:GLU:HG3	2.55	0.41
1:E:299:LYS:HD3	2:E:2064:HOH:O	2.19	0.41
1:C:163:GLU:HG2	1:D:131:HIS:CG	2.56	0.41
1:G:58:ILE:O	1:G:105:PRO:HD3	2.21	0.41
1:G:264:GLN:O	1:G:265:PHE:HB2	2.20	0.41
1:C:89:LYS:HE2	1:C:90:TYR:CZ	2.56	0.41
1:D:264:GLN:O	1:D:265:PHE:HB2	2.20	0.40
1:E:58:ILE:O	1:E:105:PRO:HD3	2.21	0.40
1:H:264:GLN:O	1:H:265:PHE:HB2	2.21	0.40
1:A:157:LEU:HB3	1:A:246[B]:LYS:HD3	2.03	0.40
1:E:264:GLN:O	1:E:265:PHE:HB2	2.20	0.40
1:E:344:LEU:CD1	1:E:352:LEU:HD12	2.47	0.40
1:F:58:ILE:O	1:F:105:PRO:HD3	2.21	0.40
1:C:58:ILE:O	1:C:105:PRO:HD3	2.21	0.40
1:E:131:HIS:CG	1:F:163:GLU:HG2	2.55	0.40
1:E:316:TRP:CH2	1:E:365:GLY:HA3	2.57	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:239[A]:ARG:NH2	1:H:197:LEU:O[2_554]	1.77	0.43
1:A:197:LEU:O	1:C:239[A]:ARG:NH2[2_555]	1.83	0.37
1:E:197:LEU:O	1:G:239:ARG:NH2[2_554]	2.02	0.18

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	436/438 (100%)	421 (97%)	15 (3%)	0	100 100
1	B	430/438 (98%)	415 (96%)	15 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	434/438 (99%)	419 (96%)	15 (4%)	0	100	100
1	D	434/438 (99%)	419 (96%)	15 (4%)	0	100	100
1	E	434/438 (99%)	416 (96%)	18 (4%)	0	100	100
1	F	433/438 (99%)	414 (96%)	19 (4%)	0	100	100
1	G	427/438 (98%)	412 (96%)	15 (4%)	0	100	100
1	H	426/438 (97%)	411 (96%)	15 (4%)	0	100	100
All	All	3454/3504 (99%)	3327 (96%)	127 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/333 (100%)	325 (98%)	8 (2%)	49	62
1	B	331/333 (99%)	324 (98%)	7 (2%)	53	67
1	C	334/333 (100%)	323 (97%)	11 (3%)	38	49
1	D	331/333 (99%)	320 (97%)	11 (3%)	38	49
1	E	331/333 (99%)	317 (96%)	14 (4%)	30	38
1	F	330/333 (99%)	320 (97%)	10 (3%)	41	53
1	G	328/333 (98%)	312 (95%)	16 (5%)	25	31
1	H	327/333 (98%)	317 (97%)	10 (3%)	40	51
All	All	2645/2664 (99%)	2558 (97%)	87 (3%)	39	49

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	PRO
1	A	240	ARG
1	A	308	VAL
1	A	332	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	336	PHE
1	A	347	GLU
1	A	348	SER
1	A	442	GLU
1	B	99[A]	ARG
1	B	99[B]	ARG
1	B	299	LYS
1	B	308	VAL
1	B	336	PHE
1	B	339	SER
1	B	387	LEU
1	C	126[A]	SER
1	C	126[B]	SER
1	C	154	TYR
1	C	240	ARG
1	C	255	SER
1	C	299	LYS
1	C	308	VAL
1	C	336	PHE
1	C	339	SER
1	C	340	ASN
1	C	348	SER
1	D	99	ARG
1	D	154	TYR
1	D	255	SER
1	D	299	LYS
1	D	308	VAL
1	D	332	VAL
1	D	336	PHE
1	D	340	ASN
1	D	346	LYS
1	D	368	LYS
1	D	438	GLU
1	E	66	ARG
1	E	88	LYS
1	E	154	TYR
1	E	221	LEU
1	E	254	MET
1	E	308	VAL
1	E	332	VAL
1	E	336	PHE
1	E	339	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	342	GLU
1	E	344	LEU
1	E	346	LYS
1	E	351	LYS
1	E	426	ARG
1	F	48	LYS
1	F	154	TYR
1	F	239[A]	ARG
1	F	239[B]	ARG
1	F	299	LYS
1	F	308	VAL
1	F	332	VAL
1	F	336	PHE
1	F	339	SER
1	F	462	LEU
1	G	65	LEU
1	G	99	ARG
1	G	149	ASN
1	G	154	TYR
1	G	239	ARG
1	G	279	ARG
1	G	299	LYS
1	G	306	GLU
1	G	308	VAL
1	G	332	VAL
1	G	336	PHE
1	G	345	VAL
1	G	346	LYS
1	G	348	SER
1	G	395	ARG
1	G	470	PRO
1	H	65	LEU
1	H	66	ARG
1	H	99	ARG
1	H	154	TYR
1	H	256	ARG
1	H	308	VAL
1	H	332	VAL
1	H	340	ASN
1	H	426	ARG
1	H	437	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such

sidechains are listed below:

Mol	Chain	Res	Type
1	B	113	HIS
1	B	169	ASN
1	E	148	GLN
1	F	280	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	436/438 (99%)	0.01	19 (4%) 34 32	12, 20, 48, 86	0
1	B	430/438 (98%)	-0.01	15 (3%) 44 42	13, 23, 48, 80	0
1	C	433/438 (98%)	0.05	19 (4%) 34 32	10, 22, 50, 82	0
1	D	435/438 (99%)	0.17	22 (5%) 28 26	12, 25, 49, 97	0
1	E	435/438 (99%)	0.01	18 (4%) 37 35	13, 21, 49, 92	0
1	F	434/438 (99%)	0.03	18 (4%) 37 35	10, 24, 51, 98	0
1	G	431/438 (98%)	0.26	40 (9%) 8 7	14, 28, 59, 89	0
1	H	429/438 (97%)	0.28	38 (8%) 9 8	13, 30, 62, 80	0
All	All	3463/3504 (98%)	0.10	189 (5%) 25 24	10, 24, 56, 98	0

All (189) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	343	GLY	9.0
1	E	344	LEU	8.4
1	A	343	GLY	8.2
1	F	343	GLY	7.3
1	D	341	GLY	6.9
1	F	344	LEU	6.7
1	G	345	VAL	6.5
1	F	341	GLY	6.4
1	D	345	VAL	6.3
1	H	255	SER	6.2
1	C	347	GLU	6.1
1	H	347	GLU	6.1
1	E	341	GLY	6.0
1	E	345	VAL	6.0
1	E	343	GLY	5.9
1	A	345	VAL	5.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	345	VAL	5.8
1	C	344	LEU	5.8
1	C	345	VAL	5.6
1	D	344	LEU	5.6
1	E	342	GLU	5.5
1	F	342	GLU	5.5
1	F	345	VAL	5.3
1	G	92	ARG	5.2
1	F	349	TRP	5.2
1	H	256	ARG	5.0
1	F	256	ARG	5.0
1	A	342	GLU	4.9
1	G	349	TRP	4.9
1	F	346	LYS	4.9
1	A	347	GLU	4.9
1	F	347	GLU	4.8
1	G	46	GLU	4.8
1	H	339	SER	4.7
1	A	256	ARG	4.6
1	B	346	LYS	4.6
1	G	91	LEU	4.6
1	A	344	LEU	4.6
1	C	341	GLY	4.6
1	A	346	LYS	4.6
1	A	45	ASP	4.6
1	G	87	PRO	4.5
1	G	346	LYS	4.5
1	G	348	SER	4.5
1	G	347	GLU	4.4
1	F	350	ALA	4.4
1	H	336	PHE	4.3
1	D	349	TRP	4.2
1	H	94	THR	4.1
1	H	338	ALA	4.1
1	A	348	SER	4.1
1	A	349	TRP	4.1
1	H	349	TRP	4.1
1	G	47	ALA	4.1
1	G	95	GLN	4.1
1	D	346	LYS	4.1
1	A	46	GLU	4.0
1	D	347	GLU	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	342	GLU	4.0
1	C	95	GLN	3.8
1	G	88	LYS	3.8
1	C	346	LYS	3.8
1	E	339	SER	3.8
1	F	348	SER	3.8
1	D	340	ASN	3.7
1	B	349	TRP	3.7
1	C	348	SER	3.7
1	A	255	SER	3.7
1	F	340	ASN	3.6
1	G	476	ARG	3.6
1	E	476	ARG	3.6
1	B	353	GLN	3.6
1	F	336	PHE	3.5
1	E	254	MET	3.5
1	E	349	TRP	3.5
1	F	339	SER	3.4
1	E	347	GLU	3.4
1	G	93	SER	3.4
1	B	347	GLU	3.3
1	B	339	SER	3.3
1	G	338	ALA	3.3
1	C	94	THR	3.3
1	E	256	ARG	3.3
1	F	354	ALA	3.2
1	C	256	ARG	3.2
1	G	339	SER	3.2
1	G	90	TYR	3.1
1	B	254	MET	3.1
1	F	254	MET	3.1
1	B	348	SER	3.1
1	H	92	ARG	3.1
1	H	82	SER	3.0
1	D	336	PHE	3.0
1	H	84	ALA	3.0
1	H	93	SER	3.0
1	H	95	GLN	2.9
1	C	254	MET	2.9
1	H	90	TYR	2.9
1	G	340	ASN	2.9
1	A	339	SER	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	46	GLU	2.9
1	C	339	SER	2.9
1	B	340	ASN	2.9
1	D	88	LYS	2.9
1	E	346	LYS	2.9
1	H	47	ALA	2.9
1	D	84	ALA	2.8
1	C	340	ASN	2.8
1	A	340	ASN	2.8
1	G	256	ARG	2.8
1	G	71	VAL	2.7
1	E	340	ASN	2.7
1	D	47	ALA	2.7
1	G	336	PHE	2.7
1	H	450	PRO	2.7
1	F	119	ASP	2.7
1	H	88	LYS	2.7
1	G	84	ALA	2.7
1	H	340	ASN	2.7
1	C	349	TRP	2.6
1	G	48	LYS	2.6
1	D	46	GLU	2.6
1	G	67	ASN	2.6
1	H	68	ALA	2.6
1	E	474	ASP	2.6
1	H	91	LEU	2.5
1	G	254	MET	2.5
1	H	53	TYR	2.5
1	H	120	TYR	2.5
1	G	86	ILE	2.5
1	G	80	VAL	2.5
1	G	442	GLU	2.5
1	G	85	ASP	2.5
1	G	94	THR	2.4
1	H	79	PHE	2.4
1	A	119	ASP	2.4
1	D	353	GLN	2.4
1	H	350	ALA	2.4
1	G	53	TYR	2.4
1	B	256	ARG	2.4
1	D	476	ARG	2.4
1	H	48	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	78	ALA	2.3
1	H	254	MET	2.3
1	H	354	ALA	2.3
1	H	348	SER	2.3
1	H	122	ASN	2.3
1	G	350	ALA	2.3
1	H	474	ASP	2.3
1	H	65	LEU	2.3
1	H	119	ASP	2.3
1	D	339	SER	2.3
1	D	348	SER	2.3
1	H	96	SER	2.3
1	B	92	ARG	2.3
1	G	96	SER	2.3
1	H	437	GLU	2.2
1	G	89	LYS	2.2
1	A	476	ARG	2.2
1	C	350	ALA	2.2
1	H	54	ALA	2.2
1	G	253	VAL	2.2
1	E	350	ALA	2.2
1	D	368	LYS	2.2
1	D	95	GLN	2.2
1	C	476	ARG	2.1
1	E	46	GLU	2.1
1	H	438	GLU	2.1
1	H	475	ALA	2.1
1	G	119	ASP	2.1
1	G	337	LEU	2.1
1	B	476	ARG	2.1
1	E	47	ALA	2.1
1	B	95	GLN	2.1
1	D	93	SER	2.1
1	A	350	ALA	2.1
1	A	336	PHE	2.1
1	B	336	PHE	2.1
1	D	255	SER	2.1
1	G	79	PHE	2.1
1	G	97	THR	2.1
1	C	475	ALA	2.0
1	E	255	SER	2.0
1	G	82	SER	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	450	PRO	2.0
1	A	254	MET	2.0
1	C	255	SER	2.0
1	C	450	PRO	2.0
1	B	350	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.