



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 20, 2023 – 12:25 AM JST

PDB ID : 7C7H  
Title : Crystal structures of AKR1C3 ternary complex with NADP<sup>+</sup> and the chromene derivative 2l  
Authors : Irie, K.; Toyooka, N.; Endo, S.  
Deposited on : 2020-05-25  
Resolution : 1.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	325	 2% 83% 13% ..
1	B	325	 5% 74% 23% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FJU	B	402	-	-	X	-

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 5548 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aldo-keto reductase family 1 member C3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	316	Total 2534	C 1615	N 443	O 464	S 12	0	0	0
1	B	318	Total 2554	C 1627	N 443	O 472	S 12	0	0	0

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P42330
A	0	SER	-	expression tag	UNP P42330
B	-1	GLY	-	expression tag	UNP P42330
B	0	SER	-	expression tag	UNP P42330

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula:  $C_{21}H_{28}N_7O_{17}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	48	21	7	17	3	0	0
2	B	1	48	21	7	17	3	0	0

- Molecule 3 is 2-azanylidene-N-(3-ethylphenyl)-8-oxidanyl-chromene-3-carboxamide (three-letter code: FJU) (formula: C<sub>18</sub>H<sub>16</sub>N<sub>2</sub>O<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	23	18	2	3	0	0
3	B	1	23	18	2	3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	A	174	174	174	0	0
4	B	144	144	144	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Aldo-keto reductase family 1 member C3



- Molecule 1: Aldo-keto reductase family 1 member C3



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	40.12Å 52.31Å 76.68Å 77.25° 86.16° 77.64°	Depositor
Resolution (Å)	46.30 – 1.86 46.30 – 1.86	Depositor EDS
% Data completeness (in resolution range)	96.7 (46.30-1.86) 96.7 (46.30-1.86)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.58 (at 1.87Å)	Xtrriage
Refinement program	PHENIX 1.13_2998, REFMAC 5	Depositor
R, $R_{free}$	0.217 , 0.264 0.217 , 0.264	Depositor DCC
$R_{free}$ test set	2322 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.0	Xtrriage
Anisotropy	0.036	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 48.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	5548	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.40% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FJU, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.52	0/2593	0.60	1/3509 (0.0%)
1	B	0.53	0/2613	0.72	5/3535 (0.1%)
All	All	0.53	0/5206	0.66	6/7044 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	221	SER	CB-CA-C	11.76	132.44	110.10
1	A	221	SER	CB-CA-C	7.76	124.85	110.10
1	B	321	ASP	CB-CG-OD1	6.56	124.21	118.30
1	B	320	SER	N-CA-C	6.04	127.31	111.00
1	B	221	SER	N-CA-C	-5.66	95.72	111.00
1	B	198	ASN	N-CA-C	5.46	125.75	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2534	0	2538	34	0
1	B	2554	0	2550	81	0
2	A	48	0	25	2	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	48	0	25	5	0
3	A	23	0	0	1	0
3	B	23	0	0	8	0
4	A	174	0	0	13	2
4	B	144	0	0	22	2
All	All	5548	0	5138	118	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:206:CYS:SG	4:A:566:HOH:O	2.00	1.17
1:B:245:ALA:HB2	1:B:255:ILE:HD11	1.49	0.92
1:B:219:LEU:O	4:B:501:HOH:O	1.89	0.88
1:B:311:PHE:CG	3:B:402:FJU:C21	2.58	0.87
1:B:299:LEU:O	4:B:502:HOH:O	1.96	0.83
1:B:311:PHE:CD1	3:B:402:FJU:C21	2.64	0.80
1:B:198:ASN:OD1	1:B:200:SER:OG	1.99	0.80
1:A:248:HIS:ND1	4:A:505:HOH:O	2.14	0.79
1:B:242:CYS:SG	4:B:631:HOH:O	2.39	0.79
1:B:233:PRO:HG2	1:B:301:ARG:HH22	1.48	0.79
1:A:149:GLU:HG2	1:A:179:LYS:HE3	1.69	0.73
1:A:100:GLU:OE1	4:A:501:HOH:O	2.06	0.73
1:B:307:ASN:O	4:B:503:HOH:O	2.07	0.72
1:B:288:LEU:HB2	4:B:522:HOH:O	1.91	0.71
1:A:301:ARG:NH2	4:A:506:HOH:O	2.22	0.71
1:A:195:PRO:HD2	1:A:235:LEU:HD11	1.73	0.70
1:B:132:ASP:OD2	1:B:136:LYS:HE3	1.91	0.70
1:A:169:ASN:ND2	1:A:318:PRO:O	2.22	0.70
1:B:292:ASP:O	4:B:504:HOH:O	2.10	0.69
1:A:320:SER:O	4:A:502:HOH:O	2.10	0.69
1:B:25:ALA:O	4:B:505:HOH:O	2.11	0.69
1:B:252:PRO:HA	1:B:255:ILE:HD12	1.74	0.69
1:B:299:LEU:HA	4:B:513:HOH:O	1.93	0.69
1:A:73:SER:OG	4:A:503:HOH:O	2.12	0.68
1:B:311:PHE:CD2	3:B:402:FJU:C21	2.76	0.67
1:B:198:ASN:HB2	1:B:263:ARG:HH12	1.59	0.66
1:A:93:GLU:OE1	4:A:504:HOH:O	2.12	0.66
1:A:105:LYS:O	1:A:107:GLN:NE2	2.28	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:233:PRO:HG2	1:B:301:ARG:NH2	2.12	0.65
1:A:270:LYS:HB2	2:A:401:NAP:H52N	1.78	0.65
1:A:270:LYS:O	2:A:401:NAP:H8A	1.97	0.64
1:A:206:CYS:HB3	1:A:211:ILE:O	1.97	0.64
1:B:6:GLN:OE1	4:B:507:HOH:O	2.16	0.63
1:B:198:ASN:ND2	1:B:300:ASP:HB2	2.13	0.63
1:B:133:GLU:HG2	1:B:134:ASN:N	2.14	0.62
1:A:179:LYS:HA	4:A:512:HOH:O	1.99	0.62
1:B:240:VAL:HG21	1:B:299:LEU:HD21	1.83	0.61
1:B:197:PHE:CE2	1:B:304:HIS:HB3	2.36	0.60
1:B:137:VAL:HG21	1:B:311:PHE:HE1	1.67	0.60
1:B:198:ASN:ND2	4:B:511:HOH:O	2.26	0.59
1:B:198:ASN:HB2	1:B:263:ARG:NH1	2.18	0.58
1:B:133:GLU:HG2	1:B:134:ASN:H	1.68	0.58
1:B:263:ARG:CZ	4:B:517:HOH:O	2.52	0.57
1:A:120:MET:HA	1:A:314:HIS:CE1	2.40	0.56
1:B:311:PHE:CE1	3:B:402:FJU:C21	2.88	0.56
1:B:245:ALA:CB	1:B:255:ILE:HD11	2.32	0.56
1:B:54:LEU:HD12	1:B:128:LEU:HD13	1.88	0.56
1:B:259:TYR:CE1	1:B:263:ARG:HD2	2.41	0.55
1:A:178:ASN:C	4:A:512:HOH:O	2.44	0.55
1:B:86:TRP:CH2	3:B:402:FJU:C08	2.90	0.55
1:A:179:LYS:N	4:A:512:HOH:O	2.40	0.54
1:B:171:ARG:HH11	1:B:171:ARG:HG3	1.73	0.54
1:A:203:LEU:HD11	1:A:207:LYS:HE3	1.90	0.54
1:A:43:GLU:OE2	1:A:68:LYS:NZ	2.41	0.53
1:A:194:HIS:HB2	1:A:195:PRO:CD	2.39	0.53
1:B:197:PHE:HB2	1:B:303:LEU:O	2.08	0.53
1:B:247:LYS:NZ	1:B:292:ASP:OD1	2.43	0.52
1:B:295:ALA:HB3	4:B:504:HOH:O	2.09	0.52
1:A:299:LEU:O	1:A:301:ARG:HD2	2.09	0.52
1:B:308:SER:HA	4:B:503:HOH:O	2.09	0.52
1:B:259:TYR:HA	1:B:293:MET:HE1	1.91	0.52
2:B:401:NAP:O2N	4:B:508:HOH:O	2.19	0.52
1:B:259:TYR:O	1:B:263:ARG:HG3	2.10	0.52
1:B:312:ALA:HA	1:B:317:TYR:CD1	2.45	0.52
1:A:179:LYS:CA	4:A:512:HOH:O	2.56	0.51
1:A:296:ILE:HA	1:A:299:LEU:HD12	1.92	0.51
1:B:223:ARG:NH2	1:B:232:SER:O	2.36	0.51
1:B:248:HIS:CE1	1:B:288:LEU:HD23	2.46	0.50
1:B:20:GLY:HA2	1:B:48:HIS:HB3	1.94	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:402:FJU:N02	3:B:402:FJU:N01	2.59	0.49
1:B:270:LYS:HB2	2:B:401:NAP:H52N	1.95	0.49
1:A:198:ASN:HB2	1:A:263:ARG:NH2	2.27	0.49
1:B:259:TYR:OH	1:B:263:ARG:NH1	2.46	0.48
1:A:317:TYR:HE2	1:A:319:TYR:O	1.96	0.48
1:A:120:MET:HB2	3:A:402:FJU:C21	2.44	0.48
1:B:249:LYS:O	1:B:250:ARG:HD3	2.13	0.48
1:B:296:ILE:O	1:B:299:LEU:HG	2.14	0.48
1:B:105:LYS:N	1:B:105:LYS:HD2	2.27	0.48
1:B:311:PHE:CE2	3:B:402:FJU:C21	2.99	0.46
1:A:26:PRO:HG2	1:A:29:VAL:HG23	1.98	0.46
1:A:145:CYS:O	1:A:149:GLU:HG3	2.16	0.46
1:B:245:ALA:HB3	4:B:574:HOH:O	2.14	0.46
1:A:251:THR:O	1:A:255:ILE:HG12	2.16	0.45
1:B:101:ASN:O	1:B:105:LYS:HD3	2.17	0.45
1:B:306:PHE:CZ	2:B:401:NAP:H5N	2.51	0.45
1:B:134:ASN:HB2	1:B:136:LYS:HE2	1.99	0.45
1:B:242:CYS:O	1:B:246:LYS:HG2	2.15	0.45
1:B:312:ALA:O	4:B:509:HOH:O	2.21	0.45
1:B:323:TYR:CD1	1:B:323:TYR:O	2.70	0.45
1:B:245:ALA:O	1:B:249:LYS:N	2.50	0.45
1:B:120:MET:HA	1:B:314:HIS:CE1	2.52	0.45
2:B:401:NAP:H3D	2:B:401:NAP:O1N	2.17	0.45
1:B:122:LEU:HA	1:B:122:LEU:HD23	1.81	0.44
1:A:63:LEU:O	1:A:67:SER:OG	2.31	0.44
1:B:241:LEU:O	1:B:255:ILE:HD13	2.17	0.44
1:B:296:ILE:HG13	4:B:504:HOH:O	2.17	0.44
1:B:193:CYS:O	1:B:218:ALA:HA	2.18	0.44
1:B:155:LYS:NZ	4:B:519:HOH:O	2.50	0.44
1:A:234:VAL:HA	4:A:559:HOH:O	2.18	0.43
1:B:247:LYS:HD3	1:B:248:HIS:CE1	2.53	0.43
1:B:296:ILE:HG23	1:B:299:LEU:HD12	2.00	0.43
1:B:194:HIS:HB2	1:B:235:LEU:HD22	2.00	0.43
1:B:262:GLN:CD	4:B:522:HOH:O	2.57	0.43
1:B:161:LYS:HD3	1:B:161:LYS:HA	1.90	0.43
1:B:110:TYR:CD2	1:B:161:LYS:HE3	2.54	0.42
1:B:199:ARG:HA	4:B:611:HOH:O	2.18	0.42
1:B:293:MET:CE	1:B:293:MET:HA	2.49	0.42
1:A:138:ILE:HA	4:A:548:HOH:O	2.19	0.42
1:B:201:LYS:HB2	4:B:506:HOH:O	2.20	0.41
1:B:228:VAL:HG22	1:B:305:TYR:O	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:GLN:NE2	4:B:522:HOH:O	2.53	0.41
1:B:22:GLY:HA3	2:B:401:NAP:H4D	2.01	0.41
1:B:198:ASN:CB	1:B:263:ARG:HH12	2.29	0.41
1:B:194:HIS:CE1	1:B:197:PHE:HB3	2.55	0.41
1:B:312:ALA:HA	1:B:317:TYR:CG	2.56	0.41
1:A:190:GLN:HG3	1:A:214:VAL:HG12	2.02	0.40
1:B:311:PHE:CZ	3:B:402:FJU:C21	3.05	0.40
1:B:278:ARG:O	1:B:281:VAL:HG22	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:656:HOH:O	4:B:622:HOH:O[1_546]	2.04	0.16
4:A:601:HOH:O	4:B:621:HOH:O[1_556]	2.12	0.08

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	314/325 (97%)	303 (96%)	11 (4%)	0	100	100
1	B	316/325 (97%)	302 (96%)	14 (4%)	0	100	100
All	All	630/650 (97%)	605 (96%)	25 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/288 (97%)	273 (98%)	7 (2%)	47	31
1	B	282/288 (98%)	277 (98%)	5 (2%)	59	45
All	All	562/576 (98%)	550 (98%)	12 (2%)	53	38

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	188	CYS
1	A	197	PHE
1	A	208	SER
1	A	221	SER
1	A	301	ARG
1	A	319	TYR
1	A	320	SER
1	B	114	TYR
1	B	208	SER
1	B	225	LYS
1	B	227	TRP
1	B	323	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	107	GLN
1	B	248	HIS
1	B	287	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	FJU	A	402	-	24,25,25	1.33	2 (8%)	31,35,35	1.49	5 (16%)
2	NAP	B	401	-	45,52,52	0.87	2 (4%)	56,80,80	1.21	6 (10%)
3	FJU	B	402	-	24,25,25	2.13	7 (29%)	31,35,35	2.05	7 (22%)
2	NAP	A	401	-	45,52,52	0.89	2 (4%)	56,80,80	1.14	3 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FJU	A	402	-	-	8/10/10/10	0/3/3/3
2	NAP	B	401	-	-	3/31/67/67	0/5/5/5
3	FJU	B	402	-	-	7/10/10/10	0/3/3/3
2	NAP	A	401	-	-	2/31/67/67	0/5/5/5

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	402	FJU	C09-N01	-4.92	1.31	1.41
3	A	402	FJU	C19-N02	4.42	1.36	1.24
3	B	402	FJU	C19-N02	3.69	1.34	1.24
3	B	402	FJU	O01-C17	-3.48	1.33	1.38
3	B	402	FJU	C13-N01	-3.15	1.29	1.35
3	B	402	FJU	C16-C17	-2.95	1.36	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	402	FJU	C16-C15	-2.89	1.37	1.43
2	A	401	NAP	C5A-C4A	2.79	1.48	1.40
3	A	402	FJU	C09-N01	-2.73	1.36	1.41
2	B	401	NAP	C5A-C4A	2.45	1.47	1.40
2	A	401	NAP	O4B-C1B	2.43	1.44	1.41
3	B	402	FJU	C08-C09	-2.40	1.35	1.39
2	B	401	NAP	O4B-C1B	2.32	1.44	1.41

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	402	FJU	C09-N01-C13	-5.46	118.05	127.53
3	B	402	FJU	C15-C14-C13	4.72	123.06	118.21
3	B	402	FJU	C13-C14-C19	-3.72	119.33	122.28
2	B	401	NAP	N3A-C2A-N1A	-3.57	123.10	128.68
3	A	402	FJU	C17-C16-C15	3.55	121.04	117.77
3	B	402	FJU	C17-C16-C15	3.44	120.94	117.77
2	A	401	NAP	N3A-C2A-N1A	-3.41	123.36	128.68
3	A	402	FJU	O01-C17-C03	3.40	120.31	116.18
3	B	402	FJU	C09-C07-C06	-3.25	116.32	120.85
3	B	402	FJU	C08-C09-C07	3.06	123.28	119.65
3	A	402	FJU	C09-N01-C13	-3.05	122.23	127.53
3	A	402	FJU	C15-C14-C13	2.73	121.01	118.21
2	B	401	NAP	C3N-C7N-N7N	2.59	120.86	117.75
3	A	402	FJU	C14-C13-N01	2.56	119.26	115.48
2	B	401	NAP	O7N-C7N-C3N	-2.51	116.62	119.63
2	A	401	NAP	C6N-N1N-C2N	-2.45	119.75	121.97
2	B	401	NAP	C2A-N1A-C6A	2.43	122.91	118.75
3	B	402	FJU	C16-C15-C14	-2.32	119.86	122.10
2	B	401	NAP	N6A-C6A-N1A	2.31	123.37	118.57
2	A	401	NAP	C4A-C5A-N7A	-2.15	107.16	109.40
2	B	401	NAP	O3X-P2B-O2X	2.03	115.39	107.64

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	NAP	O4D-C1D-N1N-C6N
3	A	402	FJU	N01-C13-C14-C19
3	A	402	FJU	O04-C13-C14-C15
3	A	402	FJU	O04-C13-C14-C19
3	B	402	FJU	N01-C13-C14-C19

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	B	402	FJU	O04-C13-C14-C19
3	B	402	FJU	C14-C13-N01-C09
3	B	402	FJU	O04-C13-N01-C09
3	A	402	FJU	C08-C09-N01-C13
3	A	402	FJU	C07-C09-N01-C13
3	B	402	FJU	C07-C09-N01-C13
3	B	402	FJU	C08-C09-N01-C13
2	B	401	NAP	C4D-C5D-O5D-PN
2	A	401	NAP	PA-O3-PN-O5D
2	B	401	NAP	PA-O3-PN-O5D
2	A	401	NAP	C4D-C5D-O5D-PN
3	A	402	FJU	O04-C13-N01-C09
3	A	402	FJU	C14-C13-N01-C09
3	B	402	FJU	O04-C13-C14-C15
3	A	402	FJU	N01-C13-C14-C15



There are no ring outliers.



4 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	402	FJU	1	0
2	B	401	NAP	5	0
3	B	402	FJU	8	0
2	A	401	NAP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	316/325 (97%)	0.08	8 (2%) 57 56	25, 40, 63, 76	0
1	B	318/325 (97%)	0.28	16 (5%) 28 27	21, 41, 65, 74	0
All	All	634/650 (97%)	0.18	24 (3%) 40 38	21, 41, 64, 76	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	320	SER	4.3
1	A	319	TYR	4.1
1	B	236	LEU	4.0
1	B	296	ILE	4.0
1	B	240	VAL	3.7
1	B	241	LEU	3.5
1	B	230	PRO	3.4
1	B	243	ALA	2.8
1	B	259	TYR	2.8
1	A	309	ASP	2.8
1	B	290	ALA	2.6
1	B	227	TRP	2.6
1	B	311	PHE	2.3
1	A	306	PHE	2.2
1	A	312	ALA	2.2
1	A	227	TRP	2.2
1	A	174	GLU	2.2
1	B	226	ARG	2.2
1	B	204	ASP	2.1
1	B	289	THR	2.1
1	A	311	PHE	2.1
1	B	310	SER	2.0
1	B	238	ASP	2.0
1	B	308	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	FJU	A	402	23/23	0.87	0.16	37,47,55,57	0
3	FJU	B	402	23/23	0.90	0.17	32,42,52,64	0
2	NAP	B	401	48/48	0.95	0.10	28,37,46,49	0
2	NAP	A	401	48/48	0.97	0.09	28,34,38,41	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around FJU A 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around FJU B 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAP B 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAP A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.