



wwPDB X-ray Structure Validation Summary Report

Feb 11, 2024 – 02:45 PM EST

PDB ID : 3CD6
Title : Co-crystal of large Ribosomal Subunit mutant G2616A with CC-Puromycin
Authors : Blaha, G.; Gurel, G.
Deposited on : 2008-02-26
Resolution : 2.75 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)
RNA backbone	3102	1060 (3.02-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	240	 10% 88% 10%
2	B	338	 % 84% 14%
3	C	246	 86% 12%
4	D	177	 45% 64% 14% 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	178	
6	F	120	
7	G	348	
8	H	177	
9	I	162	
10	J	145	
11	K	132	
12	L	165	
13	M	196	
14	N	187	
15	O	116	
16	P	149	
17	Q	96	
18	R	155	
19	S	85	
20	T	120	
21	U	67	
22	V	71	
23	W	154	
24	X	92	
25	Y	241	
26	Z	116	
27	1	57	
28	2	50	
29	3	92	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	0	2923	
31	9	122	
32	4	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
33	MG	0	8040	-	-	-	X
33	MG	0	8073	-	-	-	X
33	MG	0	8080	-	-	-	X
33	MG	A	8051	-	-	-	X
35	SR	0	8947	-	-	-	X
35	SR	0	8959	-	-	-	X
35	SR	0	8982	-	-	-	X
35	SR	0	8994	-	-	-	X
35	SR	0	9004	-	-	-	X
35	SR	0	9006	-	-	-	X
35	SR	J	8986	-	-	-	X
36	NA	0	8522	-	-	-	X
36	NA	0	8527	-	-	-	X
36	NA	0	8555	-	-	-	X
36	NA	0	8561	-	-	-	X
36	NA	0	8563	-	-	-	X
38	K	0	8401	-	-	-	X

2 Entry composition [i](#)

There are 39 unique types of molecules in this entry. The entry contains 99180 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	237	1753	1072	352	324	5	0	0	0

- Molecule 2 is a protein called 50S ribosomal protein L3P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	337	2625	1616	493	511	5	0	0	0

- Molecule 3 is a protein called 50S ribosomal protein L4P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	246	1860	1130	345	384	1	0	0	0

- Molecule 4 is a protein called 50S ribosomal protein L5P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	140	1094	685	195	210	4	0	0	0

- Molecule 5 is a protein called 50S ribosomal protein L6P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	172	1357	840	224	289	4	0	0	0

- Molecule 6 is a protein called 50S ribosomal protein L7Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	119	890	551	141	197	1	0	0	0

- Molecule 7 is a protein called 50S ribosomal protein L10E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	29	240	149	39	51	1	0	0	0

- Molecule 8 is a protein called 50S ribosomal protein L10e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	160	1282	798	240	238	6	0	0	0

- Molecule 9 is a protein called 50S ribosomal protein L11P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	70	519	323	81	114	1	0	0	0

- Molecule 10 is a protein called 50S ribosomal protein L13P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	142	1120	696	199	222	3	0	0	0

- Molecule 11 is a protein called 50S ribosomal protein L14P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	132	994	609	189	192	4	0	0	0

- Molecule 12 is a protein called 50S ribosomal protein L15P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
12	L	145	1118	670	222	226	0	0	0

- Molecule 13 is a protein called 50S ribosomal protein L15e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	194	1558	943	333	281	1	0	0	0

- Molecule 14 is a protein called 50S ribosomal protein L18P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	186	1445	895	262	286	2	0	0	0

- Molecule 15 is a protein called 50S ribosomal protein L18e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
15	O	115	865	529	161	175	0	0	0

- Molecule 16 is a protein called 50S ribosomal protein L19e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
16	P	143	1136	683	229	224	0	0	0

- Molecule 17 is a protein called 50S ribosomal protein L21e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
17	Q	95	735	450	141	144	0	0	0

- Molecule 18 is a protein called 50S ribosomal protein L22P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
18	R	150	1149	713	209	223	4	0	0	0

- Molecule 19 is a protein called 50S ribosomal protein L23P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
19	S	81	641	389	111	138	3	0	0	0

- Molecule 20 is a protein called 50S ribosomal protein L24P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
20	T	119	950	568	180	202	0	0	0

- Molecule 21 is a protein called 50S ribosomal protein L24e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	U	53	Total	C	N	O	S	0	0	0
			410	244	75	86	5			

- Molecule 22 is a protein called 50S ribosomal protein L29P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	V	65	Total	C	N	O	S	0	0	0
			499	304	94	100	1			

- Molecule 23 is a protein called 50S ribosomal protein L30P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	W	154	Total	C	N	O	S	0	0	0
			1196	737	209	244	6			

- Molecule 24 is a protein called 50S ribosomal protein L31e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	X	82	Total	C	N	O	S	0	0	0
			654	402	129	122	1			

- Molecule 25 is a protein called 50S ribosomal protein L32e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	Y	142	Total	C	N	O	0	0	0
			1130	686	228	216			

- Molecule 26 is a protein called 50S ribosomal protein L37Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	Z	73	Total	C	N	O	S	0	0	0
			573	343	113	112	5			

- Molecule 27 is a protein called 50S ribosomal protein L37e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	1	56	Total	C	N	O	S	0	0	0
			431	258	86	83	4			

- Molecule 28 is a protein called 50S ribosomal protein L39e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
28	2	46	396	239	89	67	1	0	0	0

- Molecule 29 is a protein called 50S ribosomal protein L44E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
29	3	92	755	458	153	137	7	0	0	0

- Molecule 30 is a RNA chain called 23S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
30	0	2754	59019	26349	10873	19052	2745	0	0	0

- Molecule 31 is a RNA chain called 5S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
31	9	122	2599	1160	471	847	121	0	0	0

- Molecule 32 is a RNA chain called RNA (5'-R(*CP*CP*(PPU))-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
32	4	3	74	40	13	19	2	0	0	0

- Molecule 33 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
33	A	2	Total	Mg	0	0
			2	2		
33	B	1	Total	Mg	0	0
			1	1		
33	K	1	Total	Mg	0	0
			1	1		
33	T	1	Total	Mg	0	0
			1	1		
33	Y	1	Total	Mg	0	0
			1	1		
33	0	86	Total	Mg	0	0
			86	86		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
33	9	1	Total 1	Mg 1	0	0

- Molecule 34 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
34	A	1	Total 1	Cl 1	0	0
34	B	1	Total 1	Cl 1	0	0
34	J	3	Total 3	Cl 3	0	0
34	L	1	Total 1	Cl 1	0	0
34	M	1	Total 1	Cl 1	0	0
34	N	1	Total 1	Cl 1	0	0
34	O	1	Total 1	Cl 1	0	0
34	R	1	Total 1	Cl 1	0	0
34	Y	1	Total 1	Cl 1	0	0
34	3	1	Total 1	Cl 1	0	0
34	0	10	Total 10	Cl 10	0	0

- Molecule 35 is STRONTIUM ION (three-letter code: SR) (formula: Sr).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
35	A	2	Total 2	Sr 2	0	0
35	B	1	Total 1	Sr 1	0	0
35	F	1	Total 1	Sr 1	0	0
35	J	1	Total 1	Sr 1	0	0
35	R	1	Total 1	Sr 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
35	S	1	Total 1	Sr 1	0	0
35	1	2	Total 2	Sr 2	0	0
35	3	2	Total 2	Sr 2	0	0
35	0	93	Total 93	Sr 93	0	0
35	9	3	Total 3	Sr 3	0	0

- Molecule 36 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
36	B	1	Total 1	Na 1	0	0
36	C	1	Total 1	Na 1	0	0
36	H	1	Total 1	Na 1	0	0
36	J	1	Total 1	Na 1	0	0
36	M	1	Total 1	Na 1	0	0
36	Q	1	Total 1	Na 1	0	0
36	R	1	Total 1	Na 1	0	0
36	S	1	Total 1	Na 1	0	0
36	0	65	Total 65	Na 65	0	0
36	9	2	Total 2	Na 2	0	0

- Molecule 37 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	O	1	Total 1	Cd 1	0	0
37	U	1	Total 1	Cd 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
37	Z	1	Total Cd 1 1	0	0
37	1	1	Total Cd 1 1	0	0
37	3	1	Total Cd 1 1	0	0

- Molecule 38 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
38	0	2	Total K 2 2	0	0

- Molecule 39 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
39	A	115	Total O 115 115	0	0
39	B	136	Total O 136 136	0	0
39	C	167	Total O 167 167	0	0
39	D	45	Total O 45 45	0	0
39	E	46	Total O 46 46	0	0
39	F	28	Total O 28 28	0	0
39	G	17	Total O 17 17	0	0
39	H	65	Total O 65 65	0	0
39	I	7	Total O 7 7	0	0
39	J	49	Total O 49 49	0	0
39	K	53	Total O 53 53	0	0
39	L	92	Total O 92 92	0	0
39	M	123	Total O 123 123	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
39	N	55	Total 55	O 55	0	0
39	O	37	Total 37	O 37	0	0
39	P	63	Total 63	O 63	0	0
39	Q	51	Total 51	O 51	0	0
39	R	78	Total 78	O 78	0	0
39	S	31	Total 31	O 31	0	0
39	T	38	Total 38	O 38	0	0
39	U	30	Total 30	O 30	0	0
39	V	10	Total 10	O 10	0	0
39	W	67	Total 67	O 67	0	0
39	X	23	Total 23	O 23	0	0
39	Y	93	Total 93	O 93	0	0
39	Z	25	Total 25	O 25	0	0
39	1	60	Total 60	O 60	0	0
39	2	46	Total 46	O 46	0	0
39	3	62	Total 62	O 62	0	0
39	0	5949	Total 5949	O 5949	0	0
39	9	148	Total 148	O 148	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L2P




- Molecule 2: 50S ribosomal protein L3P





- Molecule 3: 50S ribosomal protein L4P




- Molecule 4: 50S ribosomal protein L5P












● Molecule 5: 50S ribosomal protein L6P





● Molecule 6: 50S ribosomal protein L7Ae



● Molecule 7: 50S ribosomal protein L10E





● Molecule 8: 50S ribosomal protein L10e








• Molecule 9: 50S ribosomal protein L11P





• Molecule 10: 50S ribosomal protein L13P





• Molecule 11: 50S ribosomal protein L14P



• Molecule 12: 50S ribosomal protein L15P






• Molecule 13: 50S ribosomal protein L15e







- Molecule 14: 50S ribosomal protein L18P





- Molecule 15: 50S ribosomal protein L18e




- Molecule 16: 50S ribosomal protein L19e




- Molecule 17: 50S ribosomal protein L21e




- Molecule 18: 50S ribosomal protein L22P




- Molecule 19: 50S ribosomal protein L23P




- Molecule 20: 50S ribosomal protein L24P




- Molecule 21: 50S ribosomal protein L24e




- Molecule 22: 50S ribosomal protein L29P




- Molecule 23: 50S ribosomal protein L30P




- Molecule 24: 50S ribosomal protein L31e




- Molecule 25: 50S ribosomal protein L32e




• Molecule 26: 50S ribosomal protein L37Ae




• Molecule 27: 50S ribosomal protein L37e




• Molecule 28: 50S ribosomal protein L39e





• Molecule 29: 50S ribosomal protein L44E




• Molecule 30: 23S RIBOSOMAL RNA








● Molecule 31: 5S RIBOSOMAL RNA



● Molecule 32: RNA (5'-R(*CP*CP*(PPU))-3')



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	212.81Å 300.00Å 576.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.95 – 2.75 85.82 – 2.41	Depositor EDS
% Data completeness (in resolution range)	91.0 (49.95-2.75) 91.0 (85.82-2.41)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.00 (at 2.40Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.193 , 0.241 0.187 , 0.232	Depositor DCC
R_{free} test set	6547 reflections (0.98%)	wwPDB-VP
Wilson B-factor (Å ²)	53.2	Xtrriage
Anisotropy	0.243	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 71.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	99180	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SR, UR3, 1MA, CD, PSU, K, OMU, NA, OMG, CL, PPU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/1786	0.75	0/2408
2	B	0.54	0/2690	0.78	0/3652
3	C	0.56	0/1885	0.78	0/2552
4	D	0.64	0/1111	0.71	1/1498 (0.1%)
5	E	0.60	0/1382	0.67	0/1880
6	F	0.54	0/901	0.70	0/1224
7	G	0.50	0/241	0.66	0/324
8	H	0.61	0/1302	0.78	0/1743
9	I	0.57	0/526	0.63	0/716
10	J	0.64	0/1136	0.73	0/1530
11	K	0.50	0/1004	0.79	0/1351
12	L	0.53	0/1130	0.74	0/1509
13	M	0.52	0/1582	0.76	0/2116
14	N	0.58	0/1474	0.76	0/1999
15	O	0.50	0/874	0.73	1/1181 (0.1%)
16	P	0.52	0/1147	0.67	0/1528
17	Q	0.51	0/749	0.76	0/1005
18	R	0.55	0/1172	0.75	0/1578
19	S	0.54	0/648	0.67	0/875
20	T	0.47	0/958	0.78	1/1289 (0.1%)
21	U	0.64	0/417	0.69	0/562
22	V	0.43	0/502	0.66	0/675
23	W	0.53	0/1219	0.77	1/1655 (0.1%)
24	X	0.53	0/664	0.75	0/895
25	Y	0.53	0/1146	0.72	0/1536
26	Z	0.74	0/584	0.79	0/781
27	1	0.57	0/438	0.74	0/578
28	2	0.47	0/401	0.72	0/529
29	3	0.69	0/771	0.71	0/1024
30	0	0.38	0/65956	0.68	9/102865 (0.0%)
31	9	0.33	0/2904	0.68	0/4526
32	4	0.36	0/40	0.59	0/60

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
All	All	0.44	0/98740	0.70	13/147644 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
23	W	0	1
30	0	0	40
All	All	0	41

There are no bond length outliers.

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	W	4	LEU	CA-CB-CG	6.49	130.22	115.30
30	0	871	G	C5'-C4'-O4'	-6.33	101.50	109.10
20	T	52	ARG	N-CA-C	5.88	126.89	111.00
30	0	1120	U	C5'-C4'-C3'	-5.73	106.83	116.00
30	0	1504	A	N9-C1'-C2'	5.62	121.30	114.00

There are no chirality outliers.

5 of 41 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
30	0	115	U	Sidechain
30	0	221	G	Sidechain
30	0	333	G	Sidechain
30	0	393	G	Sidechain
23	W	90	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1753	0	1766	18	0
2	B	2625	0	2533	35	0
3	C	1860	0	1813	19	0
4	D	1094	0	1085	10	0
5	E	1357	0	1266	8	0
6	F	890	0	843	5	0
7	G	240	0	231	2	0
8	H	1282	0	1292	11	0
9	I	519	0	500	5	0
10	J	1120	0	1098	16	0
11	K	994	0	1027	10	0
12	L	1118	0	1076	8	0
13	M	1558	0	1573	23	0
14	N	1445	0	1401	17	0
15	O	865	0	873	6	0
16	P	1136	0	1123	9	0
17	Q	735	0	729	7	0
18	R	1149	0	1122	14	0
19	S	641	0	605	9	0
20	T	950	0	924	8	0
21	U	410	0	364	2	0
22	V	499	0	511	6	0
23	W	1196	0	1137	17	0
24	X	654	0	653	4	0
25	Y	1130	0	1133	10	0
26	Z	573	0	534	11	0
27	1	431	0	426	11	0
28	2	396	0	413	10	0
29	3	755	0	732	14	0
30	0	59019	0	29812	903	0
31	9	2599	0	1325	69	0
32	4	74	0	51	7	0
33	0	86	0	0	0	0
33	9	1	0	0	0	0
33	A	2	0	0	0	0
33	B	1	0	0	0	0
33	K	1	0	0	0	0
33	T	1	0	0	0	0
33	Y	1	0	0	0	0
34	0	10	0	0	0	0
34	3	1	0	0	0	0
34	A	1	0	0	0	0
34	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
34	J	3	0	0	0	0
34	L	1	0	0	0	0
34	M	1	0	0	0	0
34	N	1	0	0	0	0
34	O	1	0	0	0	0
34	R	1	0	0	0	0
34	Y	1	0	0	0	0
35	0	93	0	0	0	0
35	1	2	0	0	0	0
35	3	2	0	0	0	0
35	9	3	0	0	0	0
35	A	2	0	0	0	0
35	B	1	0	0	0	0
35	F	1	0	0	0	0
35	J	1	0	0	0	0
35	R	1	0	0	0	0
35	S	1	0	0	0	0
36	0	65	0	0	0	0
36	9	2	0	0	0	0
36	B	1	0	0	0	0
36	C	1	0	0	0	0
36	H	1	0	0	0	0
36	J	1	0	0	0	0
36	M	1	0	0	0	0
36	Q	1	0	0	0	0
36	R	1	0	0	0	0
36	S	1	0	0	0	0
37	1	1	0	0	0	0
37	3	1	0	0	0	0
37	O	1	0	0	0	0
37	U	1	0	0	0	0
37	Z	1	0	0	0	0
38	0	2	0	0	0	0
39	0	5949	0	0	114	0
39	1	60	0	0	0	0
39	2	46	0	0	0	0
39	3	62	0	0	0	0
39	9	148	0	0	6	0
39	A	115	0	0	2	0
39	B	136	0	0	5	0
39	C	167	0	0	2	0
39	D	45	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
39	E	46	0	0	1	0
39	F	28	0	0	0	0
39	G	17	0	0	0	0
39	H	65	0	0	0	0
39	I	7	0	0	1	0
39	J	49	0	0	2	0
39	K	53	0	0	0	0
39	L	92	0	0	2	0
39	M	123	0	0	1	0
39	N	55	0	0	0	0
39	O	37	0	0	0	0
39	P	63	0	0	0	0
39	Q	51	0	0	0	0
39	R	78	0	0	2	0
39	S	31	0	0	0	0
39	T	38	0	0	0	0
39	U	30	0	0	1	0
39	V	10	0	0	0	0
39	W	67	0	0	0	0
39	X	23	0	0	0	0
39	Y	93	0	0	1	0
39	Z	25	0	0	1	0
All	All	99180	0	59971	1124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 1124 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
30:0:1160:G:H5'	30:0:1161:A:H5'	1.17	1.08
30:0:1559:A:H1'	39:0:5885:HOH:O	1.55	1.05
31:9:76:G:H3'	31:9:77:A:H5''	1.41	1.00
30:0:871:G:H5'	30:0:871:G:H8	1.25	0.99
30:0:871:G:H5'	30:0:871:G:C8	1.97	0.98

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	235/240 (98%)	221 (94%)	11 (5%)	3 (1%)	12	21
2	B	335/338 (99%)	310 (92%)	23 (7%)	2 (1%)	25	42
3	C	244/246 (99%)	228 (93%)	15 (6%)	1 (0%)	34	53
4	D	134/177 (76%)	114 (85%)	17 (13%)	3 (2%)	6	11
5	E	170/178 (96%)	162 (95%)	8 (5%)	0	100	100
6	F	117/120 (98%)	109 (93%)	7 (6%)	1 (1%)	17	31
7	G	25/348 (7%)	25 (100%)	0	0	100	100
8	H	156/177 (88%)	148 (95%)	7 (4%)	1 (1%)	25	42
9	I	68/162 (42%)	61 (90%)	5 (7%)	2 (3%)	4	6
10	J	140/145 (97%)	134 (96%)	6 (4%)	0	100	100
11	K	130/132 (98%)	125 (96%)	5 (4%)	0	100	100
12	L	141/165 (86%)	131 (93%)	10 (7%)	0	100	100
13	M	192/196 (98%)	184 (96%)	7 (4%)	1 (0%)	29	47
14	N	184/187 (98%)	167 (91%)	14 (8%)	3 (2%)	9	16
15	O	113/116 (97%)	112 (99%)	1 (1%)	0	100	100
16	P	141/149 (95%)	140 (99%)	1 (1%)	0	100	100
17	Q	93/96 (97%)	89 (96%)	4 (4%)	0	100	100
18	R	148/155 (96%)	144 (97%)	4 (3%)	0	100	100
19	S	79/85 (93%)	76 (96%)	3 (4%)	0	100	100
20	T	117/120 (98%)	113 (97%)	4 (3%)	0	100	100
21	U	51/67 (76%)	50 (98%)	1 (2%)	0	100	100
22	V	63/71 (89%)	61 (97%)	2 (3%)	0	100	100
23	W	152/154 (99%)	149 (98%)	3 (2%)	0	100	100
24	X	80/92 (87%)	76 (95%)	2 (2%)	2 (2%)	5	9
25	Y	140/241 (58%)	137 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	Z	71/116 (61%)	59 (83%)	10 (14%)	2 (3%)	5	7
27	1	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
28	2	42/50 (84%)	42 (100%)	0	0	100	100
29	3	90/92 (98%)	83 (92%)	5 (6%)	2 (2%)	6	11
All	All	3705/4472 (83%)	3502 (94%)	180 (5%)	23 (1%)	25	42

5 of 23 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	37	VAL
4	D	137	PRO
14	N	154	LEU
1	A	27	LEU
8	H	19	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	179/182 (98%)	172 (96%)	7 (4%)	32	52
2	B	282/283 (100%)	262 (93%)	20 (7%)	14	26
3	C	193/193 (100%)	179 (93%)	14 (7%)	14	25
4	D	117/148 (79%)	105 (90%)	12 (10%)	7	12
5	E	152/156 (97%)	146 (96%)	6 (4%)	32	52
6	F	93/94 (99%)	91 (98%)	2 (2%)	52	70
7	G	27/282 (10%)	25 (93%)	2 (7%)	13	24
8	H	134/145 (92%)	130 (97%)	4 (3%)	41	61
9	I	58/130 (45%)	57 (98%)	1 (2%)	60	76
10	J	118/121 (98%)	113 (96%)	5 (4%)	30	49
11	K	106/106 (100%)	100 (94%)	6 (6%)	20	36
12	L	113/127 (89%)	108 (96%)	5 (4%)	28	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	M	158/160 (99%)	147 (93%)	11 (7%)	15	26
14	N	149/150 (99%)	142 (95%)	7 (5%)	26	45
15	O	93/94 (99%)	90 (97%)	3 (3%)	39	59
16	P	113/117 (97%)	108 (96%)	5 (4%)	28	47
17	Q	79/80 (99%)	78 (99%)	1 (1%)	69	81
18	R	117/122 (96%)	114 (97%)	3 (3%)	46	66
19	S	71/74 (96%)	71 (100%)	0	100	100
20	T	105/106 (99%)	97 (92%)	8 (8%)	13	23
21	U	44/53 (83%)	41 (93%)	3 (7%)	16	28
22	V	51/57 (90%)	48 (94%)	3 (6%)	19	34
23	W	130/130 (100%)	122 (94%)	8 (6%)	18	32
24	X	66/74 (89%)	57 (86%)	9 (14%)	3	5
25	Y	120/196 (61%)	117 (98%)	3 (2%)	47	67
26	Z	60/94 (64%)	58 (97%)	2 (3%)	38	58
27	1	46/47 (98%)	46 (100%)	0	100	100
28	2	42/46 (91%)	41 (98%)	1 (2%)	49	68
29	3	79/79 (100%)	73 (92%)	6 (8%)	13	23
All	All	3095/3646 (85%)	2938 (95%)	157 (5%)	24	41

5 of 157 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
20	T	48	VAL
24	X	82	GLU
20	T	89	ARG
23	W	52	VAL
28	2	18	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 69 such sidechains are listed below:

Mol	Chain	Res	Type
23	W	119	HIS
24	X	23	HIS
27	1	28	HIS
8	H	73	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	H	59	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
30	0	2745/2923 (93%)	243 (8%)	23 (0%)
31	9	121/122 (99%)	18 (14%)	1 (0%)
32	4	1/3 (33%)	0	0
All	All	2867/3048 (94%)	261 (9%)	24 (0%)

5 of 261 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
30	0	31	C
30	0	67	A
30	0	69	A
30	0	70	A
30	0	71	G

5 of 24 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
30	0	1730	G
30	0	2467	A
30	0	2011	A
30	0	2526	C
30	0	871	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
30	1MA	0	628	30,36	16,25,26	1.38	3 (18%)	18,37,40	1.22	3 (16%)
30	UR3	0	2619	30	19,22,23	0.42	0	26,32,35	0.62	1 (3%)
30	OMG	0	2588	30,32	18,26,27	1.08	2 (11%)	19,38,41	0.74	1 (5%)
32	PPU	4	76	32,30	32,40,41	2.63	5 (15%)	33,57,60	1.78	4 (12%)
30	PSU	0	2621	30	18,21,22	1.50	2 (11%)	22,30,33	1.27	3 (13%)
30	OMU	0	2587	30,36	19,22,23	0.31	0	26,31,34	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
30	1MA	0	628	30,36	-	0/3/25/26	0/3/3/3
30	UR3	0	2619	30	-	0/7/25/26	0/2/2/2
30	OMG	0	2588	30,32	-	0/5/27/28	0/3/3/3
32	PPU	4	76	32,30	-	7/21/43/44	0/4/4/4
30	PSU	0	2621	30	-	0/7/25/26	0/2/2/2
30	OMU	0	2587	30,36	-	0/9/27/28	0/2/2/2

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	4	76	PPU	O-C	10.10	1.43	1.23
32	4	76	PPU	C-N3'	6.12	1.47	1.34
32	4	76	PPU	C9-N6	-5.72	1.32	1.45
32	4	76	PPU	C10-N6	-5.63	1.32	1.45
30	0	2621	PSU	C2-N1	4.95	1.43	1.36

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	4	76	PPU	C3'-N3'-C	-7.15	112.43	123.21
32	4	76	PPU	N3-C2-N1	-4.54	121.59	128.68
30	0	2621	PSU	C6-C5-C4	3.28	120.49	118.20
32	4	76	PPU	CM-OC-CZ	-3.11	110.76	117.51
30	0	628	1MA	N1-C2-N3	2.93	129.43	126.02

There are no chirality outliers.

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
32	4	76	PPU	O-C-CA-CB
32	4	76	PPU	O-C-N3'-C3'
32	4	76	PPU	CE2-CZ-OC-CM
32	4	76	PPU	CE1-CZ-OC-CM
32	4	76	PPU	N3'-C-CA-N

There are no ring outliers.

4 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
30	0	2619	UR3	3	0
32	4	76	PPU	6	0
30	0	2621	PSU	1	0
30	0	2587	OMU	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 304 ligands modelled in this entry, 304 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	237/240 (98%)	0.29	25 (10%) 6 7	32, 66, 104, 124	0
2	B	337/338 (99%)	-0.27	5 (1%) 73 81	31, 59, 87, 104	0
3	C	246/246 (100%)	-0.27	0 100 100	19, 47, 71, 81	0
4	D	140/177 (79%)	2.46	80 (57%) 0 0	83, 112, 135, 143	0
5	E	172/178 (96%)	-0.16	5 (2%) 51 61	47, 72, 92, 97	0
6	F	119/120 (99%)	0.41	11 (9%) 9 10	58, 81, 111, 122	0
7	G	29/348 (8%)	0.43	2 (6%) 16 20	76, 97, 108, 110	0
8	H	160/177 (90%)	0.20	15 (9%) 8 10	50, 72, 105, 117	0
9	I	70/162 (43%)	4.63	60 (85%) 0 0	130, 150, 167, 169	0
10	J	142/145 (97%)	-0.52	1 (0%) 87 91	35, 54, 76, 86	0
11	K	132/132 (100%)	-0.48	0 100 100	38, 55, 83, 87	0
12	L	145/165 (87%)	0.39	14 (9%) 7 8	32, 80, 121, 130	0
13	M	194/196 (98%)	0.25	20 (10%) 6 7	31, 48, 108, 117	0
14	N	186/187 (99%)	1.16	49 (26%) 0 0	61, 85, 128, 133	0
15	O	115/116 (99%)	-0.32	0 100 100	39, 58, 75, 79	0
16	P	143/149 (95%)	-0.23	2 (1%) 75 82	42, 60, 83, 90	0
17	Q	95/96 (98%)	-0.35	1 (1%) 80 86	45, 57, 75, 83	0
18	R	150/155 (96%)	-0.47	0 100 100	29, 49, 70, 78	0
19	S	81/85 (95%)	-0.28	1 (1%) 79 85	42, 63, 84, 95	0
20	T	119/120 (99%)	-0.11	7 (5%) 22 27	40, 58, 87, 122	0
21	U	53/67 (79%)	0.31	5 (9%) 8 10	59, 73, 93, 97	0
22	V	65/71 (91%)	1.84	20 (30%) 0 0	51, 77, 123, 129	0
23	W	154/154 (100%)	-0.54	0 100 100	35, 52, 66, 81	0
24	X	82/92 (89%)	-0.27	0 100 100	48, 64, 88, 103	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	Y	142/241 (58%)	-0.36	2 (1%) 75 82	26, 45, 69, 90	0
26	Z	73/116 (62%)	6.33	57 (78%) 0 0	99, 121, 131, 134	0
27	1	56/57 (98%)	-0.09	0 100 100	23, 32, 45, 57	0
28	2	46/50 (92%)	0.09	3 (6%) 18 22	33, 65, 97, 106	0
29	3	92/92 (100%)	8.74	88 (95%) 0 0	112, 127, 133, 140	0
30	0	2749/2923 (94%)	-0.81	41 (1%) 73 81	18, 50, 98, 167	0
31	9	122/122 (100%)	-0.52	3 (2%) 57 66	41, 80, 105, 152	0
32	4	2/3 (66%)	-1.07	0 100 100	70, 70, 70, 74	0
All	All	6648/7520 (88%)	-0.06	517 (7%) 13 15	18, 57, 120, 169	0

The worst 5 of 517 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
29	3	82	GLY	42.7
26	Z	46	SER	30.1
29	3	83	TRP	25.9
26	Z	50	VAL	24.3
26	Z	35	SER	19.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
32	PPU	4	76	37/38	0.94	0.15	67,75,88,91	0
30	PSU	0	2621	20/21	0.97	0.18	30,37,55,56	0
30	1MA	0	628	23/24	0.98	0.15	28,32,34,36	0
30	UR3	0	2619	21/22	0.98	0.16	46,49,53,55	0
30	OMG	0	2588	24/25	0.99	0.13	37,39,41,45	0
30	OMU	0	2587	21/22	0.99	0.10	37,38,41,42	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
35	SR	0	8947	1/1	-0.04	0.49	194,194,194,194	0
33	MG	0	8083	1/1	0.10	0.12	70,70,70,70	0
35	SR	0	9001	1/1	0.24	0.23	186,186,186,186	0
33	MG	0	8089	1/1	0.25	0.14	49,49,49,49	0
34	CL	3	8804	1/1	0.29	0.32	114,114,114,114	0
35	SR	0	8962	1/1	0.34	0.34	194,194,194,194	0
37	CD	Z	8703	1/1	0.39	0.34	200,200,200,200	0
35	SR	0	8959	1/1	0.41	0.60	200,200,200,200	0
36	NA	0	8511	1/1	0.44	0.17	75,75,75,75	0
36	NA	0	8533	1/1	0.48	0.22	70,70,70,70	0
35	SR	0	8955	1/1	0.48	0.10	200,200,200,200	0
35	SR	0	9006	1/1	0.49	0.67	194,194,194,194	0
35	SR	0	8933	1/1	0.49	0.11	134,134,134,134	0
36	NA	0	8555	1/1	0.51	1.25	79,79,79,79	0
35	SR	J	8986	1/1	0.51	0.76	200,200,200,200	0
35	SR	0	8958	1/1	0.53	0.10	128,128,128,128	0
35	SR	0	8979	1/1	0.53	0.16	200,200,200,200	0
35	SR	0	8934	1/1	0.54	0.21	133,133,133,133	0
36	NA	0	8507	1/1	0.56	0.27	48,48,48,48	0
36	NA	0	8506	1/1	0.58	0.20	63,63,63,63	0
35	SR	0	8916	1/1	0.61	0.12	112,112,112,112	0
33	MG	0	8073	1/1	0.63	0.80	105,105,105,105	0
38	K	0	8401	1/1	0.63	0.42	147,147,147,147	0
35	SR	0	8951	1/1	0.64	0.08	142,142,142,142	0
33	MG	0	8037	1/1	0.64	0.21	75,75,75,75	0
33	MG	0	8007	1/1	0.64	0.23	50,50,50,50	0
33	MG	0	8080	1/1	0.66	0.73	92,92,92,92	0
35	SR	0	8982	1/1	0.67	1.16	200,200,200,200	0
35	SR	0	8976	1/1	0.67	0.29	181,181,181,181	0
33	MG	A	8051	1/1	0.68	0.59	81,81,81,81	0
35	SR	0	8957	1/1	0.69	0.31	200,200,200,200	0
33	MG	0	8090	1/1	0.69	0.14	87,87,87,87	0
36	NA	0	8563	1/1	0.69	0.90	86,86,86,86	0
35	SR	0	9002	1/1	0.69	0.14	182,182,182,182	0
35	SR	0	9004	1/1	0.69	0.54	200,200,200,200	0
35	SR	9	8980	1/1	0.71	0.10	185,185,185,185	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
35	SR	0	8938	1/1	0.72	0.23	200,200,200,200	0
35	SR	0	8977	1/1	0.72	0.13	177,177,177,177	0
36	NA	0	8531	1/1	0.72	0.17	46,46,46,46	0
35	SR	0	8988	1/1	0.72	0.11	166,166,166,166	0
35	SR	0	8974	1/1	0.73	0.18	163,163,163,163	0
35	SR	0	8949	1/1	0.73	0.11	113,113,113,113	0
33	MG	0	8040	1/1	0.74	0.62	84,84,84,84	0
36	NA	0	8548	1/1	0.74	0.38	65,65,65,65	0
36	NA	0	8530	1/1	0.75	0.21	48,48,48,48	0
35	SR	0	8915	1/1	0.76	0.07	127,127,127,127	0
33	MG	9	8074	1/1	0.76	0.09	79,79,79,79	0
35	SR	0	8953	1/1	0.76	0.17	200,200,200,200	0
36	NA	0	8550	1/1	0.77	0.34	63,63,63,63	0
33	MG	0	8063	1/1	0.77	0.21	81,81,81,81	0
35	SR	0	8989	1/1	0.77	0.09	157,157,157,157	0
36	NA	0	8522	1/1	0.77	1.07	78,78,78,78	0
36	NA	0	8527	1/1	0.77	0.41	67,67,67,67	0
35	SR	0	8969	1/1	0.78	0.40	184,184,184,184	0
33	MG	0	8066	1/1	0.78	0.20	76,76,76,76	0
35	SR	9	8978	1/1	0.78	0.13	171,171,171,171	0
36	NA	0	8561	1/1	0.79	0.54	67,67,67,67	0
35	SR	0	8926	1/1	0.79	0.12	118,118,118,118	0
35	SR	0	8924	1/1	0.79	0.18	124,124,124,124	0
36	NA	0	8559	1/1	0.79	0.27	81,81,81,81	0
35	SR	0	8994	1/1	0.80	0.49	200,200,200,200	0
35	SR	9	9003	1/1	0.80	0.26	180,180,180,180	0
34	CL	N	8807	1/1	0.80	0.23	71,71,71,71	0
36	NA	0	8512	1/1	0.81	0.27	89,89,89,89	0
36	NA	0	8517	1/1	0.81	0.32	56,56,56,56	0
36	NA	0	8519	1/1	0.81	0.32	54,54,54,54	0
35	SR	0	8990	1/1	0.81	0.23	164,164,164,164	0
33	MG	0	8085	1/1	0.82	0.16	71,71,71,71	0
35	SR	0	8968	1/1	0.82	0.07	175,175,175,175	0
33	MG	0	8046	1/1	0.82	0.10	66,66,66,66	0
36	NA	0	8541	1/1	0.82	0.74	73,73,73,73	0
36	NA	0	8502	1/1	0.83	0.13	49,49,49,49	0
33	MG	0	8008	1/1	0.83	0.21	26,26,26,26	0
35	SR	0	8987	1/1	0.83	0.67	200,200,200,200	0
35	SR	0	8995	1/1	0.83	0.15	141,141,141,141	0
33	MG	0	8075	1/1	0.83	0.07	62,62,62,62	0
33	MG	T	8057	1/1	0.83	0.08	76,76,76,76	0
36	NA	M	8539	1/1	0.83	0.10	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
33	MG	0	8031	1/1	0.84	0.24	55,55,55,55	0
35	SR	0	8910	1/1	0.84	0.12	94,94,94,94	0
33	MG	0	8034	1/1	0.84	0.13	44,44,44,44	0
35	SR	0	8998	1/1	0.84	0.37	186,186,186,186	0
33	MG	0	8092	1/1	0.84	0.51	74,74,74,74	0
36	NA	0	8509	1/1	0.84	0.25	67,67,67,67	0
33	MG	0	8029	1/1	0.85	0.18	43,43,43,43	0
36	NA	0	8571	1/1	0.85	0.47	90,90,90,90	0
33	MG	0	8071	1/1	0.86	0.14	67,67,67,67	0
33	MG	0	8076	1/1	0.86	0.15	31,31,31,31	0
36	NA	R	8532	1/1	0.87	0.09	56,56,56,56	0
36	NA	0	8567	1/1	0.87	0.81	81,81,81,81	0
33	MG	0	8060	1/1	0.87	0.17	69,69,69,69	0
35	SR	0	8941	1/1	0.87	0.17	114,114,114,114	0
35	SR	0	8984	1/1	0.87	0.07	107,107,107,107	0
33	MG	0	8027	1/1	0.88	0.14	38,38,38,38	0
33	MG	0	8056	1/1	0.88	0.14	59,59,59,59	0
36	NA	0	8520	1/1	0.88	0.11	48,48,48,48	0
36	NA	0	8565	1/1	0.88	1.15	71,71,71,71	0
33	MG	B	8042	1/1	0.88	0.10	55,55,55,55	0
35	SR	0	8956	1/1	0.88	0.08	141,141,141,141	0
36	NA	0	8554	1/1	0.88	0.62	61,61,61,61	0
37	CD	3	8704	1/1	0.88	0.76	200,200,200,200	0
35	SR	0	8966	1/1	0.88	0.14	103,103,103,103	0
36	NA	0	8569	1/1	0.89	0.24	61,61,61,61	0
34	CL	0	8815	1/1	0.89	0.21	69,69,69,69	0
36	NA	0	8535	1/1	0.89	0.17	59,59,59,59	0
35	SR	3	8932	1/1	0.89	0.12	167,167,167,167	0
36	NA	0	8523	1/1	0.89	0.08	30,30,30,30	0
36	NA	0	8505	1/1	0.90	0.51	37,37,37,37	0
35	SR	0	8922	1/1	0.90	0.13	141,141,141,141	0
35	SR	0	8937	1/1	0.90	0.24	102,102,102,102	0
36	NA	0	8528	1/1	0.90	0.24	56,56,56,56	0
36	NA	0	8562	1/1	0.90	0.39	73,73,73,73	0
35	SR	0	8983	1/1	0.90	0.38	183,183,183,183	0
35	SR	0	8973	1/1	0.90	0.11	124,124,124,124	0
33	MG	0	8052	1/1	0.90	0.09	50,50,50,50	0
36	NA	0	8516	1/1	0.90	0.30	53,53,53,53	0
35	SR	S	8961	1/1	0.90	0.07	118,118,118,118	0
36	NA	0	8575	1/1	0.90	0.42	89,89,89,89	0
36	NA	0	8542	1/1	0.90	0.27	45,45,45,45	0
36	NA	0	8501	1/1	0.90	0.32	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
35	SR	0	8920	1/1	0.90	0.08	138,138,138,138	0
35	SR	0	8942	1/1	0.91	0.10	126,126,126,126	0
35	SR	0	8943	1/1	0.91	0.14	75,75,75,75	0
36	NA	Q	8540	1/1	0.91	0.10	74,74,74,74	0
36	NA	0	8521	1/1	0.91	0.17	50,50,50,50	0
35	SR	0	8992	1/1	0.91	0.12	136,136,136,136	0
35	SR	0	8944	1/1	0.91	0.06	167,167,167,167	0
33	MG	0	8078	1/1	0.91	0.52	59,59,59,59	0
33	MG	0	8013	1/1	0.91	0.05	30,30,30,30	0
35	SR	3	8999	1/1	0.91	0.19	200,200,200,200	0
35	SR	B	8950	1/1	0.91	0.17	112,112,112,112	0
33	MG	0	8067	1/1	0.91	0.29	54,54,54,54	0
36	NA	0	8534	1/1	0.91	0.62	84,84,84,84	0
35	SR	0	8985	1/1	0.91	0.10	121,121,121,121	0
36	NA	0	8537	1/1	0.91	0.18	40,40,40,40	0
35	SR	0	8971	1/1	0.91	0.07	174,174,174,174	0
35	SR	0	8972	1/1	0.91	0.14	143,143,143,143	0
33	MG	0	8018	1/1	0.92	0.24	37,37,37,37	0
36	NA	0	8544	1/1	0.92	0.13	71,71,71,71	0
34	CL	O	8808	1/1	0.92	0.11	62,62,62,62	0
35	SR	0	9007	1/1	0.92	0.37	200,200,200,200	0
33	MG	0	8064	1/1	0.92	0.18	48,48,48,48	0
35	SR	0	8965	1/1	0.92	0.09	118,118,118,118	0
33	MG	0	8019	1/1	0.92	0.26	33,33,33,33	0
35	SR	0	8945	1/1	0.92	0.10	99,99,99,99	0
33	MG	0	8047	1/1	0.92	0.41	72,72,72,72	0
35	SR	0	8948	1/1	0.92	0.08	105,105,105,105	0
35	SR	F	9005	1/1	0.92	0.08	144,144,144,144	0
33	MG	0	8049	1/1	0.92	0.45	56,56,56,56	0
33	MG	0	8033	1/1	0.92	0.10	50,50,50,50	0
35	SR	0	8997	1/1	0.92	0.26	185,185,185,185	0
33	MG	0	8021	1/1	0.92	0.14	26,26,26,26	0
36	NA	9	8543	1/1	0.92	0.19	68,68,68,68	0
36	NA	0	8508	1/1	0.92	0.18	47,47,47,47	0
33	MG	0	8016	1/1	0.92	0.20	46,46,46,46	0
35	SR	0	8901	1/1	0.92	0.21	57,57,57,57	0
35	SR	0	8975	1/1	0.93	0.22	144,144,144,144	0
36	NA	0	8525	1/1	0.93	0.09	70,70,70,70	0
33	MG	0	8020	1/1	0.93	0.08	42,42,42,42	0
33	MG	0	8035	1/1	0.93	0.16	62,62,62,62	0
35	SR	0	8928	1/1	0.93	0.07	141,141,141,141	0
33	MG	0	8044	1/1	0.93	0.22	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
35	SR	0	8960	1/1	0.93	0.08	138,138,138,138	0
33	MG	0	8061	1/1	0.93	0.30	30,30,30,30	0
35	SR	0	8996	1/1	0.93	0.94	200,200,200,200	0
35	SR	0	8923	1/1	0.93	0.18	94,94,94,94	0
36	NA	0	8560	1/1	0.94	0.46	87,87,87,87	0
34	CL	L	8810	1/1	0.94	0.06	70,70,70,70	0
33	MG	0	8082	1/1	0.94	0.42	73,73,73,73	0
33	MG	0	8010	1/1	0.94	0.26	47,47,47,47	0
36	NA	0	8564	1/1	0.94	0.28	62,62,62,62	0
35	SR	0	8993	1/1	0.94	0.07	167,167,167,167	0
36	NA	0	8566	1/1	0.94	0.15	38,38,38,38	0
35	SR	0	8936	1/1	0.94	0.10	95,95,95,95	0
36	NA	0	8513	1/1	0.94	0.18	46,46,46,46	0
36	NA	0	8549	1/1	0.94	0.12	53,53,53,53	0
33	MG	0	8030	1/1	0.94	0.36	85,85,85,85	0
36	NA	0	8504	1/1	0.94	0.31	37,37,37,37	0
33	MG	0	8088	1/1	0.94	0.15	41,41,41,41	0
36	NA	0	8557	1/1	0.94	0.07	58,58,58,58	0
35	SR	0	8939	1/1	0.94	0.07	133,133,133,133	0
35	SR	0	8908	1/1	0.95	0.14	87,87,87,87	0
33	MG	0	8005	1/1	0.95	0.22	28,28,28,28	0
35	SR	0	8927	1/1	0.95	0.05	161,161,161,161	0
35	SR	0	8911	1/1	0.95	0.12	82,82,82,82	0
33	MG	0	8077	1/1	0.95	0.07	42,42,42,42	0
36	NA	0	8546	1/1	0.95	0.47	64,64,64,64	0
35	SR	0	8946	1/1	0.95	0.19	102,102,102,102	0
33	MG	0	8068	1/1	0.95	0.16	59,59,59,59	0
33	MG	0	8028	1/1	0.95	0.22	27,27,27,27	0
36	NA	0	8573	1/1	0.95	0.19	79,79,79,79	0
35	SR	0	8921	1/1	0.95	0.14	84,84,84,84	0
36	NA	C	8503	1/1	0.95	0.20	36,36,36,36	0
36	NA	J	8538	1/1	0.95	0.12	57,57,57,57	0
33	MG	0	8002	1/1	0.95	0.13	33,33,33,33	0
33	MG	0	8038	1/1	0.95	0.67	96,96,96,96	0
33	MG	A	8050	1/1	0.96	0.11	60,60,60,60	0
35	SR	0	8917	1/1	0.96	0.11	110,110,110,110	0
33	MG	0	8053	1/1	0.96	0.16	55,55,55,55	0
36	NA	0	8553	1/1	0.96	0.59	84,84,84,84	0
33	MG	0	8055	1/1	0.96	0.19	59,59,59,59	0
36	NA	B	8552	1/1	0.96	0.34	78,78,78,78	0
36	NA	0	8556	1/1	0.96	0.24	51,51,51,51	0
33	MG	0	8006	1/1	0.96	0.15	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
33	MG	0	8079	1/1	0.96	0.20	60,60,60,60	0
35	SR	1	8952	1/1	0.96	0.14	73,73,73,73	0
35	SR	0	8925	1/1	0.96	0.13	89,89,89,89	0
34	CL	J	8801	1/1	0.96	0.08	68,68,68,68	0
36	NA	S	8510	1/1	0.96	0.11	47,47,47,47	0
36	NA	0	8529	1/1	0.96	0.07	43,43,43,43	0
34	CL	J	8802	1/1	0.96	0.12	67,67,67,67	0
33	MG	0	8059	1/1	0.96	0.14	47,47,47,47	0
35	SR	0	8931	1/1	0.96	0.11	100,100,100,100	0
36	NA	0	8568	1/1	0.96	0.23	58,58,58,58	0
33	MG	0	8012	1/1	0.96	0.26	23,23,23,23	0
35	SR	0	8954	1/1	0.96	0.10	94,94,94,94	0
35	SR	0	9000	1/1	0.96	0.08	168,168,168,168	0
33	MG	0	8072	1/1	0.96	0.21	58,58,58,58	0
33	MG	K	8054	1/1	0.96	0.17	44,44,44,44	0
35	SR	0	8981	1/1	0.96	0.06	148,148,148,148	0
36	NA	0	8545	1/1	0.96	0.21	42,42,42,42	0
34	CL	0	8803	1/1	0.96	0.05	51,51,51,51	0
36	NA	0	8515	1/1	0.97	0.20	36,36,36,36	0
33	MG	Y	8086	1/1	0.97	0.12	36,36,36,36	0
35	SR	0	8918	1/1	0.97	0.13	84,84,84,84	0
35	SR	A	8929	1/1	0.97	0.10	119,119,119,119	0
35	SR	0	8963	1/1	0.97	0.10	129,129,129,129	0
35	SR	0	8964	1/1	0.97	0.10	121,121,121,121	0
35	SR	A	8930	1/1	0.97	0.08	128,128,128,128	0
33	MG	0	8022	1/1	0.97	0.21	33,33,33,33	0
36	NA	0	8558	1/1	0.97	0.64	63,63,63,63	0
36	NA	0	8524	1/1	0.97	0.46	45,45,45,45	0
35	SR	0	8991	1/1	0.97	0.17	182,182,182,182	0
33	MG	0	8039	1/1	0.97	0.11	62,62,62,62	0
33	MG	0	8069	1/1	0.97	0.18	75,75,75,75	0
35	SR	0	8970	1/1	0.97	0.05	113,113,113,113	0
33	MG	0	8070	1/1	0.97	0.13	58,58,58,58	0
33	MG	0	8081	1/1	0.97	0.17	68,68,68,68	0
34	CL	J	8821	1/1	0.97	0.07	56,56,56,56	0
33	MG	0	8023	1/1	0.97	0.21	24,24,24,24	0
33	MG	0	8062	1/1	0.97	0.27	49,49,49,49	0
36	NA	0	8536	1/1	0.97	0.10	65,65,65,65	0
33	MG	0	8043	1/1	0.97	0.11	44,44,44,44	0
34	CL	R	8806	1/1	0.97	0.16	47,47,47,47	0
36	NA	0	8574	1/1	0.97	0.51	64,64,64,64	0
33	MG	0	8087	1/1	0.97	0.16	24,24,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
33	MG	0	8026	1/1	0.97	0.16	38,38,38,38	0
36	NA	9	8572	1/1	0.97	0.52	98,98,98,98	0
37	CD	O	8705	1/1	0.97	0.09	88,88,88,88	0
34	CL	0	8812	1/1	0.97	0.07	49,49,49,49	0
36	NA	0	8514	1/1	0.97	0.17	46,46,46,46	0
36	NA	0	8547	1/1	0.97	0.47	59,59,59,59	0
33	MG	0	8015	1/1	0.98	0.18	37,37,37,37	0
34	CL	0	8811	1/1	0.98	0.12	64,64,64,64	0
33	MG	0	8041	1/1	0.98	0.23	35,35,35,35	0
35	SR	0	9008	1/1	0.98	0.18	79,79,79,79	0
34	CL	0	8813	1/1	0.98	0.07	44,44,44,44	0
36	NA	0	8526	1/1	0.98	0.05	34,34,34,34	0
33	MG	0	8011	1/1	0.98	0.28	20,20,20,20	0
34	CL	0	8817	1/1	0.98	0.13	58,58,58,58	0
36	NA	0	8551	1/1	0.98	0.14	36,36,36,36	0
35	SR	0	8909	1/1	0.98	0.15	84,84,84,84	0
33	MG	0	8017	1/1	0.98	0.26	29,29,29,29	0
36	NA	H	8518	1/1	0.98	0.10	69,69,69,69	0
33	MG	0	8045	1/1	0.98	0.07	38,38,38,38	0
35	SR	0	8914	1/1	0.98	0.27	108,108,108,108	0
33	MG	0	8001	1/1	0.98	0.27	20,20,20,20	0
33	MG	0	8025	1/1	0.98	0.17	42,42,42,42	0
34	CL	B	8819	1/1	0.98	0.12	53,53,53,53	0
35	SR	R	8912	1/1	0.98	0.16	72,72,72,72	0
34	CL	0	8816	1/1	0.99	0.09	61,61,61,61	0
33	MG	0	8048	1/1	0.99	0.25	25,25,25,25	0
34	CL	0	8822	1/1	0.99	0.26	87,87,87,87	0
33	MG	0	8014	1/1	0.99	0.19	31,31,31,31	0
33	MG	0	8084	1/1	0.99	0.20	33,33,33,33	0
33	MG	0	8004	1/1	0.99	0.20	24,24,24,24	0
33	MG	0	8024	1/1	0.99	0.29	44,44,44,44	0
34	CL	M	8818	1/1	0.99	0.05	40,40,40,40	0
33	MG	0	8065	1/1	0.99	0.11	37,37,37,37	0
33	MG	0	8036	1/1	0.99	0.12	47,47,47,47	0
35	SR	1	8913	1/1	0.99	0.13	79,79,79,79	0
33	MG	0	8009	1/1	0.99	0.20	31,31,31,31	0
34	CL	Y	8820	1/1	0.99	0.04	41,41,41,41	0
33	MG	0	8091	1/1	0.99	0.05	47,47,47,47	0
33	MG	0	8058	1/1	0.99	0.09	28,28,28,28	0
35	SR	0	8935	1/1	0.99	0.08	92,92,92,92	0
35	SR	0	8902	1/1	0.99	0.21	53,53,53,53	0
36	NA	0	8570	1/1	0.99	0.07	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
35	SR	0	8904	1/1	0.99	0.20	54,54,54,54	0
35	SR	0	8967	1/1	0.99	0.03	125,125,125,125	0
35	SR	0	8905	1/1	0.99	0.24	61,61,61,61	0
34	CL	0	8805	1/1	0.99	0.07	71,71,71,71	0
35	SR	0	8940	1/1	0.99	0.13	89,89,89,89	0
33	MG	0	8093	1/1	0.99	0.11	37,37,37,37	0
33	MG	0	8003	1/1	0.99	0.12	30,30,30,30	0
33	MG	0	8032	1/1	0.99	0.05	42,42,42,42	0
34	CL	0	8814	1/1	0.99	0.12	56,56,56,56	0
34	CL	A	8809	1/1	0.99	0.33	88,88,88,88	0
38	K	0	8402	1/1	0.99	0.29	86,86,86,86	0
35	SR	0	8903	1/1	1.00	0.18	49,49,49,49	0
37	CD	1	8702	1/1	1.00	0.12	54,54,54,54	0
35	SR	0	8906	1/1	1.00	0.22	56,56,56,56	0
35	SR	0	8907	1/1	1.00	0.17	53,53,53,53	0
37	CD	U	8701	1/1	1.00	0.07	78,78,78,78	0

6.5 Other polymers [i](#)

There are no such residues in this entry.