



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2024 – 12:23 pm GMT

PDB ID : 8CFO  
Title : Crystal structure of S-adenosyl-L-homocysteine hydrolase from *P. aeruginosa* in complex with F2X-Entry library fragment F04  
Authors : Malecki, P.H.; Gawel, M.; Stepniewska, M.; Brzezinski, K.  
Deposited on : 2023-02-03  
Resolution : 2.13 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*





The reported resolution of this entry is 2.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2523 (2.16-2.12)
Clashscore	141614	2653 (2.16-2.12)
Ramachandran outliers	138981	2618 (2.16-2.12)
Sidechain outliers	138945	2617 (2.16-2.12)
RSRZ outliers	127900	2485 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	
1	B	472	
1	C	472	
1	D	472	

## 2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 16104 atoms, of which 128 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosylhomocysteinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	462	3598	2268	623	684	23	0	6	0
1	B	461	3577	2256	619	680	22	0	4	0
1	C	462	3619	2283	626	687	23	0	10	0
1	D	461	3582	2257	619	683	23	0	5	0

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP Q9I685
A	-1	ASN	-	expression tag	UNP Q9I685
A	0	ALA	-	expression tag	UNP Q9I685
B	-2	SER	-	expression tag	UNP Q9I685
B	-1	ASN	-	expression tag	UNP Q9I685
B	0	ALA	-	expression tag	UNP Q9I685
C	-2	SER	-	expression tag	UNP Q9I685
C	-1	ASN	-	expression tag	UNP Q9I685
C	0	ALA	-	expression tag	UNP Q9I685
D	-2	SER	-	expression tag	UNP Q9I685
D	-1	ASN	-	expression tag	UNP Q9I685
D	0	ALA	-	expression tag	UNP Q9I685

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
			Total	C	N	O			P	
2	A	1	Total	44	21	7	14	2	0	0
2	B	1	Total	44	21	7	14	2	0	0
2	C	1	Total	44	21	7	14	2	0	0
2	D	1	Total	44	21	7	14	2	0	0

- Molecule 3 is ADENINE (three-letter code: ADE) (formula:  $C_5H_5N_5$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			10	5	5		
3	B	1	Total	C	N	0	0
			10	5	5		
3	C	1	Total	C	N	0	0
			10	5	5		
3	D	1	Total	C	N	0	0
			10	5	5		

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	K	0	0
			1	1		
4	B	1	Total	K	0	0
			1	1		
4	C	1	Total	K	0	0
			1	1		
4	D	1	Total	K	0	0
			1	1		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			5	4	1		
5	A	1	Total	O	P	0	0
			5	4	1		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	B	1	5	4	1	0	0
5	B	1	5	4	1	0	0
5	C	1	5	4	1	0	0
5	C	1	5	4	1	0	0
5	C	1	5	4	1	0	0
5	C	1	5	4	1	0	0
5	C	1	5	4	1	0	0
5	D	1	5	4	1	0	0
5	D	1	5	4	1	0	0
5	D	1	5	4	1	0	0
5	D	1	5	4	1	0	0

- Molecule 6 is N-[(4-bromo-3-methylphenyl)methyl]-2-(methylsulfonyl)ethan-1-amine (three-letter code: RB7) (formula: C<sub>11</sub>H<sub>16</sub>BrNO<sub>2</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf		
			Total	Br	C	N	O			S	
6	A	1	Total	Br	C	N	O	S	0	0	
			16	1	11	1	2	1			
6	A	1	Total	Br	C	N	O	S	0	0	
			16	1	11	1	2	1			
6	A	1	Total	Br	C	H	N	O	S	0	0
			32	1	11	16	1	2	1		
6	A	1	Total	Br	C	H	N	O	S	0	0
			32	1	11	16	1	2	1		
6	A	1	Total	Br	C	H	N	O	S	0	0
			32	1	11	16	1	2	1		
6	B	1	Total	Br	C	H	N	O	S	0	0
			32	1	11	16	1	2	1		
6	B	1	Total	Br	C	H	N	O	S	0	0
			32	1	11	16	1	2	1		
6	C	1	Total	Br	C	N	O	S	0	0	
			16	1	11	1	2	1			
6	C	1	Total	Br	C	N	O	S	0	0	
			16	1	11	1	2	1			
6	C	1	Total	Br	C	H	N	O	S	0	0
			32	1	11	16	1	2	1		
6	C	1	Total	Br	C	H	N	O	S	0	0
			32	1	11	16	1	2	1		
6	D	1	Total	Br	C	N	O	S	0	0	
			16	1	11	1	2	1			
6	D	1	Total	Br	C	N	O	S	0	0	
			16	1	11	1	2	1			
6	D	1	Total	Br	C	H	N	O	S	0	0
			32	1	11	16	1	2	1		

- Molecule 7 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C<sub>2</sub>H<sub>6</sub>OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	C	1	Total	C	O	S	0	0
			4	2	1	1		
7	D	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 8 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	279	Total	O	0	5
			283	283		
8	B	248	Total	O	0	7
			251	251		
8	C	247	Total	O	0	4
			248	248		
8	D	288	Total	O	0	5
			291	291		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenosylhomocysteinase




- Molecule 1: Adenosylhomocysteinase





- Molecule 1: Adenosylhomocysteinase





● Molecule 1: Adenosylhomocysteinase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	177.76Å 105.29Å 107.71Å 90.00° 99.72° 90.00°	Depositor
Resolution (Å)	34.92 – 2.13 47.60 – 2.13	Depositor EDS
% Data completeness (in resolution range)	99.3 (34.92-2.13) 99.3 (47.60-2.13)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.11 (at 2.12Å)	Xtrriage
Refinement program	PHENIX 1.19.2-4158	Depositor
R, $R_{free}$	0.171 , 0.219 0.171 , 0.220	Depositor DCC
$R_{free}$ test set	2100 reflections (1.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	39.1	Xtrriage
Anisotropy	0.373	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 52.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	16104	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.95% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, NAD, K, PO4, RB7, ADE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	0/3673	0.62	0/4964
1	B	0.51	0/3649	0.62	0/4932
1	C	0.48	0/3706	0.61	0/5007
1	D	0.50	0/3651	0.61	0/4935
All	All	0.49	0/14679	0.62	0/19838

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3598	0	3611	44	0
1	B	3577	0	3592	37	0
1	C	3619	0	3645	43	0
1	D	3582	0	3585	24	0
2	A	44	0	26	0	0
2	B	44	0	26	0	0
2	C	44	0	26	1	0
2	D	44	0	26	1	0
3	A	10	0	4	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	10	0	4	0	0
3	C	10	0	4	0	0
3	D	10	0	4	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	20	0	0	0	0
5	B	10	0	0	0	0
5	C	25	0	0	2	0
5	D	20	0	0	1	0
6	A	80	48	0	5	0
6	B	32	32	0	3	0
6	C	64	32	0	3	0
6	D	48	16	0	2	0
7	C	4	0	6	0	0
7	D	4	0	6	0	0
8	A	283	0	0	1	0
8	B	251	0	0	2	0
8	C	248	0	0	5	0
8	D	291	0	0	4	0
All	All	15976	128	14565	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:423:LEU:HD22	6:A:509:RB7:BR	2.27	0.90
1:B:146:ILE:HD11	6:B:506:RB7:BR	2.29	0.88
1:C:146:ILE:HD11	6:C:513:RB7:BR	2.31	0.85
1:C:120:ILE:HG21	1:C:146:ILE:HD12	1.63	0.80
1:C:189:ASN:HA	1:C:194:LYS:HD2	1.65	0.78
1:C:132:ASP:HB2	8:C:765:HOH:O	1.86	0.74
1:B:117:GLU:HB2	6:B:506:RB7:BR	2.41	0.74
1:D:189:ASN:HA	1:D:194:LYS:HD2	1.71	0.72
1:B:323:HIS:HA	1:B:373:LEU:HD21	1.71	0.71
1:D:117:GLU:O	1:D:121:GLU:HG2	1.93	0.69
1:A:283:ILE:HG23	1:A:288:LEU:HD12	1.77	0.66
1:A:290:LYS:HD2	8:A:668:HOH:O	1.96	0.65

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:195:SER:O	1:C:199:ASN:HB2	1.99	0.63
1:C:204[B]:ARG:HA	1:C:239:SER:HB2	1.79	0.63
1:C:204[A]:ARG:HA	1:C:239:SER:HB2	1.80	0.62
1:A:186:ILE:HG13	1:A:401:LEU:HD11	1.82	0.62
1:D:314:LYS:HG3	5:D:505:PO4:O2	2.00	0.61
1:D:142:ASP:HB2	8:D:658:HOH:O	2.00	0.61
1:D:55:LYS:HE2	8:D:620:HOH:O	1.99	0.60
1:A:409:LEU:HD22	1:A:413:GLU:CB	2.32	0.60
1:B:189:ASN:HA	1:B:194:LYS:HD2	1.82	0.60
1:B:399:ILE:O	1:B:403:GLU:HG2	2.02	0.60
1:A:196:LYS:HD2	8:D:624:HOH:O	2.02	0.60
1:B:204:ARG:HA	1:B:239:SER:HB2	1.84	0.59
1:D:400:HIS:HB2	6:D:510:RB7:C7	2.33	0.58
1:C:157:ARG:HG3	8:C:683:HOH:O	2.03	0.58
1:A:409:LEU:HB3	1:A:413:GLU:HB2	1.86	0.58
1:B:322:GLY:O	1:B:373:LEU:HD23	2.05	0.57
1:C:118:TRP:O	1:C:122:GLN:HG2	2.04	0.57
1:B:145:GLU:OE1	1:B:171:ARG:NH2	2.37	0.57
5:C:505:PO4:O3	1:D:360:HIS:NE2	2.33	0.57
1:C:121[B]:GLU:OE2	1:C:150:LYS:NZ	2.36	0.56
1:C:205:HIS:CD2	1:C:383:PRO:HD3	2.41	0.56
1:A:189:ASN:HA	1:A:194:LYS:HD2	1.89	0.55
1:A:323:HIS:HA	1:A:373:LEU:HD21	1.89	0.55
1:A:124:ILE:HG23	1:A:154:MET:SD	2.47	0.55
1:A:283:ILE:CG2	1:A:288:LEU:HD12	2.37	0.55
1:B:315:ARG:NH1	1:B:362:ASP:HB2	2.20	0.55
1:D:186:ILE:HG13	1:D:401:LEU:HD11	1.89	0.55
1:C:146:ILE:CD1	6:C:513:RB7:BR	3.06	0.54
1:A:410:PRO:HD2	1:A:413:GLU:HG2	1.90	0.54
1:C:48[B]:GLN:HG3	1:C:50:PRO:HD3	1.88	0.54
1:A:204[B]:ARG:HA	1:A:239:SER:HB2	1.89	0.54
1:B:64:ILE:HD13	1:B:94:ALA:HB2	1.90	0.54
1:A:108:TRP:CE2	1:A:111:GLU:HG2	2.43	0.54
1:B:42:ARG:HG2	1:B:72:THR:HG23	1.91	0.53
1:C:48[B]:GLN:CG	1:C:50:PRO:HD3	2.38	0.53
1:C:121[B]:GLU:OE1	1:C:151:TYR:OH	2.22	0.53
1:A:142:ASP:O	1:A:146:ILE:HD12	2.08	0.53
1:C:429:GLU:OE1	1:C:461:PRO:HA	2.08	0.53
1:D:296:THR:OG1	1:D:320:ASN:HB2	2.09	0.52
1:A:409:LEU:HD22	1:A:413:GLU:HB2	1.91	0.52
1:A:204[A]:ARG:HA	1:A:239:SER:HB2	1.91	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:204[B]:ARG:HD3	1:C:238[B]:GLN:OE1	2.09	0.51
1:C:117:GLU:HB3	6:C:513:RB7:BR	2.66	0.51
1:B:196[B]:LYS:HE2	1:B:231:ASP:OD2	2.11	0.51
1:B:186:ILE:HG12	1:B:401:LEU:HD11	1.93	0.50
1:C:373:LEU:HD22	2:C:501:NAD:N7N	2.27	0.50
1:D:204:ARG:HA	1:D:239:SER:HB2	1.93	0.50
1:A:117:GLU:HB2	6:A:510:RB7:BR	2.67	0.50
1:B:433:LEU:HG	1:B:437:LYS:HE3	1.93	0.50
1:A:186:ILE:HG13	1:A:401:LEU:CD1	2.41	0.50
1:B:28:LEU:HD23	1:B:64:ILE:HG23	1.94	0.50
1:D:413:GLU:OE1	1:D:417:ARG:NH1	2.42	0.50
1:A:410:PRO:HD2	1:A:413:GLU:CG	2.41	0.50
1:B:146:ILE:CD1	6:B:506:RB7:BR	3.09	0.49
1:A:14:LYS:HG3	1:A:108:TRP:CZ3	2.47	0.49
1:B:343:LYS:HB2	1:B:344:PRO:CD	2.43	0.49
1:C:351:ARG:NH2	5:C:509:PO4:O3	2.45	0.49
1:D:400:HIS:HB2	6:D:510:RB7:N	2.27	0.49
1:A:340:GLU:HG3	1:A:357:PHE:CZ	2.47	0.49
1:A:108:TRP:CE2	6:A:512:RB7:C10	2.96	0.48
1:A:177:LYS:HE3	1:A:177:LYS:HB2	1.60	0.48
1:A:206:SER:HB2	1:A:375:ASN:HB2	1.94	0.48
1:B:277:ASP:OD1	1:B:282:SER:HB3	2.13	0.48
1:D:343:LYS:HB2	1:D:344:PRO:HD2	1.94	0.48
1:B:383:PRO:HA	8:B:626:HOH:O	2.14	0.48
1:C:283:ILE:HG13	1:C:307:ASN:HB3	1.96	0.48
1:A:426:LYS:O	1:A:430:GLU:HG3	2.14	0.47
1:C:290:LYS:HD2	8:C:798:HOH:O	2.14	0.47
1:C:302:ASN:OD1	1:C:329:ASP:HB2	2.15	0.47
1:A:195:SER:O	1:A:199:ASN:HB2	2.14	0.47
1:B:302:ASN:OD1	1:B:329:ASP:HB2	2.15	0.47
1:C:55:LYS:HD2	1:C:132:ASP:O	2.15	0.47
1:A:429:GLU:OE1	1:A:461:PRO:HA	2.15	0.46
1:B:66:THR:O	1:B:70:ILE:HG13	2.15	0.46
1:B:444:THR:O	1:C:252:VAL:HG12	2.14	0.46
1:B:290:LYS:HB3	1:B:290:LYS:HE3	1.75	0.46
1:D:15:VAL:HB	8:D:759:HOH:O	2.15	0.46
1:D:429:GLU:OE1	1:D:461:PRO:HA	2.15	0.46
1:B:182:LYS:HE2	1:B:182:LYS:HA	1.97	0.46
1:C:404:GLN:OE1	1:C:417:ARG:HD3	2.16	0.46
1:D:14:LYS:HD2	1:D:14:LYS:HA	1.79	0.45
1:C:322:GLY:HA3	1:C:327:GLU:OE2	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:343:LYS:HB2	1:B:344:PRO:HD2	1.99	0.45
1:A:146:ILE:HD11	6:A:510:RB7:BR	2.72	0.44
1:A:38:LEU:HD12	1:A:38:LEU:HA	1.80	0.44
1:B:207:LEU:HD22	1:B:236:SER:HB3	1.99	0.44
1:C:65:GLN:HG3	1:C:384:SER:HA	1.99	0.44
1:A:159:HIS:ND1	1:A:405:LYS:HA	2.32	0.44
1:C:44:LYS:O	1:C:44:LYS:HG2	2.18	0.44
1:C:337:TRP:CD1	1:C:351:ARG:HA	2.53	0.44
1:D:155:LEU:HA	1:D:158:ILE:HD12	2.00	0.44
1:A:468:ARG:HB2	1:D:196:LYS:HE3	1.99	0.44
1:A:39[B]:MET:O	1:A:43:ARG:HG3	2.17	0.44
1:C:72:THR:O	1:C:76:LEU:HG	2.18	0.43
1:C:124:ILE:HG23	1:C:154:MET:SD	2.58	0.43
1:C:343:LYS:HB2	1:C:344:PRO:HD2	1.99	0.43
1:B:58:GLY:HA3	1:B:82:TRP:CZ3	2.53	0.43
1:B:204:ARG:HD3	8:B:616:HOH:O	2.19	0.43
1:A:146:ILE:HD11	6:A:510:RB7:C5	2.49	0.43
1:C:421:GLU:HG3	8:C:778:HOH:O	2.18	0.43
1:D:219:LEU:O	1:D:245:MET:HG2	2.19	0.43
1:A:189:ASN:O	1:A:195:SER:HB3	2.18	0.42
1:A:424:PRO:HD2	1:A:427:LEU:HD12	2.01	0.42
1:D:283:ILE:HG13	1:D:307:ASN:HB3	2.01	0.42
1:A:343:LYS:HB2	1:A:344:PRO:HD2	2.02	0.42
1:B:41:LEU:HD23	1:B:41:LEU:HA	1.82	0.42
1:B:289:GLY:O	1:B:313:LYS:HB2	2.20	0.42
1:A:409:LEU:HD22	1:A:413:GLU:HB3	2.01	0.42
1:C:60:ILE:O	1:C:61:HIS:C	2.58	0.42
1:A:348:LYS:HA	1:A:365:LEU:O	2.20	0.41
1:C:463:LYS:HE2	1:C:467:TYR:CE2	2.55	0.41
1:A:417:ARG:HG3	1:A:417:ARG:O	2.19	0.41
1:B:339:TRP:CE2	1:B:349:ILE:HD12	2.55	0.41
1:D:424:PRO:HD2	1:D:427:LEU:HD12	2.02	0.41
1:C:142:ASP:O	1:C:146:ILE:HG13	2.20	0.41
1:C:164:GLU:O	1:C:164:GLU:HG3	2.19	0.41
1:D:108:TRP:O	1:D:111:GLU:HG3	2.20	0.41
1:B:322:GLY:HA3	1:B:327:GLU:OE2	2.20	0.41
1:A:290:LYS:HB3	1:A:290:LYS:HE3	1.78	0.41
1:C:449:LYS:HA	1:C:449:LYS:HD3	1.36	0.41
1:A:467:TYR:OH	2:D:501:NAD:O2A	2.28	0.41
1:D:183:VAL:HB	1:D:184:PRO:HD2	2.03	0.41
1:B:69:LEU:HB2	1:B:391:PHE:CD2	2.56	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:195:SER:O	1:D:199:ASN:HB2	2.21	0.41
1:A:413:GLU:HA	1:A:413:GLU:OE1	2.21	0.41
1:C:52:LYS:HE2	1:C:52:LYS:HB2	1.69	0.41
1:B:172:LEU:HA	1:B:175:MET:HE3	2.02	0.40
1:C:142:ASP:HB2	8:C:688:HOH:O	2.20	0.40
1:C:188:VAL:HG13	1:C:393:ASN:HB3	2.03	0.40
1:A:460:GLY:HA2	1:A:461:PRO:C	2.41	0.40
1:B:51:LEU:HA	1:B:51:LEU:HD23	1.86	0.40
1:C:246:ILE:HD12	1:C:246:ILE:N	2.35	0.40
1:B:31:ALA:O	1:B:35:MET:HG3	2.21	0.40
1:B:232:VAL:HG12	1:B:297:THR:HB	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	466/472 (99%)	448 (96%)	18 (4%)	0	100	100
1	B	463/472 (98%)	450 (97%)	13 (3%)	0	100	100
1	C	470/472 (100%)	456 (97%)	13 (3%)	1 (0%)	47	45
1	D	464/472 (98%)	451 (97%)	13 (3%)	0	100	100
All	All	1863/1888 (99%)	1805 (97%)	57 (3%)	1 (0%)	51	51

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	373	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	383/385 (100%)	379 (99%)	4 (1%)	76	79
1	B	381/385 (99%)	379 (100%)	2 (0%)	88	91
1	C	387/385 (100%)	380 (98%)	7 (2%)	59	60
1	D	381/385 (99%)	378 (99%)	3 (1%)	81	85
All	All	1532/1540 (100%)	1516 (99%)	16 (1%)	76	79

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	186	ILE
1	A	217	HIS
1	A	220	SER
1	A	423	LEU
1	B	220	SER
1	B	400	HIS
1	C	52	LYS
1	C	145	GLU
1	C	196[A]	LYS
1	C	196[B]	LYS
1	C	198	ASP
1	C	220	SER
1	C	449	LYS
1	D	220	SER
1	D	352	THR
1	D	373	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 43 ligands modelled in this entry, 4 are monoatomic - leaving 39 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	PO4	D	508	-	4,4,4	0.73	0	6,6,6	0.69	0
5	PO4	C	506	-	4,4,4	0.84	0	6,6,6	0.64	0
6	RB7	D	510	-	16,16,16	1.27	3 (18%)	22,22,22	2.33	8 (36%)
5	PO4	A	507	-	4,4,4	0.64	0	6,6,6	0.90	0
5	PO4	D	506	-	4,4,4	0.67	0	6,6,6	0.59	0
5	PO4	A	506	-	4,4,4	0.82	0	6,6,6	0.54	0
6	RB7	B	507	-	16,16,16	1.28	3 (18%)	22,22,22	2.28	5 (22%)
2	NAD	B	501	-	42,48,48	0.59	0	50,73,73	0.76	1 (2%)
5	PO4	C	508	-	4,4,4	0.73	0	6,6,6	0.49	0
3	ADE	C	502	-	9,11,11	1.31	2 (22%)	7,15,15	1.18	1 (14%)
3	ADE	B	502	-	9,11,11	1.08	1 (11%)	7,15,15	1.09	0
6	RB7	A	511	-	16,16,16	1.28	2 (12%)	22,22,22	2.19	6 (27%)
6	RB7	A	512	-	16,16,16	1.19	2 (12%)	22,22,22	2.75	6 (27%)
5	PO4	B	505	-	4,4,4	0.70	0	6,6,6	0.92	0
6	RB7	C	513	-	16,16,16	1.12	1 (6%)	22,22,22	2.37	7 (31%)
7	DMS	D	503	-	3,3,3	0.74	0	3,3,3	1.10	0
6	RB7	D	509	-	16,16,16	1.22	1 (6%)	22,22,22	2.74	6 (27%)
2	NAD	A	501	-	42,48,48	0.62	0	50,73,73	0.77	1 (2%)
3	ADE	D	502	-	9,11,11	1.04	1 (11%)	7,15,15	1.21	1 (14%)
5	PO4	C	505	-	4,4,4	1.09	0	6,6,6	0.33	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	RB7	C	510	-	16,16,16	1.28	1 (6%)	22,22,22	2.46	7 (31%)
5	PO4	C	509	-	4,4,4	1.02	0	6,6,6	0.79	0
5	PO4	D	505	-	4,4,4	0.90	0	6,6,6	0.79	0
5	PO4	C	507	-	4,4,4	0.94	0	6,6,6	0.51	0
6	RB7	A	510	-	16,16,16	1.07	1 (6%)	22,22,22	2.58	7 (31%)
5	PO4	A	504	-	4,4,4	0.76	0	6,6,6	0.45	0
6	RB7	B	506	-	16,16,16	1.07	0	22,22,22	2.65	8 (36%)
7	DMS	C	503	-	3,3,3	0.83	0	3,3,3	0.85	0
6	RB7	C	511	-	16,16,16	1.32	1 (6%)	22,22,22	2.45	4 (18%)
5	PO4	B	504	-	4,4,4	0.98	0	6,6,6	0.35	0
6	RB7	C	512	-	16,16,16	1.32	1 (6%)	22,22,22	2.45	6 (27%)
2	NAD	D	501	-	42,48,48	0.58	0	50,73,73	0.83	0
6	RB7	A	508	-	16,16,16	1.25	1 (6%)	22,22,22	2.62	10 (45%)
6	RB7	D	511	-	16,16,16	1.37	2 (12%)	22,22,22	2.56	6 (27%)
6	RB7	A	509	-	16,16,16	1.20	1 (6%)	22,22,22	2.96	5 (22%)
2	NAD	C	501	-	42,48,48	0.59	0	50,73,73	0.77	0
5	PO4	A	505	-	4,4,4	1.02	0	6,6,6	0.67	0
3	ADE	A	502	-	9,11,11	1.10	1 (11%)	7,15,15	1.15	1 (14%)
5	PO4	D	507	-	4,4,4	0.74	0	6,6,6	1.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	RB7	D	510	-	-	5/8/8/8	0/1/1/1
6	RB7	B	507	-	-	2/8/8/8	0/1/1/1
2	NAD	B	501	-	-	5/26/62/62	0/5/5/5
3	ADE	C	502	-	-	-	0/2/2/2
3	ADE	B	502	-	-	-	0/2/2/2
6	RB7	A	511	-	-	3/8/8/8	0/1/1/1
6	RB7	A	512	-	-	4/8/8/8	0/1/1/1
6	RB7	C	513	-	-	2/8/8/8	0/1/1/1
6	RB7	D	509	-	-	3/8/8/8	0/1/1/1
2	NAD	A	501	-	-	5/26/62/62	0/5/5/5
3	ADE	D	502	-	-	-	0/2/2/2
6	RB7	C	510	-	-	5/8/8/8	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	RB7	A	510	-	-	2/8/8/8	0/1/1/1
6	RB7	B	506	-	-	0/8/8/8	0/1/1/1
6	RB7	C	511	-	-	4/8/8/8	0/1/1/1
6	RB7	C	512	-	-	1/8/8/8	0/1/1/1
6	RB7	A	508	-	-	1/8/8/8	0/1/1/1
2	NAD	D	501	-	-	5/26/62/62	0/5/5/5
6	RB7	D	511	-	-	2/8/8/8	0/1/1/1
6	RB7	A	509	-	-	2/8/8/8	0/1/1/1
2	NAD	C	501	-	-	5/26/62/62	0/5/5/5
3	ADE	A	502	-	-	-	0/2/2/2

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	511	RB7	C9-S	3.80	1.83	1.78
6	D	511	RB7	C9-S	3.52	1.83	1.78
6	A	509	RB7	C9-S	3.43	1.83	1.78
6	C	512	RB7	C9-S	3.42	1.83	1.78
6	C	510	RB7	C9-S	3.37	1.82	1.78
6	A	508	RB7	C9-S	3.18	1.82	1.78
6	D	510	RB7	BR-C6	3.09	1.96	1.89
6	D	509	RB7	C9-S	3.09	1.82	1.78
6	A	511	RB7	C9-S	3.04	1.82	1.78
6	B	507	RB7	C9-S	2.96	1.82	1.78
3	C	502	ADE	C4-N3	-2.79	1.33	1.37
6	A	512	RB7	BR-C6	2.74	1.96	1.89
3	A	502	ADE	C4-N3	-2.61	1.33	1.37
6	D	511	RB7	BR-C6	2.56	1.95	1.89
3	B	502	ADE	C4-N3	-2.54	1.33	1.37
6	C	513	RB7	C9-S	2.53	1.81	1.78
3	C	502	ADE	C4-N9	2.50	1.39	1.34
6	A	512	RB7	C9-S	2.48	1.81	1.78
6	D	510	RB7	C9-S	2.41	1.81	1.78
6	A	511	RB7	BR-C6	2.37	1.95	1.89
6	B	507	RB7	BR-C6	2.37	1.95	1.89
3	D	502	ADE	C4-N3	-2.21	1.34	1.37
6	D	510	RB7	C10-S	2.05	1.83	1.75
6	A	510	RB7	C9-S	2.04	1.81	1.78
6	B	507	RB7	C10-S	2.01	1.82	1.75

All (96) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	509	RB7	O-S-C9	9.07	114.69	108.34
6	D	509	RB7	O-S-O1	-8.63	98.64	117.09
6	A	509	RB7	O-S-O1	-8.50	98.92	117.09
6	D	511	RB7	O-S-O1	-8.25	99.46	117.09
6	B	506	RB7	O-S-O1	-8.03	99.92	117.09
6	C	512	RB7	O-S-O1	-7.75	100.53	117.09
6	C	511	RB7	O-S-O1	-7.59	100.86	117.09
6	C	510	RB7	O-S-O1	-7.34	101.39	117.09
6	A	512	RB7	O-S-O1	-7.23	101.64	117.09
6	B	507	RB7	O-S-O1	-7.20	101.69	117.09
6	A	508	RB7	O-S-O1	-7.14	101.83	117.09
6	A	511	RB7	O-S-O1	-7.12	101.87	117.09
6	A	510	RB7	O-S-O1	-6.74	102.69	117.09
6	D	510	RB7	O-S-O1	-6.65	102.88	117.09
6	C	513	RB7	O-S-O1	-6.25	103.74	117.09
6	C	511	RB7	O1-S-C9	6.14	112.65	108.34
6	C	513	RB7	O-S-C9	6.05	112.58	108.34
6	A	512	RB7	O1-S-C9	5.93	112.50	108.34
6	C	512	RB7	O-S-C9	5.67	112.32	108.34
6	A	510	RB7	O1-S-C9	5.62	112.28	108.34
6	A	512	RB7	O-S-C9	5.34	112.08	108.34
6	D	511	RB7	O-S-C9	5.12	111.93	108.34
6	A	512	RB7	O1-S-C10	4.95	113.88	108.91
6	C	510	RB7	O1-S-C9	4.87	111.75	108.34
6	B	506	RB7	O1-S-C10	4.63	113.56	108.91
6	B	507	RB7	O-S-C9	4.45	111.46	108.34
6	D	509	RB7	O1-S-C9	4.45	111.46	108.34
6	A	508	RB7	O-S-C9	4.38	111.41	108.34
6	D	511	RB7	O1-S-C9	4.15	111.25	108.34
6	A	510	RB7	O-S-C9	4.14	111.24	108.34
6	B	506	RB7	O1-S-C9	4.00	111.14	108.34
6	C	511	RB7	O-S-C9	3.80	111.01	108.34
6	A	511	RB7	O-S-C9	3.75	110.97	108.34
6	D	510	RB7	C8-C9-S	-3.53	104.76	112.25
6	D	509	RB7	O-S-C9	3.51	110.80	108.34
6	D	509	RB7	O-S-C10	3.44	112.37	108.91
6	D	510	RB7	O1-S-C10	3.31	112.24	108.91
6	B	506	RB7	O-S-C9	3.21	110.59	108.34
6	D	510	RB7	C1-C2-C3	-3.18	118.53	122.21
6	C	510	RB7	O-S-C10	3.17	112.09	108.91
6	D	509	RB7	BR-C6-C5	3.17	123.97	117.81
6	A	509	RB7	C1-C2-C3	-3.17	118.55	122.21
6	A	508	RB7	O1-S-C9	3.16	110.56	108.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	507	RB7	O1-S-C10	3.15	112.08	108.91
6	C	510	RB7	O-S-C9	3.13	110.54	108.34
6	A	508	RB7	C1-C2-C3	-3.09	118.64	122.21
6	D	509	RB7	O1-S-C10	3.08	112.00	108.91
6	C	513	RB7	O-S-C10	3.06	111.98	108.91
6	A	510	RB7	O1-S-C10	3.06	111.98	108.91
6	A	511	RB7	O1-S-C10	3.02	111.94	108.91
6	A	509	RB7	O1-S-C10	2.96	111.88	108.91
6	A	508	RB7	C-C1-C2	2.96	124.95	119.49
6	B	506	RB7	O-S-C10	2.89	111.81	108.91
6	D	510	RB7	O-S-C9	2.89	110.37	108.34
6	A	511	RB7	O1-S-C9	2.86	110.35	108.34
6	D	511	RB7	O1-S-C10	2.80	111.73	108.91
6	A	508	RB7	O-S-C10	2.77	111.69	108.91
6	A	510	RB7	O-S-C10	2.76	111.68	108.91
6	D	511	RB7	O-S-C10	2.69	111.61	108.91
6	B	506	RB7	C1-C2-C3	-2.68	119.11	122.21
6	C	513	RB7	O1-S-C10	2.66	111.58	108.91
6	A	510	RB7	C1-C2-C3	-2.65	119.14	122.21
6	B	507	RB7	C2-C1-C6	2.64	120.88	116.87
6	A	508	RB7	O1-S-C10	2.61	111.53	108.91
6	C	513	RB7	C1-C2-C3	-2.57	119.24	122.21
6	D	510	RB7	C4-C3-C2	2.56	122.12	118.54
6	A	508	RB7	C4-C3-C2	2.55	122.11	118.54
6	C	512	RB7	O1-S-C10	2.52	111.44	108.91
6	C	510	RB7	C1-C2-C3	-2.52	119.30	122.21
6	D	510	RB7	C2-C1-C6	2.51	120.68	116.87
6	A	508	RB7	C7-C3-C4	-2.48	115.77	120.91
6	A	508	RB7	C8-C9-S	-2.47	107.02	112.25
6	B	507	RB7	C1-C2-C3	-2.34	119.50	122.21
6	C	512	RB7	O1-S-C9	2.33	109.98	108.34
3	C	502	ADE	C5-C6-N6	2.33	123.89	120.35
3	D	502	ADE	C5-C6-N6	2.33	123.89	120.35
6	C	512	RB7	C1-C2-C3	-2.31	119.54	122.21
6	C	513	RB7	C7-N-C8	-2.31	105.50	113.41
6	A	511	RB7	C1-C2-C3	-2.28	119.57	122.21
6	C	510	RB7	O1-S-C10	2.28	111.20	108.91
6	D	510	RB7	BR-C6-C5	2.26	122.21	117.81
6	A	512	RB7	C1-C2-C3	-2.23	119.63	122.21
6	B	506	RB7	C4-C3-C2	2.18	121.60	118.54
2	A	501	NAD	C5A-C6A-N6A	2.18	123.66	120.35
6	C	512	RB7	O-S-C10	2.17	111.08	108.91

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	513	RB7	C4-C3-C2	2.16	121.56	118.54
2	B	501	NAD	C5A-C6A-N6A	2.15	123.62	120.35
6	C	510	RB7	C-C1-C2	2.10	123.37	119.49
6	A	512	RB7	C2-C1-C6	2.09	120.05	116.87
6	C	511	RB7	O-S-C10	2.08	110.99	108.91
6	A	511	RB7	C2-C1-C6	2.08	120.02	116.87
6	A	509	RB7	C2-C1-C6	2.07	120.01	116.87
6	D	511	RB7	C1-C2-C3	-2.06	119.83	122.21
6	A	510	RB7	C4-C3-C2	2.04	121.40	118.54
6	B	506	RB7	C7-N-C8	-2.03	106.45	113.41
3	A	502	ADE	C5-C6-N6	2.00	123.39	120.35

There are no chirality outliers.

All (56) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAD	O4D-C1D-N1N-C2N
2	A	501	NAD	O4D-C1D-N1N-C6N
2	A	501	NAD	C2D-C1D-N1N-C2N
2	A	501	NAD	C2D-C1D-N1N-C6N
2	B	501	NAD	O4D-C1D-N1N-C2N
2	B	501	NAD	O4D-C1D-N1N-C6N
2	B	501	NAD	C2D-C1D-N1N-C2N
2	B	501	NAD	C2D-C1D-N1N-C6N
2	C	501	NAD	O4D-C1D-N1N-C2N
2	C	501	NAD	O4D-C1D-N1N-C6N
2	C	501	NAD	C2D-C1D-N1N-C2N
2	C	501	NAD	C2D-C1D-N1N-C6N
2	D	501	NAD	O4D-C1D-N1N-C2N
2	D	501	NAD	O4D-C1D-N1N-C6N
2	D	501	NAD	C2D-C1D-N1N-C2N
2	D	501	NAD	C2D-C1D-N1N-C6N
6	A	509	RB7	N-C8-C9-S
6	A	510	RB7	C8-C9-S-O1
6	A	512	RB7	C8-C9-S-C10
6	A	512	RB7	C8-C9-S-O1
6	C	510	RB7	N-C8-C9-S
6	C	510	RB7	C8-C9-S-C10
6	C	510	RB7	C8-C9-S-O1
6	C	510	RB7	C8-C9-S-O
6	C	511	RB7	C8-C9-S-C10
6	C	511	RB7	C8-C9-S-O1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	C	511	RB7	C8-C9-S-O
6	C	513	RB7	C8-C9-S-O1
6	D	509	RB7	C8-C9-S-C10
6	D	509	RB7	C8-C9-S-O1
6	D	510	RB7	N-C8-C9-S
6	D	510	RB7	C8-C9-S-C10
6	D	510	RB7	C8-C9-S-O1
6	D	510	RB7	C8-C9-S-O
6	A	509	RB7	C3-C7-N-C8
6	B	507	RB7	C3-C7-N-C8
6	A	510	RB7	C9-C8-N-C7
6	C	513	RB7	C9-C8-N-C7
6	D	509	RB7	C9-C8-N-C7
6	A	512	RB7	C3-C7-N-C8
6	D	511	RB7	C3-C7-N-C8
6	A	511	RB7	C9-C8-N-C7
6	D	510	RB7	C9-C8-N-C7
6	A	512	RB7	C9-C8-N-C7
6	A	508	RB7	C8-C9-S-C10
6	A	511	RB7	C8-C9-S-C10
6	C	511	RB7	C3-C7-N-C8
6	C	512	RB7	C9-C8-N-C7
6	D	511	RB7	C9-C8-N-C7
6	A	511	RB7	C8-C9-S-O
6	B	507	RB7	C8-C9-S-C10
2	D	501	NAD	O4B-C4B-C5B-O5B
6	C	510	RB7	C9-C8-N-C7
2	A	501	NAD	O4B-C4B-C5B-O5B
2	C	501	NAD	O4B-C4B-C5B-O5B
2	B	501	NAD	O4B-C4B-C5B-O5B

There are no ring outliers.

11 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	510	RB7	2	0
6	A	512	RB7	1	0
6	C	513	RB7	3	0
5	C	505	PO4	1	0
5	C	509	PO4	1	0
5	D	505	PO4	1	0
6	A	510	RB7	3	0


*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	506	RB7	3	0
2	D	501	NAD	1	0
6	A	509	RB7	1	0
2	C	501	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	462/472 (97%)	0.40	45 (9%) <b>7</b> <b>10</b>	31, 45, 65, 109	0
1	B	461/472 (97%)	0.45	42 (9%) <b>9</b> <b>12</b>	29, 45, 72, 93	0
1	C	462/472 (97%)	0.40	38 (8%) <b>11</b> <b>15</b>	32, 44, 69, 98	0
1	D	461/472 (97%)	0.46	45 (9%) <b>7</b> <b>10</b>	31, 45, 66, 90	0
All	All	1846/1888 (97%)	0.43	170 (9%) <b>9</b> <b>12</b>	29, 45, 68, 109	0

All (170) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	9	GLY	4.5
1	C	355	ASP	4.5
1	A	356	GLY	4.5
1	B	10	PHE	4.4
1	C	204[A]	ARG	4.4
1	D	355	ASP	4.2
1	B	413	GLU	4.1
1	A	355	ASP	4.0
1	A	204[A]	ARG	3.9
1	C	356	GLY	3.9
1	A	409	LEU	3.8
1	B	9	GLY	3.7
1	C	412	ALA	3.7
1	C	9	GLY	3.6
1	B	264	GLY	3.6
1	D	409	LEU	3.5
1	A	249	VAL	3.5
1	D	354	LYS	3.5
1	A	43	ARG	3.5
1	B	247	VAL	3.4
1	C	196[A]	LYS	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	8	ALA	3.4
1	C	352	THR	3.4
1	C	146	ILE	3.4
1	A	357	PHE	3.4
1	A	129	GLN	3.4
1	D	265	PHE	3.3
1	A	229	TYR	3.2
1	B	196[A]	LYS	3.2
1	C	410	PRO	3.2
1	A	354	LYS	3.2
1	C	357	PHE	3.2
1	B	353	GLY	3.1
1	B	258[A]	MET	3.1
1	A	232	VAL	3.1
1	D	417	ARG	3.1
1	D	247	VAL	3.1
1	D	219	LEU	3.0
1	B	265	PHE	3.0
1	D	357	PHE	3.0
1	B	219	LEU	3.0
1	D	406	TYR	3.0
1	C	22	ALA	3.0
1	C	335	LYS	3.0
1	A	265	PHE	2.9
1	B	201	TYR	2.9
1	B	179	GLY	2.9
1	B	244	GLY	2.9
1	B	412	ALA	2.9
1	D	264	GLY	2.9
1	C	240	LEU	2.9
1	D	260	ALA	2.8
1	D	201	TYR	2.8
1	A	240	LEU	2.8
1	B	218	LEU	2.8
1	B	232	VAL	2.8
1	A	234	LYS	2.8
1	A	242	GLN	2.8
1	B	241	ARG	2.8
1	C	241	ARG	2.8
1	C	353	GLY	2.8
1	B	240	LEU	2.8
1	C	201	TYR	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	409	LEU	2.7
1	C	331	ALA	2.7
1	A	236	SER	2.7
1	D	240	LEU	2.7
1	C	10	PHE	2.7
1	B	358	ASP	2.6
1	D	237	SER	2.6
1	B	131	TRP	2.6
1	D	356	GLY	2.6
1	A	153	GLN	2.6
1	C	242	GLN	2.6
1	A	235	GLY	2.6
1	B	246	ILE	2.5
1	B	207	LEU	2.5
1	A	207	LEU	2.5
1	B	238	GLN	2.5
1	D	204	ARG	2.5
1	D	411	ALA	2.5
1	A	262	MET	2.5
1	B	352	THR	2.5
1	D	261	CYS	2.5
1	C	219	LEU	2.5
1	D	241	ARG	2.5
1	D	218	LEU	2.4
1	C	192	VAL	2.4
1	D	179	GLY	2.4
1	D	246	ILE	2.4
1	D	207	LEU	2.4
1	B	263	ASP	2.4
1	A	261	CYS	2.4
1	D	229	TYR	2.4
1	B	357	PHE	2.4
1	D	332	PHE	2.4
1	D	153	GLN	2.4
1	A	258[A]	MET	2.4
1	D	9	GLY	2.4
1	A	412	ALA	2.4
1	D	238	GLN	2.4
1	D	235	GLY	2.4
1	A	338	ALA	2.3
1	B	200	LYS	2.3
1	A	256	CYS	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	237	SER	2.3
1	B	407	ALA	2.3
1	D	178	ASN	2.3
1	B	237	SER	2.3
1	D	192	VAL	2.3
1	A	8	ALA	2.3
1	D	412	ALA	2.3
1	A	219	LEU	2.3
1	C	47	GLY	2.3
1	A	359	ALA	2.2
1	D	177	LYS	2.2
1	A	358	ASP	2.2
1	B	249	VAL	2.2
1	D	234	LYS	2.2
1	A	146	ILE	2.2
1	B	406	TYR	2.2
1	D	336	ASN	2.2
1	D	361	ASN	2.2
1	A	353	GLY	2.2
1	C	282	SER	2.2
1	D	244	GLY	2.2
1	A	352	THR	2.2
1	C	417	ARG	2.2
1	B	418	LEU	2.2
1	A	228	GLY	2.2
1	B	335	LYS	2.2
1	D	338	ALA	2.2
1	C	386	ILE	2.2
1	C	263	ASP	2.2
1	D	339	TRP	2.2
1	B	119	CYS	2.2
1	D	352	THR	2.2
1	C	354	LYS	2.2
1	B	153	GLN	2.1
1	B	118	TRP	2.1
1	B	226	VAL	2.1
1	C	264	GLY	2.1
1	C	153[A]	GLN	2.1
1	D	358	ASP	2.1
1	C	235	GLY	2.1
1	A	335	LYS	2.1
1	D	263	ASP	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	241	ARG	2.1
1	D	232	VAL	2.1
1	A	100	ALA	2.1
1	A	201	TYR	2.1
1	C	21	ALA	2.1
1	B	203	CYS	2.1
1	A	263	ASP	2.1
1	A	226	VAL	2.1
1	C	279	THR	2.1
1	B	256	CYS	2.1
1	C	416	LYS	2.0
1	A	233	GLY	2.0
1	C	244	GLY	2.0
1	A	239	SER	2.0
1	C	129	GLN	2.0
1	C	276	ASN	2.0
1	D	258[A]	MET	2.0
1	B	181	LEU	2.0
1	B	411	ALA	2.0
1	A	244	GLY	2.0
1	D	233	GLY	2.0
1	A	224	ALA	2.0
1	B	355	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

*Continued on next page...*



*Continued from previous page...*


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	RB7	D	510	16/16	0.63	0.31	43,59,89,122	16
6	RB7	A	508	16/16	0.75	0.25	41,57,97,101	16
6	RB7	A	512	16/16	0.76	0.28	57,71,83,93	32
5	PO4	D	508	5/5	0.81	0.22	45,46,55,59	5
6	RB7	D	511	16/16	0.84	0.27	62,75,92,93	32
6	RB7	C	512	16/16	0.87	0.28	71,88,108,114	32
6	RB7	A	509	16/16	0.88	0.20	49,69,81,83	16
5	PO4	C	507	5/5	0.88	0.25	50,50,55,58	5
6	RB7	C	510	16/16	0.88	0.19	49,59,81,83	16
6	RB7	C	511	16/16	0.89	0.24	49,61,97,98	16
6	RB7	B	507	16/16	0.89	0.24	62,83,116,116	32
7	DMS	C	503	4/4	0.89	0.17	44,47,64,69	0
6	RB7	C	513	16/16	0.90	0.19	62,75,89,89	32
6	RB7	A	511	16/16	0.90	0.25	63,79,99,99	32
5	PO4	B	504	5/5	0.92	0.26	41,43,44,48	5
6	RB7	A	510	16/16	0.93	0.17	57,68,79,79	32
5	PO4	C	508	5/5	0.93	0.15	44,48,56,57	5
5	PO4	A	505	5/5	0.93	0.20	48,48,50,52	5
6	RB7	B	506	16/16	0.93	0.14	56,67,73,74	32
5	PO4	C	509	5/5	0.94	0.20	46,46,50,52	5
7	DMS	D	503	4/4	0.94	0.19	45,49,53,64	4
5	PO4	B	505	5/5	0.95	0.17	35,41,43,47	0
6	RB7	D	509	16/16	0.95	0.12	52,59,62,71	16
5	PO4	C	505	5/5	0.95	0.16	45,46,51,54	5
2	NAD	C	501	44/44	0.96	0.10	32,38,41,42	0
5	PO4	D	505	5/5	0.96	0.15	41,47,48,53	5
5	PO4	D	506	5/5	0.96	0.20	51,55,61,64	0
3	ADE	A	502	10/10	0.96	0.14	38,40,42,44	0
5	PO4	A	504	5/5	0.96	0.34	61,63,68,69	0
2	NAD	D	501	44/44	0.97	0.12	31,38,41,45	0
2	NAD	B	501	44/44	0.97	0.13	30,35,39,40	0
5	PO4	A	506	5/5	0.97	0.24	56,62,63,66	0
3	ADE	D	502	10/10	0.97	0.13	33,38,41,41	0
3	ADE	C	502	10/10	0.98	0.17	36,42,50,52	0
2	NAD	A	501	44/44	0.98	0.14	31,36,39,40	0
5	PO4	D	507	5/5	0.98	0.15	36,38,42,45	5
5	PO4	C	506	5/5	0.98	0.12	41,41,46,49	0
4	K	D	504	1/1	0.99	0.11	36,36,36,36	0
3	ADE	B	502	10/10	0.99	0.15	37,40,41,41	0
5	PO4	A	507	5/5	0.99	0.13	39,40,43,47	5
4	K	C	504	1/1	1.00	0.11	39,39,39,39	0

*Continued on next page...*

*Continued from previous page...*




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	K	A	503	1/1	1.00	0.09	36,36,36,36	0
4	K	B	503	1/1	1.00	0.10	36,36,36,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around RB7 A 508:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around RB7 A 512:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around RB7 D 511:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around RB7 C 512:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around RB7 A 509:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around RB7 C 510:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around RB7 C 511:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around RB7 B 507:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around RB7 C 513:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around RB7 A 511:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around RB7 A 510:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around RB7 B 506:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around RB7 D 509:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around NAD D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAD B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.