



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 9, 2023 – 08:58 am GMT

PDB ID : 8CLD  
Title : Ansamitocin P3 bound to tubulin (T2R-TTL) complex  
Authors : Wranik, M.; Kepa, M.W.; Bertrand, Q.; Weinert, T.; Steinmetz, M.; Standfuss, J.  
Deposited on : 2023-02-16  
Resolution : 3.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	451	90% 7% .
1	C	451	92% 6% .
2	B	445	90% 6% .
2	D	445	85% 9% 5%
3	E	189	61% . 36%
4	F	384	74% 12% . 12%

## 2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 17497 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Detyrosinated tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	437	Total	C	N	O	S	0	0	0
			3416	2163	581	650	22			
1	C	440	Total	C	N	O	S	0	0	0
			3437	2175	584	656	22			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	427	Total	C	N	O	S	0	0	0
			3361	2110	576	649	26			
2	D	421	Total	C	N	O	S	0	0	0
			3309	2080	562	640	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	121	Total	C	N	O	S	0	1	0
			1010	623	184	198	5			

- Molecule 4 is a protein called Tubulin tyrosine ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	F	336	Total	C	N	O	S	0	0	0
			2761	1773	473	501	14			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP A0A8C9FGJ1
F	380	HIS	-	expression tag	UNP A0A8C9FGJ1
F	381	HIS	-	expression tag	UNP A0A8C9FGJ1
F	382	HIS	-	expression tag	UNP A0A8C9FGJ1

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	383	HIS	-	expression tag	UNP A0A8C9FGJ1
F	384	HIS	-	expression tag	UNP A0A8C9FGJ1

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		


- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Ca 1 1	0	0
7	C	1	Total Ca 1 1	0	0

- Molecule 8 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:  $C_{10}H_{15}N_5O_{11}P_2$ ).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total C N O P 28 10 5 11 2	0	0
8	D	1	Total C N O P 28 10 5 11 2	0	0

- Molecule 9 is (1S,2S,3S,5S,6S,16Z,18Z,20R,21S)-11-chloro-21-hydroxy-12,20-dimethoxy-2,5,9,16-tetramethyl-8,23-dioxo-4,24-dioxa-9,22-diazatetracyclo[19.3.1.1 10,14 .0 3,5 ]hexacosa-10(26),11,13,16,18-pentaen-6-yl 2-methylpropanoate (three-letter code: BKF) (formula:  $C_{32}H_{43}ClN_2O_9$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	N			O
9	D	1	44	32	1	2	9	0	0

- Molecule 10 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula:  $C_{11}H_{18}N_5O_{12}P_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
10	F	1	31	11	5	12	3	0	0


- Molecule 11 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	1	Total O 1 1	0	0
11	C	1	Total O 1 1	0	0
11	E	1	Total O 1 1	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Detyrosinated tubulin alpha-1B chain




- Molecule 1: Detyrosinated tubulin alpha-1B chain



- Molecule 2: Tubulin beta-2B chain




- Molecule 2: Tubulin beta-2B chain



- Molecule 3: Stathmin-4






Chain E:  61% . 36%



• Molecule 4: Tubulin tyrosine ligase

Chain F:  74% . 12% 12%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.06Å 159.61Å 180.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.10 – 3.20 15.10 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (15.10-3.20) 87.7 (15.10-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.95 (at 2.51Å)	Xtrriage
Refinement program	PHENIX 1.20_4487	Depositor
R, $R_{free}$	0.200 , 0.241 0.208 , 0.247	Depositor DCC
$R_{free}$ test set	2000 reflections (2.15%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	62.5	Xtrriage
Anisotropy	0.057	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 52.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	17497	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.57% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BKF, CA, MG, GDP, GTP, ACP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.28	0/3494	0.51	0/4743
1	C	0.29	0/3515	0.51	0/4772
2	B	0.28	0/3436	0.51	0/4654
2	D	0.28	0/3382	0.51	0/4581
3	E	0.26	0/1019	0.48	0/1352
4	F	0.31	0/2823	0.54	0/3813
All	All	0.29	0/17669	0.51	0/23915

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	D	0	2
4	F	0	3
All	All	0	5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	D	156	ARG	Sidechain
2	D	359	ARG	Sidechain
4	F	19	ARG	Sidechain
4	F	193	GLU	Peptide
4	F	197	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3416	0	3330	22	0
1	C	3437	0	3348	14	0
2	B	3361	0	3238	16	0
2	D	3309	0	3189	24	0
3	E	1010	0	1024	3	0
4	F	2761	0	2733	46	0
5	A	32	0	12	0	0
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
7	A	1	0	0	0	0
7	C	1	0	0	0	0
8	B	28	0	12	0	0
8	D	28	0	12	1	0
9	D	44	0	0	1	0
10	F	31	0	14	0	0
11	A	1	0	0	0	0
11	C	1	0	0	0	0
11	E	1	0	0	0	0
All	All	17497	0	16924	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:100:ILE:HD12	4:F:173:ILE:HD13	1.55	0.89
1:A:42:ILE:HD12	1:A:42:ILE:O	1.86	0.75
4:F:192:LEU:HD23	4:F:193:GLU:N	2.05	0.72
4:F:192:LEU:HD22	4:F:197:ARG:NE	2.07	0.68
1:A:293:ASN:ND2	1:A:339:ARG:HH21	1.97	0.63
1:A:187:SER:HB3	1:A:391:LEU:HD21	1.81	0.63
4:F:161:LEU:HD23	4:F:172:PHE:CD2	2.35	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:161:LEU:C	4:F:161:LEU:HD12	2.20	0.60
4:F:160:ILE:HG21	4:F:240:LEU:HD21	1.82	0.60
4:F:161:LEU:HD12	4:F:162:ILE:N	2.17	0.59
4:F:192:LEU:HD23	4:F:192:LEU:C	2.23	0.59
4:F:90:SER:O	4:F:91:CYS:C	2.40	0.59
4:F:377:LYS:HD2	4:F:377:LYS:H	1.67	0.59
2:B:356:ILE:HD12	2:B:356:ILE:H	1.68	0.58
2:D:156:ARG:HG2	3:E:123:LEU:HD11	1.85	0.58
4:F:192:LEU:HD21	4:F:194:PRO:HD2	1.85	0.57
4:F:240:LEU:HD12	4:F:240:LEU:N	2.20	0.56
1:A:187:SER:CB	1:A:391:LEU:HD21	2.34	0.56
1:C:381:THR:HG22	1:C:383:ALA:H	1.70	0.56
2:D:57:ASN:ND2	2:D:57:ASN:O	2.38	0.56
1:C:344:VAL:HG21	1:C:346:TRP:CE2	2.42	0.54
1:A:274:PRO:HG2	1:A:371:VAL:HG11	1.88	0.54
2:D:215:LEU:HB3	2:D:217:LEU:HD23	1.90	0.54
4:F:213:ILE:HD11	4:F:296:MET:CE	2.37	0.53
1:A:414:GLU:OE2	3:E:60:ARG:NH2	2.42	0.53
4:F:197:ARG:HH22	4:F:256:TYR:CB	2.22	0.53
2:D:332:ASN:OD1	2:D:336:LYS:HE3	2.09	0.53
1:A:70:LEU:HD13	1:A:110:ILE:HG21	1.90	0.52
2:D:239:CYS:SG	2:D:316:ILE:HD12	2.50	0.52
1:A:274:PRO:HD3	1:A:374:ALA:HA	1.90	0.52
2:D:107:THR:OG1	2:D:108:GLU:N	2.43	0.52
4:F:199:PHE:CD1	4:F:221:LEU:HD23	2.45	0.51
2:D:290:THR:HG22	2:D:333:VAL:HG21	1.93	0.51
4:F:161:LEU:HD21	4:F:169:LEU:HD23	1.92	0.51
2:D:306:ARG:NH2	2:D:337:ASN:OD1	2.44	0.50
2:B:135:LEU:HG	2:B:137:HIS:ND1	2.27	0.50
1:C:209:ILE:HG22	1:C:227:LEU:HD22	1.92	0.50
4:F:162:ILE:N	4:F:162:ILE:HD12	2.26	0.50
1:A:346:TRP:CZ2	1:A:435:VAL:HG13	2.46	0.50
2:D:215:LEU:CB	2:D:217:LEU:HD23	2.42	0.49
1:A:412:GLY:O	3:E:60:ARG:NH1	2.46	0.49
2:D:36:TYR:CE2	2:D:44:LEU:HD11	2.48	0.49
1:C:68:VAL:HG21	1:C:118:VAL:HG21	1.93	0.49
4:F:79:LYS:O	4:F:83:THR:HG23	2.12	0.49
2:B:301:ALA:O	2:B:303:CYS:N	2.43	0.48
2:D:318:ARG:HA	2:D:354:CYS:O	2.14	0.48
2:B:42:LEU:HD13	2:B:356:ILE:HD11	1.96	0.48
4:F:197:ARG:HH22	4:F:256:TYR:HB2	1.78	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:189:VAL:HG11	2:D:415:MET:HE2	1.95	0.47
4:F:146:VAL:HG11	4:F:233:PHE:CE1	2.49	0.47
1:C:249:ASN:OD1	1:C:356:ASN:ND2	2.47	0.47
4:F:192:LEU:HD11	4:F:262:MET:CE	2.44	0.47
4:F:161:LEU:HD23	4:F:172:PHE:HD2	1.79	0.47
2:B:219:THR:HG21	1:C:326:LYS:HA	1.97	0.47
4:F:127:GLU:HB2	4:F:130:VAL:CG1	2.45	0.47
2:B:190:HIS:CD2	2:B:411:ALA:HA	2.49	0.47
2:B:36:TYR:CZ	2:B:44:LEU:HD11	2.50	0.46
4:F:160:ILE:CG2	4:F:240:LEU:HD21	2.46	0.46
1:C:119:LEU:HD11	1:C:156:ARG:HB3	1.97	0.46
1:C:181:VAL:HG11	1:C:404:PHE:CZ	2.51	0.46
1:A:70:LEU:HD13	1:A:110:ILE:CG2	2.46	0.46
2:D:285:THR:HB	2:D:287:PRO:HD2	1.98	0.46
2:B:356:ILE:HD12	2:B:356:ILE:N	2.31	0.46
2:D:152:ILE:HG23	2:D:164:MET:HG2	1.97	0.45
4:F:16:GLU:OE2	4:F:19:ARG:CZ	2.65	0.45
1:A:39:ASP:OD2	1:A:61:HIS:HE1	2.00	0.45
2:D:181:GLU:N	2:D:182:PRO:HD2	2.32	0.45
4:F:148:ILE:HD11	4:F:160:ILE:HD12	1.97	0.45
2:B:163:ILE:HG21	2:B:250:LEU:HB3	1.99	0.45
2:B:272:PRO:HD2	2:B:361:LEU:HD13	1.99	0.45
2:D:33:THR:C	2:D:58:LYS:HZ1	2.20	0.45
4:F:191:LEU:HD13	4:F:196:HIS:CE1	2.52	0.44
1:A:136:LEU:HD12	1:A:136:LEU:N	2.33	0.44
9:D:502:BKF:C41	9:D:502:BKF:CL4	3.02	0.44
1:A:217:LEU:HD21	1:A:368:LEU:HD23	1.99	0.44
1:C:250:VAL:HG11	1:C:352:LYS:HE3	1.99	0.44
4:F:271:LEU:HD23	4:F:275:LEU:HD12	1.99	0.44
2:B:135:LEU:HD23	2:B:137:HIS:CE1	2.52	0.44
1:A:210:TYR:CE2	1:A:214:ARG:HD2	2.53	0.44
2:D:172:SER:OG	2:D:205:GLU:OE1	2.30	0.44
1:A:335:ILE:HG23	1:A:339:ARG:HG3	1.99	0.44
4:F:150:LYS:HG2	4:F:160:ILE:HD11	1.99	0.43
4:F:346:LEU:C	4:F:346:LEU:HD13	2.38	0.43
1:C:344:VAL:HG21	1:C:346:TRP:CZ2	2.52	0.43
4:F:226:GLU:OE1	4:F:226:GLU:N	2.51	0.43
4:F:78:VAL:HG21	4:F:181:VAL:HG21	2.00	0.43
4:F:102:PRO:HD2	4:F:179:VAL:HA	2.00	0.43
4:F:161:LEU:HD11	4:F:169:LEU:HD23	1.99	0.43
1:A:292:THR:HG22	1:A:335:ILE:CD1	2.49	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:91:CYS:SG	4:F:93:TRP:CE2	3.12	0.43
2:D:169:VAL:HA	2:D:202:ILE:O	2.19	0.43
1:A:324:VAL:CG2	1:A:325:PRO:HD2	2.48	0.42
1:A:324:VAL:HG23	1:A:325:PRO:HD2	2.01	0.42
2:D:238:THR:HB	2:D:316:ILE:HD13	2.02	0.42
4:F:39:LEU:HD21	4:F:41:LEU:HD21	2.00	0.42
2:B:316:ILE:HG23	2:B:366:THR:HB	2.01	0.42
1:C:93:ILE:HG22	1:C:114:ILE:HD11	2.02	0.42
4:F:221:LEU:O	4:F:261:GLU:HA	2.19	0.42
2:B:2:ARG:HA	2:B:129:CYS:O	2.20	0.42
2:D:46:ARG:NH2	2:D:248:ALA:O	2.52	0.42
4:F:214:TYR:HB3	4:F:375:PHE:HB3	2.02	0.41
4:F:240:LEU:N	4:F:240:LEU:CD1	2.82	0.41
2:B:317:PHE:O	2:B:353:VAL:HA	2.20	0.41
1:C:320:ARG:HA	1:C:356:ASN:O	2.20	0.41
2:D:94:GLN:OE1	2:D:94:GLN:N	2.47	0.41
4:F:298:ILE:HD12	4:F:302:ILE:HD13	2.02	0.41
4:F:213:ILE:CD1	4:F:296:MET:CE	2.98	0.41
4:F:138:ARG:O	4:F:142:ARG:N	2.53	0.41
1:C:71:GLU:HG2	1:C:72:PRO:HD2	2.03	0.41
4:F:148:ILE:HD11	4:F:160:ILE:CD1	2.51	0.41
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.39	0.41
1:C:69:ASP:O	1:C:94:THR:HA	2.21	0.41
1:A:166:LYS:HE2	1:A:197:HIS:O	2.21	0.40
4:F:256:TYR:CD1	4:F:256:TYR:N	2.89	0.40
2:B:134:GLN:HA	2:B:165:ASN:O	2.20	0.40
4:F:93:TRP:O	4:F:328:TRP:HA	2.22	0.40
4:F:161:LEU:HD11	4:F:169:LEU:CD2	2.51	0.40
1:A:69:ASP:O	1:A:94:THR:HA	2.21	0.40
1:A:134:GLY:HA3	1:A:165:SER:O	2.22	0.40
2:D:12:CYS:HB2	8:D:501:GDP:C8	2.55	0.40
2:D:76:VAL:HG23	2:D:77:ARG:N	2.37	0.40
2:D:375:GLN:HB2	2:D:419:VAL:HG13	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	435/451 (96%)	422 (97%)	13 (3%)	0	100	100
1	C	438/451 (97%)	426 (97%)	12 (3%)	0	100	100
2	B	425/445 (96%)	416 (98%)	9 (2%)	0	100	100
2	D	417/445 (94%)	407 (98%)	10 (2%)	0	100	100
3	E	118/189 (62%)	116 (98%)	2 (2%)	0	100	100
4	F	326/384 (85%)	309 (95%)	16 (5%)	1 (0%)	41	74
All	All	2159/2365 (91%)	2096 (97%)	62 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	F	91	CYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	368/379 (97%)	365 (99%)	3 (1%)	81	93
1	C	371/379 (98%)	368 (99%)	3 (1%)	81	93
2	B	369/383 (96%)	365 (99%)	4 (1%)	73	88
2	D	364/383 (95%)	363 (100%)	1 (0%)	92	96
3	E	110/171 (64%)	107 (97%)	3 (3%)	44	75
4	F	303/342 (89%)	298 (98%)	5 (2%)	60	83

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1885/2037 (92%)	1866 (99%)	19 (1%)	76 90

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	ARG
1	A	274	PRO
1	A	280	LYS
2	B	190	HIS
2	B	316	ILE
2	B	350	LYS
2	B	359	ARG
1	C	71	GLU
1	C	214	ARG
1	C	423	GLU
2	D	58	LYS
3	E	52	LYS
3	E	119	MET
3	E	126	LYS
4	F	31	ARG
4	F	142	ARG
4	F	160	ILE
4	F	161	LEU
4	F	197	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	HIS
2	B	8	GLN
2	B	134	GLN
2	B	375	GLN
2	B	426	GLN
1	C	101	ASN
2	D	14	ASN
2	D	134	GLN

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 5 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
10	ACP	F	401	-	27,33,33	0.86	1 (3%)	32,52,52	1.57	2 (6%)
8	GDP	B	501	6	24,30,30	1.04	3 (12%)	30,47,47	0.69	1 (3%)
5	GTP	C	501	6	26,34,34	1.07	3 (11%)	32,54,54	0.77	0
5	GTP	A	501	6	26,34,34	1.08	3 (11%)	32,54,54	0.75	0
9	BKF	D	502	-	45,47,47	2.90	15 (33%)	53,71,71	3.64	26 (49%)
8	GDP	D	501	-	24,30,30	1.08	3 (12%)	30,47,47	0.87	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	ACP	F	401	-	-	6/15/38/38	0/3/3/3
8	GDP	B	501	6	-	3/12/32/32	0/3/3/3
5	GTP	C	501	6	-	5/18/38/38	0/3/3/3
5	GTP	A	501	6	-	4/18/38/38	0/3/3/3
9	BKF	D	502	-	-	21/49/76/76	0/2/4/4
8	GDP	D	501	-	-	4/12/32/32	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	D	502	BKF	C08-N07	7.92	1.51	1.35
9	D	502	BKF	C12-C14	7.25	1.56	1.47
9	D	502	BKF	C10-C11	7.11	1.62	1.52
9	D	502	BKF	C06-N07	6.99	1.52	1.44
9	D	502	BKF	C15-C16	6.55	1.69	1.53
9	D	502	BKF	C06-C01	4.80	1.45	1.40
9	D	502	BKF	C21-N20	4.08	1.52	1.46
9	D	502	BKF	C41-N07	3.87	1.53	1.46
10	F	401	ACP	PB-O3A	3.41	1.62	1.58
9	D	502	BKF	C10-C08	3.40	1.57	1.51
8	D	501	GDP	C5-C6	-2.99	1.41	1.47
5	A	501	GTP	C5-C6	-2.95	1.41	1.47
5	C	501	GTP	C5-C6	-2.91	1.41	1.47
9	D	502	BKF	C27-C26	-2.83	1.48	1.51
8	B	501	GDP	C5-C6	-2.74	1.41	1.47
9	D	502	BKF	C18-N20	2.51	1.40	1.34
9	D	502	BKF	O42-C02	2.40	1.41	1.37
5	A	501	GTP	C8-N7	-2.25	1.31	1.35
9	D	502	BKF	O35-C11	-2.24	1.42	1.46
5	C	501	GTP	C8-N7	-2.20	1.31	1.35
8	D	501	GDP	C8-N7	-2.20	1.31	1.35
5	C	501	GTP	C5-C4	-2.13	1.37	1.43
8	B	501	GDP	C8-N7	-2.10	1.31	1.35
5	A	501	GTP	C5-C4	-2.10	1.37	1.43
9	D	502	BKF	O19-C18	2.08	1.25	1.21
9	D	502	BKF	C02-C01	2.07	1.44	1.40
8	B	501	GDP	C5-C4	-2.01	1.37	1.43
8	D	501	GDP	C5-C4	-2.00	1.38	1.43

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	D	502	BKF	C10-C08-N07	11.61	131.99	118.89
9	D	502	BKF	C01-C06-N07	8.78	129.71	120.71
9	D	502	BKF	C05-C06-C01	-8.27	111.98	122.53
9	D	502	BKF	C28-C26-C25	-7.61	102.95	122.59
10	F	401	ACP	PB-O3A-PA	-7.10	110.06	132.56
9	D	502	BKF	C12-O34-C14	6.68	64.81	60.79
9	D	502	BKF	O09-C08-C10	-6.04	111.30	122.20
9	D	502	BKF	O35-C36-C38	5.73	122.14	111.19
9	D	502	BKF	O35-C36-O37	-5.44	113.78	123.94
9	D	502	BKF	C06-C05-C04	4.86	126.91	120.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	D	502	BKF	O42-C02-C01	4.24	120.55	115.53
9	D	502	BKF	C04-C27-C26	4.04	130.36	114.47
9	D	502	BKF	C43-O42-C02	3.78	123.24	117.53
9	D	502	BKF	C41-N07-C08	-3.45	113.46	119.15
9	D	502	BKF	C33-C15-C16	3.28	116.23	111.43
9	D	502	BKF	C11-O35-C36	3.18	123.83	118.18
9	D	502	BKF	O09-C08-N07	-3.10	116.53	121.90
9	D	502	BKF	O34-C12-C14	-3.05	57.33	59.38
9	D	502	BKF	C13-C12-C11	3.00	122.82	114.51
9	D	502	BKF	O34-C14-C12	-2.76	57.86	59.83
9	D	502	BKF	C02-C01-CL4	-2.64	114.95	119.84
9	D	502	BKF	O32-C21-C31	-2.44	103.19	109.98
10	F	401	ACP	C5-C6-N6	2.31	123.86	120.35
9	D	502	BKF	C03-C02-C01	-2.28	117.92	120.76
9	D	502	BKF	C10-C11-C12	2.26	119.37	114.60
8	D	501	GDP	O2B-PB-O1B	2.26	119.53	110.68
9	D	502	BKF	C16-C15-C14	2.15	116.71	111.19
9	D	502	BKF	O17-C18-N20	2.12	122.72	118.78
8	B	501	GDP	O6-C6-C5	2.10	128.48	124.37
9	D	502	BKF	O29-C22-C23	-2.06	104.47	111.08

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O2A
8	B	501	GDP	PA-O3A-PB-O3B
8	B	501	GDP	C5'-O5'-PA-O3A
8	D	501	GDP	C5'-O5'-PA-O1A
8	D	501	GDP	C5'-O5'-PA-O2A
9	D	502	BKF	C08-C10-C11-C12
9	D	502	BKF	O34-C14-C15-C33
9	D	502	BKF	C33-C15-C16-O17
9	D	502	BKF	C33-C15-C16-C31
9	D	502	BKF	C21-C22-C23-C24
9	D	502	BKF	C21-C22-O29-C30
9	D	502	BKF	C22-C23-C24-C25
9	D	502	BKF	C23-C24-C25-C26
9	D	502	BKF	C24-C25-C26-C27

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
9	D	502	BKF	C28-C26-C27-C04
9	D	502	BKF	C01-C06-N07-C08
9	D	502	BKF	C01-C06-N07-C41
9	D	502	BKF	C05-C06-N07-C08
9	D	502	BKF	C05-C06-N07-C41
9	D	502	BKF	O37-C36-O35-C11
9	D	502	BKF	C38-C36-O35-C11
10	F	401	ACP	PB-C3B-PG-O1G
10	F	401	ACP	PB-C3B-PG-O3G
10	F	401	ACP	PG-C3B-PB-O1B
10	F	401	ACP	PG-C3B-PB-O3A
10	F	401	ACP	O4'-C4'-C5'-O5'
5	C	501	GTP	C4'-C5'-O5'-PA
8	D	501	GDP	C4'-C5'-O5'-PA
10	F	401	ACP	C3'-C4'-C5'-O5'
5	A	501	GTP	C4'-C5'-O5'-PA
5	C	501	GTP	C5'-O5'-PA-O1A
8	B	501	GDP	C5'-O5'-PA-O2A
9	D	502	BKF	O29-C22-C23-C24
9	D	502	BKF	O37-C36-C38-C40
5	A	501	GTP	PA-O3A-PB-O2B
9	D	502	BKF	N07-C08-C10-C11
9	D	502	BKF	O35-C36-C38-C40
5	C	501	GTP	PA-O3A-PB-O2B
8	D	501	GDP	C5'-O5'-PA-O3A
9	D	502	BKF	O34-C14-C15-C16


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	D	502	BKF	1	0
8	D	501	GDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.


### 6.3 Carbohydrates [i](#)


Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.








**Electron density around GDP B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around GDP D 501:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around BKF D 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ACP F 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.