



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 14, 2023 – 04:45 am GMT

PDB ID : 4CNJ
Title : L-Aminoacetone oxidase from *Streptococcus oligofermentans* belongs to a new 3-domain family of bacterial flavoproteins
Authors : Molla, G.; Nardini, M.; Motta, P.; D'Arrigo, P.; Bolognesi, M.; Pollegioni, L.
Deposited on : 2014-01-23
Resolution : 2.70 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	391	 81% 17% .
1	B	391	 84% 15% .
1	C	391	 89% 10% .
1	D	391	 81% 18% .

2 Entry composition [i](#)


There are 2 unique types of molecules in this entry. The entry contains 12264 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-AMINO ACID OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	391	Total 3009	C 1918	N 510	O 571	S 10	0	1	0
1	B	391	Total 3022	C 1926	N 514	O 572	S 10	0	3	0
1	C	391	Total 3015	C 1922	N 510	O 573	S 10	0	3	0
1	D	391	Total 3006	C 1916	N 510	O 570	S 10	0	0	0

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
2	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-AMINO ACID OXIDASE




- Molecule 1: L-AMINO ACID OXIDASE



- Molecule 1: L-AMINO ACID OXIDASE



- Molecule 1: L-AMINO ACID OXIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	79.15Å 130.35Å 224.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.14 – 2.70 49.09 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.4 (49.14-2.70) 99.4 (49.09-2.70)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.58 (at 2.69Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.188 , 0.239 0.200 , 0.242	Depositor DCC
R_{free} test set	3252 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	60.1	Xtrriage
Anisotropy	0.118	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 32.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12264	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/3071	0.63	0/4147
1	B	0.43	0/3090	0.63	1/4172 (0.0%)
1	C	0.47	0/3083	0.68	2/4163 (0.0%)
1	D	0.43	0/3065	0.64	2/4139 (0.0%)
All	All	0.44	0/12309	0.64	5/16621 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	130	THR	CB-CA-C	-6.34	94.48	111.60
1	D	50	CYS	N-CA-C	6.24	127.86	111.00
1	C	51	ASN	N-CA-C	-6.24	94.17	111.00
1	D	49	ARG	CB-CA-C	-5.72	98.96	110.40
1	C	198	LEU	CA-CB-CG	5.00	126.80	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3009	0	3046	37	0
1	B	3022	0	3065	29	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3015	0	3056	22	0
1	D	3006	0	3041	38	0
2	A	53	0	31	3	0
2	B	53	0	31	3	0
2	C	53	0	31	3	0
2	D	53	0	31	2	0
All	All	12264	0	12332	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:SER:HB3	1:A:332:SER:OG	1.62	0.98
1:B:10:GLY:O	1:B:15:GLY:HA3	1.73	0.87
1:C:211:LEU:HD12	1:C:229:PHE:HE1	1.39	0.85
1:B:109:LYS:HE3	1:B:110:SER:H	1.43	0.83
1:D:78:GLN:HE22	1:D:389:HIS:HE1	1.27	0.82
1:B:57[A]:ASN:OD1	1:B:59:ASP:HB2	1.78	0.82
1:C:372:GLY:H	2:C:400:FAD:HN3	1.33	0.77
1:D:96:LYS:HD3	1:D:106:VAL:HA	1.69	0.74
1:B:348:THR:HG22	1:B:389:HIS:CD2	2.25	0.72
1:D:304:LEU:HD22	1:D:308:GLU:HB3	1.71	0.72
1:D:372:GLY:H	2:D:400:FAD:HN3	1.38	0.72
1:A:45:THR:HG21	1:A:375:ILE:HD11	1.71	0.71
1:D:61:LEU:O	1:D:65:ILE:HG13	1.90	0.70
1:C:85:ILE:O	1:C:89:THR:HG23	1.91	0.70
1:D:88:PHE:HB3	1:D:93:VAL:HG22	1.74	0.69
1:B:109:LYS:HE3	1:B:110:SER:N	2.08	0.68
1:A:78:GLN:HE22	1:A:389:HIS:HE1	1.40	0.68
1:A:260:MET:HB3	1:A:264:ASP:HB2	1.74	0.68
1:D:282:LYS:HD3	1:D:287:GLU:HG3	1.76	0.67
1:C:211:LEU:HD12	1:C:229:PHE:CE1	2.28	0.66
1:D:78:GLN:HE22	1:D:389:HIS:CE1	2.15	0.63
1:B:279:ASN:HA	1:B:282:LYS:HD3	1.82	0.61
1:B:201:PHE:HE2	1:B:206:LEU:HD12	1.65	0.61
1:B:4:PHE:O	1:B:155:CYS:HA	2.02	0.60
1:D:78:GLN:NE2	1:D:389:HIS:HE1	1.99	0.59
1:C:272:HIS:HB3	1:C:275:LYS:HD2	1.85	0.59
1:D:136:SER:HB3	1:D:147:ARG:HG3	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:LEU:HD13	1:A:134:ILE:HD11	1.86	0.57
1:B:372:GLY:H	2:B:400:FAD:HN3	1.52	0.56
1:C:55:ASN:H	1:C:55:ASN:HD22	1.51	0.56
1:A:295:GLN:HE21	1:A:295:GLN:HA	1.71	0.55
1:B:78:GLN:HE22	1:B:389:HIS:HE1	1.53	0.55
1:B:272:HIS:ND1	1:B:275:LYS:HE3	2.22	0.55
1:A:34:LYS:HE2	1:A:133:GLU:HG3	1.89	0.55
1:B:272:HIS:HB3	1:B:275:LYS:HD2	1.89	0.54
1:C:272:HIS:ND1	1:C:275:LYS:HE3	2.23	0.54
1:D:196:PRO:HD2	1:D:327:MET:HG3	1.88	0.54
1:A:204:LYS:HA	1:A:207:GLN:NE2	2.22	0.54
1:C:372:GLY:N	2:C:400:FAD:HN3	2.02	0.54
1:D:305:ASN:HD21	1:D:308:GLU:HG3	1.73	0.54
1:D:51:ASN:O	1:D:375:ILE:HD13	2.08	0.53
1:B:206:LEU:HD22	1:B:289:ILE:HD13	1.91	0.53
1:C:62:MET:CE	1:C:69:GLY:O	2.57	0.53
1:B:256:VAL:HG13	1:B:285:LEU:HD21	1.91	0.53
1:D:109:LYS:HD3	1:D:111:ARG:HH21	1.74	0.52
1:C:337:GLY:HA2	1:C:365:ASP:OD1	2.09	0.52
1:A:196:PRO:HD2	1:A:327:MET:HG3	1.89	0.52
1:D:105:PRO:HG3	1:D:113:ILE:HG12	1.91	0.52
1:A:81:ASN:HA	1:A:84:ILE:HD12	1.92	0.52
1:D:71:PHE:CG	1:D:341:LEU:HD13	2.44	0.52
1:B:12:GLY:H	2:B:400:FAD:H4B	1.76	0.51
1:B:201:PHE:CE2	1:B:206:LEU:HD12	2.45	0.51
1:D:45:THR:HG21	1:D:375:ILE:HD11	1.93	0.51
1:A:166:SER:HB2	1:A:332:SER:O	2.10	0.50
1:D:273:ARG:HA	1:D:301:VAL:HB	1.93	0.50
1:C:62:MET:HE1	1:C:69:GLY:O	2.11	0.49
1:A:91:ASN:HD21	1:A:120:LYS:NZ	2.10	0.49
1:D:276:SER:HA	1:D:300:LYS:HA	1.94	0.49
1:D:67:GLY:HA3	1:D:367:ASN:OD1	2.13	0.49
1:A:22:SER:O	1:A:27:GLN:HB2	2.14	0.47
1:C:38:LEU:HD12	1:C:118:GLU:HG2	1.96	0.47
1:C:74[A]:SER:OG	1:C:347:LYS:HG3	2.13	0.47
1:B:38:LEU:HD12	1:B:118:GLU:HG2	1.96	0.47
1:B:55:ASN:ND2	1:B:101:GLY:HA2	2.30	0.47
1:B:52:VAL:HG13	1:B:53:THR:HG22	1.96	0.47
1:D:183:PHE:O	1:D:184:LYS:HB2	2.14	0.47
1:C:52:VAL:O	1:C:53:THR:HB	2.14	0.46
1:A:372:GLY:H	2:A:400:FAD:HN3	1.62	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:65:ILE:HG23	1:C:368:ALA:HB2	1.97	0.46
1:D:32:LEU:HD13	1:D:134:ILE:HD11	1.97	0.46
1:A:277:LEU:HD22	1:A:304:LEU:HD21	1.97	0.46
1:A:65:ILE:HG23	1:A:368:ALA:HB2	1.98	0.46
1:A:88:PHE:O	1:A:93:VAL:HG13	2.17	0.45
1:C:49:ARG:HD2	1:C:108:ASP:OD1	2.16	0.45
1:D:362:GLU:HB2	2:D:400:FAD:H5'2	1.98	0.45
1:D:67:GLY:O	1:D:68:ASN:HB2	2.15	0.45
1:A:262:GLN:HE21	1:A:313:ILE:HG22	1.82	0.45
1:D:273:ARG:O	1:D:302:LYS:HG3	2.17	0.45
1:D:166:SER:HB2	1:D:332:SER:O	2.17	0.45
1:A:165:LYS:HD3	1:A:174:GLY:HA3	1.99	0.45
1:A:295:GLN:N	1:A:296:PRO:HD2	2.32	0.45
1:D:209:ILE:HD11	1:D:288:ARG:HB2	1.97	0.45
1:A:34:LYS:HE3	2:A:400:FAD:C5A	2.47	0.44
1:A:139:LYS:HD2	1:A:144:PHE:CE1	2.52	0.44
1:A:212:ASP:HA	1:A:226:ASP:OD1	2.18	0.44
1:A:204:LYS:HA	1:A:207:GLN:HE21	1.82	0.44
1:C:55:ASN:HD22	1:C:55:ASN:N	2.15	0.44
1:B:180:ALA:O	1:B:185:HIS:HB2	2.17	0.44
1:C:13:PRO:HD2	2:C:400:FAD:O2A	2.18	0.44
1:D:183:PHE:HB3	1:D:354:VAL:HG21	1.99	0.43
1:A:279:ASN:HD22	1:A:279:ASN:HA	1.62	0.43
1:D:4:PHE:O	1:D:155:CYS:HA	2.19	0.43
1:A:241:ARG:HG2	1:A:369:HIS:CE1	2.54	0.43
1:A:304:LEU:HD12	1:A:309:LYS:HG3	2.01	0.43
1:D:157:LYS:HE3	1:D:358:HIS:CE1	2.54	0.43
1:D:7:ILE:HD12	1:D:155:CYS:HB3	2.01	0.43
1:B:32:LEU:HD13	1:B:134:ILE:HD11	2.01	0.42
1:C:96:LYS:HE3	1:C:98:GLU:OE2	2.19	0.42
1:D:304:LEU:HD22	1:D:308:GLU:CB	2.46	0.42
1:A:297:PHE:HB3	1:A:298:PRO:HD2	2.02	0.42
1:A:273:ARG:HA	1:A:301:VAL:HB	2.02	0.42
1:A:281:LEU:HD21	1:A:316:ILE:HD11	2.02	0.41
1:D:34:LYS:NZ	1:D:173:THR:HG23	2.34	0.41
1:A:226:ASP:HB2	1:A:237:PRO:HG2	2.02	0.41
1:D:256:VAL:HG13	1:D:285:LEU:HD21	2.00	0.41
1:B:261:SER:O	1:B:264:ASP:HB2	2.20	0.41
1:C:273:ARG:HA	1:C:301:VAL:HB	2.02	0.41
1:B:85:ILE:HD11	1:B:103:VAL:HG21	2.01	0.41
1:A:390:TYR:O	1:A:391:ASP:HB3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:400:FAD:H9	2:B:400:FAD:HI'1	1.81	0.41
1:B:76:PHE:HA	1:B:79:PHE:O	2.20	0.41
1:A:91:ASN:HD21	1:A:120:LYS:HZ1	1.69	0.41
1:A:277:LEU:HA	1:A:301:VAL:HG22	2.02	0.41
1:B:109:LYS:HD3	1:B:111:ARG:HG2	2.01	0.41
1:C:277:LEU:HG	1:C:294:THR:HG22	2.02	0.41
1:B:156:GLN:HE21	1:B:156:GLN:HB3	1.57	0.41
1:A:374:ASN:HB2	2:A:400:FAD:N1	2.36	0.41
1:B:276:SER:HA	1:B:300:LYS:HA	2.02	0.41
1:A:197:LEU:HD21	1:A:243:SER:HB2	2.03	0.41
1:A:246:VAL:HG11	1:A:323:VAL:HG11	2.03	0.40
1:B:9:ILE:HD11	1:B:158:LEU:HD11	2.02	0.40
1:C:52:VAL:HG13	1:C:53:THR:HG22	2.03	0.40
1:D:61:LEU:HD23	1:D:61:LEU:HA	1.80	0.40
1:D:212:ASP:HA	1:D:226:ASP:OD1	2.21	0.40
1:D:317:LYS:HB3	1:D:317:LYS:HE3	1.87	0.40
1:B:237:PRO:O	1:B:241[A]:ARG:HD2	2.20	0.40
1:D:50:CYS:O	1:D:52:VAL:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/391 (100%)	365 (94%)	25 (6%)	0	100	100
1	B	392/391 (100%)	362 (92%)	30 (8%)	0	100	100
1	C	392/391 (100%)	367 (94%)	25 (6%)	0	100	100
1	D	389/391 (100%)	367 (94%)	22 (6%)	0	100	100
All	All	1563/1564 (100%)	1461 (94%)	102 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/332 (100%)	308 (92%)	25 (8%)	13	31
1	B	335/332 (101%)	313 (93%)	22 (7%)	16	38
1	C	335/332 (101%)	317 (95%)	18 (5%)	22	47
1	D	332/332 (100%)	314 (95%)	18 (5%)	22	47
All	All	1335/1328 (100%)	1252 (94%)	83 (6%)	18	40

All (83) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	2	ASN
1	A	51	ASN
1	A	55	ASN
1	A	93	VAL
1	A	128	VAL
1	A	150	ASP
1	A	195	SER
1	A	209	ILE
1	A	220	LYS
1	A	222	ILE
1	A	235	SER
1	A	243	SER
1	A	244	SER
1	A	247	LYS
1	A	251	THR
1	A	262	GLN
1	A	264	ASP
1	A	282	LYS
1	A	295	GLN
1	A	299	GLU
1	A	304	LEU
1	A	306	LEU
1	A	317	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	390	TYR
1	B	1	MET
1	B	51	ASN
1	B	55	ASN
1	B	94	LYS
1	B	107	THR
1	B	109	LYS
1	B	131	ASN
1	B	132	THR
1	B	138	LYS
1	B	142	GLU
1	B	195	SER
1	B	204	LYS
1	B	241[A]	ARG
1	B	241[B]	ARG
1	B	246	VAL
1	B	256	VAL
1	B	259	GLN
1	B	281	LEU
1	B	299	GLU
1	B	319	LEU
1	B	322	SER
1	B	377	SER
1	C	51	ASN
1	C	52	VAL
1	C	55	ASN
1	C	86	ASN
1	C	89	THR
1	C	93	VAL
1	C	119	LYS
1	C	120	LYS
1	C	128	VAL
1	C	131	ASN
1	C	150	ASP
1	C	213	ASP
1	C	241	ARG
1	C	247	LYS
1	C	256	VAL
1	C	259	GLN
1	C	319	LEU
1	C	347	LYS
1	D	1	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	2	ASN
1	D	21	SER
1	D	51	ASN
1	D	55	ASN
1	D	120	LYS
1	D	128	VAL
1	D	165	LYS
1	D	184	LYS
1	D	204	LYS
1	D	217	SER
1	D	243	SER
1	D	247	LYS
1	D	256	VAL
1	D	259	GLN
1	D	287	GLU
1	D	319	LEU
1	D	391	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (45) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	ASN
1	A	27	GLN
1	A	78	GLN
1	A	86	ASN
1	A	91	ASN
1	A	131	ASN
1	A	177	HIS
1	A	207	GLN
1	A	262	GLN
1	A	263	GLN
1	A	279	ASN
1	A	295	GLN
1	A	369	HIS
1	A	389	HIS
1	B	2	ASN
1	B	55	ASN
1	B	78	GLN
1	B	86	ASN
1	B	91	ASN
1	B	131	ASN
1	B	156	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	207	GLN
1	B	259	GLN
1	B	279	ASN
1	B	389	HIS
1	C	2	ASN
1	C	51	ASN
1	C	55	ASN
1	C	86	ASN
1	C	91	ASN
1	C	131	ASN
1	C	207	GLN
1	C	221	HIS
1	C	279	ASN
1	C	369	HIS
1	D	2	ASN
1	D	55	ASN
1	D	78	GLN
1	D	86	ASN
1	D	91	ASN
1	D	100	HIS
1	D	231	HIS
1	D	358	HIS
1	D	369	HIS
1	D	389	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	A	400	-	53,58,58	1.41	7 (13%)	68,89,89	1.28	11 (16%)
2	FAD	C	400	-	53,58,58	1.26	6 (11%)	68,89,89	1.46	12 (17%)
2	FAD	B	400	-	53,58,58	1.32	6 (11%)	68,89,89	1.40	11 (16%)
2	FAD	D	400	-	53,58,58	1.34	7 (13%)	68,89,89	1.27	6 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	400	-	-	1/30/50/50	0/6/6/6
2	FAD	C	400	-	-	4/30/50/50	0/6/6/6
2	FAD	B	400	-	-	3/30/50/50	0/6/6/6
2	FAD	D	400	-	-	4/30/50/50	0/6/6/6

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	400	FAD	C9A-C5X	5.83	1.50	1.41
2	D	400	FAD	C9A-C5X	5.24	1.50	1.41
2	C	400	FAD	C9A-C5X	5.10	1.49	1.41
2	B	400	FAD	C9A-C5X	5.04	1.49	1.41
2	C	400	FAD	C8-C7	3.68	1.50	1.40
2	B	400	FAD	C8-C7	3.66	1.50	1.40
2	D	400	FAD	C8-C7	3.57	1.49	1.40
2	A	400	FAD	C8-C7	3.56	1.49	1.40
2	A	400	FAD	C4-N3	-2.79	1.33	1.38
2	D	400	FAD	C4X-N5	2.73	1.36	1.30
2	A	400	FAD	C4X-N5	2.72	1.36	1.30
2	B	400	FAD	C4X-N5	2.71	1.36	1.30
2	B	400	FAD	C5A-C4A	2.68	1.48	1.40
2	D	400	FAD	C4-N3	-2.57	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	400	FAD	C5A-C4A	2.54	1.47	1.40
2	C	400	FAD	C4X-N5	2.47	1.35	1.30
2	C	400	FAD	C5X-N5	-2.36	1.34	1.39
2	B	400	FAD	C4-N3	-2.36	1.34	1.38
2	D	400	FAD	C5A-C4A	2.21	1.46	1.40
2	C	400	FAD	C4-N3	-2.19	1.34	1.38
2	C	400	FAD	C5A-C4A	2.18	1.46	1.40
2	D	400	FAD	O4B-C1B	2.16	1.44	1.41
2	A	400	FAD	C2A-N3A	2.08	1.35	1.32
2	D	400	FAD	C2A-N3A	2.08	1.35	1.32
2	B	400	FAD	C5X-N5	-2.02	1.35	1.39
2	A	400	FAD	C5X-N5	-2.02	1.35	1.39

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	400	FAD	N3A-C2A-N1A	-4.49	121.66	128.68
2	B	400	FAD	N3A-C2A-N1A	-4.12	122.24	128.68
2	D	400	FAD	N3A-C2A-N1A	-3.69	122.92	128.68
2	C	400	FAD	P-O3P-PA	-3.46	120.95	132.83
2	C	400	FAD	O4-C4-C4X	-3.15	118.25	126.60
2	B	400	FAD	C3B-C2B-C1B	3.06	105.59	100.98
2	A	400	FAD	P-O3P-PA	-2.88	122.93	132.83
2	A	400	FAD	C4A-C5A-N7A	-2.81	106.47	109.40
2	B	400	FAD	O4-C4-C4X	-2.80	119.19	126.60
2	B	400	FAD	C4-C4X-N5	2.79	122.21	118.23
2	D	400	FAD	C4-C4X-N5	2.78	122.18	118.23
2	A	400	FAD	O4B-C1B-C2B	-2.76	102.90	106.93
2	A	400	FAD	N3A-C2A-N1A	-2.72	124.42	128.68
2	C	400	FAD	C2A-N1A-C6A	2.65	123.29	118.75
2	C	400	FAD	C10-N1-C2	2.61	122.12	116.90
2	A	400	FAD	C4-C4X-N5	2.57	121.89	118.23
2	B	400	FAD	C4X-C10-N1	-2.56	118.80	124.73
2	C	400	FAD	C4-C4X-N5	2.56	121.87	118.23
2	B	400	FAD	C4X-C4-N3	2.54	119.64	113.19
2	B	400	FAD	C9A-C5X-N5	-2.54	119.68	122.43
2	A	400	FAD	C4X-C10-N1	-2.52	118.89	124.73
2	A	400	FAD	C10-N1-C2	2.49	121.87	116.90
2	C	400	FAD	C4X-C10-N1	-2.44	119.06	124.73
2	B	400	FAD	C10-N1-C2	2.44	121.78	116.90
2	B	400	FAD	O2A-PA-O1A	2.39	124.06	112.24
2	C	400	FAD	O4B-C1B-C2B	-2.36	103.48	106.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	400	FAD	C4X-C10-N10	2.35	119.92	116.48
2	D	400	FAD	C4X-C10-N1	-2.35	119.27	124.73
2	D	400	FAD	C3B-C2B-C1B	2.34	104.50	100.98
2	C	400	FAD	C9A-C5X-N5	-2.34	119.89	122.43
2	A	400	FAD	O4-C4-C4X	-2.32	120.44	126.60
2	C	400	FAD	O2-C2-N1	-2.30	118.03	121.83
2	C	400	FAD	C4X-C4-N3	2.29	118.99	113.19
2	B	400	FAD	C2A-N1A-C6A	2.25	122.61	118.75
2	A	400	FAD	C1'-N10-C9A	2.16	124.11	120.51
2	D	400	FAD	C4X-C10-N10	2.14	119.62	116.48
2	C	400	FAD	O2P-P-O1P	2.14	122.83	112.24
2	B	400	FAD	C4-N3-C2	-2.14	121.69	125.64
2	D	400	FAD	C10-N1-C2	2.02	120.94	116.90
2	A	400	FAD	C4X-C4-N3	2.01	118.31	113.19

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	400	FAD	PA-O3P-P-O5'
2	C	400	FAD	O4'-C4'-C5'-O5'
2	C	400	FAD	PA-O3P-P-O5'
2	B	400	FAD	C5'-O5'-P-O3P
2	D	400	FAD	P-O3P-PA-O1A
2	D	400	FAD	P-O3P-PA-O2A
2	A	400	FAD	O4B-C4B-C5B-O5B
2	C	400	FAD	P-O3P-PA-O2A
2	B	400	FAD	C5'-O5'-P-O1P
2	B	400	FAD	O4B-C4B-C5B-O5B
2	C	400	FAD	O4B-C4B-C5B-O5B
2	D	400	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.


4 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	400	FAD	3	0
2	C	400	FAD	3	0
2	B	400	FAD	3	0
2	D	400	FAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	391/391 (100%)	-0.07	4 (1%) 82 83	40, 57, 88, 141	0
1	B	391/391 (100%)	0.00	4 (1%) 82 83	42, 63, 91, 111	0
1	C	391/391 (100%)	-0.14	1 (0%) 94 95	33, 46, 68, 135	0
1	D	391/391 (100%)	-0.04	6 (1%) 73 76	38, 57, 81, 103	0
All	All	1564/1564 (100%)	-0.06	15 (0%) 82 83	33, 56, 84, 141	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	1	MET	6.5
1	B	37	ARG	3.3
1	A	391	ASP	3.1
1	D	219	GLY	2.9
1	A	390	TYR	2.8
1	A	183	PHE	2.8
1	D	220	LYS	2.5
1	D	140	THR	2.5
1	B	130	THR	2.5
1	D	306	LEU	2.3
1	B	150	ASP	2.3
1	D	143	LEU	2.2
1	D	1	MET	2.2
1	A	253	TYR	2.1
1	B	36	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FAD	B	400	53/53	0.96	0.16	48,65,73,79	0
2	FAD	D	400	53/53	0.97	0.15	38,48,62,65	0
2	FAD	C	400	53/53	0.98	0.15	32,40,50,56	0
2	FAD	A	400	53/53	0.98	0.17	33,45,58,63	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around FAD D 400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD C 400:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.