



wwPDB EM Validation Summary Report ⓘ

Mar 20, 2024 – 12:38 PM JST

PDB ID : 7CR2
EMDB ID : EMD-30445
Title : human KCNQ2 in complex with retigabine
Authors : Li, X.; Lv, D.; Wang, J.; Ye, S.; Guo, J.
Deposited on : 2020-08-12
Resolution : 3.20 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	656	
1	B	656	
1	C	656	
1	D	656	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FBX	A	801	-	X	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FBX	B	801	-	X	-	-
2	FBX	C	801	-	X	-	-
2	FBX	D	801	-	X	-	-

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 8348 atoms, of which 72 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Potassium voltage-gated channel subfamily KQT member 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	251	2047	1359	345	334	9	0	0
1	B	251	2047	1359	345	334	9	0	0
1	C	251	2047	1359	345	334	9	0	0
1	D	251	2047	1359	345	334	9	0	0

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	63	MET	-	initiating methionine	UNP O43526
A	703	VAL	-	expression tag	UNP O43526
A	704	GLU	-	expression tag	UNP O43526
A	705	GLY	-	expression tag	UNP O43526
A	706	GLY	-	expression tag	UNP O43526
A	707	SER	-	expression tag	UNP O43526
A	708	SER	-	expression tag	UNP O43526
A	709	GLY	-	expression tag	UNP O43526
A	710	GLY	-	expression tag	UNP O43526
A	711	TRP	-	expression tag	UNP O43526
A	712	SER	-	expression tag	UNP O43526
A	713	HIS	-	expression tag	UNP O43526
A	714	PRO	-	expression tag	UNP O43526
A	715	GLN	-	expression tag	UNP O43526
A	716	PHE	-	expression tag	UNP O43526
A	717	GLU	-	expression tag	UNP O43526
A	718	LYS	-	expression tag	UNP O43526
B	63	MET	-	initiating methionine	UNP O43526
B	703	VAL	-	expression tag	UNP O43526
B	704	GLU	-	expression tag	UNP O43526
B	705	GLY	-	expression tag	UNP O43526
B	706	GLY	-	expression tag	UNP O43526

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	707	SER	-	expression tag	UNP O43526
B	708	SER	-	expression tag	UNP O43526
B	709	GLY	-	expression tag	UNP O43526
B	710	GLY	-	expression tag	UNP O43526
B	711	TRP	-	expression tag	UNP O43526
B	712	SER	-	expression tag	UNP O43526
B	713	HIS	-	expression tag	UNP O43526
B	714	PRO	-	expression tag	UNP O43526
B	715	GLN	-	expression tag	UNP O43526
B	716	PHE	-	expression tag	UNP O43526
B	717	GLU	-	expression tag	UNP O43526
B	718	LYS	-	expression tag	UNP O43526
C	63	MET	-	initiating methionine	UNP O43526
C	703	VAL	-	expression tag	UNP O43526
C	704	GLU	-	expression tag	UNP O43526
C	705	GLY	-	expression tag	UNP O43526
C	706	GLY	-	expression tag	UNP O43526
C	707	SER	-	expression tag	UNP O43526
C	708	SER	-	expression tag	UNP O43526
C	709	GLY	-	expression tag	UNP O43526
C	710	GLY	-	expression tag	UNP O43526
C	711	TRP	-	expression tag	UNP O43526
C	712	SER	-	expression tag	UNP O43526
C	713	HIS	-	expression tag	UNP O43526
C	714	PRO	-	expression tag	UNP O43526
C	715	GLN	-	expression tag	UNP O43526
C	716	PHE	-	expression tag	UNP O43526
C	717	GLU	-	expression tag	UNP O43526
C	718	LYS	-	expression tag	UNP O43526
D	63	MET	-	initiating methionine	UNP O43526
D	703	VAL	-	expression tag	UNP O43526
D	704	GLU	-	expression tag	UNP O43526
D	705	GLY	-	expression tag	UNP O43526
D	706	GLY	-	expression tag	UNP O43526
D	707	SER	-	expression tag	UNP O43526
D	708	SER	-	expression tag	UNP O43526
D	709	GLY	-	expression tag	UNP O43526
D	710	GLY	-	expression tag	UNP O43526
D	711	TRP	-	expression tag	UNP O43526
D	712	SER	-	expression tag	UNP O43526
D	713	HIS	-	expression tag	UNP O43526
D	714	PRO	-	expression tag	UNP O43526

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	715	GLN	-	expression tag	UNP O43526
D	716	PHE	-	expression tag	UNP O43526
D	717	GLU	-	expression tag	UNP O43526
D	718	LYS	-	expression tag	UNP O43526

- Molecule 2 is ethyl N-[2-azanyl-4-[(4-fluorophenyl)methylamino]phenyl]carbamate (three-letter code: FBX) (formula: C₁₆H₁₈FN₃O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	F	H	N		O
2	A	1	Total	C	F	H	N	O	0
			40	16	1	18	3	2	
2	B	1	Total	C	F	H	N	O	0
			40	16	1	18	3	2	
2	C	1	Total	C	F	H	N	O	0
			40	16	1	18	3	2	
2	D	1	Total	C	F	H	N	O	0
			40	16	1	18	3	2	



MET	ALA	GLY	LYS	PRO	PRO	LYS	R70	N71	A72	F73	Y74	K76	L77	Q78	N79	F80	L81	L80	N83	V84	E86	R87	P88	R89	G90	W91	A92	F93	I94	Y95	H96	A97	V98	V99	F100	L101	L102	V103	G106	L107	L109	S110	I115	K116	E117	Y118	E119	E123	G124	A125	L126	Y127	I128				
L129	E130	I131	V132	T133	I134	V135	F137	G138	V139	E140	Y141	F142	V143	R144	I145	W146	A147	G148	G149	C150	C151	C152	R153	I154	R155	W157	R158	G159	R160	I161	K162	F163	A164	R165	K166	P167	F168	V103	C169	V170	I171	D172	I173	M174	V175	I177	A178	S179	I180	A181	V182	L183	A184	ALA	GLY	SER	GLN
GLY	ASN	VAL	PHE	ALA	THR	S195	A196	L197	R198	S199	R200	F202	Y141	F142	Q204	I205	L206	R207	M208	I209	R210	R213	L220	L221	V225	E231	L232	A235	A246	S247	F248	L252	A253	E254	N258	D259	W270	G271	L272	I273	T274	L275	T276	T277	G279	Y280	D282										
P285	N289	L293	F297	T298	V302	L307	P308	A309	G310	F316	A317	L318	K319	V320	Q321	E322	Q323	H324	K327	H328	F329	E330	LYS	ARG	ARG	ASN	PRO	ALA	ALA	ALA	GLY	LEU	LEU	LEU	PHE	TYR	W270	G271	L272	I273	T274	L275	T276	T277	G279	Y280	D282										
GLN	TYR	GLU	THR	ARG	VAL	THR	VAL	THR	PRO	MET	TYR	ARG	SER	GLN	VAL	GLN	THR	ILE	TYR	GLY	ALA	ASP	VAL	PHE	LEU	LEU	LEU	LEU	ASN	ALA	ALA	GLY	LEU	LEU	LEU	ARG	ASN	PRO	THR	ASP	ALA	PRO	PRO	GLU	SER	GLU	THR	ARG	THR	ASP	PRO	LYS	GLY	PRO			
CYS	ARG	PRO	GLY	LEU	CYS	GLY	CYS	THR	PRO	ARG	GLY	SER	GLN	VAL	LEU	LEU	LYS	ASP	VAL	PHE	GLY	SER	PRO	PRO	LEU	LEU	LEU	LEU	GLY	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	VAL			
PRO	LYS	SER	TRP	SER	PHE	GLY	ASP	ARG	SER	ALA	ARG	SER	GLN	PHE	VAL	ARG	ILE	LYS	GLY	ALA	ASP	VAL	PHE	GLY	SER	LEU	LEU	PRO	ALA	GLY	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	ILE				
ARG	ALA	VAL	CYS	MET	ARG	PHE	LEU	VAL	VAL	LYS	ARG	LYS	PHE	VAL	GLU	SER	SER	TYR	VAL	VAL	MET	ASP	VAL	VAL	GLU	TYR	SER	LEU	ALA	GLY	HIS	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	THR						
ASP	LYS	ASP	ARG	THR	THR	GLY	PRO	ALA	GLU	ALA	GLU	PRO	GLU	ASP	PRO	SER	PRO	MET	GLY	VAL	GLY	VAL	VAL	VAL	VAL	MET	LEU	SER	MET	GLY	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	GLY						
ALA	LYS	GLU	PRO	GLU	ALA	PRO	PRO	HIS	THR	GLU	PRO	GLU	ASP	SER	PRO	GLU	HIS	VAL	VAL	CYS	ILE	VAL	VAL	VAL	VAL	VAL	VAL	SER	SER	THR	GLY	GLN	LYS	ASN	PHE	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL				

• Molecule 1: Potassium voltage-gated channel subfamily KQT member 2



MET	ALA	GLY	LYS	PRO	PRO	LYS	R70	N71	A72	F73	Y74	K76	L77	Q78	N79	F80	L81	L80	N83	V84	E86	R87	P88	R89	G90	W91	A92	F93	I94	Y95	H96	A97	V98	V99	F100	L101	L102	V103	L107	L109	S110	I115	K116	E117	Y118	E119	E123	G124	A125	L126	Y127	I128	L129				
E130	I131	V132	T133	I134	V135	F137	G138	V139	E140	Y141	F142	V143	R144	I145	W146	A147	G148	G149	C150	C151	C152	R153	I154	R155	W157	R158	G159	R160	I161	K162	F163	A164	R165	K166	P167	F168	L102	C169	V170	I171	D172	I173	M174	V175	I177	A178	S179	I180	A181	V182	L183	A184	ALA	GLY	SER	GLN	GLY
ASN	VAL	PHE	ALA	THR	S195	A196	L197	R198	S199	R200	F202	Y141	F142	Q204	I205	L206	R207	M208	I209	R210	R213	L220	L221	V225	E231	L232	A235	L241	L245	A246	S247	F248	L249	L252	A253	E254	N258	D259	W270	G271	L272	I273	T274	L275	T276	T277	G279	Y280									
G281	D282	P285	W288	N289	L292	L293	F297	T298	L299	V302	L307	P308	A309	G310	F316	A317	L318	K319	V320	Q321	E322	Q323	H324	K327	H328	F329	E330	LYS	ARG	ARG	ASN	PRO	ALA	ALA	GLY	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	VAL	
ASP	LEU	HIS	SER	TRP	THR	GLN	TYR	THR	ARG	GLU	VAL	VAL	PRO	MET	TYR	TYR	SER	SER	GLN	THR	THR	TYR	GLY	ALA	SER	ILE	PRO	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	VAL	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	96910	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.556	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.116	Depositor
Minimum map value	-0.069	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.014	Depositor
Map size (Å)	243.36002, 243.36002, 243.36002	wwPDB
Map dimensions	240, 240, 240	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.014, 1.014, 1.014	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FBX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/2103	0.56	0/2847
1	B	0.55	0/2103	0.56	0/2847
1	C	0.55	0/2103	0.56	0/2847
1	D	0.55	0/2103	0.56	0/2847
All	All	0.55	0/8412	0.56	0/11388

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2047	0	2081	157	0
1	B	2047	0	2081	160	0
1	C	2047	0	2081	165	0
1	D	2047	0	2081	169	0
2	A	22	18	0	0	0
2	B	22	18	0	0	0
2	C	22	18	0	0	0
2	D	22	18	0	0	0
All	All	8276	72	8324	629	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 38.

The worst 5 of 629 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:CYS:HG	1:A:154:TYR:HD2	1.07	1.01
1:D:151:CYS:HG	1:D:154:TYR:HD2	1.08	1.00
1:B:151:CYS:HG	1:B:154:TYR:HD2	1.11	0.94
1:C:151:CYS:HG	1:C:154:TYR:HD2	1.10	0.94
1:B:134:ILE:HD11	1:B:183:LEU:HD23	1.55	0.88

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	247/656 (38%)	238 (96%)	9 (4%)	0	100	100
1	B	247/656 (38%)	238 (96%)	9 (4%)	0	100	100
1	C	247/656 (38%)	238 (96%)	9 (4%)	0	100	100
1	D	247/656 (38%)	238 (96%)	9 (4%)	0	100	100
All	All	988/2624 (38%)	952 (96%)	36 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/558 (38%)	209 (100%)	1 (0%)	88	95
1	B	210/558 (38%)	209 (100%)	1 (0%)	88	95
1	C	210/558 (38%)	209 (100%)	1 (0%)	88	95
1	D	210/558 (38%)	209 (100%)	1 (0%)	88	95
All	All	840/2232 (38%)	836 (100%)	4 (0%)	89	95

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	327	LYS
1	B	327	LYS
1	C	327	LYS
1	D	327	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 24 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	204	GLN
1	C	328	HIS
1	C	324	HIS
1	D	78	GLN
1	B	78	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FBX	B	801	-	23,23,23	4.51	15 (65%)	30,30,30	1.79	7 (23%)
2	FBX	A	801	-	23,23,23	4.50	15 (65%)	30,30,30	1.78	7 (23%)
2	FBX	C	801	-	23,23,23	4.51	15 (65%)	30,30,30	1.79	7 (23%)
2	FBX	D	801	-	23,23,23	4.51	15 (65%)	30,30,30	1.79	7 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBX	B	801	-	-	5/12/12/12	0/2/2/2
2	FBX	A	801	-	-	5/12/12/12	0/2/2/2
2	FBX	C	801	-	-	5/12/12/12	0/2/2/2
2	FBX	D	801	-	-	5/12/12/12	0/2/2/2

The worst 5 of 60 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	FBX	C17-C19	7.79	1.52	1.37
2	B	801	FBX	C17-C19	7.78	1.52	1.37
2	C	801	FBX	C17-C19	7.78	1.52	1.37
2	D	801	FBX	C17-C19	7.78	1.52	1.37
2	B	801	FBX	C11-C12	-7.77	1.28	1.40

The worst 5 of 28 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	FBX	O2-C20-N5	5.67	118.59	109.32
2	C	801	FBX	O2-C20-N5	5.67	118.59	109.32
2	D	801	FBX	O2-C20-N5	5.67	118.59	109.32
2	A	801	FBX	O2-C20-N5	5.64	118.54	109.32
2	B	801	FBX	O3-C20-N5	-2.91	119.78	126.11

There are no chirality outliers.


5 of 20 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	801	FBX	O2-C20-N5-C10
2	A	801	FBX	O3-C20-N5-C10
2	A	801	FBX	C22-C21-O2-C20
2	B	801	FBX	O2-C20-N5-C10
2	B	801	FBX	O3-C20-N5-C10

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30445. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 120



Y Index: 120




Z Index: 95


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.014. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 61 nm^3 ; this corresponds to an approximate mass of 56 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.312\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30445 and PDB model 7CR2. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.014 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.014).





9.4 Atom inclusion [i](#)



At the recommended contour level, 72% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.014) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6910	 0.4520
A	 0.6910	 0.4520
B	 0.6960	 0.4510
C	 0.6960	 0.4520
D	 0.6950	 0.4520

