

Full wwPDB X-ray Structure Validation Report (i)

Nov 7, 2023 – 03:16 PM EST

:	3CTB
:	Tethered PXR-LBD/SRC-1p apoprotein
:	Lesburg, C.A.
:	2008-04-11
:	2.00 Å(reported)
	: : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\#Entries)$	Similar resolution $(\#Entries, resolution range(Å))$
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain							
1	А	344	54%	25%		17%				
1	В	344	<u>6%</u> 60%	19%	5%	17%				



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 5078 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Pregnane X receptor, Linker, Steroid receptor coactivator 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	287	Total 2369	C 1520	N 410	0 420	S 19	0	2	0
1	В	287	Total 2353	C 1510	N 406	0 418	S 19	0	1	0

Chain	Residue	Modelled	Actual	Comment	Reference
А	119	MET	-	expression tag	UNP 075469
А	120	LYS	-	expression tag	UNP 075469
А	121	LYS	-	expression tag	UNP 075469
А	122	GLY	-	expression tag	UNP 075469
А	123	HIS	-	expression tag	UNP 075469
А	124	HIS	-	expression tag	UNP 075469
А	125	HIS	-	expression tag	UNP 075469
А	126	HIS	-	expression tag	UNP 075469
А	127	HIS	-	expression tag	UNP 075469
А	128	HIS	-	expression tag	UNP 075469
А	129	GLY	-	expression tag	UNP 075469
А	435	GLY	-	linker	UNP O75469
А	436	GLY	-	linker	UNP 075469
А	437	SER	-	linker	UNP 075469
А	438	GLY	-	linker	UNP 075469
А	439	GLY	-	linker	UNP 075469
В	119	MET	-	expression tag	UNP 075469
В	120	LYS	-	expression tag	UNP 075469
В	121	LYS	-	expression tag	UNP 075469
В	122	GLY	-	expression tag	UNP 075469
В	123	HIS	-	expression tag	UNP 075469
В	124	HIS	-	expression tag	UNP 075469
В	125	HIS	-	expression tag	UNP 075469
В	126	HIS	-	expression tag	UNP 075469
В	127	HIS	-	expression tag	UNP 075469
•	•		•		•

There are 32 discrepancies between the modelled and reference sequences:



Contentia	contentaca front proto ao page										
Chain	Residue	Modelled	Actual	Comment	Reference						
В	128	HIS	-	expression tag	UNP 075469						
В	129	GLY	-	expression tag	UNP 075469						
В	435	GLY	-	linker	UNP 075469						
В	436	GLY	-	linker	UNP 075469						
В	437	SER	-	linker	UNP 075469						
В	438	GLY	-	linker	UNP 075469						
В	439	GLY	-	linker	UNP 075469						

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	184	Total O 184 184	0	0
2	В	172	Total O 172 172	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	85.24Å 89.24Å 105.23Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{Posolution} \left(\overset{\circ}{\mathbf{A}} \right)$	45.31 - 2.00	Depositor
Resolution (A)	45.32 - 2.00	EDS
% Data completeness	98.5 (45.31-2.00)	Depositor
(in resolution range)	96.4 (45.32-2.00)	EDS
R _{merge}	0.04	Depositor
R_{sym}	0.04	Depositor
$< I/\sigma(I) > 1$	$1.82 (at 2.00 \text{\AA})$	Xtriage
Refinement program	BUSTER-TNT 1.3.1	Depositor
P. P.	0.204 , 0.244	Depositor
Π, Π_{free}	0.204 , (Not available)	DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	39.3	Xtriage
Anisotropy	0.095	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.31, 56.5	EDS
L-test for $twinning^2$	$< L >=0.51, < L^2>=0.35$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5078	wwPDB-VP
Average B, all atoms $(Å^2)$	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.66	0/2419	0.70	5/3253~(0.2%)	
1	В	0.64	1/2402~(0.0%)	0.70	0/3229	
All	All	0.65	1/4821~(0.0%)	0.70	5/6482~(0.1%)	

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	В	159	MET	SD-CE	-7.58	1.35	1.77

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	159	MET	CG-SD-CE	-8.91	85.94	100.20
1	А	383	GLN	C-N-CD	-6.23	106.89	120.60
1	А	396	MET	CG-SD-CE	-5.48	91.42	100.20
1	А	308	LEU	CB-CG-CD1	5.07	119.61	111.00
1	А	239	LEU	CB-CG-CD1	5.01	119.52	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2369	0	2387	101	0
1	В	2353	0	2374	72	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	А	184	0	0	11	0
2	В	172	0	0	11	0
All	All	5078	0	4761	167	0

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:170:LYS:HD3	1:B:303:ARG:HH22	1.12	1.09
1:B:317:GLN:HG2	1:B:318:LEU:H	0.93	1.04
1:A:383:GLN:HB2	1:A:384:PRO:HD3	1.38	1.02
1:B:317:GLN:HG2	1:B:318:LEU:N	1.72	0.98
1:A:383:GLN:CB	1:A:384:PRO:HD3	2.01	0.89
1:A:218:GLU:HB2	1:B:178:LEU:HD23	1.58	0.85
1:B:170:LYS:HD3	1:B:303:ARG:NH2	1.94	0.83
1:A:277:LYS:HD2	1:A:449:HIS:CE1	2.14	0.82
1:B:254:ILE:HD11	1:B:287:ARG:HD2	1.60	0.81
1:A:383:GLN:HB2	1:A:384:PRO:CD	2.11	0.81
1:B:317:GLN:CG	1:B:318:LEU:H	1.86	0.79
1:A:382:PRO:HD2	1:A:386:HIS:CD2	2.19	0.78
1:A:215:LEU:HD22	1:A:304:LEU:CD2	2.15	0.76
1:B:200:SER:O	1:B:204:LYS:HG3	1.84	0.76
1:A:206:LEU:HD12	1:A:236:ILE:HD12	1.68	0.76
1:A:383:GLN:O	1:A:385:ALA:N	2.21	0.73
1:B:361:VAL:HG23	2:B:540:HOH:O	1.88	0.73
1:A:383:GLN:CB	1:A:384:PRO:CD	2.66	0.73
1:A:218:GLU:HG2	1:A:303:ARG:NH2	2.05	0.72
1:B:224:ASN:HB2	2:B:628:HOH:O	1.90	0.71
1:B:445:LEU:HD21	2:B:567:HOH:O	1.91	0.70
1:A:218:GLU:HG2	1:A:303:ARG:CZ	2.23	0.69
1:A:233:GLY:O	1:A:236:ILE:HG12	1.93	0.68
1:B:195:GLU:O	1:B:198:LYS:HG2	1.93	0.68
1:A:209:LEU:N	1:A:209:LEU:HD13	2.09	0.67
1:A:157:ALA:HB2	1:A:260:VAL:HG22	1.75	0.67
1:A:216:ARG:HH11	1:A:216:ARG:HG3	1.59	0.67
1:A:329:MET:HB3	1:A:396:MET:HE1	1.77	0.66
1:A:175:PRO:HG3	1:A:239:LEU:HD13	1.76	0.66
1:A:177:VAL:HA	2:A:618:HOH:O	1.94	0.66
1:A:454:ARG:O	1:A:458:GLU:HG2	1.97	0.64



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:215:LEU:HD22	1:A:304:LEU:HD21	1.80	0.64
1:B:213:LEU:HD21	1:B:215:LEU:HD12	1.80	0.63
1:A:382:PRO:HD2	1:A:386:HIS:HD2	1.64	0.63
1:B:166:PHE:HD2	1:B:169:PHE:CD2	2.16	0.63
1:A:157:ALA:HB2	1:A:260:VAL:CG2	2.30	0.62
1:A:270:GLU:OE2	1:A:446:THR:HG23	1.99	0.62
1:A:383:GLN:CG	1:A:384:PRO:HD3	2.31	0.61
1:B:296:THR:OG1	1:B:298:THR:HG23	2.00	0.61
1:A:329:MET:HB3	1:A:396:MET:CE	2.31	0.61
1:A:243:MET:HE2	2:A:637:HOH:O	1.99	0.60
1:A:254:ILE:HD11	1:A:287:ARG:HD2	1.83	0.60
1:B:460:SER:HB2	2:B:470:HOH:O	2.02	0.60
1:A:209:LEU:HG	1:A:323:MET:CE	2.31	0.59
1:A:382:PRO:O	1:A:383:GLN:O	2.21	0.59
1:A:157:ALA:CB	1:A:260:VAL:HG22	2.32	0.59
1:B:170:LYS:CD	1:B:303:ARG:HH22	2.01	0.59
1:B:300:GLU:HG2	2:B:627:HOH:O	2.02	0.59
1:B:233:GLY:O	1:B:234:LYS:HB3	2.03	0.59
1:A:445:LEU:O	1:A:449:HIS:HD2	1.87	0.58
1:A:215:LEU:CD2	1:A:304:LEU:HD21	2.35	0.56
1:A:289:ASN:HD22	1:A:327:HIS:HD1	1.51	0.56
1:B:317:GLN:CG	1:B:318:LEU:N	2.57	0.56
1:B:446:THR:HG23	2:B:600:HOH:O	2.04	0.56
1:B:201:GLN:NE2	1:B:205:ASP:OD1	2.39	0.56
1:A:402:SER:O	1:A:406:GLN:HG3	2.07	0.55
1:A:178:LEU:N	1:A:178:LEU:HD23	2.22	0.55
1:A:209:LEU:HD21	1:A:410:ARG:NH1	2.21	0.55
1:A:447:GLU:O	1:A:450:LYS:HE2	2.07	0.55
1:B:270:GLU:HB3	1:B:445:LEU:HD12	1.87	0.55
1:A:175:PRO:CG	1:A:239:LEU:HD13	2.36	0.55
1:B:214:GLN:HE21	1:B:216:ARG:HH11	1.54	0.55
1:A:444:SER:O	1:A:448:ARG:HG3	2.06	0.55
1:A:216:ARG:HG3	1:A:216:ARG:NH1	2.23	0.54
1:A:332:LYS:HG2	2:A:616:HOH:O	2.07	0.54
1:A:368:GLN:HG3	2:A:603:HOH:O	2.07	0.54
1:A:214:GLN:HE21	1:A:216:ARG:HH11	1.54	0.54
1:A:208:SER:C	1:A:209:LEU:HD13	2.27	0.54
1:A:206:LEU:CD1	1:A:236:ILE:HD12	2.38	0.53
1:A:206:LEU:HD11	1:A:237:PHE:CE2	2.44	0.53
1:B:234:LYS:HA	1:B:237:PHE:HD1	1.74	0.53
1:A:168:HIS:HD2	2:A:638:HOH:O	1.92	0.53



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:156:ASP:OD2	1:A:160:LYS:HE2	2.09	0.53
1:A:148:ARG:HD3	2:A:640:HOH:O	2.08	0.52
1:A:209:LEU:HD11	1:A:321:GLU:HG2	1.91	0.52
1:A:157:ALA:HA	1:A:260:VAL:HG21	1.91	0.52
1:A:209:LEU:CD1	1:A:321:GLU:HG2	2.40	0.52
1:A:200:SER:O	1:A:204:LYS:HG3	2.09	0.51
1:B:215:LEU:HD12	1:B:304:LEU:HD23	1.92	0.51
1:A:177:VAL:HG12	1:B:215:LEU:CD2	2.41	0.51
1:A:156:ASP:CG	1:A:160:LYS:HE2	2.30	0.51
1:A:293:ASN:OD1	1:A:295:GLU:HG2	2.11	0.51
1:B:360:ARG:O	1:B:364:GLN:HG2	2.11	0.51
1:B:411:LEU:CD1	1:B:420:PHE:CZ	2.93	0.51
1:A:156:ASP:OD1	1:A:160:LYS:HE2	2.12	0.50
1:A:219:ASP:H	1:B:178:LEU:HD22	1.76	0.50
1:A:234:LYS:HE2	1:A:237:PHE:HE1	1.76	0.50
1:B:213:LEU:HD21	1:B:215:LEU:CD1	2.41	0.50
1:A:177:VAL:HG12	1:B:215:LEU:HD21	1.94	0.49
1:B:166:PHE:HD2	1:B:169:PHE:HD2	1.60	0.49
1:A:157:ALA:CB	1:A:260:VAL:CG2	2.90	0.49
1:B:166:PHE:HE2	1:B:246:MET:HG2	1.76	0.49
1:B:234:LYS:HA	1:B:237:PHE:CD1	2.47	0.49
1:A:229:ALA:HB1	2:A:621:HOH:O	2.12	0.49
1:B:175:PRO:HG3	1:B:239:LEU:HD23	1.94	0.48
1:B:167:SER:O	1:B:170:LYS:HE2	2.13	0.48
1:A:251:PHE:CD2	1:A:284[A]:CYS:SG	3.07	0.48
1:B:382:PRO:HG2	1:B:383:GLN:NE2	2.28	0.48
1:B:206:LEU:HD12	1:B:236:ILE:HD12	1.95	0.48
1:B:319:LEU:HD22	1:B:325:LYS:HA	1.95	0.48
1:B:383:GLN:H	1:B:383:GLN:CD	2.16	0.48
1:A:403:ILE:O	1:A:407[B]:HIS:HD2	1.97	0.48
1:A:418:HIS:HE1	2:A:568:HOH:O	1.96	0.47
1:A:234:LYS:NZ	1:A:418:HIS:HD2	2.13	0.47
1:A:150:MET:CE	1:A:368:GLN:NE2	2.77	0.47
1:B:430:GLY:HA2	2:B:613:HOH:O	2.15	0.47
1:B:192:SER:O	1:B:193:ARG:O	2.33	0.47
1:A:148:ARG:HE	1:A:148:ARG:HB2	1.59	0.46
1:A:221:SER:HB3	1:B:228:PRO:HD3	1.97	0.46
1:A:150:MET:HE1	1:A:368:GLN:NE2	2.30	0.46
1:A:290:THR:HG21	2:A:495:HOH:O	2.14	0.46
1:B:216:ARG:HG2	1:B:222:VAL:HG22	1.97	0.46
1:A:218:GLU:CG	1:A:303:ARG:NH1	2.79	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:453:HIS:O	1:A:457:GLN:HB2	2.16	0.46
1:B:254:ILE:CD1	1:B:287:ARG:HD2	2.38	0.46
1:B:214:GLN:HB3	1:B:305:SER:HB2	1.98	0.45
1:A:209:LEU:HD22	1:A:209:LEU:H	1.80	0.45
1:B:209:LEU:HD21	1:B:321:GLU:HG3	1.98	0.45
1:A:178:LEU:N	1:A:178:LEU:CD2	2.80	0.45
1:B:453:HIS:HD2	2:B:543:HOH:O	1.99	0.45
1:A:323:MET:CE	1:A:407[B]:HIS:CE1	3.00	0.45
1:B:427:GLU:OE2	1:B:451:ILE:HG13	2.16	0.45
1:A:349:PHE:O	1:A:366:GLN:HB2	2.18	0.44
1:A:332:LYS:HD2	2:A:607:HOH:O	2.17	0.44
1:A:177:VAL:CG1	1:B:215:LEU:HD21	2.46	0.44
1:A:282:GLU:HG2	1:A:400:LEU:HG	1.99	0.44
1:B:358:GLN:HB3	1:B:361:VAL:CG2	2.48	0.44
1:B:359:HIS:HB2	2:B:591:HOH:O	2.17	0.44
1:B:169:PHE:O	1:B:303:ARG:NH2	2.48	0.44
1:A:259:LYS:HD2	1:A:456:LEU:HA	1.98	0.44
1:B:453:HIS:HE1	2:B:565:HOH:O	2.00	0.44
1:A:143:LEU:HD22	1:A:147:GLN:HB3	2.00	0.44
1:A:227:PRO:HG2	1:A:309:GLU:OE1	2.18	0.44
1:A:230:ASP:N	2:A:621:HOH:O	2.34	0.43
1:B:452:LEU:HA	1:B:452:LEU:HD23	1.83	0.43
1:A:192:SER:O	1:A:196:ALA:HB2	2.19	0.43
1:A:285:GLN:NE2	1:A:327:HIS:NE2	2.66	0.43
1:B:411:LEU:CD1	1:B:420:PHE:HZ	2.31	0.43
1:A:199:TRP:O	1:A:203:ARG:HG3	2.17	0.43
1:A:231:SER:HB3	1:A:232:GLY:H	1.57	0.43
1:B:384:PRO:HA	1:B:387:ARG:HG3	2.01	0.43
1:A:167:SER:O	1:A:170:LYS:HE3	2.18	0.42
1:B:321:GLU:OE1	1:B:410:ARG:NH2	2.39	0.42
1:B:166:PHE:CD2	1:B:169:PHE:CD2	3.03	0.42
1:B:215:LEU:HD12	1:B:304:LEU:CD2	2.48	0.42
1:B:201:GLN:HE21	1:B:205:ASP:CG	2.23	0.42
1:B:296:THR:O	1:B:298:THR:HG22	2.20	0.42
1:A:256:SER:O	1:A:260:VAL:HG13	2.18	0.42
1:B:298:THR:HB	1:B:307:CYS:HA	2.01	0.42
1:A:383:GLN:CG	1:A:384:PRO:CD	2.96	0.42
1:B:146:GLU:HB2	2:B:598:HOH:O	2.20	0.41
1:A:277:LYS:HB3	1:A:277:LYS:HE3	1.52	0.41
1:B:193:ARG:C	1:B:195:GLU:H	2.22	0.41
1:B:216:ARG:HH11	1:B:216:ARG:HG3	1.85	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:234:LYS:HE2	1:A:237:PHE:CE1	2.55	0.41
1:B:381:ARG:HD3	1:B:389:LEU:HD23	2.02	0.41
1:A:360:ARG:O	1:A:364:GLN:HG3	2.21	0.41
1:B:349:PHE:O	1:B:366:GLN:HB2	2.20	0.41
1:A:213:LEU:HD23	1:A:213:LEU:C	2.42	0.41
1:B:206:LEU:HD11	1:B:237:PHE:CE2	2.55	0.41
1:A:209:LEU:HG	1:A:323:MET:HE3	2.02	0.40
1:B:323:MET:HA	1:B:323:MET:HE3	2.02	0.40
1:A:214:GLN:HE21	1:A:216:ARG:NH1	2.17	0.40
1:A:208:SER:HB2	1:A:209:LEU:HD13	2.04	0.40
1:A:330:LEU:N	1:A:396:MET:HE3	2.37	0.40
1:B:279:ALA:HB1	1:B:283:LEU:HD13	2.04	0.40
1:A:215:LEU:HD22	1:A:304:LEU:HD23	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	А	281/344~(82%)	272 (97%)	6(2%)	3(1%)	14	8
1	В	280/344~(81%)	267~(95%)	10 (4%)	3~(1%)	14	8
All	All	561/688~(82%)	539 (96%)	16 (3%)	6 (1%)	14	8

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	383	GLN
1	А	384	PRO
1	В	193	ARG
1	А	234	LYS
1	В	302	GLY



Continued from previous page...

Mol	Chain	Res	Type
1	В	234	LYS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	262/302~(87%)	245~(94%)	17 (6%)	17 12
1	В	260/302~(86%)	238~(92%)	22 (8%)	10 6
All	All	522/604~(86%)	483 (92%)	39 (8%)	13 9

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	148	ARG
1	А	152	ARG
1	А	159	MET
1	А	162	PHE
1	А	177	VAL
1	А	178	LEU
1	А	208	SER
1	А	209	LEU
1	А	215	LEU
1	А	226	LYS
1	А	239	LEU
1	А	295	GLU
1	А	308	LEU
1	А	319	LEU
1	А	332	LYS
1	А	444	SER
1	А	452	LEU
1	В	159	MET
1	В	178	LEU
1	В	192	SER
1	В	195	GLU
1	В	200	SER



Mol	Chain	Res	Type
1	В	201	GLN
1	В	208	SER
1	В	215	LEU
1	В	265	ARG
1	В	298	THR
1	В	303	ARG
1	В	305	SER
1	В	317	GLN
1	В	320	LEU
1	В	321	GLU
1	В	323	MET
1	В	324	LEU
1	В	332	LYS
1	В	360	ARG
1	В	410	ARG
1	В	448	ARG
1	В	450	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	171	ASN
1	А	214	GLN
1	А	272	GLN
1	А	285	GLN
1	А	368	GLN
1	А	386	HIS
1	А	418	HIS
1	А	449	HIS
1	А	453	HIS
1	В	201	GLN
1	В	214	GLN
1	В	224	ASN
1	В	272	GLN
1	В	383	GLN
1	В	386	HIS
1	В	453	HIS
1	В	457	GLN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$OWAB(Å^2)$	Q<0.9	
1	А	287/344~(83%)	0.21	13 (4%)	33	32	29, 46, 81, 123	0
1	В	287/344~(83%)	0.34	21 (7%)	15	14	30, 47, 87, 143	0
All	All	574/688~(83%)	0.27	34 (5%)	22	21	29, 47, 85, 143	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	209	LEU	7.1
1	В	193	ARG	5.5
1	В	192	SER	5.1
1	В	194	GLU	5.0
1	А	177	VAL	4.3
1	А	232	GLY	4.2
1	А	194	GLU	4.2
1	В	196	ALA	4.2
1	А	207	CYS	4.0
1	В	444	SER	3.7
1	В	198	LYS	3.6
1	А	208	SER	3.6
1	В	417	ILE	3.4
1	В	195	GLU	3.4
1	А	193	ARG	3.3
1	В	384	PRO	3.2
1	В	197	ALA	3.1
1	А	178	LEU	2.8
1	А	383	GLN	2.8
1	В	178	LEU	2.7
1	В	360	ARG	2.7
1	В	234	LYS	2.6
1	В	460	SER	2.6
1	В	385	ALA	2.6



Mol	Chain	Res	Type	RSRZ
1	А	142	GLY	2.5
1	В	359	HIS	2.5
1	В	199	TRP	2.4
1	А	316	GLN	2.4
1	В	232	GLY	2.2
1	В	142	GLY	2.1
1	А	229	ALA	2.0
1	А	199	TRP	2.0
1	В	431	ILE	2.0
1	В	445	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

