



Full wwPDB X-ray Structure Validation Report

Jan 3, 2024 – 04:07 pm GMT

PDB ID : 5CZ4
Title : Yeast 20S proteasome at 2.3 Å resolution
Authors : Huber, E.M.; Groll, M.
Deposited on : 2015-07-31
Resolution : 2.30 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 96%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div>
1	O	250	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 94%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div>
2	B	258	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 84%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: orange;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div>
2	P	258	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 84%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: orange;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div>
3	C	254	<div style="display: flex; align-items: center;"> <div style="width: 10%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 83%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: orange;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	13% 83% 9% • 6%
4	D	260	3% 85% 5% • 10%
4	R	260	5% 84% 6% • 10%
5	E	234	7% 90% 8% •
5	S	234	9% 89% 9% •
6	F	288	6% 80% • • 16%
6	T	288	8% 80% 5% 16%
7	G	252	6% 88% 7% •
7	U	252	4% 89% 6% •
8	H	232	7% 90% 7% •
8	V	232	7% 88% 9% •
9	I	205	3% 92% 8%
9	W	205	2% 93% 6%
10	J	198	2% 89% 8% • •
10	X	198	2% 91% 7% • •
11	K	212	% 92% 6% •
11	Y	212	% 93% 6% •
12	L	222	3% 96% •
12	Z	222	2% 97% •
13	M	246	2% 88% 5% 7%
13	a	246	% 92% • 6%
14	N	196	% 95% • •
14	b	196	3% 98% •

2 Entry composition

There are 17 unique types of molecules in this entry. The entry contains 50853 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	1773	1114	307	348	4	0	0	0
5	S	231	1773	1114	307	348	4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	1892	1203	329	356	4	0	0	0
6	T	243	1892	1203	329	356	4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	1907	1214	320	365	8	0	0	0
7	U	241	1907	1214	320	365	8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	226	1719	1082	298	332	7	0	0	0
8	V	226	1719	1082	298	332	7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	1581	1010	258	305	8	0	0	0
9	W	204	1581	1010	258	305	8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	1561	992	264	299	6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	229	Total	C	N	O	S	0	0	0
			1790	1133	306	344	7			
13	a	232	Total	C	N	O	S	0	0	0
			1815	1148	311	349	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total	Mg	0	0
			1	1		
15	I	2	Total	Mg	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	K	1	Total 1	Mg 1	0	0
15	L	1	Total 1	Mg 1	0	0
15	N	1	Total 1	Mg 1	0	0
15	W	1	Total 1	Mg 1	0	0
15	Z	1	Total 1	Mg 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total 1	Cl 1	0	0
16	U	1	Total 1	Cl 1	0	0

- Molecule 17 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	A	69	Total 69	O 69	0	0
17	B	55	Total 55	O 55	0	0
17	C	43	Total 43	O 43	0	0
17	D	36	Total 36	O 36	0	0
17	E	25	Total 25	O 25	0	0
17	F	50	Total 50	O 50	0	0
17	G	76	Total 76	O 76	0	0
17	H	47	Total 47	O 47	0	0
17	I	69	Total 69	O 69	0	0
17	J	64	Total 64	O 64	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	K	64	Total O 64 64	0	0
17	L	74	Total O 74 74	0	0
17	M	68	Total O 68 68	0	0
17	N	59	Total O 59 59	0	0
17	O	31	Total O 31 31	0	0
17	P	40	Total O 40 40	0	0
17	Q	34	Total O 34 34	0	0
17	R	31	Total O 31 31	0	0
17	S	21	Total O 21 21	0	0
17	T	37	Total O 37 37	0	0
17	U	67	Total O 67 67	0	0
17	V	62	Total O 62 62	0	0
17	W	65	Total O 65 65	0	0
17	X	53	Total O 53 53	0	0
17	Y	74	Total O 74 74	0	0
17	Z	72	Total O 72 72	0	0
17	a	76	Total O 76 76	0	0
17	b	58	Total O 58 58	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3




- Molecule 2: Proteasome subunit alpha type-3





- Molecule 3: Proteasome subunit alpha type-4

Chain C: 





- Molecule 3: Proteasome subunit alpha type-4

Chain Q: 





- Molecule 4: Proteasome subunit alpha type-5

Chain D: 




- Molecule 4: Proteasome subunit alpha type-5

Chain R: 





- Molecule 5: Proteasome subunit alpha type-6

Chain E: 











- Molecule 5: Proteasome subunit alpha type-6





- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 7: Proteasome subunit alpha type-1





- Molecule 7: Proteasome subunit alpha type-1









• Molecule 8: Proteasome subunit beta type-2




• Molecule 8: Proteasome subunit beta type-2





• Molecule 9: Proteasome subunit beta type-3




• Molecule 9: Proteasome subunit beta type-3




• Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7






- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	137.02Å 300.93Å 145.76Å 90.00° 113.13° 90.00°	Depositor
Resolution (Å)	15.00 – 2.30 15.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.8 (15.00-2.30) 98.8 (15.00-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.11 (at 2.29Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.211 , 0.228 0.214 , 0.232	Depositor DCC
R_{free} test set	23561 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	46.4	Xtrriage
Anisotropy	0.078	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 34.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	50853	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/1952	0.47	0/2642
1	O	0.29	0/1952	0.47	0/2642
2	B	0.30	0/1934	0.51	0/2618
2	P	0.30	0/1934	0.51	0/2618
3	C	0.29	0/1910	0.52	0/2586
3	Q	0.29	0/1910	0.52	0/2586
4	D	0.29	0/1837	0.49	0/2475
4	R	0.29	0/1837	0.49	0/2475
5	E	0.29	0/1800	0.48	0/2433
5	S	0.29	0/1800	0.48	0/2433
6	F	0.29	0/1932	0.46	0/2609
6	T	0.29	0/1932	0.46	0/2609
7	G	0.29	0/1945	0.47	0/2634
7	U	0.29	0/1945	0.47	0/2634
8	H	0.33	0/1750	0.48	0/2373
8	V	0.43	0/1750	0.53	1/2373 (0.0%)
9	I	0.33	0/1611	0.50	0/2174
9	W	0.31	0/1611	0.50	0/2174
10	J	0.34	0/1589	0.51	0/2142
10	X	0.28	0/1589	0.49	0/2142
11	K	0.30	0/1681	0.50	1/2274 (0.0%)
11	Y	0.31	0/1681	0.50	1/2274 (0.0%)
12	L	0.31	0/1795	0.49	0/2420
12	Z	0.34	0/1795	0.49	0/2420
13	M	0.30	0/1821	0.51	0/2470
13	a	0.30	0/1846	0.51	0/2503
14	N	0.27	0/1541	0.49	0/2087
14	b	0.28	0/1541	0.48	0/2087
All	All	0.30	0/50221	0.49	3/67907 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	V	23	GLY	C-N-CD	5.76	140.49	128.40
11	Y	4	LEU	CA-CB-CG	5.25	127.38	115.30
11	K	4	LEU	CA-CB-CG	5.17	127.20	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	6	0
1	O	1915	0	1929	9	0
2	B	1904	0	1904	17	0
2	P	1904	0	1904	15	0
3	C	1881	0	1895	13	0
3	Q	1881	0	1895	13	0
4	D	1813	0	1797	7	0
4	R	1813	0	1797	8	0
5	E	1773	0	1775	10	0
5	S	1773	0	1775	8	0
6	F	1892	0	1883	7	0
6	T	1892	0	1883	3	0
7	G	1907	0	1901	6	0
7	U	1907	0	1901	5	0
8	H	1719	0	1719	11	0
8	V	1719	0	1719	17	0
9	I	1581	0	1574	8	0
9	W	1581	0	1574	7	0
10	J	1561	0	1569	9	0
10	X	1561	0	1569	9	0
11	K	1644	0	1595	5	0
11	Y	1644	0	1595	6	0
12	L	1757	0	1711	3	0
12	Z	1757	0	1711	0	0
13	M	1790	0	1793	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	a	1815	0	1821	0	0
14	N	1512	0	1481	5	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	I	2	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	W	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	A	69	0	0	0	0
17	B	55	0	0	1	0
17	C	43	0	0	0	0
17	D	36	0	0	0	0
17	E	25	0	0	0	0
17	F	50	0	0	0	0
17	G	76	0	0	0	0
17	H	47	0	0	0	0
17	I	69	0	0	0	0
17	J	64	0	0	1	0
17	K	64	0	0	0	0
17	L	74	0	0	0	0
17	M	68	0	0	1	0
17	N	59	0	0	0	0
17	O	31	0	0	0	0
17	P	40	0	0	1	0
17	Q	34	0	0	0	0
17	R	31	0	0	0	0
17	S	21	0	0	0	0
17	T	37	0	0	0	0
17	U	67	0	0	1	0
17	V	62	0	0	0	0
17	W	65	0	0	0	0
17	X	53	0	0	1	0
17	Y	74	0	0	0	0
17	Z	72	0	0	0	0
17	a	76	0	0	0	0
17	b	58	0	0	0	0
All	All	50853	0	49080	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 2.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:V:22:GLN:HG3	8:V:27:ALA:HB2	1.59	0.84
8:V:52:THR:O	8:V:56:THR:OG1	1.96	0.84
8:H:52:THR:O	8:H:56:THR:OG1	1.95	0.83
10:X:21:VAL:HG11	11:Y:122:LEU:HD11	1.78	0.66
2:B:12:PHE:H	3:C:17:GLN:HE22	1.42	0.66
7:G:68:ARG:HH12	14:N:36:ARG:HH22	1.43	0.66
14:N:35:THR:HG21	14:N:45:ARG:HE	1.61	0.65
2:B:3:ARG:HB3	5:E:122:TYR:OH	1.95	0.65
5:S:12:PHE:H	6:T:19:GLN:HE22	1.46	0.63
10:J:21:VAL:HG11	11:K:122:LEU:HD11	1.80	0.63
5:E:12:PHE:H	6:F:19:GLN:HE22	1.45	0.63
8:H:3:ILE:HG21	8:H:44:ALA:HB3	1.83	0.60
8:V:3:ILE:HG21	8:V:44:ALA:HB3	1.82	0.60
11:Y:128:CYS:HB2	11:Y:137:TYR:CZ	2.38	0.59
11:Y:128:CYS:HB2	11:Y:137:TYR:CE2	2.38	0.58
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.38	0.58
12:L:131:TYR:O	12:L:132:GLU:HG2	2.02	0.58
8:V:22:GLN:CG	8:V:27:ALA:HB2	2.34	0.56
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.71	0.56
13:M:229:GLY:HA2	8:V:111:PHE:CE1	2.41	0.55
9:I:36:SER:HB2	10:J:126:VAL:HG11	1.88	0.55
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.72	0.54
3:C:9:PHE:H	4:D:15:GLN:HE22	1.56	0.54
10:J:25:ILE:O	10:X:139:TYR:OH	2.26	0.54
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.07	0.54
3:C:51:LYS:O	3:C:52:LEU:HB2	2.07	0.54
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	1.91	0.53
1:O:12:PHE:H	2:P:20:GLN:HE22	1.56	0.53
2:P:217:LYS:C	2:P:219:ALA:H	2.12	0.53
2:B:146:GLN:HG2	3:C:57:ILE:HG21	1.89	0.53
8:H:3:ILE:HG22	8:H:99:ILE:HD12	1.90	0.53
10:J:3:ILE:HG23	10:J:18:SER:HB3	1.90	0.53
3:Q:9:PHE:H	4:R:15:GLN:HE22	1.58	0.52
2:B:124:HIS:HB3	3:C:124:VAL:HG12	1.92	0.52
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.58	0.52
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.75	0.52
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.51
2:B:217:LYS:C	2:B:219:ALA:H	2.12	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:R:176:LEU:HD11	5:S:54:GLU:HB2	1.93	0.51
8:V:218:VAL:CG2	9:W:196:LYS:HB2	2.40	0.51
4:D:176:LEU:HD22	5:E:55:LEU:CD2	2.41	0.51
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.75	0.51
8:V:3:ILE:HG22	8:V:99:ILE:HD12	1.93	0.50
4:D:91:HIS:HB3	4:D:99:ILE:HG22	1.93	0.50
2:B:3:ARG:CB	5:E:122:TYR:OH	2.58	0.50
4:R:91:HIS:HB3	4:R:99:ILE:HG22	1.94	0.50
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.94	0.50
1:A:5:TYR:OH	6:F:123:ASN:OD1	2.23	0.49
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.94	0.49
2:P:47:ALA:HB1	2:P:64:LYS:HD2	1.95	0.49
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.43	0.48
10:X:93:ARG:NH1	17:X:201:HOH:O	2.47	0.48
2:B:47:ALA:HB1	2:B:64:LYS:HD2	1.95	0.48
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.96	0.48
10:J:139:TYR:OH	10:X:25:ILE:O	2.32	0.48
2:P:176:GLN:HG3	3:Q:52:LEU:HD13	1.96	0.48
8:H:3:ILE:CG2	8:H:44:ALA:HB3	2.44	0.47
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.97	0.47
11:K:107:LYS:HG3	11:K:108:GLU:HG3	1.96	0.47
4:R:159:TYR:CE2	5:S:56:SER:HB3	2.50	0.47
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.96	0.47
6:T:155:GLY:HA3	7:U:59:THR:HG21	1.97	0.47
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.96	0.47
11:Y:107:LYS:HG3	11:Y:108:GLU:HG3	1.97	0.47
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.45	0.47
2:B:123:GLN:HA	3:C:125:ARG:HG2	1.98	0.46
1:O:55:LEU:HB3	7:U:159:ALA:O	2.16	0.46
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.45	0.46
8:V:50:ALA:HB2	9:W:128:CYS:HB2	1.97	0.46
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.96	0.46
9:W:36:SER:HB2	10:X:126:VAL:HG11	1.97	0.46
7:G:23:PHE:O	7:G:26:THR:HB	2.16	0.46
3:C:11:PRO:HA	4:D:18:TYR:CD1	2.51	0.46
3:C:35:LYS:HG2	3:C:158:SER:O	2.15	0.46
8:H:43:CYS:SG	8:H:56:THR:CG2	3.04	0.46
8:V:43:CYS:SG	8:V:56:THR:CG2	3.04	0.46
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.16	0.46
1:O:57:MET:HE1	17:U:402:HOH:O	2.16	0.45
1:O:14:PRO:HA	2:P:23:TYR:CD1	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:128:CYS:SG	11:K:136:ALA:HB3	2.56	0.45
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.99	0.45
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.47	0.45
7:U:23:PHE:O	7:U:26:THR:HB	2.16	0.45
3:C:149:GLU:HB2	3:C:150:PRO:HD2	1.99	0.45
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.99	0.45
2:B:93:HIS:HB3	17:B:301:HOH:O	2.16	0.44
12:L:131:TYR:C	12:L:132:GLU:HG2	2.38	0.44
2:P:123:GLN:HA	3:Q:125:ARG:HG2	1.99	0.44
1:A:12:PHE:H	2:B:20:GLN:HE22	1.64	0.44
10:J:1:MET:HG3	10:J:47:ALA:HA	1.99	0.44
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.47	0.44
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	1.99	0.44
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.00	0.44
13:M:229:GLY:HA2	8:V:111:PHE:HE1	1.80	0.44
14:N:36:ARG:HG3	14:N:42:TRP:CE2	2.52	0.44
14:N:35:THR:CG2	14:N:45:ARG:HE	2.27	0.43
13:M:96:LEU:O	13:M:100:MET:HG2	2.18	0.43
1:O:7:PHE:HB3	3:Q:2:TYR:CE1	2.53	0.43
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.99	0.43
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.00	0.43
2:P:93:HIS:HB3	17:P:301:HOH:O	2.18	0.43
8:V:80:LEU:HD21	8:V:100:VAL:HB	2.00	0.43
2:P:12:PHE:H	3:Q:17:GLN:HE22	1.65	0.43
2:P:3:ARG:HB3	5:S:122:TYR:OH	2.19	0.43
11:K:145:LYS:HB2	11:K:148:LEU:HD13	2.00	0.43
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.01	0.43
8:V:3:ILE:CG2	8:V:44:ALA:HB3	2.46	0.43
8:H:196:ARG:NH2	9:I:150:GLU:O	2.52	0.43
11:Y:145:LYS:HB2	11:Y:148:LEU:HD13	2.00	0.42
2:B:151:ASN:HB2	2:B:152:PRO:HD2	2.01	0.42
6:F:13:PRO:HA	7:G:21:TYR:CD1	2.54	0.42
8:H:104:ASP:HB2	8:H:105:PRO:CD	2.49	0.42
3:Q:11:PRO:HA	4:R:18:TYR:CD1	2.55	0.42
8:V:104:ASP:HB2	8:V:105:PRO:CD	2.49	0.42
10:X:1:MET:HB3	10:X:34:LYS:HE3	2.02	0.42
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.00	0.42
5:E:175:LEU:HA	5:E:178:PHE:CE2	2.55	0.42
11:Y:38:ASN:HB2	11:Y:39:PRO:CD	2.49	0.42
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.00	0.42
11:K:38:ASN:HB2	11:K:39:PRO:CD	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:18:LEU:HD21	6:F:126:ARG:HD2	2.01	0.42
4:R:91:HIS:CD2	4:R:99:ILE:HG22	2.55	0.42
5:S:175:LEU:HA	5:S:178:PHE:CE2	2.55	0.42
10:J:93:ARG:NH1	17:J:201:HOH:O	2.49	0.42
8:H:218:VAL:CG2	9:I:196:LYS:HB2	2.50	0.41
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.02	0.41
4:D:91:HIS:CD2	4:D:99:ILE:HG22	2.55	0.41
13:M:2:GLN:NE2	17:M:302:HOH:O	2.52	0.41
5:S:109:HIS:HB3	6:T:82:ARG:NH2	2.35	0.41
4:D:176:LEU:HD22	5:E:55:LEU:HD22	2.03	0.41
6:F:172:LEU:HB3	7:G:54:LEU:CD2	2.49	0.41
8:H:22:GLN:HG3	8:H:27:ALA:HB2	2.02	0.41
1:O:6:SER:OG	3:Q:2:TYR:HA	2.20	0.41
2:B:14:PRO:HA	3:C:20:TYR:CD1	2.55	0.41
6:F:202:ASP:OD1	6:F:202:ASP:N	2.54	0.41
1:O:75:TYR:HB3	1:O:82:TYR:CD1	2.55	0.41
2:B:219:ALA:HB2	2:B:225:TYR:HB2	2.02	0.41
1:A:4:ARG:HD3	5:E:122:TYR:HD2	1.85	0.41
8:V:63:ILE:HG23	8:V:74:PRO:HB3	2.03	0.41
1:A:55:LEU:HD12	7:G:170:THR:HG23	2.02	0.41
2:B:14:PRO:HA	3:C:20:TYR:CE1	2.56	0.41
9:I:56:ALA:HB3	10:J:124:THR:HG23	2.03	0.41
2:P:219:ALA:HB2	2:P:225:TYR:HB2	2.02	0.41
7:U:78:ILE:N	7:U:79:PRO:CD	2.84	0.41
2:B:220:ASN:O	2:B:221:ASP:HB2	2.21	0.41
5:E:109:HIS:HB3	6:F:82:ARG:NH2	2.36	0.41
12:L:8:ASN:HA	12:L:30:ILE:O	2.21	0.41
13:M:27:LEU:HD21	13:M:34:LEU:HD22	2.03	0.41
2:P:220:ASN:O	2:P:221:ASP:HB2	2.21	0.41
4:R:9:PRO:HA	5:S:23:TYR:CD1	2.56	0.40
7:G:78:ILE:N	7:G:79:PRO:CD	2.84	0.40
9:I:141:ALA:HB2	9:I:177:ASP:HB2	2.04	0.40
8:H:63:ILE:HG23	8:H:74:PRO:HB3	2.03	0.40
8:V:43:CYS:SG	8:V:56:THR:HG23	2.62	0.40
1:A:75:TYR:HB3	1:A:82:TYR:CD1	2.55	0.40
8:V:196:ARG:NH2	9:W:150:GLU:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	34	42
1	O	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	34	42
2	B	242/258 (94%)	235 (97%)	3 (1%)	4 (2%)	9	8
2	P	242/258 (94%)	235 (97%)	3 (1%)	4 (2%)	9	8
3	C	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	12	12
3	Q	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	12	12
4	D	231/260 (89%)	229 (99%)	2 (1%)	0	100	100
4	R	231/260 (89%)	229 (99%)	2 (1%)	0	100	100
5	E	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
5	S	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
6	F	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
6	T	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
7	G	239/252 (95%)	239 (100%)	0	0	100	100
7	U	239/252 (95%)	239 (100%)	0	0	100	100
8	H	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
8	V	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	197 (98%)	5 (2%)	0	100	100
9	W	202/205 (98%)	196 (97%)	6 (3%)	0	100	100
10	J	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
10	X	193/198 (98%)	188 (97%)	5 (3%)	0	100	100
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
13	M	227/246 (92%)	220 (97%)	7 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	230/246 (94%)	222 (96%)	8 (4%)	0	100	100
14	N	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
14	b	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
All	All	6279/6614 (95%)	6138 (98%)	125 (2%)	16 (0%)	41	50

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
2	B	221	ASP
3	C	202	GLN
2	P	51	VAL
2	P	221	ASP
3	Q	202	GLN
1	A	2	THR
2	B	220	ASN
1	O	2	THR
2	P	220	ASN
2	B	218	GLY
3	C	205	ALA
2	P	218	GLY
3	Q	205	ALA
3	Q	183	PRO
3	C	183	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	205 (98%)	4 (2%)	57	73
1	O	209/209 (100%)	205 (98%)	4 (2%)	57	73
2	B	203/216 (94%)	195 (96%)	8 (4%)	32	46
2	P	203/216 (94%)	195 (96%)	8 (4%)	32	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	212/226 (94%)	199 (94%)	13 (6%)	18	25
3	Q	212/226 (94%)	198 (93%)	14 (7%)	16	22
4	D	194/215 (90%)	182 (94%)	12 (6%)	18	25
4	R	194/215 (90%)	182 (94%)	12 (6%)	18	25
5	E	190/193 (98%)	178 (94%)	12 (6%)	18	24
5	S	190/193 (98%)	178 (94%)	12 (6%)	18	24
6	F	201/239 (84%)	191 (95%)	10 (5%)	24	34
6	T	201/239 (84%)	191 (95%)	10 (5%)	24	34
7	G	206/210 (98%)	195 (95%)	11 (5%)	22	31
7	U	206/210 (98%)	195 (95%)	11 (5%)	22	31
8	H	185/190 (97%)	181 (98%)	4 (2%)	52	69
8	V	185/190 (97%)	180 (97%)	5 (3%)	44	61
9	I	172/173 (99%)	167 (97%)	5 (3%)	42	58
9	W	172/173 (99%)	169 (98%)	3 (2%)	60	76
10	J	173/175 (99%)	165 (95%)	8 (5%)	27	38
10	X	173/175 (99%)	169 (98%)	4 (2%)	50	67
11	K	169/169 (100%)	160 (95%)	9 (5%)	22	31
11	Y	169/169 (100%)	161 (95%)	8 (5%)	26	37
12	L	185/185 (100%)	180 (97%)	5 (3%)	44	61
12	Z	185/185 (100%)	178 (96%)	7 (4%)	33	47
13	M	195/208 (94%)	189 (97%)	6 (3%)	40	55
13	a	198/208 (95%)	192 (97%)	6 (3%)	41	57
14	N	162/162 (100%)	158 (98%)	4 (2%)	47	65
14	b	162/162 (100%)	158 (98%)	4 (2%)	47	65
All	All	5315/5540 (96%)	5096 (96%)	219 (4%)	30	43

All (219) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	SER
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	50	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	55	LEU
2	B	79	LEU
2	B	113	ARG
2	B	119	GLN
2	B	186	ASP
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	49	THR
3	C	50	LEU
3	C	51	LYS
3	C	60	SER
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	175	LYS
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	40	LEU
4	D	51	LEU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	202	GLU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	99	ASN
5	E	116	GLN
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	207	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	208	ASP
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU
6	F	202	ASP
6	F	207	ASP
6	F	214	TRP
6	F	240	GLN
7	G	26	THR
7	G	75	ASN
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	178	LYS
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	34	LEU
8	H	56	THR
8	H	68	LEU
9	I	37	ASN
9	I	96	GLU
9	I	171	LEU
9	I	182	TRP
9	I	192	ASP
10	J	1	MET
10	J	2	ASP
10	J	3	ILE
10	J	23	ARG
10	J	35	THR
10	J	49	GLU
10	J	90	LYS
10	J	99	GLN
11	K	4	LEU
11	K	9	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	69	ARG
11	K	97	MET
11	K	104	TYR
11	K	107	LYS
11	K	116	ASP
11	K	140	LEU
11	K	148	LEU
12	L	3	ASN
12	L	23	LEU
12	L	31	THR
12	L	49	ASN
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	83	LYS
14	N	104	ASP
14	N	107	LYS
1	O	62	SER
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	50	LYS
2	P	55	LEU
2	P	79	LEU
2	P	113	ARG
2	P	119	GLN
2	P	186	ASP
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	49	THR
3	Q	50	LEU
3	Q	51	LYS
3	Q	52	LEU
3	Q	60	SER
3	Q	147	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	160	GLN
3	Q	169	VAL
3	Q	175	LYS
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	40	LEU
4	R	51	LEU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	202	GLU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	71	LEU
5	S	99	ASN
5	S	116	GLN
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	207	VAL
5	S	208	ASP
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	202	ASP
6	T	207	ASP
6	T	214	TRP
6	T	240	GLN
7	U	26	THR
7	U	75	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	178	LYS
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	24	PRO
8	V	30	ASN
8	V	34	LEU
8	V	56	THR
8	V	68	LEU
9	W	37	ASN
9	W	171	LEU
9	W	192	ASP
10	X	3	ILE
10	X	35	THR
10	X	90	LYS
10	X	99	GLN
11	Y	4	LEU
11	Y	9	GLN
11	Y	69	ARG
11	Y	104	TYR
11	Y	107	LYS
11	Y	116	ASP
11	Y	140	LEU
11	Y	148	LEU
12	Z	3	ASN
12	Z	23	LEU
12	Z	31	THR
12	Z	49	ASN
12	Z	130	SER
12	Z	132	GLU
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	b	9	LYS
14	b	83	LYS
14	b	104	ASP
14	b	107	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (121) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	100	ASN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	191	GLN
6	F	240	GLN
7	G	6	HIS
7	G	30	ASN
7	G	83	ASN
7	G	114	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
7	G	167	GLN
8	H	22	GLN
8	H	66	HIS
8	H	165	ASN
9	I	37	ASN
10	J	55	GLN
10	J	86	GLN
10	J	146	HIS
10	J	147	HIS
11	K	85	ASN
11	K	176	ASN
11	K	190	ASN
11	K	208	ASN
12	L	1	GLN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN
3	Q	17	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	100	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	R	225	ASN
5	S	59	GLN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	191	GLN
6	T	240	GLN
7	U	30	ASN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	167	GLN
8	V	22	GLN
8	V	35	HIS
8	V	66	HIS
8	V	165	ASN
9	W	37	ASN
10	X	55	GLN
10	X	86	GLN
11	Y	85	ASN
11	Y	176	ASN
11	Y	190	ASN
11	Y	208	ASN
12	Z	1	GLN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	95	HIS
12	Z	158	ASN
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	a	194	ASN
13	a	213	GLN
14	b	161	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 10 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	0.09	12 (4%) 30 37	34, 46, 78, 117	0
1	O	250/250 (100%)	0.22	15 (6%) 21 28	39, 55, 98, 126	0
2	B	244/258 (94%)	0.34	24 (9%) 7 10	33, 51, 91, 136	0
2	P	244/258 (94%)	0.36	18 (7%) 14 19	40, 55, 98, 144	0
3	C	240/254 (94%)	0.38	26 (10%) 5 8	34, 56, 115, 141	0
3	Q	240/254 (94%)	0.70	33 (13%) 2 4	38, 66, 147, 175	0
4	D	235/260 (90%)	0.06	8 (3%) 45 52	38, 57, 89, 131	0
4	R	235/260 (90%)	0.19	13 (5%) 25 31	40, 60, 99, 132	0
5	E	231/234 (98%)	0.30	17 (7%) 14 19	42, 60, 97, 144	0
5	S	231/234 (98%)	0.52	22 (9%) 8 11	46, 70, 110, 154	0
6	F	243/288 (84%)	0.17	18 (7%) 14 19	36, 53, 102, 135	0
6	T	243/288 (84%)	0.35	22 (9%) 9 12	40, 63, 118, 151	0
7	G	241/252 (95%)	-0.04	15 (6%) 20 26	27, 47, 80, 130	0
7	U	241/252 (95%)	0.15	11 (4%) 32 39	38, 52, 81, 124	0
8	H	226/232 (97%)	0.26	16 (7%) 16 21	30, 46, 77, 142	0
8	V	226/232 (97%)	0.47	17 (7%) 14 19	37, 50, 82, 152	0
9	I	204/205 (99%)	-0.21	6 (2%) 51 58	31, 42, 68, 90	0
9	W	204/205 (99%)	-0.23	5 (2%) 57 64	33, 44, 71, 97	0
10	J	195/198 (98%)	-0.05	3 (1%) 73 79	31, 46, 70, 128	0
10	X	195/198 (98%)	-0.01	4 (2%) 63 70	33, 47, 72, 133	0
11	K	212/212 (100%)	-0.19	2 (0%) 84 88	28, 44, 63, 85	0
11	Y	212/212 (100%)	-0.16	3 (1%) 75 80	34, 45, 67, 87	0
12	L	222/222 (100%)	-0.05	7 (3%) 47 54	33, 46, 74, 108	0
12	Z	222/222 (100%)	-0.08	5 (2%) 60 67	34, 46, 75, 110	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	229/246 (93%)	-0.08	5 (2%) 62 69	31, 47, 70, 85	0
13	a	232/246 (94%)	-0.09	2 (0%) 84 88	30, 47, 66, 82	0
14	N	196/196 (100%)	-0.24	2 (1%) 82 86	31, 42, 70, 96	0
14	b	196/196 (100%)	-0.10	5 (2%) 56 63	33, 44, 69, 103	0
All	All	6339/6614 (95%)	0.12	336 (5%) 26 33	27, 50, 94, 175	0

All (336) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	49	THR	11.2
2	P	219	ALA	10.9
8	V	221	CYS	10.0
2	B	218	GLY	9.8
10	X	1	MET	9.0
8	V	223	ILE	8.9
2	B	221	ASP	8.8
3	Q	50	LEU	8.7
3	Q	236	GLN	8.6
8	V	226	GLU	8.1
2	P	51	VAL	8.0
3	Q	206	LYS	7.7
8	V	224	GLN	7.6
2	B	51	VAL	7.6
3	C	49	THR	7.5
3	Q	239	GLN	7.3
3	C	236	GLN	7.2
2	P	218	GLY	7.0
8	H	221	CYS	7.0
3	C	206	LYS	6.9
2	P	222	GLY	6.9
2	B	219	ALA	6.8
5	S	202	ASP	6.8
12	L	174	TYR	6.7
8	V	222	ASP	6.6
8	H	223	ILE	6.5
10	J	1	MET	6.3
2	P	221	ASP	6.2
5	E	202	ASP	6.1
6	T	243	ILE	6.1
3	C	50	LEU	6.0
1	O	2	THR	5.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
10	X	194	ASP	5.9
9	W	1	SER	5.9
8	H	222	ASP	5.8
2	P	220	ASN	5.8
2	B	220	ASN	5.8
7	U	242	GLN	5.7
9	I	1	SER	5.7
2	P	59	ASP	5.6
8	H	226	GLU	5.5
2	P	52	THR	5.4
3	Q	204	GLY	5.2
5	S	210	LEU	5.1
1	A	1	MET	5.1
5	S	233	ILE	5.1
1	A	249	ALA	5.0
1	O	1	MET	5.0
3	C	205	ALA	4.9
12	Z	174	TYR	4.8
3	Q	48	SER	4.7
4	R	241	ALA	4.7
5	E	122	TYR	4.6
10	J	194	ASP	4.6
4	R	125	LEU	4.6
3	C	238	LYS	4.5
3	C	225	GLU	4.5
3	Q	205	ALA	4.5
2	B	217	LYS	4.4
1	O	249	ALA	4.4
3	Q	237	GLU	4.4
8	V	215	GLU	4.4
3	Q	202	GLN	4.3
6	T	181	GLU	4.3
9	W	133	LYS	4.3
3	C	240	GLU	4.3
3	C	202	GLN	4.2
1	A	2	THR	4.2
5	S	173	ARG	4.2
14	b	195	GLN	4.2
5	E	123	GLY	4.1
13	a	1	THR	4.1
3	Q	238	LYS	4.1
9	W	192	ASP	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	61	SER	4.1
14	N	105	LYS	4.1
6	F	244	ASN	4.1
8	H	224	GLN	4.0
6	F	205	GLU	4.0
5	E	233	ILE	3.9
2	B	60	THR	3.8
4	D	242	GLU	3.8
8	V	225	GLU	3.8
10	X	193	ASP	3.8
4	R	1	ASP	3.8
7	G	3	TYR	3.8
13	M	229	GLY	3.8
3	Q	240	GLU	3.8
2	B	242	GLY	3.7
13	M	1	THR	3.7
8	H	198	GLU	3.7
2	P	182	ASP	3.7
5	S	194	GLU	3.7
6	T	235	ALA	3.6
5	E	227	GLU	3.6
1	O	250	LEU	3.6
3	Q	52	LEU	3.6
4	R	217	GLN	3.6
8	V	219	ASN	3.5
6	T	178	HIS	3.5
3	C	239	GLN	3.5
6	T	244	ASN	3.5
14	b	105	LYS	3.5
6	T	239	ALA	3.5
5	S	203	GLU	3.5
8	V	217	ILE	3.4
3	Q	223	SER	3.4
8	H	207	ARG	3.4
2	B	59	ASP	3.4
3	Q	180	LYS	3.4
4	R	242	GLU	3.4
3	Q	203	THR	3.4
9	I	133	LYS	3.4
3	C	216	ASP	3.4
3	Q	60	SER	3.4
6	T	215	CYS	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	U	206	GLY	3.4
2	B	222	GLY	3.3
5	S	3	ASN	3.3
8	H	219	ASN	3.3
8	H	215	GLU	3.3
3	Q	55	THR	3.3
7	G	240	ALA	3.3
2	B	230	LYS	3.3
13	a	232	LYS	3.3
3	C	48	SER	3.3
6	F	202	ASP	3.3
6	F	178	HIS	3.3
6	F	181	GLU	3.2
1	A	201	GLU	3.2
3	C	47	ARG	3.2
12	Z	167	LYS	3.2
6	T	205	GLU	3.2
5	E	201	ARG	3.2
5	E	173	ARG	3.2
1	O	50	LYS	3.2
1	O	243	ILE	3.1
7	U	51	PRO	3.1
2	P	225	TYR	3.1
6	F	215	CYS	3.1
1	O	4	ARG	3.1
7	U	222	ASP	3.1
5	S	30	GLN	3.1
2	B	52	THR	3.1
8	V	145	ASP	3.1
8	V	207	ARG	3.1
1	O	231	LYS	3.1
5	S	180	LYS	3.1
3	Q	233	GLN	3.0
6	F	243	ILE	3.0
2	P	230	LYS	3.0
1	O	201	GLU	3.0
2	B	239	VAL	3.0
14	N	195	GLN	3.0
8	H	217	ILE	3.0
5	S	227	GLU	3.0
3	Q	232	THR	3.0
12	L	162	PRO	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
8	V	198	GLU	2.9
13	M	47	ASP	2.9
1	A	4	ARG	2.9
2	P	50	LYS	2.9
12	L	172	LEU	2.9
6	T	241	LYS	2.9
3	Q	225	GLU	2.9
5	S	201	ARG	2.9
6	T	180	PRO	2.9
7	G	242	GLN	2.9
6	T	230	ASP	2.9
1	A	182	GLU	2.9
8	H	196	ARG	2.9
11	Y	212	GLY	2.9
6	T	236	ILE	2.9
2	P	60	THR	2.9
2	B	238	LEU	2.9
4	R	201	GLU	2.8
7	G	179	LYS	2.8
3	C	60	SER	2.8
2	B	54	THR	2.8
3	C	223	SER	2.8
3	Q	51	LYS	2.8
3	Q	187	GLU	2.8
6	F	2	THR	2.8
5	S	178	PHE	2.8
6	T	55	LEU	2.8
9	W	131	GLU	2.8
12	L	163	GLY	2.8
2	B	182	ASP	2.7
3	C	181	GLU	2.8
4	R	116	GLY	2.7
5	E	210	LEU	2.7
7	G	188	GLU	2.7
4	D	1	ASP	2.7
3	Q	181	GLU	2.7
9	I	160	GLU	2.7
3	Q	46	ARG	2.7
6	F	207	ASP	2.7
1	A	54	PRO	2.7
7	U	3	TYR	2.7
4	R	54	ASP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	93	HIS	2.7
1	A	203	GLU	2.6
8	H	225	GLU	2.6
3	Q	59	PRO	2.6
11	K	212	GLY	2.6
7	U	183	ASP	2.6
6	T	198	LEU	2.6
6	T	208	PHE	2.6
7	U	181	LYS	2.6
10	J	193	ASP	2.6
8	V	209	THR	2.6
7	G	208	GLU	2.6
3	C	180	LYS	2.6
1	A	250	LEU	2.6
9	I	131	GLU	2.6
2	B	19	TYR	2.5
8	V	196	ARG	2.5
8	V	214	LYS	2.5
1	O	178	ARG	2.5
7	U	68	ARG	2.5
10	X	149	ARG	2.5
8	V	206	PRO	2.5
7	U	203	ASP	2.5
8	H	145	ASP	2.5
3	Q	179	ARG	2.5
1	A	248	GLU	2.5
1	O	53	SER	2.5
8	H	195	VAL	2.5
1	A	229	THR	2.5
3	Q	235	GLU	2.5
7	G	230	GLU	2.5
11	Y	202	GLU	2.5
6	F	241	LYS	2.5
3	C	3	ASP	2.5
1	O	52	SER	2.4
2	P	53	SER	2.4
4	D	201	GLU	2.4
9	I	17	LYS	2.4
3	C	229	GLN	2.4
6	T	238	PHE	2.4
8	V	181	GLY	2.4
4	R	169	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
14	b	104	ASP	2.4
2	P	240	LYS	2.4
6	T	204	LYS	2.4
2	P	93	HIS	2.4
3	C	175	LYS	2.4
4	R	238	LYS	2.4
4	D	125	LEU	2.4
3	C	46	ARG	2.4
4	R	47	THR	2.4
3	C	233	GLN	2.4
5	E	54	GLU	2.4
2	B	240	LYS	2.4
6	F	180	PRO	2.4
4	D	217	GLN	2.4
5	S	165	GLN	2.4
12	L	1	GLN	2.3
6	F	203	ASN	2.3
5	S	171	LEU	2.3
3	Q	47	ARG	2.3
6	T	2	THR	2.3
1	O	169	VAL	2.3
7	G	237	VAL	2.3
7	G	241	GLU	2.3
7	G	181	LYS	2.3
4	D	241	ALA	2.3
5	E	194	GLU	2.3
6	F	230	ASP	2.3
5	S	200	LEU	2.3
2	B	50	LYS	2.3
3	Q	1	GLY	2.3
4	R	230	GLU	2.3
12	Z	1	GLN	2.3
7	G	2	GLY	2.3
7	G	222	ASP	2.3
9	W	160	GLU	2.2
1	O	229	THR	2.2
2	P	54	THR	2.2
6	F	239	ALA	2.2
5	S	55	LEU	2.2
6	T	54	LEU	2.2
3	C	179	ARG	2.2
5	E	206	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	U	219	ALA	2.2
3	Q	175	LYS	2.2
6	T	53	LYS	2.2
6	F	238	PHE	2.2
5	S	54	GLU	2.2
13	M	216	ASN	2.2
1	A	231	LYS	2.2
6	T	206	LYS	2.2
3	C	27	ARG	2.2
3	C	203	THR	2.2
5	E	203	GLU	2.2
5	E	180	LYS	2.1
4	D	47	THR	2.1
1	O	245	ASP	2.1
7	G	183	ASP	2.1
8	H	213	LEU	2.1
2	P	203	SER	2.1
3	Q	38	ASN	2.1
8	H	181	GLY	2.1
13	M	171	GLN	2.1
6	T	203	ASN	2.1
7	G	68	ARG	2.1
12	L	160	TYR	2.1
12	Z	106	TYR	2.1
2	B	201	ASP	2.1
12	L	210	ASP	2.1
6	F	228	LYS	2.1
6	F	59	LYS	2.1
12	Z	173	LYS	2.1
5	S	40	ASN	2.1
5	S	123	GLY	2.1
7	U	2	GLY	2.1
5	S	179	ILE	2.1
6	F	166	GLN	2.1
11	K	118	ASP	2.1
14	b	103	ASP	2.1
5	E	218	ASP	2.0
9	I	192	ASP	2.0
3	Q	210	ILE	2.0
14	b	107	LYS	2.0
4	R	177	ASN	2.0
5	S	52	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	203	SER	2.0
3	C	231	VAL	2.0
5	E	207	VAL	2.0
7	G	40	ASP	2.0
5	S	163	ARG	2.0
11	Y	106	ARG	2.0
2	B	235	LYS	2.0
5	E	185	PRO	2.0
5	E	217	LYS	2.0
4	D	224	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
15	MG	Z	301	1/1	0.85	0.09	56,56,56,56	0
15	MG	W	301	1/1	0.91	0.17	47,47,47,47	0
15	MG	N	201	1/1	0.95	0.09	40,40,40,40	0
15	MG	I	301	1/1	0.95	0.11	51,51,51,51	0
15	MG	K	301	1/1	0.95	0.07	42,42,42,42	0
15	MG	G	301	1/1	0.97	0.05	42,42,42,42	0
15	MG	I	302	1/1	0.98	0.04	41,41,41,41	0
15	MG	L	301	1/1	0.99	0.03	44,44,44,44	0
16	CL	G	302	1/1	0.99	0.11	30,30,30,30	0
16	CL	U	301	1/1	0.99	0.20	30,30,30,30	0

6.5 Other polymers [i](#)

There are no such residues in this entry.