

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 22, 2024 – 08:16 PM EDT

PDB ID	:	6CZM
Title	:	Crystal structure of Medicago truncatula ATP-phosphoribosyltransferase in
		tense form
Authors	:	Ruszkowski, M.
Deposited on	:	2018-04-09
Resolution	:	2.88  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
$\mathrm{EDS}$	:	2.37.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	2691 (2.90-2.86)
Clashscore	141614	2947 (2.90-2.86)
Ramachandran outliers	138981	2868 (2.90-2.86)
Sidechain outliers	138945	2871 (2.90-2.86)
RSRZ outliers	127900	2629 (2.90-2.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	352	% • 80%	15%	•••
1	В	352	67% 19%	•	13%
1	С	352	<b>*</b> 76%	18%	• 5%
1	D	352	76%	17%	• 5%
1	Е	352	77%	19%	



Mol	Chain	Length	Quality of cha	ain	
			9%		
1	F	352	60%	28%	• 11%



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 15380 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	220	Total	С	Ν	0	S	0	0	0
1	Л	000	2602	1644	451	495	12	0	0	0
1	Р	207	Total	С	Ν	0	S	0	0	0
1	D	507	2357	1491	409	445	12	0	0	0
1	С	225	Total	С	Ν	0	S	0	0	0
1	U	555	2573	1626	444	491	12			0
1	Л	225	Total	С	Ν	0	S	0	0	0
	D	აიე	2570	1624	444	490	12	0	0	0
1	F	249	Total	С	Ν	0	S	0	0	0
1		042	2627	1657	457	501	12	0	0	0
1	1 F	215	Total	С	Ν	0	S	0	0	0
		315	2427	1537	421	458	11		U	

• Molecule 1 is a protein called ATP phosphoribosyltransferase catalytic subunit.

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	22	SER	-	expression tag	UNP G7JFL4
А	23	ASN	-	expression tag	UNP G7JFL4
А	24	ALA	-	expression tag	UNP G7JFL4
В	22	SER	-	expression tag	UNP G7JFL4
В	23	ASN	-	expression tag	UNP G7JFL4
В	24	ALA	-	expression tag	UNP G7JFL4
С	22	SER	-	expression tag	UNP G7JFL4
С	23	ASN	-	expression tag	UNP G7JFL4
С	24	ALA	-	expression tag	UNP G7JFL4
D	22	SER	-	expression tag	UNP G7JFL4
D	23	ASN	-	expression tag	UNP G7JFL4
D	24	ALA	-	expression tag	UNP G7JFL4
Е	22	SER	-	expression tag	UNP G7JFL4
Е	23	ASN	-	expression tag	UNP G7JFL4
E	24	ALA	-	expression tag	UNP G7JFL4
F	22	SER	-	expression tag	UNP G7JFL4
F	23	ASN	-	expression tag	UNP G7JFL4



Chain	Residue	Modelled	Actual	Comment	Reference
F	24	ALA	-	expression tag	UNP G7JFL4

• Molecule 2 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula:  $C_{10}H_{14}N_5O_7P$ ).



Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf											
9	Λ	1	Total	С	Ν	0	Р	0	0											
	Л	1	23	10	5	7	1	0	0											
2	В	1	Total	С	Ν	Ο	Р	0	0											
2	D	T	23	10	5	7	1	0	0											
2	2 C	С	С	С	С	С	С	С	С	С	С	1	Total	С	Ν	Ο	Р	0	0	
2		1	23	10	5	7	1	0	0											
2	Л	1	Total	С	Ν	Ο	Р	0	0											
2	D		23	10	5	7	1	0	0											
2	2 E	Б	F	F	F	F	F	F	F	Г	F	Б	1	Total	С	Ν	0	Р	0	0
2		L	23	10	5	7	1	0	0											
9	9 E	1	Total	С	Ν	0	Р	0	0											
	Ľ		23	10	5	7	1	0												

• Molecule 3 is HISTIDINE (three-letter code: HIS) (formula:  $C_6H_{10}N_3O_2$ ).





Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf
3	Λ	1	Total	С	Ν	Ο	0	0
0	Л	1	11	6	3	2	0	0
2	В	1	Total	С	Ν	Ο	0	0
5	D	1	11	6	3	2	0	0
2	С	1	Total	С	Ν	Ο	0	0
5	U	1	11	6	3	2	0	0
2	Л	1	Total	С	Ν	Ο	0	0
5	D	1	11	6	3	2	0	0
2	F	1	Total	С	Ν	Ο	0	0
5	Ľ	1	11	6	3	2	0	0
3	F	1	Total	С	Ν	0	0	0
5	Ľ		11	6	3	2		0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	13	Total O 13 13	0	0
4	В	1	Total O 1 1	0	0
4	С	1	Total O 1 1	0	0
4	D	2	Total O 2 2	0	0
4	Е	2	Total O 2 2	0	0
4	F	1	Total O 1 1	0	0



Chain C:

SER ASN THR HIS HIS HIS SLN SLN VAL VAL VAL

# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: ATP phosphoribosyltransferase catalytic subunit

• Molecule 1: ATP phosphoribosyltransferase catalytic subunit

76%

18%

• 5%

#### R291 L349 V350 S351

• Molecule 1: ATP phosphoribosyltransferase catalytic subunit



• Molecule 1: ATP phosphoribosyltransferase catalytic subunit





• Molecule 1: ATP phosphoribosyltransferase catalytic subunit



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	89.17Å 178.66Å 92.11Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $105.71^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	43.30 - 2.88	Depositor
Resolution (A)	48.93 - 2.88	EDS
% Data completeness	99.2 (43.30-2.88)	Depositor
(in resolution range)	99.2 (48.93-2.88)	EDS
R <sub>merge</sub>	0.05	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.86 (at 2.86 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.11.1_2575	Depositor
D D.	0.191 , $0.239$	Depositor
$\Pi, \Pi_{free}$	0.198 , $0.239$	DCC
$R_{free}$ test set	1056 reflections $(1.70%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	89.3	Xtriage
Anisotropy	0.139	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.29 , $67.7$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	0.020 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	15380	wwPDB-VP
Average B, all atoms $(Å^2)$	108.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.63% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.42	0/2643	0.62	0/3572
1	В	0.36	0/2388	0.61	0/3219
1	С	0.37	0/2612	0.60	0/3530
1	D	0.45	0/2609	0.64	0/3525
1	Е	0.46	0/2668	0.62	0/3608
1	F	0.35	0/2460	0.63	0/3317
All	All	0.41	0/15380	0.62	0/20771

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2602	0	2661	36	0
1	В	2357	0	2412	46	0
1	С	2573	0	2628	39	0
1	D	2570	0	2630	43	0
1	Е	2627	0	2681	49	0
1	F	2427	0	2482	82	0
2	А	23	0	12	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	В	23	0	12	1	0
2	С	23	0	12	0	0
2	D	23	0	12	0	0
2	Е	23	0	12	1	0
2	F	23	0	12	2	0
3	А	11	0	6	0	0
3	В	11	0	6	2	0
3	С	11	0	6	0	0
3	D	11	0	6	0	0
3	Е	11	0	6	1	0
3	F	11	0	6	1	0
4	А	13	0	0	0	0
4	В	1	0	0	0	0
4	С	1	0	0	0	0
4	D	2	0	0	0	0
4	Е	2	0	0	0	0
4	F	1	0	0	0	0
All	All	15380	0	15602	278	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (278) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:171:THR:HG22	1:B:173:PHE:H	1.32	0.93
1:B:305:THR:HB	1:B:325:VAL:HG13	1.55	0.86
1:F:149:VAL:HG13	1:F:154:GLU:HB2	1.66	0.78
1:D:176:LEU:O	1:D:176:LEU:HD12	1.84	0.77
1:D:216:SER:HB3	1:E:68:VAL:HG11	1.65	0.77
1:E:271:MET:N	1:E:272:GLY:HA3	2.01	0.76
1:E:140:ILE:HD12	1:E:146:PHE:HB3	1.68	0.75
1:F:335:LYS:HA	1:F:338:GLN:HE21	1.51	0.74
1:D:271:MET:N	1:D:272:GLY:HA3	2.02	0.74
1:F:198:LEU:HD21	1:F:210:ILE:HD11	1.70	0.73
1:B:271:MET:N	1:B:272:GLY:HA3	2.04	0.73
1:F:136:LEU:HD22	1:F:233:VAL:HB	1.70	0.73
1:C:271:MET:N	1:C:272:GLY:HA3	2.04	0.72
1:E:281:ARG:O	1:E:291:ARG:NH2	2.21	0.72
1:A:305:THR:HB	1:A:325:VAL:HG13	1.72	0.71
1:F:180:PHE:O	1:F:184:ASN:ND2	2.21	0.71



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:F:167:LEU:HB3	1:F:189:VAL:HG22	1.72	0.71	
1:F:259:GLU:OE2	1:F:263:ARG:NH1	2.24	0.71	
1:A:271:MET:N	1:A:272:GLY:HA3	2.05	0.71	
1:A:280:MET:HE2	1:A:288:VAL:HG13	1.74	0.70	
1:F:271:MET:N	1:F:272:GLY:HA3	2.05	0.70	
1:E:162:THR:HA	1:E:188:HIS:ND1	2.08	0.68	
1:B:175:TYR:OH	1:B:179:LYS:NZ	2.25	0.68	
1:F:295:GLN:HG2	1:F:339:GLN:HB3	1.77	0.67	
1:F:57:LEU:HD23	1:F:58:LEU:HD12	1.77	0.66	
1:C:305:THR:O	1:C:324:ILE:HA	1.96	0.65	
1:D:253:VAL:O	1:D:257:THR:HG23	1.95	0.65	
1:D:305:THR:O	1:D:324:ILE:HA	1.96	0.65	
1:F:171:THR:HG22	1:F:173:PHE:H	1.60	0.65	
1:B:277:VAL:HG22	1:B:325:VAL:HB	1.79	0.65	
1:F:104:LEU:HD21	1:F:257:THR:HG22	1.79	0.64	
1:A:113:THR:HG22	1:A:176:LEU:HD21	1.78	0.64	
1:B:137:SER:HB3	1:B:232:THR:HA	1.79	0.64	
1:E:305:THR:O	1:E:324:ILE:HA	1.97	0.64	
1:D:37:ARG:NH2	1:D:103:ASP:OD1	2.26	0.64	
1:D:158:MET:HB3	1:D:161:TRP:CZ3	2.33	0.64	
1:F:114:GLU:HG3	1:F:175:TYR:HB3	1.80	0.64	
1:C:295:GLN:HG2	1:C:339:GLN:HB3	1.80	0.63	
1:D:259:GLU:OE2	1:D:263:ARG:NH1	2.31	0.63	
1:B:281:ARG:O	1:B:291:ARG:NH2	2.26	0.63	
1:E:216:SER:HB3	1:F:68:VAL:HG11	1.81	0.63	
1:F:63:LEU:HD21	1:F:263:ARG:HD3	1.80	0.63	
1:D:181:MET:HE1	1:D:191:PHE:CE1	2.34	0.62	
1:B:305:THR:O	1:B:324:ILE:HA	2.00	0.62	
1:E:253:VAL:O	1:E:257:THR:HG23	1.99	0.61	
1:B:194:ALA:HB2	1:B:206:ILE:HG21	1.83	0.61	
1:E:295:GLN:HG2	1:E:339:GLN:HB3	1.82	0.61	
1:F:152:LEU:HD12	1:F:155:LEU:HD12	1.82	0.61	
1:C:120:GLU:O	1:C:244:ARG:NH1	2.33	0.61	
1:F:120:GLU:O	1:F:244:ARG:NH1	2.33	0.61	
1:B:253:VAL:O	1:B:257:THR:HG23	2.00	0.61	
1:F:136:LEU:HD23	1:F:136:LEU:C	2.21	0.61	
1:E:277:VAL:HG22	1:E:325:VAL:HG22	1.83	0.61	
1:A:305:THR:O	1:A:324:ILE:HA	2.00	0.61	
1:B:73:TYR:CD1	1:B:74:VAL:HG23	2.35	0.61	
1:C:137:SER:HB3	1:C:232:THR:HA	1.83	0.61	
1:A:181:MET:HG3	1:A:186:ILE:HB	1.83	0.60	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:265:GLU:OE2	1:B:361:THR:OG1	2.20	0.60	
1:F:246:SER:HB2	1:F:253:VAL:HG21	1.82	0.60	
1:F:305:THR:O	1:F:324:ILE:HA	2.01	0.60	
1:B:122:LEU:N	1:B:122:LEU:HD23	2.16	0.60	
1:F:181:MET:HE1	1:F:191:PHE:CE2	2.37	0.60	
1:B:295:GLN:HG2	1:B:339:GLN:HB3	1.83	0.60	
1:C:259:GLU:OE1	1:C:263:ARG:NH1	2.35	0.60	
1:F:281:ARG:O	1:F:291:ARG:NH2	2.29	0.60	
1:B:139:ALA:HB3	1:B:210:ILE:HG22	1.84	0.59	
1:F:244:ARG:NH2	1:F:370:LYS:O	2.34	0.59	
1:D:60:ASP:HB3	1:D:267:HIS:CE1	2.36	0.59	
1:F:255:GLU:OE1	1:F:255:GLU:N	2.31	0.59	
1:F:214:VAL:HG22	1:F:220:LEU:HD11	1.84	0.59	
1:C:139:ALA:HB3	1:C:210:ILE:HG22	1.85	0.59	
1:F:280:MET:HE2	1:F:288:VAL:HG13	1.84	0.59	
1:A:187:LYS:NZ	1:A:188:HIS:HD2	2.00	0.58	
1:A:67:GLN:O	1:C:49:ARG:NH2	2.37	0.58	
1:D:104:LEU:HD21	1:D:257:THR:HG22	1.85	0.58	
1:D:109:LEU:O	1:D:113:THR:OG1	2.23	0.57	
1:B:288:VAL:O	1:B:292:VAL:HG23	2.04	0.57	
1:C:313:ARG:HD2	1:C:318:SER:OG	2.04	0.57	
1:C:142:GLN:HA	1:C:226:LYS:HE2	1.86	0.57	
1:D:55:LEU:HD22	1:D:65:VAL:HG11	1.86	0.57	
1:C:40:ILE:HD13	1:C:256:THR:HG21	1.87	0.57	
1:B:171:THR:HG23	1:B:211:LEU:O	2.05	0.56	
1:B:90:PRO:HB2	1:B:111:VAL:HG11	1.88	0.56	
1:B:47:LYS:NZ	1:B:89:ARG:HD3	2.20	0.56	
1:A:281:ARG:O	1:A:291:ARG:NH1	2.34	0.55	
1:D:264:LEU:O	1:D:268:LEU:HG	2.06	0.55	
1:F:136:LEU:CD2	1:F:211:LEU:HD11	2.36	0.55	
1:C:163:GLU:HG3	1:C:188:HIS:CE1	2.42	0.55	
1:F:136:LEU:HD23	1:F:137:SER:N	2.23	0.54	
1:D:288:VAL:O	1:D:292:VAL:HG23	2.07	0.54	
1:D:295:GLN:HG2	1:D:339:GLN:HB3	1.91	0.53	
1:A:162:THR:OG1	1:A:164:ASP:O	2.20	0.53	
1:E:276:VAL:HG22	1:E:350:VAL:HG22	1.90	0.53	
1:F:280:MET:CE	1:F:288:VAL:HG13	2.39	0.53	
1:E:281:ARG:HG2	1:E:321:TYR:CZ	2.44	0.53	
1:A:180:PHE:CG	1:A:233:VAL:HG22	2.44	0.52	
1:B:125:VAL:HG13	1:B:367:LEU:HD13	1.92	0.52	
1:F:55:LEU:HD22	1:F:65:VAL:HG11	1.91	0.52	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:F:175:TYR:HD1	1:F:176:LEU:HD23	1.75	0.52	
1:F:210:ILE:HD12	1:F:211:LEU:H	1.73	0.52	
1:C:243:SER:HB3	1:C:246:SER:HB2	1.92	0.52	
1:F:69:ASN:HB2	1:F:72:GLN:HB2	1.92	0.52	
1:F:88:GLN:CG	1:F:96:LYS:HZ1	2.22	0.52	
1:D:37:ARG:HH22	1:D:103:ASP:CG	2.12	0.52	
1:E:114:GLU:OE2	1:E:176:LEU:HD23	2.10	0.52	
1:D:120:GLU:O	1:D:244:ARG:NH1	2.43	0.51	
1:F:277:VAL:HG22	1:F:325:VAL:HG22	1.91	0.51	
1:A:277:VAL:HG22	1:A:325:VAL:HB	1.91	0.51	
1:B:204:MET:SD	1:B:206:ILE:HG12	2.50	0.51	
1:F:61:CYS:HB3	1:F:63:LEU:HD22	1.93	0.51	
1:B:325:VAL:HG22	3:B:402:HIS:HB3	1.94	0.50	
1:C:154:GLU:HA	1:C:157:LYS:HE3	1.92	0.50	
1:C:281:ARG:O	1:C:291:ARG:NH2	2.37	0.50	
1:D:43:GLY:HA3	1:D:93:ILE:HD13	1.94	0.50	
1:D:313:ARG:HD2	1:D:318:SER:OG	2.12	0.50	
1:F:162:THR:HA	1:F:188:HIS:ND1	2.26	0.50	
1:C:109:LEU:O	1:C:113:THR:OG1	2.26	0.50	
1:E:67:GLN:HE21	1:E:70:PRO:HA	1.76	0.50	
1:D:158:MET:HB3	1:D:161:TRP:HZ3	1.77	0.50	
1:F:110:ASP:OD1	1:F:111:VAL:N	2.45	0.50	
1:E:175:TYR:HD2	1:E:176:LEU:HD22	1.76	0.50	
1:A:265:GLU:OE2	1:A:361:THR:OG1	2.23	0.50	
1:F:55:LEU:HD21	1:F:87:PHE:CE1	2.47	0.49	
1:B:44:LEU:HD22	1:B:54:THR:HG21	1.93	0.49	
1:E:62:GLN:O	1:E:79:GLN:NE2	2.45	0.49	
1:E:306:VAL:HG22	1:E:324:ILE:HG22	1.93	0.49	
1:F:141:PRO:HG2	1:F:146:PHE:HB2	1.93	0.49	
1:F:171:THR:HG23	1:F:173:PHE:HD2	1.79	0.48	
1:C:104:LEU:HD21	1:C:257:THR:OG1	2.12	0.48	
1:F:60:ASP:HB3	1:F:267:HIS:CE1	2.47	0.48	
1:F:240:LEU:HD22	1:F:264:LEU:HD12	1.94	0.48	
1:C:145:ILE:HG21	1:C:160:GLN:NE2	2.28	0.48	
1:A:69:ASN:HB2	1:A:72:GLN:HB2	1.95	0.48	
1:E:362:PRO:O	1:E:366:GLN:HG3	2.13	0.48	
1:C:47:LYS:NZ	1:C:89:ARG:HG2	2.27	0.48	
1:C:179:LYS:HG3	1:C:182:LYS:HZ3	1.78	0.48	
1:E:295:GLN:CG	1:E:339:GLN:HB3	2.42	0.48	
1:D:335:LYS:HG2	1:D:339:GLN:HE21	1.78	0.48	
1:B:136:LEU:O	1:B:233:VAL:HG12	2.14	0.48	



	h i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:69:ASN:HB2	1:E:72:GLN:HB2	1.94	0.48
1:F:161:TRP:O	1:F:188:HIS:ND1	2.44	0.48
1:A:111:VAL:HG13	1:A:115:PHE:HD2	1.79	0.48
1:F:88:GLN:HG2	1:F:96:LYS:HZ1	1.79	0.48
1:A:252:GLY:O	1:A:256:THR:HG23	2.14	0.47
1:B:104:LEU:HD21	1:B:257:THR:HG22	1.96	0.47
1:D:181:MET:HE1	1:D:191:PHE:HE1	1.76	0.47
1:D:357:PHE:CD2	1:F:337:ILE:HG12	2.49	0.47
1:A:224:ASN:HD22	1:A:224:ASN:HA	1.51	0.47
1:C:56:ASP:HA	1:C:59:LYS:HG2	1.95	0.47
1:F:180:PHE:CG	1:F:233:VAL:HG22	2.49	0.47
1:F:151:SER:OG	1:F:154:GLU:HG3	2.15	0.47
1:F:219:THR:HG1	2:F:401:AMP:P	2.37	0.47
1:A:111:VAL:HG13	1:A:115:PHE:CD2	2.50	0.47
1:B:111:VAL:HG13	1:B:115:PHE:HD2	1.78	0.47
1:D:176:LEU:HD12	1:D:176:LEU:C	2.35	0.47
1:D:181:MET:HE1	1:D:191:PHE:CZ	2.50	0.47
1:A:280:MET:CE	1:A:288:VAL:HG13	2.41	0.47
1:B:161:TRP:CZ2	1:B:167:LEU:HD13	2.50	0.47
1:C:228:ILE:HG13	1:C:231:GLY:HA3	1.96	0.47
1:E:219:THR:OG1	2:E:401:AMP:O1P	2.31	0.47
1:A:355:TYR:HB2	1:C:350:VAL:HB	1.97	0.46
1:C:140:ILE:HD13	1:C:146:PHE:HB3	1.98	0.46
1:B:199:GLU:H	1:B:199:GLU:HG3	1.55	0.46
1:E:310:PHE:CE2	1:F:286:GLU:HG3	2.50	0.46
1:A:280:MET:HG2	1:A:345:GLY:HA2	1.97	0.46
1:F:219:THR:OG1	2:F:401:AMP:O3P	2.34	0.46
1:A:145:ILE:HD12	1:A:145:ILE:H	1.80	0.46
1:F:265:GLU:OE2	1:F:361:THR:OG1	2.29	0.46
1:B:305:THR:HG1	3:B:402:HIS:N	2.14	0.45
1:C:37:ARG:HD3	1:C:39:GLU:O	2.15	0.45
1:D:303:GLY:HA3	1:F:310:PHE:O	2.15	0.45
1:E:310:PHE:O	1:F:303:GLY:HA3	2.16	0.45
1:F:136:LEU:C	1:F:136:LEU:CD2	2.85	0.45
1:B:140:ILE:HB	1:B:141:PRO:HD2	1.99	0.45
1:C:121:ASP:OD1	1:C:244:ARG:HB3	2.17	0.45
1:C:252:GLY:O	1:C:256:THR:HG23	2.17	0.45
1:A:96:LYS:HD3	1:A:101:ASP:HB2	1.99	0.45
1:B:171:THR:OG1	1:B:211:LEU:HB3	2.17	0.45
1:B:171:THR:HG21	1:B:211:LEU:HD23	1.99	0.45
1:B:219:THR:OG1	2:B:401:AMP:H5'1	2.17	0.45



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:349:LEU:HB3	1:C:353:LEU:HD22	1.99	0.45	
1:F:136:LEU:HD21	1:F:211:LEU:HD11	1.97	0.45	
1:B:104:LEU:HD11	1:B:257:THR:HG22	1.98	0.45	
1:F:47:LYS:HZ1	1:F:89:ARG:HD3	1.82	0.45	
1:A:305:THR:HB	1:A:325:VAL:CG1	2.43	0.45	
1:E:96:LYS:HB3	1:E:102:LEU:HG	1.98	0.45	
1:E:292:VAL:CG2	1:E:304:PRO:HG3	2.47	0.44	
1:E:158:MET:HB3	1:E:160:GLN:OE1	2.17	0.44	
1:E:278:ALA:O	1:E:323:ALA:HA	2.18	0.44	
1:E:311:CYS:HB3	1:F:302:GLN:O	2.17	0.44	
1:F:47:LYS:NZ	1:F:89:ARG:HD3	2.32	0.44	
1:B:55:LEU:HD21	1:B:87:PHE:CE1	2.53	0.44	
1:C:110:ASP:OD1	1:C:110:ASP:N	2.50	0.44	
1:A:37:ARG:HG2	1:A:38:GLN:N	2.33	0.44	
1:D:355:TYR:HB2	1:F:350:VAL:HB	2.00	0.44	
1:F:199:GLU:HG3	1:F:223:ASN:ND2	2.32	0.44	
1:F:329:PRO:HG2	1:F:332:ALA:HB3	2.00	0.44	
1:A:187:LYS:HZ3	1:A:188:HIS:HD2	1.65	0.44	
1:E:135:ARG:NH2	1:E:227:GLU:OE2	2.46	0.44	
1:F:45:PRO:HA	1:F:88:GLN:O	2.18	0.44	
1:E:180:PHE:CG	1:E:233:VAL:HG22	2.52	0.43	
1:A:167:LEU:HB3	1:A:189:VAL:HG22	2.01	0.43	
1:C:39:GLU:HA	1:C:82:ASN:OD1	2.18	0.43	
1:F:306:VAL:HG22	1:F:324:ILE:HG22	2.01	0.43	
1:C:306:VAL:HG22	1:C:324:ILE:HG22	1.99	0.43	
1:F:278:ALA:O	1:F:323:ALA:HA	2.19	0.43	
1:A:136:LEU:O	1:A:233:VAL:N	2.45	0.43	
1:C:270:ALA:C	1:C:272:GLY:HA3	2.38	0.43	
1:F:176:LEU:HD22	1:F:176:LEU:HA	1.80	0.43	
1:D:114:GLU:OE2	1:D:176:LEU:HB2	2.19	0.43	
1:A:295:GLN:HG2	1:A:339:GLN:HB3	2.01	0.42	
1:D:136:LEU:HD11	1:D:211:LEU:HG	2.01	0.42	
1:E:162:THR:OG1	1:E:163:GLU:N	2.51	0.42	
1:E:277:VAL:HA	1:E:324:ILE:O	2.20	0.42	
1:F:138:ILE:HA	1:F:210:ILE:O	2.19	0.42	
1:B:168:ARG:O	1:B:207:ALA:HB1	2.18	0.42	
1:D:137:SER:HB3	1:D:232:THR:HA	2.01	0.42	
1:E:155:LEU:HD12	1:E:158:MET:SD	2.59	0.42	
1:F:137:SER:HB3	1:F:232:THR:HA	2.01	0.42	
1:F:175:TYR:CD1	1:F:176:LEU:HD23	2.53	0.42	
1:B:73:TYR:HD1	1:B:74:VAL:HG23	1.79	0.42	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:65:VAL:HG12	1:E:77:ILE:HG12	2.00	0.42
1:E:60:ASP:HB3	1:E:267:HIS:CE1	2.55	0.42
1:E:137:SER:HB3	1:E:232:THR:HA	2.01	0.42
1:B:39:GLU:HA	1:B:82:ASN:OD1	2.19	0.42
1:F:253:VAL:O	1:F:257:THR:HG23	2.20	0.42
1:F:277:VAL:HA	1:F:324:ILE:O	2.20	0.42
1:A:152:LEU:HA	1:A:228:ILE:HD12	2.02	0.42
1:B:181:MET:HE2	1:B:181:MET:HB2	1.90	0.42
1:B:244:ARG:O	1:B:248:ILE:HG13	2.20	0.42
1:B:291:ARG:NH1	1:B:343:ILE:O	2.53	0.42
1:C:280:MET:HG2	1:C:345:GLY:HA2	2.02	0.42
1:D:58:LEU:HB3	1:D:63:LEU:O	2.20	0.42
1:F:55:LEU:O	1:F:59:LYS:HB2	2.19	0.42
1:D:44:LEU:N	1:D:93:ILE:HD11	2.35	0.41
1:D:270:ALA:C	1:D:272:GLY:HA3	2.41	0.41
1:E:291:ARG:NH1	1:E:343:ILE:O	2.53	0.41
1:D:43:GLY:C	1:D:93:ILE:CD1	2.89	0.41
1:F:73:TYR:CD2	1:F:74:VAL:HG23	2.55	0.41
1:C:56:ASP:O	1:C:59:LYS:HG2	2.20	0.41
1:E:90:PRO:HB3	1:E:107:VAL:HG22	2.02	0.41
1:F:362:PRO:O	1:F:366:GLN:HG3	2.20	0.41
1:B:104:LEU:HD21	1:B:257:THR:CG2	2.50	0.41
1:E:49:ARG:NH2	1:F:67:GLN:O	2.53	0.41
1:C:158:MET:HB3	1:C:160:GLN:OE1	2.19	0.41
1:D:181:MET:HB2	1:D:181:MET:HE3	1.40	0.41
1:B:47:LYS:HZ1	1:B:89:ARG:HD3	1.83	0.41
1:D:42:LEU:HD23	1:D:85:VAL:HG22	2.01	0.41
1:D:69:ASN:OD1	1:D:69:ASN:N	2.54	0.41
1:E:281:ARG:HG2	1:E:321:TYR:CE2	2.55	0.41
1:F:104:LEU:HD23	1:F:240:LEU:HD11	2.02	0.41
1:A:353:LEU:HD22	1:C:349:LEU:HB3	2.02	0.41
1:F:181:MET:HE1	1:F:191:PHE:CZ	2.55	0.41
1:A:362:PRO:O	1:A:366:GLN:HG3	2.20	0.41
1:B:138:ILE:HA	1:B:210:ILE:O	2.21	0.41
1:E:60:ASP:HB3	1:E:267:HIS:HE1	1.86	0.41
1:E:277:VAL:HG12	3:F:402:HIS:CE1	2.56	0.41
1:E:325:VAL:O	3:E:402:HIS:HA	2.21	0.41
1:E:350:VAL:HB	1:F:355:TYR:HB2	2.02	0.41
1:F:96:LYS:HB3	1:F:102:LEU:HG	2.03	0.41
1:F:252:GLY:O	1:F:256:THR:HG23	2.20	0.41
1:A:137:SER:HB3	1:A:232:THR:HA	2.03	0.40



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:350:VAL:HB	1:E:355:TYR:HB2	2.02	0.40
1:F:65:VAL:HG21	1:F:87:PHE:HZ	1.86	0.40
1:A:269:ARG:NH1	1:A:356:ILE:O	2.53	0.40
1:A:311:CYS:HB3	1:B:302:GLN:O	2.21	0.40
1:C:163:GLU:H	1:C:188:HIS:CE1	2.40	0.40
1:D:115:PHE:CD2	1:D:115:PHE:N	2.89	0.40
1:D:349:LEU:HB3	1:E:353:LEU:HD22	2.01	0.40
1:A:353:LEU:HD13	1:A:356:ILE:HD11	2.02	0.40
1:C:42:LEU:HA	1:C:104:LEU:O	2.21	0.40
1:C:247:MET:HG2	1:C:253:VAL:HG12	2.03	0.40
1:D:127:GLU:OE2	1:D:363:ARG:NH1	2.54	0.40
1:E:167:LEU:CD1	1:E:208:ASP:HB2	2.52	0.40
1:E:187:LYS:HE2	1:E:187:LYS:HB2	1.84	0.40
1:D:61:CYS:O	1:D:355:TYR:OH	2.34	0.40
1:E:292:VAL:HG21	1:E:304:PRO:HG3	2.03	0.40
1:F:55:LEU:HD21	1:F:87:PHE:HE1	1.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	336/352~(96%)	325~(97%)	11 (3%)	0	100	100
1	В	293/352~(83%)	283 (97%)	9 (3%)	1 (0%)	41	70
1	С	331/352~(94%)	316 (96%)	13 (4%)	2 (1%)	25	55
1	D	331/352~(94%)	316 (96%)	12 (4%)	3 (1%)	17	45
1	Е	340/352~(97%)	328 (96%)	12 (4%)	0	100	100
1	F	301/352~(86%)	288 (96%)	13 (4%)	0	100	100
All	All	1932/2112 ( $92%$ )	1856 (96%)	70 (4%)	6 (0%)	41	70



All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	163	GLU
1	С	197	ALA
1	В	184	ASN
1	D	163	GLU
1	D	159	PRO
1	D	184	ASN

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	284/296~(96%)	278~(98%)	6 (2%)	53	80
1	В	257/296~(87%)	244~(95%)	13~(5%)	24	53
1	С	281/296~(95%)	270 (96%)	11 (4%)	32	64
1	D	281/296~(95%)	266~(95%)	15 (5%)	22	52
1	Е	287/296~(97%)	277~(96%)	10 (4%)	36	68
1	F	266/296~(90%)	258~(97%)	8 (3%)	41	73
All	All	1656/1776~(93%)	1593 (96%)	63 (4%)	33	65

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	107	VAL
1	А	151	SER
1	А	165	LYS
1	А	224	ASN
1	А	325	VAL
1	А	358	ASP
1	В	52	SER
1	В	59	LYS
1	В	72	GLN
1	В	85	VAL
1	В	162	THR



Mol	Chain	Res	Type
1	В	180	PHE
1	В	181	MET
1	В	199	GLU
1	В	228	ILE
1	В	258	HIS
1	В	318	SER
1	В	325	VAL
1	В	367	LEU
1	С	74	VAL
1	С	113	THR
1	С	145	ILE
1	С	157	LYS
1	С	228	ILE
1	С	246	SER
1	С	254	LEU
1	С	292	VAL
1	С	351	SER
1	С	358	ASP
1	С	367	LEU
1	D	64	SER
1	D	69	ASN
1	D	93	ILE
1	D	101	ASP
1	D	113	THR
1	D	124	VAL
1	D	176	LEU
1	D	181	MET
1	D	184	ASN
1	D	186	ILE
1	D	218	THR
1	D	219	THR
1	D	228	ILE
1	D	257	THR
1	D	358	ASP
1	Е	37	ARG
1	E	85	VAL
1	E	113	THR
1	Е	145	ILE
1	Е	162	THR
1	E	181	MET
1	E	219	THR
1	Е	257	THR



Mol	Chain	Res	Type
1	Е	281	ARG
1	Е	358	ASP
1	F	57	LEU
1	F	63	LEU
1	F	124	VAL
1	F	176	LEU
1	F	181	MET
1	F	219	THR
1	F	275	THR
1	F	358	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	88	GLN
1	А	188	HIS
1	А	224	ASN
1	В	339	GLN
1	С	79	GLN
1	D	88	GLN
1	D	184	ASN
1	D	267	HIS
1	D	295	GLN
1	Е	267	HIS
1	F	223	ASN
1	F	338	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



## 5.6 Ligand geometry (i)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Dog	Link	Bo	ond leng	ths	Bond angles		
WIOI	туре	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
3	HIS	D	402	-	6,11,11	1.08	1 (16%)	$5,\!14,\!14$	1.82	1 (20%)
3	HIS	А	402	-	$6,\!11,\!11$	0.98	1 (16%)	$5,\!14,\!14$	1.63	3 (60%)
2	AMP	D	401	-	$21,\!25,\!25$	1.07	2 (9%)	23,38,38	3.55	5 (21%)
2	AMP	С	401	-	$21,\!25,\!25$	1.09	2 (9%)	23,38,38	3.40	5 (21%)
2	AMP	В	401	-	21,25,25	1.03	2 (9%)	23,38,38	<mark>3.50</mark>	5 (21%)
2	AMP	Е	401	-	21,25,25	1.08	1 (4%)	23,38,38	<mark>3.36</mark>	5 (21%)
2	AMP	А	401	-	21,25,25	1.04	2 (9%)	23,38,38	3.47	4 (17%)
3	HIS	В	402	-	6,11,11	1.07	1 (16%)	$5,\!14,\!14$	1.88	2 (40%)
3	HIS	С	402	-	6,11,11	1.03	1 (16%)	$5,\!14,\!14$	1.75	2 (40%)
2	AMP	F	401	-	21,25,25	1.05	2 (9%)	23,38,38	3.49	4 (17%)
3	HIS	Е	402	-	6,11,11	1.01	1 (16%)	$5,\!14,\!14$	1.66	1 (20%)
3	HIS	F	402	_	6,11,11	1.02	1 (16%)	5,14,14	1.73	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HIS	D	402	-	-	3/8/8/8	0/1/1/1
3	HIS	А	402	-	-	2/8/8/8	0/1/1/1
2	AMP	D	401	-	-	3/6/26/26	0/3/3/3
2	AMP	С	401	-	-	5/6/26/26	0/3/3/3
2	AMP	В	401	-	-	3/6/26/26	0/3/3/3
2	AMP	Е	401	-	-	1/6/26/26	0/3/3/3
2	AMP	A	401	-	-	2/6/26/26	0/3/3/3
3	HIS	В	402	-	-	2/8/8/8	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HIS	С	402	-	-	2/8/8/8	0/1/1/1
2	AMP	F	401	-	-	1/6/26/26	0/3/3/3
3	HIS	Е	402	-	-	0/8/8/8	0/1/1/1
3	HIS	F	402	-	-	2/8/8/8	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	401	AMP	C6-N6	2.82	1.44	1.34
2	D	401	AMP	C6-N6	2.79	1.44	1.34
2	В	401	AMP	C6-N6	2.78	1.44	1.34
2	А	401	AMP	C6-N6	2.77	1.44	1.34
2	С	401	AMP	C6-N6	2.75	1.43	1.34
2	Ε	401	AMP	C6-N6	2.75	1.43	1.34
3	В	402	HIS	OXT-C	-2.42	1.22	1.30
3	D	402	HIS	OXT-C	-2.41	1.23	1.30
3	F	402	HIS	OXT-C	-2.29	1.23	1.30
3	С	402	HIS	OXT-C	-2.27	1.23	1.30
2	С	401	AMP	C2-N3	2.14	1.35	1.32
2	В	401	AMP	C2-N3	2.12	1.35	1.32
2	А	401	AMP	C2-N3	2.10	1.35	1.32
3	Ε	402	HIS	OXT-C	-2.10	1.24	1.30
2	D	401	AMP	C2-N3	2.06	1.35	1.32
3	А	402	HIS	OXT-C	-2.04	1.24	1.30
2	F	401	AMP	C2-N3	2.03	1.35	1.32

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Е	401	AMP	C1'-N9-C4	10.57	145.22	126.64
2	В	401	AMP	C1'-N9-C4	10.45	145.00	126.64
2	D	401	AMP	C1'-N9-C4	10.43	144.97	126.64
2	F	401	AMP	C1'-N9-C4	10.36	144.84	126.64
2	С	401	AMP	C1'-N9-C4	9.99	144.20	126.64
2	А	401	AMP	C5-C6-N6	9.56	134.87	120.31
2	D	401	AMP	C5-C6-N6	9.17	134.28	120.31
2	В	401	AMP	C5-C6-N6	9.07	134.13	120.31
2	F	401	AMP	C5-C6-N6	9.02	134.05	120.31
2	С	401	AMP	C5-C6-N6	8.87	133.82	120.31
2	А	401	AMP	C1'-N9-C4	8.84	142.17	126.64
2	Е	401	AMP	C5-C6-N6	8.05	132.57	120.31
2	A	401	AMP	N3-C2-N1	-6.94	119.25	128.67

WORLDWIDE PROTEIN DATA BANK

Mol	Chain	$\mathbf{Res}$	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	401	AMP	N6-C6-N1	-6.76	103.90	118.33
2	D	401	AMP	N3-C2-N1	-6.75	119.51	128.67
2	F	401	AMP	N3-C2-N1	-6.66	119.64	128.67
2	В	401	AMP	N3-C2-N1	-6.62	119.68	128.67
2	Е	401	AMP	N3-C2-N1	-6.62	119.69	128.67
2	С	401	AMP	N3-C2-N1	-6.46	119.90	128.67
2	F	401	AMP	N6-C6-N1	-6.08	105.35	118.33
2	В	401	AMP	N6-C6-N1	-6.06	105.39	118.33
2	D	401	AMP	N6-C6-N1	-6.05	105.40	118.33
2	С	401	AMP	N6-C6-N1	-5.96	105.61	118.33
2	Е	401	AMP	N6-C6-N1	-5.06	107.52	118.33
3	В	402	HIS	OXT-C-O	-3.00	117.27	124.08
2	Е	401	AMP	O3P-P-O2P	2.83	118.41	107.80
3	D	402	HIS	OXT-C-O	-2.81	117.70	124.08
2	D	401	AMP	O3P-P-O2P	2.74	118.09	107.80
3	С	402	HIS	OXT-C-O	-2.62	118.14	124.08
3	F	402	HIS	OXT-C-O	-2.54	118.32	124.08
3	Е	402	HIS	OXT-C-O	-2.35	118.75	124.08
3	А	402	HIS	OXT-C-O	-2.09	119.35	124.08
3	В	402	HIS	CD2-NE2-CE1	2.05	108.97	105.72
3	А	402	HIS	CD2-NE2-CE1	2.04	108.94	105.72
3	А	402	HIS	CB-CG-CD2	2.02	131.35	127.75
3	С	402	HIS	CD2-NE2-CE1	2.01	108.90	105.72
2	С	401	AMP	O2P-P-O1P	2.00	118.64	110.83
2	В	401	AMP	O2P-P-O1P	2.00	118.63	110.83

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	В	401	AMP	C5'-O5'-P-O1P
2	В	401	AMP	C5'-O5'-P-O2P
2	В	401	AMP	C5'-O5'-P-O3P
2	С	401	AMP	C5'-O5'-P-O1P
2	С	401	AMP	C5'-O5'-P-O2P
2	С	401	AMP	C5'-O5'-P-O3P
2	D	401	AMP	C5'-O5'-P-O2P
2	D	401	AMP	C5'-O5'-P-O3P
3	А	402	HIS	CA-CB-CG-ND1
3	А	402	HIS	CA-CB-CG-CD2
3	В	402	HIS	CA-CB-CG-ND1
3	В	402	HIS	CA-CB-CG-CD2



Mol	Chain	Res	Type	Atoms
3	С	402	HIS	CA-CB-CG-ND1
3	С	402	HIS	CA-CB-CG-CD2
3	D	402	HIS	CA-CB-CG-ND1
3	D	402	HIS	CA-CB-CG-CD2
3	F	402	HIS	CA-CB-CG-ND1
3	F	402	HIS	CA-CB-CG-CD2
2	С	401	AMP	C3'-C4'-C5'-O5'
2	F	401	AMP	C4'-C5'-O5'-P
2	С	401	AMP	O4'-C4'-C5'-O5'
2	D	401	AMP	C5'-O5'-P-O1P
2	Ε	401	AMP	C5'-O5'-P-O1P
2	A	401	AMP	C3'-C4'-C5'-O5'
3	D	402	HIS	O-C-CA-N
2	A	401	AMP	O4'-C4'-C5'-O5'

Continued from previous page...

There are no ring outliers.

6 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	401	AMP	1	0
2	Е	401	AMP	1	0
3	В	402	HIS	2	0
2	F	401	AMP	2	0
3	Е	402	HIS	1	0
3	F	402	HIS	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.













## 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	338/352~(96%)	-0.14	2 (0%) 89 89	47, 77, 132, 221	0
1	В	307/352~(87%)	0.42	35 (11%) 5 3	58, 118, 187, 232	0
1	С	335/352~(95%)	0.01	5 (1%) 73 73	56, 102, 165, 209	0
1	D	335/352~(95%)	0.10	7 (2%) 63 62	63, 94, 164, 217	0
1	Е	342/352~(97%)	0.09	7 (2%) 65 63	59, 92, 158, 214	0
1	F	315/352~(89%)	0.40	30 (9%) 8 5	64, 130, 205, 235	0
All	All	1972/2112 (93%)	0.14	86 (4%) 34 30	47, 99, 183, 235	0

All (86) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	212	ASP	5.9
1	В	139	ALA	4.6
1	F	176	LEU	4.6
1	В	206	ILE	4.6
1	F	152	LEU	4.4
1	В	205	GLY	4.0
1	В	140	ILE	3.9
1	Е	186	ILE	3.8
1	В	207	ALA	3.8
1	А	36	SER	3.5
1	В	228	ILE	3.5
1	В	167	LEU	3.4
1	В	173	PHE	3.4
1	Е	153	GLU	3.3
1	D	87	PHE	3.3
1	В	172	GLY	3.3
1	В	102	LEU	3.3
1	С	194	ALA	3.3
1	В	76	GLN	3.2



Mol	Chain	Res	Type	RSRZ
1	В	73	TYR	3.2
1	F	98	LEU	3.1
1	В	202	PRO	3.1
1	В	168	ARG	3.1
1	F	181	MET	3.1
1	F	141	PRO	3.1
1	F	191	PHE	3.0
1	В	191	PHE	3.0
1	В	227	GLU	3.0
1	С	195	ASP	3.0
1	F	140	ILE	3.0
1	F	155	LEU	2.9
1	F	189	VAL	2.9
1	В	371	LEU	2.9
1	В	171	THR	2.8
1	D	101	ASP	2.8
1	F	192	SER	2.8
1	Е	68	VAL	2.7
1	В	185	GLY	2.7
1	В	158	MET	2.7
1	А	68	VAL	2.7
1	В	65	VAL	2.7
1	F	73	TYR	2.7
1	F	217	GLY	2.6
1	В	122	LEU	2.6
1	D	67	GLN	2.6
1	F	149	VAL	2.6
1	В	141	PRO	2.5
1	В	181	MET	2.5
1	В	210	ILE	2.5
1	В	138	ILE	2.4
1	В	170	ALA	2.4
1	Е	143	TYR	2.4
1	D	68	VAL	2.4
1	F	93	ILE	2.4
1	В	242	ALA	2.3
1	С	36	SER	2.3
1	С	101	ASP	2.3
1	F	133	ASP	2.3
1	F	173	PHE	2.3
1	В	204	MET	2.3
1	Е	140	ILE	2.3



Mol	Chain	Res	Type	RSRZ
1	F	172	GLY	2.3
1	D	181	MET	2.2
1	F	177	GLY	2.2
1	F	196	GLY	2.2
1	F	180	PHE	2.2
1	D	315	GLY	2.2
1	F	220	LEU	2.2
1	F	188	HIS	2.2
1	F	120	GLU	2.2
1	В	184	ASN	2.2
1	F	122	LEU	2.1
1	F	222	GLU	2.1
1	В	157	LYS	2.1
1	F	40	ILE	2.1
1	В	87	PHE	2.1
1	В	169	VAL	2.1
1	F	150	ASN	2.1
1	F	97	LEU	2.1
1	В	203	ALA	2.0
1	Е	139	ALA	2.0
1	D	69	ASN	2.0
1	Е	146	PHE	2.0
1	С	206	ILE	2.0
1	F	102	LEU	2.0
1	В	161	TRP	2.0

Continued from previous page...

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
2	AMP	F	401	23/23	0.84	0.17	162,174,177,177	0
2	AMP	В	401	23/23	0.93	0.13	133,135,138,139	0
2	AMP	С	401	23/23	0.94	0.14	105,127,137,138	0
2	AMP	D	401	23/23	0.96	0.17	87,100,117,119	0
2	AMP	E	401	23/23	0.97	0.14	96,109,115,117	0
2	AMP	А	401	23/23	0.97	0.13	76,85,91,96	0
3	HIS	С	402	11/11	0.97	0.18	$58,\!60,\!75,\!78$	0
3	HIS	D	402	11/11	0.97	0.22	72,78,83,84	0
3	HIS	А	402	11/11	0.98	0.21	62,66,76,76	0
3	HIS	В	402	11/11	0.98	0.17	$65,\!67,\!75,\!75$	0
3	HIS	E	402	11/11	0.98	0.20	58,60,75,78	0
3	HIS	F	402	11/11	0.98	0.24	61,63,81,82	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



















## 6.5 Other polymers (i)

There are no such residues in this entry.

