

## Full wwPDB X-ray Structure Validation Report (i)

#### May 13, 2020 – 12:56 am BST

PDB ID	:	6D1O
Title	:	FT_5 dioxygenase apoenzyme
Authors	:	Rydel, T.J.; Halls, C.E.
Deposited on	:	2018-04-12
Resolution	:	2.70  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
$\operatorname{Refmac}$	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	130704	2808 (2.70-2.70)
Clashscore	141614	3122(2.70-2.70)
Ramachandran outliers	138981	3069(2.70-2.70)
Sidechain outliers	138945	3069(2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
-1		0.0.1	4%			
	А	301	70%	15%	••	12%
			3%			
1	В	301	68%	17%	••	13%
			8%			
1	C	301	72%	13%	••	12%
			7%			
1	D	301	69%	15%	••	12%
			5%			
1	E	301	69%	14%	••	12%
			4%			
1	F	301	69%	15%	••	13%



Mol	Chain	Length	Quality of chain				
1	G	301	68%	18%	••	9%	
1	Н	301	4% 68%	19%	••	8%	



 $\mathbf{2}$ 

## Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 17210 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ		Total	С	Ν	Ο	S	0	0	0
	A	204	2105	1343	358	395	9	0	0	0
1	р	263	Total	С	Ν	0	S	0	0	0
	D	203	2094	1337	354	394	9	0	0	0
1	C	266	Total	С	Ν	0	S	0	0	0
		200	2125	1354	364	398	9	0	0	U
1	П	265	Total	С	Ν	Ο	S	0	0	0
	D	205	2117	1349	363	397	8	0	0	U
1	Б	266	Total	С	Ν	Ο	S	0	0	0
		200	2120	1352	363	397	8	0	0	0
1	F	262	Total	С	Ν	Ο	S	0	0	0
	Ľ	202	2092	1336	358	390	8	0	0	0
1	C	275	Total	С	Ν	Ο	S	0	0	0
	G	275	2190	1391	379	412	8	0	0	0
1	ц	276	Total	С	Ν	Ο	S	0	0	0
	11	270	2194	1393	378	415	8		0	

• Molecule 1 is a protein called (R)-phenoxypropionate/alpha-ketoglutarate-dioxygenase.

There are 272 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	108	GLU	ASP	$\operatorname{conflict}$	UNP Q8KSC8
A	109	ASN	ASP	$\operatorname{conflict}$	UNP Q8KSC8
А	127	TYR	ARG	$\operatorname{conflict}$	UNP Q8KSC8
А	129	LYS	ILE	$\operatorname{conflict}$	UNP Q8KSC8
А	130	GLU	ASP	$\operatorname{conflict}$	UNP Q8KSC8
A	131	ILE	VAL	$\operatorname{conflict}$	UNP Q8KSC8
А	133	PRO	GLU	$\operatorname{conflict}$	UNP Q8KSC8
А	134	TYR	HIS	$\operatorname{conflict}$	UNP Q8KSC8
А	139	LEU	GLY	$\operatorname{conflict}$	UNP Q8KSC8
А	141	THR	LEU	$\operatorname{conflict}$	UNP Q8KSC8
A	209	GLU	GLY	$\operatorname{conflict}$	UNP Q8KSC8
А	210	THR	SER	$\operatorname{conflict}$	UNP Q8KSC8
A	229	SER	THR	$\operatorname{conflict}$	UNP Q8KSC8



Chain	Residue	Modelled	Actual	Comment	Reference
A	230	GLU	ASP	conflict	UNP Q8KSC8
A	231	LYS	ALA	conflict	UNP Q8KSC8
A	234	GLU	LYS	conflict	UNP Q8KSC8
A	238	SER	GLN	conflict	UNP Q8KSC8
A	241	PHE	TYR	conflict	UNP Q8KSC8
A	242	ALA	GLU	conflict	UNP Q8KSC8
A	246	LYS	ARG	conflict	UNP Q8KSC8
A	247	PRO	PHE	conflict	UNP Q8KSC8
A	248	GLU	ASP	conflict	UNP Q8KSC8
A	256	GLN	LYS	conflict	UNP Q8KSC8
A	257	GLU	LYS	conflict	UNP Q8KSC8
A	258	GLY	ASP	$\operatorname{conflict}$	UNP Q8KSC8
A	259	ASP	GLN	conflict	UNP Q8KSC8
A	269	GLN	MET	conflict	UNP Q8KSC8
A	271	TYR	ARG	conflict	UNP Q8KSC8
A	296	HIS	-	expression tag	UNP Q8KSC8
A	297	HIS	-	expression tag	UNP Q8KSC8
A	298	HIS	-	expression tag	UNP Q8KSC8
A	299	HIS	-	expression tag	UNP Q8KSC8
A	300	HIS	-	expression tag	UNP Q8KSC8
A	301	HIS	-	expression tag	UNP Q8KSC8
В	108	GLU	ASP	conflict	UNP Q8KSC8
В	109	ASN	ASP	conflict	UNP Q8KSC8
В	127	TYR	ARG	conflict	UNP Q8KSC8
В	129	LYS	ILE	conflict	UNP Q8KSC8
В	130	GLU	ASP	conflict	UNP Q8KSC8
В	131	ILE	VAL	conflict	UNP Q8KSC8
В	133	PRO	GLU	conflict	UNP Q8KSC8
В	134	TYR	HIS	$\operatorname{conflict}$	UNP Q8KSC8
В	139	LEU	GLY	$\operatorname{conflict}$	UNP Q8KSC8
В	141	THR	LEU	$\operatorname{conflict}$	UNP Q8KSC8
В	209	GLU	GLY	$\operatorname{conflict}$	UNP Q8KSC8
В	210	THR	SER	$\operatorname{conflict}$	UNP Q8KSC8
В	229	SER	THR	$\operatorname{conflict}$	UNP Q8KSC8
В	230	GLU	ASP	$\operatorname{conflict}$	UNP Q8KSC8
B	231	LYS	ALA	conflict	UNP Q8KSC8
В	234	GLU	LYS	conflict	UNP Q8KSC8
В	238	SER	GLN	conflict	UNP Q8KSC8
B	241	PHE	TYR	conflict	UNP Q8KSC8
В	242	ALA	GLU	conflict	UNP Q8KSC8
B	246	LYS	ARG	conflict	UNP Q8KSC8
В	247	PRO	PHE	$\operatorname{conflict}$	UNP Q8KSC8



Chain	Residue	Modelled	Actual	Comment	Reference
В	248	GLU	ASP	conflict	UNP Q8KSC8
В	256	GLN	LYS	conflict	UNP Q8KSC8
В	257	GLU	LYS	conflict	UNP Q8KSC8
В	258	GLY	ASP	conflict	UNP Q8KSC8
В	259	ASP	GLN	conflict	UNP Q8KSC8
В	269	GLN	MET	conflict	UNP Q8KSC8
В	271	TYR	ARG	conflict	UNP Q8KSC8
В	296	HIS	-	expression tag	UNP Q8KSC8
В	297	HIS	-	expression tag	UNP Q8KSC8
В	298	HIS	-	expression tag	UNP Q8KSC8
В	299	HIS	-	expression tag	UNP Q8KSC8
В	300	HIS	-	expression tag	UNP Q8KSC8
В	301	HIS	-	expression tag	UNP Q8KSC8
С	108	GLU	ASP	conflict	UNP Q8KSC8
С	109	ASN	ASP	conflict	UNP Q8KSC8
С	127	TYR	ARG	conflict	UNP Q8KSC8
С	129	LYS	ILE	conflict	UNP Q8KSC8
С	130	GLU	ASP	conflict	UNP Q8KSC8
С	131	ILE	VAL	$\operatorname{conflict}$	UNP Q8KSC8
С	133	PRO	GLU	conflict	UNP Q8KSC8
С	134	TYR	HIS	conflict	UNP Q8KSC8
С	139	LEU	GLY	conflict	UNP Q8KSC8
С	141	THR	LEU	conflict	UNP Q8KSC8
С	209	GLU	GLY	$\operatorname{conflict}$	UNP Q8KSC8
С	210	THR	SER	$\operatorname{conflict}$	UNP Q8KSC8
С	229	SER	THR	$\operatorname{conflict}$	UNP Q8KSC8
С	230	GLU	ASP	$\operatorname{conflict}$	UNP Q8KSC8
С	231	LYS	ALA	$\operatorname{conflict}$	UNP Q8KSC8
C	234	GLU	LYS	$\operatorname{conflict}$	UNP Q8KSC8
C	238	SER	GLN	$\operatorname{conflict}$	UNP Q8KSC8
C	241	PHE	TYR	$\operatorname{conflict}$	UNP Q8KSC8
C	242	ALA	GLU	$\operatorname{conflict}$	UNP Q8KSC8
С	246	LYS	ARG	$\operatorname{conflict}$	UNP Q8KSC8
C	247	PRO	PHE	$\operatorname{conflict}$	UNP Q8KSC8
C	248	GLU	ASP	$\operatorname{conflict}$	UNP Q8KSC8
C	256	GLN	LYS	conflict	UNP Q8KSC8
C	257	GLU	LYS	conflict	UNP Q8KSC8
C	258	GLY	ASP	conflict	UNP Q8KSC8
C	259	ASP	GLN	conflict	UNP Q8KSC8
C	269	GLN	MET	conflict	UNP Q8KSC8
C	271	TYR	ARG	conflict	UNP Q8KSC8
С	296	HIS	-	expression tag	UNP Q8KSC8



Chain	Residue	Modelled	Actual	Comment	Reference
C	297	HIS	_	expression tag	UNP Q8KSC8
C	298	HIS	-	expression tag	UNP Q8KSC8
C	299	HIS	-	expression tag	UNP Q8KSC8
C	300	HIS	-	expression tag	UNP Q8KSC8
C	301	HIS	-	expression tag	UNP Q8KSC8
D	108	GLU	ASP	conflict	UNP Q8KSC8
D	109	ASN	ASP	conflict	UNP Q8KSC8
D	127	TYR	ARG	conflict	UNP Q8KSC8
D	129	LYS	ILE	conflict	UNP Q8KSC8
D	130	GLU	ASP	conflict	UNP Q8KSC8
D	131	ILE	VAL	conflict	UNP Q8KSC8
D	133	PRO	GLU	conflict	UNP Q8KSC8
D	134	TYR	HIS	conflict	UNP Q8KSC8
D	139	LEU	GLY	conflict	UNP Q8KSC8
D	141	THR	LEU	conflict	UNP Q8KSC8
D	209	GLU	GLY	conflict	UNP Q8KSC8
D	210	THR	SER	conflict	UNP Q8KSC8
D	229	SER	THR	conflict	UNP Q8KSC8
D	230	GLU	ASP	conflict	UNP Q8KSC8
D	231	LYS	ALA	conflict	UNP Q8KSC8
D	234	GLU	LYS	conflict	UNP Q8KSC8
D	238	SER	GLN	conflict	UNP Q8KSC8
D	241	PHE	TYR	conflict	UNP Q8KSC8
D	242	ALA	GLU	conflict	UNP Q8KSC8
D	246	LYS	ARG	conflict	UNP Q8KSC8
D	247	PRO	PHE	conflict	UNP Q8KSC8
D	248	GLU	ASP	conflict	UNP Q8KSC8
D	256	GLN	LYS	$\operatorname{conflict}$	UNP Q8KSC8
D	257	GLU	LYS	$\operatorname{conflict}$	UNP Q8KSC8
D	258	GLY	ASP	$\operatorname{conflict}$	UNP Q8KSC8
D	259	ASP	GLN	$\operatorname{conflict}$	UNP Q8KSC8
D	269	GLN	MET	$\operatorname{conflict}$	UNP Q8KSC8
D	271	TYR	ARG	$\operatorname{conflict}$	UNP Q8KSC8
D	296	HIS	-	expression tag	UNP Q8KSC8
D	297	HIS	-	expression tag	UNP Q8KSC8
D	298	HIS	-	expression tag	UNP Q8KSC8
D	299	HIS	-	expression tag	UNP Q8KSC8
D	300	HIS	-	expression tag	UNP Q8KSC8
D	301	HIS	-	expression tag	UNP Q8KSC8
E	108	GLU	ASP	conflict	UNP Q8KSC8
E	109	ASN	ASP	conflict	UNP Q8KSC8
E	127	TYR	ARG	conflict	UNP Q8KSC8



Chain	Residue	Modelled	Actual Comment		Reference
Е	129	LYS	ILE	conflict	UNP Q8KSC8
Е	130	GLU	ASP	conflict	UNP Q8KSC8
Е	131	ILE	VAL	conflict	UNP Q8KSC8
Е	133	PRO	GLU	conflict	UNP Q8KSC8
Е	134	TYR	HIS	conflict	UNP Q8KSC8
Е	139	LEU	GLY	conflict	UNP Q8KSC8
Е	141	THR	LEU	conflict	UNP Q8KSC8
Е	209	GLU	GLY	conflict	UNP Q8KSC8
Е	210	THR	SER	conflict	UNP Q8KSC8
Е	229	SER	THR	conflict	UNP Q8KSC8
Е	230	GLU	ASP	conflict	UNP Q8KSC8
E	231	LYS	ALA	$\operatorname{conflict}$	UNP Q8KSC8
E	234	GLU	LYS	$\operatorname{conflict}$	UNP Q8KSC8
Е	238	SER	GLN	$\operatorname{conflict}$	UNP Q8KSC8
E	241	PHE	TYR	$\operatorname{conflict}$	UNP Q8KSC8
E	242	ALA	GLU	$\operatorname{conflict}$	UNP Q8KSC8
E	246	LYS	ARG	$\operatorname{conflict}$	UNP Q8KSC8
E	247	PRO	PHE	$\operatorname{conflict}$	UNP Q8KSC8
E	248	GLU	ASP	$\operatorname{conflict}$	UNP Q8KSC8
E	256	GLN	LYS	$\operatorname{conflict}$	UNP Q8KSC8
E	257	GLU	LYS	$\operatorname{conflict}$	UNP Q8KSC8
E	258	GLY	ASP	$\operatorname{conflict}$	UNP Q8KSC8
E	259	ASP	GLN	$\operatorname{conflict}$	UNP Q8KSC8
E	269	GLN	MET	$\operatorname{conflict}$	UNP Q8KSC8
E	271	TYR	ARG	$\operatorname{conflict}$	UNP Q8KSC8
E	296	HIS	_	expression tag	UNP Q8KSC8
E	297	HIS	-	expression tag	UNP Q8KSC8
E	298	HIS	-	expression tag	UNP Q8KSC8
E	299	HIS	-	expression tag	UNP Q8KSC8
E	300	HIS	-	expression tag	UNP Q8KSC8
E	301	HIS	-	expression tag	UNP Q8KSC8
F	108	GLU	ASP	conflict	UNP Q8KSC8
F	109	ASN	ASP	conflict	UNP Q8KSC8
F	127	TYR	ARG	conflict	UNP Q8KSC8
F	129	LYS	ILE	conflict	UNP Q8KSC8
F	130	GLU	ASP	conflict	UNP Q8KSC8
F	131	ILE	VAL	conflict	UNP Q8KSC8
F	133	PRO	GLU	conflict	UNP Q8KSC8
<u> </u>	134	TYR	HIS	conflict	UNP Q8KSC8
F	139	LEU	GLY	conflict	UNP Q8KSC8
F	141	THR	LEU	conflict	UNP Q8KSC8
F	209	GLU	GLY	conflict	UNP Q8KSC8



Chain	Residue	Modelled	Actual	Comment	Reference
F	210	THR	SER	conflict	UNP Q8KSC8
F	229	SER	THR	conflict	UNP Q8KSC8
F	230	GLU	ASP	conflict	UNP Q8KSC8
F	231	LYS	ALA	conflict	UNP Q8KSC8
F	234	GLU	LYS	conflict	UNP Q8KSC8
F	238	SER	GLN	conflict	UNP Q8KSC8
F	241	PHE	TYR	conflict	UNP Q8KSC8
F	242	ALA	GLU	conflict	UNP Q8KSC8
F	246	LYS	ARG	conflict	UNP Q8KSC8
F	247	PRO	PHE	conflict	UNP Q8KSC8
F	248	GLU	ASP	conflict	UNP Q8KSC8
F	256	GLN	LYS	conflict	UNP Q8KSC8
F	257	GLU	LYS	conflict	UNP Q8KSC8
F	258	GLY	ASP	conflict	UNP Q8KSC8
F	259	ASP	GLN	conflict	UNP Q8KSC8
F	269	GLN	MET	conflict	UNP Q8KSC8
F	271	TYR	ARG	conflict	UNP Q8KSC8
F	296	HIS	-	expression tag	UNP Q8KSC8
F	297	HIS	-	expression tag	UNP Q8KSC8
F	298	HIS	-	expression tag	UNP Q8KSC8
F	299	HIS	-	expression tag	UNP Q8KSC8
F	300	HIS	-	expression tag	UNP Q8KSC8
F	301	HIS	-	expression tag	UNP Q8KSC8
G	108	GLU	ASP	conflict	UNP Q8KSC8
G	109	ASN	ASP	conflict	UNP Q8KSC8
G	127	TYR	ARG	conflict	UNP Q8KSC8
G	129	LYS	ILE	$\operatorname{conflict}$	UNP Q8KSC8
G	130	GLU	ASP	$\operatorname{conflict}$	UNP Q8KSC8
G	131	ILE	VAL	$\operatorname{conflict}$	UNP Q8KSC8
G	133	PRO	GLU	$\operatorname{conflict}$	UNP Q8KSC8
G	134	TYR	HIS	conflict	UNP Q8KSC8
G	139	LEU	GLY	conflict	UNP Q8KSC8
G	141	THR	LEU	conflict	UNP Q8KSC8
G	209	GLU	GLY	conflict	UNP Q8KSC8
G	210	THR	SER	$\operatorname{conflict}$	UNP Q8KSC8
G	229	SER	THR	conflict	UNP Q8KSC8
G	230	GLU	ASP	conflict	UNP Q8KSC8
G	231	LYS	ALA	$\operatorname{conflict}$	UNP Q8KSC8
G	234	GLU	LYS	conflict	UNP Q8KSC8
G	238	SER	GLN	conflict	UNP Q8KSC8
G	241	PHE	TYR	conflict	UNP Q8KSC8
G	242	ALA	$\mathrm{GL}\overline{\mathrm{U}}$	$\operatorname{conflict}$	UNP Q8KSC8



Chain	Residue	Modelled	Actual	Comment	Reference
G	246	LYS	ARG	conflict	UNP Q8KSC8
G	247	PRO	PHE	conflict	UNP Q8KSC8
G	248	GLU	ASP	conflict	UNP Q8KSC8
G	256	GLN	LYS	conflict	UNP Q8KSC8
G	257	GLU	LYS	conflict	UNP Q8KSC8
G	258	GLY	ASP	conflict	UNP Q8KSC8
G	259	ASP	GLN	conflict	UNP Q8KSC8
G	269	GLN	MET	conflict	UNP Q8KSC8
G	271	TYR	ARG	conflict	UNP Q8KSC8
G	296	HIS	-	expression tag	UNP Q8KSC8
G	297	HIS	-	expression tag	UNP Q8KSC8
G	298	HIS	-	expression tag	UNP Q8KSC8
G	299	HIS	-	expression tag	UNP Q8KSC8
G	300	HIS	-	expression tag	UNP Q8KSC8
G	301	HIS	-	expression tag	UNP Q8KSC8
Н	108	GLU	ASP	conflict	UNP Q8KSC8
Н	109	ASN	ASP	conflict	UNP Q8KSC8
Н	127	TYR	ARG	$\operatorname{conflict}$	UNP Q8KSC8
H	129	LYS	ILE	conflict	UNP Q8KSC8
Н	130	GLU	ASP	$\operatorname{conflict}$	UNP Q8KSC8
Н	131	ILE	VAL	$\operatorname{conflict}$	UNP Q8KSC8
Н	133	PRO	GLU	conflict	UNP Q8KSC8
Н	134	TYR	HIS	$\operatorname{conflict}$	UNP Q8KSC8
H	139	LEU	GLY	conflict	UNP Q8KSC8
Н	141	THR	LEU	$\operatorname{conflict}$	UNP Q8KSC8
H	209	GLU	GLY	$\operatorname{conflict}$	UNP Q8KSC8
H	210	THR	SER	conflict	UNP Q8KSC8
H	229	SER	THR	conflict	UNP Q8KSC8
H	230	GLU	ASP	conflict	UNP Q8KSC8
H	231	LYS	ALA	conflict	UNP Q8KSC8
H	234	GLU	LYS	conflict	UNP Q8KSC8
H	238	SER	GLN	conflict	UNP Q8KSC8
H	241	PHE	TYR	conflict	UNP Q8KSC8
H	242	ALA	GLU	conflict	UNP Q8KSC8
H	246	LYS	ARG	conflict	UNP Q8KSC8
H	247	PRO	PHE	conflict	UNP Q8KSC8
H	248	GLU	ASP	conflict	UNP Q8KSC8
H	256	GLN	LYS	conflict	UNP Q8KSC8
H	257	GLU	LYS	conflict	UNP Q8KSC8
<u>H</u>	258	GLY	ASP	conflict	UNP Q8KSC8
H	259	ASP	GLN	conflict	UNP Q8KSC8
Н	269	GLN	MET	conflict	UNP Q8KSC8



6D	1	Ο

Chain	Residue	Modelled	Actual	Comment	Reference
Н	271	TYR	ARG	$\operatorname{conflict}$	UNP Q8KSC8
Н	296	HIS	-	expression tag	UNP Q8KSC8
Н	297	HIS	-	expression tag	UNP Q8KSC8
Н	298	HIS	-	expression tag	UNP Q8KSC8
Н	299	HIS	-	expression tag	UNP Q8KSC8
Н	300	HIS	-	expression tag	UNP Q8KSC8
Н	301	HIS	-	expression tag	UNP Q8KSC8

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	19	Total O 19 19	0	0
2	В	23	Total         O           23         23	0	0
2	С	17	Total O 17 17	0	0
2	D	14	Total O 14 14	0	0
2	Ε	35	$\begin{array}{cc} {\rm Total} & {\rm O} \\ 35 & 35 \end{array}$	0	0
2	F	34	$\begin{array}{cc} \text{Total} & \text{O} \\ 34 & 34 \end{array}$	0	0
2	G	17	$\begin{array}{cc} \text{Total} & \text{O} \\ 17 & 17 \end{array}$	0	0
2	Н	14	Total         O           14         14	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: (R)-phenoxypropionate/alpha-ketoglutarate-dioxygenase





# E257 V125 1261 1131 1265 1131 1271 1131 1276 1131 1277 1131 1278 1131 1279 1131 1290 1158 1295 1158 1296 1158 1296 1158 1159 1153 1150 1151 1151 1153 1150 1153 1150 1153 1150 1153 1150 1151 1151 1151 1151 1151 1151 1151</t

• Molecule 1: (R)-phenoxypropionate/alpha-ketoglutarate-dioxygenase





• Molecule 1: (R)-phenoxypropionate/alpha-ketoglutarate-dioxygenase



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	70.46Å $200.33$ Å $98.31$ Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $110.95^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	46.19 - 2.70	Depositor
Resolution (A)	45.90 - 2.70	$\mathrm{EDS}$
% Data completeness	97.5 (46.19-2.70)	Depositor
(in resolution range)	$97.3 \ (45.90-2.70)$	$\mathrm{EDS}$
R <sub>merge</sub>	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$< I/\sigma(I) > 1$	$2.27 (at 2.69 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
D D	0.213 , $0.241$	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.213 , $0.240$	DCC
$R_{free}$ test set	3438 reflections $(5.07%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	46.6	Xtriage
Anisotropy	1.157	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32 , $26.4$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.51, < L^2>=0.35$	Xtriage
Estimated twinning fraction	0.460 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	17210	wwPDB-VP
Average B, all atoms $(Å^2)$	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.38% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

#### 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	Bond lengths		Bond angles
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	1.06	5/2162~(0.2%)	1.18	18/2949~(0.6%)
1	В	1.07	6/2151~(0.3%)	1.15	17/2935~(0.6%)
1	С	0.90	3/2182~(0.1%)	1.10	16/2975~(0.5%)
1	D	0.94	4/2174~(0.2%)	1.18	21/2965~(0.7%)
1	Е	1.10	9/2177~(0.4%)	1.21	18/2969~(0.6%)
1	F	1.02	4/2149~(0.2%)	1.20	24/2931~(0.8%)
1	G	1.03	8/2248~(0.4%)	1.26	26/3065~(0.8%)
1	Н	1.02	4/2252~(0.2%)	1.25	27/3071~(0.9%)
All	All	1.02	43/17495~(0.2%)	1.19	167/23860~(0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	<b>#Planarity outliers</b>
1	В	0	1
1	С	0	1
1	Е	0	1
1	F	0	1
1	G	0	2
1	Н	0	2
All	All	0	8

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	В	159	GLU	CD-OE2	12.10	1.39	1.25
1	А	159	GLU	CG-CD	10.35	1.67	1.51
1	Е	159	GLU	CD-OE1	10.21	1.36	1.25
1	А	78	ASP	CB-CG	9.98	1.72	1.51
1	Е	159	GLU	CD-OE2	9.84	1.36	1.25
1	В	78	ASP	CB-CG	9.83	1.72	1.51



Mol Chain Res Type Atoms Z Observed(Å							Ideal(Å)
1	A	65	GLU	CG-CD	8.96	1.65	1 51
1	B	65	GLU	CG-CD	8.57	1.63	1.51
1	E E	13	GLU	CD-OE2	8.52	1.34	1.01 1.25
1	H	108	GLU	CD-OE1	-8.28	1.55	1.25
1	C II	108	GLU	CD OE1	7 75	1.10	1.20
1	G	130	GLU	CD-OE1	7.68	1.17	1.20 1.25
1	G	78	ASP	CB-CG	7.61	1.64	1.20
1	F	13	GLU	CD-OE1	7.01 7.32	1.37	1.01 1.25
1	D	10	ARG	CB-CG	-7.28	1.30	1.20
1	E E	209	GLU	CD-OE2	7 19	1.32	1.02 1.25
1	H	78	ASP	CB-CG	7.07	1.66	1.20
1	H	130	GLU	CD-OE1	7.01	1.00	1.01 1.25
1	G	91	GLU	CD-OE1	6.94	1.33	1.20 1.25
1	B	159	GLU	CD-OE1	6.72	1.33	1.25
1	D	159	GLU	CD-OE2	6.34	1.30	1.20 1.25
1	C	159	GLU	CD-OE2	6.29	1.32	1.25
1	D	209	GLU	CD - OE2	5.95	1.32	1.25
1	G	159	GLU	CD-OE2	5.90	1.32	1.25
1	F	65	GLU	CD-OE1	5.88	1.32	1.25
1	G	$\frac{00}{257}$	GLU	CD-OE1	5.86	1.32	1.25
1	G	230	GLU	CD-OE2	5.82	1.32	1.25
1	C	108	GLU	CD-OE1	-5.64	1 19	1.25
1	B	209	GLU	CD-OE1	5 57	1.13	1.20
1	A	148	GLU	CD-OE1	5 55	1.31	1.20
1	C	78	ASP	CB-CG	5.50	1.63	1.51
1	H	159	GLU	CD-OE2	5.50	1.31	1.25
1	G	248	GLU	CG-CD	5.48	1.60	1.51
1	B	81	PRO	C-0	5.47	1.34	1.23
1	D	78	ASP	CB-CG	5.47	1.63	1.51
1	A	148	GLU	CD-OE2	5.43	1.31	1.25
1	Ē	248	GLU	CB-CG	-5.43	1.41	1.52
1	F	275	ASP	CB-CG	5.37	1.63	1.51
1	E	248	GLU	CD-OE2	5.32	1.31	1.25
1	Ē	275	ASP	CB-CG	5.28	1.62	1.51
1	Ē	85	SER.	CB-OG	-5.05	1.35	1.42

Con

All (167) bond angle outliers are listed below:

Е

F

ASP

ASP

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	D	82	LEU	CA-CB-CG	15.11	150.05	115.30

-5.04

-5.02

1.36

1.36

N-CA

N-CA

Continued on next page...

1.46

1.46



6]	D	1	Ο	

Mol	Chain	$\mathbf{Res}$	Tvpe	Atoms	Z	Observed( <sup>o</sup> )	Ideal(°)
1	F	82	LEU	CA-CB-CG	15 11	150.05	115.30
1	H	82	LEU	CA-CB-CG	13.11 14 56	148 79	115.30
1	E	82	LEU	CA-CB-CG	13.11	145.44	115.30
1	G	137	ASP	CB-CG-OD2	-12.77	106.80	118.30
1	A	82	LEU	CB-CG-CD2	12.38	132.05	111.00
1	D	14	ARG	CG-CD-NE	-12.33	85.91	111.80
1	E	78	ASP	CB-CG-OD2	10.75	127.97	118.30
1	G	82	LEU	CA-CB-CG	10.68	139.86	115.30
1	H	73	ARG	NE-CZ-NH2	-10.07	115.26	120.30
1	Н	137	ASP	CB-CG-OD1	10.04	127.33	118.30
1	G	137	ASP	CB-CG-OD1	9.56	126.90	118.30
1	С	82	LEU	CA-CB-CG	9.52	137.20	115.30
1	G	82	LEU	CB-CG-CD1	9.51	127.16	111.00
1	D	118	ASP	CB-CG-OD1	9.28	126.65	118.30
1	А	159	GLU	OE1-CD-OE2	-9.26	112.19	123.30
1	Н	137	ASP	CB-CG-OD2	-8.99	110.21	118.30
1	Н	252	ARG	CG-CD-NE	8.87	130.42	111.80
1	Е	281	ARG	NE-CZ-NH1	8.81	124.70	120.30
1	С	280	PHE	CB-CG-CD1	8.71	126.89	120.80
1	В	73	ARG	NE-CZ-NH2	-8.69	115.96	120.30
1	G	281	ARG	NE-CZ-NH1	8.66	124.63	120.30
1	G	252	ARG	NE-CZ-NH2	-8.64	115.98	120.30
1	Н	295	ARG	NE-CZ-NH2	8.57	124.59	120.30
1	В	82	LEU	CA-CB-CG	8.57	135.01	115.30
1	D	94	MET	CA-CB-CG	8.56	127.86	113.30
1	F	281	ARG	NE-CZ-NH2	-8.35	116.13	120.30
1	В	118	ASP	CB-CG-OD1	-8.21	110.91	118.30
1	Н	108	GLU	OE1-CD-OE2	-7.90	113.82	123.30
1	F	78	ASP	CB-CG-OD2	7.78	125.30	118.30
1	С	280	PHE	CB-CG-CD2	-7.73	115.39	120.80
1	А	118	ASP	CB-CG-OD1	-7.69	111.38	118.30
1	Н	281	ARG	NE-CZ-NH1	7.56	124.08	120.30
1	G	281	ARG	CA-CB-CG	7.53	129.96	113.40
1	В	78	ASP	CB-CG-OD2	7.41	124.97	118.30
1	D	118	ASP	OD1-CG-OD2	-7.41	109.23	123.30
1	E	96	ARG	N-CA-CB	-7.35	97.37	110.60
1	В	118	ASP	CB-CG-OD2	7.31	124.88	118.30
1	В	177	ALA	CA-C-N	7.26	133.18	117.20
1	В	177	ALA	CA-C-O	-7.23	104.91	120.10
1	F	281	ARG	NE-CZ-NH1	7.19	123.89	120.30
1	E	118	ASP	CB-CG-OD2	7.16	124.74	118.30
1	Н	281	ARG	CA-CB-CG	7.15	129.13	113.40

Contir  $d f_{2}$ onic



0100
------

Mol	Chain	Res	Tvpe	Atoms	Z	Observed(°)	Ideal(°)
1	G	108	GLU	OE1-CD-OE2	-7 11	114 77	123.30
1	A	78	ASP	CB-CG-OD2	7.05	124.65	118.30
1	G	73	ARG	NE-CZ-NH2	-7.01	116.79	120.30
1	A	83	LEU	CB-CG-CD1	7.01	122.91	111.00
1	A	39	ASP	CB-CG-OD2	6.95	124.55	118.30
1	Н	83	LEU	CA-CB-CG	6.94	131.26	115.30
1	A	159	GLU	CG-CD-OE1	6.93	132.16	118.30
1	A	73	ARG	NE-CZ-NH2	-6.83	116.89	120.30
1	Н	295	ARG	NH1-CZ-NH2	-6.80	111.92	119.40
1	H	275	ASP	N-CA-CB	-6.79	98.39	110.60
1	F	73	ARG	NE-CZ-NH2	-6.77	116.91	120.30
1	E	129	LYS	CB-CG-CD	6.73	129.10	111.60
1	С	203	LEU	CB-CG-CD1	-6.70	99.61	111.00
1	A	281	ARG	NE-CZ-NH1	6.65	123.63	120.30
1	G	275	ASP	CB-CG-OD2	6.65	124.29	118.30
1	F	94	MET	CG-SD-CE	6.60	110.77	100.20
1	A	113	ASP	CB-CG-OD2	-6.60	112.36	118.30
1	D	14	ARG	CB-CG-CD	6.58	128.72	111.60
1	A	295	ARG	CG-CD-NE	-6.57	98.00	111.80
1	В	295	ARG	NE-CZ-NH2	-6.55	117.02	120.30
1	G	136	GLY	N-CA-C	-6.55	96.73	113.10
1	В	94	MET	CG-SD-CE	6.54	110.67	100.20
1	E	73	ARG	NE-CZ-NH2	-6.51	117.04	120.30
1	A	82	LEU	CA-CB-CG	6.49	130.23	115.30
1	G	275	ASP	N-CA-CB	-6.49	98.92	110.60
1	Н	136	GLY	N-CA-C	-6.48	96.89	113.10
1	G	94	MET	CG-SD-CE	6.45	110.51	100.20
1	F	118	ASP	CB-CG-OD2	6.38	124.05	118.30
1	D	97	ARG	CA-CB-CG	6.38	127.44	113.40
1	D	12	PHE	N-CA-CB	-6.38	99.12	110.60
1	Н	295	ARG	NE-CZ-NH1	6.38	123.49	120.30
1	С	78	ASP	CB-CG-OD1	6.34	124.01	118.30
1	G	179	ASN	N-CA-C	6.32	128.06	111.00
1	Е	73	ARG	NE-CZ-NH1	6.31	123.45	120.30
1	F	212	ARG	NE-CZ-NH1	6.29	123.44	120.30
1	F	212	ARG	NE-CZ-NH2	-6.28	117.16	120.30
1	Н	212	ARG	NE-CZ-NH1	6.28	123.44	120.30
1	С	12	PHE	N-CA-CB	-6.27	99.32	110.60
1	Н	94	MET	CG-SD-CE	6.26	110.21	100.20
1	G	248	GLU	OE1-CD-OE2	-6.22	115.84	123.30
1	G	279	LYS	CB-CG-CD	6.22	127.77	111.60
1	С	12	PHE	N-CA-C	-6.17	94.35	111.00

Contir  $d f_{2}$ onic



6]	D	1	Ο	

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	D	78	ASP	CB-CG-OD1	6.15	123.84	118.30
1	G	73	ARG	NE-CZ-NH1	6.13	123.37	120.30
1	А	82	LEU	CB-CG-CD1	-6.12	100.60	111.00
1	В	292	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	А	118	ASP	CB-CG-OD2	6.10	123.79	118.30
1	С	295	ARG	NE-CZ-NH2	-6.06	117.27	120.30
1	В	193	ASP	CB-CG-OD2	6.04	123.73	118.30
1	D	295	ARG	NE-CZ-NH2	-6.03	117.29	120.30
1	А	295	ARG	NE-CZ-NH2	-6.02	117.29	120.30
1	В	281	ARG	NE-CZ-NH1	6.02	123.31	120.30
1	G	295	ARG	NE-CZ-NH1	6.01	123.31	120.30
1	Е	295	ARG	NE-CZ-NH2	-6.01	117.29	120.30
1	Н	277	ALA	N-CA-C	-5.99	94.83	111.00
1	Н	285	ARG	CA-CB-CG	5.92	126.43	113.40
1	D	12	PHE	N-CA-C	-5.92	95.02	111.00
1	А	292	ARG	NE-CZ-NH1	5.91	123.25	120.30
1	В	219	GLN	N-CA-CB	-5.91	99.97	110.60
1	G	113	ASP	CB-CG-OD1	5.89	123.60	118.30
1	F	96	ARG	NE-CZ-NH1	5.88	123.24	120.30
1	G	277	ALA	N-CA-C	-5.88	95.12	111.00
1	F	96	ARG	CB-CG-CD	5.87	126.86	111.60
1	А	219	GLN	N-CA-CB	-5.86	100.05	110.60
1	Е	107	GLY	N-CA-C	5.84	127.69	113.10
1	D	84	LYS	CB-CG-CD	5.82	126.74	111.60
1	С	82	LEU	CB-CG-CD1	5.80	120.86	111.00
1	F	73	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	В	113	ASP	CB-CG-OD2	-5.79	113.09	118.30
1	Н	252	ARG	NE-CZ-NH2	-5.74	117.43	120.30
1	В	159	GLU	OE1-CD-OE2	5.72	130.17	123.30
1	F	276	TYR	CB-CG-CD1	5.72	124.43	121.00
1	Н	126	MET	CG-SD-CE	5.62	109.19	100.20
1	D	292	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	С	94	MET	CG-SD-CE	-5.59	91.25	100.20
1	Ε	96	ARG	CA-CB-CG	5.54	125.59	113.40
1	С	78	ASP	CB-CG-OD2	-5.51	113.34	118.30
1	Ε	219	GLN	N-CA-CB	-5.51	100.68	110.60
1	С	82	LEU	CB-CG-CD2	5.51	120.37	111.00
1	D	281	ARG	NE-CZ-NH1	5.51	123.06	120.30
1	В	73	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	A	159	GLU	CB-CG-CD	5.46	128.94	114.20
1	F	83	LEU	CA-CB-CG	5.43	127.79	115.30
1	Е	159	GLU	CA-CB-CG	5.42	125.33	113.40



0110
------

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	D	176	GLN	CA-CB-CG	5.41	125.30	113.40
1	Е	91	GLU	OE1-CD-OE2	-5.41	116.81	123.30
1	Н	103	GLY	N-CA-C	5.39	126.58	113.10
1	D	285	ARG	NE-CZ-NH2	-5.37	117.62	120.30
1	Е	212	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	F	126	MET	CG-SD-CE	5.35	108.76	100.20
1	Н	96	ARG	NE-CZ-NH2	-5.35	117.62	120.30
1	Е	113	ASP	CB-CG-OD1	5.33	123.10	118.30
1	F	295	ARG	NE-CZ-NH2	-5.33	117.64	120.30
1	С	219	GLN	N-CA-CB	-5.28	101.09	110.60
1	С	108	GLU	CG-CD-OE1	-5.28	107.75	118.30
1	D	118	ASP	CB-CG-OD2	5.25	123.03	118.30
1	D	84	LYS	CD-CE-NZ	5.25	123.78	111.70
1	F	13	GLU	CG-CD-OE2	-5.22	107.86	118.30
1	F	219	GLN	N-CA-CB	-5.21	101.21	110.60
1	D	179	ASN	N-CA-C	5.21	125.06	111.00
1	F	13	GLU	CG-CD-OE1	5.21	128.71	118.30
1	С	82	LEU	N-CA-CB	5.20	120.81	110.40
1	Е	285	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	Е	83	LEU	CA-CB-CG	5.19	127.23	115.30
1	С	252	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	G	91	GLU	OE1-CD-OE2	5.17	129.51	123.30
1	F	285	ARG	NE-CZ-NH2	-5.17	117.72	120.30
1	F	224	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	G	212	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	D	219	GLN	N-CA-CB	-5.15	101.33	110.60
1	G	178	GLN	N-CA-C	5.13	124.85	111.00
1	Н	104	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	Н	82	LEU	CB-CG-CD2	5.11	119.69	111.00
1	В	83	LEU	CA-CB-CG	5.10	127.03	115.30
1	Н	141	THR	CB-CA-C	-5.07	97.91	111.60
1	Н	113	ASP	CB-CG-OD1	5.07	122.86	118.30
1	D	83	LEU	CB-CG-CD2	5.06	119.61	111.00
1	G	295	ARG	NE-CZ-NH2	-5.05	117.77	120.30
1	F	203	LEU	CB-CG-CD2	5.05	119.59	111.00
1	F	113	ASP	CB-CG-OD1	5.04	122.84	118.30
1	G	96	ARG	CA-CB-CG	5.04	124.48	113.40
1	Н	224	ARG	NE-CZ-NH1	5.03	122.82	120.30
1	F	276	TYR	CB-CG-CD2	-5.03	117.98	121.00
1	G	141	THR	CB-CA-C	-5.01	98.08	111.60

There are no chirality outliers.



Mol	Chain	Res	Type	Group
1	В	77	VAL	Peptide
1	С	77	VAL	Peptide
1	Е	107	GLY	Peptide
1	F	96	ARG	Peptide
1	G	81	PRO	Peptide
1	G	82	LEU	Peptide
1	Н	104	ARG	Peptide
1	Н	82	LEU	Peptide

All (8) planarity outliers are listed below:

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2105	0	2030	15	0
1	В	2094	0	2017	15	0
1	С	2125	0	2051	20	0
1	D	2117	0	2042	29	0
1	Е	2120	0	2048	22	0
1	F	2092	0	2024	17	0
1	G	2190	0	2115	31	0
1	Н	2194	0	2115	42	0
2	А	19	0	0	1	0
2	В	23	0	0	1	0
2	С	17	0	0	1	0
2	D	14	0	0	1	0
2	Е	35	0	0	1	0
2	F	34	0	0	2	0
2	G	17	0	0	3	0
2	Н	14	0	0	2	0
All	All	17210	0	16442	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	${ m distance}~({ m \AA})$	overlap (Å)
1:D:46:LEU:HD23	1:H:101:GLU:HG3	1.20	1.14
1:D:212:ARG:HG2	1:H:280:PHE:CD2	1.95	1.02
1:D:80:VAL:O	1:D:83:LEU:HB3	1.66	0.93
1:G:99:ALA:HB2	1:G:278:GLY:HA3	1.50	0.91
1:A:274:PRO:HB2	1:H:87:GLU:OE2	1.72	0.90
1:C:108:GLU:HG3	1:C:109:ASN:N	1.92	0.83
1:E:178:GLN:NE2	1:E:178:GLN:O	2.13	0.80
1:D:212:ARG:HG2	1:H:280:PHE:CG	2.17	0.79
1:G:83:LEU:HB3	1:G:84:LYS:HE3	1.63	0.79
1:G:82:LEU:O	1:G:83:LEU:HB2	1.84	0.75
1:C:210:THR:HG23	1:C:212:ARG:H	1.52	0.75
1:G:83:LEU:HB3	1:G:84:LYS:CE	2.17	0.73
1:E:174:LEU:HD23	1:G:177:ALA:HB1	1.71	0.73
1:C:207:HIS:HB3	1:C:210:THR:HG22	1.71	0.72
1:A:141:THR:HG23	1:A:250:THR:HG22	1.72	0.72
1:C:141:THR:HG23	1:C:250:THR:HG22	1.72	0.71
1:B:141:THR:HG23	1:B:250:THR:HG22	1.72	0.71
1:F:82:LEU:O	1:F:83:LEU:HD23	1.91	0.71
1:F:141:THR:HG23	1:F:250:THR:HG22	1.72	0.70
1:H:99:ALA:HB2	1:H:278:GLY:HA3	1.73	0.70
1:D:141:THR:HG23	1:D:250:THR:HG22	1.72	0.70
1:E:82:LEU:O	1:E:83:LEU:HD23	1.91	0.70
1:G:141:THR:HG23	1:G:250:THR:HG22	1.74	0.69
1:H:141:THR:HG23	1:H:250:THR:HG22	1.74	0.69
1:D:212:ARG:CG	1:H:280:PHE:CG	2.75	0.69
1:E:141:THR:HG23	1:E:250:THR:HG22	1.74	0.69
1:F:174:LEU:HD23	1:H:177:ALA:HB1	1.75	0.68
1:H:81:PRO:O	1:H:82:LEU:HD22	1.97	0.65
1:A:82:LEU:O	1:A:83:LEU:HD12	1.96	0.64
1:C:158:ILE:HB	1:C:203:LEU:CD2	2.28	0.64
1:C:84:LYS:HG3	1:C:94:MET:HG2	1.79	0.63
1:D:46:LEU:CD2	1:H:101:GLU:HG3	2.12	0.63
1:B:65:GLU:HB2	2:B:404:HOH:O	1.98	0.62
1:B:176:GLN:O	1:B:177:ALA:O	2.17	0.62
1:H:100:ASN:ND2	1:H:104:ARG:O	2.33	0.62
1:C:131:ILE:HD11	2:C:408:HOH:O	2.00	0.62
1:B:174:LEU:O	1:B:178:GLN:NE2	2.34	0.61
1:F:131:ILE:HG13	1:F:257:GLU:HG3	1.83	0.59
1:H:99:ALA:HB2	1:H:278:GLY:CA	2.31	0.59
1:G:99:ALA:HB2	1:G:278:GLY:CA	2.30	0.59
1:B:203:LEU:O	1:B:203:LEU:HD12	2.03	0.59
1:C:81:PRO:O	1:C:82:LEU:HD22	2.02	0.59



	to do pagom	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	$ ext{overlap}( ext{\AA})$	
1:E:11:ARG:N	2:E:401:HOH:O	2.35	0.59	
1:A:175:TYR:O	1:A:178:GLN:HG3	2.03	0.58	
1:A:203:LEU:HD12	1:A:203:LEU:O	2.03	0.58	
1:C:235:PRO:HB2	1:D:235:PRO:HB2	1.85	0.58	
1:D:203:LEU:O	1:D:203:LEU:HD12	2.03	0.58	
1:E:175:TYR:O	1:E:178:GLN:HG3	2.04	0.58	
1:G:203:LEU:HD12	1:G:203:LEU:O	2.04	0.58	
1:D:80:VAL:O	1:D:83:LEU:CB	2.47	0.57	
1:B:175:TYR:O	1:B:178:GLN:HG2	2.04	0.57	
1:E:131:ILE:HG13	1:E:257:GLU:HG3	1.86	0.57	
1:D:175:TYR:O	1:D:178:GLN:HG3	2.04	0.57	
1:D:212:ARG:HD3	1:H:280:PHE:CZ	2.39	0.57	
1:E:203:LEU:HD12	1:E:203:LEU:O	2.04	0.56	
1:E:174:LEU:HD23	1:G:177:ALA:CB	2.35	0.56	
1:E:127:TYR:CD2	1:E:129:LYS:HD3	2.42	0.54	
1:G:175:TYR:O	1:G:178:GLN:HG2	2.07	0.54	
1:C:84:LYS:HG3	1:C:94:MET:CG	2.38	0.54	
1:E:248:GLU:HA	1:H:273:VAL:CG1	2.37	0.54	
1:G:108:GLU:HG3	1:G:272:ALA:O	2.08	0.54	
1:H:175:TYR:O	1:H:178:GLN:HG2	2.07	0.54	
1:C:207:HIS:CB	1:C:210:THR:HG22	2.38	0.53	
1:F:84:LYS:HG3	1:F:94:MET:O	2.08	0.53	
1:H:131:ILE:HD12	1:H:132:PRO:O	2.08	0.53	
1:D:94:MET:HG3	1:D:282:TYR:HE1	1.74	0.52	
1:D:97:ARG:NH2	1:D:276:TYR:OH	2.41	0.52	
1:F:174:LEU:HD23	1:H:177:ALA:CB	2.39	0.52	
1:D:131:ILE:HG13	1:D:257:GLU:HG3	1.92	0.52	
1:B:22:GLY:HA2	1:C:134:TYR:CE1	2.45	0.51	
1:D:46:LEU:HD23	1:H:101:GLU:CG	2.13	0.51	
1:H:158:ILE:HB	1:H:203:LEU:CD2	2.40	0.51	
1:A:248:GLU:OE1	1:D:271:TYR:OH	2.25	0.51	
1:E:34:ARG:HD3	1:E:61:ALA:O	2.11	0.51	
1:F:248:GLU:HA	1:G:273:VAL:CG1	2.40	0.51	
1:D:72:ARG:HG2	1:D:77:VAL:HG13	1.93	0.51	
1:F:34:ARG:HD3	1:F:61:ALA:O	2.11	0.51	
1:G:11:ARG:N	2:G:402:HOH:O	2.43	0.51	
1:F:88:GLY:HA2	2:F:406:HOH:O	2.11	0.51	
1:B:131:ILE:HG13	1:B:257:GLU:HG3	1.93	0.51	
1:F:255:TRP:CD1	1:F:281:ARG:NH2	2.79	0.51	
1:H:108:GLU:HG3	1:H:272:ALA:O	2.11	0.50	
1:G:131:ILE:HG13	1:G:257:GLU:HG3	1.92	0.50	



		Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1:A:131:ILE:HG13	1:A:257:GLU:HG3	1.92	0.50	
1:C:131:ILE:HG13	1:C:257:GLU:HG3	1.92	0.50	
1:E:106:ILE:HG23	1:H:248:GLU:OE2	2.11	0.50	
1:F:141:THR:HG21	1:F:244:ALA:O	2.12	0.49	
1:C:72:ARG:HG2	1:C:77:VAL:HG13	1.94	0.49	
1:B:34:ARG:HD3	1:B:61:ALA:O	2.12	0.49	
1:C:207:HIS:HB3	1:C:210:THR:CG2	2.41	0.49	
1:E:141:THR:HG21	1:E:244:ALA:O	2.13	0.49	
1:G:83:LEU:HB3	1:G:84:LYS:HE2	1.95	0.49	
1:D:34:ARG:HD3	1:D:61:ALA:O	2.13	0.49	
1:D:212:ARG:HG3	1:H:280:PHE:CG	2.48	0.49	
1:C:34:ARG:HD3	1:C:61:ALA:O	2.13	0.48	
1:A:34:ARG:HD3	1:A:61:ALA:O	2.13	0.48	
1:B:122:ALA:HB2	1:B:290:GLY:HA3	1.96	0.48	
1:G:105:VAL:CG1	1:G:274:PRO:HB3	2.43	0.48	
1:H:252:ARG:NH1	2:H:402:HOH:O	2.46	0.48	
1:F:254:ARG:HH12	1:G:20:LEU:HA	1.78	0.48	
1:E:96:ARG:CG	1:E:96:ARG:HH11	2.26	0.47	
1:A:22:GLY:HA2	1:D:134:TYR:CE1	2.49	0.47	
1:C:141:THR:HG21	1:C:244:ALA:O	2.15	0.47	
1:H:141:THR:HG21	1:H:244:ALA:O	2.15	0.47	
1:H:93:GLN:HB2	1:H:285:ARG:HG2	1.96	0.47	
1:G:141:THR:HG21	1:G:244:ALA:O	2.15	0.47	
1:G:105:VAL:HG11	1:G:274:PRO:HB3	1.97	0.47	
1:H:94:MET:C	1:H:95:ILE:HD12	2.35	0.47	
1:G:72:ARG:HG2	1:G:77:VAL:HG13	1.97	0.46	
1:D:141:THR:HG21	1:D:244:ALA:O	2.16	0.46	
1:A:247:PRO:HB3	1:D:139:LEU:HD11	1.98	0.46	
1:G:93:GLN:HG3	2:G:401:HOH:O	2.16	0.46	
1:F:88:GLY:CA	2:F:406:HOH:O	2.63	0.46	
1:D:212:ARG:CG	1:H:280:PHE:CD2	2.84	0.45	
1:A:122:ALA:HB2	1:A:290:GLY:HA3	1.97	0.45	
1:A:141:THR:HG21	1:A:244:ALA:O	2.17	0.45	
1:H:34:ARG:HD3	1:H:61:ALA:O	2.16	0.45	
1:D:270:HIS:NE2	2:D:401:HOH:O	2.32	0.45	
1:H:129:LYS:HB3	1:H:129:LYS:HE3	1.55	0.45	
1:E:254:ARG:HH12	1:H:20:LEU:HA	1.82	0.45	
1:B:141:THR:HG21	1:B:244:ALA:O	2.18	0.44	
1:E:20:LEU:O	1:H:254:ARG:HD2	2.18	0.44	
1:C:158:ILE:HB	1:C:203:LEU:HD21	2.00	0.44	
1:G:100:ASN:ND2	1:G:104:ARG:O	2.34	0.44	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:H:131:ILE:HD11	2:H:408:HOH:O	2.18	0.44
1:H:121:PRO:O	1:H:265:ASN:HB3	2.18	0.44
1:H:99:ALA:CB	1:H:278:GLY:HA3	2.43	0.44
1:F:121:PRO:O	1:F:265:ASN:HB3	2.17	0.44
1:G:121:PRO:O	1:G:265:ASN:HB3	2.18	0.43
1:D:212:ARG:HD3	1:H:280:PHE:CE2	2.53	0.43
1:G:34:ARG:HD3	1:G:61:ALA:O	2.18	0.43
1:E:96:ARG:O	1:E:97:ARG:HB2	2.19	0.43
1:F:20:LEU:O	1:G:254:ARG:HD2	2.19	0.43
1:B:247:PRO:HB3	1:C:139:LEU:HD11	2.01	0.43
1:D:93:GLN:HG3	1:D:285:ARG:HD3	2.01	0.43
1:A:235:PRO:HB2	1:B:235:PRO:HB2	1.99	0.43
1:G:93:GLN:CG	2:G:401:HOH:O	2.65	0.43
1:H:105:VAL:CG1	1:H:274:PRO:HB3	2.48	0.43
1:E:121:PRO:O	1:E:265:ASN:HB3	2.18	0.43
1:E:95:ILE:HG13	1:E:126:MET:CE	2.49	0.43
1:H:72:ARG:HG2	1:H:77:VAL:HG13	2.01	0.42
1:A:82:LEU:HD21	2:A:408:HOH:O	2.20	0.42
1:B:121:PRO:O	1:B:265:ASN:HB3	2.19	0.42
1:F:95:ILE:HG13	1:F:126:MET:CE	2.49	0.42
1:G:11:ARG:NE	1:G:11:ARG:HA	2.35	0.42
1:E:248:GLU:HA	1:H:273:VAL:HG13	2.02	0.42
1:F:248:GLU:HG3	1:G:276:TYR:CE1	2.55	0.42
1:A:121:PRO:O	1:A:265:ASN:HB3	2.19	0.42
1:B:176:GLN:C	1:B:177:ALA:O	2.59	0.41
1:C:121:PRO:O	1:C:265:ASN:HB3	2.19	0.41
1:E:179:ASN:N	1:E:179:ASN:HD22	2.18	0.41
1:G:84:LYS:HB2	1:G:94:MET:HG2	2.02	0.41
1:G:239:PHE:HB2	1:H:235:PRO:HG3	2.01	0.41
1:D:121:PRO:O	1:D:265:ASN:HB3	2.20	0.41
1:H:158:ILE:HB	1:H:203:LEU:HD21	2.01	0.41
1:H:83:LEU:HD23	1:H:93:GLN:HB3	2.02	0.41
1:G:134:TYR:OH	1:G:279:LYS:HB2	2.21	0.40
1:H:129:LYS:O	1:H:257:GLU:HG2	2.21	0.40
1:D:93:GLN:CD	1:D:285:ARG:HE	2.25	0.40

There are no symmetry-related clashes.



#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	258/301~(86%)	246~(95%)	8 (3%)	4 (2%)	9	24
1	В	257/301~(85%)	245~(95%)	7(3%)	5(2%)	8	20
1	С	260/301~(86%)	248~(95%)	7(3%)	5 (2%)	8	20
1	D	259/301~(86%)	246~(95%)	9 (4%)	4 (2%)	10	26
1	E	260/301~(86%)	246~(95%)	9 (4%)	5 (2%)	8	20
1	F	256/301~(85%)	240~(94%)	11 (4%)	5(2%)	7	19
1	G	271/301~(90%)	254 (94%)	9(3%)	8 (3%)	4	10
1	Н	272/301~(90%)	254 (93%)	12(4%)	6(2%)	6	17
All	All	2093/2408~(87%)	1979 (95%)	72 (3%)	42 (2%)	7	19

All (42) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	178	GLN
1	А	277	ALA
1	В	177	ALA
1	В	277	ALA
1	С	178	GLN
1	С	277	ALA
1	D	178	GLN
1	D	277	ALA
1	Е	178	GLN
1	Е	277	ALA
1	F	277	ALA
1	G	83	LEU
1	G	84	LYS
1	G	103	GLY
1	G	178	GLN
1	G	179	ASN
1	Н	103	GLY



Mol	Chain	Res	Type
1	Н	178	GLN
1	С	276	TYR
1	D	276	TYR
1	F	84	LYS
1	G	82	LEU
1	G	135	GLY
1	Н	135	GLY
1	С	82	LEU
1	Е	84	LYS
1	F	85	SER
1	Н	102	SER
1	В	85	SER
1	В	178	GLN
1	D	85	SER
1	Е	85	SER
1	F	276	TYR
1	Н	11	ARG
1	А	85	SER
1	С	85	SER
1	G	102	SER
1	Н	84	LYS
1	Е	135	GLY
1	F	135	GLY
1	А	135	GLY
1	В	135	GLY

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Per	centiles
1	А	227/259~(88%)	204 (90%)	23 (10%)	7	17
1	В	226/259~(87%)	204 (90%)	22 (10%)	8	19
1	С	229/259~(88%)	211 (92%)	18 (8%)	12	2 28
1	D	228/259~(88%)	205~(90%)	23 (10%)	7	17
1	Е	228/259~(88%)	206 (90%)	22 (10%)	8	19



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	F	225/259~(87%)	205~(91%)	20 (9%)	9 22
1	G	235/259~(91%)	213~(91%)	22 (9%)	8 20
1	Η	236/259~(91%)	216~(92%)	20 (8%)	10 24
All	All	1834/2072~(88%)	1664 (91%)	170 (9%)	9 21

Continued from previous page...

All (170) residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	А	31	VAL
1	А	82	LEU
1	А	83	LEU
1	А	84	LYS
1	А	96	ARG
1	А	108	GLU
1	А	118	ASP
1	А	124	VAL
1	А	125	VAL
1	А	126	MET
1	А	141	THR
1	А	159	GLU
1	А	166	SER
1	А	178	GLN
1	А	190	MET
1	А	191	ASP
1	А	203	LEU
1	А	217	VAL
1	А	223	GLN
1	А	230	GLU
1	А	236	LEU
1	А	280	PHE
1	А	288	VAL
1	В	18	GLN
1	В	31	VAL
1	В	108	GLU
1	В	118	ASP
1	В	124	VAL
1	В	125	VAL
1	В	126	MET
1	В	130	GLU
1	В	141	THR
1	В	166	SER



Mol	Chain	Res	Type
1	В	178	GLN
1	В	179	ASN
1	В	190	MET
1	В	191	ASP
1	В	193	ASP
1	В	203	LEU
1	В	217	VAL
1	В	223	GLN
1	В	230	GLU
1	В	236	LEU
1	В	280	PHE
1	В	288	VAL
1	C	11	ARG
1	С	31	VAL
1	С	78	ASP
1	С	84	LYS
1	C	96	ARG
1	С	108	GLU
1	С	125	VAL
1	С	126	MET
1	С	130	GLU
1	С	141	THR
1	С	166	SER
1	С	190	MET
1	С	191	ASP
1	С	212	ARG
1	С	217	VAL
1	С	223	GLN
1	С	236	LEU
1	С	288	VAL
1	D	14	ARG
1	D	31	VAL
1	D	78	ASP
1	D	79	PRO
1	D	82	LEU
1	D	83	LEU
1	D	84	LYS
1	D	96	ARG
1	D	108	GLU
1	D	125	VAL
1	D	126	MET
1	D	130	GLU



Mol	Chain	Res	Type
1	D	141	THR
1	D	166	SER
1	D	178	GLN
1	D	191	ASP
1	D	203	LEU
1	D	212	ARG
1	D	217	VAL
1	D	223	GLN
1	D	236	LEU
1	D	288	VAL
1	D	292	ARG
1	Е	31	VAL
1	Е	82	LEU
1	Е	84	LYS
1	Е	96	ARG
1	Е	97	ARG
1	Е	108	GLU
1	Е	118	ASP
1	Е	124	VAL
1	Е	125	VAL
1	Е	126	MET
1	Е	130	GLU
1	Е	141	THR
1	Е	166	SER
1	Е	178	GLN
1	Е	179	ASN
1	Е	191	ASP
1	Е	203	LEU
1	Е	217	VAL
1	E	223	GLN
1	E	230	GLU
1	E	236	LEU
1	E	288	VAL
1	F	31	VAL
1	F	84	LYS
1	F	96	ARG
1	F	97	ARG
1	F	108	GLU
1	F	118	ASP
1	F	124	VAL
1	F	125	VAL
1	F	126	MET



Mol	Chain	Res	Type
1	F	130	GLU
1	F	141	THR
1	F	159	GLU
1	F	166	SER
1	F	178	GLN
1	F	217	VAL
1	F	223	GLN
1	F	230	GLU
1	F	236	LEU
1	F	276	TYR
1	F	288	VAL
1	G	11	ARG
1	G	13	GLU
1	G	31	VAL
1	G	82	LEU
1	G	84	LYS
1	G	97	ARG
1	G	104	ARG
1	G	105	VAL
1	G	106	ILE
1	G	108	GLU
1	G	125	VAL
1	G	126	MET
1	G	141	THR
1	G	166	SER
1	G	180	ARG
1	G	203	LEU
1	G	217	VAL
1	G	223	GLN
1	G	236	LEU
1	G	254	ARG
1	G	281	ARG
1	G	288	VAL
1	H	10	GLN
1	Н	13	GLU
1	H	31	VAL
1	Н	35	GLU
1	Н	82	LEU
1	Н	104	ARG
1	H	105	VAL
1	H	108	GLU
1	H	125	VAL



Mol	Chain	$\mathbf{Res}$	Type
1	Н	126	MET
1	Н	141	THR
1	Н	166	SER
1	Н	217	VAL
1	Н	223	GLN
1	Н	236	LEU
1	Н	254	ARG
1	Н	281	ARG
1	Н	285	ARG
1	Н	288	VAL
1	Н	295	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	109	ASN
1	А	179	ASN
1	А	269	GLN
1	В	109	ASN
1	В	178	GLN
1	В	179	ASN
1	В	269	GLN
1	С	269	GLN
1	D	269	GLN
1	Е	178	GLN
1	Е	179	ASN
1	Е	269	GLN
1	F	269	GLN
1	G	109	ASN
1	G	179	ASN
1	G	269	GLN
1	Н	109	ASN
1	Н	179	ASN
1	Н	269	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 5.6 Ligand geometry (i)

There are no ligands in this entry.

#### 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	264/301~(87%)	0.21	11 (4%) 36 35	48, 62, 115, 139	0
1	В	263/301~(87%)	0.19	8 (3%) 50 51	48, 63, 110, 142	0
1	С	266/301~(88%)	0.53	23 (8%) 10 8	52, 79, 134, 185	0
1	D	265/301~(88%)	0.47	21 (7%) 12 10	52, 79, 135, 175	0
1	Е	266/301~(88%)	0.21	15 (5%) 24 23	32, 49, 124, 155	0
1	F	262/301~(87%)	0.14	12 (4%) 32 31	31, 50, 112, 161	0
1	G	275/301~(91%)	0.40	20 (7%) 15 13	43, 77, 122, 157	0
1	Н	276/301~(91%)	0.28	11 (3%) 38 37	42, 77, 120, 159	0
All	All	2137/2408 (88%)	0.30	121 (5%) 23 22	31, 68, 125, 185	0

#### All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Е	106	ILE	6.9
1	С	190	MET	6.2
1	D	278	GLY	6.0
1	Е	275	ASP	6.0
1	С	191	ASP	5.2
1	F	176	GLN	5.0
1	D	280	PHE	4.8
1	С	88	GLY	4.6
1	G	84	LYS	4.5
1	С	192	VAL	4.5
1	С	179	ASN	4.5
1	А	84	LYS	4.3
1	В	84	LYS	4.3
1	D	176	GLN	4.3
1	G	106	ILE	4.3
1	Е	191	ASP	4.2



6D1	Ο
-----	---

Mol	Chain	Res	Type	RSRZ
1	G	175	TYR	4.2
1	В	278	GLY	4.2
1	С	276	TYR	4.2
1	F	276	TYR	4.1
1	F	178	GLN	4.1
1	В	82	LEU	4.0
1	С	84	LYS	3.9
1	G	176	GLN	3.9
1	Е	82	LEU	3.8
1	D	191	ASP	3.8
1	F	275	ASP	3.8
1	D	81	PRO	3.8
1	Н	176	GLN	3.6
1	F	277	ALA	3.6
1	D	177	ALA	3.5
1	G	180	ARG	3.5
1	D	88	GLY	3.5
1	С	171	PHE	3.4
1	G	203	LEU	3.4
1	D	175	TYR	3.4
1	С	176	GLN	3.4
1	А	96	ARG	3.3
1	А	82	LEU	3.2
1	Е	276	TYR	3.1
1	Е	193	ASP	3.0
1	D	127	TYR	2.8
1	F	278	GLY	2.8
1	F	84	LYS	2.8
1	F	82	LEU	2.8
1	D	23	VAL	2.7
1	В	57	PHE	2.7
1	С	261	LEU	2.7
1	С	278	GLY	2.7
1	С	87	GLU	2.7
1	D	57	PHE	2.6
1	G	249	PHE	2.6
1	Н	95	ILE	2.6
1	С	277	ALA	2.6
1	Е	97	ARG	2.6
1	D	178	GLN	2.6
1	D	95	ILE	2.6
1	С	19	PRO	2.6



6D	10
----	----

Mol	Chain	Res	Type	RSRZ
1	А	87	GLU	2.6
1	А	280	PHE	2.6
1	С	33	LEU	2.6
1	G	79	PRO	2.6
1	Н	65	GLU	2.6
1	D	236	LEU	2.5
1	F	89	TYR	2.5
1	G	174	LEU	2.5
1	G	86	ILE	2.5
1	С	10	GLN	2.4
1	G	215	LEU	2.4
1	Н	42	TRP	2.4
1	Е	107	GLY	2.4
1	В	190	MET	2.4
1	С	177	ALA	2.4
1	G	70	PHE	2.4
1	С	79	PRO	2.4
1	D	86	ILE	2.4
1	Е	135	GLY	2.3
1	D	15	ILE	2.3
1	А	83	LEU	2.3
1	С	236	LEU	2.3
1	G	45	ILE	2.3
1	D	87	GLU	2.3
1	В	33	LEU	2.3
1	С	74	PHE	2.3
1	D	97	ARG	2.3
1	А	94	MET	2.3
1	F	96	ARG	2.3
1	Е	134	TYR	2.3
1	А	78	ASP	2.3
1	В	83	LEU	2.3
1	Н	203	LEU	2.3
1	А	133	PRO	2.2
1	D	33	LEU	2.2
1	H	175	TYR	2.2
1	С	271	TYR	2.2
1	С	86	ILE	2.2
1	E	81	PRO	2.2
1	F	281	ARG	2.2
1	H	46	LEU	2.2
1	D	96	ARG	2.2



Mol	Chain	Res	Type	RSRZ
1	G	28	ILE	2.2
1	Е	94	MET	2.2
1	G	95	ILE	2.1
1	D	82	LEU	2.1
1	С	70	PHE	2.1
1	F	175	TYR	2.1
1	Е	133	PRO	2.1
1	G	173	SER	2.1
1	Е	95	ILE	2.1
1	G	136	GLY	2.1
1	В	176	GLN	2.1
1	G	42	TRP	2.1
1	А	43	ASN	2.1
1	G	89	TYR	2.1
1	А	190	MET	2.1
1	Н	249	PHE	2.1
1	G	74	PHE	2.1
1	Е	90	PRO	2.0
1	Н	205	VAL	2.0
1	Н	30	GLY	2.0
1	Н	61	ALA	2.0

Continued from previous page...

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 6.4 Ligands (i)

There are no ligands in this entry.

#### 6.5 Other polymers (i)

There are no such residues in this entry.

