



wwPDB EM Validation Summary Report ⓘ

Feb 4, 2024 – 02:15 PM EST

PDB ID : 8D1J
EMDB ID : EMD-27132
Title : hBest1 5mM Ca²⁺ (Ca²⁺-bound) closed state
Authors : Owji, A.P.; Kittredge, A.; Hendrickson, W.A.; Tingting, Y.
Deposited on : 2022-05-27
Resolution : 2.05 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	585	
1	B	585	
1	C	585	
1	D	585	
1	E	585	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 17151 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bestrophin-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	376	3118	2052	510	540	16	0	0
1	C	376	3118	2052	510	540	16	0	0
1	B	376	3118	2052	510	540	16	0	0
1	D	376	3118	2052	510	540	16	0	0
1	E	376	3118	2052	510	540	16	0	0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
2	A	1	Total 1	Ca 1	0
2	C	1	Total 1	Ca 1	0
2	B	1	Total 1	Ca 1	0
2	D	1	Total 1	Ca 1	0
2	E	1	Total 1	Ca 1	0

- Molecule 3 is 1,2-DIMYRISTOYL-RAC-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: MC3) (formula: C₃₆H₇₂NO₈P).



Mol	Chain	Residues	Atoms	AltConf
3	A	1	Total C 5 5	0
3	A	1	Total C O P 38 29 8 1	0
3	A	1	Total C 14 14	0
3	A	1	Total C 12 12	0
3	A	1	Total C 14 14	0
3	A	1	Total C 10 10	0
3	A	1	Total C 14 14	0
3	A	1	Total C O 35 31 4	0
3	C	1	Total C 5 5	0
3	C	1	Total C O P 38 29 8 1	0
3	C	1	Total C 14 14	0
3	C	1	Total C 12 12	0
3	C	1	Total C 14 14	0
3	C	1	Total C 10 10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
3	C	1	Total C 14 14	0
3	C	1	Total C O 35 31 4	0
3	B	1	Total C O 35 31 4	0
3	B	1	Total C 5 5	0
3	B	1	Total C O P 38 29 8 1	0
3	B	1	Total C 14 14	0
3	B	1	Total C 12 12	0
3	B	1	Total C 14 14	0
3	B	1	Total C 10 10	0
3	B	1	Total C 14 14	0
3	D	1	Total C O 35 31 4	0
3	D	1	Total C 5 5	0
3	D	1	Total C O P 38 29 8 1	0
3	D	1	Total C 14 14	0
3	D	1	Total C 12 12	0
3	D	1	Total C 14 14	0
3	D	1	Total C 10 10	0
3	D	1	Total C 14 14	0
3	E	1	Total C O 35 31 4	0
3	E	1	Total C 5 5	0
3	E	1	Total C O P 38 29 8 1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
3	E	1	Total C 14 14	0
3	E	1	Total C 12 12	0
3	E	1	Total C 14 14	0
3	E	1	Total C 10 10	0
3	E	1	Total C 14 14	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	AltConf
4	A	168	Total O 168 168	0
4	C	170	Total O 170 170	0
4	B	171	Total O 171 171	0
4	D	169	Total O 169 169	0
4	E	168	Total O 168 168	0

PRO GLN
THR PRO
PRO GLN
SER LEU
SER PRO
PRO THR
THR PRO
MET PHE
MET PHE
PHE PRO
LEU LEU
GLU ASP
PRO ASP
MET SER
SER ALA
PRO PRO
SER SER
LYS LEU
HIS HIS
SER VAL
VAL THR
THR GLY
GLY ILE
PRO LEU
LEU ASP
THR THR
LYS LYS
ASP ASP
LYS LEU
SER ASN
LEU LEU
THR HIS
VAL THR
SER SER
GLY LEU
LYS ASP
ALA HIS
LYS LYS
SER SER

GLU VAL
SER GLN
VAL VAL
ARG ARG
PRO THR
LYS THR
THR VAL
VAL PHE
GLU PHE
ASN ASN
LEU LEU
THR THR
ASP ASP
MET MET
SER PRO
ALA PRO
GLU GLY
ILE ILE
PRO PRO
GLU ASN
HIS ASN
HIS HIS
LEU LEU
VAL VAL
THR THR
LYS LYS
GLY GLY
PRO PRO
LEU LEU
LEU ASP
GLU THR
GLN GLN
SER SER
PRO PRO
LYS THR
SER THR
SER ASN
LEU LEU
THR HIS
HIS THR
SER SER

● Molecule 1: Bestrophin-1



MET T2 S18 W24 Y29 L32 L37 C42 Y43 I46 A53 L54 T55 E56 E57 F62 E63 K64 C69 D70 S71 Y72 I73 Q74 L75 L76 P77 F80 V81 Y85 W93 D104 M107 Y110 F113 V114 R125 I129 L140

V158 M163 H168 K169 Q170 L171 E172 H178 W185 F188 R202 L206 M214 R218 P233 L234 Y236 V240 S246 F247 F248 L249 L252 L258 N259 P260 A261 G266 H267 E268 V272 V273 P274 L279 Q280 F281 V290 L294 P297

D303 R313 S318 L319 L320 E324 R331 K332 E333 P334 Y337 Y338 R339 P343 Q344 F377 ASN GLN GLU ASP GLU GLU ASP ALA TRP LYS LEU LEU ALA THR VAL LYS ASP THR SER ASN LEU LEU THR VAL ALA ASP PHE LEU LEU LEU LEU SER PRO LEU SER HIS GLN ASP ARG HIS ASP HIS HIS PRO ARG ALA ASN SER F281 V290 L294 P297

TRP PRO
THR PRO
LYS ARG
GLU MET
SER PHE
LEU LEU
LEU HIS
GLY GLY
PRO PRO
ALA ALA
PRO PRO
LYS LYS
ASN ASN
HIS HIS
SER ALA
VAL VAL
LYS LYS
GLN GLN
ASP ASP
GLU GLU
THR THR
SER ASP
ASN ASN
LEU LEU
ILE ILE
HIS HIS
THR THR
THR THR
SER SER
PRO PRO
LYS LYS
SER SER
PRO PRO
TRP TRP
ALA ALA
LEU LEU
GLU GLU
ASN ASN
SER SER
GLY GLY
ALA ALA
HIS HIS
SER SER

PRO THR
THR PRO
MET MET
PHE PHE
PRO PRO
LEU LEU
LEU GLU
PRO PRO
ALA ALA
SER SER
ILE ILE
PRO PRO
GLU LEU
ASN ASN
HIS HIS
SER VAL
LEU VAL
LYS LYS
GLU GLY
ILE ILE
LEU LEU
LEU LEU
THR THR
VAL VAL
THR THR
SER SER
PRO PRO
TRP TRP
ALA ALA
LEU LEU
GLU GLU
ASN ASN
SER SER
GLY GLY
ALA ALA
HIS HIS
SER SER

ARG LYS
THR THR
GLU VAL
PHE PHE
ASN ASN
LEU LEU
THR THR
THR THR
MET MET
PRO PRO
GLU GLU
ILE ILE
PRO PRO
GLU LEU
ASN ASN
HIS HIS
SER VAL
LEU VAL
LYS LYS
GLU GLY
ILE ILE
LEU LEU
LEU LEU
THR THR
VAL VAL
THR THR
SER SER
PRO PRO
TRP TRP
ALA ALA
LEU LEU
GLU GLU
ASN ASN
SER SER
GLY GLY
ALA ALA
HIS HIS
SER SER

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C5	Depositor
Number of particles used	132151	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	58	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	10.965	Depositor
Minimum map value	-4.732	Depositor
Average map value	-0.008	Depositor
Map value standard deviation	0.409	Depositor
Recommended contour level	0.8	Depositor
Map size (\AA)	143.45801, 143.45801, 143.45801	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.51235, 0.51235, 0.51235	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MC3, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/3213	0.50	0/4377
1	B	0.30	0/3213	0.50	0/4377
1	C	0.30	0/3213	0.50	0/4377
1	D	0.30	0/3213	0.50	0/4377
1	E	0.30	0/3213	0.50	0/4377
All	All	0.30	0/16065	0.50	0/21885

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3118	0	3089	47	0
1	B	3118	0	3089	53	0
1	C	3118	0	3089	52	0
1	D	3118	0	3089	50	0
1	E	3118	0	3089	46	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1	0	0	0	0
2	E	1	0	0	0	0
3	A	142	0	235	12	0
3	B	142	0	235	13	0
3	C	142	0	235	14	0
3	D	142	0	235	11	0
3	E	142	0	235	12	0
4	A	168	0	0	3	0
4	B	171	0	0	3	0
4	C	170	0	0	3	0
4	D	169	0	0	3	0
4	E	168	0	0	3	0
All	All	17151	0	16620	234	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 234 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:LEU:HD22	1:E:77:PRO:CG	2.31	0.61
1:C:77:PRO:CG	1:D:75:LEU:HD22	2.31	0.60
1:E:272:VAL:HG11	3:E:607:MC3:H361	1.84	0.60
1:C:272:VAL:HG11	3:C:606:MC3:H361	1.84	0.60
1:C:75:LEU:HD22	1:B:77:PRO:CG	2.31	0.60

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	374/585 (64%)	370 (99%)	4 (1%)	0	100	100
1	B	374/585 (64%)	370 (99%)	4 (1%)	0	100	100
1	C	374/585 (64%)	370 (99%)	4 (1%)	0	100	100
1	D	374/585 (64%)	370 (99%)	4 (1%)	0	100	100
1	E	374/585 (64%)	370 (99%)	4 (1%)	0	100	100
All	All	1870/2925 (64%)	1850 (99%)	20 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/524 (65%)	328 (97%)	11 (3%)	39	32
1	B	339/524 (65%)	328 (97%)	11 (3%)	39	32
1	C	339/524 (65%)	328 (97%)	11 (3%)	39	32
1	D	339/524 (65%)	328 (97%)	11 (3%)	39	32
1	E	339/524 (65%)	328 (97%)	11 (3%)	39	32
All	All	1695/2620 (65%)	1640 (97%)	55 (3%)	42	32

5 of 55 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	236	TYR
1	D	75	LEU
1	E	344	GLN
1	E	178	HIS
1	B	303	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 45 ligands modelled in this entry, 5 are monoatomic - leaving 40 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MC3	B	608	-	9,9,45	0.30	0	8,8,53	0.73	0
3	MC3	E	608	-	9,9,45	0.31	0	8,8,53	0.74	0
3	MC3	B	606	-	11,11,45	0.30	0	10,10,53	0.77	0
3	MC3	C	602	-	4,4,45	0.30	0	3,3,53	0.55	0
3	MC3	A	602	-	4,4,45	0.30	0	3,3,53	0.55	0
3	MC3	E	604	-	37,37,45	1.02	4 (10%)	41,42,53	1.11	2 (4%)
3	MC3	A	603	-	37,37,45	1.03	4 (10%)	41,42,53	1.11	2 (4%)
3	MC3	A	608	-	13,13,45	0.27	0	12,12,53	0.86	0
3	MC3	A	609	-	34,34,45	1.04	4 (11%)	36,36,53	1.28	3 (8%)
3	MC3	E	607	-	13,13,45	0.29	0	12,12,53	0.79	0
3	MC3	C	604	-	13,13,45	0.28	0	12,12,53	0.85	0
3	MC3	D	604	-	37,37,45	1.02	4 (10%)	41,42,53	1.11	2 (4%)
3	MC3	A	605	-	11,11,45	0.30	0	10,10,53	0.77	0
3	MC3	D	608	-	9,9,45	0.30	0	8,8,53	0.73	0
3	MC3	C	608	-	13,13,45	0.27	0	12,12,53	0.85	0
3	MC3	D	601	-	34,34,45	1.04	4 (11%)	36,36,53	1.28	3 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MC3	C	605	-	11,11,45	0.30	0	10,10,53	0.77	0
3	MC3	B	609	-	13,13,45	0.27	0	12,12,53	0.86	0
3	MC3	D	603	-	4,4,45	0.30	0	3,3,53	0.55	0
3	MC3	E	603	-	4,4,45	0.30	0	3,3,53	0.55	0
3	MC3	E	609	-	13,13,45	0.27	0	12,12,53	0.85	0
3	MC3	B	605	-	13,13,45	0.28	0	12,12,53	0.85	0
3	MC3	C	606	-	13,13,45	0.29	0	12,12,53	0.79	0
3	MC3	A	606	-	13,13,45	0.29	0	12,12,53	0.79	0
3	MC3	B	603	-	4,4,45	0.30	0	3,3,53	0.55	0
3	MC3	D	607	-	13,13,45	0.29	0	12,12,53	0.79	0
3	MC3	E	601	-	34,34,45	1.04	4 (11%)	36,36,53	1.28	3 (8%)
3	MC3	C	607	-	9,9,45	0.30	0	8,8,53	0.73	0
3	MC3	D	606	-	11,11,45	0.30	0	10,10,53	0.77	0
3	MC3	B	604	-	37,37,45	1.02	4 (10%)	41,42,53	1.11	2 (4%)
3	MC3	D	605	-	13,13,45	0.28	0	12,12,53	0.85	0
3	MC3	D	609	-	13,13,45	0.27	0	12,12,53	0.85	0
3	MC3	A	607	-	9,9,45	0.30	0	8,8,53	0.73	0
3	MC3	B	607	-	13,13,45	0.29	0	12,12,53	0.79	0
3	MC3	C	609	-	34,34,45	1.04	4 (11%)	36,36,53	1.28	3 (8%)
3	MC3	E	605	-	13,13,45	0.28	0	12,12,53	0.85	0
3	MC3	A	604	-	13,13,45	0.28	0	12,12,53	0.85	0
3	MC3	C	603	-	37,37,45	1.02	4 (10%)	41,42,53	1.11	2 (4%)
3	MC3	E	606	-	11,11,45	0.30	0	10,10,53	0.77	0
3	MC3	B	601	-	34,34,45	1.04	4 (11%)	36,36,53	1.28	3 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MC3	B	608	-	-	3/7/7/49	-
3	MC3	E	608	-	-	3/7/7/49	-
3	MC3	B	606	-	-	2/9/9/49	-
3	MC3	C	602	-	-	0/2/2/49	-
3	MC3	A	602	-	-	0/2/2/49	-
3	MC3	E	604	-	-	25/39/39/49	-
3	MC3	A	603	-	-	25/39/39/49	-
3	MC3	A	608	-	-	10/11/11/49	-
3	MC3	A	609	-	-	16/35/35/49	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MC3	E	607	-	-	7/11/11/49	-
3	MC3	C	604	-	-	3/11/11/49	-
3	MC3	D	604	-	-	25/39/39/49	-
3	MC3	A	605	-	-	2/9/9/49	-
3	MC3	D	608	-	-	3/7/7/49	-
3	MC3	C	608	-	-	10/11/11/49	-
3	MC3	D	601	-	-	16/35/35/49	-
3	MC3	C	605	-	-	2/9/9/49	-
3	MC3	B	609	-	-	10/11/11/49	-
3	MC3	D	603	-	-	0/2/2/49	-
3	MC3	E	603	-	-	0/2/2/49	-
3	MC3	E	609	-	-	10/11/11/49	-
3	MC3	B	605	-	-	3/11/11/49	-
3	MC3	C	606	-	-	7/11/11/49	-
3	MC3	A	606	-	-	7/11/11/49	-
3	MC3	B	603	-	-	0/2/2/49	-
3	MC3	D	607	-	-	7/11/11/49	-
3	MC3	E	601	-	-	16/35/35/49	-
3	MC3	C	607	-	-	3/7/7/49	-
3	MC3	D	606	-	-	2/9/9/49	-
3	MC3	B	604	-	-	25/39/39/49	-
3	MC3	D	605	-	-	3/11/11/49	-
3	MC3	D	609	-	-	10/11/11/49	-
3	MC3	A	607	-	-	3/7/7/49	-
3	MC3	B	607	-	-	7/11/11/49	-
3	MC3	C	609	-	-	16/35/35/49	-
3	MC3	E	605	-	-	3/11/11/49	-
3	MC3	A	604	-	-	3/11/11/49	-
3	MC3	C	603	-	-	25/39/39/49	-
3	MC3	E	606	-	-	2/9/9/49	-
3	MC3	B	601	-	-	16/35/35/49	-

The worst 5 of 40 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	601	MC3	O2-C2	-3.89	1.40	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	609	MC3	O2-C2	-3.89	1.40	1.47
3	B	601	MC3	O2-C2	-3.89	1.40	1.47
3	A	609	MC3	O2-C2	-3.87	1.40	1.47
3	E	601	MC3	O2-C2	-3.86	1.40	1.47

The worst 5 of 25 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	609	MC3	O2-C31-C32	3.95	120.02	111.50
3	E	601	MC3	O2-C31-C32	3.95	120.01	111.50
3	D	601	MC3	O2-C31-C32	3.95	120.01	111.50
3	A	609	MC3	O2-C31-C32	3.94	120.00	111.50
3	B	601	MC3	O2-C31-C32	3.94	120.00	111.50

There are no chirality outliers.

5 of 330 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	603	MC3	O3P-C1-C2-O2
3	A	603	MC3	C1-O3P-P-O1P
3	A	603	MC3	C1-O3P-P-O2P
3	A	603	MC3	C1-O3P-P-O4P
3	C	603	MC3	O3P-C1-C2-O2

There are no ring outliers.

28 monomers are involved in 62 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	606	MC3	1	0
3	E	604	MC3	3	0
3	A	603	MC3	2	0
3	A	608	MC3	1	0
3	A	609	MC3	4	0
3	E	607	MC3	2	0
3	C	604	MC3	2	0
3	D	604	MC3	2	0
3	A	605	MC3	1	0
3	C	608	MC3	1	0
3	D	601	MC3	4	0
3	C	605	MC3	1	0
3	B	609	MC3	1	0



Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	609	MC3	1	0
3	B	605	MC3	2	0
3	C	606	MC3	2	0
3	A	606	MC3	2	0
3	D	607	MC3	2	0
3	E	601	MC3	4	0
3	B	604	MC3	3	0
3	D	605	MC3	2	0
3	D	609	MC3	1	0
3	B	607	MC3	2	0
3	C	609	MC3	5	0
3	E	605	MC3	2	0
3	A	604	MC3	2	0
3	C	603	MC3	3	0
3	B	601	MC3	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.













































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-27132. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 140




Y Index: 140




Z Index: 140


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 117




Y Index: 121




Z Index: 207


6.3.2 Raw map



X Index: 185



Y Index: 185




Z Index: 158


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.8. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 66 nm^3 ; this corresponds to an approximate mass of 60 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.488 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.488 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.05	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	2.86	3.42	2.95

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.86 differs from the reported value 2.05 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-27132 and PDB model 8D1J. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.8 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.8).













9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.8) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8840	 0.7240
A	 0.8830	 0.7240
B	 0.8860	 0.7250
C	 0.8840	 0.7230
D	 0.8850	 0.7230
E	 0.8840	 0.7230

