



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 9, 2023 – 05:35 PM EDT

PDB ID : 8D6P
Title : Rana catesbeiana saxiphilin mutant - Y558A
Authors : Chen, Z.; Zakrzewska, S.; Minor, D.L.
Deposited on : 2022-06-06
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	851	
1	B	851	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 12693 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Saxiphilin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	818	6308	3939	1090	1220	59	0	0	0
1	B	818	6308	3939	1090	1220	59	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	558	ALA	TYR	engineered mutation	UNP P31226
A	826	SER	-	expression tag	UNP P31226
A	827	ASN	-	expression tag	UNP P31226
A	828	SER	-	expression tag	UNP P31226
A	829	LEU	-	expression tag	UNP P31226
A	830	GLU	-	expression tag	UNP P31226
A	831	VAL	-	expression tag	UNP P31226
A	832	LEU	-	expression tag	UNP P31226
B	558	ALA	TYR	engineered mutation	UNP P31226
B	826	SER	-	expression tag	UNP P31226
B	827	ASN	-	expression tag	UNP P31226
B	828	SER	-	expression tag	UNP P31226
B	829	LEU	-	expression tag	UNP P31226
B	830	GLU	-	expression tag	UNP P31226
B	831	VAL	-	expression tag	UNP P31226
B	832	LEU	-	expression tag	UNP P31226


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	51	Total	O	0	0
			51	51		
2	B	26	Total	O	0	0
			26	26		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Saxiphilin



- Molecule 1: Saxiphilin





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	96.61Å 109.05Å 254.89Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.81 – 2.60 47.81 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.3 (47.81-2.60) 99.3 (47.81-2.60)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.39 (at 2.61Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.228 , 0.264 0.226 , 0.262	Depositor DCC
R_{free} test set	4143 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	83.5	Xtrriage
Anisotropy	0.591	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 84.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12693	wwPDB-VP
Average B, all atoms (Å ²)	125.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/6433	0.46	0/8682
1	B	0.25	0/6433	0.46	0/8682
All	All	0.25	0/12866	0.46	0/17364

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6308	0	6177	63	0
1	B	6308	0	6177	72	0
2	A	51	0	0	3	0
2	B	26	0	0	2	0
All	All	12693	0	12354	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:780:CYS:SG	2:A:903:HOH:O	2.24	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:ASN:HA	1:A:280:LEU:HD21	1.65	0.77
1:B:539:VAL:HG12	1:B:783:THR:HA	1.76	0.67
1:B:630:SER:O	1:B:634:LYS:NZ	2.29	0.65
1:A:698:LYS:HG3	1:A:700:GLU:H	1.62	0.65
1:B:108:ILE:O	1:B:110:GLN:NE2	2.30	0.64
1:A:317:LYS:HB3	1:A:331:PRO:HG2	1.80	0.63
1:B:703:GLU:OE2	1:B:712:ALA:N	2.32	0.62
1:B:57:MET:O	1:B:393:VAL:HA	2.00	0.61
1:A:56:ALA:HB2	1:A:405:ILE:HD13	1.83	0.61
1:A:657:TYR:OH	1:A:669:GLU:OE1	2.17	0.61
1:A:411:GLU:OE1	1:A:415:ARG:NH1	2.34	0.61
1:A:691:ALA:HB1	1:A:695:LYS:HE3	1.83	0.59
1:B:309:GLN:HB2	1:B:312:LEU:HD23	1.84	0.59
1:A:782:ILE:HG12	2:A:903:HOH:O	2.02	0.59
1:B:95:ARG:HA	1:B:109:PRO:HD2	1.84	0.59
1:A:529:GLU:HG2	1:A:817:ILE:HD11	1.83	0.59
1:A:79:ALA:HB2	1:A:392:THR:HG22	1.84	0.58
1:A:596:ALA:HB3	1:A:677:PRO:HD3	1.85	0.58
1:B:757:GLU:HB2	2:B:902:HOH:O	2.05	0.57
1:B:56:ALA:HB2	1:B:405:ILE:HD13	1.88	0.56
1:B:703:GLU:OE1	1:B:711:ARG:NE	2.32	0.56
1:A:304:ILE:HD12	1:A:312:LEU:HG	1.88	0.56
1:A:161:CYS:SG	2:A:907:HOH:O	2.58	0.56
1:B:5:LYS:N	1:B:31:ASP:O	2.39	0.56
1:B:527:MET:HG2	1:B:795:TYR:CE2	2.42	0.55
1:B:635:LEU:HD22	1:B:670:LYS:HD2	1.87	0.55
1:B:199:GLY:HA3	1:B:218:PRO:HB3	1.89	0.55
1:B:450:LEU:HD22	1:B:454:LEU:HD12	1.89	0.55
1:A:484:MET:HE3	1:A:768:LYS:HD2	1.88	0.55
1:A:622:CYS:HB2	1:A:635:LEU:HD12	1.89	0.55
1:B:216:THR:HG21	1:B:222:PRO:HA	1.88	0.55
1:A:32:ILE:HG21	1:A:408:PHE:HB2	1.90	0.54
1:B:32:ILE:HG21	1:B:408:PHE:HB2	1.89	0.54
1:B:75:LYS:HG2	1:B:397:LYS:HA	1.89	0.54
1:B:748:GLN:OE1	1:B:781:LEU:N	2.37	0.54
1:B:322:LYS:HD3	1:B:329:ASP:HB3	1.90	0.54
1:B:195:HIS:NE2	1:B:197:SER:OG	2.40	0.54
1:B:129:CYS:SG	2:B:901:HOH:O	2.58	0.54
1:B:656:ALA:O	1:B:665:ARG:NH2	2.41	0.53
1:A:108:ILE:O	1:A:110:GLN:NE2	2.42	0.53
1:B:240:MET:HE2	1:B:352:LEU:HD21	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:361:HIS:HB3	1:B:365:TYR:HD2	1.74	0.52
1:A:63:GLU:HG2	1:A:263:SER:HB3	1.92	0.51
1:A:24:VAL:HG22	1:A:34:LEU:HB3	1.93	0.51
1:B:182:GLN:HE22	1:B:194:PHE:H	1.57	0.51
1:A:596:ALA:HB2	1:A:725:ILE:HD11	1.94	0.50
1:A:703:GLU:HB2	1:A:711:ARG:HH21	1.77	0.50
1:A:158:LEU:HD22	1:A:159:PRO:HD2	1.93	0.49
1:A:489:TRP:O	1:A:493:SER:HB3	2.12	0.49
1:B:627:ASP:HB3	1:B:630:SER:HB2	1.95	0.49
1:A:94:GLU:OE1	1:A:117:TYR:OH	2.30	0.49
1:A:738:SER:O	1:A:742:ARG:HG2	2.12	0.49
1:A:378:ASN:OD1	1:A:379:LYS:NZ	2.46	0.48
1:A:606:ARG:HD3	1:A:612:SER:HB3	1.95	0.48
1:B:411:GLU:OE2	1:B:415:ARG:NH1	2.46	0.48
1:B:336:TYR:CZ	1:B:426:LYS:HD3	2.49	0.48
1:A:227:LYS:HB3	1:A:821:THR:HG22	1.97	0.47
1:A:575:LYS:HA	1:A:711:ARG:NH1	2.29	0.47
1:B:572:LYS:HD3	1:B:703:GLU:HB2	1.95	0.47
1:A:569:LEU:HD22	1:A:681:VAL:HG22	1.96	0.47
1:B:87:ASP:HB3	1:B:88:LEU:H	1.51	0.47
1:B:158:LEU:HB2	1:B:163:LYS:HE3	1.97	0.47
1:B:603:SER:OG	1:B:803:THR:O	2.33	0.46
1:B:772:LEU:O	1:B:774:PHE:N	2.48	0.46
1:B:829:LEU:HD23	1:B:829:LEU:HA	1.78	0.46
1:A:613:ASP:N	1:A:613:ASP:OD1	2.49	0.46
1:B:362:SER:HA	1:B:377:LEU:HD13	1.96	0.46
1:B:542:TYR:CZ	1:B:544:ASN:HB3	2.51	0.46
1:A:692:VAL:HG13	1:A:693:TRP:CD1	2.51	0.45
1:B:41:SER:OG	1:B:44:ASP:OD1	2.33	0.45
1:A:595:ILE:HD13	1:A:599:VAL:HG21	1.98	0.45
1:B:203:CYS:HB2	1:B:214:THR:HG21	1.98	0.45
1:B:639:ASP:OD1	1:B:639:ASP:N	2.49	0.45
1:A:581:ASN:O	1:A:585:LYS:NZ	2.43	0.45
1:A:758:LYS:HE2	1:A:758:LYS:HB2	1.86	0.45
1:A:50:LYS:HB3	1:A:50:LYS:HE3	1.81	0.45
1:B:543:HIS:ND1	1:B:777:ASN:OD1	2.43	0.45
1:A:57:MET:O	1:A:393:VAL:HA	2.18	0.44
1:A:75:LYS:HG2	1:A:397:LYS:HA	2.00	0.44
1:A:761:PHE:HE2	1:A:763:LEU:HD23	1.82	0.44
1:B:681:VAL:HG21	1:B:714:VAL:HG11	1.98	0.44
1:B:694:ALA:HA	1:B:697:LEU:HD23	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:114:LYS:O	1:B:116:ASN:N	2.51	0.44
1:B:195:HIS:CE1	1:B:197:SER:HG	2.36	0.44
1:B:625:GLY:H	1:B:649:CYS:HB3	1.82	0.44
1:B:55:ASP:OD1	1:B:396:ARG:NH2	2.51	0.44
1:B:529:GLU:HG2	1:B:817:ILE:HD11	1.99	0.44
1:A:268:TRP:HZ2	1:A:291:ILE:HG22	1.84	0.43
1:B:592:VAL:HG22	1:B:651:LEU:HD21	2.00	0.43
1:B:664:PHE:HD2	1:B:693:TRP:HZ3	1.66	0.43
1:B:411:GLU:HG3	1:B:415:ARG:HD2	2.00	0.43
1:A:717:TYR:O	1:A:721:LYS:HB3	2.19	0.43
1:B:575:LYS:HA	1:B:711:ARG:HH12	1.83	0.43
1:A:259:HIS:CD2	1:A:304:ILE:HG12	2.53	0.43
1:B:519:ALA:HA	1:B:731:VAL:O	2.18	0.43
1:A:772:LEU:O	1:A:774:PHE:N	2.44	0.43
1:B:317:LYS:HG2	1:B:332:TYR:CE2	2.53	0.43
1:A:704:LEU:HG	1:A:714:VAL:HA	2.01	0.42
1:A:758:LYS:O	1:A:762:GLN:NE2	2.52	0.42
1:B:293:ARG:O	1:B:296:SER:OG	2.35	0.42
1:A:8:ARG:HG2	1:A:35:VAL:HB	2.02	0.42
1:B:595:ILE:HD12	1:B:595:ILE:H	1.84	0.42
1:A:195:HIS:HB2	1:A:202:TRP:CH2	2.54	0.42
1:B:406:ASN:ND2	1:B:439:LEU:HD22	2.34	0.42
1:A:569:LEU:HD11	1:A:702:PHE:HB3	2.01	0.42
1:B:205:ASN:HB2	1:B:207:ILE:HG22	2.01	0.42
1:B:332:TYR:CG	1:B:341:CYS:HB2	2.54	0.42
1:A:206:ALA:HB2	1:A:228:HIS:HB3	2.02	0.42
1:A:477:THR:HG22	1:A:773:LEU:HD21	2.00	0.42
1:B:620:GLU:HG2	1:B:634:LYS:HG3	2.02	0.42
1:A:577:ILE:HD12	1:A:585:LYS:HD3	2.02	0.42
1:A:665:ARG:HD3	1:A:693:TRP:CD2	2.55	0.42
1:A:195:HIS:HE1	1:A:197:SER:HB2	1.84	0.42
1:A:703:GLU:OE1	1:A:711:ARG:NH2	2.53	0.42
1:A:761:PHE:CE2	1:A:763:LEU:HD23	2.55	0.42
1:B:614:ILE:HG12	1:B:615:ASP:OD1	2.19	0.42
1:B:398:ILE:H	1:B:398:ILE:HD12	1.84	0.41
1:A:485:LYS:HD2	1:A:772:LEU:HB2	2.01	0.41
1:B:251:GLN:O	1:B:255:LYS:NZ	2.46	0.41
1:A:182:GLN:HE22	1:A:194:PHE:H	1.68	0.41
1:A:519:ALA:HA	1:A:731:VAL:O	2.21	0.41
1:A:567:VAL:HA	1:A:722:LEU:HD13	2.02	0.41
1:B:565:ARG:HG3	1:B:717:TYR:HD1	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:60:ASP:OD1	1:B:61:SER:N	2.54	0.41
1:B:63:GLU:HG2	1:B:263:SER:HB2	2.03	0.41
1:B:690:PRO:HA	1:B:695:LYS:HE2	2.02	0.41
1:B:717:TYR:O	1:B:721:LYS:HB3	2.20	0.41
1:A:790:ASP:O	1:A:794:ASP:N	2.50	0.40
1:B:46:MET:N	1:B:57:MET:HE1	2.37	0.40
1:A:127:GLY:O	1:A:150:ARG:NH2	2.54	0.40
1:B:95:ARG:HG3	1:B:108:ILE:HG22	2.03	0.40
1:B:524:VAL:HG23	1:B:796:PHE:HE1	1.87	0.40
1:A:409:LEU:HD23	1:A:409:LEU:HA	1.95	0.40
1:B:42:THR:O	1:B:46:MET:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	814/851 (96%)	774 (95%)	40 (5%)	0	100	100
1	B	814/851 (96%)	771 (95%)	40 (5%)	3 (0%)	34	57
All	All	1628/1702 (96%)	1545 (95%)	80 (5%)	3 (0%)	47	71

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	115	GLY
1	B	301	VAL
1	B	83	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	703/728 (97%)	692 (98%)	11 (2%)	62	82
1	B	703/728 (97%)	688 (98%)	15 (2%)	53	77
All	All	1406/1456 (97%)	1380 (98%)	26 (2%)	59	80

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LEU
1	A	87	ASP
1	A	132	VAL
1	A	158	LEU
1	A	352	LEU
1	A	548	PHE
1	A	561	PHE
1	A	610	ASP
1	A	641	LYS
1	A	649	CYS
1	A	692	VAL
1	B	83	SER
1	B	88	LEU
1	B	92	LEU
1	B	132	VAL
1	B	148	GLN
1	B	454	LEU
1	B	525	GLN
1	B	561	PHE
1	B	651	LEU
1	B	669	GLU
1	B	704	LEU
1	B	750	LEU
1	B	782	ILE
1	B	783	THR
1	B	829	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	818/851 (96%)	0.34	44 (5%) 25 20	69, 111, 194, 236	0
1	B	818/851 (96%)	0.36	38 (4%) 32 26	78, 117, 191, 254	0
All	All	1636/1702 (96%)	0.35	82 (5%) 28 23	69, 115, 193, 254	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	830	GLU	8.3
1	A	579	TRP	7.1
1	A	569	LEU	6.6
1	A	674	ALA	6.6
1	A	693	TRP	6.3
1	A	570	VAL	6.2
1	A	582	ILE	6.1
1	B	641	LYS	5.5
1	A	664	PHE	5.5
1	B	829	LEU	5.5
1	B	664	PHE	5.3
1	A	577	ILE	5.3
1	A	162	LEU	5.0
1	A	194	PHE	4.5
1	A	702	PHE	4.3
1	B	644	ALA	4.2
1	A	571	LYS	4.2
1	A	684	ASN	4.1
1	B	615	ASP	4.1
1	B	613	ASP	4.0
1	A	586	LYS	3.9
1	B	642	ASN	3.8
1	A	675	PHE	3.8
1	A	642	ASN	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	668	VAL	3.7
1	B	668	VAL	3.6
1	B	117	TYR	3.6
1	A	707	LEU	3.5
1	B	617	PHE	3.5
1	A	639	ASP	3.4
1	A	637	ILE	3.3
1	B	156	HIS	3.3
1	A	705	LEU	3.3
1	A	685	THR	3.3
1	A	688	LYS	3.2
1	A	180	VAL	3.2
1	B	614	ILE	3.1
1	B	618	PHE	3.0
1	B	665	ARG	2.9
1	A	587	SER	2.9
1	B	635	LEU	2.9
1	B	200	TYR	2.9
1	B	571	LYS	2.8
1	B	586	LYS	2.8
1	A	681	VAL	2.8
1	A	605	ILE	2.8
1	B	99	LEU	2.7
1	B	693	TRP	2.7
1	B	179	PHE	2.7
1	A	704	LEU	2.7
1	B	702	PHE	2.6
1	A	672	ASP	2.6
1	A	670	LYS	2.6
1	A	673	VAL	2.6
1	B	674	ALA	2.6
1	B	690	PRO	2.5
1	B	831	VAL	2.5
1	B	86	ARG	2.5
1	A	696	ASN	2.5
1	B	166	GLN	2.5
1	B	620	GLU	2.5
1	A	813	SER	2.5
1	A	632	LEU	2.5
1	B	670	LYS	2.5
1	A	691	ALA	2.4
1	A	618	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	694	ALA	2.3
1	A	588	CYS	2.3
1	B	138	LYS	2.3
1	B	646	ASN	2.3
1	A	635	LEU	2.3
1	B	163	LYS	2.3
1	A	694	ALA	2.3
1	B	647	THR	2.3
1	B	408	PHE	2.2
1	A	614	ILE	2.1
1	A	629	LYS	2.1
1	B	579	TRP	2.1
1	A	165	ARG	2.1
1	B	106	HIS	2.1
1	A	622	CYS	2.0
1	A	641	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.