



Full wwPDB EM Validation Report ⓘ

Nov 21, 2022 – 06:35 PM JST

PDB ID : 7D80
EMDB ID : EMD-30611
Title : Molecular model of the cryo-EM structure of 70S ribosome in complex with peptide deformylase, trigger factor, and methionine aminopeptidase
Authors : Akbar, S.; Bhakta, S.; Sengupta, J.
Deposited on : 2020-10-06
Resolution : 4.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	46	
2	1	65	
3	2	38	
4	3	169	
5	5	432	
6	6	57	
7	A	2903	
8	B	1539	

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	C	241	 89% 10%
10	D	233	 88% 12%
11	E	206	 98%
12	F	167	 89% 10%
13	G	135	 71% 26%
14	H	179	 84% 16%
15	I	130	 98%
16	J	130	 94%
17	K	103	 93% 5%
18	L	129	 89% 9%
19	M	124	 98%
20	N	118	 92%
21	O	101	 95% 5%
22	P	89	 99%
23	Q	82	 99%
24	R	84	 90% 5% 5%
25	S	75	 71% 27%
26	T	92	 86% 14%
27	U	87	 93% 5%
28	V	71	 66% 6% 28%
29	W	100	 93%
30	X	73	 48% 41% 11%
31	Z	76	 32% 53% 32% 13%
32	a	118	 81% 19%
33	b	273	 98%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	c	209	 97%
35	d	201	 100%
36	e	179	 98%
37	f	177	 97%
38	g	149	 32% 68%
39	h	142	 10% 99%
40	i	142	 99%
41	j	123	 98%
42	k	144	 97%
43	l	136	 97%
44	m	127	 91% 6%
45	n	117	 98%
46	o	115	 98%
47	p	118	 99%
48	q	103	 100%
49	r	110	 99%
50	s	104	 93% 5%
51	t	94	 100%
52	u	85	 88% 12%
53	v	78	 99%
54	w	63	 97%
55	x	59	 98%
56	y	77	 64% 27% 9%
57	z	55	 87% 9%

2 Entry composition

There are 57 unique types of molecules in this entry. The entry contains 150808 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	46	377	228	90	57	2	0	0

- Molecule 2 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	64	504	323	105	74	2	0	0

- Molecule 3 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	38	302	185	65	48	4	0	0

- Molecule 4 is a protein called Peptide deformylase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	168	1346	844	241	255	6	0	0

- Molecule 5 is a protein called Trigger factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	5	432	3386	2119	582	674	11	0	0

- Molecule 6 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	6	56	444	269	94	80	1	0	0

- Molecule 7 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
7	A	2903	62317	27801	11467	20147	2902	0	0

- Molecule 8 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
8	B	1539	33015	14725	6052	10699	1539	0	0

- Molecule 9 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	C	218	1704	1081	305	311	7	0	0

- Molecule 10 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	D	206	1624	1028	305	288	3	0	0

- Molecule 11 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	E	205	1643	1026	315	298	4	0	0

- Molecule 12 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	F	150	1105	687	211	201	6	0	0

- Molecule 13 is a protein called 30S ribosomal protein S6, fully modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	G	100	817	515	148	148	6	0	0

- Molecule 14 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	H	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 15 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	I	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 16 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	J	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 17 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	K	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 18 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	L	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 19 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	M	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 20 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	N	114	Total	C	N	O	S	0	0
			883	546	178	156	3		

- Molecule 21 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	O	96	Total	C	N	O	S	0	0
			774	483	160	128	3		

- Molecule 22 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	P	88	Total	C	N	O	S	0	0
			710	437	143	129	1		

- Molecule 23 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Q	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 24 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	R	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 25 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	S	55	Total	C	N	O	0	0
			455	288	86	81		

- Molecule 26 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	T	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 27 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	U	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 28 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	V	51	Total	C	N	O	S	0	0
			425	265	86	73	1		

- Molecule 29 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	W	96	Total	C	N	O	S	0	0
			764	484	142	136	2		

- Molecule 30 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	X	65	Total	C	N	O	P	0	0
			1392	621	258	449	64		

- Molecule 31 is a RNA chain called A-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Z	66	Total	C	N	O	P	0	0
			1406	629	255	457	65		

- Molecule 32 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	a	118	Total	C	N	O	P	0	0
			2529	1126	464	821	118		

- Molecule 33 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	b	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 34 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	c	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 35 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	d	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 36 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	e	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 37 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	f	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 38 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	g	47	Total	C	N	O	S	0	0
			359	233	62	63	1		

- Molecule 39 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	h	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 40 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	i	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 41 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	j	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 42 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	k	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 43 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	l	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 44 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	m	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 45 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	n	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 46 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	o	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 47 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
47	p	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 48 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	q	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 49 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	r	110	857	532	166	156	3	0	0

- Molecule 50 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	s	102	779	492	146	141		0	0

- Molecule 51 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	t	94	753	479	137	134	3	0	0

- Molecule 52 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	u	75	569	353	113	102	1	0	0

- Molecule 53 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	v	77	625	388	129	106	2	0	0

- Molecule 54 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	w	63	509	313	99	95	2	0	0

- Molecule 55 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	x	58	449	281	87	79	2	0	0

- Molecule 56 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
56	y	70	1496	665	267	494	70	0	0

- Molecule 57 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
57	z	50	409	263	75	71	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L34

Chain 0:  100%

There are no outlier residues recorded for this chain.

- Molecule 2: 50S ribosomal protein L35

Chain 1:  94% 5%



- Molecule 3: 50S ribosomal protein L36

Chain 2:  95% 5%




- Molecule 4: Peptide deformylase


Chain 3:  99%




- Molecule 5: Trigger factor

Chain 5:  28% 100%







• Molecule 6: 50S ribosomal protein L32




• Molecule 7: 23S ribosomal RNA





A2666	A2667	A2572	C2575	C2576	G2581	G2582	U2585	U2586	A2587	G2588	U2596	U2597	A2600	C2601	A2602	G2607	C2608	U2609	C2610	U2613	U2629	U2630	C2626	U2629	U2630	A2635	C2636	G2645	C2646	A2654	C2658	G2661	A2662	G2663	C2684	G2685	A2686	U2680	C2681																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
G2464	A2469	C2470	U2474	C2475	A2476	U2477	A2478	U2479	C2480	G2484	C2485	C2486	G2490	U2491	C2496	A2497	C2498	C2499	U2500	C2501	G2502	U2503	U2504	A2506	A2507	U2506	C2507	G2508	C2512	C2513	U2514	A2518	U2519	C2520	C2527	U2528	G2529	A2542	A2547	G2550	C2551	G2552	G2553	A2554	U2555	C2556	G2557	U2558	C2559	C2463																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
G2228	C2232	G2238	G2239	G2242	U2243	U2244	A2247	G2250	G2251	C2252	G2255	G2256	U2257	C2258	U2259	A2266	G2271	A2274	G2279	C2283	A2287	A2288	G2289	A2297	U2305	A2309	A2317	G2318	G2319	A2322	G2325	C2326	A2327	G2330	G2331	A2332	A2333	U2334	A2335	G2344	G2345	G2346	G2347	A2348	G2455	C2456	C2463																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
C2338	U2344	G2345	A2346	C2347	C2354	U2377	U2378	G2383	U2384	C2385	U2390	C2394	U2402	C2403	U2404	G2405	A2406	A2407	C2420	U2423	A2425	A2426	C2427	G2428	G2429	A2430	A2432	A2435	G2436	G2437	U2441	G2444	G2445	G2446	G2447	G2448	U2454	U2455	C2456	U2457	C2463	G2464	G2465	G2466	G2467	G2468	G2469	U2680	C2681																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
U2131	U2132	A2135	G2136	U2137	G2140	G2141	C2145	C2146	A2147	C2150	U2151	G2152	G2157	A2158	G2162	C2164	C2165	U2166	U2167	G2168	A2169	A2170	A2171	U2172	A2173	C2174	C2175	C2178	U2182	A2183	U2189	A2198	A2199	C2200	U2203	G2204	A2211	A2212	U2213	C2214	G2230	G2231	A2232	C2233	G2234	A2235	G2236	G2237	G2238	G2239	G2240	G2241	G2242	G2243	G2244	G2245	G2246	G2247	G2248	G2249	G2250	G2251	G2252	G2253	G2254	G2255	G2256	G2257	G2258	G2259	G2260	G2261	G2262	G2263	G2264	G2265	G2266	G2267	G2268	G2269	G2270	G2271	G2272	G2273	G2274	G2275	G2276	G2277	G2278	G2279	G2280	G2281	G2282	G2283	G2284	G2285	G2286	G2287	G2288	G2289	G2290	G2291	G2292	G2293	G2294	G2295	G2296	G2297	G2298	G2299	G2300	G2301	G2302	G2303	G2304	G2305	G2306	G2307	G2308	G2309	G2310	G2311	G2312	G2313	G2314	G2315	G2316	G2317	G2318	G2319	G2320	G2321	G2322	G2323	G2324	G2325	G2326	G2327	G2328	G2329	G2330	G2331	G2332	G2333	G2334	G2335	G2336	G2337	G2338	G2339	G2340	G2341	G2342	G2343	G2344	G2345	G2346	G2347	G2348	G2349	G2350	G2351	G2352	G2353	G2354	G2355	G2356	G2357	G2358	G2359	G2360	G2361	G2362	G2363	G2364	G2365	G2366	G2367	G2368	G2369	G2370	G2371	G2372	G2373	G2374	G2375	G2376	G2377	G2378	G2379	G2380	G2381	G2382	G2383	G2384	G2385	G2386	G2387	G2388	G2389	G2390	G2391	G2392	G2393	G2394	G2395	G2396	G2397	G2398	G2399	G2400	G2401	G2402	G2403	G2404	G2405	G2406	G2407	G2408	G2409	G2410	G2411	G2412	G2413	G2414	G2415	G2416	G2417	G2418	G2419	G2420	G2421	G2422	G2423	G2424	G2425	G2426	G2427	G2428	G2429	G2430	G2431	G2432	G2433	G2434	G2435	G2436	G2437	G2438	G2439	G2440	G2441	G2442	G2443	G2444	G2445	G2446	G2447	G2448	G2449	G2450	G2451	G2452	G2453	G2454	G2455	G2456	G2457	G2458	G2459	G2460	G2461	G2462	G2463	G2464	G2465	G2466	G2467	G2468	G2469	G2470	G2471	G2472	G2473	G2474	G2475	G2476	G2477	G2478	G2479	G2480	G2481	G2482	G2483	G2484	G2485	G2486	G2487	G2488	G2489	G2490	G2491	G2492	G2493	G2494	G2495	G2496	G2497	G2498	G2499	G2500	G2501	G2502	G2503	G2504	G2505	G2506	G2507	G2508	G2509	G2510	G2511	G2512	G2513	G2514	G2515	G2516	G2517	G2518	G2519	G2520	G2521	G2522	G2523	G2524	G2525	G2526	G2527	G2528	G2529	G2530	G2531	G2532	G2533	G2534	G2535	G2536	G2537	G2538	G2539	G2540	G2541	G2542	G2543	G2544	G2545	G2546	G2547	G2548	G2549	G2550	G2551	G2552	G2553	G2554	G2555	G2556	G2557	G2558	G2559	G2560	G2561	G2562	G2563	G2564	G2565	G2566	G2567	G2568	G2569	G2570	G2571	G2572	G2573	G2574	G2575	G2576	G2577	G2578	G2579	G2580	G2581	G2582	G2583	G2584	G2585	G2586	G2587	G2588	G2589	G2590	G2591	G2592	G2593	G2594	G2595	G2596	G2597	G2598	G2599	G2600	G2601	G2602	G2603	G2604	G2605	G2606	G2607	G2608	G2609	G2610	G2611	G2612	G2613	G2614	G2615	G2616	G2617	G2618	G2619	G2620	G2621	G2622	G2623	G2624	G2625	G2626	G2627	G2628	G2629	G2630	G2631	G2632	G2633	G2634	G2635	G2636	G2637	G2638	G2639	G2640	G2641	G2642	G2643	G2644	G2645	G2646	G2647	G2648	G2649	G2650	G2651	G2652	G2653	G2654	G2655	G2656	G2657	G2658	G2659	G2660	G2661	G2662	G2663	G2664	G2665	G2666	G2667	G2668	G2669	G2670	G2671	G2672	G2673	G2674	G2675	G2676	G2677	G2678	G2679	G2680	G2681	G2682	G2683	G2684	G2685	G2686	G2687	G2688	G2689	G2690	G2691	G2692	G2693	G2694	G2695	G2696	G2697	G2698	G2699	G2700	G2701	G2702	G2703	G2704	G2705	G2706	G2707	G2708	G2709	G2710	G2711	G2712	G2713	G2714	G2715	G2716	G2717	G2718	G2719	G2720	G2721	G2722	G2723	G2724	G2725	G2726	G2727	G2728	G2729	G2730	G2731	G2732	G2733	G2734	G2735	G2736	G2737	G2738	G2739	G2740	G2741	G2742	G2743	G2744	G2745	G2746	G2747	G2748	G2749	G2750	G2751	G2752	G2753	G2754	G2755	G2756	G2757	G2758	G2759	G2760	G2761	G2762	G2763	G2764	G2765	G2766	G2767	G2768	G2769	G2770	G2771	G2772	G2773	G2774	G2775	G2776	G2777	G2778	G2779	G2780	G2781	G2782	G2783	G2784	G2785	G2786	G2787	G2788	G2789	G2790	G2791	G2792	G2793	G2794	G2795	G2796	G2797	G2798	G2799	G2800	G2801	G2802	G2803	G2804	G2805	G2806	G2807	G2808	G2809	G2810	G2811	G2812	G2813	G2814	G2815	G2816	G2817	G2818	G2819	G2820	G2821	G2822	G2823	G2824	G2825	G2826	G2827	G2828	G2829	G2830	G2831	G2832	G2833	G2834	G2835	G2836	G2837	G2838	G2839	G2840	G2841	G2842	G2843	G2844	G2845	G2846	G2847	G2848	G2849	G2850	G2851	G2852	G2853	G2854	G2855	G2856	G2857	G2858	G2859	G2860	G2861	G2862	G2863	G2864	G2865	G2866	G2867	G2868	G2869	G2870	G2871	G2872	G2873	G2874	G2875	G2876	G2877	G2878	G2879	G2880	G2881	G2882	G2883	G2884	G2885	G2886	G2887	G2888	G2889	G2890	G2891	G2892	G2893	G2894	G2895	G2896	G2897	G2898	G2899	G2900	G2901	G2902	G2903	G2904	G2905	G2906	G2907	G2908	G2909	G2910	G2911	G2912	G2913	G2914	G2915	G2916	G2917	G2918	G2919	G2920	G2921	G2922	G2923	G2924	G2925	G2926	G2927	G2928	G2929	G2930	G2931	G2932	G2933	G2934	G2935	G2936	G2937	G2938	G2939	G2940	G2941	G2942	G2943	G2944	G2945	G2946	G2947	G2948	G2949	G2950	G2951	G2952	G2953	G2954	G2955	G2956	G2957	G2958	G2959	G2960	G2961	G2962	G2963	G2964	G2965	G2966	G2967	G2968	G2969	G2970	G2971	G2972	G2973	G2974	G2975	G2976	G2977	G2978	G2979	G2980	G2981	G2982	G2983	G2984	G2985	G2986	G2987	G2988	G2989	G2990	G2991	G2992	G2993	G2994	G2995	G2996	G2997	G2998	G2999	G3000	G3001	G3002	G3003	G3004	G3005	G3006	G3007	G3008	G3009	G3010	G3011	G3012	G3013	G3014	G3015	G3016	G3017	G3018	G3019	G3020	G3021	G3022	G3023	G3024	G3025	G3026	G3027	G3028	G3029	G3030	G3031	G3032	G3033	G3034	G3035	G3036	G3037	G3038	G3039	G3040	G3041	G3042	G3043	G3044	G3045	G3046	G3047	G3048	G3049	G3050	G3051	G3052	G3053	G3054	G3055	G3056	G3057	G3058	G3059	G3060	G3061	G3062	G3063	G3064	G3065	G3066	G3067	G3068	G3069	G3070	G3071	G3072	G3073	G3074	G3075	G3076	G3077	G3078	G3079	G3080	G3081	G3082	G3083	G3084	G3085	G3086	G3087	G3088	G3089	G3090	G3091	G3092	G3093	G3094	G3095	G3096	G3097	G3098	G3099	G3100	G3101	G3102	G3103	G3104	G3105	G3106	G3107	G3108	G3109	G3110	G3111	G3112	G3113	G3114	G3115	G3116	G3117	G3118	G3119	G3120	G3121	G3122	G3123	G3124	G3125	G3126	G3127	G3128	G3129	G3130	G3131	G3132	G3133	G3134	G3135	G3136	G3137	G3138	G3139	G3140	G3141	G3142	G3143	G3144	G3145	G3146	G3147	G3148	G3149	G3150	G3151	G3152	G3153	G3154	G3155	G3156	G3157	G3158	G3159	G3160	G3161	G3162	G3163	G3164	G3165	G3166	G3167	G3168	G3169	G3170	G3171	G3172	G3173	G3174	G3175	G3176	G3177	G3178	G3179	G3180	G3181	G3182	G3183	G3184	G3185	G3186	G3187	G3188	G3189	G3190	G3191	G3192	G3193	G3194	G3195	G3196	G3197	G3198	G3199	G3200	G3201	G3202	G3203	G3204	G3205	G3206	G3207	G3208	G3209	G3210	G3211	G3212	G3213	G3214	G3215	G3216	G3217	G3218	G3219	G3220	G3221	G3222	G3223	G3224	G3225	G3226	G3227	G3228	G3229	G3230	G3231	G3232	G3233	G3234	G3235	G3236	G3237	G3238	G3239	G3240	G3241	G3242	G3243	G3244	G3245	G3246	G3247	G3248	G3249	G3250	G3251	G3252	G3253	G3254	G3255	G3256	G3257	G3258	G3259	G3260	G3261	G3262	G3263	G3264	G3265	G3266	G3267	G3268	G3269	G3270	G3271	G3272	G3273	G3274	G3275	G3276	G3277	G3278	G3279	G3280	G3281	G3282	G3283	G3284	G3285	G3286	G3287	G3288	G3289	G3290	G3291	G3292	G3293	G3294	G3295	G3296	G3297	G3298	G3299	G3300	G3301	G3302	G3303	G3304	G3305	G3306	G3307	G3308	G3309	G3310	G3311	G3312	G3313	G3314	G3315	G3316	G3317	G3318	G3319	G3320	G3321	G3322	G3323	G3324	G3325	G3326	G3327	G3328	G3329	G3330	G3331	G3332	G3333	G3334	G3335	G3336	G3337	G3338	G3339	G3340	G3341	G3342	G3343	G3344	G3345	G3346	G3347	G3348	G3349	G3350

Chain C:  89% • 10%



- Molecule 10: 30S ribosomal protein S3

Chain D:  88% 12%




- Molecule 11: 30S ribosomal protein S4

Chain E:  98% •




- Molecule 12: 30S ribosomal protein S5

Chain F:  89% • 10%





- Molecule 13: 30S ribosomal protein S6, fully modified isoform

Chain G:  71% • 26%




- Molecule 14: 30S ribosomal protein S7

Chain H:  84% • 16%



- Molecule 15: 30S ribosomal protein S8

Chain I:  98% ••



- Molecule 16: 30S ribosomal protein S9

Chain J:  94%





- Molecule 17: 30S ribosomal protein S10

Chain K:  93% 5%



- Molecule 18: 30S ribosomal protein S11

Chain L:  89% 9%



- Molecule 19: 30S ribosomal protein S12

Chain M:  98%




- Molecule 20: 30S ribosomal protein S13

Chain N:  92%



- Molecule 21: 30S ribosomal protein S14

Chain O:  95% 5%




- Molecule 22: 30S ribosomal protein S15

Chain P:  99%




- Molecule 23: 30S ribosomal protein S16

Chain Q:  99%




- Molecule 24: 30S ribosomal protein S17

Chain R:  90% 5% 5%





- Molecule 25: 30S ribosomal protein S18

Chain S:  71% 27%




- Molecule 26: 30S ribosomal protein S19

Chain T:  86% 14%




- Molecule 27: 30S ribosomal protein S20

Chain U:  93% 5%




- Molecule 28: 30S ribosomal protein S21

Chain V:  66% 6% 28%




- Molecule 29: 50S ribosomal protein L23


Chain W:  93%




- Molecule 30: E-site tRNA




- Molecule 31: A-site tRNA




- Molecule 32: 5S ribosomal RNA




- Molecule 33: 50S ribosomal protein L2




- Molecule 34: 50S ribosomal protein L3



- Molecule 35: 50S ribosomal protein L4




- Molecule 36: 50S ribosomal protein L5





- Molecule 37: 50S ribosomal protein L6

Chain f:  97%




- Molecule 38: 50S ribosomal protein L9

Chain g:  32% 68%



- Molecule 39: 50S ribosomal protein L11

Chain h:  10% 99%



- Molecule 40: 50S ribosomal protein L13

Chain i:  99%



- Molecule 41: 50S ribosomal protein L14

Chain j:  98%



- Molecule 42: 50S ribosomal protein L15

Chain k:  97%



- Molecule 43: 50S ribosomal protein L16

Chain l:  97%



- Molecule 44: 50S ribosomal protein L17

Chain m: 91% •• 6%



- Molecule 45: 50S ribosomal protein L18

Chain n: 98% ••



- Molecule 46: 50S ribosomal protein L19

Chain o: 98% ••



- Molecule 47: 50S ribosomal protein L20

Chain p: 99% •



- Molecule 48: 50S ribosomal protein L21

Chain q: 100%

There are no outlier residues recorded for this chain.

- Molecule 49: 50S ribosomal protein L22

Chain r: 99% •



- Molecule 50: 50S ribosomal protein L24

Chain s: 93% 5% •






- Molecule 51: 50S ribosomal protein L25

Chain t:  100%

There are no outlier residues recorded for this chain.

- Molecule 52: 50S ribosomal protein L27

Chain u:  88%  12%



- Molecule 53: 50S ribosomal protein L28

Chain v:  99%



- Molecule 54: 50S ribosomal protein L29

Chain w:  97%




- Molecule 55: 50S ribosomal protein L30

Chain x:  98%



- Molecule 56: P-site tRNA

Chain y:  64%  27%  9%



- Molecule 57: 50S ribosomal protein L33

Chain z:  87%  9%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	54875	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	32.57	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.093	Depositor
Minimum map value	-0.024	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.005	Depositor
Map size (\AA)	441.6, 441.6, 441.6	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.38, 1.38, 1.38	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	0	0.72	0/380	0.69	0/498
2	1	0.66	0/513	0.76	0/676
3	2	0.63	0/303	0.64	0/397
4	3	0.30	0/1361	0.61	0/1830
5	5	0.30	0/3426	0.58	0/4605
6	6	0.63	0/450	0.68	0/599
7	A	1.54	229/69796 (0.3%)	1.28	438/108888 (0.4%)
8	B	0.76	0/36966	1.07	76/57666 (0.1%)
9	C	0.38	0/1735	0.58	1/2338 (0.0%)
10	D	0.33	0/1651	0.58	0/2225
11	E	0.33	0/1665	0.57	0/2227
12	F	0.40	0/1118	0.63	0/1504
13	G	0.35	0/835	0.63	1/1128 (0.1%)
14	H	0.29	0/1195	0.52	0/1602
15	I	0.39	0/989	0.57	0/1326
16	J	0.29	0/1034	0.56	0/1375
17	K	0.30	0/796	0.61	0/1077
18	L	0.36	0/893	0.58	0/1205
19	M	0.41	0/969	0.64	0/1300
20	N	0.29	0/892	0.62	1/1193 (0.1%)
21	O	0.30	0/785	0.56	0/1043
22	P	0.37	0/718	0.58	0/959
23	Q	0.37	0/659	0.63	0/884
24	R	0.38	0/657	0.61	0/881
25	S	0.35	0/462	0.59	1/621 (0.2%)
26	T	0.30	0/652	0.54	0/877
27	U	0.32	0/671	0.56	0/888
28	V	0.38	0/430	0.77	1/570 (0.2%)
29	W	0.67	0/771	0.70	0/1031
30	X	0.39	0/1551	1.04	0/2404
31	Z	0.44	1/1565 (0.1%)	1.01	5/2421 (0.2%)
32	a	1.10	0/2828	1.09	5/4410 (0.1%)
33	b	0.71	0/2121	0.67	0/2852
34	c	0.70	0/1586	0.67	0/2134

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	d	0.70	0/1571	0.63	0/2113
36	e	0.37	0/1434	0.58	0/1926
37	f	0.48	0/1343	0.59	1/1816 (0.1%)
38	g	0.44	0/364	0.66	0/490
39	h	0.32	0/1046	0.61	0/1410
40	i	0.75	0/1152	0.64	0/1551
41	j	0.67	0/947	0.70	0/1268
42	k	0.63	0/1054	0.73	0/1403
43	l	0.63	0/1093	0.69	1/1460 (0.1%)
44	m	0.69	0/973	0.78	1/1301 (0.1%)
45	n	0.48	0/902	0.56	0/1209
46	o	0.67	0/929	0.65	1/1242 (0.1%)
47	p	0.85	0/960	0.65	0/1278
48	q	0.72	0/829	0.67	0/1107
49	r	0.71	0/864	0.64	0/1156
50	s	0.60	0/787	0.62	0/1051
51	t	0.57	0/766	0.57	0/1025
52	u	0.66	0/576	0.60	0/762
53	v	0.69	0/635	0.63	0/848
54	w	0.59	0/510	0.66	1/677 (0.1%)
55	x	0.63	0/453	0.69	0/605
56	y	0.51	1/1664 (0.1%)	1.02	2/2577 (0.1%)
57	z	0.47	0/416	0.54	0/554
All	All	1.12	231/163691 (0.1%)	1.08	536/244463 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	1	0	1
3	2	0	1
9	C	0	1
11	E	0	2
12	F	0	2
13	G	0	1
16	J	0	2
17	K	0	1
19	M	0	1
20	N	0	1
23	Q	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
24	R	0	2
28	V	0	2
29	W	0	1
34	c	0	1
37	f	0	2
41	j	0	1
42	k	0	1
43	l	0	1
50	s	0	3
All	All	0	28

All (231) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
56	y	1	G	OP3-P	-10.67	1.48	1.61
7	A	783	A	N9-C4	-8.57	1.32	1.37
7	A	1142	A	N9-C4	-8.35	1.32	1.37
7	A	984	A	N9-C4	-8.20	1.32	1.37
7	A	447	A	N9-C4	-8.01	1.33	1.37
7	A	782	A	N9-C4	-7.67	1.33	1.37
7	A	2037	A	N9-C4	-7.55	1.33	1.37
7	A	783	A	C5-C6	-7.45	1.34	1.41
7	A	514	A	N9-C4	-7.26	1.33	1.37
7	A	1676	A	N9-C4	-7.06	1.33	1.37
7	A	528	A	N7-C5	-6.96	1.35	1.39
7	A	1889	A	N9-C4	-6.95	1.33	1.37
7	A	783	A	N7-C5	-6.91	1.35	1.39
7	A	1262	A	N9-C4	-6.81	1.33	1.37
7	A	783	A	N3-C4	-6.74	1.30	1.34
7	A	761	A	C5-C6	-6.73	1.34	1.41
7	A	1614	A	N9-C4	-6.73	1.33	1.37
7	A	800	A	N9-C4	-6.71	1.33	1.37
7	A	1678	A	N9-C4	-6.62	1.33	1.37
7	A	676	A	N9-C4	-6.62	1.33	1.37
7	A	1269	A	N7-C5	-6.62	1.35	1.39
7	A	1264	A	N7-C5	-6.56	1.35	1.39
7	A	981	A	N9-C4	-6.51	1.33	1.37
7	A	1605	C	N1-C6	-6.49	1.33	1.37
7	A	977	G	N7-C5	-6.41	1.35	1.39
7	A	1191	G	N7-C5	-6.33	1.35	1.39
7	A	947	A	N3-C4	-6.22	1.31	1.34
7	A	988	A	N7-C5	-6.18	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1824	G	N7-C5	-6.17	1.35	1.39
7	A	687	C	C4-C5	-6.16	1.38	1.43
7	A	788	A	N9-C4	-6.13	1.34	1.37
7	A	1754	A	N9-C4	-6.13	1.34	1.37
7	A	582	A	N7-C5	-6.12	1.35	1.39
31	Z	76	A	C5-C6	-6.11	1.35	1.41
7	A	1791	A	N3-C4	-6.07	1.31	1.34
7	A	1304	A	N9-C4	-6.06	1.34	1.37
7	A	2882	A	N9-C4	-6.04	1.34	1.37
7	A	528	A	N3-C4	-6.04	1.31	1.34
7	A	1791	A	N9-C4	-6.02	1.34	1.37
7	A	1333	G	N7-C5	-5.99	1.35	1.39
7	A	1649	G	N7-C5	-5.98	1.35	1.39
7	A	1977	A	N9-C4	-5.96	1.34	1.37
7	A	2052	A	N9-C4	-5.96	1.34	1.37
7	A	1157	G	N7-C5	-5.95	1.35	1.39
7	A	1353	A	N9-C4	-5.91	1.34	1.37
7	A	449	A	N7-C5	-5.89	1.35	1.39
7	A	1187	G	N7-C5	-5.89	1.35	1.39
7	A	984	A	N3-C4	-5.88	1.31	1.34
7	A	1028	A	N9-C4	-5.88	1.34	1.37
7	A	808	G	N3-C4	-5.87	1.31	1.35
7	A	2019	A	N9-C4	-5.86	1.34	1.37
7	A	1783	A	N9-C4	-5.85	1.34	1.37
7	A	1960	A	N9-C4	-5.84	1.34	1.37
7	A	1993	U	C2-N3	-5.81	1.33	1.37
7	A	2501	C	N1-C6	-5.81	1.33	1.37
7	A	1137	G	N7-C5	-5.80	1.35	1.39
7	A	910	A	N9-C4	-5.79	1.34	1.37
7	A	2037	A	N3-C4	-5.78	1.31	1.34
7	A	2052	A	N7-C5	-5.78	1.35	1.39
7	A	570	G	N9-C4	-5.77	1.33	1.38
7	A	528	A	N9-C4	-5.76	1.34	1.37
7	A	972	A	N7-C5	-5.76	1.35	1.39
7	A	1378	A	N9-C4	-5.75	1.34	1.37
7	A	791	C	N3-C4	-5.72	1.29	1.33
7	A	1010	A	N7-C5	-5.71	1.35	1.39
7	A	1156	A	N7-C5	-5.71	1.35	1.39
7	A	809	G	N3-C4	-5.70	1.31	1.35
7	A	178	G	C5-C4	-5.69	1.34	1.38
7	A	1253	A	N9-C4	-5.68	1.34	1.37
7	A	975	A	N7-C5	-5.67	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1024	G	N7-C5	-5.67	1.35	1.39
7	A	788	A	C5-C6	-5.67	1.35	1.41
7	A	2829	A	N9-C4	-5.67	1.34	1.37
7	A	1650	A	N7-C5	-5.67	1.35	1.39
7	A	1650	A	N9-C4	-5.66	1.34	1.37
7	A	677	A	N9-C4	-5.65	1.34	1.37
7	A	1678	A	N3-C4	-5.64	1.31	1.34
7	A	1670	C	N1-C6	-5.63	1.33	1.37
7	A	980	A	N7-C5	-5.63	1.35	1.39
7	A	1998	A	N9-C4	-5.60	1.34	1.37
7	A	513	A	N7-C5	-5.60	1.35	1.39
7	A	1655	A	N7-C5	-5.60	1.35	1.39
7	A	1259	G	N7-C5	-5.59	1.35	1.39
7	A	1665	A	N7-C5	-5.58	1.35	1.39
7	A	1787	A	N7-C5	-5.58	1.35	1.39
7	A	794	A	N9-C4	-5.57	1.34	1.37
7	A	2029	G	N7-C5	-5.57	1.35	1.39
7	A	1259	G	N3-C4	-5.56	1.31	1.35
7	A	981	A	N3-C4	-5.54	1.31	1.34
7	A	1266	G	N3-C4	-5.54	1.31	1.35
7	A	513	A	N9-C4	-5.53	1.34	1.37
7	A	1821	A	N9-C4	-5.52	1.34	1.37
7	A	2024	G	N7-C5	-5.52	1.35	1.39
7	A	1661	G	N7-C5	-5.51	1.35	1.39
7	A	818	G	N7-C5	-5.50	1.35	1.39
7	A	579	G	N7-C5	-5.50	1.35	1.39
7	A	1307	A	N9-C4	-5.50	1.34	1.37
7	A	1788	C	N1-C6	-5.50	1.33	1.37
7	A	53	A	N9-C4	-5.48	1.34	1.37
7	A	472	A	N7-C5	-5.48	1.35	1.39
7	A	2624	G	N7-C5	-5.48	1.35	1.39
7	A	1788	C	C4-C5	-5.47	1.38	1.43
7	A	1571	A	N9-C4	-5.47	1.34	1.37
7	A	1784	A	N9-C4	-5.47	1.34	1.37
7	A	467	G	C5-C6	-5.46	1.36	1.42
7	A	582	A	N9-C4	-5.45	1.34	1.37
7	A	1797	G	N7-C5	-5.45	1.35	1.39
7	A	821	A	N7-C5	-5.44	1.35	1.39
7	A	581	C	N1-C6	-5.43	1.33	1.37
7	A	586	A	N3-C4	-5.43	1.31	1.34
7	A	809	G	C5-C4	-5.43	1.34	1.38
7	A	1936	A	N9-C4	-5.43	1.34	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1265	A	N9-C4	-5.42	1.34	1.37
7	A	207	A	N7-C5	-5.41	1.36	1.39
7	A	693	A	N9-C4	-5.41	1.34	1.37
7	A	1853	A	N9-C4	-5.41	1.34	1.37
7	A	2738	A	N9-C4	-5.41	1.34	1.37
7	A	1187	G	C5-C6	-5.40	1.36	1.42
7	A	471	A	N7-C5	-5.39	1.36	1.39
7	A	978	G	N7-C5	-5.39	1.36	1.39
7	A	1248	G	C5-C4	-5.39	1.34	1.38
7	A	974	G	N7-C5	-5.38	1.36	1.39
7	A	2444	G	N7-C5	-5.38	1.36	1.39
7	A	947	A	N7-C5	-5.38	1.36	1.39
7	A	1810	A	N7-C5	-5.38	1.36	1.39
7	A	2582	G	N7-C5	-5.38	1.36	1.39
7	A	1783	A	N7-C5	-5.37	1.36	1.39
7	A	1776	G	N7-C5	-5.37	1.36	1.39
7	A	947	A	N9-C4	-5.36	1.34	1.37
7	A	1269	A	C5-C6	-5.36	1.36	1.41
7	A	2005	A	N3-C4	-5.34	1.31	1.34
7	A	2823	A	N7-C5	-5.34	1.36	1.39
7	A	675	A	N9-C4	-5.34	1.34	1.37
7	A	207	A	N9-C4	-5.34	1.34	1.37
7	A	977	G	C5-C4	-5.33	1.34	1.38
7	A	532	A	N7-C5	-5.33	1.36	1.39
7	A	1252	G	N3-C4	-5.33	1.31	1.35
7	A	2082	A	N7-C5	-5.33	1.36	1.39
7	A	813	U	N1-C2	-5.32	1.33	1.38
7	A	1789	A	N7-C5	-5.32	1.36	1.39
7	A	1252	G	C5-C4	-5.31	1.34	1.38
7	A	976	G	N7-C5	-5.31	1.36	1.39
7	A	2542	A	N9-C4	-5.30	1.34	1.37
7	A	1276	A	N9-C4	-5.30	1.34	1.37
7	A	310	A	N9-C4	-5.30	1.34	1.37
7	A	1570	A	N7-C5	-5.29	1.36	1.39
7	A	244	A	N7-C5	-5.28	1.36	1.39
7	A	467	G	C5-C4	-5.28	1.34	1.38
7	A	943	A	N7-C5	-5.27	1.36	1.39
7	A	586	A	N9-C4	-5.27	1.34	1.37
7	A	84	A	N9-C4	-5.25	1.34	1.37
7	A	1136	G	N9-C4	-5.25	1.33	1.38
7	A	1215	G	N7-C5	-5.25	1.36	1.39
7	A	1284	A	N9-C4	-5.25	1.34	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	2274	A	N9-C4	-5.24	1.34	1.37
7	A	729	G	N7-C5	-5.24	1.36	1.39
7	A	1777	U	N1-C2	-5.24	1.33	1.38
7	A	1377	G	C5-C4	-5.24	1.34	1.38
7	A	512	G	N9-C4	-5.23	1.33	1.38
7	A	975	A	N3-C4	-5.23	1.31	1.34
7	A	1784	A	N7-C5	-5.23	1.36	1.39
7	A	2686	G	N7-C5	-5.23	1.36	1.39
7	A	1655	A	N9-C4	-5.23	1.34	1.37
7	A	454	A	C5-C6	-5.22	1.36	1.41
7	A	1260	A	N9-C4	-5.22	1.34	1.37
7	A	1772	A	N9-C4	-5.22	1.34	1.37
7	A	2014	A	N3-C4	-5.22	1.31	1.34
7	A	2600	A	N7-C5	-5.21	1.36	1.39
7	A	2015	A	N9-C4	-5.20	1.34	1.37
7	A	2054	A	N7-C5	-5.20	1.36	1.39
7	A	250	G	C5-C4	-5.20	1.34	1.38
7	A	2247	A	N9-C4	-5.19	1.34	1.37
7	A	1339	G	N3-C4	-5.18	1.31	1.35
7	A	943	A	N9-C4	-5.18	1.34	1.37
7	A	782	A	N3-C4	-5.17	1.31	1.34
7	A	515	A	N7-C5	-5.17	1.36	1.39
7	A	2019	A	N3-C4	-5.16	1.31	1.34
7	A	1798	U	N1-C2	-5.16	1.33	1.38
7	A	1791	A	C5-C4	-5.16	1.35	1.38
7	A	582	A	C5-C6	-5.15	1.36	1.41
7	A	278	A	N9-C4	5.15	1.41	1.37
7	A	1824	G	C5-C6	-5.14	1.37	1.42
7	A	834	G	N7-C5	-5.14	1.36	1.39
7	A	2014	A	N7-C5	-5.14	1.36	1.39
7	A	1984	G	N7-C5	-5.13	1.36	1.39
7	A	528	A	C5-C6	-5.13	1.36	1.41
7	A	458	G	N9-C4	-5.13	1.33	1.38
7	A	743	A	N7-C5	-5.13	1.36	1.39
7	A	1522	A	N9-C4	-5.13	1.34	1.37
7	A	584	C	C4-C5	-5.13	1.38	1.43
7	A	1805	A	N3-C4	-5.12	1.31	1.34
7	A	781	A	N7-C5	-5.12	1.36	1.39
7	A	467	G	N7-C5	-5.12	1.36	1.39
7	A	2550	G	N7-C5	-5.12	1.36	1.39
7	A	808	G	N7-C5	-5.12	1.36	1.39
7	A	1809	A	N7-C5	-5.12	1.36	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	2035	G	C6-N1	-5.12	1.35	1.39
7	A	340	A	N9-C4	-5.11	1.34	1.37
7	A	782	A	N7-C5	-5.11	1.36	1.39
7	A	1327	A	N7-C5	-5.11	1.36	1.39
7	A	1142	A	N7-C5	-5.11	1.36	1.39
7	A	577	G	N7-C5	-5.11	1.36	1.39
7	A	1606	C	N1-C6	-5.11	1.34	1.37
7	A	608	A	N9-C4	-5.10	1.34	1.37
7	A	1021	A	N7-C5	-5.10	1.36	1.39
7	A	820	A	N7-C5	-5.10	1.36	1.39
7	A	73	A	N9-C4	-5.09	1.34	1.37
7	A	988	A	C5-C6	-5.09	1.36	1.41
7	A	1247	A	N9-C4	-5.08	1.34	1.37
7	A	312	G	N7-C5	-5.08	1.36	1.39
7	A	1803	A	N7-C5	-5.06	1.36	1.39
7	A	1383	A	N9-C4	-5.06	1.34	1.37
7	A	1614	A	N7-C5	-5.06	1.36	1.39
7	A	2686	G	C5-C6	-5.05	1.37	1.42
7	A	798	G	N7-C5	-5.04	1.36	1.39
7	A	1949	G	N7-C5	-5.04	1.36	1.39
7	A	2020	A	N9-C4	-5.04	1.34	1.37
7	A	2625	G	N7-C5	-5.03	1.36	1.39
7	A	761	A	N7-C5	-5.03	1.36	1.39
7	A	1212	G	N9-C4	-5.03	1.33	1.38
7	A	454	A	N7-C5	-5.03	1.36	1.39
7	A	1277	G	N7-C5	-5.02	1.36	1.39
7	A	1665	A	C5-C6	-5.02	1.36	1.41
7	A	251	A	N7-C5	-5.01	1.36	1.39
7	A	1779	U	C2-N3	-5.01	1.34	1.37
7	A	2394	C	C4-C5	-5.01	1.39	1.43
7	A	2446	G	N7-C5	-5.01	1.36	1.39
7	A	2607	G	N7-C5	-5.01	1.36	1.39
7	A	733	G	N7-C5	-5.01	1.36	1.39
7	A	1004	U	C2-N3	-5.00	1.34	1.37
7	A	1246	A	N7-C5	-5.00	1.36	1.39

All (536) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	761	A	N1-C6-N6	11.81	125.69	118.60
7	A	545	U	C2-N1-C1'	11.52	131.53	117.70
7	A	761	A	C5-N7-C8	-11.09	98.35	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	545	U	N3-C2-O2	-10.48	114.86	122.20
7	A	545	U	N1-C2-O2	10.40	130.08	122.80
7	A	761	A	C4-C5-N7	10.30	115.85	110.70
7	A	783	A	C5-N7-C8	-10.29	98.75	103.90
7	A	528	A	C8-N9-C4	-10.04	101.78	105.80
7	A	528	A	N7-C8-N9	9.92	118.76	113.80
7	A	208	C	C6-N1-C2	-9.38	116.55	120.30
7	A	528	A	C5-N7-C8	-9.26	99.27	103.90
7	A	974	G	C4-C5-N7	9.02	114.41	110.80
7	A	974	G	C6-C5-N7	-8.99	125.00	130.40
7	A	761	A	N7-C8-N9	8.87	118.23	113.80
7	A	1607	C	C6-N1-C2	-8.63	116.85	120.30
7	A	1006	C	N1-C2-O2	8.60	124.06	118.90
7	A	733	G	C6-C5-N7	-8.56	125.27	130.40
7	A	1010	A	C8-N9-C4	-8.48	102.41	105.80
7	A	1187	G	C6-C5-N7	-8.30	125.42	130.40
7	A	783	A	C4-C5-N7	8.29	114.84	110.70
7	A	1187	G	C4-C5-N7	8.24	114.09	110.80
7	A	307	G	C4-C5-N7	8.23	114.09	110.80
7	A	307	G	C5-N7-C8	-8.04	100.28	104.30
8	B	206	C	N1-C2-O2	7.91	123.65	118.90
7	A	1006	C	N3-C2-O2	-7.76	116.46	121.90
7	A	687	C	C5-C6-N1	7.71	124.86	121.00
7	A	1607	C	C5-C6-N1	7.71	124.86	121.00
8	B	175	C	C6-N1-C2	-7.71	117.22	120.30
8	B	736	C	N1-C2-O2	7.71	123.53	118.90
7	A	994	C	C2-N1-C1'	7.56	127.11	118.80
7	A	2064	C	C6-N1-C2	-7.56	117.28	120.30
7	A	783	A	N7-C8-N9	7.53	117.57	113.80
7	A	776	G	C4-N9-C1'	7.53	136.29	126.50
7	A	1136	G	C4-C5-N7	7.49	113.80	110.80
7	A	761	A	C5-C6-N6	-7.47	117.73	123.70
7	A	594	U	N3-C2-O2	-7.46	116.98	122.20
7	A	381	G	C4-C5-N7	7.44	113.78	110.80
7	A	628	G	C4-C5-N7	7.41	113.76	110.80
7	A	761	A	C6-C5-N7	-7.39	127.12	132.30
7	A	2601	C	C6-N1-C2	-7.37	117.35	120.30
8	B	443	C	N1-C2-O2	7.30	123.28	118.90
8	B	90	C	C6-N1-C2	-7.25	117.40	120.30
8	B	620	C	N1-C2-O2	7.24	123.25	118.90
7	A	577	G	C6-C5-N7	-7.22	126.07	130.40
7	A	672	C	C6-N1-C2	-7.21	117.42	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1874	C	N1-C2-O2	7.21	123.22	118.90
7	A	1135	C	N1-C2-O2	7.20	123.22	118.90
7	A	37	C	C6-N1-C2	-7.20	117.42	120.30
7	A	1332	G	N3-C4-N9	7.19	130.31	126.00
7	A	381	G	C6-C5-N7	-7.17	126.10	130.40
7	A	974	G	C5-N7-C8	-7.16	100.72	104.30
7	A	307	G	N1-C6-O6	7.12	124.17	119.90
7	A	545	U	C6-N1-C1'	-7.12	111.23	121.20
7	A	1577	C	N1-C2-O2	7.08	123.15	118.90
7	A	1996	C	N1-C2-O2	7.01	123.11	118.90
7	A	1187	G	C5-N7-C8	-7.01	100.80	104.30
7	A	1135	C	N3-C2-O2	-7.01	117.00	121.90
7	A	733	G	N3-C4-N9	7.00	130.20	126.00
32	a	98	G	C4-C5-N7	6.96	113.59	110.80
7	A	783	A	N1-C6-N6	6.96	122.78	118.60
7	A	1196	C	C6-N1-C2	-6.96	117.52	120.30
7	A	398	C	C6-N1-C2	-6.94	117.52	120.30
7	A	774	G	C4-C5-N7	6.90	113.56	110.80
7	A	1135	C	C2-N1-C1'	6.89	126.39	118.80
7	A	381	G	C5-N7-C8	-6.88	100.86	104.30
7	A	594	U	N1-C2-O2	6.87	127.61	122.80
25	S	67	LEU	C-N-CA	6.87	138.87	121.70
7	A	1190	G	C4-C5-N7	6.85	113.54	110.80
7	A	570	G	N3-C4-N9	-6.84	121.90	126.00
31	Z	76	A	C4-C5-N7	6.83	114.11	110.70
7	A	2486	C	C6-N1-C2	-6.80	117.58	120.30
7	A	411	G	C4-C5-N7	6.78	113.51	110.80
28	V	16	LEU	CA-CB-CG	6.76	130.86	115.30
8	B	702	A	O5'-P-OP2	6.75	118.79	110.70
7	A	733	G	C4-C5-N7	6.72	113.49	110.80
7	A	978	G	C6-C5-N7	-6.72	126.37	130.40
7	A	974	G	C4-N9-C1'	6.70	135.21	126.50
8	B	137	U	N1-C2-O2	6.68	127.48	122.80
7	A	1136	G	C5-N7-C8	-6.68	100.96	104.30
7	A	1660	G	C4-C5-N7	6.64	113.46	110.80
7	A	994	C	C6-N1-C2	-6.64	117.64	120.30
7	A	733	G	C4-N9-C1'	6.63	135.12	126.50
7	A	776	G	N3-C4-N9	6.62	129.97	126.00
43	l	70	ASP	CB-CG-OD1	6.62	124.25	118.30
7	A	271	G	P-O3'-C3'	6.60	127.62	119.70
7	A	776	G	C8-N9-C1'	-6.59	118.43	127.00
32	a	42	C	N1-C2-O2	6.59	122.85	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	840	C	N1-C2-O2	6.58	122.85	118.90
7	A	1730	C	P-O3'-C3'	6.55	127.56	119.70
7	A	2006	C	C6-N1-C2	-6.54	117.69	120.30
7	A	375	G	C6-C5-N7	-6.53	126.48	130.40
7	A	404	A	P-O3'-C3'	6.53	127.54	119.70
7	A	2626	C	C6-N1-C2	-6.51	117.70	120.30
7	A	581	C	C6-N1-C2	-6.50	117.70	120.30
7	A	628	G	C5-N7-C8	-6.50	101.05	104.30
7	A	1642	G	C4-C5-N7	6.50	113.40	110.80
8	B	1201	A	P-O3'-C3'	6.50	127.50	119.70
7	A	307	G	C6-C5-N7	-6.48	126.51	130.40
7	A	528	A	C4-C5-N7	6.48	113.94	110.70
7	A	1887	C	C2-N1-C1'	6.48	125.92	118.80
8	B	599	C	C5-C6-N1	6.47	124.23	121.00
7	A	1010	A	N7-C8-N9	6.46	117.03	113.80
7	A	2696	U	N3-C2-O2	-6.46	117.68	122.20
7	A	1190	G	C5-N7-C8	-6.39	101.10	104.30
8	B	90	C	C5-C6-N1	6.38	124.19	121.00
7	A	776	G	N3-C4-C5	-6.37	125.41	128.60
7	A	208	C	C5-C6-N1	6.36	124.18	121.00
7	A	561	G	C4-C5-N7	6.35	113.34	110.80
7	A	307	G	N7-C8-N9	6.35	116.27	113.10
7	A	208	C	N3-C2-O2	-6.33	117.47	121.90
7	A	417	C	C6-N1-C2	-6.32	117.77	120.30
7	A	1676	A	N3-C4-N9	-6.32	122.34	127.40
7	A	2006	C	C5-C6-N1	6.30	124.15	121.00
7	A	464	U	C5-C4-O4	-6.30	122.12	125.90
7	A	494	G	C4-N9-C1'	6.30	134.69	126.50
7	A	1309	G	C4-C5-N7	6.29	113.32	110.80
7	A	1651	G	C6-C5-N7	-6.29	126.63	130.40
7	A	700	G	C4-C5-N7	6.27	113.31	110.80
8	B	623	C	C6-N1-C2	-6.27	117.79	120.30
8	B	115	G	P-O3'-C3'	6.26	127.22	119.70
7	A	545	U	C6-N1-C2	-6.26	117.24	121.00
7	A	375	G	C5-C6-O6	-6.26	124.85	128.60
7	A	1728	C	N1-C2-O2	6.25	122.65	118.90
7	A	1006	C	C2-N1-C1'	6.25	125.68	118.80
7	A	1996	C	C2-N1-C1'	6.23	125.66	118.80
7	A	2200	C	C6-N1-C2	-6.23	117.81	120.30
7	A	976	G	C6-C5-N7	-6.21	126.67	130.40
7	A	1899	A	C5-C6-N1	6.21	120.81	117.70
7	A	1253	A	O4'-C1'-N9	-6.21	103.23	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	817	C	C6-N1-C2	-6.20	117.82	120.30
8	B	618	C	N1-C2-O2	6.18	122.61	118.90
8	B	736	C	N3-C2-O2	-6.17	117.58	121.90
46	o	114	LEU	CA-CB-CG	6.16	129.47	115.30
7	A	783	A	C8-N9-C4	-6.15	103.34	105.80
8	B	620	C	C2-N1-C1'	6.14	125.56	118.80
7	A	994	C	N3-C2-O2	-6.14	117.60	121.90
8	B	136	C	N1-C2-O2	6.14	122.58	118.90
7	A	1665	A	N1-C6-N6	6.12	122.27	118.60
7	A	208	C	C2-N1-C1'	6.12	125.53	118.80
7	A	208	C	N1-C2-O2	6.12	122.57	118.90
7	A	1836	C	C6-N1-C2	-6.12	117.85	120.30
7	A	1119	U	N3-C2-O2	-6.11	117.92	122.20
9	C	85	LEU	CA-CB-CG	6.11	129.36	115.30
7	A	1715	G	C4-C5-N7	6.10	113.24	110.80
8	B	618	C	C2-N1-C1'	6.10	125.51	118.80
8	B	1322	C	C2-N1-C1'	6.10	125.51	118.80
7	A	450	G	C6-C5-N7	-6.10	126.74	130.40
7	A	2420	C	O5'-P-OP1	-6.10	100.21	105.70
7	A	1574	C	C6-N1-C2	-6.09	117.86	120.30
7	A	733	G	C5-C6-O6	-6.09	124.95	128.60
7	A	777	G	C4-C5-N7	6.09	113.24	110.80
7	A	811	U	N1-C2-N3	6.08	118.55	114.90
7	A	1001	A	C8-N9-C4	-6.07	103.37	105.80
7	A	1343	G	C6-C5-N7	-6.07	126.76	130.40
7	A	1301	A	C4-N9-C1'	6.06	137.20	126.30
7	A	1187	G	N7-C8-N9	6.05	116.13	113.10
13	G	54	LEU	CA-CB-CG	6.05	129.21	115.30
7	A	1651	G	C4-C5-N7	6.04	113.22	110.80
7	A	1631	G	C4-C5-N7	6.03	113.21	110.80
7	A	1004	U	C6-N1-C2	-6.03	117.39	121.00
7	A	994	C	N1-C2-O2	6.02	122.51	118.90
7	A	528	A	C2-N3-C4	-6.02	107.59	110.60
7	A	353	C	N1-C2-O2	6.02	122.51	118.90
7	A	37	C	C5-C6-N1	6.01	124.00	121.00
7	A	353	C	C6-N1-C2	-5.99	117.90	120.30
7	A	1006	C	C6-N1-C2	-5.99	117.90	120.30
7	A	360	U	C5-C6-N1	5.99	125.69	122.70
7	A	545	U	C5-C6-N1	5.98	125.69	122.70
7	A	375	G	C4-C5-N7	5.98	113.19	110.80
7	A	971	G	C4-C5-N7	5.97	113.19	110.80
7	A	974	G	N7-C8-N9	5.97	116.08	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1136	G	N1-C6-O6	5.97	123.48	119.90
7	A	1649	G	C6-C5-N7	-5.97	126.82	130.40
7	A	1311	G	C6-C5-N7	-5.96	126.82	130.40
7	A	2512	C	C6-N1-C2	-5.96	117.92	120.30
8	B	1298	U	N3-C2-O2	-5.96	118.03	122.20
7	A	1874	C	N3-C2-O2	-5.96	117.73	121.90
7	A	692	C	C5-C6-N1	5.95	123.98	121.00
7	A	143	C	N1-C2-O2	5.95	122.47	118.90
7	A	1941	C	N1-C2-O2	5.95	122.47	118.90
8	B	163	C	C6-N1-C2	-5.95	117.92	120.30
7	A	1656	C	C6-N1-C2	-5.94	117.92	120.30
7	A	297	G	P-O3'-C3'	5.92	126.81	119.70
7	A	682	G	C4-N9-C1'	5.92	134.20	126.50
7	A	1283	G	C4-C5-N7	5.92	113.17	110.80
7	A	2691	C	C5-C6-N1	5.91	123.95	121.00
7	A	1301	A	C8-N9-C1'	-5.91	117.07	127.70
7	A	601	C	C6-N1-C2	-5.90	117.94	120.30
7	A	955	U	C5-C6-N1	5.90	125.65	122.70
7	A	577	G	C4-C5-N7	5.90	113.16	110.80
7	A	511	U	C4-C5-C6	5.89	123.24	119.70
7	A	375	G	N1-C6-O6	5.89	123.43	119.90
54	w	6	LEU	CA-CB-CG	5.89	128.84	115.30
7	A	1283	G	C6-C5-N7	-5.88	126.87	130.40
7	A	975	A	P-O3'-C3'	5.88	126.76	119.70
7	A	1887	C	C6-N1-C2	-5.88	117.95	120.30
7	A	1675	C	C6-N1-C2	-5.87	117.95	120.30
7	A	1995	U	C2-N1-C1'	5.86	124.73	117.70
7	A	1904	G	P-O3'-C3'	5.86	126.73	119.70
8	B	443	C	N3-C2-O2	-5.85	117.80	121.90
7	A	333	G	C4-N9-C1'	5.85	134.11	126.50
7	A	2658	C	N3-C2-O2	-5.85	117.80	121.90
7	A	2505	G	O4'-C1'-N9	5.85	112.88	108.20
7	A	1669	A	C5-C6-N1	5.84	120.62	117.70
8	B	563	A	C4-N9-C1'	5.84	136.81	126.30
37	f	133	LEU	CA-CB-CG	5.83	128.72	115.30
7	A	1728	C	N3-C2-O2	-5.83	117.82	121.90
8	B	137	U	N3-C2-O2	-5.82	118.12	122.20
7	A	2619	C	C6-N1-C2	-5.82	117.97	120.30
7	A	846	U	C2-N1-C1'	5.80	124.66	117.70
7	A	955	U	C6-N1-C2	-5.80	117.52	121.00
7	A	2818	U	N3-C2-O2	-5.80	118.14	122.20
7	A	528	A	C6-C5-N7	-5.80	128.24	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1993	U	C6-N1-C1'	5.79	129.30	121.20
8	B	1109	C	C6-N1-C2	-5.79	117.98	120.30
7	A	978	G	C2-N3-C4	-5.78	109.01	111.90
7	A	733	G	C8-N9-C1'	-5.77	119.50	127.00
7	A	594	U	C2-N1-C1'	5.77	124.62	117.70
7	A	237	C	C5-C6-N1	5.76	123.88	121.00
7	A	2029	G	C6-C5-N7	-5.76	126.94	130.40
7	A	278	A	C4-N9-C1'	5.76	136.67	126.30
7	A	381	G	N7-C8-N9	5.76	115.98	113.10
7	A	978	G	C5-N7-C8	-5.75	101.42	104.30
7	A	323	C	N1-C2-O2	5.75	122.35	118.90
7	A	2427	C	C6-N1-C2	-5.75	118.00	120.30
7	A	1368	G	C6-C5-N7	-5.74	126.96	130.40
7	A	1996	C	N3-C2-O2	-5.74	117.88	121.90
7	A	978	G	N1-C6-O6	5.73	123.34	119.90
7	A	1267	U	N3-C2-O2	-5.72	118.19	122.20
7	A	1577	C	N3-C2-O2	-5.72	117.89	121.90
8	B	840	C	C5-C6-N1	5.72	123.86	121.00
7	A	1100	C	C6-N1-C2	-5.72	118.01	120.30
7	A	1913	A	P-O3'-C3'	5.71	126.56	119.70
7	A	1172	C	N1-C2-O2	5.70	122.32	118.90
7	A	971	G	N9-C4-C5	-5.70	103.12	105.40
7	A	189	G	C6-C5-N7	-5.70	126.98	130.40
7	A	581	C	C5-C6-N1	5.69	123.84	121.00
7	A	606	U	C5-C6-N1	5.69	125.54	122.70
8	B	538	G	C4-C5-N7	5.69	113.08	110.80
7	A	783	A	C6-C5-N7	-5.68	128.32	132.30
7	A	1604	C	C6-N1-C2	-5.68	118.03	120.30
7	A	2870	C	C6-N1-C2	-5.68	118.03	120.30
7	A	1905	C	C6-N1-C2	-5.68	118.03	120.30
7	A	2486	C	C5-C6-N1	5.67	123.83	121.00
7	A	1157	G	C6-C5-N7	-5.67	127.00	130.40
8	B	848	C	C5-C6-N1	5.67	123.83	121.00
8	B	1158	C	C2-N1-C1'	5.66	125.03	118.80
7	A	798	G	C6-C5-N7	-5.65	127.01	130.40
7	A	974	G	C8-N9-C1'	-5.65	119.65	127.00
7	A	1311	G	C4-N9-C1'	5.65	133.85	126.50
7	A	2437	G	C6-C5-N7	-5.65	127.01	130.40
7	A	1667	G	C6-C5-N7	-5.64	127.01	130.40
8	B	599	C	C6-N1-C2	-5.64	118.05	120.30
7	A	244	A	P-O3'-C3'	5.64	126.46	119.70
7	A	2512	C	C5-C6-N1	5.63	123.82	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	N	34	LEU	CA-CB-CG	5.63	128.26	115.30
7	A	561	G	C5-N7-C8	-5.63	101.49	104.30
7	A	1414	C	N1-C2-O2	5.63	122.28	118.90
7	A	1119	U	N1-C2-O2	5.62	126.74	122.80
8	B	163	C	N3-C2-O2	-5.62	117.97	121.90
8	B	1136	C	N1-C2-O2	5.62	122.27	118.90
8	B	163	C	N1-C2-O2	5.62	122.27	118.90
7	A	2626	C	C5-C6-N1	5.61	123.81	121.00
7	A	307	G	C5-C6-O6	-5.60	125.24	128.60
7	A	2772	C	C6-N1-C1'	5.60	127.52	120.80
7	A	1660	G	C6-C5-N7	-5.59	127.04	130.40
7	A	1824	G	C6-C5-N7	-5.59	127.05	130.40
7	A	1967	C	C6-N1-C2	-5.58	118.07	120.30
7	A	2624	G	C6-C5-N7	-5.58	127.05	130.40
8	B	59	A	C2-N3-C4	5.58	113.39	110.60
7	A	565	C	C6-N1-C2	-5.58	118.07	120.30
7	A	1332	G	N3-C4-C5	-5.58	125.81	128.60
7	A	1343	G	C4-C5-N7	5.58	113.03	110.80
7	A	2232	C	C6-N1-C2	-5.57	118.07	120.30
7	A	978	G	C4-C5-N7	5.57	113.03	110.80
7	A	353	C	N3-C2-O2	-5.57	118.00	121.90
7	A	2499	C	C6-N1-C2	-5.57	118.07	120.30
7	A	576	U	C5-C4-O4	-5.56	122.56	125.90
7	A	278	A	N3-C4-N9	5.55	131.84	127.40
7	A	442	G	C6-C5-N7	-5.55	127.07	130.40
7	A	1797	G	C5-N7-C8	-5.54	101.53	104.30
7	A	2305	U	N3-C2-O2	-5.54	118.32	122.20
7	A	1468	U	N3-C2-O2	-5.54	118.32	122.20
7	A	92	U	C5-C6-N1	5.54	125.47	122.70
7	A	451	U	C5-C6-N1	-5.54	119.93	122.70
7	A	1024	G	C6-C5-N7	-5.54	127.08	130.40
31	Z	76	A	C5-N7-C8	-5.54	101.13	103.90
7	A	2710	C	C6-N1-C2	-5.54	118.08	120.30
7	A	1797	G	C4-C5-N7	5.53	113.01	110.80
7	A	576	U	N3-C2-O2	5.53	126.07	122.20
32	a	98	G	C5-N7-C8	-5.53	101.53	104.30
8	B	582	C	C6-N1-C2	-5.53	118.09	120.30
7	A	679	C	C6-N1-C2	-5.52	118.09	120.30
7	A	158	U	N3-C2-O2	-5.52	118.34	122.20
7	A	777	G	C6-C5-N7	-5.52	127.09	130.40
7	A	1371	G	C4-C5-N7	5.52	113.01	110.80
8	B	1417	G	C6-C5-N7	-5.51	127.09	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2456	C	C5-C6-N1	5.51	123.76	121.00
7	A	1779	U	C2-N1-C1'	-5.51	111.09	117.70
8	B	233	C	N1-C2-O2	5.51	122.20	118.90
7	A	1379	U	C5-C6-N1	5.50	125.45	122.70
7	A	1468	U	N1-C2-O2	5.50	126.65	122.80
7	A	1841	U	C6-N1-C2	-5.50	117.70	121.00
7	A	682	G	C8-N9-C1'	-5.50	119.85	127.00
7	A	1776	G	C6-C5-N7	-5.50	127.10	130.40
7	A	846	U	N1-C2-O2	5.49	126.64	122.80
7	A	2581	G	C5-C6-N1	5.49	114.25	111.50
7	A	2825	G	C6-C5-N7	-5.49	127.11	130.40
8	B	193	C	C6-N1-C2	-5.47	118.11	120.30
7	A	2884	U	C2-N1-C1'	5.47	124.26	117.70
8	B	475	C	C5-C6-N1	5.47	123.73	121.00
7	A	1414	C	N3-C2-O2	-5.46	118.08	121.90
8	B	624	C	N1-C2-O2	5.46	122.18	118.90
31	Z	60	U	N3-C2-O2	-5.46	118.38	122.20
7	A	1498	C	N3-C2-O2	-5.46	118.08	121.90
7	A	333	G	C8-N9-C1'	-5.46	119.91	127.00
7	A	1187	G	N1-C6-O6	5.46	123.17	119.90
8	B	555	U	C2-N1-C1'	5.46	124.25	117.70
7	A	1314	C	C5-C6-N1	5.44	123.72	121.00
31	Z	60	U	C2-N1-C1'	5.44	124.23	117.70
8	B	528	C	C6-N1-C2	-5.44	118.12	120.30
7	A	1669	A	C5-N7-C8	-5.43	101.18	103.90
7	A	2617	U	C5-C6-N1	5.43	125.42	122.70
7	A	277	G	O4'-C1'-N9	5.43	112.55	108.20
7	A	1368	G	C5-N7-C8	-5.43	101.58	104.30
7	A	784	G	C8-N9-C4	5.43	108.57	106.40
7	A	1301	A	N3-C4-N9	5.43	131.74	127.40
7	A	1667	G	C4-C5-N7	5.43	112.97	110.80
7	A	2243	U	C5-C6-N1	5.42	125.41	122.70
7	A	312	G	C4-N9-C1'	5.42	133.54	126.50
7	A	1136	G	N3-C4-C5	5.42	131.31	128.60
7	A	1154	G	C4-C5-N7	5.42	112.97	110.80
7	A	1368	G	C4-C5-N7	5.41	112.97	110.80
7	A	1616	A	OP2-P-O3'	5.41	117.11	105.20
8	B	206	C	C2-N1-C1'	5.41	124.75	118.80
7	A	46	G	C4-N9-C1'	5.41	133.53	126.50
8	B	848	C	C6-N1-C2	-5.41	118.14	120.30
8	B	582	C	C5-C6-N1	5.41	123.70	121.00
7	A	1196	C	C5-C6-N1	5.41	123.70	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1235	G	C6-C5-N7	-5.41	127.16	130.40
7	A	1256	G	C6-C5-N7	-5.40	127.16	130.40
8	B	25	C	C6-N1-C2	-5.40	118.14	120.30
7	A	604	G	C4-C5-N7	5.39	112.96	110.80
7	A	1200	C	C6-N1-C2	-5.39	118.14	120.30
7	A	866	A	N9-C4-C5	-5.39	103.65	105.80
7	A	1267	U	C2-N1-C1'	5.39	124.16	117.70
7	A	577	G	N7-C8-N9	5.38	115.79	113.10
7	A	2150	C	C6-N1-C2	-5.38	118.15	120.30
7	A	1076	C	C6-N1-C2	-5.38	118.15	120.30
7	A	2068	U	N3-C2-O2	-5.38	118.44	122.20
8	B	637	C	N1-C2-O2	5.38	122.13	118.90
7	A	2825	G	C4-C5-N7	5.37	112.95	110.80
7	A	1703	G	C4-N9-C1'	5.37	133.48	126.50
8	B	1322	C	N1-C2-O2	5.37	122.12	118.90
7	A	2496	C	C6-N1-C2	-5.36	118.16	120.30
7	A	464	U	N3-C4-O4	5.36	123.15	119.40
7	A	1619	G	C4-C5-N7	5.35	112.94	110.80
7	A	1995	U	N1-C2-O2	5.35	126.55	122.80
7	A	2078	C	C6-N1-C2	-5.35	118.16	120.30
8	B	840	C	C2-N1-C1'	5.35	124.69	118.80
7	A	1332	G	C8-N9-C1'	-5.35	120.05	127.00
7	A	2826	A	N1-C2-N3	-5.34	126.63	129.30
7	A	511	U	C5-C6-N1	-5.34	120.03	122.70
7	A	1824	G	C4-C5-N7	5.34	112.94	110.80
7	A	976	G	C5-C6-O6	-5.34	125.39	128.60
7	A	1660	G	C5-N7-C8	-5.34	101.63	104.30
7	A	1535	A	C2-N3-C4	5.33	113.27	110.60
7	A	1669	A	C4-C5-N7	5.33	113.37	110.70
8	B	538	G	C5-C6-O6	-5.33	125.40	128.60
7	A	1836	C	N1-C2-O2	5.33	122.10	118.90
7	A	971	G	C6-C5-N7	-5.33	127.20	130.40
7	A	902	C	N1-C2-O2	5.33	122.10	118.90
8	B	157	U	N3-C2-O2	-5.33	118.47	122.20
7	A	2788	C	C6-N1-C2	-5.33	118.17	120.30
8	B	206	C	N3-C2-O2	-5.33	118.17	121.90
8	B	538	G	C6-C5-N7	-5.32	127.21	130.40
7	A	528	A	N1-C6-N6	5.32	121.79	118.60
7	A	1377	G	C5-C6-N1	5.32	114.16	111.50
8	B	443	C	C6-N1-C2	-5.32	118.17	120.30
7	A	278	A	N3-C4-C5	-5.31	123.08	126.80
44	m	51	LEU	CB-CG-CD1	-5.31	101.97	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1676	A	N3-C4-C5	5.31	130.51	126.80
8	B	945	G	N3-C4-C5	-5.31	125.95	128.60
7	A	1405	U	N3-C2-O2	-5.30	118.49	122.20
7	A	984	A	C2-N3-C4	-5.30	107.95	110.60
7	A	2581	G	N3-C4-C5	-5.30	125.95	128.60
8	B	620	C	N3-C2-O2	-5.30	118.19	121.90
7	A	158	U	N1-C2-O2	5.29	126.50	122.80
7	A	1157	G	C4-N9-C1'	5.29	133.38	126.50
7	A	1685	C	C6-N1-C2	-5.29	118.19	120.30
7	A	1743	G	C4-C5-N7	5.29	112.92	110.80
7	A	1899	A	C5-C6-N6	-5.29	119.47	123.70
7	A	1649	G	C4-N9-C1'	5.28	133.37	126.50
7	A	729	G	C4-N9-C1'	5.28	133.36	126.50
7	A	2696	U	C2-N1-C1'	5.28	124.03	117.70
8	B	284	C	C6-N1-C2	-5.28	118.19	120.30
7	A	1404	C	C6-N1-C2	-5.27	118.19	120.30
7	A	2068	U	N1-C2-O2	5.27	126.49	122.80
7	A	2668	G	C4-C5-N7	5.27	112.91	110.80
7	A	102	U	C2-N1-C1'	5.27	124.02	117.70
7	A	692	C	C6-N1-C2	-5.26	118.19	120.30
7	A	1343	G	C4-N9-C1'	5.26	133.34	126.50
7	A	512	G	N3-C4-N9	-5.25	122.85	126.00
8	B	538	G	N3-C4-N9	5.25	129.15	126.00
7	A	1191	G	C4-C5-N7	5.25	112.90	110.80
7	A	1135	C	C6-N1-C2	-5.24	118.20	120.30
7	A	1090	A	C2-N3-C4	5.24	113.22	110.60
8	B	210	C	N1-C2-O2	5.24	122.04	118.90
7	A	1180	U	N1-C2-O2	5.24	126.47	122.80
7	A	1199	U	C2-N1-C1'	5.24	123.99	117.70
7	A	2514	U	N3-C2-O2	-5.23	118.54	122.20
7	A	687	C	C4-C5-C6	-5.23	114.78	117.40
7	A	978	G	N7-C8-N9	5.23	115.72	113.10
7	A	915	C	N1-C2-O2	5.23	122.04	118.90
7	A	2499	C	C5-C6-N1	5.23	123.61	121.00
7	A	2087	G	C6-C5-N7	-5.22	127.27	130.40
7	A	2271	G	C6-C5-N7	-5.21	127.27	130.40
7	A	1313	U	C2-N1-C1'	5.21	123.95	117.70
7	A	122	G	C6-C5-N7	-5.21	127.28	130.40
7	A	442	G	C8-N9-C1'	-5.21	120.23	127.00
7	A	845	A	C2-N3-C4	5.20	113.20	110.60
7	A	846	U	N3-C2-O2	-5.20	118.56	122.20
7	A	2224	G	C4-C5-N7	5.20	112.88	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2824	C	N3-C4-C5	5.20	123.98	121.90
7	A	417	C	C2-N1-C1'	5.20	124.52	118.80
7	A	2244	U	C5-C6-N1	5.19	125.30	122.70
7	A	579	G	C4-N9-C1'	5.19	133.25	126.50
7	A	700	G	C6-C5-N7	-5.19	127.29	130.40
7	A	733	G	N1-C6-O6	5.19	123.01	119.90
7	A	1631	G	C5-N7-C8	-5.19	101.70	104.30
7	A	2773	C	C6-N1-C2	-5.19	118.22	120.30
7	A	2005	A	C8-N9-C4	-5.19	103.73	105.80
7	A	584	C	C6-N1-C2	-5.18	118.23	120.30
32	a	42	C	N3-C2-O2	-5.18	118.27	121.90
7	A	988	A	C4-C5-N7	5.18	113.29	110.70
7	A	2575	C	C6-N1-C1'	5.18	127.01	120.80
7	A	750	A	C8-N9-C4	-5.17	103.73	105.80
7	A	1371	G	C6-C5-N7	-5.17	127.30	130.40
8	B	754	C	C2-N1-C1'	5.17	124.49	118.80
7	A	400	G	C8-N9-C4	-5.17	104.33	106.40
7	A	1685	C	N3-C2-O2	-5.17	118.28	121.90
7	A	1795	C	C6-N1-C2	-5.16	118.23	120.30
7	A	2773	C	C5-C6-N1	5.16	123.58	121.00
7	A	1156	A	C8-N9-C4	-5.16	103.74	105.80
7	A	1790	C	C2-N1-C1'	-5.15	113.13	118.80
7	A	1995	U	N3-C2-O2	-5.15	118.59	122.20
31	Z	13	C	P-O3'-C3'	5.15	125.88	119.70
7	A	868	U	N3-C2-O2	-5.15	118.59	122.20
7	A	1836	C	N3-C2-O2	-5.15	118.30	121.90
7	A	2658	C	N1-C2-O2	5.15	121.99	118.90
7	A	381	G	N1-C6-O6	5.15	122.99	119.90
7	A	577	G	C5-N7-C8	-5.15	101.73	104.30
7	A	1786	A	N1-C6-N6	-5.15	115.51	118.60
7	A	2330	G	C6-C5-N7	-5.15	127.31	130.40
8	B	443	C	C5-C6-N1	5.14	123.57	121.00
7	A	494	G	N7-C8-N9	5.14	115.67	113.10
7	A	786	C	C6-N1-C2	-5.14	118.24	120.30
8	B	111	G	C8-N9-C4	-5.14	104.34	106.40
8	B	359	G	C4-N9-C1'	5.14	133.18	126.50
7	A	413	C	C6-N1-C2	-5.14	118.25	120.30
7	A	1888	G	C4-C5-N7	5.13	112.85	110.80
8	B	983	A	C4-N9-C1'	5.13	135.53	126.30
7	A	1180	U	C2-N1-C1'	5.12	123.85	117.70
7	A	143	C	N3-C2-O2	-5.12	118.31	121.90
7	A	893	C	C6-N1-C2	-5.12	118.25	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	791	C	N3-C4-N4	-5.12	114.42	118.00
7	A	1338	G	C4-N9-C1'	5.12	133.16	126.50
7	A	1332	G	C4-N9-C1'	5.11	133.15	126.50
7	A	55	G	C4-N9-C1'	5.11	133.14	126.50
7	A	494	G	C6-C5-N7	-5.11	127.33	130.40
7	A	2256	G	C6-C5-N7	-5.11	127.34	130.40
7	A	1187	G	C8-N9-C4	-5.10	104.36	106.40
7	A	2150	C	N1-C2-O2	5.10	121.96	118.90
7	A	178	G	C5-C6-N1	5.10	114.05	111.50
7	A	2601	C	C6-N1-C1'	5.10	126.92	120.80
7	A	1355	G	C4-C5-N7	5.10	112.84	110.80
7	A	1131	G	C8-N9-C4	-5.09	104.36	106.40
7	A	1941	C	N3-C2-O2	-5.09	118.33	121.90
7	A	1899	A	N1-C2-N3	-5.09	126.76	129.30
7	A	1368	G	N7-C8-N9	5.09	115.64	113.10
7	A	2222	C	C5-C6-N1	5.08	123.54	121.00
8	B	618	C	N3-C2-O2	-5.08	118.34	121.90
7	A	679	C	C5-C6-N1	5.08	123.54	121.00
7	A	2317	A	P-O3'-C3'	5.08	125.79	119.70
8	B	948	C	C5-C6-N1	5.08	123.54	121.00
7	A	391	A	C4-C5-N7	5.07	113.24	110.70
7	A	1642	G	C5-N7-C8	-5.07	101.77	104.30
7	A	581	C	C2-N1-C1'	5.07	124.38	118.80
7	A	976	G	N1-C6-O6	5.07	122.94	119.90
7	A	1967	C	C5-C6-N1	5.06	123.53	121.00
7	A	278	A	C2-N3-C4	5.06	113.13	110.60
7	A	442	G	C4-N9-C1'	5.06	133.08	126.50
7	A	8	C	C5-C6-N1	5.06	123.53	121.00
7	A	1288	G	N3-C4-C5	-5.06	126.07	128.60
7	A	761	A	C8-N9-C4	-5.06	103.78	105.80
7	A	2581	G	N3-C4-N9	5.06	129.03	126.00
7	A	2068	U	C2-N1-C1'	5.06	123.77	117.70
7	A	2645	G	N3-C4-N9	5.06	129.03	126.00
7	A	391	A	N1-C6-N6	5.05	121.63	118.60
7	A	868	U	C2-N1-C1'	5.05	123.77	117.70
8	B	1234	C	C6-N1-C2	-5.05	118.28	120.30
7	A	1253	A	N1-C6-N6	5.05	121.63	118.60
7	A	761	A	N9-C4-C5	-5.05	103.78	105.80
7	A	1949	G	C6-C5-N7	-5.05	127.37	130.40
7	A	2822	G	C4-C5-N7	5.05	112.82	110.80
7	A	733	G	N3-C4-C5	-5.05	126.08	128.60
8	B	624	C	N3-C2-O2	-5.04	118.37	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1752	C	C6-N1-C2	-5.04	118.29	120.30
8	B	207	C	C6-N1-C2	-5.04	118.29	120.30
8	B	764	C	C6-N1-C2	-5.03	118.29	120.30
8	B	563	A	C8-N9-C1'	-5.03	118.65	127.70
56	y	2	G	N3-C4-C5	-5.03	126.09	128.60
8	B	1120	C	C6-N1-C2	-5.03	118.29	120.30
56	y	2	G	C4-N9-C1'	5.02	133.03	126.50
7	A	577	G	C8-N9-C4	-5.02	104.39	106.40
7	A	831	G	C4-C5-N7	5.02	112.81	110.80
7	A	998	C	C6-N1-C2	-5.02	118.29	120.30
7	A	1309	G	C5-N7-C8	-5.02	101.79	104.30
7	A	998	C	C5-C6-N1	5.02	123.51	121.00
8	B	311	C	C5-C6-N1	5.02	123.51	121.00
7	A	915	C	N3-C2-O2	-5.02	118.39	121.90
7	A	868	U	C6-N1-C2	-5.01	117.99	121.00
7	A	2305	U	N1-C2-O2	5.01	126.31	122.80
7	A	2696	U	N1-C2-O2	5.01	126.31	122.80
8	B	1158	C	N1-C2-O2	5.01	121.91	118.90
7	A	400	G	C6-C5-N7	-5.01	127.39	130.40
32	a	98	G	C5-C6-O6	-5.01	125.59	128.60
7	A	2383	G	C4-C5-N7	5.01	112.81	110.80
7	A	2898	U	N3-C2-O2	-5.01	118.69	122.20
7	A	1379	U	C2-N1-C1'	5.01	123.71	117.70
7	A	976	G	C4-C5-N7	5.00	112.80	110.80
7	A	1311	G	C8-N9-C1'	-5.00	120.50	127.00
7	A	1887	C	C5-C6-N1	5.00	123.50	121.00
7	A	1993	U	C2-N1-C1'	-5.00	111.70	117.70
7	A	2896	C	C6-N1-C2	-5.00	118.30	120.30
8	B	1326	U	N1-C2-O2	5.00	126.30	122.80

There are no chirality outliers.

All (28) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	1	31	HIS	Peptide
3	2	20	ASP	Peptide
9	C	84	ALA	Peptide
11	E	173	VAL	Peptide
11	E	20	PHE	Peptide
12	F	102	GLY	Peptide
12	F	105	ILE	Peptide
13	G	53	LYS	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
16	J	55	VAL	Peptide
16	J	60	LYS	Peptide
17	K	57	VAL	Peptide
19	M	24	LEU	Peptide
20	N	66	GLU	Peptide
23	Q	46	LYS	Peptide
24	R	68	SER	Peptide
24	R	70	THR	Peptide
28	V	34	ARG	Peptide
28	V	9	ASN	Peptide
29	W	2	ILE	Peptide
34	c	151	THR	Peptide
37	f	46	ALA	Peptide
37	f	47	ASP	Peptide
41	j	92	GLU	Peptide
42	k	53	GLY	Peptide
43	l	58	LYS	Peptide
50	s	52	LEU	Peptide
50	s	6	ARG	Peptide
50	s	89	ASP	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	44/46 (96%)	41 (93%)	3 (7%)	0	100	100
2	1	62/65 (95%)	51 (82%)	9 (14%)	2 (3%)	4	30
3	2	36/38 (95%)	30 (83%)	5 (14%)	1 (3%)	5	32

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	3	166/169 (98%)	145 (87%)	21 (13%)	0	100	100
5	5	430/432 (100%)	387 (90%)	43 (10%)	0	100	100
6	6	54/57 (95%)	45 (83%)	8 (15%)	1 (2%)	8	39
9	C	216/241 (90%)	178 (82%)	38 (18%)	0	100	100
10	D	204/233 (88%)	176 (86%)	28 (14%)	0	100	100
11	E	203/206 (98%)	179 (88%)	24 (12%)	0	100	100
12	F	148/167 (89%)	114 (77%)	34 (23%)	0	100	100
13	G	98/135 (73%)	84 (86%)	14 (14%)	0	100	100
14	H	149/179 (83%)	138 (93%)	11 (7%)	0	100	100
15	I	127/130 (98%)	119 (94%)	8 (6%)	0	100	100
16	J	125/130 (96%)	111 (89%)	14 (11%)	0	100	100
17	K	96/103 (93%)	84 (88%)	12 (12%)	0	100	100
18	L	115/129 (89%)	92 (80%)	23 (20%)	0	100	100
19	M	121/124 (98%)	95 (78%)	26 (22%)	0	100	100
20	N	112/118 (95%)	97 (87%)	13 (12%)	2 (2%)	8	40
21	O	92/101 (91%)	81 (88%)	11 (12%)	0	100	100
22	P	86/89 (97%)	78 (91%)	8 (9%)	0	100	100
23	Q	80/82 (98%)	66 (82%)	14 (18%)	0	100	100
24	R	78/84 (93%)	58 (74%)	19 (24%)	1 (1%)	12	47
25	S	53/75 (71%)	51 (96%)	2 (4%)	0	100	100
26	T	77/92 (84%)	69 (90%)	8 (10%)	0	100	100
27	U	83/87 (95%)	78 (94%)	4 (5%)	1 (1%)	13	48
28	V	49/71 (69%)	37 (76%)	12 (24%)	0	100	100
29	W	94/100 (94%)	80 (85%)	14 (15%)	0	100	100
33	b	269/273 (98%)	230 (86%)	39 (14%)	0	100	100
34	c	207/209 (99%)	187 (90%)	18 (9%)	2 (1%)	15	52
35	d	199/201 (99%)	185 (93%)	14 (7%)	0	100	100
36	e	175/179 (98%)	153 (87%)	22 (13%)	0	100	100
37	f	174/177 (98%)	159 (91%)	13 (8%)	2 (1%)	14	50
38	g	45/149 (30%)	34 (76%)	11 (24%)	0	100	100
39	h	139/142 (98%)	115 (83%)	24 (17%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	i	140/142 (99%)	126 (90%)	14 (10%)	0	100	100
41	j	120/123 (98%)	89 (74%)	30 (25%)	1 (1%)	19	58
42	k	141/144 (98%)	121 (86%)	19 (14%)	1 (1%)	22	60
43	l	134/136 (98%)	118 (88%)	13 (10%)	3 (2%)	6	37
44	m	118/127 (93%)	99 (84%)	17 (14%)	2 (2%)	9	42
45	n	114/117 (97%)	103 (90%)	11 (10%)	0	100	100
46	o	112/115 (97%)	97 (87%)	15 (13%)	0	100	100
47	p	115/118 (98%)	109 (95%)	6 (5%)	0	100	100
48	q	101/103 (98%)	85 (84%)	16 (16%)	0	100	100
49	r	108/110 (98%)	99 (92%)	9 (8%)	0	100	100
50	s	100/104 (96%)	81 (81%)	17 (17%)	2 (2%)	7	39
51	t	92/94 (98%)	87 (95%)	5 (5%)	0	100	100
52	u	73/85 (86%)	62 (85%)	11 (15%)	0	100	100
53	v	75/78 (96%)	64 (85%)	11 (15%)	0	100	100
54	w	61/63 (97%)	54 (88%)	7 (12%)	0	100	100
55	x	56/59 (95%)	51 (91%)	5 (9%)	0	100	100
57	z	48/55 (87%)	42 (88%)	6 (12%)	0	100	100
All	All	6114/6586 (93%)	5314 (87%)	779 (13%)	21 (0%)	44	75

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	1	32	ILE
20	N	67	GLY
37	f	48	ASN
2	1	33	LEU
3	2	21	GLY
6	6	55	ILE
24	R	71	LYS
27	U	69	LYS
37	f	47	ASP
42	k	82	LEU
43	l	59	ARG
50	s	90	GLY
34	c	152	PRO
20	N	66	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
34	c	149	ASN
43	l	70	ASP
44	m	3	HIS
44	m	71	ARG
41	j	93	GLN
43	l	69	PRO
50	s	51	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	38/38 (100%)	38 (100%)	0	100	100
2	1	51/52 (98%)	51 (100%)	0	100	100
3	2	34/34 (100%)	34 (100%)	0	100	100
4	3	148/149 (99%)	147 (99%)	1 (1%)	84	90
5	5	359/359 (100%)	358 (100%)	1 (0%)	92	95
6	6	47/48 (98%)	47 (100%)	0	100	100
9	C	180/199 (90%)	179 (99%)	1 (1%)	86	92
10	D	170/190 (90%)	170 (100%)	0	100	100
11	E	172/173 (99%)	170 (99%)	2 (1%)	71	83
12	F	113/126 (90%)	113 (100%)	0	100	100
13	G	87/116 (75%)	85 (98%)	2 (2%)	50	70
14	H	124/147 (84%)	123 (99%)	1 (1%)	81	88
15	I	104/105 (99%)	102 (98%)	2 (2%)	57	75
16	J	105/107 (98%)	102 (97%)	3 (3%)	42	64
17	K	86/90 (96%)	85 (99%)	1 (1%)	71	83
18	L	90/99 (91%)	88 (98%)	2 (2%)	52	71
19	M	103/104 (99%)	103 (100%)	0	100	100
20	N	92/96 (96%)	89 (97%)	3 (3%)	38	62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	O	79/84 (94%)	79 (100%)	0	100	100
22	P	75/77 (97%)	75 (100%)	0	100	100
23	Q	65/65 (100%)	65 (100%)	0	100	100
24	R	74/78 (95%)	73 (99%)	1 (1%)	67	80
25	S	48/65 (74%)	47 (98%)	1 (2%)	53	72
26	T	70/79 (89%)	70 (100%)	0	100	100
27	U	65/66 (98%)	62 (95%)	3 (5%)	27	54
28	V	44/61 (72%)	43 (98%)	1 (2%)	50	70
29	W	83/84 (99%)	81 (98%)	2 (2%)	49	69
33	b	216/218 (99%)	212 (98%)	4 (2%)	57	75
34	c	164/164 (100%)	161 (98%)	3 (2%)	59	77
35	d	165/165 (100%)	164 (99%)	1 (1%)	86	92
36	e	148/150 (99%)	147 (99%)	1 (1%)	84	90
37	f	137/138 (99%)	136 (99%)	1 (1%)	84	90
38	g	38/114 (33%)	38 (100%)	0	100	100
39	h	109/110 (99%)	109 (100%)	0	100	100
40	i	116/116 (100%)	115 (99%)	1 (1%)	78	87
41	j	103/104 (99%)	103 (100%)	0	100	100
42	k	102/103 (99%)	101 (99%)	1 (1%)	76	85
43	l	109/109 (100%)	109 (100%)	0	100	100
44	m	100/103 (97%)	97 (97%)	3 (3%)	41	64
45	n	86/87 (99%)	85 (99%)	1 (1%)	71	83
46	o	99/100 (99%)	99 (100%)	0	100	100
47	p	89/90 (99%)	89 (100%)	0	100	100
48	q	84/84 (100%)	84 (100%)	0	100	100
49	r	93/93 (100%)	92 (99%)	1 (1%)	73	84
50	s	83/85 (98%)	83 (100%)	0	100	100
51	t	78/78 (100%)	78 (100%)	0	100	100
52	u	56/63 (89%)	56 (100%)	0	100	100
53	v	67/68 (98%)	67 (100%)	0	100	100
54	w	55/55 (100%)	54 (98%)	1 (2%)	59	77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
55	x	48/49 (98%)	48 (100%)	0	100	100
57	z	45/49 (92%)	43 (96%)	2 (4%)	28	55
All	All	5096/5386 (95%)	5049 (99%)	47 (1%)	79	87

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	3	116	LYS
5	5	272	LYS
9	C	225	ARG
11	E	14	ARG
11	E	184	ARG
13	G	18	VAL
13	G	91	ARG
14	H	136	LYS
15	I	27	MET
15	I	69	LYS
16	J	27	LYS
16	J	45	ARG
16	J	106	ARG
17	K	14	ASP
18	L	106	ARG
18	L	125	LYS
20	N	17	ILE
20	N	65	VAL
20	N	93	ARG
24	R	77	ARG
25	S	43	ARG
27	U	33	LYS
27	U	74	ARG
27	U	85	LYS
28	V	33	ARG
29	W	61	LEU
29	W	85	VAL
33	b	87	ARG
33	b	114	ASP
33	b	171	TYR
33	b	221	ARG
34	c	133	THR
34	c	142	VAL
34	c	197	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
35	d	102	ARG
36	e	125	ARG
37	f	69	ARG
40	i	17	VAL
42	k	121	THR
44	m	2	ARG
44	m	37	THR
44	m	51	LEU
45	n	9	ARG
49	r	40	ASN
54	w	48	ARG
57	z	28	ARG
57	z	53	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (50) such sidechains are listed below:

Mol	Chain	Res	Type
1	0	6	GLN
1	0	13	ASN
1	0	16	HIS
3	2	13	ASN
4	3	7	HIS
4	3	131	GLN
9	C	42	ASN
9	C	89	GLN
9	C	177	ASN
10	D	19	ASN
10	D	123	GLN
12	F	61	GLN
15	I	67	GLN
16	J	4	ASN
17	K	56	HIS
19	M	96	HIS
21	O	4	GLN
21	O	35	ASN
21	O	62	ASN
22	P	42	HIS
22	P	62	GLN
23	Q	63	GLN
23	Q	79	ASN
24	R	31	HIS
26	T	69	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
28	V	9	ASN
34	c	32	ASN
34	c	49	GLN
34	c	130	GLN
35	d	9	GLN
35	d	97	ASN
36	e	63	GLN
37	f	88	GLN
37	f	104	ASN
37	f	116	GLN
37	f	143	GLN
38	g	18	GLN
39	h	31	GLN
40	i	47	HIS
41	j	3	GLN
42	k	35	HIS
43	l	22	GLN
45	n	38	GLN
45	n	100	HIS
46	o	77	HIS
47	p	37	GLN
47	p	71	GLN
49	r	7	HIS
50	s	69	ASN
51	t	49	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
30	X	58/73 (79%)	30 (51%)	0
31	Z	58/76 (76%)	24 (41%)	1 (1%)
32	a	117/118 (99%)	21 (17%)	0
56	y	63/77 (81%)	19 (30%)	0
7	A	2902/2903 (99%)	740 (25%)	13 (0%)
8	B	1538/1539 (99%)	426 (27%)	3 (0%)
All	All	4736/4786 (98%)	1260 (26%)	17 (0%)

All (1260) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
7	A	10	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	14	A
7	A	23	G
7	A	34	U
7	A	42	A
7	A	45	G
7	A	46	G
7	A	51	G
7	A	54	G
7	A	58	G
7	A	62	U
7	A	63	A
7	A	66	C
7	A	71	A
7	A	74	A
7	A	75	G
7	A	78	U
7	A	80	G
7	A	84	A
7	A	96	C
7	A	100	U
7	A	101	A
7	A	103	A
7	A	107	G
7	A	112	U
7	A	113	U
7	A	118	A
7	A	119	A
7	A	120	U
7	A	126	A
7	A	128	C
7	A	129	C
7	A	138	U
7	A	139	U
7	A	140	C
7	A	141	G
7	A	142	A
7	A	149	A
7	A	162	U
7	A	163	C
7	A	178	G
7	A	196	A
7	A	199	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	200	U
7	A	204	A
7	A	215	G
7	A	216	A
7	A	222	A
7	A	225	C
7	A	226	A
7	A	228	C
7	A	229	C
7	A	245	G
7	A	248	G
7	A	255	A
7	A	265	A
7	A	266	G
7	A	271	G
7	A	272	A
7	A	275	C
7	A	276	U
7	A	278	A
7	A	279	A
7	A	281	C
7	A	282	A
7	A	298	G
7	A	309	A
7	A	311	A
7	A	322	A
7	A	323	C
7	A	324	A
7	A	329	G
7	A	330	A
7	A	331	C
7	A	335	C
7	A	354	A
7	A	361	G
7	A	362	A
7	A	363	G
7	A	371	A
7	A	372	G
7	A	379	G
7	A	380	G
7	A	386	G
7	A	399	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	404	A
7	A	405	U
7	A	406	G
7	A	407	G
7	A	411	G
7	A	412	A
7	A	420	C
7	A	424	G
7	A	428	A
7	A	448	U
7	A	455	C
7	A	457	A
7	A	464	U
7	A	465	G
7	A	467	G
7	A	473	G
7	A	477	A
7	A	479	A
7	A	480	A
7	A	481	G
7	A	484	C
7	A	489	G
7	A	490	C
7	A	491	G
7	A	494	G
7	A	496	G
7	A	501	A
7	A	505	A
7	A	507	A
7	A	508	A
7	A	509	C
7	A	527	C
7	A	529	A
7	A	530	G
7	A	531	C
7	A	532	A
7	A	536	G
7	A	543	G
7	A	544	C
7	A	545	U
7	A	546	U
7	A	548	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	549	G
7	A	550	C
7	A	560	C
7	A	563	A
7	A	567	U
7	A	569	U
7	A	572	A
7	A	573	U
7	A	575	A
7	A	586	A
7	A	597	G
7	A	603	A
7	A	614	A
7	A	615	U
7	A	616	A
7	A	620	G
7	A	622	G
7	A	628	G
7	A	632	A
7	A	634	C
7	A	637	A
7	A	639	U
7	A	643	A
7	A	644	A
7	A	645	C
7	A	646	U
7	A	647	G
7	A	648	G
7	A	654	A
7	A	655	A
7	A	656	G
7	A	664	G
7	A	670	A
7	A	677	A
7	A	686	U
7	A	690	G
7	A	695	G
7	A	713	G
7	A	714	U
7	A	718	A
7	A	728	G
7	A	729	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	730	A
7	A	736	C
7	A	738	G
7	A	747	U
7	A	748	G
7	A	749	A
7	A	763	G
7	A	764	A
7	A	765	C
7	A	766	U
7	A	775	G
7	A	776	G
7	A	782	A
7	A	783	A
7	A	784	G
7	A	785	G
7	A	789	A
7	A	792	A
7	A	793	A
7	A	797	G
7	A	800	A
7	A	803	U
7	A	805	G
7	A	811	U
7	A	812	C
7	A	819	A
7	A	827	U
7	A	828	U
7	A	830	G
7	A	841	G
7	A	845	A
7	A	846	U
7	A	847	U
7	A	858	G
7	A	859	G
7	A	866	A
7	A	873	C
7	A	878	A
7	A	885	C
7	A	887	U
7	A	888	C
7	A	890	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	891	G
7	A	894	U
7	A	896	A
7	A	898	C
7	A	899	A
7	A	904	G
7	A	907	G
7	A	910	A
7	A	914	G
7	A	921	C
7	A	929	U
7	A	932	U
7	A	935	C
7	A	941	A
7	A	946	C
7	A	947	A
7	A	957	C
7	A	961	C
7	A	968	C
7	A	973	A
7	A	974	G
7	A	975	A
7	A	976	G
7	A	981	A
7	A	983	A
7	A	985	C
7	A	989	G
7	A	990	A
7	A	995	C
7	A	996	A
7	A	1002	G
7	A	1003	G
7	A	1005	C
7	A	1012	U
7	A	1013	C
7	A	1021	A
7	A	1022	G
7	A	1023	U
7	A	1026	G
7	A	1032	A
7	A	1033	U
7	A	1040	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1045	C
7	A	1046	A
7	A	1047	G
7	A	1056	G
7	A	1060	U
7	A	1061	U
7	A	1062	G
7	A	1063	G
7	A	1064	C
7	A	1065	U
7	A	1066	U
7	A	1067	A
7	A	1068	G
7	A	1070	A
7	A	1071	G
7	A	1072	C
7	A	1073	A
7	A	1074	G
7	A	1075	C
7	A	1076	C
7	A	1079	C
7	A	1080	A
7	A	1081	U
7	A	1087	G
7	A	1088	A
7	A	1089	A
7	A	1091	G
7	A	1097	U
7	A	1098	A
7	A	1100	C
7	A	1102	C
7	A	1110	G
7	A	1112	G
7	A	1115	G
7	A	1121	C
7	A	1122	G
7	A	1126	A
7	A	1130	U
7	A	1131	G
7	A	1132	U
7	A	1134	A
7	A	1135	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1139	G
7	A	1142	A
7	A	1143	A
7	A	1145	C
7	A	1169	A
7	A	1170	C
7	A	1173	U
7	A	1174	U
7	A	1175	A
7	A	1176	U
7	A	1178	C
7	A	1179	G
7	A	1180	U
7	A	1182	G
7	A	1186	G
7	A	1190	G
7	A	1195	G
7	A	1204	A
7	A	1208	C
7	A	1210	G
7	A	1211	C
7	A	1212	G
7	A	1219	U
7	A	1237	A
7	A	1238	G
7	A	1243	C
7	A	1247	A
7	A	1248	G
7	A	1252	G
7	A	1253	A
7	A	1256	G
7	A	1257	C
7	A	1258	U
7	A	1265	A
7	A	1266	G
7	A	1271	G
7	A	1272	A
7	A	1273	U
7	A	1284	A
7	A	1294	U
7	A	1297	C
7	A	1299	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1300	G
7	A	1301	A
7	A	1302	A
7	A	1304	A
7	A	1305	C
7	A	1309	G
7	A	1310	G
7	A	1321	A
7	A	1324	G
7	A	1325	U
7	A	1328	A
7	A	1329	U
7	A	1330	C
7	A	1338	G
7	A	1341	G
7	A	1349	C
7	A	1352	U
7	A	1355	G
7	A	1359	A
7	A	1362	C
7	A	1365	A
7	A	1366	A
7	A	1368	G
7	A	1375	U
7	A	1376	C
7	A	1379	U
7	A	1383	A
7	A	1386	C
7	A	1387	A
7	A	1392	A
7	A	1395	A
7	A	1401	G
7	A	1403	A
7	A	1416	G
7	A	1428	C
7	A	1432	G
7	A	1433	A
7	A	1434	A
7	A	1437	C
7	A	1451	C
7	A	1452	G
7	A	1453	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1454	C
7	A	1455	G
7	A	1456	G
7	A	1458	U
7	A	1460	U
7	A	1461	C
7	A	1466	U
7	A	1478	G
7	A	1482	G
7	A	1490	A
7	A	1493	C
7	A	1503	A
7	A	1510	G
7	A	1515	A
7	A	1523	U
7	A	1524	G
7	A	1529	G
7	A	1533	C
7	A	1535	A
7	A	1536	C
7	A	1537	G
7	A	1540	G
7	A	1558	C
7	A	1566	A
7	A	1568	G
7	A	1569	A
7	A	1578	U
7	A	1581	G
7	A	1583	A
7	A	1584	U
7	A	1585	C
7	A	1602	U
7	A	1607	C
7	A	1608	A
7	A	1610	A
7	A	1611	C
7	A	1616	A
7	A	1617	C
7	A	1619	G
7	A	1630	A
7	A	1632	A
7	A	1635	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1642	G
7	A	1646	C
7	A	1647	U
7	A	1648	U
7	A	1667	G
7	A	1668	A
7	A	1669	A
7	A	1674	G
7	A	1677	A
7	A	1679	A
7	A	1690	A
7	A	1693	U
7	A	1694	C
7	A	1698	A
7	A	1701	A
7	A	1703	G
7	A	1705	A
7	A	1714	U
7	A	1715	G
7	A	1716	U
7	A	1729	U
7	A	1731	G
7	A	1732	C
7	A	1733	G
7	A	1738	G
7	A	1756	G
7	A	1757	A
7	A	1758	U
7	A	1761	C
7	A	1764	C
7	A	1773	A
7	A	1774	C
7	A	1775	U
7	A	1781	U
7	A	1791	A
7	A	1800	C
7	A	1801	A
7	A	1802	A
7	A	1808	A
7	A	1809	A
7	A	1811	G
7	A	1815	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1816	C
7	A	1819	A
7	A	1822	C
7	A	1825	U
7	A	1826	G
7	A	1827	U
7	A	1829	A
7	A	1833	C
7	A	1834	U
7	A	1835	G
7	A	1847	A
7	A	1855	U
7	A	1869	G
7	A	1870	C
7	A	1871	A
7	A	1872	A
7	A	1873	G
7	A	1882	U
7	A	1905	C
7	A	1906	G
7	A	1907	G
7	A	1913	A
7	A	1914	C
7	A	1919	A
7	A	1926	U
7	A	1929	G
7	A	1930	G
7	A	1936	A
7	A	1944	U
7	A	1946	U
7	A	1953	A
7	A	1955	U
7	A	1956	U
7	A	1960	A
7	A	1964	G
7	A	1966	A
7	A	1967	C
7	A	1970	A
7	A	1971	U
7	A	1972	G
7	A	1989	G
7	A	1990	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1991	U
7	A	1993	U
7	A	1997	C
7	A	2001	C
7	A	2002	G
7	A	2013	A
7	A	2022	U
7	A	2023	C
7	A	2025	C
7	A	2026	U
7	A	2030	A
7	A	2031	A
7	A	2032	G
7	A	2033	A
7	A	2035	G
7	A	2043	C
7	A	2055	C
7	A	2056	G
7	A	2059	A
7	A	2060	A
7	A	2061	G
7	A	2062	A
7	A	2069	G
7	A	2075	U
7	A	2093	G
7	A	2095	A
7	A	2098	U
7	A	2100	G
7	A	2102	G
7	A	2107	G
7	A	2109	U
7	A	2110	G
7	A	2111	U
7	A	2112	G
7	A	2113	U
7	A	2115	G
7	A	2116	G
7	A	2118	U
7	A	2119	A
7	A	2120	G
7	A	2121	G
7	A	2123	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	2124	G
7	A	2125	G
7	A	2126	A
7	A	2127	G
7	A	2128	G
7	A	2130	U
7	A	2132	U
7	A	2135	A
7	A	2137	U
7	A	2140	G
7	A	2141	G
7	A	2145	C
7	A	2146	C
7	A	2147	A
7	A	2152	G
7	A	2157	G
7	A	2158	A
7	A	2162	G
7	A	2164	C
7	A	2165	C
7	A	2167	U
7	A	2169	A
7	A	2170	A
7	A	2171	A
7	A	2172	U
7	A	2173	A
7	A	2175	C
7	A	2178	C
7	A	2182	U
7	A	2183	A
7	A	2189	U
7	A	2198	A
7	A	2203	U
7	A	2204	G
7	A	2211	A
7	A	2212	A
7	A	2213	U
7	A	2214	C
7	A	2223	G
7	A	2225	A
7	A	2228	G
7	A	2238	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	2239	G
7	A	2242	G
7	A	2243	U
7	A	2250	G
7	A	2251	G
7	A	2252	G
7	A	2255	G
7	A	2257	U
7	A	2259	U
7	A	2266	A
7	A	2279	G
7	A	2283	C
7	A	2287	A
7	A	2288	A
7	A	2289	G
7	A	2297	A
7	A	2305	U
7	A	2309	A
7	A	2318	G
7	A	2319	G
7	A	2322	A
7	A	2325	G
7	A	2327	A
7	A	2330	G
7	A	2331	G
7	A	2333	A
7	A	2335	A
7	A	2338	C
7	A	2344	U
7	A	2345	G
7	A	2346	A
7	A	2347	C
7	A	2354	C
7	A	2357	G
7	A	2358	A
7	A	2361	G
7	A	2376	A
7	A	2383	G
7	A	2384	U
7	A	2385	C
7	A	2390	U
7	A	2402	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	2403	C
7	A	2404	U
7	A	2406	A
7	A	2407	A
7	A	2420	C
7	A	2423	U
7	A	2425	A
7	A	2427	C
7	A	2428	G
7	A	2429	G
7	A	2430	A
7	A	2432	A
7	A	2435	A
7	A	2441	U
7	A	2447	G
7	A	2448	A
7	A	2455	G
7	A	2463	C
7	A	2464	G
7	A	2469	A
7	A	2470	G
7	A	2474	U
7	A	2476	A
7	A	2478	A
7	A	2479	U
7	A	2480	C
7	A	2484	G
7	A	2490	G
7	A	2491	U
7	A	2498	C
7	A	2500	U
7	A	2502	G
7	A	2503	A
7	A	2504	U
7	A	2505	G
7	A	2507	C
7	A	2508	G
7	A	2518	A
7	A	2520	C
7	A	2527	C
7	A	2529	G
7	A	2547	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	2552	U
7	A	2554	U
7	A	2556	C
7	A	2558	C
7	A	2566	A
7	A	2567	G
7	A	2572	A
7	A	2576	G
7	A	2582	G
7	A	2585	U
7	A	2586	U
7	A	2588	G
7	A	2596	U
7	A	2597	G
7	A	2602	A
7	A	2609	U
7	A	2610	C
7	A	2613	U
7	A	2629	U
7	A	2630	G
7	A	2635	A
7	A	2636	C
7	A	2645	G
7	A	2646	C
7	A	2654	A
7	A	2661	G
7	A	2663	G
7	A	2669	G
7	A	2680	U
7	A	2682	A
7	A	2689	U
7	A	2690	U
7	A	2714	G
7	A	2722	G
7	A	2724	U
7	A	2726	A
7	A	2733	A
7	A	2744	G
7	A	2748	A
7	A	2757	A
7	A	2776	A
7	A	2778	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	2779	U
7	A	2793	C
7	A	2799	A
7	A	2807	U
7	A	2808	G
7	A	2818	U
7	A	2820	A
7	A	2826	A
7	A	2833	U
7	A	2835	A
7	A	2836	U
7	A	2843	G
7	A	2846	G
7	A	2848	G
7	A	2849	U
7	A	2867	G
7	A	2872	A
7	A	2873	A
7	A	2879	A
7	A	2880	C
7	A	2883	A
7	A	2887	A
7	A	2891	U
7	A	2893	A
7	A	2903	U
8	B	3	A
8	B	4	U
8	B	6	G
8	B	7	A
8	B	8	A
8	B	9	G
8	B	32	A
8	B	37	U
8	B	39	G
8	B	42	G
8	B	43	C
8	B	44	A
8	B	47	C
8	B	48	C
8	B	49	U
8	B	50	A
8	B	51	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	B	52	C
8	B	61	G
8	B	62	U
8	B	63	C
8	B	65	A
8	B	67	C
8	B	71	A
8	B	73	C
8	B	74	A
8	B	76	G
8	B	77	A
8	B	78	A
8	B	79	G
8	B	80	A
8	B	81	A
8	B	83	C
8	B	87	C
8	B	88	U
8	B	90	C
8	B	91	U
8	B	96	U
8	B	97	G
8	B	98	A
8	B	100	G
8	B	104	G
8	B	110	C
8	B	116	A
8	B	120	A
8	B	121	U
8	B	122	G
8	B	125	U
8	B	126	G
8	B	127	G
8	B	130	A
8	B	131	A
8	B	132	C
8	B	133	U
8	B	137	U
8	B	140	U
8	B	141	G
8	B	144	G
8	B	145	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	B	149	A
8	B	154	U
8	B	155	A
8	B	156	C
8	B	163	C
8	B	168	G
8	B	170	U
8	B	171	A
8	B	173	U
8	B	177	G
8	B	180	U
8	B	182	A
8	B	183	C
8	B	184	G
8	B	189	A
8	B	195	A
8	B	197	A
8	B	200	G
8	B	201	G
8	B	204	G
8	B	205	A
8	B	207	C
8	B	208	U
8	B	209	U
8	B	210	C
8	B	212	G
8	B	215	C
8	B	216	U
8	B	219	U
8	B	220	G
8	B	222	C
8	B	224	U
8	B	226	G
8	B	240	G
8	B	244	U
8	B	245	U
8	B	247	G
8	B	251	G
8	B	254	G
8	B	265	G
8	B	266	G
8	B	267	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	B	281	G
8	B	289	G
8	B	291	U
8	B	293	G
8	B	295	C
8	B	298	A
8	B	299	G
8	B	300	A
8	B	304	U
8	B	309	A
8	B	321	A
8	B	325	A
8	B	327	A
8	B	328	C
8	B	329	A
8	B	330	C
8	B	332	G
8	B	337	G
8	B	345	C
8	B	346	G
8	B	347	G
8	B	348	G
8	B	352	C
8	B	354	G
8	B	359	G
8	B	367	U
8	B	371	A
8	B	372	C
8	B	373	A
8	B	380	G
8	B	384	G
8	B	388	G
8	B	392	C
8	B	393	A
8	B	396	C
8	B	397	A
8	B	398	U
8	B	401	C
8	B	406	G
8	B	411	A
8	B	412	A
8	B	413	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	B	414	A
8	B	419	C
8	B	421	U
8	B	422	C
8	B	423	G
8	B	424	G
8	B	428	G
8	B	429	U
8	B	434	U
8	B	440	C
8	B	443	C
8	B	444	G
8	B	447	G
8	B	453	G
8	B	454	G
8	B	455	G
8	B	456	A
8	B	458	U
8	B	463	U
8	B	465	A
8	B	467	U
8	B	468	A
8	B	469	C
8	B	471	U
8	B	472	U
8	B	476	U
8	B	478	A
8	B	479	U
8	B	480	U
8	B	484	G
8	B	485	U
8	B	486	U
8	B	492	C
8	B	495	A
8	B	496	A
8	B	498	A
8	B	499	A
8	B	503	C
8	B	505	G
8	B	508	U
8	B	512	U
8	B	518	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	B	521	G
8	B	527	G
8	B	532	A
8	B	533	A
8	B	536	C
8	B	547	A
8	B	556	C
8	B	558	G
8	B	559	A
8	B	563	A
8	B	572	A
8	B	573	A
8	B	576	C
8	B	577	G
8	B	586	C
8	B	592	G
8	B	595	A
8	B	596	A
8	B	601	G
8	B	607	A
8	B	611	C
8	B	613	C
8	B	615	G
8	B	619	U
8	B	621	A
8	B	630	A
8	B	639	G
8	B	652	U
8	B	653	U
8	B	660	C
8	B	665	A
8	B	676	A
8	B	695	A
8	B	702	A
8	B	703	G
8	B	718	A
8	B	720	C
8	B	721	G
8	B	723	U
8	B	724	G
8	B	731	G
8	B	733	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	B	734	G
8	B	747	A
8	B	748	G
8	B	755	G
8	B	758	C
8	B	763	G
8	B	766	A
8	B	774	G
8	B	777	A
8	B	793	U
8	B	794	A
8	B	810	C
8	B	812	G
8	B	813	U
8	B	814	A
8	B	815	A
8	B	817	C
8	B	821	G
8	B	826	C
8	B	828	U
8	B	835	U
8	B	840	C
8	B	841	C
8	B	842	U
8	B	843	U
8	B	844	G
8	B	846	G
8	B	849	G
8	B	873	A
8	B	879	C
8	B	885	G
8	B	887	G
8	B	889	A
8	B	910	C
8	B	914	A
8	B	918	A
8	B	919	A
8	B	921	U
8	B	926	G
8	B	933	G
8	B	934	C
8	B	937	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	B	948	C
8	B	955	U
8	B	960	U
8	B	969	A
8	B	971	G
8	B	974	A
8	B	975	A
8	B	976	G
8	B	977	A
8	B	980	C
8	B	983	A
8	B	984	C
8	B	987	G
8	B	988	G
8	B	989	U
8	B	991	U
8	B	992	U
8	B	993	G
8	B	994	A
8	B	995	C
8	B	1001	C
8	B	1002	G
8	B	1004	A
8	B	1005	A
8	B	1008	U
8	B	1009	U
8	B	1012	A
8	B	1017	U
8	B	1022	A
8	B	1023	U
8	B	1026	G
8	B	1029	U
8	B	1031	C
8	B	1032	G
8	B	1033	G
8	B	1036	A
8	B	1039	G
8	B	1044	A
8	B	1054	C
8	B	1065	U
8	B	1073	U
8	B	1085	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	B	1094	G
8	B	1095	U
8	B	1101	A
8	B	1102	A
8	B	1108	G
8	B	1126	U
8	B	1127	G
8	B	1129	C
8	B	1130	A
8	B	1132	C
8	B	1133	G
8	B	1135	U
8	B	1136	C
8	B	1137	C
8	B	1138	G
8	B	1139	G
8	B	1140	C
8	B	1141	C
8	B	1142	G
8	B	1143	G
8	B	1145	A
8	B	1159	U
8	B	1160	G
8	B	1161	C
8	B	1162	C
8	B	1168	U
8	B	1171	A
8	B	1179	A
8	B	1182	G
8	B	1184	G
8	B	1193	G
8	B	1196	A
8	B	1197	A
8	B	1202	U
8	B	1212	U
8	B	1213	A
8	B	1224	U
8	B	1227	A
8	B	1233	G
8	B	1240	U
8	B	1241	G
8	B	1242	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	B	1249	C
8	B	1257	A
8	B	1258	G
8	B	1262	C
8	B	1271	A
8	B	1272	G
8	B	1275	A
8	B	1280	A
8	B	1285	A
8	B	1286	U
8	B	1287	A
8	B	1289	A
8	B	1290	G
8	B	1292	G
8	B	1293	C
8	B	1296	C
8	B	1298	U
8	B	1299	A
8	B	1300	G
8	B	1301	U
8	B	1302	C
8	B	1303	C
8	B	1304	G
8	B	1305	G
8	B	1310	G
8	B	1312	G
8	B	1317	C
8	B	1318	A
8	B	1320	C
8	B	1322	C
8	B	1331	G
8	B	1336	C
8	B	1340	A
8	B	1346	A
8	B	1348	U
8	B	1353	G
8	B	1363	A
8	B	1364	U
8	B	1368	A
8	B	1370	G
8	B	1378	C
8	B	1380	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	B	1385	G
8	B	1397	C
8	B	1398	A
8	B	1402	C
8	B	1405	G
8	B	1419	G
8	B	1429	A
8	B	1431	A
8	B	1432	G
8	B	1440	U
8	B	1446	A
8	B	1448	C
8	B	1452	C
8	B	1458	G
8	B	1464	U
8	B	1475	G
8	B	1487	G
8	B	1492	A
8	B	1494	G
8	B	1497	G
8	B	1503	A
8	B	1506	U
8	B	1517	G
8	B	1525	G
8	B	1528	U
8	B	1529	G
8	B	1530	G
8	B	1534	A
8	B	1535	C
8	B	1536	C
8	B	1540	U
30	X	3	G
30	X	4	U
30	X	5	G
30	X	6	A
30	X	13	C
30	X	14	A
30	X	15	G
30	X	19	G
30	X	20	G
30	X	21	A
30	X	22	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	X	29	U
30	X	33	U
30	X	39	G
30	X	41	A
30	X	44	G
30	X	45	G
30	X	48	C
30	X	49	G
30	X	53	G
30	X	57	G
30	X	58	A
30	X	59	U
30	X	60	C
30	X	63	G
30	X	65	C
30	X	68	C
30	X	70	C
30	X	71	C
30	X	73	A
31	Z	3	G
31	Z	6	G
31	Z	14	A
31	Z	19	G
31	Z	20	U
31	Z	24	G
31	Z	25	C
31	Z	26	A
31	Z	29	U
31	Z	32	C
31	Z	33	U
31	Z	36	U
31	Z	49	G
31	Z	50	C
31	Z	51	A
31	Z	57	G
31	Z	59	A
31	Z	63	U
31	Z	68	G
31	Z	71	C
31	Z	73	A
31	Z	74	C
31	Z	75	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	Z	76	A
32	a	3	C
32	a	15	A
32	a	17	C
32	a	24	G
32	a	25	U
32	a	31	C
32	a	32	U
32	a	35	C
32	a	44	G
32	a	51	G
32	a	53	A
32	a	56	G
32	a	66	A
32	a	83	G
32	a	88	C
32	a	89	U
32	a	90	C
32	a	91	C
32	a	99	A
32	a	109	A
32	a	119	A
56	y	3	A
56	y	7	G
56	y	13	C
56	y	16	U
56	y	17	C
56	y	18	G
56	y	19	U
56	y	20	U
56	y	21	A
56	y	22	G
56	y	33	U
56	y	36	C
56	y	48	C
56	y	49	G
56	y	51	G
56	y	69	U
56	y	71	C
56	y	75	C
56	y	76	A

All (17) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
7	A	141	G
7	A	244	A
7	A	271	G
7	A	297	G
7	A	404	A
7	A	897	C
7	A	975	A
7	A	1730	C
7	A	1904	G
7	A	1913	A
7	A	2317	A
7	A	2346	A
7	A	2756	U
8	B	115	G
8	B	428	G
8	B	1201	A
31	Z	13	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30611. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 161



Y Index: 165



Z Index: 147

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.005. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3991 nm³; this corresponds to an approximate mass of 3605 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.244 Å⁻¹

8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.244 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.10	-	-
Author-provided FSC curve	4.06	6.59	4.16
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30611 and PDB model 7D80. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.005 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.005).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary















































The table lists the average atom inclusion at the recommended contour level (0.005) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9859	 0.3390
0	 0.9746	 0.3790
1	 0.9939	 0.3960
2	 1.0000	 0.3610
3	 0.9894	 0.2710
5	 0.6749	 0.2400
6	 1.0000	 0.3920
A	 0.9993	 0.3870
B	 1.0000	 0.3000
C	 1.0000	 0.2690
D	 0.9981	 0.2850
E	 1.0000	 0.2120
F	 0.9982	 0.3040
G	 0.9937	 0.2860
H	 0.9991	 0.2410
I	 0.9990	 0.2790
J	 1.0000	 0.2260
K	 0.9974	 0.2560
L	 0.9965	 0.2910
M	 0.9935	 0.2620
N	 0.9976	 0.2210
O	 1.0000	 0.2350
P	 0.9956	 0.2560
Q	 0.9984	 0.2510
R	 1.0000	 0.2680
S	 1.0000	 0.3140
T	 0.9984	 0.2050
U	 0.9969	 0.2250
V	 0.9926	 0.2600
W	 0.9947	 0.3610
X	 0.9978	 0.2180
Z	 0.5284	 0.2640
a	 1.0000	 0.3520
b	 0.9911	 0.4030
c	 0.9941	 0.4000



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
d	 0.9974	 0.3740
e	 0.9993	 0.2550
f	 1.0000	 0.3330
g	 1.0000	 0.3360
h	 0.8796	 0.1720
i	 0.9964	 0.3910
j	 0.9912	 0.4010
k	 0.9951	 0.3920
l	 0.9971	 0.3940
m	 0.9978	 0.3800
n	 1.0000	 0.3220
o	 0.9932	 0.3830
p	 0.9989	 0.3670
q	 0.9962	 0.4020
r	 0.9916	 0.3850
s	 0.9961	 0.3580
t	 1.0000	 0.3620
u	 0.9982	 0.4010
v	 0.9967	 0.3730
w	 1.0000	 0.2840
x	 0.9954	 0.3850
y	 0.9699	 0.2890
z	 0.9875	 0.3580