



Full wwPDB X-ray Structure Validation Report ⓘ

May 8, 2019 – 12:40 AM EDT

PDB ID : 6DCU
Title : Crystal structure of PPAR gamma co-crystallized with nTZDpa
Authors : Mou, T.C.; Chrisman, I.M.; Hughes, T.S.; Sprang, S.R.
Deposited on : 2018-05-08
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.0 (224370), CSD as540be (2019)
Xtrriage (Phenix) : 1.13
EDS : rb-20031633
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20031633


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	2641 (3.00-2.92)
Clashscore	122126	2988 (3.00-2.92)
Ramachandran outliers	120053	2892 (3.00-2.92)
Sidechain outliers	120020	2895 (3.00-2.92)
RSRZ outliers	108989	2527 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	 5% 67% 17% 16%
1	B	301	 3% 60% 22% 18%

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 4045 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	254	2022	1303	331	378	10	0	0	0
1	B	247	1967	1271	321	365	10	0	0	0

There are 52 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	181	MET	-	initiating methionine	UNP P37231
A	182	ALA	-	expression tag	UNP P37231
A	183	HIS	-	expression tag	UNP P37231
A	184	HIS	-	expression tag	UNP P37231
A	185	HIS	-	expression tag	UNP P37231
A	186	HIS	-	expression tag	UNP P37231
A	187	HIS	-	expression tag	UNP P37231
A	188	HIS	-	expression tag	UNP P37231
A	189	VAL	-	expression tag	UNP P37231
A	190	ASP	-	expression tag	UNP P37231
A	191	ASP	-	expression tag	UNP P37231
A	192	ASP	-	expression tag	UNP P37231
A	193	ASP	-	expression tag	UNP P37231
A	194	LYS	-	expression tag	UNP P37231
A	195	MET	-	expression tag	UNP P37231
A	196	GLU	-	expression tag	UNP P37231
A	197	ASN	-	expression tag	UNP P37231
A	198	LEU	-	expression tag	UNP P37231
A	199	TYR	-	expression tag	UNP P37231
A	200	PHE	-	expression tag	UNP P37231
A	201	GLN	-	expression tag	UNP P37231
A	202	GLY	-	expression tag	UNP P37231
A	478	LEU	-	expression tag	UNP P37231
A	479	VAL	-	expression tag	UNP P37231
A	480	PRO	-	expression tag	UNP P37231

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	481	ARG	-	expression tag	UNP P37231
B	181	MET	-	initiating methionine	UNP P37231
B	182	ALA	-	expression tag	UNP P37231
B	183	HIS	-	expression tag	UNP P37231
B	184	HIS	-	expression tag	UNP P37231
B	185	HIS	-	expression tag	UNP P37231
B	186	HIS	-	expression tag	UNP P37231
B	187	HIS	-	expression tag	UNP P37231
B	188	HIS	-	expression tag	UNP P37231
B	189	VAL	-	expression tag	UNP P37231
B	190	ASP	-	expression tag	UNP P37231
B	191	ASP	-	expression tag	UNP P37231
B	192	ASP	-	expression tag	UNP P37231
B	193	ASP	-	expression tag	UNP P37231
B	194	LYS	-	expression tag	UNP P37231
B	195	MET	-	expression tag	UNP P37231
B	196	GLU	-	expression tag	UNP P37231
B	197	ASN	-	expression tag	UNP P37231
B	198	LEU	-	expression tag	UNP P37231
B	199	TYR	-	expression tag	UNP P37231
B	200	PHE	-	expression tag	UNP P37231
B	201	GLN	-	expression tag	UNP P37231
B	202	GLY	-	expression tag	UNP P37231
B	478	LEU	-	expression tag	UNP P37231
B	479	VAL	-	expression tag	UNP P37231
B	480	PRO	-	expression tag	UNP P37231
B	481	ARG	-	expression tag	UNP P37231

- Molecule 2 is 5-CHLORO-1-(4-CHLOROBENZYL)-3-(PHENYLTHIO)-1H-INDOLE-2-CARBOXYLIC ACID (three-letter code: NZA) (formula: C₂₂H₁₅Cl₂NO₂S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Cl	N	O			S
2	A	1	28	22	2	1	2	1	0	0
2	B	1	28	22	2	1	2	1	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma



4 Data and refinement statistics i

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	94.08Å 94.08Å 192.42Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	37.93 – 2.95 37.93 – 2.95	Depositor EDS
% Data completeness (in resolution range)	97.0 (37.93-2.95) 97.0 (37.93-2.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	379.46 (at 2.95Å)	Xtrriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
R, R_{free}	0.264 , 0.303 0.262 , 0.302	Depositor DCC
R_{free} test set	1291 reflections (9.94%)	wwPDB-VP
Wilson B-factor (Å ²)	86.6	Xtrriage
Anisotropy	0.054	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.17 , -11.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.22$	Xtrriage
Estimated twinning fraction	0.399 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4045	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NZA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/2055	0.46	0/2768
1	B	0.26	0/1999	0.48	0/2692
All	All	0.26	0/4054	0.47	0/5460

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2022	0	2085	31	0
1	B	1967	0	2027	58	0
2	A	28	0	14	1	0
2	B	28	0	14	2	0
All	All	4045	0	4140	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:353:LEU:HA	1:B:356:LEU:CD2	1.92	1.00
1:B:446:VAL:HA	1:B:449:HIS:CD2	2.07	0.89
1:B:259:GLU:OE1	1:B:259:GLU:N	2.21	0.74
1:B:445:ILE:O	1:B:449:HIS:CD2	2.45	0.70
1:B:353:LEU:HA	1:B:356:LEU:HD21	1.72	0.70
1:B:353:LEU:O	1:B:356:LEU:HD23	1.93	0.66
1:B:353:LEU:HA	1:B:356:LEU:HD23	1.77	0.64
1:B:299:TYR:CE2	1:B:388:ILE:HD11	2.33	0.63
1:B:370:PHE:CZ	1:B:442:LEU:HD23	2.33	0.63
1:B:299:TYR:OH	1:B:389:ALA:HB2	1.99	0.62
1:B:230:LYS:N	1:B:381:ASP:OD2	2.33	0.61
1:B:396:ASP:O	1:B:443:ARG:NH2	2.34	0.60
1:A:251:ASP:OD1	1:A:252:MET:N	2.33	0.59
1:B:231:ALA:N	1:B:381:ASP:OD1	2.34	0.59
1:B:254:SER:O	1:B:258:GLY:N	2.37	0.57
1:B:353:LEU:CA	1:B:356:LEU:CD2	2.77	0.56
1:B:299:TYR:CE2	1:B:388:ILE:CD1	2.89	0.56
1:A:276:GLU:OE2	1:A:357:ARG:NH2	2.38	0.56
1:A:319:LYS:HD3	1:A:320:TYR:HE2	1.71	0.55
1:A:212:ARG:NH2	1:A:420:GLN:OE1	2.40	0.54
1:B:353:LEU:CD2	1:B:364:MET:HB3	2.38	0.54
1:B:353:LEU:HD12	1:B:356:LEU:HD23	1.90	0.54
1:B:338:GLY:CA	1:B:348:MET:O	2.57	0.52
1:A:408:ASP:OD1	1:A:409:ILE:N	2.43	0.52
1:B:305:GLY:O	1:B:309:LEU:HD12	2.10	0.52
1:A:327:TYR:CE1	1:A:367:LYS:HD3	2.45	0.52
1:B:453:LEU:HD12	1:B:454:GLN:N	2.26	0.51
1:B:364:MET:HG2	2:B:501:NZA:HAL	1.93	0.51
1:B:338:GLY:HA3	1:B:348:MET:O	2.11	0.50
1:B:299:TYR:OH	1:B:385:ALA:O	2.22	0.50
1:B:322:VAL:O	1:B:325:ILE:HG13	2.13	0.49
1:B:445:ILE:O	1:B:449:HIS:NE2	2.45	0.49
1:A:234:ARG:O	1:A:238:THR:HG23	2.12	0.49
1:A:319:LYS:HD3	1:A:320:TYR:CE2	2.47	0.48
1:A:331:ALA:O	1:A:375:ASN:ND2	2.39	0.48
1:A:323:HIS:O	1:A:327:TYR:HB2	2.13	0.48
1:B:297:THR:HG23	1:B:298:GLU:N	2.29	0.48
1:A:287:PHE:O	1:A:290:VAL:HG22	2.14	0.48
1:B:377:LEU:HD13	1:B:379:LEU:HB2	1.95	0.48
1:B:450:VAL:O	1:B:453:LEU:HG	2.13	0.48
1:B:353:LEU:CA	1:B:356:LEU:HD23	2.43	0.47
1:A:387:PHE:O	1:A:390:VAL:HG12	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:352:PHE:O	1:B:355:SER:OG	2.27	0.47
1:B:348:MET:SD	2:B:501:NZA:HAF	2.55	0.47
1:B:353:LEU:HD22	1:B:364:MET:HB3	1.96	0.46
1:A:363:PHE:O	1:A:367:LYS:NZ	2.47	0.46
1:A:388:ILE:HA	1:A:391:ILE:HG22	1.97	0.46
1:B:255:LEU:O	1:B:259:GLU:N	2.48	0.46
1:A:312:ASN:HA	1:A:315:VAL:HG22	1.98	0.45
1:B:296:ILE:HD11	1:B:325:ILE:HD13	1.97	0.45
1:B:380:ASP:OD1	1:B:424:ASN:ND2	2.48	0.44
1:A:216:LYS:O	1:A:219:TYR:HB3	2.17	0.44
1:B:330:LEU:O	1:B:334:MET:HG3	2.17	0.44
1:B:324:GLU:O	1:B:327:TYR:HB2	2.18	0.43
1:B:379:LEU:HG	1:B:383:ASP:HB2	2.00	0.43
1:B:432:PHE:CZ	1:B:436:LEU:HD11	2.53	0.43
1:B:234:ARG:O	1:B:238:THR:HG23	2.18	0.43
1:B:421:LEU:HD12	1:B:422:LYS:N	2.33	0.43
1:B:312:ASN:HA	1:B:315:VAL:HG22	2.00	0.43
1:B:311:LEU:HA	1:B:314:GLN:HG2	2.01	0.43
1:B:327:TYR:O	1:B:330:LEU:HG	2.18	0.43
1:B:287:PHE:O	1:B:290:VAL:HG12	2.19	0.43
1:A:255:LEU:HD21	1:A:352:PHE:HE2	1.83	0.43
1:A:281:ILE:HG13	1:A:282:PHE:N	2.33	0.43
1:B:364:MET:SD	1:B:367:LYS:HG3	2.59	0.43
1:A:233:ALA:O	1:A:236:ILE:HG13	2.19	0.42
1:B:324:GLU:OE1	1:B:397:ARG:NH2	2.52	0.42
1:A:462:ASP:C	1:A:463:MET:HG2	2.39	0.42
1:B:299:TYR:CZ	1:B:388:ILE:HD11	2.54	0.42
1:A:325:ILE:HA	1:A:328:THR:HG22	2.02	0.42
1:A:388:ILE:O	1:A:391:ILE:HG22	2.19	0.42
1:B:216:LYS:O	1:B:219:TYR:HB3	2.19	0.42
1:A:219:TYR:O	1:A:222:TYR:HB3	2.20	0.42
1:A:353:LEU:HA	1:A:356:LEU:CD2	2.50	0.42
1:B:311:LEU:O	1:B:314:GLN:HG2	2.19	0.42
1:B:340:LEU:HD21	1:B:344:GLY:HA2	2.01	0.42
1:A:443:ARG:O	1:A:446:VAL:HG22	2.20	0.41
1:A:222:TYR:O	1:A:226:PHE:N	2.42	0.41
1:B:418:GLU:O	1:B:421:LEU:HD23	2.21	0.41
1:A:214:LEU:O	1:A:217:HIS:HB3	2.20	0.41
1:A:353:LEU:HD21	1:A:364:MET:HB2	2.03	0.41
1:B:352:PHE:O	1:B:356:LEU:HD22	2.21	0.41
1:A:328:THR:O	1:A:331:ALA:HB3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:297:THR:HG23	1:B:298:GLU:H	1.86	0.41
1:A:311:LEU:HA	1:A:314:GLN:HG2	2.03	0.40
1:A:228:LEU:HD21	1:A:233:ALA:HB2	2.02	0.40
2:A:501:NZA:HAM	2:A:501:NZA:CBA	2.51	0.40
1:B:252:MET:HA	1:B:255:LEU:HD23	2.03	0.40
1:B:436:LEU:O	1:B:439:MET:HB3	2.21	0.40
1:B:453:LEU:C	1:B:453:LEU:HD12	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	250/301 (83%)	236 (94%)	14 (6%)	0	100	100
1	B	241/301 (80%)	224 (93%)	17 (7%)	0	100	100
All	All	491/602 (82%)	460 (94%)	31 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	227/272 (84%)	225 (99%)	2 (1%)	81	93

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	220/272 (81%)	218 (99%)	2 (1%)	81	93
All	All	447/544 (82%)	443 (99%)	4 (1%)	81	93

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	436	LEU
1	A	462	ASP
1	B	237	LEU
1	B	436	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	449	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NZA	A	501	-	24,31,31	1.19	2 (8%)	30,44,44	1.46	4 (13%)
2	NZA	B	501	-	24,31,31	1.12	3 (12%)	30,44,44	1.15	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NZA	A	501	-	-	0/6/12/12	0/4/4/4
2	NZA	B	501	-	-	0/6/12/12	0/4/4/4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	NZA	CAU-CLAD	2.03	1.79	1.74
2	B	501	NZA	CAW-SAR	2.13	1.82	1.77
2	A	501	NZA	CAW-SAR	2.16	1.82	1.77
2	B	501	NZA	CAX-SAR	2.96	1.81	1.78
2	A	501	NZA	CAX-SAR	3.50	1.82	1.78

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	NZA	CAL-CAU-CLAD	-3.16	114.33	119.35
2	B	501	NZA	CAL-CAU-CLAD	-2.31	115.69	119.35
2	A	501	NZA	CAX-CAZ-CBA	-2.11	107.64	114.12
2	B	501	NZA	CAX-CAZ-CBA	-2.03	107.87	114.12
2	B	501	NZA	CAW-SAR-CAX	2.33	107.82	101.97
2	B	501	NZA	CAP-CAU-CLAD	3.80	124.37	119.66
2	A	501	NZA	CAP-CAU-CLAD	4.43	125.16	119.66
2	A	501	NZA	CAW-SAR-CAX	4.70	113.75	101.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	NZA	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	NZA	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	254/301 (84%)	0.10	15 (5%) 22 13	67, 89, 103, 113	0
1	B	247/301 (82%)	0.11	8 (3%) 47 30	68, 88, 103, 118	0
All	All	501/602 (83%)	0.10	23 (4%) 32 20	67, 89, 103, 118	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	386	ILE	7.4
1	A	385	ALA	5.9
1	B	428	SER	5.0
1	B	221	SER	4.2
1	A	247	PHE	3.9
1	B	257	MET	3.8
1	A	421	LEU	3.5
1	B	256	MET	3.3
1	A	261	LYS	3.2
1	B	379	LEU	3.2
1	A	383	ASP	2.9
1	A	253	ASN	2.8
1	A	431	LEU	2.8
1	A	308	ASN	2.6
1	A	347	PHE	2.4
1	A	419	LEU	2.3
1	A	307	VAL	2.2
1	A	464	SER	2.2
1	B	224	LYS	2.1
1	B	454	GLN	2.1
1	A	355	SER	2.1
1	A	208	SER	2.1
1	B	262	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NZA	A	501	28/28	0.77	0.33	64,94,124,171	0
2	NZA	B	501	28/28	0.89	0.27	59,89,124,168	0

6.5 Other polymers [i](#)

There are no such residues in this entry.