



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 24, 2024 – 01:19 PM EDT

PDB ID : 6DWU
Title : Crystal structure of complex of BBKI and Bovine Trypsin
Authors : Li, M.; Wlodawer, A.; Gustchina, A.
Deposited on : 2018-06-28
Resolution : 3.96 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1025 (4.22-3.70)
Clashscore	141614	1085 (4.22-3.70)
Ramachandran outliers	138981	1047 (4.22-3.70)
Sidechain outliers	138945	1039 (4.22-3.70)
RSRZ outliers	127900	1013 (4.28-3.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	223	
1	AC	223	
1	AE	223	
1	AG	223	
1	AI	223	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	AK	223	 85% 15%
1	AM	223	 86% 14% 3%
1	AO	223	 83% 17% 7%
1	AQ	223	 81% 19% 3%
1	AS	223	 84% 16% 4%
1	AU	223	 85% 15% 20%
1	BA	223	 84% 16% 4%
1	BC	223	 92% 8% 21%
1	BE	223	 87% 13% 9%
1	BG	223	 85% 15% 2%
1	BI	223	 86% 14% 6%
1	BK	223	 87% 13% 6%
1	BM	223	 83% 17% 4%
1	BO	223	 86% 14%
1	BQ	223	 79% 21% 5%
1	BS	223	 80% 20% 18%
1	BU	223	 84% 16% 7%
1	CA	223	 84% 16% 13%
1	CC	223	 82% 18% 15%
1	CE	223	 87% 13% 4%
1	CG	223	 82% 18% 2%
1	CI	223	 92% 8% 2%
1	CK	223	 84% 16% 2%
1	CM	223	 87% 13% 6%
1	CO	223	 83% 17% 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	CQ	223	4% 79% 21%
1	CS	223	17% 83% 17%
1	CU	223	10% 82% 18%
1	DA	223	13% 85% 15%
1	DC	223	% 88% 12%
1	DE	223	20% 84% 16%
1	DG	223	3% 89% 11%
1	DI	223	2% 81% 19%
1	DK	223	2% 86% 14%
1	DM	223	% 86% 14%
1	DO	223	% 85% 15%
1	DQ	223	7% 82% 17%
1	DS	223	2% 84% 16%
1	DU	223	11% 86% 14%
2	AB	163	4% 81% 19%
2	AD	163	4% 82% 18%
2	AF	163	% 83% 17%
2	AH	163	% 79% 21%
2	AJ	163	% 86% 14%
2	AL	163	% 79% 21%
2	AN	163	% 80% 20%
2	AP	163	3% 80% 20%
2	AR	163	7% 80% 19%
2	AT	163	% 82% 18%
2	AV	163	6% 80% 20%









Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
2	BB	163	83%	17%
2	BD	163	72%	28%
2	BF	163	83%	17%
2	BH	163	82%	18%
2	BJ	163	82%	18%
2	BL	163	77%	22%
2	BN	163	85%	14%
2	BP	163	83%	16%
2	BR	163	85%	15%
2	BT	163	83%	17%
2	BV	163	83%	17%
2	CB	163	76%	24%
2	CD	163	68%	32%
2	CF	163	85%	15%
2	CH	163	82%	18%
2	CJ	163	83%	17%
2	CL	163	83%	17%
2	CN	163	85%	15%
2	CP	163	77%	23%
2	CR	163	71%	28%
2	CT	163	80%	20%
2	CV	163	84%	16%
2	DB	163	86%	13%
2	DD	163	86%	13%
2	DF	163	74%	26%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	DH	163	 <p>% 81% 19%</p>
2	DJ	163	 <p>3% 82% 18%</p>
2	DL	163	 <p>3% 78% 22%</p>
2	DN	163	 <p>% 85% 15%</p>
2	DP	163	 <p>% 85% 15%</p>
2	DR	163	 <p>2% 85% 15%</p>
2	DT	163	 <p>4% 78% 21%</p>
2	DV	163	 <p>4% 82% 18%</p>

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 127116 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cationic trypsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	AA	223	1629	1012	279	324	14	0	0	0
1	AC	223	1629	1012	279	324	14	0	0	0
1	AE	223	1629	1012	279	324	14	0	0	0
1	AG	223	1629	1012	279	324	14	0	0	0
1	AI	223	1629	1012	279	324	14	0	0	0
1	AK	223	1629	1012	279	324	14	0	0	0
1	AM	223	1629	1012	279	324	14	0	0	0
1	AO	223	1629	1012	279	324	14	0	0	0
1	AQ	223	1629	1012	279	324	14	0	0	0
1	AS	223	1629	1012	279	324	14	0	0	0
1	AU	223	1629	1012	279	324	14	0	0	0
1	BA	223	1629	1012	279	324	14	0	0	0
1	BC	223	1629	1012	279	324	14	0	0	0
1	BE	223	1629	1012	279	324	14	0	0	0
1	BG	223	1629	1012	279	324	14	0	0	0
1	BI	223	1629	1012	279	324	14	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	BK	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	BM	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	BO	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	BQ	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	BS	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	BU	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CA	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CC	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CE	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CG	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CI	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CK	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CM	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CO	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CQ	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CS	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	CU	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	DA	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	DC	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	DE	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	DG	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	DI	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	DK	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	DM	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	DO	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	DQ	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	DS	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			
1	DU	223	Total	C	N	O	S	0	0	0
			1629	1012	279	324	14			

- Molecule 2 is a protein called Kunitz-type inhibitor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AB	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	AD	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	AF	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	AH	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	AJ	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	AL	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	AN	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	AP	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	AR	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	AT	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	AV	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	BB	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	BD	163	1260	807	217	235	1	0	0	0
2	BF	163	1260	807	217	235	1	0	0	0
2	BH	163	1260	807	217	235	1	0	0	0
2	BJ	163	1260	807	217	235	1	0	0	0
2	BL	163	1260	807	217	235	1	0	0	0
2	BN	163	1260	807	217	235	1	0	0	0
2	BP	163	1260	807	217	235	1	0	0	0
2	BR	163	1260	807	217	235	1	0	0	0
2	BT	163	1260	807	217	235	1	0	0	0
2	BV	163	1260	807	217	235	1	0	0	0
2	CB	163	1260	807	217	235	1	0	0	0
2	CD	163	1260	807	217	235	1	0	0	0
2	CF	163	1260	807	217	235	1	0	0	0
2	CH	163	1260	807	217	235	1	0	0	0
2	CJ	163	1260	807	217	235	1	0	0	0
2	CL	163	1260	807	217	235	1	0	0	0
2	CN	163	1260	807	217	235	1	0	0	0
2	CP	163	1260	807	217	235	1	0	0	0
2	CR	163	1260	807	217	235	1	0	0	0
2	CT	163	1260	807	217	235	1	0	0	0
2	CV	163	1260	807	217	235	1	0	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	DB	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	DD	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	DF	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	DH	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	DJ	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	DL	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	DN	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	DP	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	DR	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	DT	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			
2	DV	163	Total	C	N	O	S	0	0	0
			1260	807	217	235	1			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin









- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin



- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin








- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin



- Molecule 1: Cationic trypsin






- Molecule 1: Cationic trypsin

Chain BO: 86% 14%




- Molecule 1: Cationic trypsin

Chain BQ: 5% 79% 21%




- Molecule 1: Cationic trypsin

Chain BS: 18% 80% 20%




- Molecule 1: Cationic trypsin


Chain BU: 7% 84% 16%




- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin





- Molecule 1: Cationic trypsin



- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin







- Molecule 1: Cationic trypsin




- Molecule 1: Cationic trypsin




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor







- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor









- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor





- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor





- Molecule 2: Kunitz-type inhibitor



- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor





- Molecule 2: Kunitz-type inhibitor









• Molecule 2: Kunitz-type inhibitor




• Molecule 2: Kunitz-type inhibitor



• Molecule 2: Kunitz-type inhibitor





• Molecule 2: Kunitz-type inhibitor







- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor





- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor




- Molecule 2: Kunitz-type inhibitor



- Molecule 2: Kunitz-type inhibitor



- Molecule 2: Kunitz-type inhibitor



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	137.17Å 483.88Å 137.01Å 90.00° 116.76° 90.00°	Depositor
Resolution (Å)	49.23 – 3.96 49.23 – 3.94	Depositor EDS
% Data completeness (in resolution range)	85.1 (49.23-3.96) 85.1 (49.23-3.94)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.59 (at 4.00Å)	Xtrriage
Refinement program	PHENIX (1.12_2829)	Depositor
R, R_{free}	0.226 , 0.281 0.226 , 0.282	Depositor DCC
R_{free} test set	5830 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	52.0	Xtrriage
Anisotropy	0.368	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.24 , 26.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.028 for l,-k,h	Xtrriage
F_o, F_c correlation	0.81	EDS
Total number of atoms	127116	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	0.28	0/1660	0.50	0/2250
1	AC	0.28	0/1660	0.50	0/2250
1	AE	0.28	0/1660	0.50	0/2250
1	AG	0.28	0/1660	0.50	0/2250
1	AI	0.28	0/1660	0.52	0/2250
1	AK	0.29	0/1660	0.50	0/2250
1	AM	0.28	0/1660	0.49	0/2250
1	AO	0.27	0/1660	0.49	0/2250
1	AQ	0.29	0/1660	0.51	0/2250
1	AS	0.28	0/1660	0.49	0/2250
1	AU	0.27	0/1660	0.49	0/2250
1	BA	0.27	0/1660	0.50	0/2250
1	BC	0.27	0/1660	0.49	0/2250
1	BE	0.28	0/1660	0.50	0/2250
1	BG	0.28	0/1660	0.51	0/2250
1	BI	0.27	0/1660	0.50	0/2250
1	BK	0.27	0/1660	0.51	0/2250
1	BM	0.28	0/1660	0.53	0/2250
1	BO	0.28	0/1660	0.50	0/2250
1	BQ	0.28	0/1660	0.51	0/2250
1	BS	0.27	0/1660	0.48	0/2250
1	BU	0.27	0/1660	0.50	0/2250
1	CA	0.28	0/1660	0.50	0/2250
1	CC	0.27	0/1660	0.50	0/2250
1	CE	0.29	0/1660	0.52	0/2250
1	CG	0.30	0/1660	0.50	0/2250
1	CI	0.31	0/1660	0.53	0/2250
1	CK	0.29	0/1660	0.52	0/2250
1	CM	0.28	0/1660	0.50	0/2250
1	CO	0.28	0/1660	0.51	0/2250
1	CQ	0.29	0/1660	0.51	0/2250
1	CS	0.27	0/1660	0.50	0/2250
1	CU	0.27	0/1660	0.49	0/2250
1	DA	0.29	0/1660	0.50	0/2250

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	DC	0.29	0/1660	0.49	0/2250
1	DE	0.27	0/1660	0.49	0/2250
1	DG	0.28	0/1660	0.51	0/2250
1	DI	0.29	0/1660	0.52	0/2250
1	DK	0.30	0/1660	0.53	0/2250
1	DM	0.28	0/1660	0.50	0/2250
1	DO	0.29	0/1660	0.53	0/2250
1	DQ	0.28	0/1660	0.50	0/2250
1	DS	0.28	0/1660	0.50	0/2250
1	DU	0.27	0/1660	0.49	0/2250
2	AB	0.28	0/1291	0.55	0/1754
2	AD	0.29	0/1291	0.53	0/1754
2	AF	0.33	0/1291	0.57	0/1754
2	AH	0.29	0/1291	0.56	0/1754
2	AJ	0.30	0/1291	0.55	0/1754
2	AL	0.31	0/1291	0.52	0/1754
2	AN	0.30	0/1291	0.52	0/1754
2	AP	0.29	0/1291	0.53	0/1754
2	AR	0.28	0/1291	0.53	0/1754
2	AT	0.30	0/1291	0.54	0/1754
2	AV	0.30	0/1291	0.53	0/1754
2	BB	0.29	0/1291	0.55	0/1754
2	BD	0.29	0/1291	0.53	0/1754
2	BF	0.28	0/1291	0.50	0/1754
2	BH	0.30	0/1291	0.55	0/1754
2	BJ	0.30	0/1291	0.53	0/1754
2	BL	0.29	0/1291	0.54	0/1754
2	BN	0.32	0/1291	0.54	1/1754 (0.1%)
2	BP	0.30	0/1291	0.55	0/1754
2	BR	0.31	0/1291	0.55	0/1754
2	BT	0.28	0/1291	0.51	0/1754
2	BV	0.28	0/1291	0.51	0/1754
2	CB	0.30	0/1291	0.53	0/1754
2	CD	0.30	0/1291	0.57	0/1754
2	CF	0.29	0/1291	0.53	0/1754
2	CH	0.31	0/1291	0.55	0/1754
2	CJ	0.31	0/1291	0.56	0/1754
2	CL	0.31	0/1291	0.53	0/1754
2	CN	0.30	0/1291	0.53	0/1754
2	CP	0.28	0/1291	0.51	0/1754
2	CR	0.30	0/1291	0.52	0/1754
2	CT	0.30	0/1291	0.52	0/1754
2	CV	0.27	0/1291	0.51	0/1754

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
2	DB	0.30	0/1291	0.53	0/1754
2	DD	0.32	0/1291	0.56	1/1754 (0.1%)
2	DF	0.34	0/1291	0.57	0/1754
2	DH	0.30	0/1291	0.53	0/1754
2	DJ	0.31	0/1291	0.52	0/1754
2	DL	0.31	0/1291	0.56	0/1754
2	DN	0.30	0/1291	0.55	0/1754
2	DP	0.31	0/1291	0.53	0/1754
2	DR	0.29	0/1291	0.54	0/1754
2	DT	0.29	0/1291	0.53	0/1754
2	DV	0.29	0/1291	0.53	0/1754
All	All	0.29	0/129844	0.52	2/176176 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	DD	131	GLN	CA-CB-CG	-6.06	100.07	113.40
2	BN	5	VAL	CG1-CB-CG2	5.25	119.31	110.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	1629	0	1588	23	0
1	AC	1629	0	1588	28	1
1	AE	1629	0	1588	25	0
1	AG	1629	0	1588	20	0
1	AI	1629	0	1588	24	0
1	AK	1629	0	1588	26	0
1	AM	1629	0	1588	20	0
1	AO	1629	0	1588	28	0
1	AQ	1629	0	1588	40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AS	1629	0	1588	24	0
1	AU	1629	0	1588	24	0
1	BA	1629	0	1588	27	0
1	BC	1629	0	1588	15	0
1	BE	1629	0	1588	22	0
1	BG	1629	0	1588	22	0
1	BI	1629	0	1588	21	0
1	BK	1629	0	1588	22	0
1	BM	1629	0	1588	25	1
1	BO	1629	0	1588	22	0
1	BQ	1629	0	1588	31	0
1	BS	1629	0	1588	32	0
1	BU	1629	0	1588	24	0
1	CA	1629	0	1588	24	0
1	CC	1629	0	1588	30	0
1	CE	1629	0	1588	20	0
1	CG	1629	0	1588	30	0
1	CI	1629	0	1588	12	0
1	CK	1629	0	1588	23	0
1	CM	1629	0	1588	23	0
1	CO	1629	0	1588	33	0
1	CQ	1629	0	1588	34	0
1	CS	1629	0	1588	26	0
1	CU	1629	0	1588	28	1
1	DA	1629	0	1588	19	1
1	DC	1629	0	1588	20	1
1	DE	1629	0	1588	30	0
1	DG	1629	0	1588	16	0
1	DI	1629	0	1588	41	0
1	DK	1629	0	1588	24	0
1	DM	1629	0	1588	25	0
1	DO	1629	0	1588	28	0
1	DQ	1629	0	1588	29	1
1	DS	1629	0	1588	24	0
1	DU	1629	0	1588	20	0
2	AB	1260	0	1265	27	0
2	AD	1260	0	1265	25	0
2	AF	1260	0	1265	28	0
2	AH	1260	0	1265	34	0
2	AJ	1260	0	1265	23	0
2	AL	1260	0	1265	32	0
2	AN	1260	0	1265	36	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	AP	1260	0	1265	32	0
2	AR	1260	0	1265	29	0
2	AT	1260	0	1265	25	0
2	AV	1260	0	1265	30	1
2	BB	1260	0	1265	27	1
2	BD	1260	0	1265	40	1
2	BF	1260	0	1265	22	0
2	BH	1260	0	1265	25	0
2	BJ	1260	0	1265	32	0
2	BL	1260	0	1265	29	0
2	BN	1260	0	1265	23	0
2	BP	1260	0	1265	27	0
2	BR	1260	0	1265	27	0
2	BT	1260	0	1265	25	0
2	BV	1260	0	1265	17	1
2	CB	1260	0	1265	32	0
2	CD	1260	0	1265	48	0
2	CF	1260	0	1265	21	0
2	CH	1260	0	1265	29	0
2	CJ	1260	0	1265	24	0
2	CL	1260	0	1265	29	1
2	CN	1260	0	1265	28	0
2	CP	1260	0	1265	29	0
2	CR	1260	0	1265	41	0
2	CT	1260	0	1265	28	0
2	CV	1260	0	1265	18	0
2	DB	1260	0	1265	19	0
2	DD	1260	0	1265	22	0
2	DF	1260	0	1265	53	0
2	DH	1260	0	1265	28	0
2	DJ	1260	0	1265	28	0
2	DL	1260	0	1265	38	0
2	DN	1260	0	1265	24	0
2	DP	1260	0	1265	22	0
2	DR	1260	0	1265	22	0
2	DT	1260	0	1265	33	1
2	DV	1260	0	1265	25	2
All	All	127116	0	125532	1896	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 1896 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:AL:5:VAL:HG22	2:AN:131:GLN:HG2	1.03	1.03
2:AL:5:VAL:HG22	2:AN:131:GLN:CG	1.91	0.99
2:AL:5:VAL:CG2	2:AN:131:GLN:HG2	1.91	0.99
1:CE:32:SER:HG	1:CE:38:HIS:HD1	0.99	0.98
2:CJ:5:VAL:HG22	2:CL:131:GLN:HG2	1.45	0.97

The worst 5 of 7 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AC:124:CYS:O	2:AV:145:TYR:OH[2_545]	1.99	0.21
1:DA:124:CYS:O	2:DT:145:TYR:OH[2_646]	2.04	0.16
2:BD:142:ASN:OD1	1:DQ:76:ASN:ND2[1_554]	2.06	0.14
1:CU:74:GLU:O	2:DV:141:ARG:NH2[2_646]	2.09	0.11
1:BM:76:ASN:OD1	2:CL:50:HIS:NE2[1_554]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AA	221/223 (99%)	215 (97%)	6 (3%)	0	100	100
1	AC	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	AE	221/223 (99%)	215 (97%)	6 (3%)	0	100	100
1	AG	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	AI	221/223 (99%)	218 (99%)	3 (1%)	0	100	100
1	AK	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	AM	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	AO	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	AQ	221/223 (99%)	215 (97%)	6 (3%)	0	100	100
1	AS	221/223 (99%)	215 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AU	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	BA	221/223 (99%)	214 (97%)	7 (3%)	0	100	100
1	BC	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	BE	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	BG	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	BI	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	BK	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	BM	221/223 (99%)	215 (97%)	6 (3%)	0	100	100
1	BO	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	BQ	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	BS	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	BU	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	CA	221/223 (99%)	215 (97%)	6 (3%)	0	100	100
1	CC	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	CE	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	CG	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	CI	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	CK	221/223 (99%)	218 (99%)	3 (1%)	0	100	100
1	CM	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	CO	221/223 (99%)	215 (97%)	5 (2%)	1 (0%)	29	66
1	CQ	221/223 (99%)	214 (97%)	7 (3%)	0	100	100
1	CS	221/223 (99%)	215 (97%)	6 (3%)	0	100	100
1	CU	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	DA	221/223 (99%)	214 (97%)	7 (3%)	0	100	100
1	DC	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	DE	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	DG	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	DI	221/223 (99%)	215 (97%)	6 (3%)	0	100	100
1	DK	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	DM	221/223 (99%)	216 (98%)	5 (2%)	0	100	100
1	DO	221/223 (99%)	215 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	DQ	221/223 (99%)	214 (97%)	5 (2%)	2 (1%)	17	54
1	DS	221/223 (99%)	217 (98%)	4 (2%)	0	100	100
1	DU	221/223 (99%)	215 (97%)	6 (3%)	0	100	100
2	AB	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	AD	161/163 (99%)	152 (94%)	9 (6%)	0	100	100
2	AF	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	AH	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	AJ	161/163 (99%)	152 (94%)	9 (6%)	0	100	100
2	AL	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	AN	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	AP	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	AR	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	AT	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	AV	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	BB	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	BD	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	BF	161/163 (99%)	150 (93%)	10 (6%)	1 (1%)	25	63
2	BH	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	BJ	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	BL	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	BN	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	BP	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	BR	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	BT	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	BV	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	CB	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	CD	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	CF	161/163 (99%)	150 (93%)	10 (6%)	1 (1%)	25	63
2	CH	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	CJ	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	CL	161/163 (99%)	152 (94%)	9 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	CN	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	CP	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	CR	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	CT	161/163 (99%)	152 (94%)	9 (6%)	0	100	100
2	CV	161/163 (99%)	152 (94%)	9 (6%)	0	100	100
2	DB	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	DD	161/163 (99%)	152 (94%)	9 (6%)	0	100	100
2	DF	161/163 (99%)	152 (94%)	9 (6%)	0	100	100
2	DH	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	DJ	161/163 (99%)	152 (94%)	9 (6%)	0	100	100
2	DL	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	DN	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
2	DP	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	DR	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	DT	161/163 (99%)	153 (95%)	8 (5%)	0	100	100
2	DV	161/163 (99%)	154 (96%)	7 (4%)	0	100	100
All	All	16808/16984 (99%)	16235 (97%)	568 (3%)	5 (0%)	100	100

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	BF	107	SER
2	CF	107	SER
1	CO	22	CYS
1	DQ	113	SER
1	DQ	112	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AA	184/184 (100%)	184 (100%)	0	100	100
1	AC	184/184 (100%)	184 (100%)	0	100	100
1	AE	184/184 (100%)	184 (100%)	0	100	100
1	AG	184/184 (100%)	184 (100%)	0	100	100
1	AI	184/184 (100%)	184 (100%)	0	100	100
1	AK	184/184 (100%)	183 (100%)	1 (0%)	88	93
1	AM	184/184 (100%)	184 (100%)	0	100	100
1	AO	184/184 (100%)	183 (100%)	1 (0%)	88	93
1	AQ	184/184 (100%)	184 (100%)	0	100	100
1	AS	184/184 (100%)	184 (100%)	0	100	100
1	AU	184/184 (100%)	184 (100%)	0	100	100
1	BA	184/184 (100%)	184 (100%)	0	100	100
1	BC	184/184 (100%)	184 (100%)	0	100	100
1	BE	184/184 (100%)	184 (100%)	0	100	100
1	BG	184/184 (100%)	184 (100%)	0	100	100
1	BI	184/184 (100%)	183 (100%)	1 (0%)	88	93
1	BK	184/184 (100%)	184 (100%)	0	100	100
1	BM	184/184 (100%)	183 (100%)	1 (0%)	88	93
1	BO	184/184 (100%)	184 (100%)	0	100	100
1	BQ	184/184 (100%)	184 (100%)	0	100	100
1	BS	184/184 (100%)	184 (100%)	0	100	100
1	BU	184/184 (100%)	184 (100%)	0	100	100
1	CA	184/184 (100%)	184 (100%)	0	100	100
1	CC	184/184 (100%)	184 (100%)	0	100	100
1	CE	184/184 (100%)	184 (100%)	0	100	100
1	CG	184/184 (100%)	183 (100%)	1 (0%)	88	93
1	CI	184/184 (100%)	184 (100%)	0	100	100
1	CK	184/184 (100%)	183 (100%)	1 (0%)	88	93
1	CM	184/184 (100%)	184 (100%)	0	100	100
1	CO	184/184 (100%)	184 (100%)	0	100	100
1	CQ	184/184 (100%)	183 (100%)	1 (0%)	88	93
1	CS	184/184 (100%)	184 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	CU	184/184 (100%)	184 (100%)	0	100	100
1	DA	184/184 (100%)	184 (100%)	0	100	100
1	DC	184/184 (100%)	184 (100%)	0	100	100
1	DE	184/184 (100%)	184 (100%)	0	100	100
1	DG	184/184 (100%)	184 (100%)	0	100	100
1	DI	184/184 (100%)	184 (100%)	0	100	100
1	DK	184/184 (100%)	184 (100%)	0	100	100
1	DM	184/184 (100%)	184 (100%)	0	100	100
1	DO	184/184 (100%)	183 (100%)	1 (0%)	88	93
1	DQ	184/184 (100%)	184 (100%)	0	100	100
1	DS	184/184 (100%)	184 (100%)	0	100	100
1	DU	184/184 (100%)	183 (100%)	1 (0%)	88	93
2	AB	137/137 (100%)	137 (100%)	0	100	100
2	AD	137/137 (100%)	137 (100%)	0	100	100
2	AF	137/137 (100%)	137 (100%)	0	100	100
2	AH	137/137 (100%)	137 (100%)	0	100	100
2	AJ	137/137 (100%)	137 (100%)	0	100	100
2	AL	137/137 (100%)	137 (100%)	0	100	100
2	AN	137/137 (100%)	137 (100%)	0	100	100
2	AP	137/137 (100%)	137 (100%)	0	100	100
2	AR	137/137 (100%)	136 (99%)	1 (1%)	84	90
2	AT	137/137 (100%)	137 (100%)	0	100	100
2	AV	137/137 (100%)	137 (100%)	0	100	100
2	BB	137/137 (100%)	137 (100%)	0	100	100
2	BD	137/137 (100%)	137 (100%)	0	100	100
2	BF	137/137 (100%)	137 (100%)	0	100	100
2	BH	137/137 (100%)	137 (100%)	0	100	100
2	BJ	137/137 (100%)	137 (100%)	0	100	100
2	BL	137/137 (100%)	136 (99%)	1 (1%)	84	90
2	BN	137/137 (100%)	137 (100%)	0	100	100
2	BP	137/137 (100%)	136 (99%)	1 (1%)	84	90

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	BR	137/137 (100%)	136 (99%)	1 (1%)	84	90
2	BT	137/137 (100%)	137 (100%)	0	100	100
2	BV	137/137 (100%)	137 (100%)	0	100	100
2	CB	137/137 (100%)	137 (100%)	0	100	100
2	CD	137/137 (100%)	137 (100%)	0	100	100
2	CF	137/137 (100%)	136 (99%)	1 (1%)	84	90
2	CH	137/137 (100%)	137 (100%)	0	100	100
2	CJ	137/137 (100%)	137 (100%)	0	100	100
2	CL	137/137 (100%)	136 (99%)	1 (1%)	84	90
2	CN	137/137 (100%)	137 (100%)	0	100	100
2	CP	137/137 (100%)	137 (100%)	0	100	100
2	CR	137/137 (100%)	136 (99%)	1 (1%)	84	90
2	CT	137/137 (100%)	137 (100%)	0	100	100
2	CV	137/137 (100%)	136 (99%)	1 (1%)	84	90
2	DB	137/137 (100%)	136 (99%)	1 (1%)	84	90
2	DD	137/137 (100%)	137 (100%)	0	100	100
2	DF	137/137 (100%)	137 (100%)	0	100	100
2	DH	137/137 (100%)	137 (100%)	0	100	100
2	DJ	137/137 (100%)	136 (99%)	1 (1%)	84	90
2	DL	137/137 (100%)	137 (100%)	0	100	100
2	DN	137/137 (100%)	137 (100%)	0	100	100
2	DP	137/137 (100%)	137 (100%)	0	100	100
2	DR	137/137 (100%)	137 (100%)	0	100	100
2	DT	137/137 (100%)	134 (98%)	3 (2%)	52	71
2	DV	137/137 (100%)	137 (100%)	0	100	100
All	All	14124/14124 (100%)	14102 (100%)	22 (0%)	93	96

5 of 22 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	CV	52	ARG
1	DO	130	GLN
2	DJ	52	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	DT	50	HIS
2	BP	131	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 30 such sidechains are listed below:

Mol	Chain	Res	Type
1	CC	94	ASN
1	DQ	78	GLN
1	CI	94	ASN
1	DU	94	ASN
2	DF	50	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	AA	223/223 (100%)	0.27	7 (3%) 49 38	49, 69, 94, 105	0
1	AC	223/223 (100%)	0.68	27 (12%) 4 5	63, 107, 139, 151	0
1	AE	223/223 (100%)	0.40	13 (5%) 23 19	39, 63, 90, 105	0
1	AG	223/223 (100%)	0.19	9 (4%) 38 31	31, 59, 92, 116	0
1	AI	223/223 (100%)	0.44	17 (7%) 13 11	53, 92, 130, 145	0
1	AK	223/223 (100%)	-0.19	1 (0%) 92 87	21, 34, 52, 67	0
1	AM	223/223 (100%)	0.20	7 (3%) 49 38	40, 58, 77, 89	0
1	AO	223/223 (100%)	0.36	15 (6%) 17 14	61, 78, 98, 111	0
1	AQ	223/223 (100%)	0.27	7 (3%) 49 38	43, 72, 94, 105	0
1	AS	223/223 (100%)	0.23	8 (3%) 42 34	51, 67, 87, 98	0
1	AU	223/223 (100%)	0.96	44 (19%) 1 1	82, 115, 141, 149	0
1	BA	223/223 (100%)	0.41	8 (3%) 42 34	68, 85, 101, 114	0
1	BC	223/223 (100%)	1.08	47 (21%) 1 1	87, 114, 141, 160	0
1	BE	223/223 (100%)	0.53	19 (8%) 10 9	55, 82, 109, 121	0
1	BG	223/223 (100%)	-0.13	4 (1%) 68 59	26, 39, 57, 67	0
1	BI	223/223 (100%)	0.55	13 (5%) 23 19	47, 73, 100, 112	0
1	BK	223/223 (100%)	0.36	13 (5%) 23 19	46, 83, 119, 141	0
1	BM	223/223 (100%)	0.22	10 (4%) 33 27	44, 60, 74, 81	0
1	BO	223/223 (100%)	-0.11	0 100 100	33, 47, 60, 67	0
1	BQ	223/223 (100%)	0.40	11 (4%) 29 25	49, 68, 90, 101	0
1	BS	223/223 (100%)	0.90	41 (18%) 1 1	70, 112, 151, 166	0
1	BU	223/223 (100%)	0.40	15 (6%) 17 14	68, 91, 121, 125	0
1	CA	223/223 (100%)	0.66	30 (13%) 3 3	47, 104, 149, 165	0
1	CC	223/223 (100%)	0.76	34 (15%) 2 2	55, 89, 113, 129	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	CE	223/223 (100%)	0.22	8 (3%) 42 34	21, 61, 87, 92	0
1	CG	223/223 (100%)	0.07	5 (2%) 62 52	29, 61, 97, 110	0
1	CI	223/223 (100%)	0.04	5 (2%) 62 52	23, 39, 61, 75	0
1	CK	223/223 (100%)	0.03	5 (2%) 62 52	20, 50, 85, 108	0
1	CM	223/223 (100%)	0.44	13 (5%) 23 19	57, 75, 101, 117	0
1	CO	223/223 (100%)	0.64	28 (12%) 3 5	60, 96, 135, 155	0
1	CQ	223/223 (100%)	0.17	8 (3%) 42 34	42, 65, 88, 94	0
1	CS	223/223 (100%)	0.83	39 (17%) 1 2	63, 94, 126, 137	0
1	CU	223/223 (100%)	0.72	22 (9%) 7 7	80, 119, 151, 166	0
1	DA	223/223 (100%)	0.55	29 (13%) 3 4	49, 81, 120, 136	0
1	DC	223/223 (100%)	0.13	3 (1%) 77 68	44, 66, 96, 111	0
1	DE	223/223 (100%)	1.06	45 (20%) 1 1	77, 99, 119, 130	0
1	DG	223/223 (100%)	0.18	7 (3%) 49 38	39, 56, 78, 92	0
1	DI	223/223 (100%)	0.31	5 (2%) 62 52	42, 82, 109, 122	0
1	DK	223/223 (100%)	0.00	5 (2%) 62 52	28, 41, 55, 66	0
1	DM	223/223 (100%)	0.14	3 (1%) 77 68	29, 61, 83, 92	0
1	DO	223/223 (100%)	0.02	2 (0%) 84 77	25, 46, 66, 82	0
1	DQ	223/223 (100%)	0.17	15 (6%) 17 14	43, 73, 101, 118	0
1	DS	223/223 (100%)	0.10	4 (1%) 68 59	25, 51, 81, 96	0
1	DU	223/223 (100%)	0.73	24 (10%) 5 5	66, 95, 125, 141	0
2	AB	163/163 (100%)	0.27	7 (4%) 35 29	42, 72, 110, 134	0
2	AD	163/163 (100%)	0.15	6 (3%) 41 32	39, 64, 87, 114	0
2	AF	163/163 (100%)	-0.08	1 (0%) 89 84	22, 42, 67, 91	0
2	AH	163/163 (100%)	-0.13	2 (1%) 79 70	24, 39, 66, 82	0
2	AJ	163/163 (100%)	-0.16	0 100 100	31, 46, 81, 111	0
2	AL	163/163 (100%)	-0.03	2 (1%) 79 70	20, 45, 94, 112	0
2	AN	163/163 (100%)	-0.17	2 (1%) 79 70	32, 44, 70, 95	0
2	AP	163/163 (100%)	0.19	5 (3%) 49 38	52, 65, 98, 122	0
2	AR	163/163 (100%)	0.41	11 (6%) 17 14	47, 75, 118, 142	0
2	AT	163/163 (100%)	-0.08	2 (1%) 79 70	39, 56, 80, 99	0
2	AV	163/163 (100%)	0.40	9 (5%) 25 22	64, 87, 128, 146	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
2	BB	163/163 (100%)	0.01	2 (1%) 79 70	45, 67, 90, 116	0
2	BD	163/163 (100%)	0.29	7 (4%) 35 29	56, 80, 110, 136	0
2	BF	163/163 (100%)	0.69	19 (11%) 4 5	56, 93, 145, 157	0
2	BH	163/163 (100%)	0.04	5 (3%) 49 38	28, 55, 94, 135	0
2	BJ	163/163 (100%)	-0.17	2 (1%) 79 70	28, 40, 63, 87	0
2	BL	163/163 (100%)	-0.05	1 (0%) 89 84	42, 59, 89, 110	0
2	BN	163/163 (100%)	-0.01	2 (1%) 79 70	37, 53, 81, 104	0
2	BP	163/163 (100%)	0.12	7 (4%) 35 29	34, 51, 82, 90	0
2	BR	163/163 (100%)	-0.19	2 (1%) 79 70	37, 52, 86, 101	0
2	BT	163/163 (100%)	0.31	3 (1%) 68 59	57, 85, 115, 129	0
2	BV	163/163 (100%)	0.62	16 (9%) 7 7	58, 97, 145, 164	0
2	CB	163/163 (100%)	0.37	10 (6%) 21 17	62, 97, 142, 165	0
2	CD	163/163 (100%)	0.58	14 (8%) 10 9	43, 91, 161, 187	0
2	CF	163/163 (100%)	0.08	6 (3%) 41 32	31, 59, 105, 118	0
2	CH	163/163 (100%)	-0.25	0 100 100	17, 32, 66, 94	0
2	CJ	163/163 (100%)	-0.20	4 (2%) 57 47	16, 36, 80, 107	0
2	CL	163/163 (100%)	-0.19	3 (1%) 68 59	16, 33, 66, 81	0
2	CN	163/163 (100%)	0.04	0 100 100	46, 60, 77, 93	0
2	CP	163/163 (100%)	0.68	17 (10%) 6 6	71, 109, 152, 162	0
2	CR	163/163 (100%)	0.11	2 (1%) 79 70	39, 78, 120, 138	0
2	CT	163/163 (100%)	0.05	3 (1%) 68 59	32, 57, 94, 121	0
2	CV	163/163 (100%)	0.44	12 (7%) 14 12	51, 87, 130, 144	0
2	DB	163/163 (100%)	0.51	11 (6%) 17 14	53, 87, 138, 157	0
2	DD	163/163 (100%)	0.07	2 (1%) 79 70	40, 62, 99, 118	0
2	DF	163/163 (100%)	0.32	7 (4%) 35 29	66, 88, 130, 147	0
2	DH	163/163 (100%)	0.02	2 (1%) 79 70	37, 52, 85, 112	0
2	DJ	163/163 (100%)	0.04	5 (3%) 49 38	33, 52, 92, 109	0
2	DL	163/163 (100%)	-0.12	5 (3%) 49 38	17, 37, 72, 93	0
2	DN	163/163 (100%)	-0.24	1 (0%) 89 84	20, 41, 83, 107	0
2	DP	163/163 (100%)	-0.13	2 (1%) 79 70	25, 39, 65, 88	0
2	DR	163/163 (100%)	0.13	4 (2%) 57 47	27, 55, 94, 109	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
2	DT	163/163 (100%)	-0.01	7 (4%) 35 29	33, 53, 88, 107	0
2	DV	163/163 (100%)	0.15	6 (3%) 41 32	41, 64, 106, 131	0
All	All	16984/16984 (100%)	0.26	911 (5%) 25 22	16, 68, 123, 187	0

The worst 5 of 911 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	AM	25	ASN	6.8
1	CO	76	ASN	6.4
1	CS	135	GLY	6.3
1	BC	25	ASN	6.2
1	DE	134	SER	6.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.