



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 14, 2023 – 06:00 PM EDT

PDB ID : 8DX3
Title : HIV-1 reverse transcriptase/rilpivirine with bound fragment 3-bromobenzylamine in the thumb subdomain
Authors : Chopra, A.; Ruiz, F.X.; Bauman, J.D.; Arnold, E.
Deposited on : 2022-08-02
Resolution : 2.06 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2684 (2.08-2.04)
Clashscore	141614	2801 (2.08-2.04)
Ramachandran outliers	138981	2768 (2.08-2.04)
Sidechain outliers	138945	2768 (2.08-2.04)
RSRZ outliers	127900	2646 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	557	
2	B	428	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	DMS	A	704	-	-	X	-
5	DMS	B	502	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 8448 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reverse transcriptase/ribonuclease H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	556	4530	2932	754	836	8	0	2	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	expression tag	UNP P03366
A	0	VAL	-	expression tag	UNP P03366
A	172	ALA	LYS	engineered mutation	UNP P03366
A	173	ALA	LYS	engineered mutation	UNP P03366
A	280	SER	CYS	engineered mutation	UNP P03366


- Molecule 2 is a protein called p51 RT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	415	3460	2260	571	622	7	0	4	0

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	280	SER	CYS	engineered mutation	UNP P03366

- Molecule 3 is 1-(3-bromophenyl)methanamine (three-letter code: 4JH) (formula: C₇H₈BrN) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	Br	C	N		
3	A	1	9	1	7	1	0	0

- Molecule 4 is 4-{{4-{{4-[(E)-2-cyanoethenyl]-2,6-dimethylphenyl}amino)pyrimidin-2-yl]amino}benzotrile (three-letter code: T27) (formula: $C_{22}H_{18}N_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	N		
4	A	1	28	22	6	0	0

- Molecule 5 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		
5	B	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0

- Molecule 7 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Mg 1 1	0	0

- Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total O S 5 4 1	0	0
8	A	1	Total O S 5 4 1	0	0
8	B	1	Total O S 5 4 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	206	Total O 206 206	0	0
9	B	151	Total O 151 151	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Reverse transcriptase/ribonuclease H



- Molecule 2: p51 RT



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	161.98Å 72.99Å 109.36Å 90.00° 100.01° 90.00°	Depositor
Resolution (Å)	42.98 – 2.06 43.38 – 2.06	Depositor EDS
% Data completeness (in resolution range)	95.2 (42.98-2.06) 86.6 (43.38-2.06)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 2.05Å)	Xtrriage
Refinement program	PHENIX dev_3051	Depositor
R, R_{free}	0.196 , 0.228 0.196 , 0.229	Depositor DCC
R_{free} test set	1904 reflections (2.63%)	wwPDB-VP
Wilson B-factor (Å ²)	32.1	Xtrriage
Anisotropy	0.141	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 44.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8448	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, DMS, T27, MG, 4JH, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/4654	0.57	0/6325
2	B	0.41	0/3572	0.58	0/4855
All	All	0.43	0/8226	0.58	0/11180

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4530	0	4593	52	0
2	B	3460	0	3489	45	0
3	A	9	0	8	0	0
4	A	28	0	18	1	0
5	A	20	0	30	11	0
5	B	16	0	24	3	0
6	A	4	0	6	1	0
6	B	8	0	12	1	0
7	A	1	0	0	0	0
8	A	10	0	0	0	0
8	B	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	A	206	0	0	7	0
9	B	151	0	0	6	0
All	All	8448	0	8180	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:426:TRP:H	5:A:704:DMS:H22	1.46	0.79
2:B:356:ARG:HE	2:B:374:LYS:HZ2	1.38	0.70
2:B:356:ARG:HH12	2:B:358:ARG:HB3	1.58	0.69
2:B:22:LYS:HE3	2:B:23:GLN:O	1.93	0.69
1:A:114:ALA:HA	1:A:214:LEU:HD22	1.76	0.68
1:A:72:ARG:NH1	1:A:73:LYS:H	1.91	0.68
1:A:301:LEU:O	1:A:305:GLU:HG3	1.94	0.67
1:A:536:VAL:HB	1:A:542:ILE:HD13	1.78	0.65
2:B:163:SER:O	2:B:167:ILE:HG13	1.97	0.65
2:B:298:GLU:OE1	2:B:298:GLU:N	2.21	0.64
1:A:281:LYS:O	1:A:284:ARG:HG3	1.98	0.64
1:A:406:TRP:HA	6:B:506:EDO:H22	1.81	0.63
2:B:323:LYS:NZ	2:B:344:GLU:OE2	2.21	0.62
2:B:191:SER:HB2	2:B:193:LEU:HD13	1.80	0.62
1:A:330:GLN:HG3	9:A:814:HOH:O	1.99	0.61
2:B:356:ARG:HE	2:B:374:LYS:NZ	1.99	0.61
1:A:426:TRP:H	5:A:704:DMS:C2	2.14	0.60
1:A:37:ILE:HD13	1:A:72:ARG:NH1	2.16	0.60
2:B:30:LYS:NZ	9:B:603:HOH:O	2.34	0.59
1:A:312:GLU:N	1:A:312:GLU:OE1	2.35	0.58
1:A:37:ILE:HG21	1:A:72:ARG:HH12	1.69	0.58
1:A:219:LYS:NZ	9:A:805:HOH:O	2.36	0.57
2:B:65:LYS:HD2	2:B:72:ARG:HD2	1.86	0.57
2:B:263:LYS:HE3	9:B:657:HOH:O	2.05	0.57
2:B:88:TRP:HA	2:B:91:GLN:O	2.05	0.56
2:B:356:ARG:HG2	2:B:356:ARG:O	2.05	0.55
2:B:86:ASP:HB3	2:B:88:TRP:CZ2	2.43	0.54
1:A:545:ASN:ND2	9:A:802:HOH:O	2.24	0.54
1:A:151:GLN:H	5:A:706:DMS:C2	2.21	0.53
1:A:317:VAL:HG23	1:A:349:LEU:HD23	1.89	0.53
1:A:249:LYS:NZ	1:A:256:ASP:OD2	2.41	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:543:GLY:HA3	2:B:283:LEU:O	2.09	0.53
5:A:704:DMS:H21	9:A:917:HOH:O	2.08	0.53
1:A:396:GLU:HG3	9:A:954:HOH:O	2.09	0.53
1:A:450:THR:HG23	1:A:452:LEU:H	1.74	0.53
2:B:240:THR:HG23	9:B:642:HOH:O	2.08	0.52
2:B:86:ASP:HB3	2:B:88:TRP:CE2	2.44	0.52
2:B:278:GLN:HA	2:B:281:LYS:HD3	1.92	0.52
2:B:191:SER:OG	2:B:198:HIS:ND1	2.41	0.51
2:B:94:ILE:HD11	9:B:661:HOH:O	2.11	0.51
1:A:446:ALA:H	1:A:474:ASN:ND2	2.09	0.51
4:A:702:T27:N3	4:A:702:T27:H17	2.27	0.50
1:A:126:LYS:HE3	1:A:127:TYR:CZ	2.47	0.49
2:B:61:PHE:CZ	2:B:74:LEU:HD23	2.48	0.48
2:B:193:LEU:HB3	2:B:197:GLN:HB2	1.96	0.48
2:B:287:LYS:HD3	2:B:293:ILE:HD11	1.95	0.48
1:A:49:LYS:HG2	1:A:144:TYR:CE1	2.49	0.48
1:A:354:TYR:HD1	1:A:374:LYS:HD2	1.79	0.48
2:B:197:GLN:O	2:B:201:LYS:HG2	2.14	0.48
2:B:425:LEU:O	2:B:428:GLN:HG2	2.14	0.48
2:B:206:ARG:O	2:B:210:LEU:HD22	2.14	0.47
1:A:221:HIS:HD2	1:A:223:LYS:H	1.60	0.47
1:A:474:ASN:H	5:A:707:DMS:H22	1.79	0.47
2:B:336:GLN:HG2	2:B:355:ALA:HB2	1.97	0.47
1:A:53:GLU:H	1:A:53:GLU:CD	2.18	0.46
5:A:705:DMS:H22	9:A:990:HOH:O	2.16	0.46
2:B:283:LEU:O	2:B:284:ARG:C	2.53	0.46
1:A:417:VAL:HG22	1:A:419:THR:HG23	1.98	0.46
1:A:115:TYR:HA	1:A:160:PHE:CE1	2.51	0.46
2:B:22:LYS:HD2	9:B:704:HOH:O	2.16	0.45
2:B:166:LYS:O	2:B:166:LYS:HD3	2.17	0.45
1:A:254:VAL:HG23	1:A:293:ILE:HD11	1.98	0.45
2:B:263:LYS:CE	9:B:657:HOH:O	2.64	0.45
2:B:422:LEU:O	2:B:425:LEU:HD13	2.16	0.45
1:A:428:GLN:HG2	9:A:801:HOH:O	2.18	0.44
1:A:249:LYS:HB3	1:A:249:LYS:HE2	1.78	0.44
1:A:254:VAL:CG2	1:A:293:ILE:HD11	2.48	0.44
1:A:363:ASN:HA	1:A:511:ASP:OD1	2.18	0.44
1:A:166:LYS:NZ	6:A:708:EDO:O2	2.50	0.44
1:A:426:TRP:HB3	1:A:526:ILE:HG12	2.00	0.44
1:A:226:PRO:HB3	1:A:235:HIS:CE1	2.52	0.44
1:A:195:ILE:HD12	1:A:195:ILE:HA	1.77	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:473:THR:HB	5:A:707:DMS:H21	1.99	0.43
1:A:210:LEU:HD23	1:A:210:LEU:HA	1.87	0.43
1:A:198:HIS:O	1:A:202:ILE:HG12	2.18	0.43
2:B:235:HIS:H	5:B:502:DMS:C2	2.31	0.43
1:A:72:ARG:HH11	1:A:73:LYS:H	1.65	0.43
2:B:103:LYS:HG3	2:B:190:GLY:C	2.38	0.43
2:B:239:TRP:HE1	5:B:502:DMS:C2	2.31	0.43
1:A:38:CYS:SG	1:A:132:ILE:HD11	2.59	0.42
2:B:172:LYS:HD3	2:B:180:ILE:HD12	2.01	0.42
1:A:181:TYR:CE2	1:A:183:TYR:HB2	2.53	0.42
1:A:512:LYS:HB2	1:A:512:LYS:HE2	1.75	0.42
2:B:356:ARG:NH1	2:B:358:ARG:HB3	2.30	0.42
1:A:151:GLN:H	5:A:706:DMS:H22	1.84	0.42
2:B:307:ARG:O	2:B:311:LYS:HG3	2.20	0.42
1:A:474:ASN:H	5:A:707:DMS:C2	2.32	0.42
2:B:274:ILE:C	2:B:275:LYS:HD2	2.41	0.41
2:B:283:LEU:HD23	2:B:283:LEU:HA	1.88	0.41
2:B:88:TRP:HB3	2:B:92:LEU:HA	2.01	0.41
2:B:335:GLY:O	2:B:355:ALA:HA	2.20	0.41
1:A:293:ILE:HD12	1:A:293:ILE:N	2.35	0.41
2:B:103:LYS:HA	2:B:103:LYS:HD3	1.64	0.41
2:B:289:LEU:HD23	2:B:289:LEU:HA	1.86	0.41
2:B:66:LYS:O	2:B:67:ASP:HB2	2.22	0.41
1:A:363:ASN:ND2	1:A:366:LYS:HE3	2.36	0.40
1:A:19:PRO:HG3	1:A:80:LEU:HB2	2.03	0.40
1:A:151:GLN:H	5:A:706:DMS:H21	1.87	0.40
1:A:425:LEU:HA	5:A:704:DMS:H22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	556/557 (100%)	544 (98%)	11 (2%)	1 (0%)	47	39
2	B	415/428 (97%)	398 (96%)	15 (4%)	2 (0%)	29	19
All	All	971/985 (99%)	942 (97%)	26 (3%)	3 (0%)	41	32

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	67	ASP
2	B	85	GLN
1	A	219	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	497/495 (100%)	491 (99%)	6 (1%)	71	69
2	B	380/390 (97%)	372 (98%)	8 (2%)	53	48
All	All	877/885 (99%)	863 (98%)	14 (2%)	62	59

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	259	LYS
1	A	284	ARG
1	A	424	LYS
1	A	428	GLN
1	A	471	ASN
1	A	487	GLN
2	B	6	GLU
2	B	103	LYS
2	B	104	LYS
2	B	275	LYS
2	B	356	ARG
2	B	358	ARG
2	B	388	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	424	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	151	GLN
1	A	182	GLN
1	A	487	GLN
1	A	509	GLN
2	B	336	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 1 is monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	A	705	-	3,3,3	2.79	1 (33%)	3,3,3	0.79	0
5	DMS	A	706	-	3,3,3	2.73	1 (33%)	3,3,3	0.70	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	B	504	-	3,3,3	2.68	1 (33%)	3,3,3	0.78	0
5	DMS	A	704	-	3,3,3	2.62	1 (33%)	3,3,3	0.37	0
5	DMS	A	703	-	3,3,3	2.69	1 (33%)	3,3,3	0.72	0
6	EDO	A	708	-	3,3,3	0.49	0	2,2,2	0.44	0
6	EDO	B	505	-	3,3,3	0.43	0	2,2,2	0.28	0
8	SO4	B	507	-	4,4,4	0.56	0	6,6,6	0.10	0
5	DMS	B	503	-	3,3,3	2.67	1 (33%)	3,3,3	0.63	0
4	T27	A	702	-	30,30,30	1.03	3 (10%)	39,40,40	1.83	6 (15%)
5	DMS	B	501	-	3,3,3	0.12	0	3,3,3	0.13	0
6	EDO	B	506	-	3,3,3	0.19	0	2,2,2	0.27	0
8	SO4	A	711	-	4,4,4	0.48	0	6,6,6	0.08	0
5	DMS	B	502	-	3,3,3	2.66	1 (33%)	3,3,3	0.48	0
5	DMS	A	707	-	3,3,3	2.73	1 (33%)	3,3,3	0.72	0
3	4JH	A	701	-	9,9,9	0.18	0	11,11,11	0.26	0
8	SO4	A	710	-	4,4,4	0.49	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	708	-	-	1/1/1/1	-
6	EDO	B	505	-	-	0/1/1/1	-
4	T27	A	702	-	-	0/13/14/14	0/3/3/3
6	EDO	B	506	-	-	1/1/1/1	-
3	4JH	A	701	-	-	0/2/2/2	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	705	DMS	O-S	4.67	1.81	1.50
5	A	706	DMS	O-S	4.58	1.81	1.50
5	A	707	DMS	O-S	4.57	1.81	1.50
5	A	703	DMS	O-S	4.50	1.80	1.50
5	B	502	DMS	O-S	4.49	1.80	1.50
5	B	504	DMS	O-S	4.47	1.80	1.50
5	A	704	DMS	O-S	4.46	1.80	1.50
5	B	503	DMS	O-S	4.46	1.80	1.50
4	A	702	T27	C12-N4	3.31	1.43	1.36
4	A	702	T27	C13-C19	2.26	1.49	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	702	T27	C11-N1	2.07	1.42	1.38

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	702	T27	C9-N2-C12	5.17	120.04	115.45
4	A	702	T27	C9-C10-C11	4.77	119.88	116.76
4	A	702	T27	C10-C9-N2	-4.64	118.19	123.96
4	A	702	T27	N2-C12-N3	-3.43	123.30	126.55
4	A	702	T27	C10-C11-N3	-2.36	119.18	123.16
4	A	702	T27	C6-N1-C11	-2.23	120.14	124.18

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	708	EDO	O1-C1-C2-O2
6	B	506	EDO	O1-C1-C2-O2


There are no ring outliers.

9 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	705	DMS	1	0
5	A	706	DMS	3	0
5	B	504	DMS	1	0
5	A	704	DMS	4	0
6	A	708	EDO	1	0
4	A	702	T27	1	0
6	B	506	EDO	1	0
5	B	502	DMS	2	0
5	A	707	DMS	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	556/557 (99%)	0.40	56 (10%) 7 7	23, 46, 120, 201	0
2	B	415/428 (96%)	0.75	55 (13%) 3 2	26, 47, 124, 225	0
All	All	971/985 (98%)	0.55	111 (11%) 5 5	23, 46, 124, 225	0

All (111) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	92	LEU	11.7
1	A	543	GLY	8.6
2	B	214	LEU	8.1
1	A	548	VAL	8.0
1	A	546	GLU	8.0
2	B	284	ARG	7.8
1	A	552	VAL	7.6
2	B	89	GLU	7.4
2	B	90	VAL	7.1
2	B	229	TRP	7.0
1	A	550	LYS	6.9
1	A	553	SER	6.5
1	A	222	GLN	6.5
2	B	238	LYS	6.5
1	A	67	ASP	6.3
2	B	227	PHE	6.0
1	A	66	LYS	5.9
1	A	221	HIS	5.9
1	A	544	GLY	5.8
1	A	69	THR	5.8
2	B	66	LYS	5.7
2	B	240	THR	5.7
1	A	542	ILE	5.5
1	A	549	ASP	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	241	VAL	5.4
1	A	551	LEU	5.3
1	A	117	SER	5.2
2	B	231	GLY	5.2
2	B	91	GLN	5.0
2	B	210	LEU	5.0
1	A	284	ARG	4.9
1	A	68	SER	4.9
1	A	358	ARG	4.9
2	B	5	ILE	4.9
2	B	212	TRP	4.8
2	B	168	LEU	4.7
1	A	114	ALA	4.7
2	B	358	ARG	4.5
2	B	230	MET	4.5
2	B	209	LEU	4.4
1	A	287	LYS	4.3
2	B	170	PRO	4.3
2	B	202	ILE	4.3
2	B	67	ASP	4.1
1	A	92	LEU	4.1
1	A	218	ASP	4.1
1	A	285	GLY	4.1
2	B	232	TYR	4.0
1	A	91[A]	GLN	4.0
2	B	171	PHE	4.0
2	B	206	ARG	4.0
1	A	217	PRO	3.8
2	B	226	PRO	3.8
1	A	65	LYS	3.8
2	B	237	ASP	3.8
2	B	195	ILE	3.8
1	A	220	LYS	3.7
1	A	219	LYS	3.6
1	A	223	LYS	3.6
1	A	286	THR	3.5
1	A	292	VAL	3.5
2	B	359	GLY	3.5
2	B	88	TRP	3.5
2	B	104	LYS	3.4
1	A	541	GLY	3.4
2	B	93	GLY	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	95	PRO	3.3
1	A	70	LYS	3.2
1	A	291	GLU	3.1
2	B	225	PRO	3.1
2	B	198	HIS	3.1
1	A	545	ASN	3.1
2	B	356	ARG	3.1
2	B	200	THR	3.0
1	A	250	ASP	3.0
1	A	301	LEU	2.9
2	B	167	ILE	2.9
1	A	64	LYS	2.9
1	A	115	TYR	2.8
2	B	69	THR	2.7
1	A	116	PHE	2.7
2	B	211	ARG	2.7
1	A	294	PRO	2.7
1	A	554	ALA	2.7
2	B	239	TRP	2.6
2	B	180	ILE	2.6
2	B	194	GLU	2.6
2	B	65	LYS	2.5
2	B	174	GLN	2.5
1	A	293	ILE	2.5
2	B	357	MET	2.4
2	B	94	ILE	2.4
1	A	289	LEU	2.4
2	B	205	LEU	2.4
1	A	282	LEU	2.4
1	A	547	GLN	2.3
2	B	204	GLU	2.3
2	B	233	GLU	2.3
1	A	90	VAL	2.3
2	B	196	GLY	2.3
1	A	298	GLU	2.2
1	A	290	THR	2.2
1	A	74	LEU	2.2
1	A	283	LEU	2.1
1	A	185	ASP	2.1
2	B	224	GLU	2.1
1	A	214	LEU	2.1
1	A	24	TRP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	203	GLU	2.1
1	A	72	ARG	2.1
2	B	169	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MG	A	709	1/1	0.56	0.24	86,86,86,86	0
3	4JH	A	701	9/9	0.74	0.24	52,55,66,113	0
5	DMS	B	502	4/4	0.76	0.48	82,98,98,118	0
8	SO4	A	711	5/5	0.76	0.37	112,113,116,117	0
6	EDO	A	708	4/4	0.78	0.29	47,53,54,57	0
5	DMS	A	706	4/4	0.80	0.21	58,71,73,81	0
5	DMS	A	704	4/4	0.87	0.23	37,44,56,57	0
5	DMS	A	707	4/4	0.87	0.14	53,62,69,78	0
5	DMS	A	703	4/4	0.88	0.15	59,59,59,65	0
6	EDO	B	506	4/4	0.88	0.13	48,53,56,57	0
5	DMS	B	501	4/4	0.91	0.23	47,54,62,70	0
5	DMS	A	705	4/4	0.91	0.17	44,50,51,58	0
8	SO4	B	507	5/5	0.91	0.39	84,89,99,193	0
8	SO4	A	710	5/5	0.92	0.24	86,91,93,93	0
6	EDO	B	505	4/4	0.93	0.16	45,47,48,49	0
5	DMS	B	504	4/4	0.94	0.23	47,59,69,73	0
5	DMS	B	503	4/4	0.97	0.16	37,45,52,53	0
4	T27	A	702	28/28	0.98	0.11	27,31,36,41	0


The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 4JH A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.