



## Full wwPDB EM Validation Report ⓘ

Mar 4, 2024 – 03:40 PM EST

PDB ID : 6DZP  
EMDB ID : EMD-8937  
Title : Cryo-EM Structure of Mycobacterium smegmatis C(minus) 50S ribosomal subunit  
Authors : Sharma, M.R.; Li, Y.; Korripella, R.; Yang, Y.; Kaushal, P.S.; Lin, Q.; Wade, J.T.; Gray, A.G.; Derbyshire, K.M.; Agrawal, R.K.; Ojha, A.  
Deposited on : 2018-07-05  
Resolution : 3.42 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	3119	
2	B	118	
3	C	278	
4	D	217	
5	E	214	
6	F	186	
7	G	179	
8	H	151	


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	175	58% 71% 28%
10	J	142	49% 92% 6%
11	K	146	100%
12	L	122	5% 100%
13	M	147	97% ..
14	N	138	97% ..
15	O	199	59% 41%
16	P	126	98% .
17	Q	113	10% 96% ..
18	R	129	96% .
19	S	102	97% ..
20	T	152	73% 25%
21	U	99	98% .
22	V	105	9% 91% 8%
23	W	215	7% 88% 11%
24	X	88	88% 10%
25	Z	77	82% 17%
26	a	61	97% .
27	b	57	89% 5% 5%
28	c	54	26% 78% 19% ..
29	d	47	96% ..
30	e	64	98% .
31	f	37	100%
32	g	82	24% 70% 9% 22%
33	y	78	10% 82% 14% ..

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
34	3	23	 100%

## 2 Entry composition

There are 34 unique types of molecules in this entry. The entry contains 98097 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	A	3119	66981	29854	12313	21695	3119	0	0

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	B	118	2522	1126	468	810	118	0	0

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	275	2110	1298	438	370	4	0	0

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	214	1587	982	310	290	5	0	0

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	209	1569	969	295	303	2	0	0

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	182	1445	907	271	261	6	0	0

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	176	1348	845	249	253	1	0	0

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	151	1119	695	209	214	1	0	0

- Molecule 9 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	126	918	580	156	180	2	0	0

- Molecule 10 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	133	990	625	175	187	3	0	0

- Molecule 11 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	K	146	1130	722	207	200	1	0	0

- Molecule 12 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	L	122	938	586	179	170	3	0	0

- Molecule 13 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	M	145	1078	676	205	194	3	0	0

- Molecule 14 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	N	136	1092	690	213	187	2	0	0

- Molecule 15 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	O	118	928	583	180	163	2	0	0

- Molecule 16 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
16	P	126	956	586	199	171	0	0

- Molecule 17 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	Q	113	907	570	171	165	1	0	0

- Molecule 18 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
18	R	124	988	613	203	172	0	0

- Molecule 19 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
19	S	100	754	478	137	139	0	0

- Molecule 20 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
20	T	114	873	543	171	159	0	0

- Molecule 21 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
21	U	97	756	479	138	139	0	0

- Molecule 22 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	V	97	732	456	137	137	2	0	0

- Molecule 23 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
23	W	192	1428	881	255	292	0	0

- Molecule 24 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
24	X	79	586	361	123	102	0	0

- Molecule 25 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Z	64	531	324	103	103	1	0	0

- Molecule 26 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
26	a	59	474	292	95	87	0	0

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	b	54	423	260	93	69	1	0	0

- Molecule 28 is a protein called 50S ribosomal protein L33 2.



Mol	Chain	Residues	Atoms				AltConf	Trace
28	c	53	Total	C	N	O	0	0
			456	281	97	78		

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	46	Total	C	N	O	S	0	0
			377	225	97	54	1		

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	e	63	Total	C	N	O	0	0
			502	302	115	85		

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	f	37	Total	C	N	O	S	0	0
			299	181	66	47	5		

- Molecule 32 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	g	64	Total	C	N	O	S	0	0
			494	318	81	94	1		

- Molecule 33 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	y	77	Total	C	N	O	S	0	0
			617	377	132	106	2		


- Molecule 34 is a protein called Uncharacterized protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
34	3	23	Total	C	N	O	0	0
			189	111	50	28		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 23S rRNA









• Molecule 2: 5S rRNA




• Molecule 3: 50S ribosomal protein L2



• Molecule 4: 50S ribosomal protein L3




• Molecule 5: 50S ribosomal protein L4




• Molecule 6: 50S ribosomal protein L5









- Molecule 18: 50S ribosomal protein L20




- Molecule 19: 50S ribosomal protein L21





- Molecule 20: 50S ribosomal protein L22





- Molecule 21: 50S ribosomal protein L23





- Molecule 22: 50S ribosomal protein L24





- Molecule 23: 50S ribosomal protein L25




• Molecule 24: 50S ribosomal protein L27




• Molecule 25: 50S ribosomal protein L29





• Molecule 26: 50S ribosomal protein L30




• Molecule 27: 50S ribosomal protein L32



• Molecule 28: 50S ribosomal protein L33 2



• Molecule 29: 50S ribosomal protein L34



• Molecule 30: 50S ribosomal protein L35









- Molecule 31: 50S ribosomal protein L36



- Molecule 32: 50S ribosomal protein L31



- Molecule 33: 50S ribosomal protein L28



- Molecule 34: Uncharacterized protein



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	66840	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	67	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.300	Depositor
Minimum map value	-0.194	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.033	Depositor
Map size (Å)	485.78003, 485.78003, 485.78003	wwPDB
Map dimensions	454, 454, 454	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.26	90/75001 (0.1%)	1.23	309/117027 (0.3%)
2	B	0.99	0/2821	1.12	5/4396 (0.1%)
3	C	0.77	1/2153 (0.0%)	0.77	3/2895 (0.1%)
4	D	0.80	0/1609	0.79	1/2165 (0.0%)
5	E	0.66	0/1592	0.67	1/2153 (0.0%)
6	F	0.49	0/1467	0.67	0/1973
7	G	0.53	0/1369	0.70	1/1848 (0.1%)
8	H	0.42	0/1129	0.75	0/1524
9	I	0.34	0/925	0.58	0/1246
10	J	0.34	0/1006	0.62	0/1364
11	K	0.71	0/1157	0.65	0/1567
12	L	0.80	0/946	0.74	0/1268
13	M	0.70	0/1091	0.76	0/1457
14	N	0.70	0/1118	0.74	1/1506 (0.1%)
15	O	0.75	0/945	0.73	0/1267
16	P	0.60	0/966	0.74	1/1298 (0.1%)
17	Q	0.80	1/921 (0.1%)	0.73	1/1236 (0.1%)
18	R	0.86	0/1000	0.75	0/1341
19	S	0.69	0/764	0.63	0/1030
20	T	0.76	0/887	0.76	0/1204
21	U	0.68	0/766	0.64	0/1030
22	V	0.55	0/738	0.63	0/987
23	W	0.52	0/1443	0.64	0/1970
24	X	0.80	0/595	0.73	0/798
25	Z	0.60	0/534	0.74	1/713 (0.1%)
26	a	0.70	0/477	0.69	0/640
27	b	0.67	0/427	0.79	1/572 (0.2%)
28	c	0.50	0/463	0.88	1/621 (0.2%)
29	d	0.84	0/380	0.99	2/500 (0.4%)
30	e	0.68	0/507	0.75	0/672
31	f	0.85	0/303	0.71	0/401
32	g	0.43	0/513	0.75	1/707 (0.1%)
33	y	0.53	0/629	0.82	1/843 (0.1%)
34	3	0.72	0/191	0.79	0/247

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
All	All	1.12	92/106833 (0.1%)	1.13	330/160466 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	D	0	1
10	J	0	1
23	W	0	1
All	All	0	3

All (92) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Q	50	GLN	CA-CB	-8.45	1.35	1.53
1	A	1081	C	N1-C6	-6.40	1.33	1.37
1	A	2841	C	N1-C6	-6.24	1.33	1.37
1	A	901	C	N1-C6	-6.17	1.33	1.37
1	A	2008	A	N9-C4	-6.12	1.34	1.37
1	A	202	C	N1-C6	-6.07	1.33	1.37
1	A	1376	C	N1-C6	-6.00	1.33	1.37
1	A	1125	C	N1-C6	-5.95	1.33	1.37
1	A	1822	C	N1-C6	-5.93	1.33	1.37
1	A	2223	C	N1-C6	-5.92	1.33	1.37
1	A	2905	C	N1-C6	-5.89	1.33	1.37
1	A	902	C	N1-C6	-5.84	1.33	1.37
1	A	1888	C	C4-C5	-5.81	1.38	1.43
1	A	2915	C	C4-C5	-5.79	1.38	1.43
1	A	2667	C	N1-C6	-5.78	1.33	1.37
1	A	847	C	C4-C5	-5.78	1.38	1.43
1	A	1027	C	N1-C6	-5.75	1.33	1.37
1	A	799	G	N9-C4	-5.74	1.33	1.38
1	A	2248	C	C4-C5	-5.74	1.38	1.43
1	A	2005	C	C4-C5	-5.72	1.38	1.43
1	A	678	A	N7-C5	-5.72	1.35	1.39
1	A	2233	G	N9-C8	-5.67	1.33	1.37
1	A	793	C	C4-C5	-5.64	1.38	1.43
1	A	197	C	C4-C5	-5.63	1.38	1.43
1	A	2923	C	N1-C6	-5.62	1.33	1.37
1	A	2916	C	N1-C6	-5.58	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	2830	C	N1-C6	-5.57	1.33	1.37
1	A	1413	C	C4-C5	-5.56	1.38	1.43
1	A	2224	C	N1-C6	-5.56	1.33	1.37
1	A	813	C	N1-C6	-5.54	1.33	1.37
1	A	1856	C	C4-C5	-5.52	1.38	1.43
1	A	848	G	C6-N1	-5.51	1.35	1.39
1	A	2766	A	C6-N6	-5.51	1.29	1.33
1	A	2870	C	C4-C5	-5.50	1.38	1.43
1	A	949	C	N1-C6	-5.47	1.33	1.37
1	A	1874	C	C4-C5	-5.46	1.38	1.43
1	A	1866	C	N1-C6	-5.45	1.33	1.37
1	A	906	C	C4-C5	-5.45	1.38	1.43
1	A	675	G	N9-C8	-5.42	1.34	1.37
1	A	678	A	N9-C8	-5.39	1.33	1.37
1	A	725	A	N9-C4	-5.38	1.34	1.37
1	A	847	C	N1-C6	-5.36	1.33	1.37
1	A	852	C	C4-C5	-5.36	1.38	1.43
1	A	2220	C	N1-C6	-5.33	1.33	1.37
1	A	2235	C	C4-C5	-5.33	1.38	1.43
1	A	2218	C	C4-C5	-5.30	1.38	1.43
1	A	1311	C	C4-C5	-5.29	1.38	1.43
1	A	2948	C	N1-C6	-5.28	1.33	1.37
1	A	939	C	C4-C5	-5.27	1.38	1.43
1	A	1441	C	C4-C5	-5.24	1.38	1.43
1	A	1272	C	N1-C6	-5.23	1.34	1.37
1	A	1466	C	N1-C6	-5.22	1.34	1.37
1	A	1277	C	C4-C5	-5.22	1.38	1.43
1	A	2274	C	C4-C5	-5.22	1.38	1.43
1	A	2049	C	N1-C6	-5.21	1.34	1.37
1	A	2274	C	N3-C4	-5.21	1.30	1.33
1	A	2260	C	C4-C5	-5.21	1.38	1.43
1	A	2218	C	N1-C6	-5.19	1.34	1.37
1	A	2230	C	C4-C5	-5.18	1.38	1.43
1	A	678	A	C5-C6	-5.17	1.36	1.41
3	C	34	VAL	C-N	-5.17	1.22	1.34
1	A	879	A	C6-N6	-5.16	1.29	1.33
1	A	2043	C	N1-C6	-5.15	1.34	1.37
1	A	788	C	N1-C6	-5.15	1.34	1.37
1	A	2739	C	N1-C6	-5.13	1.34	1.37
1	A	924	G	N9-C8	-5.13	1.34	1.37
1	A	932	C	C4-C5	-5.12	1.38	1.43
1	A	2234	G	N9-C8	-5.12	1.34	1.37

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	2830	C	C4-C5	-5.10	1.38	1.43
1	A	1856	C	N1-C6	-5.10	1.34	1.37
1	A	672	C	C4-C5	-5.10	1.38	1.43
1	A	667	A	C6-N6	-5.09	1.29	1.33
1	A	1124	C	N1-C6	-5.09	1.34	1.37
1	A	939	C	N1-C6	-5.08	1.34	1.37
1	A	2904	C	N1-C6	-5.08	1.34	1.37
1	A	2295	C	N1-C6	-5.07	1.34	1.37
1	A	807	C	C4-C5	-5.07	1.38	1.43
1	A	2253	A	N9-C4	-5.07	1.34	1.37
1	A	2666	C	N1-C6	-5.07	1.34	1.37
1	A	1445	C	N1-C6	-5.06	1.34	1.37
1	A	2848	C	C4-C5	-5.06	1.39	1.43
1	A	2004	A	C5-C6	-5.06	1.36	1.41
1	A	1124	C	C4-C5	-5.05	1.39	1.43
1	A	2915	C	N1-C6	-5.05	1.34	1.37
1	A	2279	C	N1-C6	-5.04	1.34	1.37
1	A	1429	C	C4-C5	-5.04	1.39	1.43
1	A	2290	C	C4-C5	-5.04	1.39	1.43
1	A	1413	C	N1-C6	-5.02	1.34	1.37
1	A	1104	C	N1-C6	-5.02	1.34	1.37
1	A	2289	C	C4-C5	-5.01	1.39	1.43
1	A	2004	A	N7-C5	-5.01	1.36	1.39
1	A	657	C	N1-C6	-5.00	1.34	1.37

All (330) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2509	C	O4'-C1'-N1	10.75	116.80	108.20
1	A	1012	C	C2-N1-C1'	10.49	130.34	118.80
1	A	2245	C	C2-N1-C1'	10.26	130.08	118.80
1	A	1012	C	N1-C2-O2	9.72	124.73	118.90
1	A	2245	C	N1-C2-O2	9.16	124.40	118.90
1	A	2274	C	N1-C2-O2	9.00	124.30	118.90
1	A	2025	C	C6-N1-C2	-8.95	116.72	120.30
1	A	2025	C	N3-C2-O2	-8.62	115.87	121.90
1	A	2025	C	N1-C2-O2	8.25	123.85	118.90
1	A	2245	C	C6-N1-C1'	-7.87	111.36	120.80
1	A	1441	C	C5-C4-N4	-7.83	114.72	120.20
2	B	87	U	N3-C2-O2	-7.76	116.77	122.20
1	A	2491	A	N1-C6-N6	-7.72	113.97	118.60
1	A	197	C	C6-N1-C2	-7.70	117.22	120.30

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2468	U	N3-C4-O4	7.63	124.74	119.40
1	A	1012	C	N3-C2-O2	-7.62	116.57	121.90
1	A	2511	A	O4'-C1'-N9	7.60	114.28	108.20
1	A	848	G	N1-C2-N2	-7.59	109.37	116.20
1	A	1421	C	C5-C4-N4	-7.56	114.91	120.20
1	A	336	C	N3-C2-O2	-7.51	116.64	121.90
1	A	2521	C	C6-N1-C2	-7.50	117.30	120.30
1	A	1012	C	C6-N1-C1'	-7.50	111.81	120.80
1	A	2248	C	N1-C2-O2	7.43	123.36	118.90
1	A	1747	C	N3-C2-O2	-7.39	116.73	121.90
1	A	3045	C	C5-C4-N4	-7.39	115.03	120.20
1	A	2944	U	C5-C4-O4	-7.35	121.49	125.90
1	A	1888	C	C5-C4-N4	-7.33	115.07	120.20
1	A	1992	U	C5-C4-O4	-7.32	121.51	125.90
1	A	962	U	C2-N1-C1'	7.30	126.47	117.70
1	A	2245	C	N3-C2-O2	-7.28	116.81	121.90
1	A	318	U	C2-N1-C1'	7.16	126.29	117.70
1	A	2185	C	C5-C4-N4	-7.16	115.19	120.20
1	A	318	U	N1-C2-O2	7.13	127.79	122.80
1	A	1277	C	C5-C4-N4	-7.13	115.21	120.20
1	A	1429	C	C6-N1-C2	-7.12	117.45	120.30
1	A	597	C	C5-C4-N4	-7.12	115.22	120.20
1	A	2730	U	C2-N1-C1'	7.10	126.22	117.70
1	A	2509	C	C6-N1-C2	-7.10	117.46	120.30
1	A	932	C	C5-C4-N4	-7.08	115.25	120.20
1	A	726	A	C5-C6-N6	-7.07	118.04	123.70
1	A	652	C	C5-C4-N4	-7.07	115.25	120.20
1	A	2944	U	N3-C4-O4	7.02	124.32	119.40
1	A	336	C	N1-C2-O2	6.95	123.07	118.90
1	A	2900	C	N1-C2-O2	6.90	123.04	118.90
1	A	879	A	C5-C6-N1	6.86	121.13	117.70
1	A	673	C	N1-C2-O2	6.81	122.99	118.90
1	A	557	G	C2-N3-C4	-6.80	108.50	111.90
1	A	1513	C	C5-C4-N4	-6.76	115.47	120.20
1	A	2766	A	C5-C6-N6	-6.76	118.29	123.70
1	A	197	C	C5-C6-N1	6.75	124.38	121.00
1	A	2519	C	C5-C4-N4	-6.73	115.49	120.20
1	A	318	U	N3-C2-O2	-6.69	117.52	122.20
1	A	1843	C	C5-C4-N4	-6.65	115.54	120.20
1	A	2468	U	C5-C4-O4	-6.64	121.92	125.90
1	A	2905	C	C5-C4-N4	-6.64	115.56	120.20
1	A	1030	C	C5-C4-N4	-6.63	115.56	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	Q	93	ARG	C-N-CA	6.58	138.16	121.70
1	A	2825	C	C5-C4-N4	-6.57	115.60	120.20
1	A	2870	C	C5-C4-N4	-6.55	115.62	120.20
1	A	1272	C	N1-C2-O2	6.54	122.82	118.90
1	A	3046	C	C2-N1-C1'	6.53	125.98	118.80
1	A	1893	C	C5-C4-N4	-6.52	115.64	120.20
1	A	939	C	C5-C4-N4	-6.48	115.66	120.20
1	A	2676	C	C5-C4-N4	-6.47	115.67	120.20
16	P	24	ARG	NE-CZ-NH1	6.42	123.51	120.30
1	A	804	A	C5-C6-N1	6.42	120.91	117.70
1	A	597	C	N3-C4-N4	6.41	122.49	118.00
1	A	2223	C	C5-C4-N4	-6.41	115.72	120.20
1	A	481	C	N1-C2-O2	6.40	122.74	118.90
1	A	1473	G	C2-N3-C4	-6.39	108.70	111.90
2	B	87	U	N1-C2-O2	6.38	127.27	122.80
1	A	197	C	N1-C2-O2	6.37	122.72	118.90
1	A	2288	C	C5-C4-N4	-6.37	115.74	120.20
1	A	2287	C	C5-C4-N4	-6.36	115.75	120.20
1	A	1562	C	C6-N1-C2	-6.36	117.76	120.30
1	A	2830	C	C5-C4-N4	-6.35	115.75	120.20
1	A	1429	C	C2-N1-C1'	6.35	125.78	118.80
3	C	221	VAL	C-N-CA	6.29	137.42	121.70
1	A	2915	C	C5-C4-N4	-6.27	115.81	120.20
1	A	1012	C	C6-N1-C2	-6.27	117.79	120.30
1	A	197	C	N3-C4-N4	6.26	122.38	118.00
1	A	2775	C	N1-C2-O2	6.25	122.65	118.90
1	A	1298	C	N1-C2-O2	6.24	122.64	118.90
1	A	1458	G	C4-N9-C1'	6.24	134.61	126.50
1	A	1311	C	C5-C4-N4	-6.19	115.87	120.20
32	g	4	GLY	N-CA-C	-6.17	97.68	113.10
1	A	1874	C	C5-C4-N4	-6.16	115.89	120.20
1	A	1992	U	N3-C4-O4	6.14	123.70	119.40
1	A	1458	G	C8-N9-C1'	-6.09	119.08	127.00
1	A	804	A	C5-C6-N6	-6.08	118.84	123.70
1	A	793	C	N1-C2-O2	6.08	122.55	118.90
1	A	1428	U	C2-N1-C1'	6.08	124.99	117.70
1	A	29	C	N1-C2-O2	6.06	122.54	118.90
1	A	1747	C	N1-C2-O2	6.04	122.52	118.90
1	A	853	C	N1-C2-O2	6.02	122.51	118.90
1	A	799	G	C2-N3-C4	-6.01	108.89	111.90
1	A	2023	C	N1-C2-O2	6.01	122.51	118.90
1	A	2870	C	C5-C6-N1	6.01	124.01	121.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2003	A	C5'-C4'-O4'	5.99	116.28	109.10
1	A	2725	C	N1-C2-O2	5.99	122.49	118.90
1	A	1234	U	C6-N1-C2	-5.98	117.41	121.00
1	A	556	G	C6-C5-N7	-5.97	126.82	130.40
1	A	2262	C	N1-C2-O2	5.96	122.48	118.90
1	A	2870	C	N3-C4-N4	5.96	122.17	118.00
1	A	848	G	C4-N9-C1'	5.96	134.25	126.50
2	B	87	U	C6-N1-C2	-5.95	117.43	121.00
1	A	1856	C	C5-C4-N4	-5.95	116.03	120.20
1	A	933	G	N1-C2-N2	-5.95	110.85	116.20
1	A	1843	C	N3-C4-N4	5.95	122.16	118.00
1	A	599	G	O4'-C1'-N9	5.95	112.96	108.20
1	A	2005	C	C5-C4-N4	-5.94	116.04	120.20
1	A	2869	C	C2-N1-C1'	5.94	125.33	118.80
1	A	1788	G	C8-N9-C1'	5.93	134.71	127.00
1	A	2925	C	N1-C2-O2	5.92	122.45	118.90
1	A	3074	C	C5-C4-N4	-5.92	116.06	120.20
1	A	1492	G	C2-N3-C4	-5.91	108.94	111.90
1	A	2556	C	N1-C2-O2	5.91	122.45	118.90
1	A	2004	A	N1-C6-N6	5.88	122.13	118.60
1	A	1122	C	N1-C2-O2	5.88	122.43	118.90
1	A	1384	G	C6-C5-N7	-5.88	126.87	130.40
1	A	848	G	C6-C5-N7	-5.85	126.89	130.40
1	A	2235	C	C5-C4-N4	-5.84	116.11	120.20
1	A	799	G	N3-C4-C5	5.83	131.51	128.60
1	A	848	G	N3-C2-N2	5.82	123.97	119.90
1	A	1124	C	C5-C4-N4	-5.81	116.13	120.20
1	A	390	G	N1-C2-N2	-5.81	110.97	116.20
1	A	2047	C	N3-C4-N4	5.80	122.06	118.00
1	A	2874	C	C5-C4-N4	-5.80	116.14	120.20
1	A	556	G	C4-C5-N7	5.80	113.12	110.80
29	d	9	GLN	N-CA-C	-5.80	95.35	111.00
1	A	2749	G	N3-C4-N9	-5.79	122.53	126.00
1	A	1234	U	N3-C2-O2	-5.78	118.15	122.20
1	A	812	C	C5-C4-N4	-5.78	116.15	120.20
1	A	2734	C	C5-C4-N4	-5.78	116.15	120.20
1	A	848	G	C2-N3-C4	-5.76	109.02	111.90
1	A	851	C	N1-C2-O2	5.75	122.35	118.90
1	A	174	G	C5-C6-O6	-5.75	125.15	128.60
1	A	1788	G	C4-N9-C1'	-5.74	119.04	126.50
1	A	1571	C	N1-C2-O2	-5.74	115.46	118.90
1	A	1298	C	C2-N1-C1'	5.71	125.08	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2723	C	C5-C4-N4	-5.71	116.20	120.20
1	A	197	C	C2-N1-C1'	5.69	125.06	118.80
1	A	2841	C	C5-C4-N4	-5.69	116.22	120.20
1	A	1092	G	O4'-C1'-N9	5.68	112.75	108.20
1	A	2047	C	C5-C4-N4	-5.68	116.22	120.20
1	A	2749	G	N3-C4-C5	5.67	131.43	128.60
1	A	1260	C	C2-N1-C1'	5.66	125.02	118.80
1	A	386	C	C5-C4-N4	-5.65	116.25	120.20
1	A	1409	C	N3-C4-N4	5.65	121.95	118.00
1	A	912	C	N1-C2-O2	5.64	122.29	118.90
1	A	932	C	N1-C2-O2	5.64	122.29	118.90
1	A	2818	C	N1-C2-O2	5.64	122.28	118.90
1	A	472	C	C6-N1-C2	-5.63	118.05	120.30
1	A	2181	C	C5-C4-N4	-5.62	116.27	120.20
1	A	1089	C	N1-C2-O2	5.60	122.26	118.90
1	A	2725	C	N3-C2-O2	-5.59	117.98	121.90
1	A	2004	A	C5-C6-N6	-5.59	119.23	123.70
1	A	2274	C	N3-C2-O2	-5.58	117.99	121.90
1	A	2626	U	C2-N1-C1'	5.58	124.39	117.70
1	A	2218	C	C5-C4-N4	-5.57	116.30	120.20
1	A	1968	U	C5-C4-O4	-5.57	122.56	125.90
1	A	2198	C	C5-C4-N4	-5.55	116.31	120.20
3	C	213	ARG	NE-CZ-NH1	5.54	123.07	120.30
1	A	1302	G	N1-C6-O6	5.54	123.22	119.90
1	A	336	C	C6-N1-C2	-5.54	118.08	120.30
1	A	726	A	N1-C6-N6	5.54	121.92	118.60
1	A	1830	C	C5-C4-N4	-5.53	116.33	120.20
1	A	852	C	C5-C4-N4	-5.52	116.33	120.20
1	A	2419	C	C6-N1-C2	-5.52	118.09	120.30
1	A	2005	C	N3-C4-N4	5.52	121.86	118.00
1	A	1119	A	N1-C6-N6	-5.52	115.29	118.60
1	A	898	A	C4-N9-C1'	5.51	136.22	126.30
1	A	1120	G	C4-C5-N7	5.51	113.00	110.80
1	A	1472	C	N1-C2-O2	5.51	122.20	118.90
1	A	2766	A	C5-C6-N1	5.50	120.45	117.70
1	A	848	G	C8-N9-C1'	-5.50	119.84	127.00
1	A	2230	C	C5-C4-N4	-5.50	116.35	120.20
1	A	2610	C	N1-C2-O2	5.50	122.20	118.90
1	A	2004	A	C4-C5-N7	5.49	113.45	110.70
1	A	657	C	C5-C4-N4	-5.49	116.36	120.20
1	A	1123	C	C6-N1-C2	-5.48	118.11	120.30
1	A	1486	G	C2-N3-C4	-5.48	109.16	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2296	C	N1-C2-O2	5.47	122.18	118.90
1	A	2508	C	N1-C2-O2	5.47	122.18	118.90
1	A	2605	C	C5-C4-N4	-5.46	116.38	120.20
1	A	3045	C	N3-C4-N4	5.45	121.82	118.00
1	A	472	C	C2-N1-C1'	5.45	124.79	118.80
1	A	501	C	C5-C4-N4	-5.45	116.39	120.20
1	A	546	G	O4'-C1'-N9	5.45	112.56	108.20
1	A	2290	C	N1-C2-O2	5.45	122.17	118.90
1	A	3046	C	N3-C2-O2	-5.45	118.09	121.90
1	A	1104	C	N1-C2-O2	5.44	122.17	118.90
1	A	1273	G	C2-N3-C4	-5.44	109.18	111.90
1	A	1311	C	N3-C4-N4	5.44	121.81	118.00
1	A	2185	C	N3-C4-N4	5.44	121.81	118.00
1	A	974	G	P-O3'-C3'	5.42	126.20	119.70
1	A	1413	C	C2-N1-C1'	5.42	124.76	118.80
1	A	2848	C	C5-C4-N4	-5.42	116.41	120.20
1	A	1384	G	N7-C8-N9	5.42	115.81	113.10
1	A	1823	C	N1-C2-O2	5.42	122.15	118.90
1	A	726	A	N9-C4-C5	-5.41	103.64	105.80
1	A	860	G	N1-C2-N2	-5.41	111.33	116.20
1	A	2184	A	N9-C4-C5	-5.41	103.64	105.80
1	A	191	G	C4-N9-C1'	5.41	133.53	126.50
25	Z	51	ARG	NE-CZ-NH1	5.41	123.00	120.30
1	A	2249	G	N7-C8-N9	5.41	115.80	113.10
7	G	65	LEU	CA-CB-CG	5.40	127.73	115.30
1	A	1035	G	C2-N3-C4	-5.40	109.20	111.90
1	A	851	C	C5-C4-N4	-5.39	116.43	120.20
1	A	1303	U	C5-C4-O4	-5.39	122.67	125.90
1	A	2260	C	N3-C4-N4	5.39	121.77	118.00
33	y	29	ASP	C-N-CD	5.39	139.71	128.40
1	A	2203	C	N1-C2-O2	5.38	122.13	118.90
1	A	2419	C	C2-N1-C1'	5.38	124.72	118.80
1	A	726	A	C4-C5-N7	5.38	113.39	110.70
1	A	1012	C	C5-C6-N1	5.37	123.69	121.00
1	A	2124	A	N1-C6-N6	5.37	121.82	118.60
1	A	2016	G	C2-N3-C4	-5.37	109.22	111.90
1	A	1902	C	C5-C4-N4	-5.37	116.44	120.20
1	A	467	C	C5-C4-N4	-5.36	116.45	120.20
1	A	1509	U	O4'-C1'-N1	-5.35	103.92	108.20
3	C	222	ARG	NE-CZ-NH1	5.35	122.97	120.30
1	A	2521	C	C2-N1-C1'	5.34	124.68	118.80
1	A	1901	C	C5-C4-N4	-5.34	116.46	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1027	C	N1-C2-O2	5.34	122.10	118.90
1	A	1030	C	N3-C4-N4	5.34	121.74	118.00
1	A	2004	A	N9-C4-C5	-5.33	103.67	105.80
1	A	2561	G	N1-C6-O6	5.33	123.09	119.90
1	A	2249	G	C6-C5-N7	-5.32	127.21	130.40
1	A	896	A	C5'-C4'-O4'	5.32	115.48	109.10
1	A	2339	G	O4'-C1'-N9	-5.32	103.95	108.20
1	A	1409	C	C6-N1-C2	-5.31	118.18	120.30
1	A	799	G	N3-C4-N9	-5.30	122.82	126.00
1	A	2398	C	N1-C2-O2	-5.29	115.72	118.90
29	d	9	GLN	C-N-CD	5.29	139.51	128.40
1	A	974	G	C8-N9-C4	-5.29	104.28	106.40
1	A	1638	C	C5-C4-N4	-5.29	116.50	120.20
1	A	1298	C	N3-C2-O2	-5.28	118.20	121.90
1	A	1775	C	N1-C2-O2	5.27	122.06	118.90
1	A	1436	C	C6-N1-C2	-5.27	118.19	120.30
1	A	43	C	C5-C4-N4	-5.26	116.52	120.20
1	A	617	U	C2-N1-C1'	5.26	124.01	117.70
1	A	2230	C	C6-N1-C2	-5.26	118.20	120.30
1	A	390	G	N3-C2-N2	5.26	123.58	119.90
1	A	1413	C	N1-C2-O2	5.26	122.05	118.90
1	A	436	C	N3-C2-O2	-5.25	118.23	121.90
1	A	631	C	N1-C2-O2	5.24	122.05	118.90
1	A	1378	U	C5-C4-O4	-5.24	122.75	125.90
1	A	2818	C	C5-C4-N4	-5.24	116.53	120.20
1	A	2260	C	C5-C6-N1	5.24	123.62	121.00
1	A	81	A	C5'-C4'-O4'	5.23	115.38	109.10
1	A	2510	A	N1-C6-N6	5.23	121.74	118.60
1	A	1561	C	C6-N1-C2	-5.23	118.21	120.30
1	A	2169	G	C5-C6-O6	-5.23	125.46	128.60
1	A	939	C	N3-C4-N4	5.22	121.66	118.00
1	A	1276	G	C4-N9-C1'	5.22	133.29	126.50
1	A	2574	C	C5-C4-N4	-5.22	116.55	120.20
1	A	1570	C	C6-N1-C2	-5.21	118.22	120.30
14	N	45	ARG	NE-CZ-NH1	5.21	122.91	120.30
1	A	1082	C	C5-C4-N4	-5.21	116.56	120.20
1	A	534	G	C2-N3-C4	-5.21	109.30	111.90
1	A	202	C	C5-C4-N4	-5.20	116.56	120.20
1	A	1788	G	N3-C4-N9	-5.20	122.88	126.00
1	A	2248	C	C2-N1-C1'	5.20	124.52	118.80
1	A	734	C	C5-C4-N4	-5.19	116.56	120.20
1	A	2899	A	C5-C6-N6	-5.19	119.55	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2843	C	C5-C4-N4	-5.19	116.57	120.20
1	A	1393	C	C5-C4-N4	-5.18	116.57	120.20
1	A	2005	C	C5'-C4'-O4'	5.17	115.31	109.10
1	A	2841	C	N3-C4-N4	5.17	121.62	118.00
1	A	1458	G	C6-C5-N7	-5.17	127.30	130.40
1	A	617	U	N1-C2-O2	5.17	126.42	122.80
1	A	2900	C	N3-C2-O2	-5.17	118.28	121.90
1	A	97	U	P-O3'-C3'	5.16	125.89	119.70
1	A	652	C	N3-C4-N4	5.16	121.61	118.00
1	A	1251	A	O4'-C1'-N9	5.16	112.33	108.20
1	A	1752	C	C5-C4-N4	-5.16	116.59	120.20
1	A	2775	C	C2-N1-C1'	5.16	124.47	118.80
1	A	357	U	P-O3'-C3'	5.16	125.89	119.70
2	B	87	U	C5-C6-N1	5.16	125.28	122.70
1	A	1022	C	N3-C2-O2	-5.15	118.29	121.90
4	D	160	VAL	N-CA-CB	-5.15	100.16	111.50
1	A	1874	C	N3-C4-N4	5.15	121.61	118.00
1	A	73	C	C5-C4-N4	-5.14	116.60	120.20
1	A	872	G	N3-C4-C5	5.14	131.17	128.60
1	A	1638	C	N3-C4-N4	5.13	121.59	118.00
1	A	667	A	C5-C6-N1	5.13	120.27	117.70
1	A	2665	C	C5-C4-N4	-5.13	116.61	120.20
1	A	1894	A	C5-N7-C8	-5.13	101.34	103.90
1	A	2730	U	N3-C2-O2	-5.13	118.61	122.20
1	A	1022	C	N1-C2-O2	5.12	121.97	118.90
1	A	853	C	C2-N1-C1'	5.12	124.43	118.80
1	A	869	U	C5-C4-O4	-5.12	122.83	125.90
1	A	902	C	N1-C2-O2	5.12	121.97	118.90
1	A	1171	C	C5-C4-N4	-5.12	116.62	120.20
1	A	962	U	C6-N1-C1'	-5.12	114.04	121.20
1	A	2561	G	C5-C6-O6	-5.11	125.53	128.60
2	B	85	C	C5-C4-N4	-5.11	116.62	120.20
1	A	161	U	N1-C2-O2	5.10	126.37	122.80
1	A	1793	G	C6-C5-N7	-5.10	127.34	130.40
5	E	101	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	A	2249	G	C4-C5-N7	5.09	112.84	110.80
27	b	3	VAL	C-N-CD	5.09	139.09	128.40
1	A	340	A	N9-C4-C5	-5.09	103.77	105.80
1	A	2230	C	C5-C6-N1	5.09	123.54	121.00
28	c	30	ASP	C-N-CD	5.08	139.07	128.40
1	A	115	A	C8-N9-C4	-5.08	103.77	105.80
1	A	1384	G	C4-N9-C1'	5.07	133.09	126.50

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	174	G	C4-C5-N7	5.06	112.82	110.80
1	A	853	C	C6-N1-C2	-5.06	118.28	120.30
1	A	1473	G	N1-C2-N2	-5.05	111.65	116.20
1	A	357	U	OP2-P-O3'	5.05	116.32	105.20
1	A	957	C	N1-C2-O2	5.05	121.93	118.90
1	A	139	U	C2-N1-C1'	5.05	123.76	117.70
1	A	197	C	C5-C4-N4	-5.03	116.68	120.20
1	A	113	C	N1-C2-O2	5.03	121.92	118.90
1	A	191	G	C8-N9-C1'	-5.03	120.46	127.00
1	A	2794	G	C2-N3-C4	-5.03	109.39	111.90
1	A	501	C	N3-C4-N4	5.02	121.52	118.00
1	A	895	G	C2-N3-C4	-5.02	109.39	111.90
1	A	946	G	N1-C2-N2	-5.02	111.68	116.20
1	A	2626	U	N1-C2-O2	5.02	126.31	122.80
1	A	847	C	C5-C4-N4	-5.01	116.69	120.20
1	A	2003	A	C5'-C4'-C3'	5.01	124.02	116.00
1	A	2249	G	C5-N7-C8	-5.01	101.80	104.30
1	A	2313	A	N9-C4-C5	-5.01	103.80	105.80
1	A	2610	C	C2-N1-C1'	5.01	124.31	118.80
1	A	150	C	C5-C4-N4	-5.00	116.70	120.20
1	A	174	G	N1-C6-O6	5.00	122.90	119.90
1	A	902	C	C2-N1-C1'	5.00	124.30	118.80

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	D	147	ARG	Peptide
10	J	21	ASN	Peptide
23	W	153	ALA	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	273/278 (98%)	232 (85%)	41 (15%)	0	100	100
4	D	212/217 (98%)	182 (86%)	28 (13%)	2 (1%)	17	53
5	E	207/214 (97%)	192 (93%)	15 (7%)	0	100	100
6	F	180/186 (97%)	165 (92%)	14 (8%)	1 (1%)	25	61
7	G	174/179 (97%)	157 (90%)	17 (10%)	0	100	100
8	H	149/151 (99%)	139 (93%)	10 (7%)	0	100	100
9	I	124/175 (71%)	117 (94%)	6 (5%)	1 (1%)	19	56
10	J	131/142 (92%)	116 (88%)	15 (12%)	0	100	100
11	K	144/146 (99%)	135 (94%)	9 (6%)	0	100	100
12	L	120/122 (98%)	109 (91%)	11 (9%)	0	100	100
13	M	143/147 (97%)	120 (84%)	21 (15%)	2 (1%)	11	43
14	N	134/138 (97%)	119 (89%)	15 (11%)	0	100	100
15	O	116/199 (58%)	107 (92%)	9 (8%)	0	100	100
16	P	124/126 (98%)	116 (94%)	8 (6%)	0	100	100
17	Q	111/113 (98%)	94 (85%)	15 (14%)	2 (2%)	8	38
18	R	122/129 (95%)	117 (96%)	5 (4%)	0	100	100
19	S	98/102 (96%)	93 (95%)	5 (5%)	0	100	100
20	T	112/152 (74%)	105 (94%)	7 (6%)	0	100	100
21	U	95/99 (96%)	81 (85%)	14 (15%)	0	100	100
22	V	93/105 (89%)	87 (94%)	6 (6%)	0	100	100
23	W	190/215 (88%)	169 (89%)	20 (10%)	1 (0%)	29	65
24	X	77/88 (88%)	69 (90%)	8 (10%)	0	100	100
25	Z	62/77 (80%)	62 (100%)	0	0	100	100
26	a	57/61 (93%)	55 (96%)	2 (4%)	0	100	100
27	b	52/57 (91%)	47 (90%)	4 (8%)	1 (2%)	8	37
28	c	51/54 (94%)	26 (51%)	15 (29%)	10 (20%)	0	1
29	d	44/47 (94%)	40 (91%)	4 (9%)	0	100	100
30	e	61/64 (95%)	56 (92%)	5 (8%)	0	100	100
31	f	35/37 (95%)	31 (89%)	4 (11%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
32	g	62/82 (76%)	43 (69%)	14 (23%)	5 (8%)	1	8
33	y	75/78 (96%)	56 (75%)	8 (11%)	11 (15%)	0	2
34	3	21/23 (91%)	18 (86%)	3 (14%)	0	100	100
All	All	3649/4003 (91%)	3255 (89%)	358 (10%)	36 (1%)	20	51

All (36) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	D	156	THR
6	F	131	GLY
27	b	9	SER
28	c	10	LYS
28	c	12	ARG
28	c	33	ARG
28	c	34	ILE
28	c	36	LEU
32	g	3	PRO
33	y	16	SER
33	y	24	THR
33	y	27	ARG
33	y	31	ASN
28	c	32	ASP
28	c	37	ARG
28	c	46	HIS
33	y	23	ARG
33	y	30	PRO
9	I	125	ASP
32	g	47	PRO
33	y	14	GLY
33	y	15	ASN
13	M	45	ASN
28	c	43	LEU
32	g	30	THR
4	D	162	LYS
13	M	70	ARG
17	Q	93	ARG
28	c	35	VAL
33	y	4	CYS
33	y	26	ARG
33	y	29	ASP
17	Q	3	THR

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type
32	g	5	ILE
23	W	154	GLY
32	g	11	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	215/218 (99%)	215 (100%)	0	100	100
4	D	160/163 (98%)	159 (99%)	1 (1%)	86	94
5	E	169/172 (98%)	168 (99%)	1 (1%)	86	94
6	F	151/155 (97%)	149 (99%)	2 (1%)	69	86
7	G	148/150 (99%)	148 (100%)	0	100	100
8	H	116/116 (100%)	115 (99%)	1 (1%)	78	90
9	I	89/120 (74%)	89 (100%)	0	100	100
10	J	102/108 (94%)	101 (99%)	1 (1%)	76	88
11	K	119/119 (100%)	119 (100%)	0	100	100
12	L	100/100 (100%)	100 (100%)	0	100	100
13	M	112/114 (98%)	112 (100%)	0	100	100
14	N	114/116 (98%)	113 (99%)	1 (1%)	78	90
15	O	97/158 (61%)	97 (100%)	0	100	100
16	P	93/93 (100%)	92 (99%)	1 (1%)	73	87
17	Q	100/100 (100%)	99 (99%)	1 (1%)	76	88
18	R	97/99 (98%)	97 (100%)	0	100	100
19	S	81/82 (99%)	80 (99%)	1 (1%)	71	87
20	T	90/116 (78%)	87 (97%)	3 (3%)	38	69
21	U	83/84 (99%)	83 (100%)	0	100	100
22	V	81/86 (94%)	80 (99%)	1 (1%)	71	87
23	W	155/168 (92%)	155 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	X	58/63 (92%)	56 (97%)	2 (3%)	37	68
25	Z	58/66 (88%)	58 (100%)	0	100	100
26	a	52/54 (96%)	52 (100%)	0	100	100
27	b	43/46 (94%)	42 (98%)	1 (2%)	50	77
28	c	49/50 (98%)	48 (98%)	1 (2%)	55	79
29	d	35/36 (97%)	35 (100%)	0	100	100
30	e	53/54 (98%)	53 (100%)	0	100	100
31	f	35/35 (100%)	35 (100%)	0	100	100
32	g	55/70 (79%)	54 (98%)	1 (2%)	59	81
33	y	64/65 (98%)	61 (95%)	3 (5%)	26	60
34	3	18/18 (100%)	18 (100%)	0	100	100
All	All	2992/3194 (94%)	2970 (99%)	22 (1%)	84	93

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	D	201	ARG
5	E	46	ARG
6	F	78	ARG
6	F	95	ARG
8	H	57	LYS
10	J	52	ARG
14	N	10	ARG
16	P	26	ARG
17	Q	38	ARG
19	S	81	LYS
20	T	90	LYS
20	T	93	ARG
20	T	104	ARG
22	V	1	MET
24	X	14	ARG
24	X	85	ARG
27	b	6	ARG
28	c	12	ARG
32	g	64	SER
33	y	26	ARG
33	y	45	ARG
33	y	56	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
3	C	53	HIS
3	C	91	ASN
5	E	182	GLN
6	F	31	ASN
8	H	46	GLN
16	P	41	ASN
27	b	12	ASN
32	g	58	HIS
33	y	19	HIS
33	y	21	HIS
33	y	33	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	3118/3119 (99%)	770 (24%)	32 (1%)
2	B	117/118 (99%)	23 (19%)	1 (0%)
All	All	3235/3237 (99%)	793 (24%)	33 (1%)

All (793) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	7	U
1	A	11	A
1	A	19	U
1	A	20	G
1	A	23	G
1	A	25	A
1	A	29	C
1	A	31	U
1	A	32	G
1	A	43	C
1	A	47	U
1	A	60	A
1	A	68	A
1	A	71	A
1	A	72	G
1	A	81	A
1	A	82	G
1	A	85	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	94	G
1	A	98	U
1	A	99	G
1	A	107	G
1	A	115	A
1	A	117	U
1	A	125	C
1	A	126	C
1	A	128	G
1	A	136	U
1	A	138	A
1	A	148	A
1	A	150	C
1	A	151	A
1	A	159	A
1	A	161	U
1	A	162	A
1	A	180	A
1	A	188	G
1	A	195	A
1	A	198	A
1	A	203	A
1	A	204	G
1	A	212	A
1	A	214	G
1	A	215	A
1	A	220	A
1	A	221	A
1	A	227	A
1	A	229	U
1	A	230	G
1	A	232	G
1	A	233	A
1	A	241	A
1	A	248	G
1	A	265	A
1	A	267	G
1	A	279	U
1	A	282	A
1	A	285	U
1	A	286	G
1	A	287	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	288	U
1	A	289	A
1	A	290	C
1	A	291	C
1	A	292	G
1	A	298	G
1	A	299	G
1	A	300	G
1	A	301	U
1	A	303	G
1	A	305	G
1	A	315	U
1	A	316	U
1	A	317	G
1	A	318	U
1	A	319	G
1	A	323	C
1	A	324	C
1	A	327	U
1	A	329	U
1	A	330	U
1	A	331	U
1	A	335	G
1	A	336	C
1	A	337	U
1	A	338	C
1	A	340	A
1	A	342	C
1	A	348	G
1	A	351	G
1	A	352	G
1	A	357	U
1	A	358	G
1	A	361	A
1	A	363	A
1	A	369	G
1	A	370	U
1	A	376	G
1	A	383	U
1	A	384	G
1	A	391	G
1	A	393	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	404	A
1	A	412	A
1	A	413	G
1	A	417	C
1	A	428	A
1	A	433	C
1	A	434	G
1	A	437	G
1	A	441	G
1	A	444	U
1	A	445	U
1	A	446	G
1	A	448	U
1	A	449	G
1	A	450	G
1	A	452	G
1	A	460	G
1	A	467	C
1	A	474	G
1	A	475	U
1	A	482	U
1	A	489	A
1	A	491	U
1	A	493	U
1	A	494	G
1	A	500	A
1	A	505	C
1	A	509	U
1	A	512	G
1	A	514	C
1	A	517	A
1	A	523	U
1	A	531	A
1	A	539	C
1	A	543	U
1	A	544	U
1	A	552	U
1	A	553	G
1	A	556	G
1	A	561	G
1	A	562	G
1	A	563	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	565	A
1	A	566	A
1	A	567	A
1	A	569	G
1	A	578	G
1	A	585	G
1	A	589	A
1	A	591	G
1	A	592	A
1	A	594	U
1	A	595	A
1	A	596	C
1	A	597	C
1	A	605	G
1	A	614	C
1	A	617	U
1	A	618	C
1	A	619	C
1	A	620	G
1	A	633	A
1	A	634	C
1	A	636	U
1	A	637	G
1	A	638	U
1	A	639	C
1	A	640	G
1	A	642	G
1	A	644	G
1	A	646	U
1	A	648	A
1	A	654	U
1	A	655	G
1	A	661	U
1	A	665	G
1	A	666	A
1	A	667	A
1	A	679	G
1	A	684	G
1	A	685	G
1	A	696	A
1	A	697	G
1	A	706	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	707	G
1	A	708	G
1	A	714	U
1	A	721	A
1	A	725	A
1	A	731	A
1	A	740	A
1	A	747	A
1	A	756	A
1	A	757	G
1	A	758	A
1	A	760	U
1	A	763	G
1	A	764	U
1	A	766	G
1	A	767	U
1	A	768	G
1	A	784	G
1	A	801	U
1	A	830	A
1	A	832	G
1	A	845	C
1	A	862	U
1	A	863	G
1	A	868	C
1	A	880	G
1	A	890	G
1	A	897	A
1	A	898	A
1	A	899	G
1	A	905	U
1	A	907	A
1	A	909	A
1	A	915	U
1	A	920	G
1	A	927	C
1	A	942	U
1	A	943	U
1	A	945	G
1	A	954	U
1	A	960	G
1	A	961	U

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	973	G
1	A	974	G
1	A	975	U
1	A	976	A
1	A	981	U
1	A	982	A
1	A	983	C
1	A	995	U
1	A	997	G
1	A	1001	C
1	A	1002	C
1	A	1003	A
1	A	1004	C
1	A	1005	A
1	A	1006	G
1	A	1007	G
1	A	1008	G
1	A	1011	A
1	A	1012	C
1	A	1013	U
1	A	1015	A
1	A	1025	A
1	A	1027	C
1	A	1028	U
1	A	1029	C
1	A	1030	C
1	A	1034	U
1	A	1046	C
1	A	1047	A
1	A	1049	G
1	A	1058	A
1	A	1062	A
1	A	1063	G
1	A	1075	U
1	A	1076	A
1	A	1078	G
1	A	1084	U
1	A	1085	G
1	A	1091	A
1	A	1092	G
1	A	1101	A
1	A	1103	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1114	G
1	A	1121	G
1	A	1130	C
1	A	1131	G
1	A	1140	G
1	A	1141	U
1	A	1143	G
1	A	1144	A
1	A	1151	U
1	A	1152	G
1	A	1153	U
1	A	1157	G
1	A	1164	A
1	A	1165	G
1	A	1173	G
1	A	1178	U
1	A	1179	U
1	A	1180	G
1	A	1184	U
1	A	1185	A
1	A	1186	G
1	A	1187	A
1	A	1188	A
1	A	1189	G
1	A	1190	C
1	A	1191	A
1	A	1192	G
1	A	1200	U
1	A	1201	G
1	A	1202	A
1	A	1203	A
1	A	1205	G
1	A	1206	A
1	A	1207	G
1	A	1208	U
1	A	1209	G
1	A	1212	U
1	A	1213	A
1	A	1214	A
1	A	1215	U
1	A	1216	A
1	A	1219	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1223	U
1	A	1224	G
1	A	1226	U
1	A	1230	G
1	A	1234	U
1	A	1235	U
1	A	1238	G
1	A	1240	G
1	A	1244	A
1	A	1246	A
1	A	1251	A
1	A	1253	C
1	A	1260	C
1	A	1261	A
1	A	1267	A
1	A	1270	G
1	A	1290	C
1	A	1292	U
1	A	1293	G
1	A	1294	U
1	A	1320	U
1	A	1325	U
1	A	1332	G
1	A	1339	G
1	A	1343	G
1	A	1344	A
1	A	1345	G
1	A	1352	A
1	A	1353	G
1	A	1359	G
1	A	1362	A
1	A	1365	G
1	A	1370	U
1	A	1371	G
1	A	1380	A
1	A	1386	G
1	A	1387	A
1	A	1389	U
1	A	1404	C
1	A	1408	C
1	A	1415	A
1	A	1416	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1435	C
1	A	1437	A
1	A	1440	C
1	A	1444	U
1	A	1445	C
1	A	1456	G
1	A	1457	A
1	A	1462	G
1	A	1465	C
1	A	1480	A
1	A	1481	C
1	A	1499	A
1	A	1501	C
1	A	1507	G
1	A	1508	A
1	A	1510	A
1	A	1511	U
1	A	1518	A
1	A	1522	G
1	A	1524	G
1	A	1525	U
1	A	1529	U
1	A	1530	G
1	A	1531	C
1	A	1534	C
1	A	1536	A
1	A	1537	U
1	A	1538	G
1	A	1540	U
1	A	1544	U
1	A	1546	A
1	A	1547	G
1	A	1550	G
1	A	1551	U
1	A	1552	A
1	A	1553	C
1	A	1554	U
1	A	1555	A
1	A	1556	A
1	A	1558	C
1	A	1559	A
1	A	1561	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1564	A
1	A	1565	A
1	A	1567	C
1	A	1570	C
1	A	1571	C
1	A	1572	G
1	A	1574	G
1	A	1579	C
1	A	1580	A
1	A	1584	U
1	A	1587	G
1	A	1588	G
1	A	1589	G
1	A	1595	G
1	A	1598	U
1	A	1599	U
1	A	1600	G
1	A	1604	G
1	A	1605	G
1	A	1607	C
1	A	1608	U
1	A	1611	A
1	A	1616	A
1	A	1617	C
1	A	1623	U
1	A	1625	G
1	A	1627	U
1	A	1629	G
1	A	1630	U
1	A	1631	A
1	A	1632	G
1	A	1637	G
1	A	1638	C
1	A	1639	G
1	A	1640	A
1	A	1648	A
1	A	1649	C
1	A	1650	G
1	A	1658	G
1	A	1674	G
1	A	1679	A
1	A	1680	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1681	U
1	A	1688	G
1	A	1696	G
1	A	1703	G
1	A	1710	A
1	A	1711	G
1	A	1713	U
1	A	1716	A
1	A	1717	U
1	A	1720	G
1	A	1724	G
1	A	1727	A
1	A	1728	U
1	A	1730	U
1	A	1731	A
1	A	1736	G
1	A	1737	A
1	A	1738	G
1	A	1746	G
1	A	1751	G
1	A	1754	G
1	A	1755	A
1	A	1756	G
1	A	1757	U
1	A	1760	G
1	A	1767	U
1	A	1778	A
1	A	1787	A
1	A	1789	A
1	A	1791	A
1	A	1801	C
1	A	1802	G
1	A	1803	A
1	A	1813	C
1	A	1820	U
1	A	1825	C
1	A	1834	A
1	A	1835	C
1	A	1852	A
1	A	1857	U
1	A	1864	U
1	A	1865	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1866	C
1	A	1871	G
1	A	1872	A
1	A	1878	G
1	A	1890	C
1	A	1892	G
1	A	1895	A
1	A	1909	C
1	A	1912	C
1	A	1916	A
1	A	1917	G
1	A	1918	A
1	A	1921	G
1	A	1925	A
1	A	1931	A
1	A	1946	U
1	A	1947	U
1	A	1948	A
1	A	1950	G
1	A	1973	C
1	A	1975	A
1	A	1979	A
1	A	1980	G
1	A	1981	U
1	A	1990	A
1	A	1998	C
1	A	2003	A
1	A	2004	A
1	A	2017	C
1	A	2018	G
1	A	2024	G
1	A	2025	C
1	A	2026	A
1	A	2027	A
1	A	2033	U
1	A	2036	A
1	A	2046	A
1	A	2047	C
1	A	2050	C
1	A	2052	G
1	A	2064	A
1	A	2065	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	2066	G
1	A	2086	U
1	A	2088	C
1	A	2089	C
1	A	2090	U
1	A	2092	U
1	A	2093	G
1	A	2094	G
1	A	2095	G
1	A	2096	G
1	A	2106	A
1	A	2107	G
1	A	2112	U
1	A	2130	G
1	A	2136	A
1	A	2138	C
1	A	2140	A
1	A	2141	U
1	A	2152	A
1	A	2153	G
1	A	2154	G
1	A	2155	U
1	A	2161	A
1	A	2162	A
1	A	2163	U
1	A	2164	U
1	A	2165	C
1	A	2166	C
1	A	2167	U
1	A	2178	G
1	A	2179	U
1	A	2191	C
1	A	2194	A
1	A	2195	U
1	A	2196	G
1	A	2197	G
1	A	2199	G
1	A	2215	U
1	A	2217	U
1	A	2221	A
1	A	2241	U
1	A	2246	U

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	2255	A
1	A	2256	G
1	A	2257	A
1	A	2267	C
1	A	2276	G
1	A	2279	C
1	A	2280	G
1	A	2284	A
1	A	2285	G
1	A	2286	A
1	A	2293	G
1	A	2300	A
1	A	2315	U
1	A	2316	G
1	A	2325	U
1	A	2327	C
1	A	2329	G
1	A	2331	U
1	A	2334	U
1	A	2335	G
1	A	2336	U
1	A	2338	G
1	A	2339	G
1	A	2341	U
1	A	2342	A
1	A	2343	G
1	A	2346	G
1	A	2347	G
1	A	2348	G
1	A	2350	G
1	A	2351	A
1	A	2352	C
1	A	2353	U
1	A	2354	G
1	A	2355	U
1	A	2356	G
1	A	2358	A
1	A	2359	G
1	A	2363	A
1	A	2367	G
1	A	2368	C
1	A	2373	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	2375	G
1	A	2380	G
1	A	2381	A
1	A	2382	G
1	A	2383	U
1	A	2384	C
1	A	2385	G
1	A	2387	U
1	A	2388	G
1	A	2389	U
1	A	2390	U
1	A	2392	A
1	A	2394	A
1	A	2395	U
1	A	2399	A
1	A	2401	U
1	A	2402	C
1	A	2403	U
1	A	2407	C
1	A	2408	G
1	A	2411	U
1	A	2413	G
1	A	2421	A
1	A	2434	A
1	A	2436	A
1	A	2437	U
1	A	2449	A
1	A	2450	C
1	A	2454	G
1	A	2462	G
1	A	2463	G
1	A	2490	A
1	A	2492	A
1	A	2503	G
1	A	2507	C
1	A	2508	C
1	A	2510	A
1	A	2511	A
1	A	2520	U
1	A	2521	C
1	A	2528	G
1	A	2529	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	2530	C
1	A	2532	G
1	A	2534	A
1	A	2549	G
1	A	2559	A
1	A	2566	C
1	A	2571	C
1	A	2574	C
1	A	2585	U
1	A	2596	G
1	A	2601	A
1	A	2607	G
1	A	2609	A
1	A	2626	U
1	A	2627	C
1	A	2639	G
1	A	2643	U
1	A	2647	U
1	A	2649	A
1	A	2653	G
1	A	2654	A
1	A	2655	U
1	A	2658	A
1	A	2659	A
1	A	2664	C
1	A	2665	C
1	A	2672	A
1	A	2673	U
1	A	2693	A
1	A	2694	G
1	A	2699	C
1	A	2707	C
1	A	2715	U
1	A	2722	C
1	A	2726	G
1	A	2728	U
1	A	2729	G
1	A	2730	U
1	A	2742	A
1	A	2749	G
1	A	2750	G
1	A	2753	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	2755	A
1	A	2759	G
1	A	2767	G
1	A	2778	U
1	A	2788	A
1	A	2790	A
1	A	2791	G
1	A	2796	A
1	A	2797	C
1	A	2802	G
1	A	2806	G
1	A	2810	U
1	A	2826	A
1	A	2827	G
1	A	2833	U
1	A	2835	U
1	A	2837	U
1	A	2853	C
1	A	2854	A
1	A	2857	A
1	A	2860	U
1	A	2862	G
1	A	2870	C
1	A	2871	U
1	A	2878	A
1	A	2884	A
1	A	2893	G
1	A	2906	U
1	A	2912	A
1	A	2913	U
1	A	2926	A
1	A	2929	A
1	A	2936	C
1	A	2937	G
1	A	2938	G
1	A	2957	A
1	A	2959	A
1	A	2963	U
1	A	2968	G
1	A	2972	A
1	A	2974	A
1	A	2979	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	2982	A
1	A	2985	G
1	A	2989	A
1	A	2990	A
1	A	3002	A
1	A	3013	C
1	A	3014	A
1	A	3015	C
1	A	3020	U
1	A	3021	A
1	A	3023	G
1	A	3024	A
1	A	3029	U
1	A	3039	C
1	A	3042	A
1	A	3047	A
1	A	3053	U
1	A	3054	U
1	A	3055	G
1	A	3068	U
1	A	3070	G
1	A	3079	U
1	A	3080	A
1	A	3082	U
1	A	3087	G
1	A	3088	C
1	A	3089	A
1	A	3093	A
1	A	3095	C
1	A	3100	A
1	A	3101	C
1	A	3104	A
1	A	3105	C
1	A	3106	C
1	A	3107	G
1	A	3112	A
1	A	3115	A
1	A	3117	U
2	B	4	A
2	B	5	C
2	B	9	G
2	B	11	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	B	12	C
2	B	13	C
2	B	14	A
2	B	26	A
2	B	30	G
2	B	36	U
2	B	37	C
2	B	41	U
2	B	42	C
2	B	43	C
2	B	45	G
2	B	56	C
2	B	67	A
2	B	87	U
2	B	89	C
2	B	90	G
2	B	103	G
2	B	107	A
2	B	114	A

All (33) RNA pucker outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	81	A
1	A	97	U
1	A	228	A
1	A	316	U
1	A	336	C
1	A	357	U
1	A	445	U
1	A	552	U
1	A	641	U
1	A	643	G
1	A	899	G
1	A	974	G
1	A	1002	C
1	A	1004	C
1	A	1006	G
1	A	1014	G
1	A	1046	C
1	A	1084	U
1	A	1186	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1293	G
1	A	1436	C
1	A	1510	A
1	A	2003	A
1	A	2005	C
1	A	2088	C
1	A	2094	G
1	A	2139	U
1	A	2165	C
1	A	2350	G
1	A	2384	C
1	A	2389	U
1	A	2626	U
2	B	10	G

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

#### 5.7 Other polymers [i](#)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8937. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 227



Y Index: 227




Z Index: 227




The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 270



Y Index: 216




Z Index: 201


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.033. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 804 nm<sup>3</sup>; this corresponds to an approximate mass of 726 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.292 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.292 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.42	-	-
Author-provided FSC curve	3.40	4.11	3.44
Unmasked-calculated*	-	-	-

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-8937 and PDB model 6DZP. Per-residue inclusion information can be found in section 3 on page 10.


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.033 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.033).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.033) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8480	 0.4640
3	 0.8100	 0.5200
A	 0.8920	 0.4710
B	 0.9450	 0.4600
C	 0.7410	 0.4900
D	 0.8320	 0.5100
E	 0.8020	 0.4780
F	 0.7000	 0.3860
G	 0.7750	 0.4300
H	 0.2950	 0.2840
I	 0.2240	 0.2020
J	 0.4180	 0.2760
K	 0.8370	 0.5050
L	 0.7460	 0.4880
M	 0.8050	 0.4890
N	 0.8030	 0.5030
O	 0.8430	 0.4980
P	 0.8380	 0.4540
Q	 0.7350	 0.4610
R	 0.8440	 0.5080
S	 0.8620	 0.5060
T	 0.8140	 0.4880
U	 0.7740	 0.4620
V	 0.7400	 0.4210
W	 0.7340	 0.4470
X	 0.8220	 0.5170
Z	 0.8080	 0.4390
a	 0.8130	 0.5030
b	 0.8060	 0.4800
c	 0.6010	 0.3370
d	 0.7990	 0.5120
e	 0.8190	 0.5110
f	 0.8430	 0.5200
g	 0.5620	 0.2850
y	 0.7500	 0.4270

